


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_2TX
Setting 71
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21043G	51.79	74.00	-22.21	66.51	3	Vertical	224	1.74	-	38.48	12.47	65.67			
AV	12.20933G	38.25	54.00	-15.75	52.97	3	Vertical	224	1.74	-	38.48	12.47	65.67			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_2TX
Setting 71
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20906G	52.73	74.00	-21.27	67.45	3	Horizontal	230	1.04	-	38.48	12.47	65.67			
AV	12.21087G	38.33	54.00	-15.67	53.05	3	Horizontal	230	1.04	-	38.48	12.47	65.67			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_2TX
Setting 71
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31066G	42.66	83.54	-40.88	39.09	1	Vertical	316	2.36	-	37.64	15.56	49.63			
AV	18.31054G	29.24	63.54	-34.30	25.67	1	Vertical	316	2.36	-	37.64	15.56	49.63			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_2TX
Setting 71
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31596G	42.57	83.54	-40.97	38.99	1	Horizontal	229	2.83	-	37.66	15.56	49.64			
AV	18.31006G	29.16	63.54	-34.38	25.59	1	Horizontal	229	2.83	-	37.64	15.56	49.63			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_2TX
Setting 69
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53084G	52.87	74.00	-21.13	67.01	3	Vertical	261	2.29	-	38.74	12.65	65.53			
AV	12.53075G	39.01	54.00	-14.99	53.15	3	Vertical	261	2.29	-	38.74	12.65	65.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_2TX
Setting 69
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52987G	52.60	74.00	-21.40	66.74	3	Horizontal	181	2.08	-	38.74	12.65	65.53			
AV	12.53057G	38.96	54.00	-15.04	53.10	3	Horizontal	181	2.08	-	38.74	12.65	65.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_2TX
Setting 69
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79036G	43.29	83.54	-40.25	38.94	1	Vertical	341	1.57	-	38.00	15.83	49.48			
AV	18.7902G	29.22	63.54	-34.32	24.87	1	Vertical	341	1.57	-	38.00	15.83	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_2TX
Setting 69
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7976G	42.68	83.54	-40.86	38.32	1	Horizontal	302	2.62	-	38.00	15.84	49.48			
AV	18.7901G	29.21	63.54	-34.33	24.86	1	Horizontal	302	2.62	-	38.00	15.83	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_2TX
Setting 76
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84947G	54.56	88.20	-33.64	67.43	3	Vertical	298	2.83	-	39.40	12.82	65.09			
RMS	12.84915G	40.40	68.20	-27.80	53.27	3	Vertical	298	2.83	-	39.40	12.82	65.09			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_2TX
Setting 76
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85074G	55.12	88.20	-33.08	67.99	3	Horizontal	271	2.66	-	39.40	12.82	65.09			
RMS	12.84917G	40.45	68.20	-27.75	53.32	3	Horizontal	271	2.66	-	39.40	12.82	65.09			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_2TX
Setting 76
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27344G	43.86	83.54	-39.68	39.42	1	Vertical	158	2.79	-	37.90	16.01	49.47			
AV	19.2702G	30.11	63.54	-33.43	25.67	1	Vertical	158	2.79	-	37.90	16.01	49.47			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Y_2TX
Setting 76
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27224G	44.12	83.54	-39.42	39.68	1	Horizontal	244	1.67	-	37.90	16.01	49.47			
AV	19.27008G	30.08	63.54	-33.46	25.64	1	Horizontal	244	1.67	-	37.90	16.01	49.47			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_2TX
Setting 73
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16933G	54.73	88.20	-33.47	66.75	3	Vertical	230	1.68	-	39.84	13.00	64.86			
RMS	13.17027G	41.28	68.20	-26.92	53.30	3	Vertical	230	1.68	-	39.84	13.00	64.86			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_2TX
Setting 73
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17018G	54.99	88.20	-33.21	67.01	3	Horizontal	169	1.48	-	39.84	13.00	64.86			
RMS	13.16957G	41.20	68.20	-27.00	53.22	3	Horizontal	169	1.48	-	39.84	13.00	64.86			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_2TX
Setting 73
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7512G	42.85	83.54	-40.69	38.23	1	Vertical	269	2.50	-	37.90	16.15	49.43			
AV	19.75074G	29.26	63.54	-34.28	24.64	1	Vertical	269	2.50	-	37.90	16.15	49.43			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_2TX
Setting 73
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75128G	43.26	83.54	-40.28	38.64	1	Horizontal	199	2.07	-	37.90	16.15	49.43			
AV	19.754G	29.19	63.54	-34.35	24.58	1	Horizontal	199	2.07	-	37.89	16.15	49.43			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_2TX
Setting 75
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49058G	56.24	88.20	-31.96	67.70	3	Vertical	41	2.32	-	40.20	13.17	64.83			
RMS	13.48904G	42.25	68.20	-25.95	53.71	3	Vertical	41	2.32	-	40.20	13.17	64.83			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_2TX
Setting 75
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48947G	56.36	88.20	-31.84	67.82	3	Horizontal	206	1.25	-	40.20	13.17	64.83			
RMS	13.48942G	42.38	68.20	-25.82	53.84	3	Horizontal	206	1.25	-	40.20	13.17	64.83			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_2TX
Setting 75
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.2355G	42.79	83.54	-40.75	37.72	1	Vertical	188	2.28	-	37.97	16.35	49.25			
AV	20.23912G	29.95	63.54	-33.59	24.87	1	Vertical	188	2.28	-	37.98	16.35	49.25			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_Y_2TX
Setting 75
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23038G	43.90	83.54	-39.64	38.84	1	Horizontal	247	1.90	-	37.96	16.35	49.25			
AV	20.23134G	29.98	63.54	-33.56	24.92	1	Horizontal	247	1.90	-	37.96	16.35	49.25			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_2TX
Setting 74
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9464G	108.51	Inf	-Inf	96.66	3	Vertical	359	1.80	-	36.59	7.97	32.71			
RMS	6.947G	97.91	Inf	-Inf	86.06	3	Vertical	359	1.80	-	36.59	7.97	32.71			
PK	7.1594G	76.43	88.20	-11.77	64.22	3	Vertical	359	1.80	-	36.96	7.94	32.69			
RMS	7.1318G	62.74	68.20	-5.46	50.63	3	Vertical	359	1.80	-	36.86	7.95	32.70			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_2TX
Setting 74
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8012G	110.24	Inf	-Inf	98.46	3	Horizontal	21	1.80	-	36.40	7.98	32.60			
RMS	6.8024G	100.15	Inf	-Inf	88.37	3	Horizontal	21	1.80	-	36.40	7.98	32.60			
PK	7.1282G	74.57	88.20	-13.63	62.46	3	Horizontal	21	1.80	-	36.86	7.95	32.70			
RMS	7.1558G	60.58	68.20	-7.62	48.40	3	Horizontal	21	1.80	-	36.93	7.94	32.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_2TX
Setting 74
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80918G	56.21	88.20	-31.99	66.83	3	Vertical	36	1.13	-	40.72	13.35	64.69			
RMS	13.80952G	41.90	68.20	-26.30	52.52	3	Vertical	36	1.13	-	40.72	13.35	64.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_2TX
Setting 74
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81073G	56.46	88.20	-31.74	67.08	3	Horizontal	190	1.34	-	40.72	13.35	64.69			
RMS	13.80906G	41.88	68.20	-26.32	52.50	3	Horizontal	190	1.34	-	40.72	13.35	64.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_2TX
Setting 74
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71428G	43.08	83.54	-40.46	37.78	1	Vertical	316	1.87	-	37.96	16.46	49.12			
AV	20.71912G	29.21	63.54	-34.33	23.89	1	Vertical	316	1.87	-	37.98	16.46	49.12			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_Y_2TX
Setting 74
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7122G	42.97	83.54	-40.57	37.68	1	Horizontal	28	2.30	-	37.95	16.46	49.12			
AV	20.71602G	29.23	63.54	-34.31	23.93	1	Horizontal	28	2.30	-	37.96	16.46	49.12			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	RMS	5.9246G	67.86	68.20	-0.34	3	Vertical	177	2.26	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 86
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	81.78	88.20	-6.42	76.71	3	Vertical	177	2.26	-	32.40	7.27	34.60			
RMS	5.9246G	67.86	68.20	-0.34	62.79	3	Vertical	177	2.26	-	32.40	7.27	34.60			
PK	5.9522G	115.79	Inf	-Inf	110.73	3	Vertical	177	2.26	-	32.40	7.29	34.63			
RMS	5.9526G	105.27	Inf	-Inf	100.20	3	Vertical	177	2.26	-	32.41	7.29	34.63			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 86
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	77.41	88.20	-10.79	72.34	3	Horizontal	160	2.30	-	32.40	7.27	34.60			
RMS	5.9248G	63.70	68.20	-4.50	58.63	3	Horizontal	160	2.30	-	32.40	7.27	34.60			
PK	5.9478G	111.92	Inf	-Inf	106.86	3	Horizontal	160	2.30	-	32.40	7.28	34.62			
RMS	5.9574G	101.66	Inf	-Inf	96.59	3	Horizontal	160	2.30	-	32.41	7.29	34.63			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
Setting 86
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90052G	46.20	74.00	-27.80	61.22	3	Vertical	210	1.80	-	38.80	12.02	65.84			
AV	11.89974G	35.61	54.00	-18.39	50.64	3	Vertical	210	1.80	-	38.80	12.01	65.84			
PK	17.86479G	55.83	74.00	-18.17	58.07	3	Vertical	244	1.94	-	47.73	14.05	64.02			
AV	17.8674G	44.82	54.00	-9.18	46.96	3	Vertical	244	1.94	-	47.83	14.05	64.02			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
Setting 86
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90175G	46.06	74.00	-27.94	61.08	3	Horizontal	140	1.80	-	38.80	12.02	65.84			
AV	11.89539G	35.71	54.00	-18.29	50.74	3	Horizontal	140	1.80	-	38.80	12.01	65.84			
PK	17.87199G	55.43	74.00	-18.57	57.39	3	Horizontal	81	1.85	-	47.99	14.06	64.01			
AV	17.86992G	44.73	54.00	-9.27	46.77	3	Horizontal	81	1.85	-	47.92	14.06	64.02			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
Setting 86
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82711G	58.44	83.54	-25.10	44.01	1	Vertical	202	2.11	-	39.10	23.00	47.67			
AV	23.81598G	47.22	63.54	-16.32	32.80	1	Vertical	202	2.11	-	39.10	22.99	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
Setting 86
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81727G	58.41	83.54	-25.13	43.99	1	Horizontal	113	1.55	-	39.10	22.99	47.67			
AV	23.82075G	47.42	63.54	-16.12	33.00	1	Horizontal	113	1.55	-	39.10	22.99	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39705G	47.51	74.00	-26.49	62.25	3	Vertical	358	2.70	-	38.80	12.07	65.61			
AV	12.40497G	36.43	54.00	-17.57	51.17	3	Vertical	358	2.70	-	38.79	12.07	65.60			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39714G	47.22	74.00	-26.78	61.96	3	Horizontal	294	2.02	-	38.80	12.07	65.61			
AV	12.40293G	36.21	54.00	-17.79	50.95	3	Horizontal	294	2.02	-	38.79	12.07	65.60			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58224G	61.48	83.54	-22.06	51.45	1	Vertical	356	1.83	-	37.80	20.61	48.38			
AV	18.5913G	51.32	63.54	-12.22	41.30	1	Vertical	356	1.83	-	37.80	20.61	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59592G	54.84	83.54	-28.70	44.83	1	Horizontal	46	1.80	-	37.80	20.61	48.40			
AV	18.59268G	43.28	63.54	-20.26	33.26	1	Horizontal	46	1.80	-	37.80	20.61	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8261G	46.37	88.20	-41.83	60.23	3	Vertical	350	2.03	-	39.20	12.06	65.12			
RMS	12.84449G	35.66	68.20	-32.54	49.50	3	Vertical	350	2.03	-	39.20	12.05	65.09			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83141G	46.31	88.20	-41.89	60.16	3	Horizontal	3	1.80	-	39.20	12.06	65.11			
RMS	12.81704G	35.82	68.20	-32.38	49.69	3	Horizontal	3	1.80	-	39.20	12.06	65.13			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24548G	52.52	83.54	-31.02	42.56	1	Vertical	333	2.28	-	37.98	20.78	48.80			
AV	19.24842G	41.50	63.54	-22.04	31.53	1	Vertical	333	2.28	-	37.99	20.78	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24275G	52.26	83.54	-31.28	42.31	1	Horizontal	46	1.80	-	37.97	20.78	48.80			
AV	19.24005G	41.32	63.54	-22.22	31.39	1	Horizontal	46	1.80	-	37.96	20.77	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86754G	46.16	88.20	-42.04	59.93	3	Vertical	116	1.44	-	39.24	12.05	65.06			
RMS	12.85926G	35.97	68.20	-32.23	49.77	3	Vertical	116	1.44	-	39.22	12.05	65.07			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88023G	46.65	88.20	-41.55	60.39	3	Horizontal	227	1.80	-	39.26	12.05	65.05			
RMS	12.86115G	35.88	68.20	-32.32	49.68	3	Horizontal	227	1.80	-	39.22	12.05	65.07			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6435MHz_TX

EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.31208G	56.31	83.54	-27.23	46.50	1	Vertical	29	2.09	-	37.80	20.81	48.80			
AV	19.31124G	45.89	63.54	-17.65	36.08	1	Vertical	29	2.09	-	37.80	20.81	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31178G	55.39	83.54	-28.15	45.58	1	Horizontal	254	1.67	-	37.80	20.81	48.80			
AV	19.31052G	44.45	63.54	-19.09	34.64	1	Horizontal	254	1.67	-	37.80	20.81	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9473G	44.86	88.20	-43.34	58.27	3	Vertical	140	1.47	-	39.49	12.05	64.95			
RMS	12.95048G	34.23	68.20	-33.97	47.63	3	Vertical	140	1.47	-	39.50	12.05	64.95			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9602G	45.02	88.20	-43.18	58.42	3	Horizontal	328	1.80	-	39.48	12.05	64.93			
RMS	12.96359G	34.58	68.20	-33.62	47.99	3	Horizontal	328	1.80	-	39.47	12.05	64.93			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.43187G	56.88	83.54	-26.66	47.04	1	Vertical	244	2.78	-	37.77	20.87	48.80			
AV	19.42569G	46.30	63.54	-17.24	36.43	1	Vertical	244	2.78	-	37.80	20.87	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42302G	55.39	83.54	-28.15	45.51	1	Horizontal	339	2.05	-	37.81	20.87	48.80			
AV	19.41972G	44.98	63.54	-18.56	35.09	1	Horizontal	339	2.05	-	37.82	20.87	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01803G	45.08	88.20	-43.12	58.58	3	Vertical	4	1.76	-	39.33	12.05	64.88			
RMS	13.01566G	34.72	68.20	-33.48	48.21	3	Vertical	4	1.76	-	39.34	12.05	64.88			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02592G	45.81	88.20	-42.39	59.34	3	Horizontal	270	1.35	-	39.30	12.05	64.88			
RMS	13.03723G	35.15	68.20	-33.05	48.73	3	Horizontal	270	1.35	-	39.25	12.05	64.88			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.55283G	55.30	83.54	-28.24	45.53	1	Vertical	22	2.42	-	37.70	20.87	48.80			
AV	19.54515G	44.22	63.54	-19.32	34.43	1	Vertical	22	2.42	-	37.71	20.88	48.80			

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6515MHz_TX

EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.53405G	52.18	83.54	-31.36	42.36	1	Horizontal	59	2.30	-	37.73	20.89	48.80			
AV	19.53204G	41.52	63.54	-22.02	31.69	1	Horizontal	59	2.30	-	37.74	20.89	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07873G	46.76	88.20	-41.44	60.38	3	Vertical	174	1.80	-	39.20	12.05	64.87			
RMS	13.08068G	35.86	68.20	-32.34	49.48	3	Vertical	174	1.80	-	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08299G	46.82	88.20	-41.38	60.44	3	Horizontal	183	1.80	-	39.20	12.05	64.87			
RMS	13.08401G	36.22	68.20	-31.98	49.84	3	Horizontal	183	1.80	-	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60752G	52.55	83.54	-30.99	42.82	1	Vertical	135	1.78	-	37.70	20.83	48.80			
AV	19.5984G	42.25	63.54	-21.29	32.51	1	Vertical	135	1.78	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60596G	51.15	83.54	-32.39	41.42	1	Horizontal	278	1.97	-	37.70	20.83	48.80			
AV	19.60542G	40.21	63.54	-23.33	30.48	1	Horizontal	278	1.97	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.37779G	47.51	74.00	-26.49	60.31	3	Vertical	155	1.80	-	40.00	12.04	64.84				
AV	13.38556G	37.05	54.00	-16.95	49.85	3	Vertical	155	1.80	-	40.00	12.04	64.84				

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38634G	47.05	74.00	-26.95	59.85	3	Horizontal	274	1.50	-	40.00	12.04	64.84			
AV	13.38922G	37.23	54.00	-16.77	50.03	3	Horizontal	274	1.50	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07135G	52.86	83.54	-30.68	43.17	1	Vertical	304	1.98	-	37.80	20.68	48.79			
AV	20.0844G	41.87	63.54	-21.67	32.15	1	Vertical	304	1.98	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0883G	51.47	83.54	-32.07	41.74	1	Horizontal	357	2.29	-	37.80	20.71	48.78			
AV	20.08983G	41.18	63.54	-22.36	31.45	1	Horizontal	357	2.29	-	37.80	20.71	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75456G	47.18	88.20	-41.02	59.44	3	Vertical	316	1.35	-	40.42	12.03	64.71			
RMS	13.76335G	36.87	68.20	-31.33	49.10	3	Vertical	316	1.35	-	40.45	12.03	64.71			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75312G	47.30	88.20	-40.90	59.57	3	Horizontal	175	1.80	-	40.41	12.03	64.71			
RMS	13.76419G	36.67	68.20	-31.53	48.89	3	Horizontal	175	1.80	-	40.46	12.03	64.71			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62965G	52.18	83.54	-31.36	41.39	1	Vertical	77	1.62	-	37.90	21.59	48.70			
AV	20.62371G	41.61	63.54	-21.93	30.82	1	Vertical	77	1.62	-	37.90	21.59	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.625G	50.13	83.54	-33.41	39.34	1	Horizontal	18	2.81	-	37.90	21.59	48.70			
AV	20.63352G	39.57	63.54	-23.97	28.77	1	Horizontal	18	2.81	-	37.90	21.60	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79213G	47.00	88.20	-41.20	59.10	3	Vertical	316	1.80	-	40.57	12.03	64.70			
RMS	13.78205G	36.65	68.20	-31.55	48.79	3	Vertical	316	1.80	-	40.53	12.03	64.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7855G	47.68	88.20	-40.52	59.81	3	Horizontal	331	1.97	-	40.54	12.03	64.70			
RMS	13.7822G	36.94	68.20	-31.26	49.08	3	Horizontal	331	1.97	-	40.53	12.03	64.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67927G	51.07	83.54	-32.47	40.23	1	Vertical	70	1.23	-	37.90	21.64	48.70			
AV	20.68305G	40.50	63.54	-23.04	29.65	1	Vertical	70	1.23	-	37.90	21.65	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.69475G	49.91	83.54	-33.63	39.05	1	Horizontal	244	2.24	-	37.90	21.66	48.70			
AV	20.67375G	39.07	63.54	-24.47	28.23	1	Horizontal	244	2.24	-	37.90	21.64	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99141G	49.95	88.20	-38.25	61.56	3	Vertical	116	2.15	-	40.97	12.02	64.60			
RMS	13.98922G	39.57	68.20	-28.63	51.19	3	Vertical	116	2.15	-	40.96	12.02	64.60			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97878G	47.90	88.20	-40.30	59.57	3	Horizontal	65	1.80	-	40.92	12.02	64.61			
RMS	13.98517G	37.58	68.20	-30.62	49.23	3	Horizontal	65	1.80	-	40.94	12.02	64.61			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.97513G	51.86	83.54	-31.68	40.67	1	Vertical	58	1.67	-	37.95	21.94	48.70			
AV	20.98389G	41.36	63.54	-22.18	30.14	1	Vertical	58	1.67	-	37.97	21.95	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9763G	51.10	83.54	-32.44	39.90	1	Horizontal	153	2.93	-	37.95	21.95	48.70			
AV	20.98476G	40.44	63.54	-23.10	29.22	1	Horizontal	153	2.93	-	37.97	21.95	48.70			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7095MHz_TX

EUT_Z_1TX
Setting 84
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0968G	114.53	Inf	-Inf	104.36	3	Vertical	90	2.28	-	35.97	8.38	34.18			
RMS	7.1012G	104.16	Inf	-Inf	93.96	3	Vertical	90	2.28	-	36.00	8.38	34.18			
PK	7.126G	81.36	88.20	-6.84	71.08	3	Vertical	90	2.28	-	36.05	8.41	34.18			
RMS	7.125G	67.36	68.20	-0.84	57.09	3	Vertical	90	2.28	-	36.05	8.40	34.18			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 84
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.088G	111.63	Inf	-Inf	101.54	3	Horizontal	169	2.21	-	35.90	8.37	34.18			
RMS	7.0926G	100.77	Inf	-Inf	90.64	3	Horizontal	169	2.21	-	35.94	8.37	34.18			
PK	7.1256G	78.46	88.20	-9.74	68.18	3	Horizontal	169	2.21	-	36.05	8.41	34.18			
RMS	7.125G	63.68	68.20	-4.52	53.41	3	Horizontal	169	2.21	-	36.05	8.40	34.18			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


7095MHz_TX

EUT_Z_1TX
Setting 84
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18988G	66.26	88.20	-21.94	77.30	3	Vertical	90	2.26	-	41.30	12.15	64.49			
RMS	14.19126G	55.75	68.20	-12.45	66.79	3	Vertical	90	2.26	-	41.30	12.15	64.49			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 84
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18862G	60.28	88.20	-27.92	71.32	3	Horizontal	167	2.22	-	41.30	12.15	64.49			
RMS	14.1906G	50.04	68.20	-18.16	61.08	3	Horizontal	167	2.22	-	41.30	12.15	64.49			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 84
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28854G	52.52	83.54	-31.02	41.29	1	Vertical	346	1.89	-	38.08	21.79	48.64			
AV	21.28206G	42.43	63.54	-21.11	31.21	1	Vertical	346	1.89	-	38.06	21.80	48.64			

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 84
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28785G	52.23	83.54	-31.31	41.00	1	Horizontal	302	2.69	-	38.08	21.79	48.64			
AV	21.28008G	41.76	63.54	-21.78	30.54	1	Horizontal	302	2.69	-	38.06	21.80	48.64			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 76
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	81.87	88.20	-6.33	76.80	3	Vertical	179	2.27	-	32.40	7.27	34.60			
RMS	5.925G	67.66	68.20	-0.54	62.59	3	Vertical	179	2.27	-	32.40	7.27	34.60			
PK	5.963G	111.17	Inf	-Inf	106.09	3	Vertical	179	2.27	-	32.43	7.29	34.64			
RMS	5.9576G	99.48	Inf	-Inf	94.41	3	Vertical	179	2.27	-	32.42	7.29	34.64			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 76
06-H-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9216G	79.73	88.20	-8.47	74.66	3	Horizontal	167	2.31	-	32.40	7.27	34.60			
RMS	5.925G	64.32	68.20	-3.88	59.25	3	Horizontal	167	2.31	-	32.40	7.27	34.60			
PK	5.96G	107.18	Inf	-Inf	102.11	3	Horizontal	167	2.31	-	32.42	7.29	34.64			
RMS	5.9686G	96.44	Inf	-Inf	91.35	3	Horizontal	167	2.31	-	32.44	7.30	34.65			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Z_1TX
Setting 76
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9306G	46.29	74.00	-27.71	61.21	3	Vertical	121	1.35	-	38.86	12.03	65.81			
AV	11.94437G	35.77	54.00	-18.23	50.64	3	Vertical	121	1.35	-	38.89	12.04	65.80			
PK	17.90145G	56.26	74.00	-17.74	57.14	3	Vertical	266	2.77	-	49.05	14.07	64.00			
AV	17.90724G	45.81	54.00	-8.19	46.47	3	Vertical	266	2.77	-	49.26	14.07	63.99			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Z_1TX
Setting 76
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93894G	46.46	74.00	-27.54	61.34	3	Horizontal	109	1.85	-	38.88	12.04	65.80			
AV	11.93573G	35.90	54.00	-18.10	50.80	3	Horizontal	109	1.85	-	38.87	12.04	65.81			
PK	17.89452G	55.92	74.00	-18.08	57.06	3	Horizontal	0	1.80	-	48.80	14.06	64.00			
AV	17.90925G	45.41	54.00	-8.59	46.00	3	Horizontal	0	1.80	-	49.33	14.07	63.99			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 76
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86339G	54.24	83.54	-29.30	39.80	1	Vertical	224	1.16	-	39.07	23.02	47.65			
AV	23.85982G	43.76	63.54	-19.78	29.32	1	Vertical	224	1.16	-	39.08	23.02	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Z_1TX
Setting 76
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85727G	53.23	83.54	-30.31	38.78	1	Horizontal	276	1.14	-	39.09	23.02	47.66			
AV	23.84881G	42.62	63.54	-20.92	28.17	1	Horizontal	276	1.14	-	39.10	23.01	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39722G	47.38	74.00	-26.62	62.12	3	Vertical	218	2.98	-	38.80	12.07	65.61			
AV	12.41015G	36.66	54.00	-17.34	51.41	3	Vertical	218	2.98	-	38.78	12.07	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4235G	47.55	74.00	-26.45	62.33	3	Horizontal	0	1.80	-	38.75	12.07	65.60			
AV	12.41036G	36.56	54.00	-17.44	51.31	3	Horizontal	0	1.80	-	38.78	12.07	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60483G	54.80	83.54	-28.74	44.78	1	Vertical	85	2.05	-	37.81	20.61	48.40			
AV	18.6147G	44.60	63.54	-18.94	34.57	1	Vertical	85	2.05	-	37.83	20.61	48.41			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62742G	51.56	83.54	-31.98	41.53	1	Horizontal	66	1.98	-	37.85	20.61	48.43			
AV	18.62673G	40.25	63.54	-23.29	30.22	1	Horizontal	66	1.98	-	37.85	20.61	48.43			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80055G	46.69	88.20	-41.51	60.59	3	Vertical	94	2.36	-	39.20	12.06	65.16			
RMS	12.81216G	36.21	68.20	-31.99	50.09	3	Vertical	94	2.36	-	39.20	12.06	65.14			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81159G	46.63	88.20	-41.57	60.51	3	Horizontal	303	1.80	-	39.20	12.06	65.14			
RMS	12.80166G	36.15	68.20	-32.05	50.04	3	Horizontal	303	1.80	-	39.20	12.06	65.15			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21608G	52.26	83.54	-31.28	42.44	1	Vertical	224	1.74	-	37.86	20.76	48.80			
AV	19.20498G	41.62	63.54	-21.92	31.84	1	Vertical	224	1.74	-	37.82	20.76	48.80			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22748G	51.65	83.54	-31.89	41.77	1	Horizontal	113	1.45	-	37.91	20.77	48.80			
AV	19.21884G	41.05	63.54	-22.49	31.21	1	Horizontal	113	1.45	-	37.88	20.76	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87527G	46.83	88.20	-41.37	60.58	3	Vertical	88.9	1.80	-	39.25	12.05	65.05			
RMS	12.87662G	36.29	68.20	-31.91	50.04	3	Vertical	88.9	1.80	-	39.25	12.05	65.05			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87713G	46.88	88.20	-41.32	60.63	3	Horizontal	281	1.80	-	39.25	12.05	65.05			
RMS	12.87902G	36.74	68.20	-31.46	50.48	3	Horizontal	281	1.80	-	39.26	12.05	65.05			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33752G	56.51	83.54	-27.03	46.68	1	Vertical	293	1.01	-	37.80	20.83	48.80			
AV	19.34469G	46.20	63.54	-17.34	36.37	1	Vertical	293	1.01	-	37.80	20.83	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33419G	56.27	83.54	-27.27	46.45	1	Horizontal	292	2.09	-	37.80	20.82	48.80			
AV	19.33377G	45.85	63.54	-17.69	36.03	1	Horizontal	292	2.09	-	37.80	20.82	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.98443G	46.43	88.20	-41.77	59.85	3	Vertical	360	1.80	-	39.43	12.05	64.90			
RMS	12.96646G	36.10	68.20	-32.10	49.51	3	Vertical	360	1.80	-	39.47	12.05	64.93			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96268G	46.69	88.20	-41.51	60.10	3	Horizontal	305	1.80	-	39.47	12.05	64.93			
RMS	12.97678G	35.65	68.20	-32.55	49.06	3	Horizontal	305	1.80	-	39.45	12.05	64.91			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.44528G	54.22	83.54	-29.32	44.42	1	Vertical	75	2.64	-	37.72	20.88	48.80			
AV	19.45134G	43.86	63.54	-19.68	34.08	1	Vertical	75	2.64	-	37.70	20.88	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45371G	53.31	83.54	-30.23	43.51	1	Horizontal	78	2.58	-	37.71	20.89	48.80			
AV	19.44474G	42.78	63.54	-20.76	32.98	1	Horizontal	78	2.58	-	37.72	20.88	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06392G	46.05	88.20	-42.15	59.67	3	Vertical	0	1.80	-	39.20	12.05	64.87			
RMS	13.05684G	35.80	68.20	-32.40	49.42	3	Vertical	0	1.80	-	39.20	12.05	64.87			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6525MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06056G	46.66	88.20	-41.54	60.28	3	Horizontal	289	1.68	-	39.20	12.05	64.87			
RMS	13.035G	35.71	68.20	-32.49	49.28	3	Horizontal	289	1.68	-	39.26	12.05	64.88			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57452G	52.05	83.54	-31.49	42.29	1	Vertical	326	2.51	-	37.70	20.86	48.80			
AV	19.56522G	42.00	63.54	-21.54	32.24	1	Vertical	326	2.51	-	37.70	20.86	48.80			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.56039G	51.43	83.54	-32.11	41.66	1	Horizontal	43	1.73	-	37.70	20.87	48.80			
AV	19.56807G	40.41	63.54	-23.13	30.65	1	Horizontal	43	1.73	-	37.70	20.86	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6565MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.14272G	47.11	88.20	-41.09	60.39	3	Vertical	247	1.80	-	39.54	12.05	64.87			
RMS	13.12079G	36.27	68.20	-31.93	49.72	3	Vertical	247	1.80	-	39.37	12.05	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13534G	47.10	88.20	-41.10	60.44	3	Horizontal	358	2.97	-	39.48	12.05	64.87			
RMS	13.1372G	36.41	68.20	-31.79	49.73	3	Horizontal	358	2.97	-	39.50	12.05	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69659G	50.48	83.54	-33.06	40.81	1	Vertical	198	2.83	-	37.70	20.77	48.80			
AV	19.6887G	39.78	63.54	-23.76	30.11	1	Vertical	198	2.83	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69218G	50.68	83.54	-32.86	41.01	1	Horizontal	228	2.68	-	37.70	20.77	48.80			
AV	19.68108G	40.52	63.54	-23.02	30.84	1	Horizontal	228	2.68	-	37.70	20.78	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38317G	48.47	74.00	-25.53	61.27	3	Vertical	358	2.97	-	40.00	12.04	64.84			
AV	13.37108G	37.62	54.00	-16.38	50.42	3	Vertical	358	2.97	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37921G	48.88	74.00	-25.12	61.68	3	Horizontal	132	2.23	-	40.00	12.04	64.84			
AV	13.36103G	37.60	54.00	-16.40	50.40	3	Horizontal	132	2.23	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04693G	52.69	83.54	-30.85	43.05	1	Vertical	298	1.19	-	37.79	20.64	48.79			
AV	20.04642G	42.15	63.54	-21.39	32.52	1	Vertical	298	1.19	-	37.79	20.63	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.04279G	50.81	83.54	-32.73	41.18	1	Horizontal	336	1.77	-	37.79	20.63	48.79			
AV	20.06397G	40.50	63.54	-23.04	30.82	1	Horizontal	336	1.77	-	37.80	20.67	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76697G	48.43	88.20	-39.77	60.64	3	Vertical	302	1.80	-	40.47	12.03	64.71			
RMS	13.76991G	37.51	68.20	-30.69	49.71	3	Vertical	302	1.80	-	40.48	12.03	64.71			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6885MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.77996G	48.29	88.20	-39.91	60.44	3	Horizontal	109	1.80	-	40.52	12.03	64.70			
RMS	13.77489G	37.27	68.20	-30.93	49.44	3	Horizontal	109	1.80	-	40.50	12.03	64.70			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.64189G	51.51	83.54	-32.03	40.71	1	Vertical	215	1.72	-	37.90	21.60	48.70			
AV	20.64483G	40.85	63.54	-22.69	30.04	1	Vertical	215	1.72	-	37.90	21.61	48.70			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.66238G	49.68	83.54	-33.86	38.85	1	Horizontal	22	2.29	-	37.90	21.63	48.70			
AV	20.64258G	39.26	63.54	-24.28	28.45	1	Horizontal	22	2.29	-	37.90	21.61	48.70			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6925MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84004G	47.60	88.20	-40.60	59.73	3	Vertical	344	2.33	-	40.52	12.02	64.67			
RMS	13.84697G	37.12	68.20	-31.08	49.26	3	Vertical	344	2.33	-	40.51	12.02	64.67			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.83668G	47.91	88.20	-40.29	60.04	3	Horizontal	91	1.89	-	40.53	12.02	64.68			
RMS	13.85909G	37.54	68.20	-30.66	49.64	3	Horizontal	91	1.89	-	40.54	12.02	64.66			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.784G	50.02	83.54	-33.52	39.07	1	Vertical	228	2.18	-	37.90	21.75	48.70			
AV	20.77167G	39.87	63.54	-23.67	28.93	1	Vertical	228	2.18	-	37.90	21.74	48.70			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6925MHz_TX

EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.76267G	49.19	83.54	-34.35	38.26	1	Horizontal	83	1.16	-	37.90	21.73	48.70			
AV	20.78544G	39.05	63.54	-24.49	28.10	1	Horizontal	83	1.16	-	37.90	21.75	48.70			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7005MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.99701G	48.74	88.20	-39.46	60.33	3	Vertical	255	1.77	-	40.99	12.02	64.60			
RMS	13.99596G	38.15	68.20	-30.05	49.75	3	Vertical	255	1.77	-	40.98	12.02	64.60			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00337G	51.64	88.20	-36.56	63.21	3	Horizontal	136	2.22	-	41.01	12.02	64.60			
RMS	14.00868G	41.33	68.20	-26.87	52.87	3	Horizontal	136	2.22	-	41.02	12.03	64.59			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.02289G	51.50	83.54	-32.04	40.24	1	Vertical	187	2.49	-	38.00	21.96	48.70			
AV	21.00492G	40.82	63.54	-22.72	29.55	1	Vertical	187	2.49	-	38.00	21.97	48.70			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.00345G	50.71	83.54	-32.83	39.44	1	Horizontal	149	1.87	-	38.00	21.97	48.70			
AV	21.01797G	40.49	63.54	-23.05	29.23	1	Horizontal	149	1.87	-	38.00	21.96	48.70			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 74
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.067G	109.28	Inf	-Inf	99.37	3	Vertical	91	2.25	-	35.74	8.35	34.18			
RMS	7.0988G	98.70	Inf	-Inf	88.51	3	Vertical	91	2.25	-	35.99	8.38	34.18			
PK	7.125G	81.69	88.20	-6.51	71.42	3	Vertical	91	2.25	-	36.05	8.40	34.18			
RMS	7.1252G	67.83	68.20	-0.37	57.55	3	Vertical	91	2.25	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 74
06-H-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0974G	107.03	Inf	-Inf	96.85	3	Horizontal	170	2.28	-	35.98	8.38	34.18			
RMS	7.0988G	95.23	Inf	-Inf	85.04	3	Horizontal	170	2.28	-	35.99	8.38	34.18			
PK	7.1278G	79.20	88.20	-9.00	68.91	3	Horizontal	170	2.28	-	36.06	8.41	34.18			
RMS	7.1252G	64.25	68.20	-3.95	53.97	3	Horizontal	170	2.28	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 74
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17174G	53.33	88.20	-34.87	64.39	3	Vertical	57	2.28	-	41.30	12.14	64.50			
RMS	14.16859G	42.22	68.20	-25.98	53.28	3	Vertical	57	2.28	-	41.30	12.14	64.50			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7085MHz_TX

EUT_Z_1TX
Setting 74
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16847G	62.42	88.20	-25.78	73.48	3	Horizontal	134	2.23	-	41.30	12.14	64.50			
RMS	14.17051G	51.71	68.20	-16.49	62.77	3	Horizontal	134	2.23	-	41.30	12.14	64.50			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 74
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.26739G	50.00	83.54	-33.54	38.82	1	Vertical	298	1.60	-	38.03	21.80	48.65			
AV	21.24195G	40.39	63.54	-23.15	29.20	1	Vertical	298	1.60	-	38.02	21.82	48.65			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 74
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.26259G	50.66	83.54	-32.88	39.47	1	Horizontal	79	2.69	-	38.03	21.81	48.65			
AV	21.24312G	40.03	63.54	-23.51	28.85	1	Horizontal	79	2.69	-	38.01	21.82	48.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 75
06-H-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9198G	79.98	88.20	-8.22	74.91	3	Vertical	178	2.17	-	32.40	7.26	34.59			
RMS	5.921G	67.04	68.20	-1.16	61.98	3	Vertical	178	2.17	-	32.40	7.26	34.60			
PK	5.9718G	106.82	Inf	-Inf	101.73	3	Vertical	178	2.17	-	32.44	7.30	34.65			
RMS	5.971G	96.66	Inf	-Inf	91.57	3	Vertical	178	2.17	-	32.44	7.30	34.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 75
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	75.81	88.20	-12.39	70.74	3	Horizontal	161	2.38	-	32.40	7.26	34.59			
RMS	5.9222G	63.17	68.20	-5.03	58.10	3	Horizontal	161	2.38	-	32.40	7.27	34.60			
PK	5.9818G	103.36	Inf	-Inf	98.25	3	Horizontal	161	2.38	-	32.46	7.31	34.66			
RMS	5.9714G	93.32	Inf	-Inf	88.23	3	Horizontal	161	2.38	-	32.44	7.30	34.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 75
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96613G	47.21	74.00	-26.79	62.00	3	Vertical	200	1.80	-	38.93	12.06	65.78			
AV	11.96316G	36.85	54.00	-17.15	51.64	3	Vertical	200	1.80	-	38.93	12.06	65.78			
PK	17.96796G	60.71	74.00	-13.29	58.91	3	Vertical	338	1.96	-	51.66	14.09	63.95			
AV	17.96625G	49.42	54.00	-4.58	47.70	3	Vertical	338	1.96	-	51.58	14.09	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Z_1TX
Setting 75
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95788G	47.64	74.00	-26.36	62.46	3	Horizontal	109	1.80	-	38.92	12.05	65.79			
AV	11.95611G	36.64	54.00	-17.36	51.47	3	Horizontal	109	1.80	-	38.91	12.05	65.79			
PK	17.95584G	58.35	74.00	-15.65	57.15	3	Horizontal	73	2.08	-	51.08	14.08	63.96			
AV	17.96922G	48.92	54.00	-5.08	47.06	3	Horizontal	73	2.08	-	51.72	14.09	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Z_1TX
Setting 75
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93442G	52.96	83.54	-30.58	38.52	1	Vertical	3	1.82	-	39.00	23.07	47.63			
AV	23.93121G	42.28	63.54	-21.26	27.84	1	Vertical	3	1.82	-	39.00	23.07	47.63			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 75
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94822G	52.85	83.54	-30.69	38.39	1	Horizontal	207	1.80	-	39.00	23.08	47.62			
AV	23.93787G	42.39	63.54	-21.15	27.93	1	Horizontal	207	1.80	-	39.00	23.08	47.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45303G	47.11	74.00	-26.89	61.94	3	Vertical	42	2.97	-	38.69	12.07	65.59			
AV	12.44208G	36.50	54.00	-17.50	51.30	3	Vertical	42	2.97	-	38.72	12.07	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45654G	47.99	74.00	-26.01	62.82	3	Horizontal	176	2.29	-	38.69	12.07	65.59			
AV	12.44562G	36.45	54.00	-17.55	51.26	3	Horizontal	176	2.29	-	38.71	12.07	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66855G	49.89	83.54	-33.65	39.84	1	Vertical	0	1.80	-	37.90	20.62	48.47			
AV	18.6726G	39.88	63.54	-23.66	29.83	1	Vertical	0	1.80	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6762G	50.34	83.54	-33.20	40.30	1	Horizontal	273	1.80	-	37.90	20.62	48.48			
AV	18.67161G	40.14	63.54	-23.40	30.09	1	Horizontal	273	1.80	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78197G	46.86	88.20	-41.34	60.89	3	Vertical	109	1.80	-	39.09	12.06	65.18			
RMS	12.77105G	36.49	68.20	-31.71	50.60	3	Vertical	109	1.80	-	39.03	12.06	65.20			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78143G	47.40	88.20	-40.80	61.43	3	Horizontal	15.5	1.80	-	39.09	12.06	65.18			
RMS	12.78152G	36.65	68.20	-31.55	50.68	3	Horizontal	15.5	1.80	-	39.09	12.06	65.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15974G	53.04	83.54	-30.50	43.15	1	Vertical	135	1.43	-	37.96	20.73	48.80			
AV	19.14219G	42.21	63.54	-21.33	32.29	1	Vertical	135	1.43	-	38.00	20.72	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1643G	53.13	83.54	-30.41	43.25	1	Horizontal	161	1.24	-	37.94	20.74	48.80			
AV	19.14159G	42.14	63.54	-21.40	32.22	1	Horizontal	161	1.24	-	38.00	20.72	48.80			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92202G	46.17	88.20	-42.03	59.72	3	Vertical	10	1.80	-	39.39	12.05	64.99			
RMS	12.93G	35.39	68.20	-32.81	48.90	3	Vertical	10	1.80	-	39.42	12.05	64.98			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93888G	46.08	88.20	-42.12	59.53	3	Horizontal	0	1.80	-	39.46	12.05	64.96			
RMS	12.92766G	35.44	68.20	-32.76	48.96	3	Horizontal	0	1.80	-	39.41	12.05	64.98			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38264G	54.60	83.54	-28.94	44.68	1	Vertical	5	1.56	-	37.87	20.85	48.80			
AV	19.38216G	44.16	63.54	-19.38	34.25	1	Vertical	5	1.56	-	37.86	20.85	48.80			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38957G	53.11	83.54	-30.43	43.18	1	Horizontal	221	2.60	-	37.88	20.85	48.80			
AV	19.38207G	42.91	63.54	-20.63	33.00	1	Horizontal	221	2.60	-	37.86	20.85	48.80			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08853G	47.34	88.20	-40.86	60.96	3	Vertical	290.1	1.80	-	39.20	12.05	64.87			
RMS	13.09759G	36.73	68.20	-31.47	50.35	3	Vertical	290.1	1.80	-	39.20	12.05	64.87			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08946G	47.52	88.20	-40.68	61.14	3	Horizontal	87	1.97	-	39.20	12.05	64.87			
RMS	13.0873G	36.73	68.20	-31.47	50.35	3	Horizontal	87	1.97	-	39.20	12.05	64.87			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.64088G	50.60	83.54	-32.94	40.89	1	Vertical	20	1.06	-	37.70	20.81	48.80			
AV	19.62033G	39.89	63.54	-23.65	30.17	1	Vertical	20	1.06	-	37.70	20.82	48.80			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.62045G	50.03	83.54	-33.51	40.31	1	Horizontal	269	1.42	-	37.70	20.82	48.80			
AV	19.62618G	39.92	63.54	-23.62	30.20	1	Horizontal	269	1.42	-	37.70	20.82	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25414G	47.47	74.00	-26.53	60.67	3	Vertical	169.1	1.80	-	39.61	12.04	64.85			
AV	13.25400G	36.70	54.00	-17.30	49.90	3	Vertical	169.1	1.80	-	39.61	12.04	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6625MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.26029G	47.49	74.00	-26.51	60.68	3	Horizontal	147	2.82	-	39.62	12.04	64.85			
AV	13.26392G	37.01	54.00	-16.99	50.19	3	Horizontal	147	2.82	-	39.63	12.04	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88007G	51.94	83.54	-31.60	42.40	1	Vertical	315	2.58	-	37.70	20.64	48.80			
AV	19.86948G	41.70	63.54	-21.84	32.16	1	Vertical	315	2.58	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87644G	49.85	83.54	-33.69	40.31	1	Horizontal	360	2.69	-	37.70	20.64	48.80			
AV	19.88226G	39.78	63.54	-23.76	30.25	1	Horizontal	360	2.69	-	37.70	20.63	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40133G	48.21	88.20	-39.99	61.00	3	Vertical	225	1.80	-	40.01	12.04	64.84			
RMS	13.40100G	37.93	68.20	-30.27	50.73	3	Vertical	225	1.80	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41735G	48.04	88.20	-40.16	60.77	3	Horizontal	253	2.27	-	40.07	12.04	64.84			
RMS	13.41000G	37.83	68.20	-30.37	50.59	3	Horizontal	253	2.27	-	40.04	12.04	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11686G	50.81	83.54	-32.73	41.03	1	Vertical	37	1.53	-	37.80	20.76	48.78			
AV	20.10102G	39.57	63.54	-23.97	29.82	1	Vertical	37	1.53	-	37.80	20.73	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10393G	50.14	83.54	-33.40	40.38	1	Horizontal	350	1.85	-	37.80	20.74	48.78			
AV	20.11647G	39.93	63.54	-23.61	30.15	1	Horizontal	350	1.85	-	37.80	20.76	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.55296G	48.44	88.20	-39.76	60.54	3	Vertical	3	1.80	-	40.68	12.03	64.81			
RMS	13.55272G	37.91	68.20	-30.29	50.01	3	Vertical	3	1.80	-	40.68	12.03	64.81			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.566G	48.08	88.20	-40.12	60.25	3	Horizontal	144	2.54	-	40.60	12.03	64.80			
RMS	13.53232G	37.66	68.20	-30.54	49.89	3	Horizontal	144	2.54	-	40.56	12.03	64.82			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34582G	50.48	83.54	-33.06	40.14	1	Vertical	249	2.75	-	37.89	21.18	48.73			
AV	20.36808G	39.53	63.54	-24.01	29.18	1	Vertical	249	2.75	-	37.86	21.22	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35374G	49.24	83.54	-34.30	38.89	1	Horizontal	106	2.03	-	37.89	21.19	48.73			
AV	20.35317G	38.86	63.54	-24.68	28.51	1	Horizontal	106	2.03	-	37.89	21.19	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76632G	48.05	88.20	-40.15	60.26	3	Vertical	196	1.80	-	40.47	12.03	64.71			
RMS	13.75536G	37.40	68.20	-30.80	49.66	3	Vertical	196	1.80	-	40.42	12.03	64.71			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75808G	47.55	88.20	-40.65	59.80	3	Horizontal	37	1.32	-	40.43	12.03	64.71			
RMS	13.75168G	37.14	68.20	-31.06	49.41	3	Horizontal	37	1.32	-	40.41	12.03	64.71			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59533G	50.29	83.54	-33.25	39.53	1	Vertical	51	2.37	-	37.90	21.56	48.70			
AV	20.58717G	40.44	63.54	-23.10	29.69	1	Vertical	51	2.37	-	37.90	21.55	48.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59941G	50.27	83.54	-33.27	39.51	1	Horizontal	95	2.79	-	37.90	21.56	48.70			
AV	20.59722G	39.78	63.54	-23.76	29.02	1	Horizontal	95	2.79	-	37.90	21.56	48.70			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89808G	47.64	88.20	-40.56	59.58	3	Vertical	284	1.80	-	40.69	12.02	64.65			
RMS	13.86904G	37.21	68.20	-30.99	49.27	3	Vertical	284	1.80	-	40.58	12.02	64.66			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6945MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88832G	47.51	88.20	-40.69	59.49	3	Horizontal	234	2.66	-	40.65	12.02	64.65			
RMS	13.87888G	37.46	68.20	-30.74	49.48	3	Horizontal	234	2.66	-	40.62	12.02	64.66			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83164G	49.98	83.54	-33.56	38.98	1	Vertical	94	1.70	-	37.90	21.80	48.70			
AV	20.82441G	39.81	63.54	-23.73	28.82	1	Vertical	94	1.70	-	37.90	21.79	48.70			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82417G	49.32	83.54	-34.22	38.33	1	Horizontal	92	1.03	-	37.90	21.79	48.70			
AV	20.82459G	39.00	63.54	-24.54	28.01	1	Horizontal	92	1.03	-	37.90	21.79	48.70			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 74
05-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0025G	103.99	Inf	-Inf	93.08	3	Vertical	7.9	1.80	-	36.11	9.25	34.45				
RMS	6.9938G	93.36	Inf	-Inf	82.47	3	Vertical	7.9	1.80	-	36.10	9.24	34.45				
PK	7.1279G	69.47	88.20	-18.73	57.72	3	Vertical	7.9	1.80	-	36.77	9.28	34.30				
RMS	7.1267G	56.70	68.20	-11.50	44.96	3	Vertical	7.9	1.80	-	36.76	9.28	34.30				

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 74
05-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0139G	105.59	Inf	-Inf	94.61	3	Horizontal	87	1.80	-	36.16	9.25	34.43			
RMS	7.0163G	94.33	Inf	-Inf	83.34	3	Horizontal	87	1.80	-	36.17	9.25	34.43			
PK	7.1333G	68.84	88.20	-19.36	57.06	3	Horizontal	87	1.80	-	36.80	9.28	34.30			
RMS	7.1261G	56.77	68.20	-11.43	45.03	3	Horizontal	87	1.80	-	36.76	9.28	34.30			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 74
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.08G	49.09	88.20	-39.11	60.34	3	Vertical	153	1.40	-	41.22	12.08	64.55			
RMS	14.08632G	39.04	68.20	-29.16	50.26	3	Vertical	153	1.40	-	41.25	12.08	64.55			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 74
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.07096G	49.20	88.20	-39.00	60.51	3	Horizontal	270	1.85	-	41.18	12.07	64.56			
RMS	14.07896G	38.77	68.20	-29.43	50.02	3	Horizontal	270	1.85	-	41.22	12.08	64.55			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 74
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08937G	51.10	83.54	-32.44	39.87	1	Vertical	350	2.30	-	38.00	21.91	48.68			
AV	21.08496G	40.54	63.54	-23.00	29.30	1	Vertical	350	2.30	-	38.00	21.92	48.68			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 74
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0801G	50.80	83.54	-32.74	39.56	1	Horizontal	272	2.36	-	38.00	21.92	48.68			
AV	21.06042G	40.52	63.54	-23.02	29.28	1	Horizontal	272	2.36	-	38.00	21.93	48.69			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9095G	79.81	88.20	-8.39	74.73	3	Vertical	180	2.25	-	32.40	7.26	34.58			
RMS	5.9249G	67.52	68.20	-0.68	62.45	3	Vertical	180	2.25	-	32.40	7.27	34.60			
PK	5.9634G	104.66	Inf	-Inf	99.58	3	Vertical	180	2.25	-	32.43	7.29	34.64			
RMS	5.9487G	94.67	Inf	-Inf	89.62	3	Vertical	180	2.25	-	32.40	7.28	34.63			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8969G	76.35	88.20	-11.85	71.28	3	Horizontal	168	2.30	-	32.39	7.25	34.57			
RMS	5.9207G	64.61	68.20	-3.59	59.55	3	Horizontal	168	2.30	-	32.40	7.26	34.60			
PK	5.9676G	102.57	Inf	-Inf	97.48	3	Horizontal	168	2.30	-	32.44	7.30	34.65			
RMS	5.9613G	91.24	Inf	-Inf	86.17	3	Horizontal	168	2.30	-	32.42	7.29	34.64			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Z_1TX
Setting 78
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05096G	56.10	74.00	-17.90	70.55	3	Vertical	289	1.80	-	39.20	12.08	65.73			
AV	12.07048G	45.91	54.00	-8.09	60.27	3	Vertical	289	1.80	-	39.28	12.08	65.72			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.07608G	55.89	74.00	-18.11	70.23	3	Horizontal	145	2.80	-	39.30	12.08	65.72			
AV	12.06984G	45.81	54.00	-8.19	60.17	3	Horizontal	145	2.80	-	39.28	12.08	65.72			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08421G	50.86	83.54	-32.68	41.14	1	Vertical	117	2.80	-	37.61	20.33	48.22			
AV	18.08868G	39.98	63.54	-23.56	30.24	1	Vertical	117	2.80	-	37.63	20.33	48.22			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Z_1TX
Setting 78
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08541G	49.82	83.54	-33.72	40.10	1	Horizontal	193	2.56	-	37.61	20.33	48.22			
AV	18.08883G	39.80	63.54	-23.74	30.06	1	Horizontal	193	2.56	-	37.63	20.33	48.22			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38792G	56.52	74.00	-17.48	71.26	3	Vertical	292	1.38	-	38.80	12.07	65.61			
AV	12.32808G	46.11	54.00	-7.89	60.83	3	Vertical	292	1.38	-	38.84	12.07	65.63			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.30664G	57.34	74.00	-16.66	72.02	3	Horizontal	115	1.05	-	38.89	12.07	65.64			
AV	12.44456G	46.20	54.00	-7.80	61.01	3	Horizontal	115	1.05	-	38.71	12.07	65.59			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54375G	52.18	83.54	-31.36	42.12	1	Vertical	235	1.37	-	37.80	20.60	48.34			
AV	18.56646G	42.01	63.54	-21.53	31.97	1	Vertical	235	1.37	-	37.80	20.61	48.37			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55605G	50.42	83.54	-33.12	40.37	1	Horizontal	211	1.63	-	37.80	20.61	48.36			
AV	18.55728G	40.39	63.54	-23.15	30.34	1	Horizontal	211	1.63	-	37.80	20.61	48.36			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.62140G	56.49	74.00	-17.51	71.04	3	Vertical	360	1.80	-	38.79	12.06	65.40			
AV	12.62472G	45.77	54.00	-8.23	60.31	3	Vertical	360	1.80	-	38.80	12.06	65.40			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.64104G	56.97	74.00	-17.03	71.43	3	Horizontal	20	2.02	-	38.86	12.06	65.38			
AV	12.6172G	45.60	54.00	-8.40	60.18	3	Horizontal	20	2.02	-	38.77	12.06	65.41			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04439G	50.60	83.54	-32.94	40.82	1	Vertical	344	1.86	-	37.91	20.67	48.80			
AV	19.04277G	40.48	63.54	-23.06	30.70	1	Vertical	344	1.86	-	37.91	20.67	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02231G	50.25	83.54	-33.29	40.43	1	Horizontal	333	2.78	-	37.96	20.66	48.80			
AV	19.04277G	39.80	63.54	-23.74	30.02	1	Horizontal	333	2.78	-	37.91	20.67	48.80			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0668G	57.21	88.20	-30.99	70.83	3	Vertical	330	1.80	-	39.20	12.05	64.87			
RMS	13.00184G	45.98	68.20	-22.22	59.42	3	Vertical	330	1.80	-	39.39	12.05	64.88			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6505MHz_TX

EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02728G	56.71	88.20	-31.49	70.25	3	Horizontal	174	2.92	-	39.29	12.05	64.88			
RMS	13.05832G	46.55	68.20	-21.65	60.17	3	Horizontal	174	2.92	-	39.20	12.05	64.87			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51743G	52.26	83.54	-31.28	42.39	1	Vertical	208	2.94	-	37.77	20.90	48.80			
AV	19.50927G	42.42	63.54	-21.12	32.54	1	Vertical	208	2.94	-	37.78	20.90	48.80			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.50474G	52.18	83.54	-31.36	42.28	1	Horizontal	245	1.22	-	37.79	20.91	48.80			
AV	19.51254G	41.84	63.54	-21.70	31.97	1	Horizontal	245	1.22	-	37.77	20.90	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32904G	57.82	74.00	-16.18	70.76	3	Vertical	0	1.80	-	39.87	12.04	64.85			
AV	13.32001G	47.47	54.00	-6.53	60.46	3	Vertical	0	1.80	-	39.82	12.04	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36328G	57.33	74.00	-16.67	70.13	3	Horizontal	143	1.84	-	40.00	12.04	64.84			
AV	13.30504G	47.31	54.00	-6.69	60.39	3	Horizontal	143	1.84	-	39.73	12.04	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.98996G	51.07	83.54	-32.47	41.59	1	Vertical	353	2.51	-	37.72	20.56	48.80			
AV	20.00469G	40.87	63.54	-22.67	31.40	1	Vertical	353	2.51	-	37.71	20.56	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98504G	49.97	83.54	-33.57	40.48	1	Horizontal	156	2.91	-	37.73	20.56	48.80			
AV	19.98762G	39.71	63.54	-23.83	30.23	1	Horizontal	156	2.91	-	37.72	20.56	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.67272G	57.90	88.20	-30.30	70.32	3	Vertical	268	1.80	-	40.30	12.03	64.75			
RMS	13.5956G	47.64	68.20	-20.56	59.97	3	Vertical	268	1.80	-	40.43	12.03	64.79			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_Z_1TX
Setting 108
06-H-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72536G	58.09	88.20	-30.11	70.44	3	Horizontal	217	1.69	-	40.35	12.03	64.73			
RMS	13.5948G	47.62	68.20	-20.58	59.95	3	Horizontal	217	1.69	-	40.43	12.03	64.79			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47239G	49.41	83.54	-34.13	38.81	1	Vertical	333	2.70	-	37.90	21.41	48.71			
AV	20.48766G	39.00	63.54	-24.54	28.36	1	Vertical	333	2.70	-	37.90	21.44	48.70			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_Z_1TX
Setting 108
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47668G	49.32	83.54	-34.22	38.70	1	Horizontal	276	2.06	-	37.90	21.42	48.70			
AV	20.48877G	38.88	63.54	-24.66	28.24	1	Horizontal	276	2.06	-	37.90	21.44	48.70			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 73
05-I-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9082G	104.19	Inf	-Inf	93.49	3	Vertical	337	1.80	-	36.02	9.12	34.44
RMS	6.9082G	93.01	Inf	-Inf	82.31	3	Vertical	337	1.80	-	36.02	9.12	34.44
PK	7.137G	76.96	88.20	-11.24	65.15	3	Vertical	337	1.80	-	36.82	9.28	34.29
RMS	7.1274G	65.69	68.20	-2.51	53.95	3	Vertical	337	1.80	-	36.76	9.28	34.30
PK	7.257G	60.10	74.00	-13.90	47.90	3	Vertical	337	1.80	-	37.01	9.34	34.15
AV	7.2522G	49.63	54.00	-4.37	37.46	3	Vertical	337	1.80	-	37.00	9.33	34.16

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 73
05-I-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.94666G	104.01	Inf	-Inf	93.19	3	Horizontal	84	1.80	-	36.09	9.17	34.44			
RMS	7.0122G	93.11	Inf	-Inf	82.15	3	Horizontal	84	1.80	-	36.15	9.25	34.44			
PK	7.1322G	77.59	88.20	-10.61	65.82	3	Horizontal	84	1.80	-	36.79	9.28	34.30			
RMS	7.1338G	67.42	68.20	-0.78	55.63	3	Horizontal	84	1.80	-	36.80	9.28	34.29			
PK	7.2578G	64.00	74.00	-10.00	51.79	3	Horizontal	84	1.80	-	37.02	9.34	34.15			
AV	7.2602G	53.38	54.00	-0.62	41.17	3	Horizontal	84	1.80	-	37.02	9.34	34.15			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6985MHz_TX

EUT_Z_1TX
Setting 73
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.95641G	57.27	88.20	-30.93	69.04	3	Vertical	158	1.52	-	40.83	12.02	64.62			
RMS	13.97876G	46.79	68.20	-21.41	58.46	3	Vertical	158	1.52	-	40.92	12.02	64.61			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 73
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96511G	57.18	88.20	-31.02	68.92	3	Horizontal	326	2.56	-	40.86	12.02	64.62			
RMS	13.96835G	46.97	68.20	-21.23	58.69	3	Horizontal	326	2.56	-	40.87	12.02	64.61			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 73
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95965G	50.33	83.54	-33.21	39.18	1	Vertical	232	2.39	-	37.92	21.93	48.70			
AV	20.96364G	40.32	63.54	-23.22	29.16	1	Vertical	232	2.39	-	37.93	21.93	48.70			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX



EUT_Z_1TX
Setting 73
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94492G	51.14	83.54	-32.40	40.03	1	Horizontal	92	1.01	-	37.90	21.91	48.70			
AV	20.96535G	40.22	63.54	-23.32	29.06	1	Horizontal	92	1.01	-	37.93	21.93	48.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	Pass	AV	17.96805G	47.06	54.00	-6.94	3	Horizontal	236	1.80	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 47
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7882G	63.90	88.20	-24.30	51.92	3	Vertical	314	1.77	-	34.00	8.19	30.21			
RMS	5.9182G	52.36	68.20	-15.84	40.22	3	Vertical	314	1.77	-	34.14	8.16	30.16			
PK	5.9894G	109.18	Inf	-Inf	96.91	3	Vertical	314	1.77	-	34.28	8.12	30.13			
RMS	5.9998G	100.40	Inf	-Inf	88.11	3	Vertical	314	1.77	-	34.30	8.12	30.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 47
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8274G	62.60	88.20	-25.60	50.64	3	Horizontal	38	2.68	-	33.95	8.20	30.19			
RMS	5.9102G	52.22	68.20	-15.98	40.10	3	Horizontal	38	2.68	-	34.12	8.16	30.16			
PK	5.979G	104.61	Inf	-Inf	92.36	3	Horizontal	38	2.68	-	34.26	8.13	30.14			
RMS	5.9938G	95.21	Inf	-Inf	82.93	3	Horizontal	38	2.68	-	34.29	8.12	30.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Y_4TX
Setting 47
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.97894G	47.30	74.00	-26.70	40.63	3	Vertical	31	2.17	-	39.24	12.78	45.35				
AV	11.98383G	35.43	54.00	-18.57	28.78	3	Vertical	31	2.17	-	39.23	12.78	45.36				
PK	17.95329G	59.56	74.00	-14.44	42.03	3	Vertical	269	2.62	-	46.59	15.23	44.29				
AV	17.95866G	46.91	54.00	-7.09	29.39	3	Vertical	269	2.62	-	46.58	15.23	44.29				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Y_4TX
Setting 47
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.98233G	48.89	74.00	-25.11	42.23	3	Horizontal	272	2.61	-	39.24	12.78	45.36				
AV	11.95716G	35.40	54.00	-18.60	28.69	3	Horizontal	272	2.61	-	39.29	12.77	45.35				
PK	17.95065G	59.91	74.00	-14.09	42.37	3	Horizontal	236	1.80	-	46.60	15.23	44.29				
AV	17.96805G	47.06	54.00	-6.94	29.55	3	Horizontal	236	1.80	-	46.56	15.23	44.28				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_V_4TX
Setting 47
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92605G	51.80	83.54	-31.74	41.18	1	Vertical	352	1.80	-	38.95	18.76	47.09			
AV	23.93985G	39.78	63.54	-23.76	29.12	1	Vertical	352	1.80	-	38.98	18.77	47.09			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_V_4TX
Setting 47
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94468G	52.04	83.54	-31.50	41.37	1	Horizontal	316	1.80	-	38.99	18.77	47.09			
AV	23.93982G	40.78	63.54	-22.76	30.12	1	Horizontal	316	1.80	-	38.98	18.77	47.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_Y_4TX
Setting 51
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0082G	108.47	Inf	-Inf	95.14	3	Vertical	47	2.36	-	35.32	8.90	30.89				
RMS	6.9938G	99.13	Inf	-Inf	85.80	3	Vertical	47	2.36	-	35.30	8.91	30.88				
PK	7.183G	65.55	88.20	-22.65	51.52	3	Vertical	47	2.36	-	35.93	8.99	30.89				
RMS	7.2006G	54.34	68.20	-13.86	40.23	3	Vertical	47	2.36	-	36.00	9.00	30.89				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_Y_4TX
Setting 51
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0526G	103.34	Inf	-Inf	89.89	3	Horizontal	5	2.92	-	35.41	8.93	30.89			
RMS	7.0478G	94.78	Inf	-Inf	81.35	3	Horizontal	5	2.92	-	35.40	8.92	30.89			
PK	7.1742G	64.16	88.20	-24.04	50.16	3	Horizontal	5	2.92	-	35.90	8.99	30.89			
RMS	7.219G	54.30	68.20	-13.90	40.08	3	Horizontal	5	2.92	-	36.11	9.00	30.89			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_Y_4TX
Setting 51
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.03503G	53.98	88.20	-34.22	43.64	3	Vertical	314	1.14	-	41.57	13.13	44.36			
RMS	14.05174G	41.27	68.20	-26.93	30.90	3	Vertical	314	1.14	-	41.61	13.14	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_Y_4TX
Setting 51
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04862G	53.85	88.20	-34.35	43.49	3	Horizontal	43	2.85	-	41.60	13.14	44.38			
RMS	14.05594G	41.23	68.20	-26.97	30.85	3	Horizontal	43	2.85	-	41.62	13.15	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 51
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.06129G	48.70	83.54	-34.84	42.11	1	Vertical	360	1.80	-	38.00	17.53	48.94			
AV	21.06195G	35.38	63.54	-28.16	28.79	1	Vertical	360	1.80	-	38.00	17.53	48.94			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 51
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.06081G	48.08	83.54	-35.46	41.49	1	Horizontal	53	1.80	-	38.00	17.53	48.94			
AV	21.0744G	35.33	63.54	-28.21	28.73	1	Horizontal	53	1.80	-	38.00	17.54	48.94			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Y_4TX
Setting 56
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.886G	62.45	88.20	-25.75	50.41	3	Vertical	314	2.52	-	34.04	8.17	30.17			
RMS	5.9175G	52.36	68.20	-15.84	40.22	3	Vertical	314	2.52	-	34.14	8.16	30.16			
PK	6.0315G	108.78	Inf	-Inf	96.46	3	Vertical	314	2.52	-	34.36	8.10	30.14			
RMS	6.0565G	100.06	Inf	-Inf	87.71	3	Vertical	314	2.52	-	34.41	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT_Y_4TX
Setting 56
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8885G	61.95	88.20	-26.25	49.90	3	Horizontal	23	2.97	-	34.05	8.17	30.17			
RMS	5.919G	52.20	68.20	-16.00	40.06	3	Horizontal	23	2.97	-	34.14	8.16	30.16			
PK	6.064G	104.03	Inf	-Inf	91.68	3	Horizontal	23	2.97	-	34.43	8.08	30.16			
RMS	6.089G	96.05	Inf	-Inf	83.67	3	Horizontal	23	2.97	-	34.48	8.07	30.17			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_V_4TX
Setting 56
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.03881G	47.36	74.00	-26.64	40.82	3	Vertical	68	1.94	-	39.12	12.80	45.38			
AV	12.04394G	34.93	54.00	-19.07	28.40	3	Vertical	68	1.94	-	39.11	12.80	45.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_V_4TX
Setting 56
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.03908G	47.29	74.00	-26.71	40.75	3	Horizontal	237	1.52	-	39.12	12.80	45.38			
AV	12.04175G	35.03	54.00	-18.97	28.49	3	Horizontal	237	1.52	-	39.12	12.80	45.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT_Y_4TX
Setting 56
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07854G	47.24	83.54	-36.30	42.88	1	Vertical	43	1.80	-	37.57	16.32	49.53			
AV	18.06087G	33.93	63.54	-29.61	29.67	1	Vertical	43	1.80	-	37.47	16.31	49.52			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_V_4TX
Setting 56
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06254G	46.45	83.54	-37.09	42.18	1	Horizontal	6	1.57	-	37.48	16.31	49.52			
AV	18.08343G	33.82	63.54	-29.72	29.43	1	Horizontal	6	1.57	-	37.60	16.32	49.53			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Y_4TX
Setting 57
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.805G	62.95	88.20	-25.25	50.95	3	Vertical	314	1.82	-	33.99	8.21	30.20			
RMS	5.92G	52.38	68.20	-15.82	40.24	3	Vertical	314	1.82	-	34.14	8.16	30.16			
PK	6.055G	108.54	Inf	-Inf	96.19	3	Vertical	314	1.82	-	34.41	8.09	30.15			
RMS	6.0495G	100.05	Inf	-Inf	87.71	3	Vertical	314	1.82	-	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Y_4TX
Setting 57
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8415G	62.72	88.20	-25.48	50.80	3	Horizontal	22	2.90	-	33.92	8.19	30.19			
RMS	5.9095G	52.13	68.20	-16.07	40.01	3	Horizontal	22	2.90	-	34.12	8.16	30.16			
PK	6.0445G	103.80	Inf	-Inf	91.46	3	Horizontal	22	2.90	-	34.39	8.10	30.15			
RMS	6.034G	95.76	Inf	-Inf	83.43	3	Horizontal	22	2.90	-	34.37	8.10	30.14			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 57
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06239G	47.65	74.00	-26.35	41.16	3	Vertical	10	2.53	-	39.08	12.80	45.39			
AV	12.03917G	35.03	54.00	-18.97	28.49	3	Vertical	10	2.53	-	39.12	12.80	45.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 57
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06248G	47.35	74.00	-26.65	40.86	3	Horizontal	204	2.72	-	39.08	12.80	45.39			
AV	12.04103G	34.90	54.00	-19.10	28.36	3	Horizontal	204	2.72	-	39.12	12.80	45.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 57
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07263G	47.56	83.54	-35.98	43.22	1	Vertical	206	1.80	-	37.54	16.32	49.52			
AV	18.06744G	33.87	63.54	-29.67	29.58	1	Vertical	206	1.80	-	37.50	16.31	49.52			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 57
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07137G	46.47	83.54	-37.07	42.14	1	Horizontal	283	1.83	-	37.53	16.32	49.52			
AV	18.06666G	33.89	63.54	-29.65	29.60	1	Horizontal	283	1.83	-	37.50	16.31	49.52			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Y_4TX
Setting 62
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9175G	107.06	Inf	-Inf	93.59	3	Vertical	307	2.94	-	35.30	8.97	30.80			
RMS	6.908G	98.71	Inf	-Inf	85.22	3	Vertical	307	2.94	-	35.30	8.98	30.79			
PK	7.1605G	65.52	88.20	-22.68	51.59	3	Vertical	307	2.94	-	35.84	8.98	30.89			
RMS	7.145G	56.02	68.20	-12.18	42.16	3	Vertical	307	2.94	-	35.78	8.97	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Y_4TX
Setting 62
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9275G	104.73	Inf	-Inf	91.28	3	Horizontal	1	2.91	-	35.30	8.96	30.81			
RMS	6.923G	95.39	Inf	-Inf	81.92	3	Horizontal	1	2.91	-	35.30	8.97	30.80			
PK	7.1955G	64.72	88.20	-23.48	50.63	3	Horizontal	1	2.91	-	35.98	9.00	30.89			
RMS	7.14G	54.34	68.20	-13.86	40.50	3	Horizontal	1	2.91	-	35.76	8.97	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_V_4TX
Setting 62
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97465G	52.52	88.20	-35.68	42.35	3	Vertical	265	1.15	-	41.40	13.10	44.33			
RMS	13.98254G	40.12	68.20	-28.08	29.91	3	Vertical	265	1.15	-	41.43	13.10	44.32			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_V_4TX
Setting 62
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98005G	52.95	88.20	-35.25	42.75	3	Horizontal	112	1.89	-	41.42	13.10	44.32			
RMS	13.98086G	40.18	68.20	-28.02	29.98	3	Horizontal	112	1.89	-	41.42	13.10	44.32			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_V_4TX
Setting 62
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96442G	48.95	83.54	-34.59	42.47	1	Vertical	10	1.80	-	37.96	17.51	48.99			
AV	20.95491G	35.77	63.54	-27.77	29.34	1	Vertical	10	1.80	-	37.92	17.50	48.99			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_V_4TX
Setting 62
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95725G	47.95	83.54	-35.59	41.51	1	Horizontal	207	2.58	-	37.93	17.50	48.99			
AV	20.95341G	35.47	63.54	-28.07	29.05	1	Horizontal	207	2.58	-	37.91	17.50	48.99			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT_Y_4TX
Setting 59
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9335G	108.43	Inf	-Inf	94.99	3	Vertical	307	1.93	-	35.30	8.96	30.82			
RMS	7.059G	97.67	Inf	-Inf	84.19	3	Vertical	307	1.93	-	35.44	8.93	30.89			
PK	7.154G	66.81	88.20	-21.39	52.90	3	Vertical	307	1.93	-	35.82	8.98	30.89			
RMS	7.144G	56.93	68.20	-11.27	43.07	3	Vertical	307	1.93	-	35.78	8.97	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT_Y_4TX
Setting 59
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.933G	102.45	Inf	-Inf	89.00	3	Horizontal	4	2.88	-	35.30	8.96	30.81			
RMS	6.923G	94.21	Inf	-Inf	80.74	3	Horizontal	4	2.88	-	35.30	8.97	30.80			
PK	7.1955G	65.35	88.20	-22.85	51.26	3	Horizontal	4	2.88	-	35.98	9.00	30.89			
RMS	7.143G	54.67	68.20	-13.53	40.82	3	Horizontal	4	2.88	-	35.77	8.97	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 59
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97036G	52.63	88.20	-35.57	42.48	3	Vertical	332	1.11	-	41.38	13.10	44.33			
RMS	13.98182G	40.15	68.20	-28.05	29.94	3	Vertical	332	1.11	-	41.43	13.10	44.32			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 59
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98206G	52.74	88.20	-35.46	42.53	3	Horizontal	236	1.11	-	41.43	13.10	44.32			
RMS	13.98185G	40.14	68.20	-28.06	29.93	3	Horizontal	236	1.11	-	41.43	13.10	44.32			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 59
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95254G	48.25	83.54	-35.29	41.83	1	Vertical	269	1.80	-	37.91	17.50	48.99			
AV	20.96019G	35.76	63.54	-27.78	29.31	1	Vertical	269	1.80	-	37.94	17.50	48.99			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 59
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94279G	48.47	83.54	-35.07	42.04	1	Horizontal	5	1.80	-	37.93	17.50	49.00			
AV	20.9634G	35.55	63.54	-27.99	29.09	1	Horizontal	5	1.80	-	37.95	17.50	48.99			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX


6105MHz_TX

EUT_Y_4TX
Setting 68
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9237G	69.52	88.20	-18.68	57.38	3	Vertical	316	2.64	-	34.15	8.15	30.16			
RMS	5.9188G	55.29	68.20	-12.91	43.15	3	Vertical	316	2.64	-	34.14	8.16	30.16			
PK	6.1568G	109.34	Inf	-Inf	96.90	3	Vertical	316	2.64	-	34.60	8.03	30.19			
RMS	6.1512G	98.21	Inf	-Inf	85.76	3	Vertical	316	2.64	-	34.60	8.04	30.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 68
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9237G	66.00	88.20	-22.20	53.86	3	Horizontal	37	2.96	-	34.15	8.15	30.16			
RMS	5.9188G	55.40	68.20	-12.80	43.26	3	Horizontal	37	2.96	-	34.14	8.16	30.16			
PK	6.2009G	104.14	Inf	-Inf	91.74	3	Horizontal	37	2.96	-	34.60	8.01	30.21			
RMS	6.0588G	93.55	Inf	-Inf	81.19	3	Horizontal	37	2.96	-	34.42	8.09	30.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 68
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20874G	47.26	74.00	-26.74	41.13	3	Vertical	164	1.57	-	38.78	12.82	45.47			
AV	12.21462G	34.77	54.00	-19.23	28.66	3	Vertical	164	1.57	-	38.77	12.82	45.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 68
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21168G	47.34	74.00	-26.66	41.21	3	Horizontal	139	2.83	-	38.78	12.82	45.47			
AV	12.22047G	34.75	54.00	-19.25	28.65	3	Horizontal	139	2.83	-	38.76	12.82	45.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 68
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32574G	47.59	83.54	-35.95	43.08	1	Vertical	260	1.80	-	37.70	16.45	49.64			
AV	18.32397G	34.44	63.54	-29.10	29.93	1	Vertical	260	1.80	-	37.70	16.45	49.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 68
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30081G	48.20	83.54	-35.34	43.80	1	Horizontal	292	2.47	-	37.60	16.43	49.63			
AV	18.32616G	33.69	63.54	-29.85	29.18	1	Horizontal	292	2.47	-	37.70	16.45	49.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 66
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9069G	67.98	88.20	-20.22	55.87	3	Vertical	306	1.90	-	34.11	8.16	30.16			
RMS	5.9216G	55.74	68.20	-12.46	43.60	3	Vertical	306	1.90	-	34.14	8.16	30.16			
PK	6.147G	109.66	Inf	-Inf	97.22	3	Vertical	306	1.90	-	34.59	8.04	30.19			
RMS	6.0721G	99.93	Inf	-Inf	87.57	3	Vertical	306	1.90	-	34.44	8.08	30.16			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 66
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9195G	64.77	88.20	-23.43	52.63	3	Horizontal	21	2.63	-	34.14	8.16	30.16			
RMS	5.9237G	53.36	68.20	-14.84	41.22	3	Horizontal	21	2.63	-	34.15	8.15	30.16			
PK	6.0938G	103.94	Inf	-Inf	91.55	3	Horizontal	21	2.63	-	34.49	8.07	30.17			
RMS	6.154G	93.88	Inf	-Inf	81.43	3	Horizontal	21	2.63	-	34.60	8.04	30.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
Setting 66
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22236G	48.31	74.00	-25.69	42.21	3	Vertical	15	2.46	-	38.76	12.82	45.48			
AV	12.20817G	34.86	54.00	-19.14	28.73	3	Vertical	15	2.46	-	38.78	12.82	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
Setting 66
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21171G	47.55	74.00	-26.45	41.42	3	Horizontal	156	1.68	-	38.78	12.82	45.47			
AV	12.20319G	34.65	54.00	-19.35	28.51	3	Horizontal	156	1.68	-	38.79	12.82	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_V_4TX
Setting 66
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30597G	47.51	83.54	-36.03	43.08	1	Vertical	49	1.80	-	37.62	16.44	49.63			
AV	18.32025G	34.40	63.54	-29.14	29.92	1	Vertical	49	1.80	-	37.68	16.44	49.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_V_4TX
Setting 66
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31389G	47.99	83.54	-35.55	43.52	1	Horizontal	59	2.80	-	37.66	16.44	49.63			
AV	18.30195G	34.42	63.54	-29.12	30.01	1	Horizontal	59	2.80	-	37.61	16.43	49.63			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 62
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9048G	67.63	88.20	-20.57	55.52	3	Vertical	306	1.87	-	34.11	8.16	30.16				
RMS	5.925G	53.57	68.20	-14.63	41.43	3	Vertical	306	1.87	-	34.15	8.15	30.16				
PK	6.0875G	109.35	Inf	-Inf	96.96	3	Vertical	306	1.87	-	34.48	8.07	30.16				
RMS	6.1372G	100.03	Inf	-Inf	87.60	3	Vertical	306	1.87	-	34.57	8.04	30.18				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 62
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9216G	63.84	88.20	-24.36	51.70	3	Horizontal	23	2.95	-	34.14	8.16	30.16			
RMS	5.923G	52.48	68.20	-15.72	40.34	3	Horizontal	23	2.95	-	34.15	8.15	30.16			
PK	6.0742G	104.71	Inf	-Inf	92.34	3	Horizontal	23	2.95	-	34.45	8.08	30.16			
RMS	6.0938G	95.54	Inf	-Inf	83.15	3	Horizontal	23	2.95	-	34.49	8.07	30.17			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_V_4TX
Setting 62
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20181G	47.47	74.00	-26.53	41.32	3	Vertical	194	2.40	-	38.80	12.82	45.47			
AV	12.20295G	34.67	54.00	-19.33	28.53	3	Vertical	194	2.40	-	38.79	12.82	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_V_4TX
Setting 62
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2154G	47.92	74.00	-26.08	41.81	3	Horizontal	60	2.67	-	38.77	12.82	45.48			
AV	12.2013G	34.71	54.00	-19.29	28.56	3	Horizontal	60	2.67	-	38.80	12.82	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_V_4TX
Setting 62
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32493G	47.84	83.54	-35.70	43.33	1	Vertical	59	1.80	-	37.70	16.45	49.64			
AV	18.32934G	34.45	63.54	-29.09	29.92	1	Vertical	59	1.80	-	37.72	16.45	49.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_V_4TX
Setting 62
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31209G	46.80	83.54	-36.74	42.34	1	Horizontal	239	2.07	-	37.65	16.44	49.63			
AV	18.30897G	34.51	63.54	-29.03	30.06	1	Horizontal	239	2.07	-	37.64	16.44	49.63			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 48
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.809G	102.83	Inf	-Inf	89.13	3	Vertical	316	1.98	-	35.32	9.06	30.68			
RMS	6.764G	94.02	Inf	-Inf	80.43	3	Vertical	316	1.98	-	35.23	8.99	30.63			
PK	7.202G	64.07	88.20	-24.13	49.95	3	Vertical	316	1.98	-	36.01	9.00	30.89			
RMS	7.196G	54.38	68.20	-13.82	40.29	3	Vertical	316	1.98	-	35.98	9.00	30.89			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 48
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7976G	97.91	Inf	-Inf	84.21	3	Horizontal	4	2.88	-	35.30	9.06	30.66			
RMS	6.848G	88.51	Inf	-Inf	74.80	3	Horizontal	4	2.88	-	35.40	9.03	30.72			
PK	7.1846G	64.19	88.20	-24.01	50.15	3	Horizontal	4	2.88	-	35.94	8.99	30.89			
RMS	7.1978G	54.07	68.20	-14.13	39.97	3	Horizontal	4	2.88	-	35.99	9.00	30.89			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_V_4TX
Setting 48
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80994G	51.69	88.20	-36.51	42.12	3	Vertical	269	1.87	-	40.94	13.07	44.44			
RMS	13.8121G	38.93	68.20	-29.27	29.35	3	Vertical	269	1.87	-	40.95	13.07	44.44			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_V_4TX
Setting 48
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.82032G	52.55	88.20	-35.65	42.94	3	Horizontal	235	1.43	-	40.98	13.07	44.44			
RMS	13.80898G	38.96	68.20	-29.24	29.39	3	Horizontal	235	1.43	-	40.94	13.07	44.44			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_V_4TX
Setting 48
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71932G	48.05	83.54	-35.49	41.72	1	Vertical	118	1.80	-	37.98	17.47	49.12			
AV	20.71929G	35.57	63.54	-27.97	29.24	1	Vertical	118	1.80	-	37.98	17.47	49.12			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_V_4TX
Setting 48
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72805G	47.05	83.54	-36.49	40.68	1	Horizontal	190	3.00	-	38.01	17.47	49.11			
AV	20.72454G	34.51	63.54	-29.03	28.15	1	Horizontal	190	3.00	-	38.00	17.47	49.11			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT_Y_4TX
Setting 43
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7856G	101.96	Inf	-Inf	88.30	3	Vertical	312	2.82	-	35.27	9.04	30.65			
RMS	6.7958G	92.96	Inf	-Inf	79.27	3	Vertical	312	2.82	-	35.29	9.06	30.66			
PK	7.139G	64.46	88.20	-23.74	50.62	3	Vertical	312	2.82	-	35.76	8.97	30.89			
RMS	7.1732G	54.13	68.20	-14.07	40.14	3	Vertical	312	2.82	-	35.89	8.99	30.89			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 43
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8036G	98.87	Inf	-Inf	85.16	3	Horizontal	2	3.00	-	35.31	9.07	30.67			
RMS	6.803G	89.79	Inf	-Inf	76.08	3	Horizontal	2	3.00	-	35.31	9.07	30.67			
PK	7.19G	63.93	88.20	-24.27	49.86	3	Horizontal	2	3.00	-	35.96	9.00	30.89			
RMS	7.1612G	53.92	68.20	-14.28	39.99	3	Horizontal	2	3.00	-	35.84	8.98	30.89			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 43
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81096G	51.64	88.20	-36.56	42.07	3	Vertical	3	2.58	-	40.94	13.07	44.44			
RMS	13.81513G	38.89	68.20	-29.31	29.30	3	Vertical	3	2.58	-	40.96	13.07	44.44			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 43
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80025G	51.62	88.20	-36.58	42.10	3	Horizontal	263	2.28	-	40.90	13.07	44.45			
RMS	13.81708G	38.88	68.20	-29.32	29.28	3	Horizontal	263	2.28	-	40.97	13.07	44.44			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 43
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72778G	48.14	83.54	-35.40	41.76	1	Vertical	128	1.80	-	38.02	17.47	49.11			
AV	20.72778G	35.68	63.54	-27.86	29.31	1	Vertical	128	1.80	-	38.01	17.47	49.11			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_V_4TX
Setting 43
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70897G	47.06	83.54	-36.48	40.77	1	Horizontal	311	1.61	-	37.94	17.47	49.12			
AV	20.72958G	34.43	63.54	-29.11	28.05	1	Horizontal	311	1.61	-	38.02	17.47	49.11			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_4TX


6905MHz_TX

EUT_Y_4TX
Setting 41
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8438G	100.80	Inf	-Inf	87.10	3	Vertical	43	2.51	-	35.39	9.03	30.72			
RMS	6.8636G	92.12	Inf	-Inf	78.47	3	Vertical	43	2.51	-	35.37	9.02	30.74			
PK	7.166G	64.49	88.20	-23.71	50.54	3	Vertical	43	2.51	-	35.86	8.98	30.89			
RMS	7.1948G	53.97	68.20	-14.23	39.88	3	Vertical	43	2.51	-	35.98	9.00	30.89			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_4TX

6905MHz_TX




EUT_Y_4TX
Setting 41
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8714G	97.20	Inf	-Inf	83.58	3	Horizontal	6	2.95	-	35.36	9.01	30.75			
RMS	6.8558G	88.80	Inf	-Inf	75.12	3	Horizontal	6	2.95	-	35.39	9.02	30.73			
PK	7.1582G	63.94	88.20	-24.26	50.02	3	Horizontal	6	2.95	-	35.83	8.98	30.89			
RMS	7.1948G	53.86	68.20	-14.34	39.77	3	Horizontal	6	2.95	-	35.98	9.00	30.89			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_4TX

6905MHz_TX




EUT_V_4TX
Setting 41
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81054G	52.38	88.20	-35.82	42.81	3	Vertical	32	1.80	-	40.94	13.07	44.44			
RMS	13.81138G	38.95	68.20	-29.25	29.37	3	Vertical	32	1.80	-	40.95	13.07	44.44			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_4TX

6905MHz_TX




EUT_V_4TX
Setting 41
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81102G	51.88	88.20	-36.32	42.31	3	Horizontal	264	1.80	-	40.94	13.07	44.44			
RMS	13.80481G	39.03	68.20	-29.17	29.49	3	Horizontal	264	1.80	-	40.92	13.07	44.45			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_4TX

6905MHz_TX




EUT_V_4TX
Setting 41
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70756G	48.50	83.54	-35.04	42.22	1	Vertical	163	1.37	-	37.93	17.47	49.12			
AV	20.72685G	35.63	63.54	-27.91	29.26	1	Vertical	163	1.37	-	38.01	17.47	49.11			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_4TX

6905MHz_TX



EUT_V_4TX
Setting 41
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70441G	46.71	83.54	-36.83	40.44	1	Horizontal	215	2.85	-	37.92	17.47	49.12			
AV	20.71467G	34.68	63.54	-28.86	28.37	1	Horizontal	215	2.85	-	37.96	17.47	49.12			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	Pass	RMS	5.925G	68.16	68.20	-0.04	3	Vertical	356	1.80	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT Y_4TX
Setting 47
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	60.08	88.20	-28.12	62.01	3	Vertical	358	1.80	-	32.30	9.05	43.28			
RMS	5.925G	48.02	68.20	-20.18	49.95	3	Vertical	358	1.80	-	32.30	9.05	43.28			
PK	6.015G	109.20	Inf	-Inf	110.84	3	Vertical	358	1.80	-	32.40	9.15	43.19			
RMS	6.015G	99.75	Inf	-Inf	101.39	3	Vertical	358	1.80	-	32.40	9.15	43.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT Y_4TX
Setting 47
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8855G	58.47	88.20	-29.73	60.53	3	Horizontal	-0	1.80	-	32.24	9.01	43.31			
RMS	5.924G	47.28	68.20	-20.92	49.21	3	Horizontal	-0	1.80	-	32.30	9.05	43.28			
PK	5.983G	108.39	Inf	-Inf	110.12	3	Horizontal	-0	1.80	-	32.37	9.12	43.22			
RMS	5.983G	98.23	Inf	-Inf	99.96	3	Horizontal	-0	1.80	-	32.37	9.12	43.22			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT Y_4TX
Setting 47
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97005G	49.78	74.00	-24.22	63.13	3	Vertical	174	2.14	-	38.84	13.57	65.76			
AV	11.97025G	37.99	54.00	-16.01	51.34	3	Vertical	174	2.14	-	38.84	13.57	65.76			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT Y_4TX
Setting 47
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96907G	48.44	74.00	-25.56	61.79	3	Horizontal	51	2.80	-	38.84	13.57	65.76			
AV	11.96962G	36.99	54.00	-17.01	50.34	3	Horizontal	51	2.80	-	38.84	13.57	65.76			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT Y_4TX
Setting 47
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93755G	60.89	83.54	-22.65	46.43	1	Vertical	310	1.80	-	39.00	23.08	47.62			
AV	23.93725G	47.21	63.54	-16.33	32.77	1	Vertical	310	1.80	-	39.00	23.07	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT Y_4TX
Setting 47
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93974G	58.91	83.54	-24.63	44.45	1	Horizontal	60	1.61	-	39.00	23.08	47.62			
AV	23.93978G	46.28	63.54	-17.26	31.82	1	Horizontal	60	1.61	-	39.00	23.08	47.62			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


7025MHz_TX

EUT Y_4TX
Setting 50
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0314G	109.88	Inf	-Inf	107.36	3	Vertical	360	1.80	-	35.19	10.05	42.72			
RMS	7.0386G	99.60	Inf	-Inf	97.03	3	Vertical	360	1.80	-	35.23	10.06	42.72			
PK	7.1334G	56.79	88.20	-31.41	53.43	3	Vertical	360	1.80	-	35.83	10.19	42.66			
RMS	7.125G	45.08	68.20	-23.12	41.76	3	Vertical	360	1.80	-	35.80	10.18	42.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


7025MHz_TX

EUT Y_4TX
Setting 50
04-I-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0622G	106.55	Inf	-Inf	103.76	3	Horizontal	22	1.80	-	35.40	10.09	42.70			
RMS	7.0374G	96.87	Inf	-Inf	94.31	3	Horizontal	22	1.80	-	35.22	10.06	42.72			
PK	7.127G	53.95	88.20	-34.25	50.62	3	Horizontal	22	1.80	-	35.81	10.18	42.66			
RMS	7.1274G	44.11	68.20	-24.09	40.78	3	Horizontal	22	1.80	-	35.81	10.18	42.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


7025MHz_TX

EUT Y_4TX
Setting 50
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04908G	49.88	88.20	-38.32	56.95	3	Vertical	151	1.80	-	41.20	16.08	64.35			
RMS	14.04939G	37.94	68.20	-30.26	45.01	3	Vertical	151	1.80	-	41.20	16.08	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


7025MHz_TX

EUT Y_4TX
Setting 50
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0494G	50.08	88.20	-38.12	57.15	3	Horizontal	36	1.05	-	41.20	16.08	64.35			
RMS	14.04943G	38.37	68.20	-29.83	45.44	3	Horizontal	36	1.05	-	41.20	16.08	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


7025MHz_TX

EUT Y_4TX
Setting 50
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0742G	52.06	83.54	-31.48	40.83	1	Vertical	-0	1.87	-	38.00	21.92	48.69			
AV	21.07945G	39.92	63.54	-23.62	28.68	1	Vertical	-0	1.87	-	38.00	21.92	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


7025MHz_TX

EUT Y_4TX
Setting 50
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07676G	55.50	83.54	-28.04	44.26	1	Horizontal	30	1.80	-	38.00	21.92	48.68			
AV	21.07741G	43.14	63.54	-20.40	31.90	1	Horizontal	30	1.80	-	38.00	21.92	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT Y_4TX
Setting 66
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	74.80	88.20	-13.40	76.73	3	Vertical	360	1.80	-	32.30	9.05	43.28			
RMS	5.925G	59.77	68.20	-8.43	61.70	3	Vertical	360	1.80	-	32.30	9.05	43.28			
PK	6.005G	110.73	Inf	-Inf	112.39	3	Vertical	360	1.80	-	32.40	9.14	43.20			
RMS	6.0098G	99.74	Inf	-Inf	101.39	3	Vertical	360	1.80	-	32.40	9.15	43.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT Y_4TX
Setting 66
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8906G	71.04	88.20	-17.16	73.08	3	Horizontal	7	1.80	-	32.26	9.01	43.31			
RMS	5.9226G	58.95	68.20	-9.25	60.88	3	Horizontal	7	1.80	-	32.30	9.05	43.28			
PK	6.101G	109.75	Inf	-Inf	111.21	3	Horizontal	7	1.80	-	32.50	9.21	43.17			
RMS	5.9978G	99.74	Inf	-Inf	101.40	3	Horizontal	7	1.80	-	32.40	9.14	43.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT Y_4TX
Setting 66
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05073G	45.57	74.00	-28.43	58.61	3	Vertical	182	1.57	-	39.00	13.65	65.69			
AV	12.04943G	33.49	54.00	-20.51	46.54	3	Vertical	182	1.57	-	39.00	13.65	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT Y_4TX
Setting 66
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05029G	45.85	74.00	-28.15	58.89	3	Horizontal	135	1.11	-	39.00	13.65	65.69			
AV	12.0492G	33.51	54.00	-20.49	46.56	3	Horizontal	135	1.11	-	39.00	13.65	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT Y_4TX
Setting 66
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07959G	48.81	83.54	-34.73	39.13	1	Vertical	319	1.56	-	37.58	20.32	48.22			
AV	18.07293G	37.10	63.54	-26.44	27.45	1	Vertical	319	1.56	-	37.54	20.32	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT Y_4TX
Setting 66
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07321G	49.13	83.54	-34.41	39.48	1	Horizontal	73	1.94	-	37.54	20.32	48.21			
AV	18.07242G	37.19	63.54	-26.35	27.55	1	Horizontal	73	1.94	-	37.53	20.32	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT Y_4TX
Setting 58
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	73.76	88.20	-14.44	75.70	3	Vertical	357	1.80	-	32.30	9.04	43.28			
RMS	5.9242G	59.28	68.20	-8.92	61.21	3	Vertical	357	1.80	-	32.30	9.05	43.28			
PK	6.0394G	110.21	Inf	-Inf	111.83	3	Vertical	357	1.80	-	32.40	9.17	43.19			
RMS	6.005G	99.61	Inf	-Inf	101.27	3	Vertical	357	1.80	-	32.40	9.14	43.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT Y_4TX
Setting 58
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	72.44	88.20	-15.76	74.37	3	Horizontal	354	1.80	-	32.30	9.05	43.28			
RMS	5.925G	57.72	68.20	-10.48	59.65	3	Horizontal	354	1.80	-	32.30	9.05	43.28			
PK	6.0226G	108.86	Inf	-Inf	110.50	3	Horizontal	354	1.80	-	32.40	9.15	43.19			
RMS	6.0026G	99.14	Inf	-Inf	100.80	3	Horizontal	354	1.80	-	32.40	9.14	43.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT Y_4TX
Setting 58
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04999G	45.79	74.00	-28.21	58.84	3	Vertical	199	1.82	-	39.00	13.65	65.70			
AV	12.04924G	33.45	54.00	-20.55	46.50	3	Vertical	199	1.82	-	39.00	13.65	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT Y_4TX
Setting 58
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04979G	45.59	74.00	-28.41	58.64	3	Horizontal	329	2.06	-	39.00	13.65	65.70			
AV	12.05003G	33.46	54.00	-20.54	46.50	3	Horizontal	329	2.06	-	39.00	13.65	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT Y_4TX
Setting 58
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07994G	48.58	83.54	-34.96	38.90	1	Vertical	270	1.64	-	37.58	20.32	48.22			
AV	18.07362G	37.10	63.54	-26.44	27.45	1	Vertical	270	1.64	-	37.54	20.32	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT Y_4TX
Setting 58
04-I-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07723G	49.18	83.54	-34.36	39.52	1	Horizontal	171	2.68	-	37.56	20.32	48.22			
AV	18.07584G	37.03	63.54	-26.51	27.37	1	Horizontal	171	2.68	-	37.56	20.32	48.22			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


6985MHz_TX

EUT Y_4TX
Setting 65
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9338G	109.45	Inf	-Inf	107.55	3	Vertical	-0	1.80	-	34.74	9.94	42.78			
RMS	7.0066G	99.48	Inf	-Inf	97.16	3	Vertical	-0	1.80	-	35.04	10.02	42.74			
PK	7.1266G	68.34	88.20	-19.86	65.01	3	Vertical	-0	1.80	-	35.81	10.18	42.66			
RMS	7.1362G	56.86	68.20	-11.34	53.49	3	Vertical	-0	1.80	-	35.84	10.19	42.66			
PK	7.2738G	59.03	74.00	-14.97	55.06	3	Vertical	-0	1.80	-	36.20	10.35	42.58			
AV	7.2538G	48.32	54.00	-5.68	44.38	3	Vertical	-0	1.80	-	36.20	10.33	42.59			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

6985MHz_TX

EUT Y_4TX
Setting 65
04-I-B-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9186G	106.73	Inf	-Inf	104.93	3	Horizontal	-0	1.80	-	34.67	9.92	42.79			
RMS	6.909G	97.17	Inf	-Inf	95.41	3	Horizontal	-0	1.80	-	34.64	9.91	42.79			
PK	7.1538G	67.79	88.20	-20.41	64.31	3	Horizontal	-0	1.80	-	35.91	10.22	42.65			
RMS	7.1442G	56.49	68.20	-11.71	53.06	3	Horizontal	-0	1.80	-	35.88	10.20	42.65			
PK	7.2514G	57.80	74.00	-16.20	53.86	3	Horizontal	-0	1.80	-	36.20	10.33	42.59			
AV	7.2546G	48.29	54.00	-5.71	44.35	3	Horizontal	-0	1.80	-	36.20	10.33	42.59			