


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36973G	49.90	74.00	-24.10	42.62	3	Horizontal	233	2.12	-	40.18	11.87	44.77			
AV	13.36963G	38.53	54.00	-15.47	31.25	3	Horizontal	233	2.12	-	40.18	11.87	44.77			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05448G	51.07	83.54	-32.47	41.41	1	Vertical	127	1.93	-	37.80	20.65	48.79			
AV	20.05598G	40.32	63.54	-23.22	30.66	1	Vertical	127	1.93	-	37.80	20.65	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05432G	51.72	83.54	-31.82	42.06	1	Horizontal	81	2.66	-	37.80	20.65	48.79			
AV	20.05474G	40.55	63.54	-22.99	30.89	1	Horizontal	81	2.66	-	37.80	20.65	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
Setting 44
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77054G	50.62	88.20	-37.58	42.44	3	Vertical	344	2.13	-	40.84	11.81	44.47			
RMS	13.76926G	40.17	68.20	-28.03	31.99	3	Vertical	344	2.13	-	40.84	11.81	44.47			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
Setting 44
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.77058G	50.95	88.20	-37.25	42.77	3	Horizontal	342	2.98	-	40.84	11.81	44.47			
RMS	13.76925G	40.43	68.20	-27.77	32.25	3	Horizontal	342	2.98	-	40.84	11.81	44.47			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 44
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65526G	52.35	83.54	-31.19	41.53	1	Vertical	222	2.47	-	37.90	21.62	48.70			
AV	20.65431G	41.78	63.54	-21.76	30.96	1	Vertical	222	2.47	-	37.90	21.62	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
Setting 44
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65595G	52.65	83.54	-30.89	41.83	1	Horizontal	151	2.87	-	37.90	21.62	48.70			
AV	20.65423G	41.77	63.54	-21.77	30.95	1	Horizontal	151	2.87	-	37.90	21.62	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84958G	52.08	88.20	-36.12	43.60	3	Vertical	276	1.51	-	41.10	11.80	44.42			
RMS	13.85099G	40.50	68.20	-27.70	32.01	3	Vertical	276	1.51	-	41.10	11.80	44.41			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85007G	51.34	88.20	-36.86	42.85	3	Horizontal	304	2.78	-	41.10	11.80	44.41			
RMS	13.84932G	40.66	68.20	-27.54	32.18	3	Horizontal	304	2.78	-	41.10	11.80	44.42			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77589G	53.43	83.54	-30.11	42.49	1	Vertical	321	1.11	-	37.90	21.74	48.70			
AV	20.77546G	42.81	63.54	-20.73	31.87	1	Vertical	321	1.11	-	37.90	21.74	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77595G	53.93	83.54	-29.61	42.99	1	Horizontal	25	1.26	-	37.90	21.74	48.70			
AV	20.77566G	43.30	63.54	-20.24	32.36	1	Horizontal	25	1.26	-	37.90	21.74	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01036G	53.71	88.20	-34.49	44.73	3	Vertical	167	2.61	-	41.52	11.78	44.32			
RMS	14.01012G	42.55	68.20	-25.65	33.57	3	Vertical	167	2.61	-	41.52	11.78	44.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00963G	52.69	88.20	-35.51	43.71	3	Horizontal	254	2.04	-	41.52	11.78	44.32			
RMS	14.01001G	42.85	68.20	-25.35	33.87	3	Horizontal	254	2.04	-	41.52	11.78	44.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01562G	53.03	83.54	-30.51	41.77	1	Vertical	154	2.54	-	38.00	21.96	48.70			
AV	21.01568G	41.92	63.54	-21.62	30.66	1	Vertical	154	2.54	-	38.00	21.96	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01431G	52.47	83.54	-31.07	41.21	1	Horizontal	149	2.68	-	38.00	21.96	48.70			
AV	21.01525G	41.90	63.54	-21.64	30.64	1	Horizontal	149	2.68	-	38.00	21.96	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 32
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0838G	109.90	Inf	-Inf	96.84	3	Vertical	173	1.77	-	35.54	8.94	31.42			
RMS	7.0764G	100.36	Inf	-Inf	87.33	3	Vertical	173	1.77	-	35.51	8.94	31.42			
PK	7.1778G	64.35	88.20	-23.85	50.87	3	Vertical	173	1.77	-	35.91	8.99	31.42			
RMS	7.1422G	53.85	68.20	-14.35	40.53	3	Vertical	173	1.77	-	35.77	8.97	31.42			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 32
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0974G	107.63	Inf	-Inf	94.51	3	Horizontal	202	1.74	-	35.59	8.95	31.42
RMS	7.0924G	97.34	Inf	-Inf	84.24	3	Horizontal	202	1.74	-	35.57	8.95	31.42
PK	7.1346G	64.07	88.20	-24.13	50.78	3	Horizontal	202	1.74	-	35.74	8.97	31.42
RMS	7.1542G	53.78	68.20	-14.42	40.40	3	Horizontal	202	1.74	-	35.82	8.98	31.42

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 32
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17027G	53.81	88.20	-34.39	44.48	3	Vertical	162	1.88	-	42.08	11.79	44.54			
RMS	14.17036G	42.96	68.20	-25.24	33.63	3	Vertical	162	1.88	-	42.08	11.79	44.54			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 32
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16964G	53.96	88.20	-34.24	44.63	3	Horizontal	352	1.01	-	42.08	11.79	44.54			
RMS	14.17062G	42.91	68.20	-25.29	33.58	3	Horizontal	352	1.01	-	42.08	11.79	44.54			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 32
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2556G	53.19	83.54	-30.35	42.02	1	Vertical	325	2.78	-	38.01	21.81	48.65			
AV	21.25529G	41.66	63.54	-21.88	30.49	1	Vertical	325	2.78	-	38.01	21.81	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 32
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25496G	52.90	83.54	-30.64	41.73	1	Horizontal	60	2.16	-	38.01	21.81	48.65			
AV	21.25548G	42.31	63.54	-21.23	31.14	1	Horizontal	60	2.16	-	38.01	21.81	48.65			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 43
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	66.09	88.20	-22.11	54.42	3	Vertical	174	1.74	-	34.15	8.15	30.63			
RMS	5.924G	52.04	68.20	-16.16	40.37	3	Vertical	174	1.74	-	34.15	8.15	30.63			
PK	5.9805G	108.45	Inf	-Inf	96.67	3	Vertical	174	1.74	-	34.26	8.13	30.61			
RMS	6G	99.98	Inf	-Inf	88.17	3	Vertical	174	1.74	-	34.30	8.12	30.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 43
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	67.26	88.20	-20.94	55.59	3	Horizontal	170	1.62	-	34.15	8.15	30.63			
RMS	5.924G	52.23	68.20	-15.97	40.56	3	Horizontal	170	1.62	-	34.15	8.15	30.63			
PK	5.9825G	109.03	Inf	-Inf	97.25	3	Horizontal	170	1.62	-	34.26	8.13	30.61			
RMS	5.9975G	99.63	Inf	-Inf	87.83	3	Horizontal	170	1.62	-	34.29	8.12	30.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 43
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97099G	47.75	74.00	-26.25	41.78	3	Vertical	245	1.38	-	39.26	12.06	45.35			
AV	11.97035G	37.77	54.00	-16.23	31.80	3	Vertical	245	1.38	-	39.26	12.06	45.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 43
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97095G	48.46	74.00	-25.54	42.49	3	Horizontal	0	2.96	-	39.26	12.06	45.35			
AV	11.97G	37.24	54.00	-16.76	31.27	3	Horizontal	0	2.96	-	39.26	12.06	45.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 43
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95491G	52.27	83.54	-31.27	42.52	1	Vertical	277	1.68	-	37.61	20.22	48.08			
AV	17.9555G	41.79	63.54	-21.75	32.04	1	Vertical	277	1.68	-	37.61	20.22	48.08			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 43
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95468G	52.78	83.54	-30.76	43.03	1	Horizontal	90	1.27	-	37.61	20.22	48.08			
AV	17.95474G	42.10	63.54	-21.44	32.35	1	Horizontal	90	1.27	-	37.61	20.22	48.08			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45081G	47.49	74.00	-26.51	42.38	3	Vertical	293	1.76	-	38.70	12.01	45.60			
AV	12.44942G	36.65	54.00	-17.35	31.54	3	Vertical	293	1.76	-	38.70	12.01	45.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45077G	47.22	74.00	-26.78	42.11	3	Horizontal	41	1.61	-	38.70	12.01	45.60			
AV	12.45043G	36.35	54.00	-17.65	31.24	3	Horizontal	41	1.61	-	38.70	12.01	45.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67429G	51.99	83.54	-31.55	41.94	1	Vertical	342	1.34	-	37.90	20.62	48.47			
AV	18.67436G	41.12	63.54	-22.42	31.07	1	Vertical	342	1.34	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67534G	51.63	83.54	-31.91	41.59	1	Horizontal	205	1.51	-	37.90	20.62	48.48			
AV	18.67422G	41.17	63.54	-22.37	31.12	1	Horizontal	205	1.51	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76955G	46.96	88.20	-41.24	41.49	3	Vertical	319	2.71	-	38.84	11.96	45.33			
RMS	12.77026G	36.84	68.20	-31.36	31.37	3	Vertical	319	2.71	-	38.84	11.96	45.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7707G	46.98	88.20	-41.22	41.51	3	Horizontal	325	3.00	-	38.84	11.96	45.33			
RMS	12.76922G	36.14	68.20	-32.06	30.67	3	Horizontal	325	3.00	-	38.84	11.96	45.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15571G	51.62	83.54	-31.92	41.71	1	Vertical	103	2.62	-	37.98	20.73	48.80			
AV	19.15552G	40.81	63.54	-22.73	30.90	1	Vertical	103	2.62	-	37.98	20.73	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15432G	52.39	83.54	-31.15	42.48	1	Horizontal	29	1.62	-	37.98	20.73	48.80			
AV	19.15473G	40.70	63.54	-22.84	30.79	1	Horizontal	29	1.62	-	37.98	20.73	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 51
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93046G	47.34	88.20	-40.86	41.29	3	Vertical	49	3.00	-	39.26	11.94	45.15			
RMS	12.93039G	36.47	68.20	-31.73	30.42	3	Vertical	49	3.00	-	39.26	11.94	45.15			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 51
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93059G	47.10	88.20	-41.10	41.05	3	Horizontal	215	1.40	-	39.26	11.94	45.15			
RMS	12.93024G	36.34	68.20	-31.86	30.29	3	Horizontal	215	1.40	-	39.26	11.94	45.15			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 51
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39472G	51.41	83.54	-32.13	41.46	1	Vertical	178	1.82	-	37.89	20.86	48.80			
AV	19.39527G	40.50	63.54	-23.04	30.55	1	Vertical	178	1.82	-	37.89	20.86	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 51
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39581G	52.26	83.54	-31.28	42.31	1	Horizontal	140	2.15	-	37.89	20.86	48.80			
AV	19.39532G	40.89	63.54	-22.65	30.94	1	Horizontal	140	2.15	-	37.89	20.86	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09038G	48.44	88.20	-39.76	41.96	3	Vertical	193	1.35	-	39.56	11.92	45.00			
RMS	13.09053G	37.68	68.20	-30.52	31.20	3	Vertical	193	1.35	-	39.56	11.92	45.00			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09068G	48.26	88.20	-39.94	41.78	3	Horizontal	142	1.93	-	39.56	11.92	45.00			
RMS	13.08977G	37.95	68.20	-30.25	31.47	3	Horizontal	142	1.93	-	39.56	11.92	45.00			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63473G	51.14	83.54	-32.40	41.43	1	Vertical	110	2.64	-	37.70	20.81	48.80			
AV	19.63553G	40.13	63.54	-23.41	30.42	1	Vertical	110	2.64	-	37.70	20.81	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63483G	50.82	83.54	-32.72	41.11	1	Horizontal	196	1.80	-	37.70	20.81	48.80			
AV	19.6345G	40.53	63.54	-23.01	30.82	1	Horizontal	196	1.80	-	37.70	20.81	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 48
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24966G	48.88	88.20	-39.32	41.96	3	Vertical	357	1.42	-	39.90	11.89	44.87			
RMS	13.24963G	38.23	68.20	-29.97	31.31	3	Vertical	357	1.42	-	39.90	11.89	44.87			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 48
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24905G	48.96	88.20	-39.24	42.04	3	Horizontal	66	1.47	-	39.90	11.89	44.87			
AV	13.25083G	38.14	54.00	-15.86	31.21	3	Horizontal	66	1.47	-	39.90	11.89	44.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 48
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87509G	52.13	83.54	-31.41	42.59	1	Vertical	170	2.99	-	37.70	20.64	48.80			
AV	19.87478G	41.63	63.54	-21.91	32.09	1	Vertical	170	2.99	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 48
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87477G	51.83	83.54	-31.71	42.29	1	Horizontal	191	1.29	-	37.70	20.64	48.80			
AV	19.87519G	41.43	63.54	-22.11	31.89	1	Horizontal	191	1.29	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40993G	50.16	88.20	-38.04	42.70	3	Vertical	8	1.21	-	40.32	11.87	44.73			
RMS	13.40972G	38.88	68.20	-29.32	31.42	3	Vertical	8	1.21	-	40.32	11.87	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40949G	49.74	88.20	-38.46	42.28	3	Horizontal	106	2.43	-	40.32	11.87	44.73			
RMS	13.41077G	39.08	68.20	-29.12	31.62	3	Horizontal	106	2.43	-	40.32	11.87	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11401G	51.34	83.54	-32.20	41.56	1	Vertical	126	2.89	-	37.80	20.76	48.78			
AV	20.11572G	40.75	63.54	-22.79	30.97	1	Vertical	126	2.89	-	37.80	20.76	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11585G	50.98	83.54	-32.56	41.20	1	Horizontal	41	1.81	-	37.80	20.76	48.78			
AV	20.1154G	40.52	63.54	-23.02	30.74	1	Horizontal	41	1.81	-	37.80	20.76	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56973G	49.48	88.20	-38.72	41.75	3	Vertical	16	1.53	-	40.50	11.84	44.61			
RMS	13.5699G	38.55	68.20	-29.65	30.82	3	Vertical	16	1.53	-	40.50	11.84	44.61			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX



EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57089G	49.07	88.20	-39.13	41.34	3	Horizontal	176	2.98	-	40.50	11.84	44.61			
RMS	13.5707G	38.62	68.20	-29.58	30.89	3	Horizontal	176	2.98	-	40.50	11.84	44.61			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35425G	53.77	83.54	-29.77	43.42	1	Vertical	100	2.95	-	37.89	21.19	48.73			
AV	20.3557G	42.55	63.54	-20.99	32.19	1	Vertical	100	2.95	-	37.89	21.20	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35534G	53.73	83.54	-29.81	43.37	1	Horizontal	47	2.11	-	37.89	21.20	48.73			
AV	20.35501G	42.43	63.54	-21.11	32.07	1	Horizontal	47	2.11	-	37.89	21.20	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72904G	51.37	88.20	-36.83	43.29	3	Vertical	73	1.18	-	40.76	11.82	44.50			
RMS	13.72963G	40.65	68.20	-27.55	32.57	3	Vertical	73	1.18	-	40.76	11.82	44.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72923G	51.66	88.20	-36.54	43.58	3	Horizontal	216	2.27	-	40.76	11.82	44.50			
RMS	13.73029G	41.41	68.20	-26.79	33.33	3	Horizontal	216	2.27	-	40.76	11.82	44.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59579G	52.08	83.54	-31.46	41.32	1	Vertical	85	1.78	-	37.90	21.56	48.70			
AV	20.59416G	41.78	63.54	-21.76	31.02	1	Vertical	85	1.78	-	37.90	21.56	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 49
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59555G	52.39	83.54	-31.15	41.63	1	Horizontal	123	1.50	-	37.90	21.56	48.70			
AV	20.59508G	41.72	63.54	-21.82	30.96	1	Horizontal	123	1.50	-	37.90	21.56	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 51
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89092G	51.38	88.20	-36.82	42.79	3	Vertical	88	2.14	-	41.18	11.80	44.39			
RMS	13.89093G	40.89	68.20	-27.31	32.30	3	Vertical	88	2.14	-	41.18	11.80	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 51
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89075G	51.16	88.20	-37.04	42.57	3	Horizontal	184	2.33	-	41.18	11.80	44.39			
RMS	13.89046G	40.73	68.20	-27.47	32.14	3	Horizontal	184	2.33	-	41.18	11.80	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 51
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8354G	53.67	83.54	-29.87	42.67	1	Vertical	175	1.55	-	37.90	21.80	48.70			
AV	20.83423G	43.08	63.54	-20.46	32.08	1	Vertical	175	1.55	-	37.90	21.80	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 51
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83411G	53.48	83.54	-30.06	42.48	1	Horizontal	178	2.44	-	37.90	21.80	48.70			
AV	20.83413G	43.01	63.54	-20.53	32.01	1	Horizontal	178	2.44	-	37.90	21.80	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 47
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0318G	110.59	Inf	-Inf	97.73	3	Vertical	173	1.80	-	35.36	8.92	31.42			
RMS	7.0366G	100.69	Inf	-Inf	87.82	3	Vertical	173	1.80	-	35.37	8.92	31.42			
PK	7.1686G	64.33	88.20	-23.87	50.90	3	Vertical	173	1.80	-	35.87	8.98	31.42			
RMS	7.1458G	54.13	68.20	-14.07	40.80	3	Vertical	173	1.80	-	35.78	8.97	31.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 47
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0378G	107.12	Inf	-Inf	94.24	3	Horizontal	195	2.02	-	35.38	8.92	31.42			
RMS	7.0378G	98.34	Inf	-Inf	85.46	3	Horizontal	195	2.02	-	35.38	8.92	31.42			
PK	7.1694G	63.92	88.20	-24.28	50.48	3	Horizontal	195	2.02	-	35.88	8.98	31.42			
RMS	7.1954G	54.17	68.20	-14.03	40.61	3	Horizontal	195	2.02	-	35.98	9.00	31.42			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 47
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04933G	52.58	88.20	-35.62	43.58	3	Vertical	293	1.87	-	41.60	11.78	44.38			
RMS	14.05058G	42.60	68.20	-25.60	33.60	3	Vertical	293	1.87	-	41.60	11.78	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 47
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04978G	52.81	88.20	-35.39	43.81	3	Horizontal	29	1.29	-	41.60	11.78	44.38			
RMS	14.04908G	42.93	68.20	-25.27	33.93	3	Horizontal	29	1.29	-	41.60	11.78	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 47
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07532G	52.37	83.54	-31.17	41.13	1	Vertical	100	1.75	-	38.00	21.92	48.68			
AV	21.07533G	42.19	63.54	-21.35	30.95	1	Vertical	100	1.75	-	38.00	21.92	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 47
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07553G	52.43	83.54	-31.11	41.19	1	Horizontal	270	1.11	-	38.00	21.92	48.68			
AV	21.07571G	42.08	63.54	-21.46	30.84	1	Horizontal	270	1.11	-	38.00	21.92	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 60
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	73.58	88.20	-14.62	61.91	3	Vertical	164	1.80	-	34.14	8.16	30.63			
RMS	5.925G	59.29	68.20	-8.91	47.62	3	Vertical	164	1.80	-	34.15	8.15	30.63			
PK	6.1005G	109.58	Inf	-Inf	97.74	3	Vertical	164	1.80	-	34.50	8.06	30.72			
RMS	6.05G	100.65	Inf	-Inf	88.82	3	Vertical	164	1.80	-	34.40	8.09	30.66			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 60
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	74.90	88.20	-13.30	63.24	3	Horizontal	204	1.80	-	34.13	8.16	30.63			
RMS	5.9185G	59.34	68.20	-8.86	47.67	3	Horizontal	204	1.80	-	34.14	8.16	30.63			
PK	6.0535G	109.79	Inf	-Inf	97.96	3	Horizontal	204	1.80	-	34.41	8.09	30.67			
RMS	6.0565G	100.54	Inf	-Inf	88.71	3	Horizontal	204	1.80	-	34.41	8.09	30.67			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 60
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05006G	48.37	74.00	-25.63	42.59	3	Vertical	246	2.02	-	39.10	12.07	45.39			
AV	12.05071G	37.05	54.00	-16.95	31.27	3	Vertical	246	2.02	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 60
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	12.04921G	37.84	54.00	-16.16	32.06	3	Horizontal	258	2.65	-	39.10	12.07	45.39			
PK	12.05076G	47.71	74.00	-26.29	41.93	3	Horizontal	258	2.65	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 60
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07547G	51.34	83.54	-32.20	41.69	1	Vertical	135	1.95	-	37.55	20.32	48.22			
AV	18.07564G	41.07	63.54	-22.47	31.42	1	Vertical	135	1.95	-	37.55	20.32	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 60
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07543G	52.03	83.54	-31.51	42.38	1	Horizontal	169	2.02	-	37.55	20.32	48.22			
AV	18.07411G	40.94	63.54	-22.60	31.29	1	Horizontal	169	2.02	-	37.54	20.32	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 60
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36929G	47.21	74.00	-26.79	42.05	3	Vertical	56	1.08	-	38.70	12.02	45.56			
AV	12.37031G	36.77	54.00	-17.23	31.61	3	Vertical	56	1.08	-	38.70	12.02	45.56			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 60
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36932G	47.29	74.00	-26.71	42.13	3	Horizontal	86	2.48	-	38.70	12.02	45.56			
AV	12.369G	36.64	54.00	-17.36	31.48	3	Horizontal	86	2.48	-	38.70	12.02	45.56			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 60
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55441G	51.73	83.54	-31.81	41.67	1	Vertical	87	1.72	-	37.80	20.61	48.35			
AV	18.55529G	41.25	63.54	-22.29	31.20	1	Vertical	87	1.72	-	37.80	20.61	48.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 60
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55596G	51.61	83.54	-31.93	41.56	1	Horizontal	150	2.30	-	37.80	20.61	48.36			
AV	18.5558G	41.47	63.54	-22.07	31.42	1	Horizontal	150	2.30	-	37.80	20.61	48.36			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 58
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.691G	47.29	74.00	-26.71	42.05	3	Vertical	6	1.31	-	38.68	11.98	45.42			
AV	12.69008G	36.58	54.00	-17.42	31.34	3	Vertical	6	1.31	-	38.68	11.98	45.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 58
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69056G	47.27	74.00	-26.73	42.03	3	Horizontal	66	1.64	-	38.68	11.98	45.42			
AV	12.69051G	36.98	54.00	-17.02	31.74	3	Horizontal	66	1.64	-	38.68	11.98	45.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 58
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03452G	51.94	83.54	-31.60	42.14	1	Vertical	87	1.71	-	37.93	20.67	48.80			
AV	19.03408G	41.18	63.54	-22.36	31.38	1	Vertical	87	1.71	-	37.93	20.67	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 58
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03423G	51.59	83.54	-31.95	41.79	1	Horizontal	154	2.43	-	37.93	20.67	48.80			
AV	19.03545G	41.31	63.54	-22.23	31.51	1	Horizontal	154	2.43	-	37.93	20.67	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
Setting 59
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00902G	48.81	88.20	-39.39	42.54	3	Vertical	248	2.79	-	39.40	11.93	45.06			
RMS	13.0103G	37.37	68.20	-30.83	31.10	3	Vertical	248	2.79	-	39.40	11.93	45.06			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
Setting 59
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00924G	48.02	88.20	-40.18	41.75	3	Horizontal	65	2.75	-	39.40	11.93	45.06			
RMS	13.01025G	37.57	68.20	-30.63	31.30	3	Horizontal	65	2.75	-	39.40	11.93	45.06			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 59
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51469G	50.79	83.54	-32.75	40.92	1	Vertical	61	2.04	-	37.77	20.90	48.80			
AV	19.51514G	40.45	63.54	-23.09	30.58	1	Vertical	61	2.04	-	37.77	20.90	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
Setting 59
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51561G	50.76	83.54	-32.78	40.89	1	Horizontal	253	2.72	-	37.77	20.90	48.80			
AV	19.51511G	40.62	63.54	-22.92	30.75	1	Horizontal	253	2.72	-	37.77	20.90	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 59
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33053G	49.18	74.00	-24.82	42.00	3	Vertical	196	2.38	-	40.10	11.88	44.80			
AV	13.32907G	38.73	54.00	-15.27	31.55	3	Vertical	196	2.38	-	40.10	11.88	44.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 59
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33065G	49.49	74.00	-24.51	42.31	3	Horizontal	149	1.63	-	40.10	11.88	44.80			
AV	13.32923G	38.47	54.00	-15.53	31.29	3	Horizontal	149	1.63	-	40.10	11.88	44.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 59
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99545G	51.16	83.54	-32.38	41.70	1	Vertical	178	1.01	-	37.71	20.55	48.80			
AV	19.99559G	40.67	63.54	-22.87	31.21	1	Vertical	178	1.01	-	37.71	20.55	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 59
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.99563G	51.27	83.54	-32.27	41.81	1	Horizontal	103	2.15	-	37.71	20.55	48.80				
AV	19.99521G	40.62	63.54	-22.92	31.16	1	Horizontal	103	2.15	-	37.71	20.55	48.80				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 57
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64929G	51.50	88.20	-36.70	43.63	3	Vertical	10	1.20	-	40.60	11.83	44.56			
RMS	13.65033G	41.15	68.20	-27.05	33.27	3	Vertical	10	1.20	-	40.60	11.83	44.55			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 57
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65057G	52.28	88.20	-35.92	44.40	3	Horizontal	185	1.47	-	40.60	11.83	44.55			
RMS	13.65086G	41.04	68.20	-27.16	33.16	3	Horizontal	185	1.47	-	40.60	11.83	44.55			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_Y_4TX
Setting 57
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47468G	53.15	83.54	-30.39	42.55	1	Vertical	115	2.87	-	37.90	21.41	48.71			
AV	20.47579G	42.39	63.54	-21.15	31.77	1	Vertical	115	2.87	-	37.90	21.42	48.70			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 57
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47585G	52.90	83.54	-30.64	42.28	1	Horizontal	323	1.26	-	37.90	21.42	48.70			
AV	20.47542G	42.44	63.54	-21.10	31.82	1	Horizontal	323	1.26	-	37.90	21.42	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 56
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.977G	108.78	Inf	-Inf	95.97	3	Vertical	353	1.80	-	35.30	8.92	31.41			
RMS	7.0615G	100.15	Inf	-Inf	87.19	3	Vertical	353	1.80	-	35.45	8.93	31.42			
PK	7.1385G	68.61	88.20	-19.59	55.31	3	Vertical	353	1.80	-	35.75	8.97	31.42			
RMS	7.139G	58.48	68.20	-9.72	45.17	3	Vertical	353	1.80	-	35.76	8.97	31.42			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 56
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0275G	106.75	Inf	-Inf	93.91	3	Horizontal	9	2.00	-	35.35	8.91	31.42			
RMS	7.0625G	98.12	Inf	-Inf	85.16	3	Horizontal	9	2.00	-	35.45	8.93	31.42			
PK	7.128G	69.00	88.20	-19.20	55.75	3	Horizontal	9	2.00	-	35.71	8.96	31.42			
RMS	7.148G	57.82	68.20	-10.38	44.48	3	Horizontal	9	2.00	-	35.79	8.97	31.42			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 56
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96957G	52.25	88.20	-35.95	43.42	3	Vertical	198	1.05	-	41.38	11.78	44.33			
RMS	13.96995G	41.44	68.20	-26.76	32.61	3	Vertical	198	1.05	-	41.38	11.78	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_Y_4TX
Setting 56
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96964G	52.10	88.20	-36.10	43.27	3	Horizontal	71	2.38	-	41.38	11.78	44.33			
RMS	13.96964G	41.84	68.20	-26.36	33.01	3	Horizontal	71	2.38	-	41.38	11.78	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 56
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95507G	52.39	83.54	-31.15	41.26	1	Vertical	72	2.79	-	37.91	21.92	48.70			
AV	20.95468G	42.34	63.54	-21.20	31.21	1	Vertical	72	2.79	-	37.91	21.92	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 56
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95589G	52.65	83.54	-30.89	41.51	1	Horizontal	20	1.98	-	37.91	21.93	48.70			
AV	20.95589G	42.35	63.54	-21.19	31.21	1	Horizontal	20	1.98	-	37.91	21.93	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 67
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	79.30	88.20	-8.90	67.63	3	Vertical	359	1.94	-	34.15	8.15	30.63			
RMS	5.9242G	67.62	68.20	-0.58	55.95	3	Vertical	359	1.94	-	34.15	8.15	30.63			
PK	6.1466G	110.27	Inf	-Inf	98.41	3	Vertical	359	1.94	-	34.59	8.04	30.77			
RMS	6.1418G	100.52	Inf	-Inf	88.66	3	Vertical	359	1.94	-	34.58	8.04	30.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 67
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8986G	77.24	88.20	-10.96	65.61	3	Horizontal	22	1.80	-	34.09	8.17	30.63			
RMS	5.921G	66.49	68.20	-1.71	54.82	3	Horizontal	22	1.80	-	34.14	8.16	30.63			
PK	6.0738G	108.30	Inf	-Inf	96.46	3	Horizontal	22	1.80	-	34.45	8.08	30.69			
RMS	6.0562G	99.42	Inf	-Inf	87.59	3	Horizontal	22	1.80	-	34.41	8.09	30.67			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 67
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20909G	47.67	74.00	-26.33	42.31	3	Vertical	266	2.32	-	38.78	12.05	45.47			
AV	12.20987G	37.03	54.00	-16.97	31.67	3	Vertical	266	2.32	-	38.78	12.05	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 67
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21027G	47.44	74.00	-26.56	42.08	3	Horizontal	311	2.82	-	38.78	12.05	45.47			
AV	12.20968G	36.93	54.00	-17.07	31.57	3	Horizontal	311	2.82	-	38.78	12.05	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 67
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31426G	52.07	83.54	-31.47	42.22	1	Vertical	143	2.98	-	37.63	20.48	48.26			
AV	18.3153G	41.29	63.54	-22.25	31.44	1	Vertical	143	2.98	-	37.63	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 67
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31576G	52.16	83.54	-31.38	42.31	1	Horizontal	183	2.67	-	37.63	20.48	48.26			
AV	18.31436G	41.29	63.54	-22.25	31.44	1	Horizontal	183	2.67	-	37.63	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 72
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53089G	46.54	74.00	-27.46	41.50	3	Vertical	196	1.36	-	38.64	12.00	45.60			
AV	12.52914G	36.37	54.00	-17.63	31.33	3	Vertical	196	1.36	-	38.64	12.00	45.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 72
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52994G	47.12	74.00	-26.88	42.08	3	Horizontal	62	1.53	-	38.64	12.00	45.60			
AV	12.53025G	36.54	54.00	-17.46	31.50	3	Horizontal	62	1.53	-	38.64	12.00	45.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 72
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79404G	51.98	83.54	-31.56	42.04	1	Vertical	207	2.15	-	37.90	20.63	48.59			
AV	18.79494G	41.59	63.54	-21.95	31.65	1	Vertical	207	2.15	-	37.90	20.63	48.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 72
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79566G	52.67	83.54	-30.87	42.74	1	Horizontal	209	1.41	-	37.90	20.63	48.60			
AV	18.79404G	41.52	63.54	-22.02	31.58	1	Horizontal	209	1.41	-	37.90	20.63	48.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
Setting 71
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84953G	47.62	88.20	-40.58	41.81	3	Vertical	283	2.68	-	39.10	11.95	45.24			
RMS	12.85012G	36.80	68.20	-31.40	30.99	3	Vertical	283	2.68	-	39.10	11.95	45.24			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
Setting 71
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84974G	47.68	88.20	-40.52	41.87	3	Horizontal	317	2.29	-	39.10	11.95	45.24			
RMS	12.8494G	36.62	68.20	-31.58	30.81	3	Horizontal	317	2.29	-	39.10	11.95	45.24			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 71
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27542G	51.44	83.54	-32.10	41.55	1	Vertical	333	2.43	-	37.90	20.79	48.80			
AV	19.27512G	40.62	63.54	-22.92	30.73	1	Vertical	333	2.43	-	37.90	20.79	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 71
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27438G	51.33	83.54	-32.21	41.44	1	Horizontal	6	2.92	-	37.90	20.79	48.80			
AV	19.27461G	40.87	63.54	-22.67	30.98	1	Horizontal	6	2.92	-	37.90	20.79	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 71
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17004G	48.79	88.20	-39.41	42.12	3	Vertical	257	2.14	-	39.70	11.90	44.93			
AV	13.16975G	37.97	68.20	-30.23	31.30	3	Vertical	257	2.14	-	39.70	11.90	44.93			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
Setting 71
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17096G	48.76	88.20	-39.44	42.09	3	Horizontal	32	1.12	-	39.70	11.90	44.93			
AV	13.17058G	37.85	68.20	-30.35	31.18	3	Horizontal	32	1.12	-	39.70	11.90	44.93			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
Setting 71
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75459G	52.17	83.54	-31.37	42.54	1	Vertical	357	1.81	-	37.70	20.73	48.80			
AV	19.75418G	41.07	63.54	-22.47	31.44	1	Vertical	357	1.81	-	37.70	20.73	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 71
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75414G	51.43	83.54	-32.11	41.80	1	Horizontal	243	2.39	-	37.70	20.73	48.80			
AV	19.7541G	41.09	63.54	-22.45	31.46	1	Horizontal	243	2.39	-	37.70	20.73	48.80			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_4TX
Setting 71
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48939G	49.39	88.20	-38.81	41.72	3	Vertical	144	2.23	-	40.48	11.86	44.67			
AV	13.48907G	38.70	68.20	-29.50	31.03	3	Vertical	144	2.23	-	40.48	11.86	44.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 71
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48916G	49.84	88.20	-38.36	42.17	3	Horizontal	13	2.17	-	40.48	11.86	44.67			
AV	13.48905G	38.76	68.20	-29.44	31.09	3	Horizontal	13	2.17	-	40.48	11.86	44.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_Y_4TX
Setting 71
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23536G	53.14	83.54	-30.40	43.11	1	Vertical	114	1.71	-	37.80	20.98	48.75			
AV	20.23527G	42.30	63.54	-21.24	32.27	1	Vertical	114	1.71	-	37.80	20.98	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_Y_4TX
Setting 71
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23497G	52.58	83.54	-30.96	42.55	1	Horizontal	295	1.23	-	37.80	20.98	48.75			
AV	20.2358G	42.76	63.54	-20.78	32.73	1	Horizontal	295	1.23	-	37.80	20.98	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 55
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.012G	105.90	Inf	-Inf	93.09	3	Vertical	350	2.08	-	35.32	8.91	31.42			
RMS	7.042G	95.77	Inf	-Inf	82.89	3	Vertical	350	2.08	-	35.38	8.92	31.42			
PK	7.136G	67.56	88.20	-20.64	54.27	3	Vertical	350	2.08	-	35.74	8.97	31.42			
RMS	7.172G	56.21	68.20	-11.99	42.75	3	Vertical	350	2.08	-	35.89	8.99	31.42			
AV	7.251G	53.97	54.00	-0.03	40.09	3	Vertical	350	2.08	-	36.30	9.01	31.43			
PK	7.252G	64.34	74.00	-9.66	50.45	3	Vertical	350	2.08	-	36.31	9.01	31.43			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 55
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
RMS	6.769G	96.01	Inf	-Inf	83.06	3	Horizontal	13	1.80	-	35.24	9.00	31.29			
PK	6.804G	105.73	Inf	-Inf	92.66	3	Horizontal	13	1.80	-	35.31	9.07	31.31			
RMS	7.24G	53.57	68.20	-14.63	39.74	3	Horizontal	13	1.80	-	36.24	9.01	31.42			
PK	7.242G	63.91	88.20	-24.29	50.07	3	Horizontal	13	1.80	-	36.25	9.01	31.42			
AV	7.26G	53.76	54.00	-0.24	39.84	3	Horizontal	13	1.80	-	36.34	9.01	31.43			
PK	7.265G	62.13	74.00	-11.87	48.19	3	Horizontal	13	1.80	-	36.36	9.01	31.43			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 55
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8097G	51.16	88.20	-37.04	42.85	3	Vertical	114	1.34	-	40.94	11.81	44.44			
AV	13.81002G	40.55	68.20	-27.65	32.24	3	Vertical	114	1.34	-	40.94	11.81	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 55
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81001G	51.73	88.20	-36.47	43.42	3	Horizontal	314	2.79	-	40.94	11.81	44.44			
AV	13.80922G	41.10	68.20	-27.10	32.79	3	Horizontal	314	2.79	-	40.94	11.81	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 55
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7157G	53.07	83.54	-30.47	42.19	1	Vertical	272	2.65	-	37.90	21.68	48.70			
AV	20.71452G	42.34	63.54	-21.20	31.46	1	Vertical	272	2.65	-	37.90	21.68	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX

EUT_V_4TX
Setting 55
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71587G	52.98	83.54	-30.56	42.10	1	Horizontal	244	1.16	-	37.90	21.68	48.70			
AV	20.71565G	42.38	63.54	-21.16	31.50	1	Horizontal	244	1.16	-	37.90	21.68	48.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1318G	62.74	68.20	-5.46	3	Vertical	359	1.80	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_2TX
Setting 24
01-U-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	63.24	88.20	-24.96	53.30	3	Vertical	30	1.80	-	34.94	7.44	32.44			
RMS	5.9242G	51.35	68.20	-16.85	41.40	3	Vertical	30	1.80	-	34.95	7.44	32.44			
PK	5.963G	110.03	Inf	-Inf	99.85	3	Vertical	30	1.80	-	35.15	7.47	32.44			
RMS	5.9638G	99.76	Inf	-Inf	89.57	3	Vertical	30	1.80	-	35.16	7.47	32.44			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_2TX
Setting 24
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.924G	62.19	88.20	-26.01	52.25	3	Horizontal	4	1.80	-	34.94	7.44	32.44			
RMS	5.9234G	51.11	68.20	-17.09	41.17	3	Horizontal	4	1.80	-	34.94	7.44	32.44			
PK	5.9474G	109.18	Inf	-Inf	99.08	3	Horizontal	4	1.80	-	35.08	7.46	32.44			
RMS	5.946G	98.85	Inf	-Inf	88.75	3	Horizontal	4	1.80	-	35.08	7.46	32.44			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9106G	52.70	74.00	-21.30	67.48	3	Vertical	129	2.56	-	38.78	12.27	65.83			
AV	11.90973G	39.46	54.00	-14.54	54.24	3	Vertical	129	2.56	-	38.78	12.27	65.83			
PK	17.87043G	57.73	74.00	-16.27	66.38	3	Vertical	82	1.93	-	41.18	14.19	64.02			
AV	17.87961G	45.21	54.00	-8.79	53.80	3	Vertical	82	1.93	-	41.22	14.20	64.01			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91099G	52.82	74.00	-21.18	67.60	3	Horizontal	96	2.03	-	38.78	12.27	65.83				
AV	11.90994G	39.52	54.00	-14.48	54.30	3	Horizontal	96	2.03	-	38.78	12.27	65.83				
PK	17.86716G	58.49	74.00	-15.51	67.15	3	Horizontal	71	1.36	-	41.17	14.19	64.02				
AV	17.86116G	45.23	54.00	-8.77	53.92	3	Horizontal	71	1.36	-	41.14	14.19	64.02				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_2TX
Setting 24
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82402G	44.04	83.54	-39.50	34.20	1	Vertical	162	1.36	-	38.85	18.13	47.14			
AV	23.8188G	31.65	63.54	-31.89	21.80	1	Vertical	162	1.36	-	38.86	18.13	47.14			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8207G	45.17	83.54	-38.37	35.32	1	Horizontal	28	1.69	-	38.86	18.13	47.14			
AV	23.82358G	31.67	63.54	-31.87	21.83	1	Horizontal	28	1.69	-	38.85	18.13	47.14			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39041G	53.09	74.00	-20.91	67.55	3	Vertical	70	1.11	-	38.58	12.57	65.61			
AV	12.38957G	39.07	54.00	-14.93	53.53	3	Vertical	70	1.11	-	38.58	12.57	65.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39006G	52.71	74.00	-21.29	67.17	3	Horizontal	306	1.94	-	38.58	12.57	65.61			
AV	12.38941G	39.06	54.00	-14.94	53.52	3	Horizontal	306	1.94	-	38.58	12.57	65.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58022G	43.72	83.54	-39.82	39.80	1	Vertical	11	3.00	-	37.86	15.71	49.65			
AV	18.58964G	30.63	63.54	-32.91	26.69	1	Vertical	11	3.00	-	37.88	15.71	49.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58088G	44.15	83.54	-39.39	40.23	1	Horizontal	140	1.71	-	37.86	15.71	49.65			
AV	18.58256G	30.56	63.54	-32.98	26.63	1	Horizontal	140	1.71	-	37.87	15.71	49.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82947G	53.70	88.20	-34.50	66.69	3	Vertical	9	2.46	-	39.32	12.81	65.12			
RMS	12.82919G	40.16	68.20	-28.04	53.15	3	Vertical	9	2.46	-	39.32	12.81	65.12			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82916G	54.54	88.20	-33.66	67.53	3	Horizontal	43	1.77	-	39.32	12.81	65.12			
RMS	12.82996G	40.25	68.20	-27.95	53.23	3	Horizontal	43	1.77	-	39.32	12.81	65.11			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24152G	43.63	83.54	-39.91	39.17	1	Vertical	88	2.15	-	37.90	16.01	49.45			
AV	19.24258G	30.54	63.54	-33.00	26.08	1	Vertical	88	2.15	-	37.90	16.01	49.45			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_2TX
Setting 24
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2435G	43.91	83.54	-39.63	39.45	1	Horizontal	256	1.87	-	37.90	16.01	49.45			
AV	19.24026G	30.54	63.54	-33.00	26.08	1	Horizontal	256	1.87	-	37.90	16.01	49.45			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86981G	54.87	88.20	-33.33	67.70	3	Vertical	25	2.77	-	39.40	12.83	65.06			
RMS	12.86943G	41.21	68.20	-26.99	54.04	3	Vertical	25	2.77	-	39.40	12.83	65.06			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86966G	54.62	88.20	-33.58	67.45	3	Horizontal	163	1.93	-	39.40	12.83	65.06			
RMS	12.86912G	41.38	68.20	-26.82	54.21	3	Horizontal	163	1.93	-	39.40	12.83	65.06			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3027G	43.61	83.54	-39.93	39.18	1	Vertical	291	1.93	-	37.90	16.02	49.49			
AV	19.3004G	30.41	63.54	-33.13	25.97	1	Vertical	291	1.93	-	37.90	16.02	49.48			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3095G	43.37	83.54	-40.17	38.94	1	Horizontal	159	1.82	-	37.90	16.02	49.49			
AV	19.30026G	30.36	63.54	-33.18	25.92	1	Horizontal	159	1.82	-	37.90	16.02	49.48			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95071G	54.81	88.20	-33.39	67.38	3	Vertical	356	2.79	-	39.50	12.88	64.95			
RMS	12.95047G	41.61	68.20	-26.59	54.18	3	Vertical	356	2.79	-	39.50	12.88	64.95			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94927G	54.60	88.20	-33.60	67.17	3	Horizontal	259	1.14	-	39.50	12.88	64.95			
RMS	12.95015G	41.53	68.20	-26.67	54.10	3	Horizontal	259	1.14	-	39.50	12.88	64.95			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT_Y_2TX
Setting 26
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42662G	43.42	83.54	-40.12	39.08	1	Vertical	28	2.02	-	37.85	16.05	49.56			
AV	19.42012G	30.33	63.54	-33.21	26.00	1	Vertical	28	2.02	-	37.84	16.04	49.55			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_2TX
Setting 26
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42286G	44.27	83.54	-39.27	39.94	1	Horizontal	155	1.80	-	37.85	16.04	49.56			
AV	19.4202G	30.17	63.54	-33.37	25.84	1	Horizontal	155	1.80	-	37.84	16.04	49.55			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_2TX
Setting 20
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02951G	55.32	88.20	-32.88	67.68	3	Vertical	294	2.15	-	39.60	12.92	64.88			
RMS	13.03045G	41.68	68.20	-26.52	54.04	3	Vertical	294	2.15	-	39.60	12.92	64.88			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_2TX
Setting 20
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02948G	55.74	88.20	-32.46	68.10	3	Horizontal	129	1.66	-	39.60	12.92	64.88			
RMS	13.02976G	41.68	68.20	-26.52	54.04	3	Horizontal	129	1.66	-	39.60	12.92	64.88			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_2TX
Setting 20
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54018G	43.11	83.54	-40.43	38.81	1	Vertical	152	1.54	-	37.80	16.07	49.57			
AV	19.54042G	30.13	63.54	-33.41	25.83	1	Vertical	152	1.54	-	37.80	16.07	49.57			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_2TX
Setting 20
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54274G	43.62	83.54	-39.92	39.32	1	Horizontal	148	2.44	-	37.80	16.07	49.57			
AV	19.54028G	30.14	63.54	-33.40	25.84	1	Horizontal	148	2.44	-	37.80	16.07	49.57			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07053G	54.78	88.20	-33.42	67.07	3	Vertical	233	1.64	-	39.64	12.94	64.87			
RMS	13.07086G	41.96	68.20	-26.24	54.25	3	Vertical	233	1.64	-	39.64	12.94	64.87			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06942G	54.79	88.20	-33.41	67.08	3	Horizontal	115	2.38	-	39.64	12.94	64.87			
RMS	13.06914G	41.85	68.20	-26.35	54.14	3	Horizontal	115	2.38	-	39.64	12.94	64.87			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60916G	42.90	83.54	-40.64	38.45	1	Vertical	167	1.93	-	37.88	16.10	49.53			
AV	19.60508G	29.92	63.54	-33.62	25.46	1	Vertical	167	1.93	-	37.89	16.10	49.53			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6005G	42.20	83.54	-41.34	37.74	1	Horizontal	339	2.70	-	37.90	16.09	49.53			
AV	19.60062G	29.93	63.54	-33.61	25.47	1	Horizontal	339	2.70	-	37.90	16.09	49.53			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_2TX
Setting 31
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39027G	55.27	74.00	-18.73	66.79	3	Vertical	288	3.00	-	40.20	13.12	64.84			
AV	13.38935G	41.86	54.00	-12.14	53.38	3	Vertical	288	3.00	-	40.20	13.12	64.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_2TX
Setting 31
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39077G	55.30	74.00	-18.70	66.82	3	Horizontal	192	2.30	-	40.20	13.12	64.84			
AV	13.38947G	41.74	54.00	-12.26	53.26	3	Horizontal	192	2.30	-	40.20	13.12	64.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_2TX
Setting 31
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08542G	43.99	83.54	-39.55	39.10	1	Vertical	216	1.66	-	37.87	16.27	49.25			
AV	20.08114G	30.50	63.54	-33.04	25.63	1	Vertical	216	1.66	-	37.86	16.27	49.26			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_2TX
Setting 31
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08324G	43.63	83.54	-39.91	38.75	1	Horizontal	268	1.12	-	37.87	16.27	49.26			
AV	20.0805G	30.53	63.54	-33.01	25.66	1	Horizontal	268	1.12	-	37.86	16.27	49.26			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_2TX
Setting 31
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75013G	56.16	88.20	-32.04	67.06	3	Vertical	20	2.51	-	40.50	13.31	64.71			
RMS	13.74977G	42.22	68.20	-25.98	53.13	3	Vertical	20	2.51	-	40.50	13.31	64.72			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_2TX
Setting 31
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74907G	56.56	88.20	-31.64	67.47	3	Horizontal	14	2.57	-	40.50	13.31	64.72			
RMS	13.74939G	42.20	68.20	-26.00	53.11	3	Horizontal	14	2.57	-	40.50	13.31	64.72			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_2TX
Setting 31
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62184G	42.32	83.54	-41.22	37.02	1	Vertical	16	1.52	-	38.00	16.47	49.17			
AV	20.62132G	29.12	63.54	-34.42	23.82	1	Vertical	16	1.52	-	38.00	16.47	49.17			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_2TX
Setting 31
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62182G	42.20	83.54	-41.34	36.90	1	Horizontal	360	2.84	-	38.00	16.47	49.17			
AV	20.62682G	29.05	63.54	-34.49	23.74	1	Horizontal	360	2.84	-	38.00	16.47	49.16			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79062G	55.83	88.20	-32.37	66.53	3	Vertical	289	2.96	-	40.66	13.34	64.70			
RMS	13.78982G	42.55	68.20	-25.65	53.25	3	Vertical	289	2.96	-	40.66	13.34	64.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78944G	56.04	88.20	-32.16	66.74	3	Horizontal	237	1.75	-	40.66	13.34	64.70			
RMS	13.78906G	42.55	68.20	-25.65	53.25	3	Horizontal	237	1.75	-	40.66	13.34	64.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68246G	43.25	83.54	-40.29	37.99	1	Vertical	115	1.58	-	37.94	16.46	49.14			
AV	20.68932G	29.32	63.54	-34.22	24.07	1	Vertical	115	1.58	-	37.92	16.46	49.13			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_2TX
Setting 21
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68536G	42.87	83.54	-40.67	37.61	1	Horizontal	318	1.89	-	37.93	16.46	49.13			
AV	20.68004G	29.29	63.54	-34.25	24.03	1	Horizontal	318	1.89	-	37.94	16.46	49.14			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99005G	56.55	88.20	-31.65	66.81	3	Vertical	208	1.96	-	40.90	13.44	64.60			
RMS	13.98933G	43.15	68.20	-25.05	53.41	3	Vertical	208	1.96	-	40.90	13.44	64.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98959G	56.49	88.20	-31.71	66.75	3	Horizontal	45	2.23	-	40.90	13.44	64.60			
RMS	13.9893G	43.15	68.20	-25.05	53.41	3	Horizontal	45	2.23	-	40.90	13.44	64.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98726G	43.72	83.54	-39.82	38.23	1	Vertical	45	2.09	-	38.05	16.42	48.98			
AV	20.98132G	30.23	63.54	-33.31	24.76	1	Vertical	45	2.09	-	38.03	16.42	48.98			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9862G	43.56	83.54	-39.98	38.08	1	Horizontal	350	1.04	-	38.04	16.42	48.98			
AV	20.98048G	30.25	63.54	-33.29	24.79	1	Horizontal	350	1.04	-	38.02	16.42	48.98			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 22
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0862G	111.47	Inf	-Inf	99.47	3	Vertical	7	1.53	-	36.77	7.95	32.72			
RMS	7.086G	99.90	Inf	-Inf	87.90	3	Vertical	7	1.53	-	36.77	7.95	32.72			
PK	7.1936G	65.66	88.20	-22.54	53.24	3	Vertical	7	1.53	-	37.16	7.94	32.68			
RMS	7.1896G	54.39	68.20	-13.81	41.99	3	Vertical	7	1.53	-	37.14	7.94	32.68			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 22
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1026G	106.39	Inf	-Inf	94.34	3	Horizontal	20	1.80	-	36.81	7.95	32.71			
RMS	7.101G	95.77	Inf	-Inf	83.73	3	Horizontal	20	1.80	-	36.80	7.95	32.71			
PK	7.1922G	65.48	88.20	-22.72	53.07	3	Horizontal	20	1.80	-	37.15	7.94	32.68			
RMS	7.1934G	54.34	68.20	-13.86	41.92	3	Horizontal	20	1.80	-	37.16	7.94	32.68			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 22
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18938G	57.93	88.20	-30.27	68.05	3	Vertical	259	1.41	-	40.90	13.47	64.49			
RMS	14.18933G	43.68	68.20	-24.52	53.80	3	Vertical	259	1.41	-	40.90	13.47	64.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 22
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19081G	57.33	88.20	-30.87	67.45	3	Horizontal	268	2.51	-	40.90	13.47	64.49			
RMS	14.19022G	43.76	68.20	-24.44	53.88	3	Horizontal	268	2.51	-	40.90	13.47	64.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_Y_2TX
Setting 22
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2881G	43.40	83.54	-40.14	37.41	1	Vertical	214	1.10	-	38.10	16.73	48.84			
AV	21.28248G	30.23	63.54	-33.31	24.26	1	Vertical	214	1.10	-	38.10	16.72	48.85			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_2TX
Setting 22
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28096G	42.85	83.54	-40.69	36.88	1	Horizontal	4	1.43	-	38.10	16.72	48.85			
AV	21.28196G	30.01	63.54	-33.53	24.04	1	Horizontal	4	1.43	-	38.10	16.72	48.85			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_2TX
Setting 41
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	62.45	88.20	-25.75	52.52	3	Vertical	347	1.80	-	34.93	7.44	32.44			
RMS	5.9236G	51.32	68.20	-16.88	41.38	3	Vertical	347	1.80	-	34.94	7.44	32.44			
PK	5.953G	111.05	Inf	-Inf	100.92	3	Vertical	347	1.80	-	35.11	7.46	32.44			
RMS	5.9526G	100.09	Inf	-Inf	89.96	3	Vertical	347	1.80	-	35.11	7.46	32.44			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_2TX
Setting 41
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9064G	62.14	88.20	-26.06	52.31	3	Horizontal	12	1.80	-	34.84	7.43	32.44			
RMS	5.924G	51.27	68.20	-16.93	41.33	3	Horizontal	12	1.80	-	34.94	7.44	32.44			
PK	5.9726G	110.31	Inf	-Inf	100.08	3	Horizontal	12	1.80	-	35.19	7.48	32.44			
RMS	5.968G	99.52	Inf	-Inf	89.31	3	Horizontal	12	1.80	-	35.17	7.48	32.44			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_2TX
Setting 41
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.92946G	53.07	74.00	-20.93	67.85	3	Vertical	168	2.82	-	38.74	12.29	65.81				
AV	11.92917G	39.07	54.00	-14.93	53.85	3	Vertical	168	2.82	-	38.74	12.29	65.81				
PK	17.88288G	59.31	74.00	-14.69	67.89	3	Vertical	92	1.70	-	41.23	14.20	64.01				
AV	17.89773G	45.33	54.00	-8.67	53.84	3	Vertical	92	1.70	-	41.29	14.20	64.00				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_2TX
Setting 41
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9297G	52.83	74.00	-21.17	67.61	3	Horizontal	188	1.39	-	38.74	12.29	65.81				
AV	11.92907G	39.05	54.00	-14.95	53.83	3	Horizontal	188	1.39	-	38.74	12.29	65.81				
PK	17.89293G	58.65	74.00	-15.35	67.18	3	Horizontal	242	1.54	-	41.27	14.20	64.00				
AV	17.89204G	45.06	54.00	-8.94	53.59	3	Horizontal	242	1.54	-	41.27	14.20	64.00				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_2TX
Setting 41
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85554G	45.08	83.54	-38.46	35.27	1	Vertical	103	1.66	-	38.81	18.13	47.13			
AV	23.8628G	31.69	63.54	-31.85	21.84	1	Vertical	103	1.66	-	38.83	18.14	47.12			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_2TX
Setting 41
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8634G	44.84	83.54	-38.70	34.99	1	Horizontal	128	1.88	-	38.83	18.14	47.12			
AV	23.8617G	31.61	63.54	-31.93	21.77	1	Horizontal	128	1.88	-	38.82	18.14	47.12			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41001G	52.71	74.00	-21.29	67.11	3	Vertical	281	1.13	-	38.62	12.58	65.60			
AV	12.4099G	38.88	54.00	-15.12	53.28	3	Vertical	281	1.13	-	38.62	12.58	65.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40931G	52.59	74.00	-21.41	66.99	3	Horizontal	130	1.10	-	38.62	12.58	65.60			
AV	12.40945G	38.93	54.00	-15.07	53.33	3	Horizontal	130	1.10	-	38.62	12.58	65.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61592G	43.66	83.54	-39.88	39.62	1	Vertical	214	1.37	-	37.93	15.73	49.62			
AV	18.61372G	30.15	63.54	-33.39	26.12	1	Vertical	214	1.37	-	37.93	15.73	49.63			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61252G	43.46	83.54	-40.08	39.43	1	Horizontal	347	2.88	-	37.93	15.73	49.63			
AV	18.61134G	30.10	63.54	-33.44	26.08	1	Horizontal	347	2.88	-	37.92	15.73	49.63			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_2TX
Setting 37
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80931G	54.08	88.20	-34.12	67.18	3	Vertical	307	2.21	-	39.24	12.80	65.14			
RMS	12.80901G	40.20	68.20	-28.00	53.30	3	Vertical	307	2.21	-	39.24	12.80	65.14			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_2TX
Setting 37
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80953G	54.40	88.20	-33.80	67.50	3	Horizontal	4	1.02	-	39.24	12.80	65.14			
RMS	12.8091G	40.37	68.20	-27.83	53.47	3	Horizontal	4	1.02	-	39.24	12.80	65.14			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_2TX
Setting 37
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21794G	44.25	83.54	-39.29	39.79	1	Vertical	42	2.26	-	37.90	16.00	49.44			
AV	19.21G	30.43	63.54	-33.11	25.96	1	Vertical	42	2.26	-	37.90	16.00	49.43			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_2TX
Setting 37
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21094G	43.74	83.54	-39.80	39.27	1	Horizontal	79	2.36	-	37.90	16.00	49.43			
AV	19.21828G	30.39	63.54	-33.15	25.93	1	Horizontal	79	2.36	-	37.90	16.00	49.44			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_2TX
Setting 36
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89052G	54.92	88.20	-33.28	67.70	3	Vertical	74	1.85	-	39.40	12.85	65.03			
RMS	12.88908G	40.95	68.20	-27.25	53.74	3	Vertical	74	1.85	-	39.40	12.84	65.03			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_2TX
Setting 36
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89019G	54.79	88.20	-33.41	67.57	3	Horizontal	11	2.82	-	39.40	12.85	65.03			
RMS	12.88911G	41.00	68.20	-27.20	53.79	3	Horizontal	11	2.82	-	39.40	12.84	65.03			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_2TX
Setting 36
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33626G	43.50	83.54	-40.04	39.08	1	Vertical	331	1.07	-	37.90	16.03	49.51			
AV	19.33006G	30.13	63.54	-33.41	25.70	1	Vertical	331	1.07	-	37.90	16.03	49.50			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_2TX
Setting 36
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33248G	43.19	83.54	-40.35	38.76	1	Horizontal	70	1.72	-	37.90	16.03	49.50			
AV	19.33024G	30.12	63.54	-33.42	25.69	1	Horizontal	70	1.72	-	37.90	16.03	49.50			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96987G	55.74	88.20	-32.46	68.23	3	Vertical	333	1.30	-	39.54	12.89	64.92			
RMS	12.96902G	41.65	68.20	-26.55	54.14	3	Vertical	333	1.30	-	39.54	12.89	64.92			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96931G	55.83	88.20	-32.37	68.32	3	Horizontal	261	2.36	-	39.54	12.89	64.92			
RMS	12.9692G	41.55	68.20	-26.65	54.04	3	Horizontal	261	2.36	-	39.54	12.89	64.92			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45048G	44.98	83.54	-38.56	40.60	1	Vertical	333	2.44	-	37.90	16.05	49.57			
AV	19.45026G	30.01	63.54	-33.53	25.63	1	Vertical	333	2.44	-	37.90	16.05	49.57			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_2TX
Setting 32
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45074G	43.20	83.54	-40.34	38.82	1	Horizontal	248	1.99	-	37.90	16.05	49.57			
AV	19.45002G	30.02	63.54	-33.52	25.64	1	Horizontal	248	1.99	-	37.90	16.05	49.57			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_2TX
Setting 35
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05033G	55.98	88.20	-32.22	68.32	3	Vertical	359	2.15	-	39.60	12.93	64.87			
RMS	13.05005G	41.41	68.20	-26.79	53.75	3	Vertical	359	2.15	-	39.60	12.93	64.87			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_2TX
Setting 35
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0492G	54.96	88.20	-33.24	67.31	3	Horizontal	106	1.32	-	39.60	12.93	64.88			
RMS	13.05091G	41.41	68.20	-26.79	53.75	3	Horizontal	106	1.32	-	39.60	12.93	64.87			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_2TX
Setting 35
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5753G	43.25	83.54	-40.29	38.86	1	Vertical	329	1.02	-	37.85	16.09	49.55			
AV	19.571G	29.94	63.54	-33.60	25.57	1	Vertical	329	1.02	-	37.84	16.08	49.55			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX

EUT_Y_2TX
Setting 35
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57796G	43.50	83.54	-40.04	39.10	1	Horizontal	119	1.68	-	37.86	16.09	49.55			
AV	19.57088G	29.96	63.54	-33.58	25.59	1	Horizontal	119	1.68	-	37.84	16.08	49.55			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_2TX
Setting 39
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12979G	55.29	88.20	-32.91	67.42	3	Vertical	164	2.76	-	39.76	12.98	64.87			
RMS	13.13094G	41.62	68.20	-26.58	53.75	3	Vertical	164	2.76	-	39.76	12.98	64.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_2TX
Setting 39
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1306G	55.24	88.20	-32.96	67.37	3	Horizontal	313	2.65	-	39.76	12.98	64.87			
RMS	13.13063G	41.59	68.20	-26.61	53.72	3	Horizontal	313	2.65	-	39.76	12.98	64.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_2TX
Setting 39
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69056G	42.78	83.54	-40.76	38.33	1	Vertical	132	1.50	-	37.80	16.12	49.47			
AV	19.69006G	29.20	63.54	-34.34	24.75	1	Vertical	132	1.50	-	37.80	16.12	49.47			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_2TX
Setting 39
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6996G	42.55	83.54	-40.99	38.08	1	Horizontal	324	1.17	-	37.80	16.13	49.46			
AV	19.69044G	29.15	63.54	-34.39	24.70	1	Horizontal	324	1.17	-	37.80	16.12	49.47			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_2TX
Setting 44
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36936G	55.64	74.00	-18.36	67.17	3	Vertical	206	1.69	-	40.20	13.11	64.84			
AV	13.3691G	41.26	54.00	-12.74	52.79	3	Vertical	206	1.69	-	40.20	13.11	64.84			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_2TX
Setting 44
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36975G	55.26	74.00	-18.74	66.79	3	Horizontal	186	2.27	-	40.20	13.11	64.84			
AV	13.3691G	41.25	54.00	-12.75	52.78	3	Horizontal	186	2.27	-	40.20	13.11	64.84			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_2TX
Setting 44
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05828G	43.59	83.54	-39.95	38.77	1	Vertical	145	2.53	-	37.82	16.26	49.26			
AV	20.05782G	30.02	63.54	-33.52	25.20	1	Vertical	145	2.53	-	37.82	16.26	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_2TX
Setting 44
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05642G	43.62	83.54	-39.92	38.81	1	Horizontal	152	1.28	-	37.81	16.26	49.26			
AV	20.05008G	30.00	63.54	-33.54	25.20	1	Horizontal	152	1.28	-	37.80	16.26	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_2TX
Setting 36
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7691G	56.17	88.20	-32.03	66.98	3	Vertical	37	2.95	-	40.58	13.32	64.71			
RMS	13.76922G	42.22	68.20	-25.98	53.03	3	Vertical	37	2.95	-	40.58	13.32	64.71			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_2TX
Setting 36
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76945G	56.19	88.20	-32.01	67.00	3	Horizontal	325	2.34	-	40.58	13.32	64.71			
RMS	13.76926G	42.28	68.20	-25.92	53.09	3	Horizontal	325	2.34	-	40.58	13.32	64.71			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_2TX
Setting 36
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65866G	42.56	83.54	-40.98	37.26	1	Vertical	29	1.23	-	37.98	16.47	49.15			
AV	20.656G	29.15	63.54	-34.39	23.84	1	Vertical	29	1.23	-	37.99	16.47	49.15			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_2TX
Setting 36
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6598G	42.97	83.54	-40.57	37.67	1	Horizontal	51	2.52	-	37.98	16.47	49.15			
AV	20.6502G	29.15	63.54	-34.39	23.83	1	Horizontal	51	2.52	-	38.00	16.47	49.15			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_2TX
Setting 37
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8493G	55.99	88.20	-32.21	66.49	3	Vertical	295	1.93	-	40.80	13.37	64.67			
RMS	13.84978G	41.95	68.20	-26.25	52.45	3	Vertical	295	1.93	-	40.80	13.37	64.67			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_Y_2TX
Setting 37
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.85064G	55.51	88.20	-32.69	66.01	3	Horizontal	0	2.73	-	40.80	13.37	64.67			
RMS	13.85085G	41.92	68.20	-26.28	52.42	3	Horizontal	0	2.73	-	40.80	13.37	64.67			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_2TX
Setting 37
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77018G	43.07	83.54	-40.47	37.69	1	Vertical	347	2.55	-	38.02	16.45	49.09			
AV	20.779G	29.67	63.54	-33.87	24.32	1	Vertical	347	2.55	-	37.98	16.45	49.08			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_2TX
Setting 37
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77478G	42.90	83.54	-40.64	37.54	1	Horizontal	3	1.42	-	38.00	16.45	49.09			
AV	20.77462G	29.71	63.54	-33.83	24.35	1	Horizontal	3	1.42	-	38.00	16.45	49.09			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_2TX
Setting 46
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.009G	56.79	88.20	-31.41	67.01	3	Vertical	69	1.39	-	40.92	13.45	64.59			
RMS	14.0091G	43.35	68.20	-24.85	53.57	3	Vertical	69	1.39	-	40.92	13.45	64.59			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_2TX
Setting 46
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01097G	56.81	88.20	-31.39	67.03	3	Horizontal	199	2.10	-	40.92	13.45	64.59			
RMS	14.00937G	43.32	68.20	-24.88	53.54	3	Horizontal	199	2.10	-	40.92	13.45	64.59			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_2TX
Setting 46
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01342G	42.44	83.54	-41.10	36.90	1	Vertical	122	1.18	-	38.07	16.43	48.96			
AV	21.01048G	30.02	63.54	-33.52	24.48	1	Vertical	122	1.18	-	38.08	16.43	48.97			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_2TX
Setting 46
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01312G	43.59	83.54	-39.95	38.05	1	Horizontal	103	1.22	-	38.07	16.43	48.96			
AV	21.01062G	30.00	63.54	-33.54	24.46	1	Horizontal	103	1.22	-	38.08	16.43	48.97			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_2TX
Setting 43
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0798G	111.17	Inf	-Inf	99.18	3	Vertical	360	1.80	-	36.76	7.95	32.72			
RMS	7.0804G	100.22	Inf	-Inf	88.23	3	Vertical	360	1.80	-	36.76	7.95	32.72			
PK	7.1426G	65.54	88.20	-22.66	53.40	3	Vertical	360	1.80	-	36.89	7.95	32.70			
RMS	7.1754G	54.24	68.20	-13.96	41.93	3	Vertical	360	1.80	-	37.05	7.94	32.68			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_2TX
Setting 43
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.101G	109.47	Inf	-Inf	97.43	3	Horizontal	22	1.79	-	36.80	7.95	32.71			
RMS	7.1004G	98.72	Inf	-Inf	86.68	3	Horizontal	22	1.79	-	36.80	7.95	32.71			
PK	7.1822G	65.19	88.20	-23.01	52.84	3	Horizontal	22	1.79	-	37.09	7.94	32.68			
RMS	7.1832G	54.27	68.20	-13.93	41.91	3	Horizontal	22	1.79	-	37.10	7.94	32.68			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_2TX
Setting 43
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17086G	57.25	88.20	-30.95	67.38	3	Vertical	156	2.75	-	40.90	13.47	64.50			
RMS	14.17086G	43.57	68.20	-24.63	53.70	3	Vertical	156	2.75	-	40.90	13.47	64.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_2TX
Setting 43
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17001G	57.22	88.20	-30.98	67.35	3	Horizontal	95	1.92	-	40.90	13.47	64.50			
RMS	14.16991G	43.43	68.20	-24.77	53.56	3	Horizontal	95	1.92	-	40.90	13.47	64.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_2TX
Setting 43
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25678G	43.16	83.54	-40.38	37.23	1	Vertical	223	1.19	-	38.10	16.69	48.86			
AV	21.25546G	29.76	63.54	-33.78	23.83	1	Vertical	223	1.19	-	38.10	16.69	48.86			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_2TX
Setting 43
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25546G	44.09	83.54	-39.45	38.16	1	Horizontal	209	2.14	-	38.10	16.69	48.86			
AV	21.25856G	29.78	63.54	-33.76	23.85	1	Horizontal	209	2.14	-	38.10	16.69	48.86			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_2TX
Setting 50
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9223G	63.40	88.20	-24.80	53.47	3	Vertical	0	1.66	-	34.93	7.44	32.44			
RMS	5.9244G	51.51	68.20	-16.69	41.56	3	Vertical	0	1.66	-	34.95	7.44	32.44			
PK	6.0039G	112.47	Inf	-Inf	102.10	3	Vertical	0	1.66	-	35.31	7.50	32.44			
RMS	6.0042G	101.12	Inf	-Inf	90.75	3	Vertical	0	1.66	-	35.31	7.50	32.44			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_2TX
Setting 50
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9073G	62.03	88.20	-26.17	52.20	3	Horizontal	360	1.80	-	34.84	7.43	32.44			
RMS	5.9244G	51.71	68.20	-16.49	41.76	3	Horizontal	360	1.80	-	34.95	7.44	32.44			
PK	6G	109.73	Inf	-Inf	99.37	3	Horizontal	360	1.80	-	35.30	7.50	32.44			
RMS	6.0018G	98.60	Inf	-Inf	88.24	3	Horizontal	360	1.80	-	35.30	7.50	32.44			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_2TX
Setting 50
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97G	53.44	74.00	-20.56	68.19	3	Vertical	74	1.81	-	38.70	12.33	65.78			
AV	11.97078G	39.48	54.00	-14.52	54.23	3	Vertical	74	1.81	-	38.70	12.33	65.78			
PK	17.954G	58.29	74.00	-15.71	66.62	3	Vertical	194	1.65	-	41.41	14.22	63.96			
AV	17.95926G	44.86	54.00	-9.14	53.18	3	Vertical	194	1.65	-	41.42	14.22	63.96			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_2TX
Setting 50
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97049G	53.61	74.00	-20.39	68.36	3	Horizontal	109	2.06	-	38.70	12.33	65.78			
AV	11.97055G	39.48	54.00	-14.52	54.23	3	Horizontal	109	2.06	-	38.70	12.33	65.78			
PK	17.95878G	58.75	74.00	-15.25	67.07	3	Horizontal	290	1.85	-	41.42	14.22	63.96			
AV	17.95936G	44.83	54.00	-9.17	53.15	3	Horizontal	290	1.85	-	41.42	14.22	63.96			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_2TX
Setting 50
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94002G	44.31	83.54	-39.23	34.27	1	Vertical	246	1.51	-	38.98	18.15	47.09			
AV	23.94336G	31.35	63.54	-32.19	21.30	1	Vertical	246	1.51	-	38.99	18.15	47.09			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_2TX
Setting 50
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93902G	44.34	83.54	-39.20	34.30	1	Horizontal	179	1.63	-	38.98	18.15	47.09			
AV	23.9361G	31.36	63.54	-32.18	21.33	1	Horizontal	179	1.63	-	38.97	18.15	47.09			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_2TX
Setting 42
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44928G	53.99	74.00	-20.01	68.28	3	Vertical	272	2.18	-	38.70	12.60	65.59			
AV	12.44907G	39.59	54.00	-14.41	53.88	3	Vertical	272	2.18	-	38.70	12.60	65.59			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_2TX
Setting 42
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45006G	53.55	74.00	-20.45	67.83	3	Horizontal	304	1.69	-	38.70	12.61	65.59			
AV	12.44907G	39.58	54.00	-14.42	53.87	3	Horizontal	304	1.69	-	38.70	12.60	65.59			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_2TX
Setting 42
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6732G	43.44	83.54	-40.10	39.35	1	Vertical	336	2.23	-	37.91	15.76	49.58			
AV	18.67408G	29.29	63.54	-34.25	25.21	1	Vertical	336	2.23	-	37.90	15.76	49.58			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_2TX
Setting 42
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67154G	42.99	83.54	-40.55	38.90	1	Horizontal	15	2.86	-	37.91	15.76	49.58			
AV	18.6704G	29.45	63.54	-34.09	25.35	1	Horizontal	15	2.86	-	37.92	15.76	49.58			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_2TX
Setting 40
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76983G	53.28	88.20	-34.92	66.56	3	Vertical	345	2.80	-	39.14	12.78	65.20			
RMS	12.76924G	39.70	68.20	-28.50	52.98	3	Vertical	345	2.80	-	39.14	12.78	65.20			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_2TX
Setting 40
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76985G	53.46	88.20	-34.74	66.74	3	Horizontal	199	1.84	-	39.14	12.78	65.20			
RMS	12.76935G	39.77	68.20	-28.43	53.05	3	Horizontal	199	1.84	-	39.14	12.78	65.20			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_2TX
Setting 40
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15128G	43.01	83.54	-40.53	38.52	1	Vertical	333	2.20	-	37.90	15.99	49.40			
AV	19.15768G	30.31	63.54	-33.23	25.82	1	Vertical	333	2.20	-	37.90	15.99	49.40			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_2TX
Setting 40
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15344G	42.85	83.54	-40.69	38.36	1	Horizontal	288	2.33	-	37.90	15.99	49.40			
AV	19.15264G	30.30	63.54	-33.24	25.81	1	Horizontal	288	2.33	-	37.90	15.99	49.40			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_2TX
Setting 42
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93011G	53.91	88.20	-34.29	66.56	3	Vertical	265	2.28	-	39.46	12.87	64.98			
RMS	12.93087G	40.59	68.20	-27.61	53.24	3	Vertical	265	2.28	-	39.46	12.87	64.98			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_2TX
Setting 42
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93086G	53.57	88.20	-34.63	66.22	3	Horizontal	13	2.34	-	39.46	12.87	64.98			
RMS	12.93077G	40.62	68.20	-27.58	53.27	3	Horizontal	13	2.34	-	39.46	12.87	64.98			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_2TX
Setting 42
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39844G	43.00	83.54	-40.54	38.70	1	Vertical	167	2.25	-	37.80	16.04	49.54			
AV	19.39004G	30.01	63.54	-33.53	25.69	1	Vertical	167	2.25	-	37.82	16.04	49.54			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_Y_2TX
Setting 42
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3938G	42.70	83.54	-40.84	38.39	1	Horizontal	323	2.87	-	37.81	16.04	49.54			
AV	19.39G	29.98	63.54	-33.56	25.66	1	Horizontal	323	2.87	-	37.82	16.04	49.54			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_2TX
Setting 47
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09021G	55.53	88.20	-32.67	67.77	3	Vertical	78	2.21	-	39.68	12.95	64.87			
RMS	13.08993G	41.45	68.20	-26.75	53.69	3	Vertical	78	2.21	-	39.68	12.95	64.87			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_2TX
Setting 47
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08948G	55.65	88.20	-32.55	67.89	3	Horizontal	100	2.17	-	39.68	12.95	64.87			
RMS	13.08961G	41.38	68.20	-26.82	53.62	3	Horizontal	100	2.17	-	39.68	12.95	64.87			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_2TX
Setting 47
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63864G	42.87	83.54	-40.67	38.45	1	Vertical	34	2.56	-	37.82	16.11	49.51			
AV	19.6303G	29.44	63.54	-34.10	25.01	1	Vertical	34	2.56	-	37.84	16.10	49.51			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT_Y_2TX
Setting 47
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63152G	43.01	83.54	-40.53	38.58	1	Horizontal	229	1.76	-	37.84	16.10	49.51			
AV	19.63026G	29.41	63.54	-34.13	24.98	1	Horizontal	229	1.76	-	37.84	16.10	49.51			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_2TX
Setting 43
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24956G	55.13	88.20	-33.07	66.95	3	Vertical	233	1.57	-	40.00	13.04	64.86			
RMS	13.24939G	40.65	68.20	-27.55	52.47	3	Vertical	233	1.57	-	40.00	13.04	64.86			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_2TX
Setting 43
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24962G	54.21	88.20	-33.99	66.03	3	Horizontal	63	2.47	-	40.00	13.04	64.86			
RMS	13.24916G	40.70	68.20	-27.50	52.52	3	Horizontal	63	2.47	-	40.00	13.04	64.86			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_2TX
Setting 43
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87072G	41.96	83.54	-41.58	37.22	1	Vertical	214	2.74	-	37.90	16.19	49.35			
AV	19.87314G	28.81	63.54	-34.73	24.07	1	Vertical	214	2.74	-	37.90	16.19	49.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_2TX
Setting 43
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87968G	41.99	83.54	-41.55	37.24	1	Horizontal	92	2.67	-	37.90	16.19	49.34			
AV	19.87148G	28.79	63.54	-34.75	24.05	1	Horizontal	92	2.67	-	37.90	16.19	49.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41047G	55.35	88.20	-32.85	66.86	3	Vertical	10	2.17	-	40.20	13.13	64.84			
RMS	13.40939G	41.90	68.20	-26.30	53.41	3	Vertical	10	2.17	-	40.20	13.13	64.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40941G	55.25	88.20	-32.95	66.76	3	Horizontal	248	2.71	-	40.20	13.13	64.84			
RMS	13.40909G	41.86	68.20	-26.34	53.37	3	Horizontal	248	2.71	-	40.20	13.13	64.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11128G	42.73	83.54	-40.81	37.79	1	Vertical	251	1.54	-	37.90	16.29	49.25			
AV	20.11352G	30.21	63.54	-33.33	25.27	1	Vertical	251	1.54	-	37.90	16.29	49.25			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11952G	42.60	83.54	-40.94	37.66	1	Horizontal	256	2.97	-	37.90	16.29	49.25			
AV	20.11992G	30.32	63.54	-33.22	25.38	1	Horizontal	256	2.97	-	37.90	16.29	49.25			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56982G	55.84	88.20	-32.36	67.06	3	Vertical	251	1.30	-	40.36	13.22	64.80			
RMS	13.56988G	42.38	68.20	-25.82	53.60	3	Vertical	251	1.30	-	40.36	13.22	64.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5693G	55.57	88.20	-32.63	66.79	3	Horizontal	149	2.54	-	40.36	13.22	64.80			
RMS	13.56907G	42.41	68.20	-25.79	53.63	3	Horizontal	149	2.54	-	40.36	13.22	64.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3533G	42.57	83.54	-40.97	37.40	1	Vertical	346	2.38	-	38.00	16.41	49.24			
AV	20.35008G	29.53	63.54	-34.01	24.36	1	Vertical	346	2.38	-	38.00	16.41	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35686G	42.76	83.54	-40.78	37.58	1	Horizontal	188	1.94	-	38.00	16.42	49.24			
AV	20.3501G	29.44	63.54	-34.10	24.27	1	Horizontal	188	1.94	-	38.00	16.41	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73048G	56.32	88.20	-31.88	67.28	3	Vertical	264	1.75	-	40.46	13.30	64.72			
RMS	13.72942G	42.41	68.20	-25.79	53.37	3	Vertical	264	1.75	-	40.46	13.30	64.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72991G	56.43	88.20	-31.77	67.39	3	Horizontal	250	2.30	-	40.46	13.30	64.72			
RMS	13.72923G	42.48	68.20	-25.72	53.44	3	Horizontal	250	2.30	-	40.46	13.30	64.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59988G	42.41	83.54	-41.13	37.11	1	Vertical	286	1.07	-	38.00	16.48	49.18			
AV	20.59326G	28.63	63.54	-34.91	23.34	1	Vertical	286	1.07	-	37.99	16.48	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_2TX
Setting 52
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59186G	42.29	83.54	-41.25	37.01	1	Horizontal	195	1.54	-	37.98	16.48	49.18			
AV	20.59008G	28.77	63.54	-34.77	23.49	1	Horizontal	195	1.54	-	37.98	16.48	49.18			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_2TX
Setting 48
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88942G	55.19	88.20	-33.01	65.57	3	Vertical	287	2.58	-	40.88	13.39	64.65			
RMS	13.89059G	42.13	68.20	-26.07	52.51	3	Vertical	287	2.58	-	40.88	13.39	64.65			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_2TX
Setting 48
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89015G	55.64	88.20	-32.56	66.02	3	Horizontal	152	1.74	-	40.88	13.39	64.65			
RMS	13.88957G	42.13	68.20	-26.07	52.51	3	Horizontal	152	1.74	-	40.88	13.39	64.65			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_2TX
Setting 48
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83204G	42.28	83.54	-41.26	36.94	1	Vertical	206	1.10	-	37.96	16.44	49.06			
AV	20.83284G	29.33	63.54	-34.21	23.98	1	Vertical	206	1.10	-	37.97	16.44	49.06			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_2TX
Setting 48
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83448G	43.12	83.54	-40.42	37.77	1	Horizontal	235	2.73	-	37.97	16.44	49.06			
AV	20.83776G	29.47	63.54	-34.07	24.10	1	Horizontal	235	2.73	-	37.98	16.44	49.05			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_2TX
Setting 49
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0142G	111.07	Inf	-Inf	99.08	3	Vertical	358	1.63	-	36.77	7.96	32.74				
RMS	7.0145G	100.34	Inf	-Inf	88.35	3	Vertical	358	1.63	-	36.77	7.96	32.74				
PK	7.1324G	65.71	88.20	-22.49	53.60	3	Vertical	358	1.63	-	36.86	7.95	32.70				
RMS	7.1744G	54.19	68.20	-14.01	41.88	3	Vertical	358	1.63	-	37.05	7.94	32.68				

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_2TX
Setting 49
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0439G	108.81	Inf	-Inf	96.87	3	Horizontal	23	1.94	-	36.71	7.96	32.73			
RMS	7.0469G	97.35	Inf	-Inf	85.41	3	Horizontal	23	1.94	-	36.71	7.96	32.73			
PK	7.1531G	65.64	88.20	-22.56	53.47	3	Horizontal	23	1.94	-	36.92	7.94	32.69			
RMS	7.1717G	54.25	68.20	-13.95	41.96	3	Horizontal	23	1.94	-	37.03	7.94	32.68			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_2TX
Setting 49
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04932G	56.73	88.20	-31.47	66.85	3	Vertical	171	1.25	-	41.00	13.45	64.57			
RMS	14.04907G	43.29	68.20	-24.91	53.41	3	Vertical	171	1.25	-	41.00	13.45	64.57			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_2TX
Setting 49
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05082G	56.11	88.20	-32.09	66.22	3	Horizontal	329	1.22	-	41.00	13.46	64.57			
RMS	14.04905G	43.27	68.20	-24.93	53.39	3	Horizontal	329	1.22	-	41.00	13.45	64.57			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_2TX
Setting 49
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07274G	42.63	83.54	-40.91	37.07	1	Vertical	240	1.07	-	38.00	16.50	48.94			
AV	21.0778G	30.03	63.54	-33.51	24.47	1	Vertical	240	1.07	-	38.00	16.50	48.94			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_2TX
Setting 49
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07216G	43.70	83.54	-39.84	38.14	1	Horizontal	181	2.48	-	38.00	16.50	48.94			
AV	21.0774G	29.90	63.54	-33.64	24.34	1	Horizontal	181	2.48	-	38.00	16.50	48.94			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_2TX
Setting 56
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	63.09	88.20	-25.11	53.14	3	Vertical	0	1.88	-	34.95	7.44	32.44			
RMS	5.9182G	51.62	68.20	-16.58	41.71	3	Vertical	0	1.88	-	34.91	7.44	32.44			
PK	5.9538G	110.84	Inf	-Inf	100.69	3	Vertical	0	1.88	-	35.12	7.47	32.44			
RMS	6.0506G	100.27	Inf	-Inf	89.78	3	Vertical	0	1.88	-	35.40	7.52	32.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_2TX
Setting 56
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	62.23	88.20	-25.97	52.29	3	Horizontal	359	1.78	-	34.94	7.44	32.44			
RMS	5.9226G	51.84	68.20	-16.36	41.90	3	Horizontal	359	1.78	-	34.94	7.44	32.44			
PK	6.0066G	109.64	Inf	-Inf	99.27	3	Horizontal	359	1.78	-	35.31	7.50	32.44			
RMS	6.0038G	99.49	Inf	-Inf	89.12	3	Horizontal	359	1.78	-	35.31	7.50	32.44			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_2TX
Setting 56
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0492G	52.30	74.00	-21.70	67.04	3	Vertical	89	2.88	-	38.60	12.39	65.73			
AV	12.04911G	38.56	54.00	-15.44	53.30	3	Vertical	89	2.88	-	38.60	12.39	65.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_2TX
Setting 56
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04936G	51.65	74.00	-22.35	66.39	3	Horizontal	210	2.65	-	38.60	12.39	65.73			
AV	12.04951G	38.56	54.00	-15.44	53.30	3	Horizontal	210	2.65	-	38.60	12.39	65.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_2TX
Setting 56
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0713G	41.48	83.54	-42.06	38.03	1	Vertical	174	1.86	-	37.53	15.44	49.52			
AV	18.07092G	28.22	63.54	-35.32	24.77	1	Vertical	174	1.86	-	37.53	15.44	49.52			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_2TX
Setting 56
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07788G	41.29	83.54	-42.25	37.81	1	Horizontal	10	1.31	-	37.57	15.44	49.53			
AV	18.0701G	28.28	63.54	-35.26	24.84	1	Horizontal	10	1.31	-	37.52	15.44	49.52			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_2TX
Setting 57
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36934G	52.67	74.00	-21.33	67.19	3	Vertical	144	1.86	-	38.54	12.56	65.62			
AV	12.36907G	39.15	54.00	-14.85	53.67	3	Vertical	144	1.86	-	38.54	12.56	65.62			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_2TX
Setting 57
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36942G	53.38	74.00	-20.62	67.90	3	Horizontal	290	2.93	-	38.54	12.56	65.62			
AV	12.37058G	39.17	54.00	-14.83	53.69	3	Horizontal	290	2.93	-	38.54	12.56	65.62			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_2TX
Setting 57
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55272G	43.42	83.54	-40.12	39.60	1	Vertical	219	2.79	-	37.81	15.69	49.68			
AV	18.55018G	30.36	63.54	-33.18	26.55	1	Vertical	219	2.79	-	37.80	15.69	49.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_2TX
Setting 57
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55504G	44.07	83.54	-39.47	40.24	1	Horizontal	251	1.99	-	37.81	15.69	49.67			
AV	18.55334G	30.39	63.54	-33.15	26.57	1	Horizontal	251	1.99	-	37.81	15.69	49.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_2TX
Setting 64
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68903G	53.18	74.00	-20.82	66.67	3	Vertical	177	2.63	-	39.08	12.74	65.31			
AV	12.68911G	39.42	54.00	-14.58	52.91	3	Vertical	177	2.63	-	39.08	12.74	65.31			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_2TX
Setting 64
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68916G	53.14	74.00	-20.86	66.63	3	Horizontal	218	2.01	-	39.08	12.74	65.31			
AV	12.69037G	39.45	54.00	-14.55	52.94	3	Horizontal	218	2.01	-	39.08	12.74	65.31			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_2TX
Setting 64
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03104G	43.56	83.54	-39.98	38.90	1	Vertical	108	1.13	-	38.02	15.97	49.33			
AV	19.03746G	30.36	63.54	-33.18	25.67	1	Vertical	108	1.13	-	38.05	15.97	49.33			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_2TX
Setting 64
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0351G	44.18	83.54	-39.36	39.50	1	Horizontal	236	2.18	-	38.04	15.97	49.33			
AV	19.03738G	30.28	63.54	-33.26	25.59	1	Horizontal	236	2.18	-	38.05	15.97	49.33			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_2TX
Setting 55
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00937G	55.36	88.20	-32.84	67.73	3	Vertical	312	2.31	-	39.60	12.91	64.88			
RMS	13.0105G	41.35	68.20	-26.85	53.72	3	Vertical	312	2.31	-	39.60	12.91	64.88			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_2TX
Setting 55
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00938G	55.48	88.20	-32.72	67.85	3	Horizontal	322	1.81	-	39.60	12.91	64.88			
RMS	13.00922G	41.37	68.20	-26.83	53.74	3	Horizontal	322	1.81	-	39.60	12.91	64.88			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_2TX
Setting 55
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51946G	43.35	83.54	-40.19	39.07	1	Vertical	322	1.73	-	37.80	16.07	49.59			
AV	19.51002G	30.01	63.54	-33.53	25.74	1	Vertical	322	1.73	-	37.80	16.06	49.59			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Y_2TX
Setting 55
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51458G	43.48	83.54	-40.06	39.21	1	Horizontal	316	1.78	-	37.80	16.06	49.59			
AV	19.51212G	29.86	63.54	-33.68	25.59	1	Horizontal	316	1.78	-	37.80	16.06	49.59			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_2TX
Setting 60
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32961G	54.81	74.00	-19.19	66.42	3	Vertical	294	2.66	-	40.16	13.08	64.85			
AV	13.33099G	41.09	54.00	-12.91	52.69	3	Vertical	294	2.66	-	40.16	13.09	64.85			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_2TX
Setting 60
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32993G	55.14	74.00	-18.86	66.75	3	Horizontal	137	1.68	-	40.16	13.08	64.85			
AV	13.3291G	40.93	54.00	-13.07	52.54	3	Horizontal	137	1.68	-	40.16	13.08	64.85			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_2TX
Setting 60
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99186G	43.08	83.54	-40.46	38.15	1	Vertical	199	1.47	-	37.97	16.23	49.27			
AV	19.99026G	29.63	63.54	-33.91	24.71	1	Vertical	199	1.47	-	37.96	16.23	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_2TX
Setting 60
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99482G	42.75	83.54	-40.79	37.80	1	Horizontal	61	2.89	-	37.98	16.23	49.26			
AV	19.9989G	29.58	63.54	-33.96	24.61	1	Horizontal	61	2.89	-	38.00	16.23	49.26			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Y_2TX
Setting 63
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6507G	56.87	88.20	-31.33	68.07	3	Vertical	157	2.25	-	40.30	13.26	64.76			
RMS	13.65072G	42.66	68.20	-25.54	53.86	3	Vertical	157	2.25	-	40.30	13.26	64.76			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Y_2TX
Setting 63
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64935G	56.45	88.20	-31.75	67.65	3	Horizontal	237	2.81	-	40.30	13.26	64.76			
RMS	13.65016G	42.64	68.20	-25.56	53.84	3	Horizontal	237	2.81	-	40.30	13.26	64.76			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_Y_2TX
Setting 63
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47458G	43.03	83.54	-40.51	37.78	1	Vertical	137	1.57	-	38.00	16.48	49.23			
AV	20.47076G	28.87	63.54	-34.67	23.63	1	Vertical	137	1.57	-	38.00	16.47	49.23			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Y_2TX
Setting 63
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47434G	42.53	83.54	-41.01	37.28	1	Horizontal	355	2.26	-	38.00	16.48	49.23			
AV	20.47G	28.81	63.54	-34.73	23.57	1	Horizontal	355	2.26	-	38.00	16.47	49.23			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_2TX
Setting 67
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.908G	112.70	Inf	-Inf	100.89	3	Vertical	358	1.80	-	36.52	7.97	32.68				
RMS	7.019G	98.61	Inf	-Inf	86.63	3	Vertical	358	1.80	-	36.76	7.96	32.74				
PK	7.1505G	69.59	88.20	-18.61	57.44	3	Vertical	358	1.80	-	36.90	7.94	32.69				
RMS	7.1275G	56.69	68.20	-11.51	44.59	3	Vertical	358	1.80	-	36.85	7.95	32.70				

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_2TX
Setting 67
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.926G	110.53	Inf	-Inf	98.71	3	Horizontal	21	2.59	-	36.55	7.97	32.70
RMS	6.924G	99.51	Inf	-Inf	87.68	3	Horizontal	21	2.59	-	36.55	7.97	32.69
PK	7.175G	70.55	88.20	-17.65	58.24	3	Horizontal	21	2.59	-	37.05	7.94	32.68
RMS	7.161G	57.74	68.20	-10.46	45.52	3	Horizontal	21	2.59	-	36.97	7.94	32.69

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_2TX
Setting 67
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96934G	56.11	88.20	-32.09	66.39	3	Vertical	208	1.70	-	40.90	13.43	64.61			
RMS	13.96958G	42.38	68.20	-25.82	52.66	3	Vertical	208	1.70	-	40.90	13.43	64.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_2TX
Setting 67
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97016G	56.81	88.20	-31.39	67.09	3	Horizontal	273	1.01	-	40.90	13.43	64.61			
RMS	13.97062G	42.47	68.20	-25.73	52.75	3	Horizontal	273	1.01	-	40.90	13.43	64.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_2TX
Setting 67
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95558G	42.99	83.54	-40.55	37.63	1	Vertical	190	1.26	-	37.92	16.43	48.99			
AV	20.95588G	29.68	63.54	-33.86	24.32	1	Vertical	190	1.26	-	37.92	16.43	48.99			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_2TX
Setting 67
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95518G	43.12	83.54	-40.42	37.76	1	Horizontal	0	2.93	-	37.92	16.43	48.99			
AV	20.95952G	29.69	63.54	-33.85	24.31	1	Horizontal	0	2.93	-	37.94	16.43	48.99			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_2TX
Setting 71
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	75.57	88.20	-12.63	65.63	3	Vertical	357	1.80	-	34.94	7.44	32.44			
RMS	5.9242G	59.74	68.20	-8.46	49.79	3	Vertical	357	1.80	-	34.95	7.44	32.44			
PK	6.0458G	110.92	Inf	-Inf	100.44	3	Vertical	357	1.80	-	35.39	7.52	32.43			
RMS	6.0482G	100.99	Inf	-Inf	90.50	3	Vertical	357	1.80	-	35.40	7.52	32.43			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX



EUT_Y_2TX
Setting 71
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	71.56	88.20	-16.64	61.61	3	Horizontal	356	1.80	-	34.95	7.44	32.44			
RMS	5.9234G	56.50	68.20	-11.70	46.56	3	Horizontal	356	1.80	-	34.94	7.44	32.44			
PK	6.0954G	108.45	Inf	-Inf	97.94	3	Horizontal	356	1.80	-	35.40	7.54	32.43			
RMS	6.149G	98.15	Inf	-Inf	87.70	3	Horizontal	356	1.80	-	35.30	7.57	32.42			