


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 80
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30072G	50.92	83.54	-32.62	41.11	1	Horizontal	109	1.31	-	37.60	20.47	48.26			
AV	18.32139G	39.46	63.54	-24.08	29.60	1	Horizontal	109	1.31	-	37.64	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 79
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.5389G	57.13	74.00	-16.87	41.14	3	Vertical	71	2.90	-	38.52	12.06	34.59			
AV	12.50545G	47.29	54.00	-6.71	31.20	3	Vertical	71	2.90	-	38.59	12.06	34.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 79
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.50955G	57.49	74.00	-16.51	41.42	3	Horizontal	174	1.44	-	38.58	12.06	34.57			
AV	12.50995G	47.49	54.00	-6.51	31.42	3	Horizontal	174	1.44	-	38.58	12.06	34.57			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 79
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79302G	50.22	83.54	-33.32	40.28	1	Vertical	18	1.23	-	37.90	20.63	48.59			
AV	18.80658G	40.09	63.54	-23.45	30.16	1	Vertical	18	1.23	-	37.91	20.63	48.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_V_4TX
Setting 79
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.78078G	50.40	83.54	-33.14	40.45	1	Horizontal	240	2.02	-	37.90	20.63	48.58			
AV	18.80904G	39.75	63.54	-23.79	29.81	1	Horizontal	240	2.02	-	37.92	20.63	48.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_V_4TX
Setting 80
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8298G	58.20	88.20	-30.00	41.72	3	Vertical	306	1.72	-	39.20	12.06	34.78			
RMS	12.84845G	48.05	68.20	-20.15	31.60	3	Vertical	306	1.72	-	39.20	12.05	34.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_V_4TX
Setting 80
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82525G	58.46	88.20	-29.74	41.98	3	Horizontal	8	1.82	-	39.20	12.06	34.78			
RMS	12.86645G	48.12	68.20	-20.08	31.65	3	Horizontal	8	1.82	-	39.23	12.05	34.81			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_V_4TX
Setting 80
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27482G	49.69	83.54	-33.85	39.80	1	Vertical	217	2.53	-	37.90	20.79	48.80			
AV	19.26174G	39.54	63.54	-24.00	29.60	1	Vertical	217	2.53	-	37.95	20.79	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 80
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.28613G	50.47	83.54	-33.07	40.61	1	Horizontal	45	2.51	-	37.86	20.80	48.80			
AV	19.26105G	39.55	63.54	-23.99	29.60	1	Horizontal	45	2.51	-	37.96	20.79	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 79
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1543G	58.69	88.20	-29.51	41.87	3	Vertical	120	2.01	-	39.59	12.05	34.82			
RMS	13.1659G	49.62	68.20	-18.58	32.82	3	Vertical	120	2.01	-	39.57	12.05	34.82			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 79
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.15605G	60.27	88.20	-27.93	43.45	3	Horizontal	244	2.43	-	39.59	12.05	34.82			
RMS	13.1548G	48.77	68.20	-19.43	31.95	3	Horizontal	244	2.43	-	39.59	12.05	34.82			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 79
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.76901G	48.80	83.54	-34.74	39.18	1	Vertical	116	2.73	-	37.70	20.72	48.80			
AV	19.76952G	38.92	63.54	-24.62	29.30	1	Vertical	116	2.73	-	37.70	20.72	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_V_4TX
Setting 79
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.74465G	48.70	83.54	-34.84	39.07	1	Horizontal	123	1.25	-	37.70	20.73	48.80			
AV	19.75326G	39.12	63.54	-24.42	29.49	1	Horizontal	123	1.25	-	37.70	20.73	48.80			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 76
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4944G	59.63	88.20	-28.57	41.95	3	Vertical	311	2.65	-	40.29	12.04	34.65			
RMS	13.5106G	48.87	68.20	-19.33	31.12	3	Vertical	311	2.65	-	40.38	12.03	34.66			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 76
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.47025G	59.28	88.20	-28.92	41.66	3	Horizontal	150	1.68	-	40.24	12.04	34.66			
RMS	13.51395G	48.68	68.20	-19.52	30.90	3	Horizontal	150	1.68	-	40.41	12.03	34.66			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 76
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.22246G	49.30	83.54	-34.24	39.31	1	Vertical	341	1.41	-	37.80	20.95	48.76			
AV	20.22543G	39.91	63.54	-23.63	29.90	1	Vertical	341	1.41	-	37.80	20.96	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_V_4TX
Setting 76
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.24091G	50.04	83.54	-33.50	40.00	1	Horizontal	178	2.93	-	37.80	20.99	48.75			
AV	20.22186G	39.56	63.54	-23.98	29.57	1	Horizontal	178	2.93	-	37.80	20.95	48.76			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_Y_4TX
Setting 60
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.752G	105.42	Inf	-Inf	97.24	3	Vertical	300	1.92	-	34.40	7.96	34.18			
AV	6.752G	95.41	Inf	-Inf	87.23	3	Vertical	300	1.92	-	34.40	7.96	34.18			
PK	7.2665G	63.53	74.00	-10.47	52.71	3	Vertical	300	1.92	-	36.47	8.54	34.19			
AV	7.2545G	53.79	54.00	-0.21	43.03	3	Vertical	300	1.92	-	36.42	8.53	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 60
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.806G	102.54	Inf	-Inf	94.34	3	Horizontal	0	2.96	-	34.42	7.96	34.18			
AV	6.7505G	92.43	Inf	-Inf	84.25	3	Horizontal	0	2.96	-	34.40	7.96	34.18			
PK	7.253G	57.59	74.00	-16.41	46.84	3	Horizontal	0	2.96	-	36.41	8.53	34.19			
AV	7.268G	49.37	54.00	-4.63	38.55	3	Horizontal	0	2.96	-	36.47	8.54	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 60
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80415G	59.80	88.20	-28.40	42.04	3	Vertical	55	1.80	-	40.59	12.03	34.86			
RMS	13.8143G	49.44	68.20	-18.76	31.70	3	Vertical	55	1.80	-	40.57	12.03	34.86			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 60
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81585G	60.20	88.20	-28.00	42.46	3	Horizontal	77	1.61	-	40.57	12.03	34.86			
RMS	13.79535G	49.58	68.20	-18.62	31.82	3	Horizontal	77	1.61	-	40.58	12.03	34.85			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_V_4TX
Setting 60
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72763G	49.39	83.54	-34.15	38.50	1	Vertical	284	1.52	-	37.90	21.69	48.70			
AV	20.7111G	39.25	63.54	-24.29	28.37	1	Vertical	284	1.52	-	37.90	21.68	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_V_4TX
Setting 60
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7048G	49.51	83.54	-34.03	38.64	1	Horizontal	186	1.29	-	37.90	21.67	48.70			
AV	20.72961G	39.43	63.54	-24.11	28.54	1	Horizontal	186	1.29	-	37.90	21.69	48.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.925G	66.43	68.20	-1.77	3	Vertical	318	1.81	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 35
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.907G	60.06	88.20	-28.14	54.99	3	Vertical	305	2.01	-	32.40	7.25	34.58			
RMS	5.924G	48.62	68.20	-19.58	43.55	3	Vertical	305	2.01	-	32.40	7.27	34.60			
PK	5.9527G	111.10	Inf	-Inf	106.03	3	Vertical	305	2.01	-	32.41	7.29	34.63			
RMS	5.9489G	100.21	Inf	-Inf	95.16	3	Vertical	305	2.01	-	32.40	7.28	34.63			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 35
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9112G	59.54	88.20	-28.66	54.47	3	Horizontal	341	2.96	-	32.40	7.26	34.59			
RMS	5.909G	48.50	68.20	-19.70	43.42	3	Horizontal	341	2.96	-	32.40	7.26	34.58			
PK	5.963G	103.38	Inf	-Inf	98.30	3	Horizontal	341	2.96	-	32.43	7.29	34.64			
RMS	5.9633G	92.47	Inf	-Inf	87.39	3	Horizontal	341	2.96	-	32.43	7.29	34.64			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 35
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9081G	54.98	74.00	-19.02	69.97	3	Vertical	224	2.94	-	38.82	12.02	65.83			
AV	11.9142G	43.19	54.00	-10.81	58.17	3	Vertical	224	2.94	-	38.83	12.02	65.83			
PK	17.86743G	61.49	74.00	-12.51	63.63	3	Vertical	220	2.28	-	47.83	14.05	64.02			
AV	17.87286G	49.40	54.00	-4.60	51.33	3	Vertical	220	2.28	-	48.02	14.06	64.01			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 35
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9094G	54.88	74.00	-19.12	69.87	3	Horizontal	136	2.06	-	38.82	12.02	65.83			
AV	11.8959G	43.29	54.00	-10.71	58.32	3	Horizontal	136	2.06	-	38.80	12.01	65.84			
PK	17.86317G	61.66	74.00	-12.34	63.96	3	Horizontal	133	2.16	-	47.67	14.05	64.02			
AV	17.87889G	49.22	54.00	-4.78	50.93	3	Horizontal	133	2.16	-	48.24	14.06	64.01			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 35
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.80662G	51.77	83.54	-31.77	37.37	1	Vertical	115	1.93	-	39.10	22.98	47.68			
AV	23.81105G	39.75	63.54	-23.79	25.35	1	Vertical	115	1.93	-	39.10	22.98	47.68			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 35
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81028G	51.43	83.54	-32.11	37.03	1	Horizontal	340	1.26	-	39.10	22.98	47.68			
AV	23.81295G	39.79	63.54	-23.75	25.37	1	Horizontal	340	1.26	-	39.10	22.99	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT Y_4TX
Setting 34
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39364G	55.87	74.00	-18.13	70.61	3	Vertical	310	1.04	-	38.80	12.07	65.61			
AV	12.39203G	43.81	54.00	-10.19	58.55	3	Vertical	310	1.04	-	38.80	12.07	65.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT Y_4TX
Setting 34
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38828G	55.57	74.00	-18.43	70.31	3	Horizontal	267	1.43	-	38.80	12.07	65.61			
AV	12.39413G	43.81	54.00	-10.19	58.55	3	Horizontal	267	1.43	-	38.80	12.07	65.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 34
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58953G	48.71	83.54	-34.83	38.69	1	Vertical	10	2.19	-	37.80	20.61	48.39			
AV	18.5837G	37.31	63.54	-26.23	27.28	1	Vertical	10	2.19	-	37.80	20.61	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT Y_4TX
Setting 34
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58284G	48.43	83.54	-35.11	38.40	1	Horizontal	145	1.99	-	37.80	20.61	48.38			
AV	18.58056G	37.22	63.54	-26.32	27.19	1	Horizontal	145	1.99	-	37.80	20.61	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT Y_4TX
Setting 27
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8327G	56.58	88.20	-31.62	70.43	3	Vertical	289	1.63	-	39.20	12.06	65.11			
RMS	12.82858G	44.20	68.20	-24.00	58.06	3	Vertical	289	1.63	-	39.20	12.06	65.12			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT Y_4TX
Setting 27
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83243G	56.24	88.20	-31.96	70.09	3	Horizontal	24	1.09	-	39.20	12.06	65.11			
RMS	12.82744G	44.24	68.20	-23.96	58.10	3	Horizontal	24	1.09	-	39.20	12.06	65.12			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT Y_4TX
Setting 27
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24359G	49.36	83.54	-34.18	39.41	1	Vertical	147	2.31	-	37.97	20.78	48.80			
AV	19.24145G	37.48	63.54	-26.06	27.53	1	Vertical	147	2.31	-	37.97	20.78	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT Y_4TX
Setting 27
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24711G	49.50	83.54	-34.04	39.53	1	Horizontal	147	1.79	-	37.99	20.78	48.80			
AV	19.24208G	37.47	63.54	-26.07	27.52	1	Horizontal	147	1.79	-	37.97	20.78	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT Y_4TX
Setting 28
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87148G	56.36	88.20	-31.84	70.13	3	Vertical	268	2.78	-	39.24	12.05	65.06			
RMS	12.86641G	43.96	68.20	-24.24	57.74	3	Vertical	268	2.78	-	39.23	12.05	65.06			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT Y_4TX
Setting 28
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86742G	56.05	88.20	-32.15	69.83	3	Horizontal	52	1.71	-	39.23	12.05	65.06			
RMS	12.87398G	43.97	68.20	-24.23	57.72	3	Horizontal	52	1.71	-	39.25	12.05	65.05			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT Y_4TX
Setting 28
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30161G	49.13	83.54	-34.41	39.32	1	Vertical	253	1.78	-	37.80	20.81	48.80			
AV	19.30854G	37.24	63.54	-26.30	27.43	1	Vertical	253	1.78	-	37.80	20.81	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT Y_4TX
Setting 28
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30829G	50.40	83.54	-33.14	40.59	1	Horizontal	21	1.67	-	37.80	20.81	48.80			
AV	19.30775G	37.33	63.54	-26.21	27.52	1	Horizontal	21	1.67	-	37.80	20.81	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 32
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95012G	55.07	88.20	-33.13	68.47	3	Vertical	176	2.65	-	39.50	12.05	64.95			
RMS	12.94522G	43.11	68.20	-25.09	56.54	3	Vertical	176	2.65	-	39.48	12.05	64.96			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 32
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95111G	56.16	88.20	-32.04	69.56	3	Horizontal	59	2.81	-	39.50	12.05	64.95			
RMS	12.95225G	43.09	68.20	-25.11	56.49	3	Horizontal	59	2.81	-	39.50	12.05	64.95			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 32
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42924G	50.00	83.54	-33.54	40.15	1	Vertical	222	1.44	-	37.78	20.87	48.80			
AV	19.4286G	38.34	63.54	-25.20	28.48	1	Vertical	222	1.44	-	37.79	20.87	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 32
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42808G	50.42	83.54	-33.12	40.56	1	Horizontal	181	1.31	-	37.79	20.87	48.80			
AV	19.42907G	38.64	63.54	-24.90	28.79	1	Horizontal	181	1.31	-	37.78	20.87	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT Y_4TX
Setting 32
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02898G	54.84	88.20	-33.36	68.39	3	Vertical	120	1.93	-	39.28	12.05	64.88			
RMS	13.03469G	43.27	68.20	-24.93	56.84	3	Vertical	120	1.93	-	39.26	12.05	64.88			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT Y_4TX
Setting 32
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0303G	55.11	88.20	-33.09	68.66	3	Horizontal	349	1.41	-	39.28	12.05	64.88			
RMS	13.03376G	43.27	68.20	-24.93	56.84	3	Horizontal	349	1.41	-	39.26	12.05	64.88			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT Y_4TX
Setting 32
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54535G	49.99	83.54	-33.55	40.20	1	Vertical	84	2.80	-	37.71	20.88	48.80			
AV	19.54453G	38.33	63.54	-25.21	28.54	1	Vertical	84	2.80	-	37.71	20.88	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT Y_4TX
Setting 32
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5454G	50.04	83.54	-33.50	40.25	1	Horizontal	317	1.12	-	37.71	20.88	48.80			
AV	19.54052G	38.28	63.54	-25.26	28.48	1	Horizontal	317	1.12	-	37.72	20.88	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT Y_4TX
Setting 29
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07107G	56.51	88.20	-31.69	70.13	3	Vertical	218	1.55	-	39.20	12.05	64.87			
RMS	13.06618G	43.95	68.20	-24.25	57.57	3	Vertical	218	1.55	-	39.20	12.05	64.87			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT Y_4TX
Setting 29
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0651G	56.44	88.20	-31.76	70.06	3	Horizontal	81	2.10	-	39.20	12.05	64.87			
RMS	13.06834G	44.07	68.20	-24.13	57.69	3	Horizontal	81	2.10	-	39.20	12.05	64.87			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT Y_4TX
Setting 29
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60528G	49.82	83.54	-33.72	40.09	1	Vertical	186	1.32	-	37.70	20.83	48.80			
AV	19.60449G	37.64	63.54	-25.90	27.91	1	Vertical	186	1.32	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT Y_4TX
Setting 29
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60526G	49.67	83.54	-33.87	39.94	1	Horizontal	233	1.40	-	37.70	20.83	48.80			
AV	19.60905G	37.50	63.54	-26.04	27.77	1	Horizontal	233	1.40	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 29
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39364G	56.87	74.00	-17.13	69.67	3	Vertical	224	2.24	-	40.00	12.04	64.84			
AV	13.39026G	44.73	54.00	-9.27	57.53	3	Vertical	224	2.24	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 29
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38555G	56.61	74.00	-17.39	69.41	3	Horizontal	350	2.30	-	40.00	12.04	64.84			
AV	13.39179G	44.71	54.00	-9.29	57.51	3	Horizontal	350	2.30	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 29
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0854G	48.25	83.54	-35.29	38.52	1	Vertical	119	1.30	-	37.80	20.71	48.78			
AV	20.08284G	36.70	63.54	-26.84	26.98	1	Vertical	119	1.30	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 29
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08905G	48.06	83.54	-35.48	38.33	1	Horizontal	59	1.35	-	37.80	20.71	48.78			
AV	20.08306G	36.81	63.54	-26.73	27.09	1	Horizontal	59	1.35	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 39
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75145G	57.10	88.20	-31.10	69.37	3	Vertical	190	1.53	-	40.41	12.03	64.71			
RMS	13.74818G	45.33	68.20	-22.87	57.62	3	Vertical	190	1.53	-	40.40	12.03	64.72			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 39
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75028G	57.67	88.20	-30.53	69.95	3	Horizontal	73	1.03	-	40.40	12.03	64.71			
RMS	13.74769G	45.22	68.20	-22.98	57.51	3	Horizontal	73	1.03	-	40.40	12.03	64.72			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 39
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62317G	49.40	83.54	-34.14	38.61	1	Vertical	351	2.00	-	37.90	21.59	48.70			
AV	20.62655G	37.47	63.54	-26.07	26.68	1	Vertical	351	2.00	-	37.90	21.59	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 39
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62482G	48.94	83.54	-34.60	38.15	1	Horizontal	162	1.41	-	37.90	21.59	48.70			
AV	20.62053G	37.70	63.54	-25.84	26.92	1	Horizontal	162	1.41	-	37.90	21.58	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT Y_4TX
Setting 36
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78936G	57.62	88.20	-30.58	69.73	3	Vertical	174	2.41	-	40.56	12.03	64.70			
RMS	13.78826G	45.34	68.20	-22.86	57.46	3	Vertical	174	2.41	-	40.55	12.03	64.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT Y_4TX
Setting 36
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7881G	57.08	88.20	-31.12	69.20	3	Horizontal	200	1.00	-	40.55	12.03	64.70			
RMS	13.79357G	45.18	68.20	-23.02	57.27	3	Horizontal	200	1.00	-	40.57	12.03	64.69			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 36
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68004G	49.07	83.54	-34.47	38.23	1	Vertical	16	1.60	-	37.90	21.64	48.70			
AV	20.68377G	37.04	63.54	-26.50	26.19	1	Vertical	16	1.60	-	37.90	21.65	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT Y_4TX
Setting 36
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68644G	48.84	83.54	-34.70	37.99	1	Horizontal	81	2.92	-	37.90	21.65	48.70			
AV	20.68033G	36.90	63.54	-26.64	26.06	1	Horizontal	81	2.92	-	37.90	21.64	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT Y_4TX
Setting 37
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98885G	57.16	88.20	-31.04	68.79	3	Vertical	86	2.51	-	40.96	12.02	64.61			
RMS	13.99316G	45.00	68.20	-23.20	56.61	3	Vertical	86	2.51	-	40.97	12.02	64.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT Y_4TX
Setting 37
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98733G	57.49	88.20	-30.71	69.13	3	Horizontal	228	2.76	-	40.95	12.02	64.61			
RMS	13.98923G	44.91	68.20	-23.29	56.53	3	Horizontal	228	2.76	-	40.96	12.02	64.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT Y_4TX
Setting 37
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98678G	50.39	83.54	-33.15	39.16	1	Vertical	103	2.33	-	37.97	21.96	48.70			
AV	20.98665G	37.63	63.54	-25.91	26.40	1	Vertical	103	2.33	-	37.97	21.96	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT Y_4TX
Setting 37
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98693G	50.07	83.54	-33.47	38.84	1	Horizontal	129	1.03	-	37.97	21.96	48.70			
AV	20.98G	37.70	63.54	-25.84	26.49	1	Horizontal	129	1.03	-	37.96	21.95	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 36
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1034G	109.93	Inf	-Inf	99.72	3	Vertical	32	1.68	-	36.01	8.38	34.18			
RMS	7.1028G	100.15	Inf	-Inf	89.94	3	Vertical	32	1.68	-	36.01	8.38	34.18			
PK	7.17G	62.57	88.20	-25.63	52.16	3	Vertical	32	1.68	-	36.14	8.45	34.18			
RMS	7.1258G	52.30	68.20	-15.90	42.02	3	Vertical	32	1.68	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 36
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0926G	105.81	Inf	-Inf	95.68	3	Horizontal	317	2.94	-	35.94	8.37	34.18			
RMS	7.0924G	95.69	Inf	-Inf	85.56	3	Horizontal	317	2.94	-	35.94	8.37	34.18			
PK	7.1334G	62.58	88.20	-25.62	52.28	3	Horizontal	317	2.94	-	36.07	8.41	34.18			
RMS	7.1834G	52.23	68.20	-15.97	41.78	3	Horizontal	317	2.94	-	36.17	8.46	34.18			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 36
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19246G	59.09	88.20	-29.11	70.12	3	Vertical	317	1.30	-	41.30	12.15	64.48			
RMS	14.18686G	46.05	68.20	-22.15	57.09	3	Vertical	317	1.30	-	41.30	12.15	64.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 36
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19355G	58.84	88.20	-29.36	69.86	3	Horizontal	133	1.20	-	41.30	12.16	64.48			
RMS	14.19355G	46.01	68.20	-22.19	57.03	3	Horizontal	133	1.20	-	41.30	12.16	64.48			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 36
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28929G	50.11	83.54	-33.43	38.88	1	Vertical	265	1.07	-	38.08	21.79	48.64			
AV	21.28903G	37.57	63.54	-25.97	26.34	1	Vertical	265	1.07	-	38.08	21.79	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 36
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28815G	50.47	83.54	-33.07	39.24	1	Horizontal	189	1.84	-	38.08	21.79	48.64			
AV	21.28945G	37.58	63.54	-25.96	26.35	1	Horizontal	189	1.84	-	38.08	21.79	48.64			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 45
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	59.49	88.20	-28.71	54.42	3	Vertical	300	1.80	-	32.40	7.26	34.59			
RMS	5.919G	48.72	68.20	-19.48	43.65	3	Vertical	300	1.80	-	32.40	7.26	34.59			
PK	5.9582G	110.46	Inf	-Inf	105.39	3	Vertical	300	1.80	-	32.42	7.29	34.64			
RMS	5.9574G	100.09	Inf	-Inf	95.02	3	Vertical	300	1.80	-	32.41	7.29	34.63			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 45
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.899G	59.15	88.20	-29.05	54.07	3	Horizontal	350	2.70	-	32.40	7.25	34.57			
RMS	5.8874G	48.36	68.20	-19.84	43.33	3	Horizontal	350	2.70	-	32.35	7.24	34.56			
PK	5.9818G	104.08	Inf	-Inf	98.97	3	Horizontal	350	2.70	-	32.46	7.31	34.66			
RMS	5.983G	92.53	Inf	-Inf	87.41	3	Horizontal	350	2.70	-	32.47	7.31	34.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 45
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92895G	55.65	74.00	-18.35	70.57	3	Vertical	145	1.38	-	38.86	12.03	65.81			
AV	11.92859G	42.91	54.00	-11.09	57.83	3	Vertical	145	1.38	-	38.86	12.03	65.81			
PK	17.89249G	62.03	74.00	-11.97	63.24	3	Vertical	271	2.31	-	48.73	14.06	64.00			
AV	17.90781G	49.63	54.00	-4.37	50.27	3	Vertical	271	2.31	-	49.28	14.07	63.99			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 45
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93262G	55.44	74.00	-18.56	70.34	3	Horizontal	165	2.57	-	38.87	12.04	65.81			
AV	11.9271G	43.05	54.00	-10.95	57.99	3	Horizontal	165	2.57	-	38.85	12.03	65.82			
PK	17.90739G	62.18	74.00	-11.82	62.83	3	Horizontal	50	1.80	-	49.27	14.07	63.99			
AV	17.90889G	49.62	54.00	-4.38	50.22	3	Horizontal	50	1.80	-	49.32	14.07	63.99			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 45
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85841G	52.57	83.54	-30.97	38.13	1	Vertical	288	2.92	-	39.08	23.02	47.66			
AV	23.85511G	39.57	63.54	-23.97	25.12	1	Vertical	288	2.92	-	39.09	23.02	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 45
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85964G	52.16	83.54	-31.38	37.72	1	Horizontal	0	2.57	-	39.08	23.02	47.66			
AV	23.85148G	39.61	63.54	-23.93	25.16	1	Horizontal	0	2.57	-	39.10	23.01	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40633G	56.95	74.00	-17.05	71.69	3	Vertical	280	2.78	-	38.79	12.07	65.60			
AV	12.4129G	43.92	54.00	-10.08	58.68	3	Vertical	280	2.78	-	38.77	12.07	65.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40813G	56.57	74.00	-17.43	71.32	3	Horizontal	314	1.94	-	38.78	12.07	65.60			
AV	12.40876G	43.98	54.00	-10.02	58.73	3	Horizontal	314	1.94	-	38.78	12.07	65.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61946G	49.93	83.54	-33.61	39.90	1	Vertical	274	1.39	-	37.84	20.61	48.42			
AV	18.6183G	36.85	63.54	-26.69	26.82	1	Vertical	274	1.39	-	37.84	20.61	48.42			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61001G	49.57	83.54	-33.97	39.55	1	Horizontal	220	2.98	-	37.82	20.61	48.41			
AV	18.61808G	37.07	63.54	-26.47	27.04	1	Horizontal	220	2.98	-	37.84	20.61	48.42			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT Y_4TX
Setting 42
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81151G	56.60	88.20	-31.60	70.48	3	Vertical	263	2.56	-	39.20	12.06	65.14			
RMS	12.8137G	43.95	68.20	-24.25	57.83	3	Vertical	263	2.56	-	39.20	12.06	65.14			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT Y_4TX
Setting 42
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81195G	56.71	88.20	-31.49	70.59	3	Horizontal	325	1.48	-	39.20	12.06	65.14			
RMS	12.81388G	43.99	68.20	-24.21	57.87	3	Horizontal	325	1.48	-	39.20	12.06	65.14			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT Y_4TX
Setting 42
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21182G	50.44	83.54	-33.10	40.63	1	Vertical	74	2.94	-	37.85	20.76	48.80			
AV	19.21175G	37.89	63.54	-25.65	28.08	1	Vertical	74	2.94	-	37.85	20.76	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT Y_4TX
Setting 42
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.2166G	50.71	83.54	-32.83	40.88	1	Horizontal	23	1.09	-	37.87	20.76	48.80				
AV	19.21027G	37.90	63.54	-25.64	28.10	1	Horizontal	23	1.09	-	37.84	20.76	48.80				

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX

EUT Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.89385G	56.20	88.20	-32.00	69.89	3	Vertical	113	1.22	-	39.29	12.05	65.03			
RMS	12.88665G	43.55	68.20	-24.65	57.27	3	Vertical	113	1.22	-	39.27	12.05	65.04			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88703G	56.57	88.20	-31.63	70.29	3	Horizontal	87	1.29	-	39.27	12.05	65.04			
RMS	12.88835G	43.57	68.20	-24.63	57.27	3	Horizontal	87	1.29	-	39.28	12.05	65.03			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.33425G	50.26	83.54	-33.28	40.44	1	Vertical	62	1.97	-	37.80	20.82	48.80			
AV	19.33915G	37.41	63.54	-26.13	27.58	1	Vertical	62	1.97	-	37.80	20.83	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.33282G	50.16	83.54	-33.38	40.34	1	Horizontal	31	2.19	-	37.80	20.82	48.80			
AV	19.335G	37.48	63.54	-26.06	27.66	1	Horizontal	31	2.19	-	37.80	20.82	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 42
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97206G	55.42	88.20	-32.78	68.83	3	Vertical	277	1.30	-	39.46	12.05	64.92			
RMS	12.96543G	42.56	68.20	-25.64	55.97	3	Vertical	277	1.30	-	39.47	12.05	64.93			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX

EUT Y_4TX
Setting 42
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97461G	55.16	88.20	-33.04	68.58	3	Horizontal	337	2.14	-	39.45	12.05	64.92			
RMS	12.96503G	42.60	68.20	-25.60	56.01	3	Horizontal	337	2.14	-	39.47	12.05	64.93			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX

EUT Y_4TX
Setting 42
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45117G	51.57	83.54	-31.97	41.79	1	Vertical	258	1.81	-	37.70	20.88	48.80			
AV	19.45962G	38.93	63.54	-24.61	29.12	1	Vertical	258	1.81	-	37.72	20.89	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX

EUT Y_4TX
Setting 42
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45223G	51.04	83.54	-32.50	41.25	1	Horizontal	42	2.09	-	37.70	20.89	48.80			
AV	19.45978G	38.93	63.54	-24.61	29.12	1	Horizontal	42	2.09	-	37.72	20.89	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX

EUT Y_4TX
Setting 43
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05191G	56.14	88.20	-32.06	69.76	3	Vertical	297	2.60	-	39.20	12.05	64.87			
RMS	13.0548G	43.70	68.20	-24.50	57.32	3	Vertical	297	2.60	-	39.20	12.05	64.87			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX

EUT_Y_4TX
Setting 43
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05012G	56.15	88.20	-32.05	69.77	3	Horizontal	293	2.80	-	39.20	12.05	64.87			
RMS	13.05497G	43.65	68.20	-24.55	57.27	3	Horizontal	293	2.80	-	39.20	12.05	64.87			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX

EUT Y_4TX
Setting 43
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57077G	50.46	83.54	-33.08	40.70	1	Vertical	325	1.76	-	37.70	20.86	48.80			
AV	19.57745G	37.75	63.54	-25.79	28.00	1	Vertical	325	1.76	-	37.70	20.85	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX

EUT Y_4TX
Setting 43
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57477G	50.26	83.54	-33.28	40.50	1	Horizontal	21	1.25	-	37.70	20.86	48.80			
AV	19.57154G	37.79	63.54	-25.75	28.03	1	Horizontal	21	1.25	-	37.70	20.86	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT Y_4TX
Setting 40
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13492G	56.90	88.20	-31.30	70.24	3	Vertical	54	1.01	-	39.48	12.05	64.87			
RMS	13.13322G	44.48	68.20	-23.72	57.83	3	Vertical	54	1.01	-	39.47	12.05	64.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT Y_4TX
Setting 40
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12779G	57.64	88.20	-30.56	71.04	3	Horizontal	214	2.40	-	39.42	12.05	64.87			
RMS	13.13227G	44.47	68.20	-23.73	57.83	3	Horizontal	214	2.40	-	39.46	12.05	64.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT Y_4TX
Setting 40
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69247G	49.52	83.54	-34.02	39.85	1	Vertical	258	2.24	-	37.70	20.77	48.80			
AV	19.69435G	37.11	63.54	-26.43	27.44	1	Vertical	258	2.24	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT Y_4TX
Setting 40
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69318G	49.42	83.54	-34.12	39.75	1	Horizontal	169	2.04	-	37.70	20.77	48.80			
AV	19.69759G	37.11	63.54	-26.43	27.44	1	Horizontal	169	2.04	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36686G	56.96	74.00	-17.04	69.76	3	Vertical	215	2.55	-	40.00	12.04	64.84			
AV	13.3737G	44.50	54.00	-9.50	57.30	3	Vertical	215	2.55	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.369G	56.97	74.00	-17.03	69.77	3	Horizontal	99	2.40	-	40.00	12.04	64.84			
AV	13.37485G	44.51	54.00	-9.49	57.31	3	Horizontal	99	2.40	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05616G	49.03	83.54	-34.51	39.37	1	Vertical	177	1.06	-	37.80	20.65	48.79			
AV	20.05177G	36.47	63.54	-27.07	26.82	1	Vertical	177	1.06	-	37.80	20.64	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 41
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05292G	48.81	83.54	-34.73	39.15	1	Horizontal	229	2.76	-	37.80	20.65	48.79			
AV	20.0543G	36.38	63.54	-27.16	26.72	1	Horizontal	229	2.76	-	37.80	20.65	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX

EUT Y_4TX
Setting 43
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76892G	57.53	88.20	-30.67	69.73	3	Vertical	267	1.58	-	40.48	12.03	64.71			
RMS	13.76856G	44.86	68.20	-23.34	57.07	3	Vertical	267	1.58	-	40.47	12.03	64.71			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX

EUT_Y_4TX
Setting 43
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7698G	58.09	88.20	-30.11	70.29	3	Horizontal	192	2.21	-	40.48	12.03	64.71			
RMS	13.77116G	44.90	68.20	-23.30	57.10	3	Horizontal	192	2.21	-	40.48	12.03	64.71			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX

EUT Y_4TX
Setting 43
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65955G	49.64	83.54	-33.90	38.82	1	Vertical	119	2.93	-	37.90	21.62	48.70			
AV	20.65294G	37.16	63.54	-26.38	26.34	1	Vertical	119	2.93	-	37.90	21.62	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX

EUT Y_4TX
Setting 43
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6592G	50.08	83.54	-33.46	39.26	1	Horizontal	66	2.94	-	37.90	21.62	48.70			
AV	20.65015G	37.15	63.54	-26.39	26.34	1	Horizontal	66	2.94	-	37.90	21.61	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT Y_4TX
Setting 44
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.85207G	57.54	88.20	-30.66	69.68	3	Vertical	143	2.97	-	40.51	12.02	64.67			
RMS	13.8462G	44.69	68.20	-23.51	56.83	3	Vertical	143	2.97	-	40.51	12.02	64.67			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT Y_4TX
Setting 44
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.85318G	57.56	88.20	-30.64	69.70	3	Horizontal	8	2.11	-	40.51	12.02	64.67			
RMS	13.84537G	44.63	68.20	-23.57	56.77	3	Horizontal	8	2.11	-	40.51	12.02	64.67			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 44
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77253G	49.60	83.54	-33.94	38.66	1	Vertical	285	2.16	-	37.90	21.74	48.70			
AV	20.77943G	37.13	63.54	-26.41	26.18	1	Vertical	285	2.16	-	37.90	21.75	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT Y_4TX
Setting 44
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77333G	49.79	83.54	-33.75	38.85	1	Horizontal	91	2.07	-	37.90	21.74	48.70			
AV	20.77995G	37.13	63.54	-26.41	26.18	1	Horizontal	91	2.07	-	37.90	21.75	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00868G	57.61	88.20	-30.59	69.15	3	Vertical	137	2.50	-	41.02	12.03	64.59			
RMS	14.01215G	44.87	68.20	-23.33	56.41	3	Vertical	137	2.50	-	41.02	12.03	64.59			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00618G	57.71	88.20	-30.49	69.28	3	Horizontal	200	2.56	-	41.01	12.02	64.60			
RMS	14.00501G	44.88	68.20	-23.32	56.45	3	Horizontal	200	2.56	-	41.01	12.02	64.60			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01622G	49.98	83.54	-33.56	38.72	1	Vertical	268	1.48	-	38.00	21.96	48.70			
AV	21.01G	37.49	63.54	-26.05	26.23	1	Vertical	268	1.48	-	38.00	21.96	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01435G	50.61	83.54	-32.93	39.35	1	Horizontal	285	1.06	-	38.00	21.96	48.70			
AV	21.01402G	37.77	63.54	-25.77	26.51	1	Horizontal	285	1.06	-	38.00	21.96	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 50
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0928G	107.86	Inf	-Inf	97.73	3	Vertical	306	1.74	-	35.94	8.37	34.18			
RMS	7.0958G	99.71	Inf	-Inf	89.54	3	Vertical	306	1.74	-	35.97	8.38	34.18			
PK	7.2032G	63.00	88.20	-25.20	52.49	3	Vertical	306	1.74	-	36.21	8.48	34.18			
RMS	7.2215G	52.40	68.20	-15.80	41.79	3	Vertical	306	1.74	-	36.29	8.50	34.18			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1033G	103.08	Inf	-Inf	92.87	3	Horizontal	330	2.06	-	36.01	8.38	34.18			
RMS	7.1024G	93.45	Inf	-Inf	83.25	3	Horizontal	330	2.06	-	36.00	8.38	34.18			
PK	7.2002G	62.19	88.20	-26.01	51.69	3	Horizontal	330	2.06	-	36.20	8.48	34.18			
RMS	7.2071G	52.21	68.20	-15.99	41.67	3	Horizontal	330	2.06	-	36.23	8.49	34.18			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17442G	58.35	88.20	-29.85	69.41	3	Vertical	279	2.26	-	41.30	12.14	64.50			
RMS	14.16596G	45.73	68.20	-22.47	56.79	3	Vertical	279	2.26	-	41.30	12.14	64.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.1728G	59.25	88.20	-28.95	70.31	3	Horizontal	206	1.71	-	41.30	12.14	64.50			
RMS	14.16523G	45.66	68.20	-22.54	56.72	3	Horizontal	206	1.71	-	41.30	12.14	64.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25657G	50.04	83.54	-33.50	38.87	1	Vertical	333	1.88	-	38.01	21.81	48.65			
AV	21.25355G	37.44	63.54	-26.10	26.27	1	Vertical	333	1.88	-	38.01	21.81	48.65			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25786G	50.06	83.54	-33.48	38.88	1	Horizontal	208	2.18	-	38.02	21.81	48.65			
AV	21.25532G	37.44	63.54	-26.10	26.27	1	Horizontal	208	2.18	-	38.01	21.81	48.65			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 55
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	64.85	88.20	-23.35	59.78	3	Vertical	298	2.15	-	32.40	7.27	34.60			
RMS	5.92G	49.32	68.20	-18.88	44.26	3	Vertical	298	2.15	-	32.40	7.26	34.60			
PK	6.005G	112.19	Inf	-Inf	107.05	3	Vertical	298	2.15	-	32.50	7.32	34.68			
RMS	6.0015G	100.51	Inf	-Inf	95.37	3	Vertical	298	2.15	-	32.50	7.32	34.68			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 55
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	60.93	88.20	-27.27	55.86	3	Horizontal	331	2.74	-	32.40	7.27	34.60			
RMS	5.9245G	48.62	68.20	-19.58	43.55	3	Horizontal	331	2.74	-	32.40	7.27	34.60			
PK	5.9915G	104.95	Inf	-Inf	99.83	3	Horizontal	331	2.74	-	32.48	7.31	34.67			
RMS	5.997G	94.72	Inf	-Inf	89.59	3	Horizontal	331	2.74	-	32.49	7.32	34.68			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 55
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96641G	55.59	74.00	-18.41	70.38	3	Vertical	210	1.24	-	38.93	12.06	65.78			
AV	11.96502G	42.80	54.00	-11.20	57.59	3	Vertical	210	1.24	-	38.93	12.06	65.78			
PK	17.96892G	61.88	74.00	-12.12	60.03	3	Vertical	343	1.25	-	51.71	14.09	63.95			
AV	17.96814G	49.27	54.00	-4.73	47.46	3	Vertical	343	1.25	-	51.67	14.09	63.95			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 55
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96649G	55.47	74.00	-18.53	70.26	3	Horizontal	287	1.52	-	38.93	12.06	65.78			
AV	11.9653G	42.79	54.00	-11.21	57.58	3	Horizontal	287	1.52	-	38.93	12.06	65.78			
PK	17.96901G	61.76	74.00	-12.24	59.91	3	Horizontal	272	2.41	-	51.71	14.09	63.95			
AV	17.96847G	49.27	54.00	-4.73	47.44	3	Horizontal	272	2.41	-	51.69	14.09	63.95			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 55
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.92722G	51.64	83.54	-31.90	37.20	1	Vertical	145	2.03	-	39.00	23.07	47.63			
AV	23.92853G	39.08	63.54	-24.46	24.64	1	Vertical	145	2.03	-	39.00	23.07	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 55
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.92692G	51.38	83.54	-32.16	36.94	1	Horizontal	353	2.31	-	39.00	23.07	47.63			
AV	23.92803G	39.10	63.54	-24.44	24.66	1	Horizontal	353	2.31	-	39.00	23.07	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT Y_4TX
Setting 57
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44936G	56.44	74.00	-17.56	71.26	3	Vertical	345	1.32	-	38.70	12.07	65.59			
AV	12.44654G	43.72	54.00	-10.28	58.53	3	Vertical	345	1.32	-	38.71	12.07	65.59			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT Y_4TX
Setting 57
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.4472G	55.88	74.00	-18.12	70.69	3	Horizontal	109	2.68	-	38.71	12.07	65.59			
AV	12.44765G	43.69	54.00	-10.31	58.51	3	Horizontal	109	2.68	-	38.70	12.07	65.59			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT Y_4TX
Setting 57
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67182G	49.76	83.54	-33.78	39.71	1	Vertical	231	1.35	-	37.90	20.62	48.47			
AV	18.67691G	37.02	63.54	-26.52	26.98	1	Vertical	231	1.35	-	37.90	20.62	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT Y_4TX
Setting 57
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67134G	49.63	83.54	-33.91	39.58	1	Horizontal	212	1.22	-	37.90	20.62	48.47			
AV	18.67824G	37.02	63.54	-26.52	26.98	1	Horizontal	212	1.22	-	37.90	20.62	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT Y_4TX
Setting 58
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76628G	56.77	88.20	-31.43	70.91	3	Vertical	330	2.10	-	39.00	12.06	65.20			
RMS	12.77324G	44.01	68.20	-24.19	58.10	3	Vertical	330	2.10	-	39.04	12.06	65.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT Y_4TX
Setting 58
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77432G	56.55	88.20	-31.65	70.63	3	Horizontal	162	1.37	-	39.05	12.06	65.19			
RMS	12.77336G	43.96	68.20	-24.24	58.05	3	Horizontal	162	1.37	-	39.04	12.06	65.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT Y_4TX
Setting 58
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15316G	51.17	83.54	-32.37	41.25	1	Vertical	106	2.03	-	37.99	20.73	48.80			
AV	19.1511G	38.68	63.54	-24.86	28.75	1	Vertical	106	2.03	-	38.00	20.73	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT Y_4TX
Setting 58
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15146G	51.23	83.54	-32.31	41.31	1	Horizontal	228	2.73	-	37.99	20.73	48.80			
AV	19.151G	38.58	63.54	-24.96	28.65	1	Horizontal	228	2.73	-	38.00	20.73	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT Y_4TX
Setting 52
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92557G	55.75	88.20	-32.45	69.28	3	Vertical	89	1.52	-	39.40	12.05	64.98			
RMS	12.93391G	42.73	68.20	-25.47	56.21	3	Vertical	89	1.52	-	39.44	12.05	64.97			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT Y_4TX
Setting 52
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92662G	55.28	88.20	-32.92	68.80	3	Horizontal	5	1.36	-	39.41	12.05	64.98			
RMS	12.93419G	42.72	68.20	-25.48	56.20	3	Horizontal	5	1.36	-	39.44	12.05	64.97			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT Y_4TX
Setting 52
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39346G	50.47	83.54	-33.07	40.53	1	Vertical	24	2.44	-	37.89	20.85	48.80			
AV	19.39477G	37.97	63.54	-25.57	28.02	1	Vertical	24	2.44	-	37.89	20.86	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT Y_4TX
Setting 52
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39041G	50.41	83.54	-33.13	40.48	1	Horizontal	260	2.17	-	37.88	20.85	48.80			
AV	19.39969G	37.95	63.54	-25.59	27.99	1	Horizontal	260	2.17	-	37.90	20.86	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT Y_4TX
Setting 53
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08612G	56.41	88.20	-31.79	70.03	3	Vertical	279	2.62	-	39.20	12.05	64.87			
RMS	13.09327G	43.57	68.20	-24.63	57.19	3	Vertical	279	2.62	-	39.20	12.05	64.87			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT Y_4TX
Setting 53
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08623G	55.91	88.20	-32.29	69.53	3	Horizontal	178	1.12	-	39.20	12.05	64.87			
RMS	13.08608G	43.53	68.20	-24.67	57.15	3	Horizontal	178	1.12	-	39.20	12.05	64.87			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT Y_4TX
Setting 53
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63147G	48.80	83.54	-34.74	39.08	1	Vertical	229	1.65	-	37.70	20.82	48.80			
AV	19.6325G	36.83	63.54	-26.71	27.12	1	Vertical	229	1.65	-	37.70	20.81	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT Y_4TX
Setting 53
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63585G	49.56	83.54	-33.98	39.85	1	Horizontal	124	1.31	-	37.70	20.81	48.80			
AV	19.63G	36.86	63.54	-26.68	27.14	1	Horizontal	124	1.31	-	37.70	20.82	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 53
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25066G	56.50	74.00	-17.50	69.71	3	Vertical	152	1.18	-	39.60	12.04	64.85			
AV	13.25489G	43.95	54.00	-10.05	57.15	3	Vertical	152	1.18	-	39.61	12.04	64.85			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 53
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25353G	56.54	74.00	-17.46	69.74	3	Horizontal	118	1.76	-	39.61	12.04	64.85			
AV	13.25324G	43.93	54.00	-10.07	57.13	3	Horizontal	118	1.76	-	39.61	12.04	64.85			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 53
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87761G	50.28	83.54	-33.26	40.74	1	Vertical	9	2.69	-	37.70	20.64	48.80			
AV	19.87223G	37.25	63.54	-26.29	27.71	1	Vertical	9	2.69	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 53
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87393G	49.77	83.54	-33.77	40.23	1	Horizontal	285	2.48	-	37.70	20.64	48.80			
AV	19.8722G	37.14	63.54	-26.40	27.60	1	Horizontal	285	2.48	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40967G	57.36	88.20	-30.84	70.12	3	Vertical	237	2.65	-	40.04	12.04	64.84			
RMS	13.40934G	44.87	68.20	-23.33	57.63	3	Vertical	237	2.65	-	40.04	12.04	64.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41085G	57.31	88.20	-30.89	70.07	3	Horizontal	208	1.18	-	40.04	12.04	64.84			
RMS	13.4131G	44.89	68.20	-23.31	57.64	3	Horizontal	208	1.18	-	40.05	12.04	64.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11363G	49.31	83.54	-34.23	39.53	1	Vertical	143	2.99	-	37.80	20.76	48.78			
AV	20.11851G	36.87	63.54	-26.67	27.08	1	Vertical	143	2.99	-	37.80	20.77	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 50
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11751G	49.46	83.54	-34.08	39.68	1	Horizontal	155	2.30	-	37.80	20.76	48.78			
AV	20.11867G	36.87	63.54	-26.67	27.08	1	Horizontal	155	2.30	-	37.80	20.77	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 52
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5743G	57.85	88.20	-30.35	70.07	3	Vertical	112	1.55	-	40.55	12.03	64.80			
RMS	13.56505G	44.87	68.20	-23.33	57.03	3	Vertical	112	1.55	-	40.61	12.03	64.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 52
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57234G	58.32	88.20	-29.88	70.52	3	Horizontal	80	1.40	-	40.57	12.03	64.80			
RMS	13.57058G	44.90	68.20	-23.30	57.09	3	Horizontal	80	1.40	-	40.58	12.03	64.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 52
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35797G	48.96	83.54	-34.58	38.61	1	Vertical	18	1.90	-	37.88	21.20	48.73			
AV	20.35638G	36.50	63.54	-27.04	26.14	1	Vertical	18	1.90	-	37.89	21.20	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 52
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35008G	49.66	83.54	-33.88	39.30	1	Horizontal	232	2.38	-	37.90	21.19	48.73			
AV	20.35609G	36.50	63.54	-27.04	26.14	1	Horizontal	232	2.38	-	37.89	21.20	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 55
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72507G	57.50	88.20	-30.70	69.85	3	Vertical	335	2.00	-	40.35	12.03	64.73			
RMS	13.72855G	45.08	68.20	-23.12	57.41	3	Vertical	335	2.00	-	40.36	12.03	64.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 55
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73124G	58.14	88.20	-30.06	70.47	3	Horizontal	299	1.69	-	40.36	12.03	64.72			
RMS	13.73151G	45.07	68.20	-23.13	57.40	3	Horizontal	299	1.69	-	40.36	12.03	64.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 55
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59794G	50.14	83.54	-33.40	39.38	1	Vertical	317	1.62	-	37.90	21.56	48.70			
AV	20.59868G	37.25	63.54	-26.29	26.49	1	Vertical	317	1.62	-	37.90	21.56	48.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 55
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59483G	49.58	83.54	-33.96	38.82	1	Horizontal	19	2.82	-	37.90	21.56	48.70			
AV	20.59872G	37.37	63.54	-26.17	26.61	1	Horizontal	19	2.82	-	37.90	21.56	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 58
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88601G	56.62	88.20	-31.58	68.61	3	Vertical	274	2.14	-	40.64	12.02	64.65			
RMS	13.88665G	44.07	68.20	-24.13	56.05	3	Vertical	274	2.14	-	40.65	12.02	64.65			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 58
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88896G	56.74	88.20	-31.46	68.71	3	Horizontal	162	1.46	-	40.66	12.02	64.65			
RMS	13.88564G	44.01	68.20	-24.19	56.00	3	Horizontal	162	1.46	-	40.64	12.02	64.65			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 58
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8333G	49.84	83.54	-33.70	38.84	1	Vertical	153	2.19	-	37.90	21.80	48.70			
AV	20.83271G	37.32	63.54	-26.22	26.32	1	Vertical	153	2.19	-	37.90	21.80	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 58
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.83415G	49.78	83.54	-33.76	38.78	1	Horizontal	200	2.31	-	37.90	21.80	48.70				
AV	20.83161G	37.33	63.54	-26.21	26.33	1	Horizontal	200	2.31	-	37.90	21.80	48.70				

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 60
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0166G	110.04	Inf	-Inf	100.45	3	Vertical	300	1.80	-	35.47	8.30	34.18			
RMS	7.0138G	99.50	Inf	-Inf	89.93	3	Vertical	300	1.80	-	35.46	8.29	34.18			
PK	7.213G	63.61	88.20	-24.59	53.05	3	Vertical	300	1.80	-	36.25	8.49	34.18			
RMS	7.2242G	52.69	68.20	-15.51	42.07	3	Vertical	300	1.80	-	36.30	8.50	34.18			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 60
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0026G	106.07	Inf	-Inf	96.56	3	Horizontal	15	2.84	-	35.41	8.28	34.18			
RMS	6.9942G	96.34	Inf	-Inf	86.87	3	Horizontal	15	2.84	-	35.38	8.27	34.18			
PK	7.1878G	62.71	88.20	-25.49	52.24	3	Horizontal	15	2.84	-	36.18	8.47	34.18			
RMS	7.211G	52.54	68.20	-15.66	41.99	3	Horizontal	15	2.84	-	36.24	8.49	34.18			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 60
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05082G	58.05	88.20	-30.15	69.46	3	Vertical	38	2.78	-	41.10	12.06	64.57			
RMS	14.05293G	45.30	68.20	-22.90	56.70	3	Vertical	38	2.78	-	41.11	12.06	64.57			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 60
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05449G	57.93	88.20	-30.27	69.32	3	Horizontal	293	2.89	-	41.12	12.06	64.57			
RMS	14.05162G	45.33	68.20	-22.87	56.73	3	Horizontal	293	2.89	-	41.11	12.06	64.57			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 60
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07054G	49.72	83.54	-33.82	38.48	1	Vertical	130	1.78	-	38.00	21.93	48.69			
AV	21.07867G	37.34	63.54	-26.20	26.10	1	Vertical	130	1.78	-	38.00	21.92	48.68			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 60
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07677G	49.69	83.54	-33.85	38.45	1	Horizontal	319	2.13	-	38.00	21.92	48.68			
AV	21.07866G	37.34	63.54	-26.20	26.10	1	Horizontal	319	2.13	-	38.00	21.92	48.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	66.92	88.20	-21.28	61.85	3	Vertical	58	1.80	-	32.40	7.27	34.60			
RMS	5.925G	53.12	68.20	-15.08	48.05	3	Vertical	58	1.80	-	32.40	7.27	34.60			
PK	6.0535G	110.01	Inf	-Inf	104.79	3	Vertical	58	1.80	-	32.50	7.35	34.63			
RMS	6.051G	99.91	Inf	-Inf	94.69	3	Vertical	58	1.80	-	32.50	7.35	34.63			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9145G	60.07	88.20	-28.13	55.00	3	Horizontal	321	2.99	-	32.40	7.26	34.59			
RMS	5.924G	49.41	68.20	-18.79	44.34	3	Horizontal	321	2.99	-	32.40	7.27	34.60			
PK	5.9975G	101.75	Inf	-Inf	96.62	3	Horizontal	321	2.99	-	32.49	7.32	34.68			
RMS	6.003G	92.39	Inf	-Inf	87.25	3	Horizontal	321	2.99	-	32.50	7.32	34.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05153G	56.15	74.00	-17.85	70.59	3	Vertical	75	1.74	-	39.21	12.08	65.73			
AV	12.04858G	43.17	54.00	-10.83	57.63	3	Vertical	75	1.74	-	39.19	12.08	65.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05199G	56.23	74.00	-17.77	70.67	3	Horizontal	319	2.76	-	39.21	12.08	65.73			
AV	12.05145G	43.16	54.00	-10.84	57.60	3	Horizontal	319	2.76	-	39.21	12.08	65.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07387G	49.48	83.54	-34.06	39.83	1	Vertical	239	2.45	-	37.54	20.32	48.21			
AV	18.07928G	36.84	63.54	-26.70	27.16	1	Vertical	239	2.45	-	37.58	20.32	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07839G	49.62	83.54	-33.92	39.95	1	Horizontal	188	2.81	-	37.57	20.32	48.22			
AV	18.07644G	36.91	63.54	-26.63	27.25	1	Horizontal	188	2.81	-	37.56	20.32	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 62
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37035G	55.72	74.00	-18.28	70.47	3	Vertical	16	2.27	-	38.80	12.07	65.62			
AV	12.37455G	42.97	54.00	-11.03	57.72	3	Vertical	16	2.27	-	38.80	12.07	65.62			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 62
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37219G	55.51	74.00	-18.49	70.26	3	Horizontal	136	2.06	-	38.80	12.07	65.62			
AV	12.37471G	42.94	54.00	-11.06	57.69	3	Horizontal	136	2.06	-	38.80	12.07	65.62			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 62
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55915G	50.27	83.54	-33.27	40.22	1	Vertical	337	2.66	-	37.80	20.61	48.36			
AV	18.55002G	37.48	63.54	-26.06	27.42	1	Vertical	337	2.66	-	37.80	20.61	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 62
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	18.55249G	49.53	83.54	-34.01	39.47	1	Horizontal	264	1.08	-	37.80	20.61	48.35				
AV	18.55G	37.48	63.54	-26.06	27.42	1	Horizontal	264	1.08	-	37.80	20.61	48.35				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69468G	55.48	74.00	-18.52	69.73	3	Vertical	200	1.52	-	38.99	12.06	65.30			
AV	12.69482G	42.89	54.00	-11.11	57.14	3	Vertical	200	1.52	-	38.99	12.06	65.30			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69393G	55.70	74.00	-18.30	69.95	3	Horizontal	227	2.56	-	38.99	12.06	65.30			
AV	12.69492G	42.91	54.00	-11.09	57.16	3	Horizontal	227	2.56	-	38.99	12.06	65.30			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03086G	50.71	83.54	-32.83	40.90	1	Vertical	312	2.06	-	37.94	20.67	48.80			
AV	19.03954G	37.14	63.54	-26.40	27.35	1	Vertical	312	2.06	-	37.92	20.67	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03114G	50.01	83.54	-33.53	40.20	1	Horizontal	305	1.60	-	37.94	20.67	48.80			
AV	19.03902G	37.14	63.54	-26.40	27.35	1	Horizontal	305	1.60	-	37.92	20.67	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT Y_4TX
Setting 68
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00949G	56.19	88.20	-32.01	69.66	3	Vertical	245	1.47	-	39.36	12.05	64.88			
RMS	13.00598G	43.24	68.20	-24.96	56.69	3	Vertical	245	1.47	-	39.38	12.05	64.88			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT Y_4TX
Setting 68
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00983G	55.67	88.20	-32.53	69.14	3	Horizontal	226	2.02	-	39.36	12.05	64.88			
RMS	13.00516G	43.34	68.20	-24.86	56.79	3	Horizontal	226	2.02	-	39.38	12.05	64.88			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT Y_4TX
Setting 68
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51733G	52.00	83.54	-31.54	42.13	1	Vertical	155	1.56	-	37.77	20.90	48.80			
AV	19.5106G	38.97	63.54	-24.57	29.09	1	Vertical	155	1.56	-	37.78	20.90	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT Y_4TX
Setting 68
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51252G	52.82	83.54	-30.72	42.95	1	Horizontal	73	1.13	-	37.77	20.90	48.80			
AV	19.5138G	38.92	63.54	-24.62	29.05	1	Horizontal	73	1.13	-	37.77	20.90	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3273G	56.70	74.00	-17.30	69.65	3	Vertical	224	1.73	-	39.86	12.04	64.85			
AV	13.32653G	44.05	54.00	-9.95	57.00	3	Vertical	224	1.73	-	39.86	12.04	64.85			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32505G	56.60	74.00	-17.40	69.56	3	Horizontal	182	2.42	-	39.85	12.04	64.85			
AV	13.32695G	44.04	54.00	-9.96	56.99	3	Horizontal	182	2.42	-	39.86	12.04	64.85			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99511G	49.32	83.54	-34.22	39.86	1	Vertical	104	1.05	-	37.71	20.55	48.80			
AV	19.99179G	36.42	63.54	-27.12	26.94	1	Vertical	104	1.05	-	37.72	20.56	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 64
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99285G	49.42	83.54	-34.12	39.95	1	Horizontal	232	2.41	-	37.71	20.56	48.80			
AV	19.99126G	36.42	63.54	-27.12	26.94	1	Horizontal	232	2.41	-	37.72	20.56	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT Y_4TX
Setting 69
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65287G	56.75	88.20	-31.45	69.18	3	Vertical	4	2.31	-	40.30	12.03	64.76			
RMS	13.6505G	44.53	68.20	-23.67	56.96	3	Vertical	4	2.31	-	40.30	12.03	64.76			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT Y_4TX
Setting 69
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65074G	57.12	88.20	-31.08	69.55	3	Horizontal	336	1.60	-	40.30	12.03	64.76			
RMS	13.65245G	44.49	68.20	-23.71	56.92	3	Horizontal	336	1.60	-	40.30	12.03	64.76			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT Y_4TX
Setting 69
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47865G	49.63	83.54	-33.91	39.01	1	Vertical	318	2.18	-	37.90	21.42	48.70			
AV	20.47G	37.11	63.54	-26.43	26.51	1	Vertical	318	2.18	-	37.90	21.41	48.71			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT Y_4TX
Setting 69
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47978G	49.32	83.54	-34.22	38.70	1	Horizontal	58	2.31	-	37.90	21.42	48.70			
AV	20.47673G	37.13	63.54	-26.41	26.51	1	Horizontal	58	2.31	-	37.90	21.42	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 74
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9535G	110.80	Inf	-Inf	101.57	3	Vertical	44	1.77	-	35.21	8.20	34.18
RMS	6.95G	100.87	Inf	-Inf	91.65	3	Vertical	44	1.77	-	35.20	8.20	34.18
PK	7.1395G	78.03	88.20	-10.17	67.71	3	Vertical	44	1.77	-	36.08	8.42	34.18
RMS	7.1405G	60.55	68.20	-7.65	50.23	3	Vertical	44	1.77	-	36.08	8.42	34.18

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 74
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9095G	106.84	Inf	-Inf	97.93	3	Horizontal	13	2.89	-	34.96	8.13	34.18			
RMS	6.9095G	97.26	Inf	-Inf	88.35	3	Horizontal	13	2.89	-	34.96	8.13	34.18			
PK	7.1515G	71.44	88.20	-16.76	61.09	3	Horizontal	13	2.89	-	36.10	8.43	34.18			
RMS	7.132G	56.14	68.20	-12.06	45.85	3	Horizontal	13	2.89	-	36.06	8.41	34.18			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 74
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96992G	56.80	88.20	-31.40	68.51	3	Vertical	69	2.38	-	40.88	12.02	64.61			
RMS	13.96812G	44.42	68.20	-23.78	56.14	3	Vertical	69	2.38	-	40.87	12.02	64.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 74
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.972G	57.34	88.20	-30.86	69.04	3	Horizontal	210	1.17	-	40.89	12.02	64.61			
RMS	13.96673G	44.41	68.20	-23.79	56.14	3	Horizontal	210	1.17	-	40.87	12.02	64.62			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 74
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95183G	49.15	83.54	-34.39	38.03	1	Vertical	81	1.27	-	37.90	21.92	48.70			
AV	20.95936G	37.34	63.54	-26.20	26.19	1	Vertical	81	1.27	-	37.92	21.93	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 74
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95587G	49.02	83.54	-34.52	37.89	1	Horizontal	118	2.89	-	37.91	21.92	48.70			
AV	20.95924G	37.34	63.54	-26.20	26.19	1	Horizontal	118	2.89	-	37.92	21.93	48.70			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 80
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	81.60	88.20	-6.60	76.54	3	Vertical	318	1.81	-	32.40	7.26	34.60			
RMS	5.925G	66.43	68.20	-1.77	61.36	3	Vertical	318	1.81	-	32.40	7.27	34.60			
PK	6.2042G	110.09	Inf	-Inf	104.31	3	Vertical	318	1.81	-	32.83	7.43	34.48			
RMS	6.0122G	99.98	Inf	-Inf	94.82	3	Vertical	318	1.81	-	32.50	7.33	34.67			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 80
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	74.07	88.20	-14.13	69.00	3	Horizontal	340	2.84	-	32.40	7.27	34.60			
RMS	5.925G	63.61	68.20	-4.59	58.54	3	Horizontal	340	2.84	-	32.40	7.27	34.60			
PK	6.1178G	104.57	Inf	-Inf	99.18	3	Horizontal	340	2.84	-	32.57	7.38	34.56			
RMS	6.121G	95.26	Inf	-Inf	89.85	3	Horizontal	340	2.84	-	32.58	7.39	34.56			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21118G	54.88	74.00	-19.12	69.42	3	Vertical	138	1.45	-	39.06	12.07	65.67			
AV	12.20559G	42.48	54.00	-11.52	57.01	3	Vertical	138	1.45	-	39.08	12.07	65.68			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20918G	55.02	74.00	-18.98	69.56	3	Horizontal	339	2.69	-	39.06	12.07	65.67			
AV	12.21103G	42.47	54.00	-11.53	57.01	3	Horizontal	339	2.69	-	39.06	12.07	65.67			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31823G	49.15	83.54	-34.39	39.29	1	Vertical	35	1.39	-	37.64	20.48	48.26			
AV	18.31789G	37.20	63.54	-26.34	27.34	1	Vertical	35	1.39	-	37.64	20.48	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.3149G	49.06	83.54	-34.48	39.21	1	Horizontal	169	2.06	-	37.63	20.48	48.26			
AV	18.31914G	37.31	63.54	-26.23	27.45	1	Horizontal	169	2.06	-	37.64	20.48	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53109G	56.11	74.00	-17.89	71.04	3	Vertical	337	1.97	-	38.54	12.06	65.53			
AV	12.52858G	42.93	54.00	-11.07	57.86	3	Vertical	337	1.97	-	38.54	12.06	65.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52871G	55.90	74.00	-18.10	70.83	3	Horizontal	12	2.58	-	38.54	12.06	65.53			
AV	12.52796G	43.07	54.00	-10.93	58.00	3	Horizontal	12	2.58	-	38.54	12.06	65.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79294G	50.00	83.54	-33.54	40.06	1	Vertical	65	2.91	-	37.90	20.63	48.59			
AV	18.79952G	37.52	63.54	-26.02	27.59	1	Vertical	65	2.91	-	37.90	20.63	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79123G	50.20	83.54	-33.34	40.26	1	Horizontal	122	2.30	-	37.90	20.63	48.59			
AV	18.79847G	37.51	63.54	-26.03	27.58	1	Horizontal	122	2.30	-	37.90	20.63	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85016G	56.51	88.20	-31.69	70.35	3	Vertical	240	2.89	-	39.20	12.05	65.09			
RMS	12.84762G	43.86	68.20	-24.34	57.70	3	Vertical	240	2.89	-	39.20	12.05	65.09			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84759G	57.36	88.20	-30.84	71.20	3	Horizontal	316	2.83	-	39.20	12.05	65.09			
RMS	12.8485G	43.91	68.20	-24.29	57.75	3	Horizontal	316	2.83	-	39.20	12.05	65.09			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27575G	49.63	83.54	-33.91	39.74	1	Vertical	290	2.14	-	37.90	20.79	48.80			
AV	19.27062G	37.13	63.54	-26.41	27.22	1	Vertical	290	2.14	-	37.92	20.79	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2737G	49.84	83.54	-33.70	39.94	1	Horizontal	259	2.99	-	37.91	20.79	48.80			
AV	19.27359G	37.12	63.54	-26.42	27.22	1	Horizontal	259	2.99	-	37.91	20.79	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17169G	57.18	88.20	-31.02	70.44	3	Vertical	233	1.48	-	39.56	12.04	64.86			
RMS	13.16648G	44.23	68.20	-23.97	57.47	3	Vertical	233	1.48	-	39.57	12.05	64.86			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16556G	57.01	88.20	-31.19	70.25	3	Horizontal	106	1.02	-	39.57	12.05	64.86			
RMS	13.16568G	44.23	68.20	-23.97	57.47	3	Horizontal	106	1.02	-	39.57	12.05	64.86			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75283G	49.76	83.54	-33.78	40.13	1	Vertical	350	2.78	-	37.70	20.73	48.80			
AV	19.75632G	36.79	63.54	-26.75	27.16	1	Vertical	350	2.78	-	37.70	20.73	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT Y_4TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75872G	49.11	83.54	-34.43	39.49	1	Horizontal	215	2.50	-	37.70	20.72	48.80			
AV	19.7538G	36.88	63.54	-26.66	27.25	1	Horizontal	215	2.50	-	37.70	20.73	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 79
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48758G	58.33	88.20	-29.87	70.84	3	Vertical	118	1.78	-	40.28	12.04	64.83			
RMS	13.48738G	45.44	68.20	-22.76	57.96	3	Vertical	118	1.78	-	40.27	12.04	64.83			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 79
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48557G	58.78	88.20	-29.42	71.30	3	Horizontal	184	1.84	-	40.27	12.04	64.83			
RMS	13.48949G	45.48	68.20	-22.72	57.99	3	Horizontal	184	1.84	-	40.28	12.04	64.83			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 79
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23253G	49.66	83.54	-33.88	39.64	1	Vertical	316	1.54	-	37.80	20.97	48.75			
AV	20.23309G	37.24	63.54	-26.30	27.22	1	Vertical	316	1.54	-	37.80	20.97	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 79
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23422G	50.26	83.54	-33.28	40.23	1	Horizontal	24	1.73	-	37.80	20.98	48.75			
AV	20.23047G	37.26	63.54	-26.28	27.24	1	Horizontal	24	1.73	-	37.80	20.97	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 72
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7706G	110.53	Inf	-Inf	102.35	3	Vertical	312	1.76	-	34.40	7.96	34.18			
RMS	6.7658G	100.46	Inf	-Inf	92.28	3	Vertical	312	1.76	-	34.40	7.96	34.18			
PK	7.199G	71.72	88.20	-16.48	61.22	3	Vertical	312	1.76	-	36.20	8.48	34.18			
RMS	7.1582G	56.94	68.20	-11.26	46.56	3	Vertical	312	1.76	-	36.12	8.44	34.18			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 72
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9092G	103.14	Inf	-Inf	94.23	3	Horizontal	15	2.90	-	34.96	8.13	34.18			
RMS	6.9116G	93.45	Inf	-Inf	84.53	3	Horizontal	15	2.90	-	34.97	8.13	34.18			
PK	7.13G	69.14	88.20	-19.06	58.85	3	Horizontal	15	2.90	-	36.06	8.41	34.18			
RMS	7.1978G	55.65	68.20	-12.55	45.15	3	Horizontal	15	2.90	-	36.20	8.48	34.18			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 72
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81478G	57.80	88.20	-30.40	69.89	3	Vertical	333	2.21	-	40.57	12.03	64.69			
RMS	13.80586G	44.90	68.20	-23.30	56.97	3	Vertical	333	2.21	-	40.59	12.03	64.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 72
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80749G	57.99	88.20	-30.21	70.06	3	Horizontal	158	2.18	-	40.59	12.03	64.69			
RMS	13.8056G	44.91	68.20	-23.29	56.98	3	Horizontal	158	2.18	-	40.59	12.03	64.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 72
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71252G	49.21	83.54	-34.33	38.33	1	Vertical	56	2.30	-	37.90	21.68	48.70			
AV	20.7182G	36.42	63.54	-27.12	25.54	1	Vertical	56	2.30	-	37.90	21.68	48.70			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX

EUT Y_4TX
Setting 72
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.71038G	48.99	83.54	-34.55	38.12	1	Horizontal	157	1.71	-	37.90	21.67	48.70				
AV	20.71773G	36.42	63.54	-27.12	25.54	1	Horizontal	157	1.71	-	37.90	21.68	48.70				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	7.251G	53.97	54.00	-0.03	3	Vertical	350	2.08	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9092G	62.04	88.20	-26.16	50.39	3	Vertical	166	1.76	-	34.12	8.16	30.63				
RMS	5.9088G	51.63	68.20	-16.57	39.98	3	Vertical	166	1.76	-	34.12	8.16	30.63				
PK	5.9602G	111.18	Inf	-Inf	99.44	3	Vertical	166	1.76	-	34.22	8.14	30.62				
RMS	5.96G	100.05	Inf	-Inf	88.31	3	Vertical	166	1.76	-	34.22	8.14	30.62				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.906G	63.41	88.20	-24.79	51.77	3	Horizontal	176	1.80	-	34.11	8.16	30.63			
RMS	5.9234G	51.58	68.20	-16.62	39.91	3	Horizontal	176	1.80	-	34.15	8.15	30.63			
PK	5.9627G	109.74	Inf	-Inf	97.99	3	Horizontal	176	1.80	-	34.23	8.14	30.62			
RMS	5.9626G	100.23	Inf	-Inf	88.48	3	Horizontal	176	1.80	-	34.23	8.14	30.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 26
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91064G	48.20	74.00	-25.80	42.22	3	Vertical	353	1.80	-	39.30	12.02	45.34			
AV	11.90812G	37.94	54.00	-16.06	31.96	3	Vertical	353	1.80	-	39.30	12.02	45.34			
PK	17.8565G	55.71	74.00	-18.29	40.76	3	Vertical	0	2.23	-	46.53	12.75	44.33			
AV	17.8723G	45.34	54.00	-8.66	30.31	3	Vertical	0	2.23	-	46.59	12.76	44.32			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.90848G	50.74	74.00	-23.26	44.76	3	Horizontal	327	1.00	-	39.30	12.02	45.34				
AV	11.90864G	39.44	54.00	-14.56	33.46	3	Horizontal	327	1.00	-	39.30	12.02	45.34				
PK	17.87128G	55.40	74.00	-18.60	40.37	3	Horizontal	306	1.88	-	46.59	12.76	44.32				
AV	17.87384G	45.71	54.00	-8.29	30.67	3	Horizontal	306	1.88	-	46.60	12.76	44.32				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82464G	61.81	83.54	-21.73	47.39	1	Vertical	338	1.81	-	39.10	22.99	47.67			
AV	23.82712G	51.16	63.54	-12.38	36.73	1	Vertical	338	1.81	-	39.10	23.00	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82616G	55.36	83.54	-28.18	40.94	1	Horizontal	253	1.19	-	39.10	22.99	47.67			
AV	23.82008G	45.12	63.54	-18.42	30.70	1	Horizontal	253	1.19	-	39.10	22.99	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 27
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3856G	47.61	74.00	-26.39	42.46	3	Vertical	229	1.74	-	38.70	12.02	45.57			
AV	12.39034G	36.89	54.00	-17.11	31.74	3	Vertical	229	1.74	-	38.70	12.02	45.57			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 27
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3911G	47.59	74.00	-26.41	42.44	3	Horizontal	22	1.87	-	38.70	12.02	45.57			
AV	12.39108G	38.08	54.00	-15.92	32.93	3	Horizontal	22	1.87	-	38.70	12.02	45.57			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 27
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58471G	51.64	83.54	-31.90	41.61	1	Vertical	256	2.37	-	37.80	20.61	48.38			
AV	18.58531G	41.36	63.54	-22.18	31.34	1	Vertical	256	2.37	-	37.80	20.61	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 27
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58596G	51.79	83.54	-31.75	41.77	1	Horizontal	249	2.24	-	37.80	20.61	48.39			
AV	18.58506G	41.41	63.54	-22.13	31.39	1	Horizontal	249	2.24	-	37.80	20.61	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 22
02-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83098G	46.98	88.20	-41.22	41.26	3	Vertical	81	1.36	-	39.02	11.96	45.26			
RMS	12.8294G	36.52	68.20	-31.68	30.80	3	Vertical	81	1.36	-	39.02	11.96	45.26			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 22
02-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83028G	47.18	88.20	-41.02	41.46	3	Horizontal	350	1.52	-	39.02	11.96	45.26			
RMS	12.82939G	36.36	68.20	-31.84	30.64	3	Horizontal	350	1.52	-	39.02	11.96	45.26			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 22
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24588G	51.53	83.54	-32.01	41.57	1	Vertical	343	2.14	-	37.98	20.78	48.80			
AV	19.24591G	40.97	63.54	-22.57	31.01	1	Vertical	343	2.14	-	37.98	20.78	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 22
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24516G	51.29	83.54	-32.25	41.33	1	Horizontal	212	1.29	-	37.98	20.78	48.80			
AV	19.24583G	40.90	63.54	-22.64	30.94	1	Horizontal	212	1.29	-	37.98	20.78	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 18
02-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87046G	47.09	88.20	-41.11	41.22	3	Vertical	180	2.67	-	39.14	11.95	45.22			
RMS	12.87048G	36.77	68.20	-31.43	30.90	3	Vertical	180	2.67	-	39.14	11.95	45.22			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 18
02-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86952G	47.32	88.20	-40.88	41.45	3	Horizontal	348	1.78	-	39.14	11.95	45.22			
RMS	12.87038G	36.93	68.20	-31.27	31.06	3	Horizontal	348	1.78	-	39.14	11.95	45.22			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 18
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30446G	51.43	83.54	-32.11	41.62	1	Vertical	279	2.73	-	37.80	20.81	48.80			
AV	19.30455G	41.10	63.54	-22.44	31.29	1	Vertical	279	2.73	-	37.80	20.81	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 18
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30558G	51.63	83.54	-31.91	41.82	1	Horizontal	154	1.38	-	37.80	20.81	48.80			
AV	19.30556G	40.86	63.54	-22.68	31.05	1	Horizontal	154	1.38	-	37.80	20.81	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 21
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94986G	47.08	88.20	-41.12	40.97	3	Vertical	229	1.19	-	39.30	11.94	45.13			
RMS	12.94985G	36.68	68.20	-31.52	30.57	3	Vertical	229	1.19	-	39.30	11.94	45.13			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 21
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95084G	47.18	88.20	-41.02	41.07	3	Horizontal	311	1.63	-	39.30	11.94	45.13			
RMS	12.94976G	36.54	68.20	-31.66	30.43	3	Horizontal	311	1.63	-	39.30	11.94	45.13			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 21
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42483G	51.88	83.54	-31.66	42.01	1	Vertical	133	1.87	-	37.80	20.87	48.80			
AV	19.42431G	40.32	63.54	-23.22	30.45	1	Vertical	133	1.87	-	37.80	20.87	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 21
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42528G	50.61	83.54	-32.93	40.74	1	Horizontal	0	1.45	-	37.80	20.87	48.80			
AV	19.4257G	40.40	63.54	-23.14	30.53	1	Horizontal	0	1.45	-	37.80	20.87	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 24
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02945G	48.37	88.20	-39.83	42.09	3	Vertical	303	2.85	-	39.40	11.93	45.05			
RMS	13.03007G	38.04	68.20	-30.16	31.76	3	Vertical	303	2.85	-	39.40	11.93	45.05			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 24
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02987G	48.36	88.20	-39.84	42.08	3	Horizontal	312	2.84	-	39.40	11.93	45.05			
RMS	13.03002G	37.66	68.20	-30.54	31.38	3	Horizontal	312	2.84	-	39.40	11.93	45.05			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 24
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54585G	51.05	83.54	-32.49	41.26	1	Vertical	343	2.55	-	37.71	20.88	48.80			
AV	19.544G	40.43	63.54	-23.11	30.64	1	Vertical	343	2.55	-	37.71	20.88	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 24
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54541G	51.07	83.54	-32.47	41.28	1	Horizontal	1	1.37	-	37.71	20.88	48.80			
AV	19.54443G	40.61	63.54	-22.93	30.82	1	Horizontal	1	1.37	-	37.71	20.88	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 28
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06999G	48.65	88.20	-39.55	42.26	3	Vertical	192	2.84	-	39.48	11.92	45.01			
RMS	13.07098G	38.08	68.20	-30.12	31.69	3	Vertical	192	2.84	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 28
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06996G	48.54	88.20	-39.66	42.15	3	Horizontal	252	1.94	-	39.48	11.92	45.01			
RMS	13.07074G	37.62	68.20	-30.58	31.23	3	Horizontal	252	1.94	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 28
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60454G	51.53	83.54	-32.01	41.80	1	Vertical	268	1.64	-	37.70	20.83	48.80			
AV	19.604G	40.80	63.54	-22.74	31.06	1	Vertical	268	1.64	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 28
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60433G	51.10	83.54	-32.44	41.37	1	Horizontal	351	2.52	-	37.70	20.83	48.80			
AV	19.60466G	40.37	63.54	-23.17	30.64	1	Horizontal	351	2.52	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 23
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38996G	48.87	74.00	-25.13	41.49	3	Vertical	92	2.27	-	40.26	11.87	44.75			
AV	13.39061G	38.74	54.00	-15.26	31.36	3	Vertical	92	2.27	-	40.26	11.87	44.75			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 23
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38926G	50.02	74.00	-23.98	42.64	3	Horizontal	213	2.03	-	40.26	11.87	44.75			
AV	13.38936G	38.67	54.00	-15.33	31.29	3	Horizontal	213	2.03	-	40.26	11.87	44.75			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 23
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08511G	51.03	83.54	-32.51	41.31	1	Vertical	99	2.29	-	37.80	20.70	48.78			
AV	20.0847G	40.46	63.54	-23.08	30.74	1	Vertical	99	2.29	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 23
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08501G	51.07	83.54	-32.47	41.35	1	Horizontal	96	2.22	-	37.80	20.70	48.78			
AV	20.08588G	40.78	63.54	-22.76	31.05	1	Horizontal	96	2.22	-	37.80	20.71	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_4TX
Setting 27
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74921G	52.04	88.20	-36.16	43.91	3	Vertical	115	3.00	-	40.80	11.82	44.49			
RMS	13.75098G	40.59	68.20	-27.61	32.45	3	Vertical	115	3.00	-	40.80	11.82	44.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 27
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74923G	51.49	88.20	-36.71	43.36	3	Horizontal	110	2.97	-	40.80	11.82	44.49			
RMS	13.75065G	40.37	68.20	-27.83	32.23	3	Horizontal	110	2.97	-	40.80	11.82	44.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 27
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62557G	52.54	83.54	-31.00	41.75	1	Vertical	254	1.39	-	37.90	21.59	48.70			
AV	20.62564G	41.61	63.54	-21.93	30.82	1	Vertical	254	1.39	-	37.90	21.59	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 27
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62454G	52.54	83.54	-31.00	41.75	1	Horizontal	103	1.79	-	37.90	21.59	48.70			
AV	20.6252G	41.50	63.54	-22.04	30.71	1	Horizontal	103	1.79	-	37.90	21.59	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 30
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79031G	50.67	88.20	-37.53	42.44	3	Vertical	169	1.56	-	40.88	11.81	44.46			
RMS	13.79032G	40.07	68.20	-28.13	31.84	3	Vertical	169	1.56	-	40.88	11.81	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 30
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79076G	50.99	88.20	-37.21	42.76	3	Horizontal	331	1.58	-	40.88	11.81	44.46			
RMS	13.79033G	40.26	68.20	-27.94	32.03	3	Horizontal	331	1.58	-	40.88	11.81	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 30
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68523G	52.73	83.54	-30.81	41.88	1	Vertical	76	1.22	-	37.90	21.65	48.70			
AV	20.68571G	42.02	63.54	-21.52	31.17	1	Vertical	76	1.22	-	37.90	21.65	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 30
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68561G	52.51	83.54	-31.03	41.66	1	Horizontal	319	1.87	-	37.90	21.65	48.70			
AV	20.68402G	42.00	63.54	-21.54	31.15	1	Horizontal	319	1.87	-	37.90	21.65	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 20
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98974G	52.67	88.20	-35.53	43.75	3	Vertical	332	1.82	-	41.46	11.78	44.32			
RMS	13.99016G	42.05	68.20	-26.15	33.13	3	Vertical	332	1.82	-	41.46	11.78	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 20
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98997G	52.38	88.20	-35.82	43.46	3	Horizontal	359	2.19	-	41.46	11.78	44.32			
RMS	13.989G	42.01	68.20	-26.19	33.09	3	Horizontal	359	2.19	-	41.46	11.78	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 20
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98537G	52.84	83.54	-30.70	41.61	1	Vertical	236	1.74	-	37.97	21.96	48.70			
AV	20.98523G	42.10	63.54	-21.44	30.88	1	Vertical	236	1.74	-	37.97	21.95	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 20
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98495G	53.14	83.54	-30.40	41.92	1	Horizontal	226	3.00	-	37.97	21.95	48.70			
AV	20.98463G	42.13	63.54	-21.41	30.91	1	Horizontal	226	3.00	-	37.97	21.95	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 16
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1012G	108.63	Inf	-Inf	95.50	3	Vertical	173	1.82	-	35.60	8.95	31.42			
RMS	7.0886G	99.85	Inf	-Inf	86.78	3	Vertical	173	1.82	-	35.55	8.94	31.42			
PK	7.1802G	64.11	88.20	-24.09	50.62	3	Vertical	173	1.82	-	35.92	8.99	31.42			
RMS	7.144G	53.77	68.20	-14.43	40.44	3	Vertical	173	1.82	-	35.78	8.97	31.42			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 16
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0974G	106.60	Inf	-Inf	93.48	3	Horizontal	190	1.96	-	35.59	8.95	31.42			
RMS	7.0974G	97.51	Inf	-Inf	84.39	3	Horizontal	190	1.96	-	35.59	8.95	31.42			
PK	7.1488G	64.28	88.20	-23.92	50.93	3	Horizontal	190	1.96	-	35.80	8.97	31.42			
RMS	7.1944G	53.77	68.20	-14.43	40.21	3	Horizontal	190	1.96	-	35.98	9.00	31.42			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 16
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19064G	53.59	88.20	-34.61	44.21	3	Vertical	167	1.62	-	42.16	11.79	44.57			
RMS	14.18909G	43.04	68.20	-25.16	33.66	3	Vertical	167	1.62	-	42.16	11.79	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 16
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19044G	54.08	88.20	-34.12	44.70	3	Horizontal	166	1.07	-	42.16	11.79	44.57			
RMS	14.18917G	43.07	68.20	-25.13	33.69	3	Horizontal	166	1.07	-	42.16	11.79	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 16
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28419G	53.40	83.54	-30.14	42.18	1	Vertical	76	2.02	-	38.07	21.79	48.64			
AV	21.2848G	42.36	63.54	-21.18	31.14	1	Vertical	76	2.02	-	38.07	21.79	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 16
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28439G	53.21	83.54	-30.33	41.99	1	Horizontal	136	1.30	-	38.07	21.79	48.64			
AV	21.28442G	42.52	63.54	-21.02	31.30	1	Horizontal	136	1.30	-	38.07	21.79	48.64			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 37
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8892G	62.04	88.20	-26.16	50.45	3	Vertical	174.6	1.66	-	34.06	8.17	30.64			
RMS	5.9176G	51.48	68.20	-16.72	39.81	3	Vertical	174.6	1.66	-	34.14	8.16	30.63			
PK	5.9804G	110.39	Inf	-Inf	98.61	3	Vertical	174.6	1.66	-	34.26	8.13	30.61			
RMS	5.98G	100.31	Inf	-Inf	88.53	3	Vertical	174.6	1.66	-	34.26	8.13	30.61			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 37
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8972G	63.07	88.20	-25.13	51.44	3	Horizontal	161.6	1.74	-	34.09	8.17	30.63			
AV	5.9246G	51.44	68.20	-16.76	39.77	3	Horizontal	161.6	1.74	-	34.15	8.15	30.63			
PK	5.9774G	110.43	Inf	-Inf	98.67	3	Horizontal	161.6	1.74	-	34.25	8.13	30.62			
AV	5.9824G	100.34	Inf	-Inf	88.56	3	Horizontal	161.6	1.74	-	34.26	8.13	30.61			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 37
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93014G	47.78	74.00	-26.22	41.78	3	Vertical	87	1.15	-	39.30	12.04	45.34			
AV	11.93024G	37.11	54.00	-16.89	31.11	3	Vertical	87	1.15	-	39.30	12.04	45.34			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 37
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92966G	48.18	74.00	-25.82	42.18	3	Horizontal	158	2.42	-	39.30	12.04	45.34			
AV	11.92905G	37.25	54.00	-16.75	31.26	3	Horizontal	158	2.42	-	39.30	12.03	45.34			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 37
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.89572G	51.42	83.54	-32.12	41.71	1	Vertical	231	2.92	-	37.48	20.15	47.92			
AV	17.89448G	41.60	63.54	-21.94	31.89	1	Vertical	231	2.92	-	37.48	20.15	47.92			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 37
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.89508G	51.90	83.54	-31.64	42.19	1	Horizontal	19	2.42	-	37.48	20.15	47.92			
AV	17.8944G	41.86	63.54	-21.68	32.15	1	Horizontal	19	2.42	-	37.48	20.15	47.92			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41039G	47.11	74.00	-26.89	41.97	3	Vertical	87	2.93	-	38.70	12.02	45.58			
AV	12.41032G	36.66	54.00	-17.34	31.52	3	Vertical	87	2.93	-	38.70	12.02	45.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40622G	47.91	74.00	-26.09	42.77	3	Horizontal	23	1.86	-	38.70	12.02	45.58			
AV	12.40992G	37.24	54.00	-16.76	32.10	3	Horizontal	23	1.86	-	38.70	12.02	45.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61431G	51.36	83.54	-32.18	41.33	1	Vertical	13	1.09	-	37.83	20.61	48.41			
AV	18.61576G	41.11	63.54	-22.43	31.09	1	Vertical	13	1.09	-	37.83	20.61	48.42			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61502G	52.39	83.54	-31.15	42.37	1	Horizontal	229	2.70	-	37.83	20.61	48.42			
AV	18.61588G	41.07	63.54	-22.47	31.05	1	Horizontal	229	2.70	-	37.83	20.61	48.42			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81042G	46.63	88.20	-41.57	41.01	3	Vertical	318	2.95	-	38.94	11.96	45.28			
RMS	12.80932G	36.30	68.20	-31.90	30.68	3	Vertical	318	2.95	-	38.94	11.96	45.28			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80962G	48.14	88.20	-40.06	42.52	3	Horizontal	212	1.40	-	38.94	11.96	45.28			
RMS	12.81035G	36.35	68.20	-31.85	30.73	3	Horizontal	212	1.40	-	38.94	11.96	45.28			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21475G	51.23	83.54	-32.31	41.41	1	Vertical	342	1.74	-	37.86	20.76	48.80			
AV	19.21575G	40.92	63.54	-22.62	31.10	1	Vertical	342	1.74	-	37.86	20.76	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21558G	51.71	83.54	-31.83	41.89	1	Horizontal	272	1.70	-	37.86	20.76	48.80			
AV	19.21438G	40.79	63.54	-22.75	30.97	1	Horizontal	272	1.70	-	37.86	20.76	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88911G	47.89	88.20	-40.31	41.95	3	Vertical	104	1.14	-	39.18	11.95	45.19			
RMS	12.89006G	36.69	68.20	-31.51	30.75	3	Vertical	104	1.14	-	39.18	11.95	45.19			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88999G	47.92	88.20	-40.28	41.98	3	Horizontal	324	1.76	-	39.18	11.95	45.19			
RMS	12.88999G	36.91	68.20	-31.29	30.97	3	Horizontal	324	1.76	-	39.18	11.95	45.19			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33494G	51.42	83.54	-32.12	41.60	1	Vertical	186	2.18	-	37.80	20.82	48.80			
AV	19.336G	40.65	63.54	-22.89	30.83	1	Vertical	186	2.18	-	37.80	20.82	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 38
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33427G	51.49	83.54	-32.05	41.67	1	Horizontal	157	1.59	-	37.80	20.82	48.80			
AV	19.33436G	40.53	63.54	-23.01	30.71	1	Horizontal	157	1.59	-	37.80	20.82	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96927G	47.46	88.20	-40.74	41.29	3	Vertical	293	2.40	-	39.34	11.93	45.10			
RMS	12.97098G	36.68	68.20	-31.52	30.51	3	Vertical	293	2.40	-	39.34	11.93	45.10			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96931G	47.73	88.20	-40.47	41.56	3	Horizontal	49	2.15	-	39.34	11.93	45.10			
RMS	12.96928G	37.01	68.20	-31.19	30.84	3	Horizontal	49	2.15	-	39.34	11.93	45.10			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45424G	50.53	83.54	-33.01	40.73	1	Vertical	147	1.93	-	37.71	20.89	48.80			
AV	19.45596G	40.17	63.54	-23.37	30.37	1	Vertical	147	1.93	-	37.71	20.89	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45444G	51.07	83.54	-32.47	41.27	1	Horizontal	311	1.13	-	37.71	20.89	48.80			
AV	19.45411G	40.39	63.54	-23.15	30.59	1	Horizontal	311	1.13	-	37.71	20.89	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_4TX
Setting 40
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04913G	48.61	88.20	-39.59	42.32	3	Vertical	198	2.28	-	39.40	11.92	45.03			
RMS	13.05054G	37.82	68.20	-30.38	31.53	3	Vertical	198	2.28	-	39.40	11.92	45.03			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_4TX
Setting 40
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04915G	48.46	88.20	-39.74	42.17	3	Horizontal	133	2.96	-	39.40	11.92	45.03			
RMS	13.04979G	37.70	68.20	-30.50	31.41	3	Horizontal	133	2.96	-	39.40	11.92	45.03			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_4TX
Setting 40
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57482G	50.99	83.54	-32.55	41.23	1	Vertical	88	1.48	-	37.70	20.86	48.80			
AV	19.57586G	40.45	63.54	-23.09	30.69	1	Vertical	88	1.48	-	37.70	20.86	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_4TX
Setting 40
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5757G	51.95	83.54	-31.59	42.19	1	Horizontal	71	1.05	-	37.70	20.86	48.80			
AV	19.57553G	40.60	63.54	-22.94	30.84	1	Horizontal	71	1.05	-	37.70	20.86	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 41
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12928G	48.26	88.20	-39.94	41.65	3	Vertical	310	1.60	-	39.66	11.91	44.96			
RMS	13.12924G	37.83	68.20	-30.37	31.22	3	Vertical	310	1.60	-	39.66	11.91	44.96			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 41
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12915G	49.45	88.20	-38.75	42.84	3	Horizontal	205	2.59	-	39.66	11.91	44.96			
RMS	13.13075G	38.03	68.20	-30.17	31.42	3	Horizontal	205	2.59	-	39.66	11.91	44.96			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 41
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69407G	51.44	83.54	-32.10	41.77	1	Vertical	356	2.35	-	37.70	20.77	48.80			
AV	19.69525G	40.96	63.54	-22.58	31.29	1	Vertical	356	2.35	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 41
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69421G	51.86	83.54	-31.68	42.19	1	Horizontal	355	1.29	-	37.70	20.77	48.80			
AV	19.69575G	41.37	63.54	-22.17	31.70	1	Horizontal	355	1.29	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX



EUT_Y_4TX
Setting 39
02-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37045G	49.64	74.00	-24.36	42.36	3	Vertical	333	2.81	-	40.18	11.87	44.77			
AV	13.36995G	38.79	54.00	-15.21	31.51	3	Vertical	333	2.81	-	40.18	11.87	44.77			