


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 74
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85355G	51.70	83.54	-31.84	41.89	1	Horizontal	198	1.80	-	38.81	18.13	47.13			
AV	23.85502G	41.03	63.54	-22.51	31.22	1	Horizontal	198	1.80	-	38.81	18.13	47.13			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39875G	45.47	74.00	-28.53	60.48	3	Vertical	293	1.26	-	38.80	11.80	65.61			
AV	12.41996G	35.07	54.00	-18.93	50.07	3	Vertical	293	1.26	-	38.80	11.80	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40367G	47.13	74.00	-26.87	62.13	3	Horizontal	72	2.46	-	38.80	11.80	65.60			
AV	12.40397G	36.83	54.00	-17.17	51.83	3	Horizontal	72	2.46	-	38.80	11.80	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60012G	51.91	83.54	-31.63	47.93	1	Vertical	358	1.80	-	37.90	15.72	49.64			
AV	18.6075G	41.26	63.54	-22.28	37.26	1	Vertical	358	1.80	-	37.91	15.72	49.63			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60735G	46.85	83.54	-36.69	42.85	1	Horizontal	360	2.15	-	37.91	15.72	49.63			
AV	18.60756G	36.05	63.54	-27.49	32.04	1	Horizontal	360	2.15	-	37.92	15.72	49.63			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81498G	44.91	88.20	-43.29	59.15	3	Vertical	131	1.94	-	39.13	11.77	65.14			
RMS	12.801G	34.73	68.20	-33.47	49.01	3	Vertical	131	1.94	-	39.10	11.77	65.15			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79833G	46.68	88.20	-41.52	60.97	3	Horizontal	101	1.44	-	39.10	11.77	65.16			
RMS	12.81546G	35.57	68.20	-32.63	49.80	3	Horizontal	101	1.44	-	39.13	11.77	65.13			

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22568G	56.42	83.54	-27.12	51.95	1	Vertical	99	1.85	-	37.90	16.01	49.44			
AV	19.22511G	46.83	63.54	-16.71	42.36	1	Vertical	99	1.85	-	37.90	16.01	49.44			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22493G	51.11	83.54	-32.43	46.65	1	Horizontal	183	1.97	-	37.90	16.00	49.44			
AV	19.21974G	41.25	63.54	-22.29	36.79	1	Horizontal	183	1.97	-	37.90	16.00	49.44			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88712G	45.41	88.20	-42.79	59.42	3	Vertical	347	1.62	-	39.27	11.76	65.04			
RMS	12.89849G	35.05	68.20	-33.15	49.01	3	Vertical	347	1.62	-	39.30	11.76	65.02			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.90248G	46.34	88.20	-41.86	60.28	3	Horizontal	20	1.38	-	39.31	11.76	65.01			
RMS	12.8891G	36.37	68.20	-31.83	50.36	3	Horizontal	20	1.38	-	39.28	11.76	65.03			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6445MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.32741G	60.81	83.54	-22.73	56.38	1	Vertical	71	1.80	-	37.90	16.03	49.50			
AV	19.32819G	50.11	63.54	-13.43	45.68	1	Vertical	71	1.80	-	37.90	16.03	49.50			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.32759G	55.36	83.54	-28.18	50.93	1	Horizontal	322	2.92	-	37.90	16.03	49.50			
AV	19.33368G	44.93	63.54	-18.61	40.50	1	Horizontal	322	2.92	-	37.90	16.03	49.50			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95533G	45.43	88.20	-42.77	59.11	3	Vertical	349	2.23	-	39.50	11.76	64.94			
RMS	12.96025G	35.56	68.20	-32.64	49.23	3	Vertical	349	2.23	-	39.50	11.76	64.93			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97045G	47.40	88.20	-40.80	61.06	3	Horizontal	90	2.24	-	39.50	11.76	64.92			
RMS	12.97771G	36.33	68.20	-31.87	49.98	3	Horizontal	90	2.24	-	39.50	11.76	64.91			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4475G	56.91	83.54	-26.63	52.54	1	Vertical	151	1.80	-	37.89	16.05	49.57			
AV	19.45758G	47.53	63.54	-16.01	43.18	1	Vertical	151	1.80	-	37.88	16.05	49.58			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.44486G	53.46	83.54	-30.08	49.09	1	Horizontal	115	2.48	-	37.89	16.05	49.57			
AV	19.44663G	42.94	63.54	-20.60	38.57	1	Horizontal	115	2.48	-	37.89	16.05	49.57			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04796G	46.63	88.20	-41.57	60.26	3	Vertical	8	1.63	-	39.50	11.75	64.88			
RMS	13.05363G	36.87	68.20	-31.33	50.48	3	Vertical	8	1.63	-	39.51	11.75	64.87			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05198G	44.91	88.20	-43.29	58.53	3	Horizontal	56	2.08	-	39.50	11.75	64.87			
RMS	13.03695G	34.95	68.20	-33.25	48.58	3	Horizontal	56	2.08	-	39.50	11.75	64.88			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.56663G	54.20	83.54	-29.34	49.84	1	Vertical	151	1.80	-	37.83	16.08	49.55			
AV	19.5678G	44.53	63.54	-19.01	40.16	1	Vertical	151	1.80	-	37.84	16.08	49.55			

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5609G	49.55	83.54	-33.99	45.21	1	Horizontal	191	2.93	-	37.82	16.08	49.56			
AV	19.56738G	39.07	63.54	-24.47	34.71	1	Horizontal	191	2.93	-	37.83	16.08	49.55			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.11779G	45.22	88.20	-42.98	58.74	3	Vertical	360	1.59	-	39.60	11.75	64.87				
RMS	13.11521G	34.65	68.20	-33.55	48.17	3	Vertical	360	1.59	-	39.60	11.75	64.87				

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12643G	46.57	88.20	-41.63	60.09	3	Horizontal	317	2.30	-	39.60	11.75	64.87			
RMS	13.12208G	36.40	68.20	-31.80	49.92	3	Horizontal	317	2.30	-	39.60	11.75	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6875G	52.57	83.54	-30.97	48.12	1	Vertical	213	1.76	-	37.80	16.12	49.47			
AV	19.6875G	42.89	63.54	-20.65	38.44	1	Vertical	213	1.76	-	37.80	16.12	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70253G	47.78	83.54	-35.76	43.30	1	Horizontal	116	1.00	-	37.81	16.13	49.46			
AV	19.68747G	38.05	63.54	-25.49	33.60	1	Horizontal	116	1.00	-	37.80	16.12	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37417G	45.50	74.00	-28.50	58.46	3	Vertical	126	2.36	-	40.15	11.73	64.84			
AV	13.35563G	35.56	54.00	-18.44	48.56	3	Vertical	126	2.36	-	40.11	11.73	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37249G	47.52	74.00	-26.48	60.49	3	Horizontal	222	1.93	-	40.14	11.73	64.84			
AV	13.38104G	37.81	54.00	-16.19	50.76	3	Horizontal	222	1.93	-	40.16	11.73	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05497G	53.89	83.54	-29.65	49.08	1	Vertical	360	1.80	-	37.81	16.26	49.26			
AV	20.06637G	43.15	63.54	-20.39	38.32	1	Vertical	360	1.80	-	37.83	16.26	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06493G	48.16	83.54	-35.38	43.33	1	Horizontal	101	2.98	-	37.83	16.26	49.26			
AV	20.06511G	37.99	63.54	-25.55	33.16	1	Horizontal	101	2.98	-	37.83	16.26	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77114G	47.26	88.20	-40.94	59.57	3	Vertical	98	2.79	-	40.70	11.70	64.71			
RMS	13.75788G	36.17	68.20	-32.03	48.48	3	Vertical	98	2.79	-	40.70	11.70	64.71			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77462G	46.93	88.20	-41.27	59.23	3	Horizontal	130	1.62	-	40.70	11.70	64.70			
RMS	13.76085G	37.14	68.20	-31.06	49.45	3	Horizontal	130	1.62	-	40.70	11.70	64.71			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.64078G	55.98	83.54	-27.56	50.67	1	Vertical	14	1.86	-	38.00	16.47	49.16			
AV	20.64678G	45.21	63.54	-18.33	39.89	1	Vertical	14	1.86	-	38.00	16.47	49.15			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65839G	49.98	83.54	-33.56	44.68	1	Horizontal	90	1.60	-	37.98	16.47	49.15			
AV	20.64726G	39.59	63.54	-23.95	34.27	1	Horizontal	90	1.60	-	38.00	16.47	49.15			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.86005G	47.94	88.20	-40.26	60.11	3	Vertical	80	1.80	-	40.80	11.69	64.66			
RMS	13.84202G	37.25	68.20	-30.95	49.45	3	Vertical	80	1.80	-	40.78	11.69	64.67			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.86191G	47.15	88.20	-41.05	59.32	3	Horizontal	304	2.51	-	40.80	11.69	64.66			
RMS	13.85174G	36.79	68.20	-31.41	48.97	3	Horizontal	304	2.51	-	40.80	11.69	64.67			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.76744G	53.33	83.54	-30.21	47.94	1	Vertical	70	1.80	-	38.03	16.45	49.09			
AV	20.76756G	42.80	63.54	-20.74	37.41	1	Vertical	70	1.80	-	38.03	16.45	49.09			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.76732G	49.51	83.54	-34.03	44.12	1	Horizontal	144	1.06	-	38.03	16.45	49.09			
AV	20.76816G	39.29	63.54	-24.25	33.90	1	Horizontal	144	1.06	-	38.03	16.45	49.09			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01621G	48.10	88.20	-40.10	59.87	3	Vertical	44	1.72	-	41.13	11.69	64.59			
RMS	14.01069G	37.21	68.20	-30.99	48.99	3	Vertical	44	1.72	-	41.12	11.69	64.59			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0124G	47.66	88.20	-40.54	59.44	3	Horizontal	248	2.95	-	41.12	11.69	64.59			
RMS	14.01654G	36.68	68.20	-31.52	48.45	3	Horizontal	248	2.95	-	41.13	11.69	64.59			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01275G	50.08	83.54	-33.46	44.54	1	Vertical	35	1.84	-	38.07	16.43	48.96			
AV	21.02532G	38.88	63.54	-24.66	33.34	1	Vertical	35	1.84	-	38.05	16.45	48.96			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.02091G	44.87	83.54	-38.67	39.33	1	Horizontal	243	2.77	-	38.06	16.44	48.96			
AV	21.00753G	34.88	63.54	-28.66	29.34	1	Horizontal	243	2.77	-	38.08	16.43	48.97			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 77
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0817G	109.54	Inf	-Inf	100.54	3	Vertical	13	2.12	-	35.70	8.44	35.14			
RMS	7.082G	99.50	Inf	-Inf	90.50	3	Vertical	13	2.12	-	35.70	8.44	35.14			
PK	7.13G	79.77	88.20	-8.43	70.55	3	Vertical	13	2.12	-	35.88	8.48	35.14			
RMS	7.1261G	67.25	68.20	-0.95	58.05	3	Vertical	13	2.12	-	35.86	8.48	35.14			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 77
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0721G	105.53	Inf	-Inf	96.54	3	Horizontal	25	2.11	-	35.70	8.43	35.14			
RMS	7.0799G	96.15	Inf	-Inf	87.15	3	Horizontal	25	2.11	-	35.70	8.44	35.14			
PK	7.1267G	76.18	88.20	-12.02	66.98	3	Horizontal	25	2.11	-	35.86	8.48	35.14			
RMS	7.1252G	64.68	68.20	-3.52	55.49	3	Horizontal	25	2.11	-	35.85	8.48	35.14			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 77
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17021G	47.11	88.20	-41.09	58.31	3	Vertical	336	1.80	-	41.48	11.82	64.50			
RMS	14.17267G	36.80	68.20	-31.40	47.99	3	Vertical	336	1.80	-	41.49	11.82	64.50			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7085MHz_TX

EUT_Z_1TX
Setting 77
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16421G	49.41	88.20	-38.79	60.64	3	Horizontal	114	2.61	-	41.46	11.81	64.50			
RMS	14.15944G	38.96	68.20	-29.24	50.21	3	Horizontal	114	2.61	-	41.44	11.81	64.50			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 77
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.26004G	50.19	83.54	-33.35	44.25	1	Vertical	86	1.80	-	38.10	16.70	48.86			
AV	21.24423G	39.46	63.54	-24.08	33.55	1	Vertical	86	1.80	-	38.09	16.68	48.86			

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


7085MHz_TX

EUT_Z_1TX
Setting 77
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.24486G	46.00	83.54	-37.54	40.09	1	Horizontal	334	2.90	-	38.09	16.68	48.86			
AV	21.24513G	35.32	63.54	-28.22	29.41	1	Horizontal	334	2.90	-	38.09	16.68	48.86			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	80.10	88.20	-8.10	72.63	3	Vertical	25	2.30	-	34.58	8.09	35.20			
RMS	5.9214G	67.32	68.20	-0.88	59.84	3	Vertical	25	2.30	-	34.59	8.09	35.20			
PK	5.9974G	109.33	Inf	-Inf	101.65	3	Vertical	25	2.30	-	34.70	8.17	35.19			
RMS	5.971G	99.35	Inf	-Inf	91.70	3	Vertical	25	2.30	-	34.70	8.14	35.19			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	74.74	88.20	-13.46	67.26	3	Horizontal	0	2.34	-	34.59	8.09	35.20			
RMS	5.9242G	63.05	68.20	-5.15	55.56	3	Horizontal	0	2.34	-	34.60	8.09	35.20			
PK	5.9798G	103.64	Inf	-Inf	95.98	3	Horizontal	0	2.34	-	34.70	8.15	35.19			
RMS	5.9702G	94.11	Inf	-Inf	86.46	3	Horizontal	0	2.34	-	34.70	8.14	35.19			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95623G	45.83	74.00	-28.17	60.61	3	Vertical	2	1.80	-	39.20	11.81	65.79			
AV	11.97387G	34.77	54.00	-19.23	49.52	3	Vertical	2	1.80	-	39.20	11.82	65.77			
PK	17.94039G	52.35	74.00	-21.65	57.36	3	Vertical	292	1.66	-	44.74	14.22	63.97			
AV	17.96835G	41.75	54.00	-12.25	46.73	3	Vertical	292	1.66	-	44.74	14.23	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97336G	46.08	74.00	-27.92	60.83	3	Horizontal	102	2.96	-	39.20	11.82	65.77			
AV	11.97357G	35.93	54.00	-18.07	50.68	3	Horizontal	102	2.96	-	39.20	11.82	65.77			
PK	17.96823G	52.55	74.00	-21.45	57.53	3	Horizontal	57	2.50	-	44.74	14.23	63.95			
AV	17.96271G	42.74	54.00	-11.26	47.73	3	Horizontal	57	2.50	-	44.73	14.23	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93436G	52.31	83.54	-31.23	42.28	1	Vertical	360	1.80	-	38.97	18.15	47.09			
AV	23.94843G	41.62	63.54	-21.92	31.55	1	Vertical	360	1.80	-	39.00	18.15	47.08			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93067G	48.44	83.54	-35.10	38.42	1	Horizontal	332	1.91	-	38.96	18.15	47.09			
AV	23.92692G	37.37	63.54	-26.17	27.36	1	Horizontal	332	1.91	-	38.95	18.15	47.09			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43581G	44.55	74.00	-29.45	59.54	3	Vertical	159	2.95	-	38.80	11.80	65.59			
AV	12.46245G	34.28	54.00	-19.72	49.26	3	Vertical	159	2.95	-	38.80	11.80	65.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44214G	45.51	74.00	-28.49	60.50	3	Horizontal	242	1.51	-	38.80	11.80	65.59			
AV	12.45357G	34.96	54.00	-19.04	49.95	3	Horizontal	242	1.51	-	38.80	11.80	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67167G	49.44	83.54	-34.10	45.35	1	Vertical	91	1.80	-	37.91	15.76	49.58			
AV	18.66054G	38.75	63.54	-24.79	34.62	1	Vertical	91	1.80	-	37.96	15.76	49.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66594G	44.79	83.54	-38.75	40.67	1	Horizontal	189	1.77	-	37.94	15.76	49.58			
AV	18.6741G	34.59	63.54	-28.95	30.51	1	Horizontal	189	1.77	-	37.90	15.76	49.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77966G	45.46	88.20	-42.74	59.81	3	Vertical	227	1.48	-	39.06	11.77	65.18			
RMS	12.76244G	35.06	68.20	-33.14	49.48	3	Vertical	227	1.48	-	39.02	11.77	65.21			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77645G	45.78	88.20	-42.42	60.15	3	Horizontal	53	2.73	-	39.05	11.77	65.19			
RMS	12.77336G	35.75	68.20	-32.45	50.12	3	Horizontal	53	2.73	-	39.05	11.77	65.19			

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16868G	53.99	83.54	-29.55	49.51	1	Vertical	192	1.80	-	37.90	15.99	49.41			
AV	19.16115G	43.27	63.54	-20.27	38.78	1	Vertical	192	1.80	-	37.90	15.99	49.40			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15575G	48.79	83.54	-34.75	44.30	1	Horizontal	233	2.26	-	37.90	15.99	49.40			
AV	19.14273G	38.71	63.54	-24.83	34.21	1	Horizontal	233	2.26	-	37.90	15.99	49.39			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94245G	46.31	88.20	-41.89	60.04	3	Vertical	6	2.06	-	39.47	11.76	64.96			
RMS	12.91965G	35.03	68.20	-33.17	48.88	3	Vertical	6	2.06	-	39.38	11.76	64.99			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93615G	45.24	88.20	-42.96	59.01	3	Horizontal	180	1.82	-	39.44	11.76	64.97			
RMS	12.9177G	36.08	68.20	-32.12	49.94	3	Horizontal	180	1.82	-	39.37	11.76	64.99			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38426G	54.67	83.54	-28.87	50.33	1	Vertical	152	1.80	-	37.83	16.04	49.53			
AV	19.39626G	44.67	63.54	-18.87	40.36	1	Vertical	152	1.80	-	37.81	16.04	49.54			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39527G	50.85	83.54	-32.69	46.54	1	Horizontal	272	2.80	-	37.81	16.04	49.54			
AV	19.38369G	40.04	63.54	-23.50	35.70	1	Horizontal	272	2.80	-	37.83	16.04	49.53			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6545MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08004G	45.12	88.20	-43.08	58.68	3	Vertical	172	1.80	-	39.56	11.75	64.87			
RMS	13.08889G	34.73	68.20	-33.47	48.27	3	Vertical	172	1.80	-	39.58	11.75	64.87			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09426G	47.03	88.20	-41.17	60.56	3	Horizontal	140	1.02	-	39.59	11.75	64.87			
RMS	13.09108G	37.15	68.20	-31.05	50.69	3	Horizontal	140	1.02	-	39.58	11.75	64.87			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.62054G	51.17	83.54	-32.37	46.73	1	Vertical	214	1.80	-	37.86	16.10	49.52			
AV	19.63275G	40.44	63.54	-23.10	36.01	1	Vertical	214	1.80	-	37.83	16.11	49.51			

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63926G	49.32	83.54	-34.22	44.90	1	Horizontal	326	1.80	-	37.82	16.11	49.51			
AV	19.62609G	38.31	63.54	-25.23	33.87	1	Horizontal	326	1.80	-	37.85	16.10	49.51			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24991G	46.18	88.20	-42.02	59.30	3	Vertical	329	1.80	-	40.00	11.74	64.86			
RMS	13.24328G	34.86	68.20	-33.34	48.01	3	Vertical	329	1.80	-	39.97	11.74	64.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.23935G	46.69	88.20	-41.51	59.85	3	Horizontal	16	1.74	-	39.96	11.74	64.86			
RMS	13.24091G	36.38	68.20	-31.82	49.54	3	Horizontal	16	1.74	-	39.96	11.74	64.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88781G	48.89	83.54	-34.65	44.14	1	Vertical	212	1.80	-	37.90	16.19	49.34			
AV	19.87974G	37.83	63.54	-25.71	33.08	1	Vertical	212	1.80	-	37.90	16.19	49.34			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86699G	47.69	83.54	-35.85	42.96	1	Horizontal	14	1.91	-	37.90	16.18	49.35			
AV	19.87737G	37.21	63.54	-26.33	32.46	1	Horizontal	14	1.91	-	37.90	16.19	49.34			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41006G	46.39	88.20	-41.81	59.29	3	Vertical	0	1.80	-	40.22	11.72	64.84			
RMS	13.41609G	36.19	68.20	-32.01	49.08	3	Vertical	0	1.80	-	40.23	11.72	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41924G	47.86	88.20	-40.34	60.74	3	Horizontal	192	2.74	-	40.24	11.72	64.84			
RMS	13.41867G	38.07	68.20	-30.13	50.95	3	Horizontal	192	2.74	-	40.24	11.72	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12868G	53.60	83.54	-29.94	48.65	1	Vertical	248	1.80	-	37.90	16.30	49.25			
AV	20.11242G	42.56	63.54	-20.98	37.62	1	Vertical	248	1.80	-	37.90	16.29	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1081G	51.50	83.54	-32.04	46.56	1	Horizontal	354	1.07	-	37.90	16.29	49.25			
AV	20.12817G	40.54	63.54	-23.00	35.59	1	Horizontal	354	1.07	-	37.90	16.30	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57342G	46.40	88.20	-41.80	59.14	3	Vertical	201	1.80	-	40.35	11.71	64.80			
RMS	13.56061G	34.97	68.20	-33.23	47.74	3	Vertical	201	1.80	-	40.32	11.71	64.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56763G	47.54	88.20	-40.66	60.29	3	Horizontal	214	1.23	-	40.34	11.71	64.80			
RMS	13.57183G	36.96	68.20	-31.24	49.71	3	Horizontal	214	1.23	-	40.34	11.71	64.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34297G	48.95	83.54	-34.59	43.79	1	Vertical	116	1.80	-	37.99	16.41	49.24			
AV	20.34702G	38.28	63.54	-25.26	33.12	1	Vertical	116	1.80	-	37.99	16.41	49.24			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36028G	48.72	83.54	-34.82	43.54	1	Horizontal	354	1.97	-	38.00	16.42	49.24			
AV	20.36763G	38.05	63.54	-25.49	32.87	1	Horizontal	354	1.97	-	38.00	16.42	49.24			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73807G	46.46	88.20	-41.74	58.83	3	Vertical	2	1.80	-	40.65	11.70	64.72			
RMS	13.73612G	35.61	68.20	-32.59	47.99	3	Vertical	2	1.80	-	40.64	11.70	64.72			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73489G	48.45	88.20	-39.75	60.83	3	Horizontal	248	1.67	-	40.64	11.70	64.72			
RMS	13.7399G	38.33	68.20	-29.87	50.69	3	Horizontal	248	1.67	-	40.66	11.70	64.72			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.60193G	52.62	83.54	-30.92	47.32	1	Vertical	16	1.80	-	38.00	16.48	49.18			
AV	20.58258G	42.14	63.54	-21.40	36.88	1	Vertical	16	1.80	-	37.97	16.48	49.19			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.60439G	50.09	83.54	-33.45	44.79	1	Horizontal	12	1.80	-	38.00	16.48	49.18			
AV	20.58735G	40.05	63.54	-23.49	34.78	1	Horizontal	12	1.80	-	37.97	16.48	49.18			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88073G	46.30	88.20	-41.90	58.46	3	Vertical	311	1.87	-	40.80	11.69	64.65			
RMS	13.89438G	36.22	68.20	-31.98	48.38	3	Vertical	311	1.87	-	40.80	11.69	64.65			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89165G	48.38	88.20	-39.82	60.54	3	Horizontal	125	2.19	-	40.80	11.69	64.65			
RMS	13.9023G	38.00	68.20	-30.20	50.15	3	Horizontal	125	2.19	-	40.80	11.69	64.64			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82033G	50.00	83.54	-33.54	44.67	1	Vertical	72	1.80	-	37.94	16.45	49.06			
AV	20.82249G	39.17	63.54	-24.37	33.85	1	Vertical	72	1.80	-	37.94	16.44	49.06			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82615G	48.22	83.54	-35.32	42.89	1	Horizontal	228	1.80	-	37.95	16.44	49.06			
AV	20.83863G	37.63	63.54	-25.91	32.26	1	Horizontal	228	1.80	-	37.98	16.44	49.05			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 76
05-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9923G	103.71	Inf	-Inf	92.82	3	Vertical	7	1.80	-	36.10	9.24	34.45			
RMS	6.9962G	94.30	Inf	-Inf	83.41	3	Vertical	7	1.80	-	36.10	9.24	34.45			
PK	7.1309G	72.67	88.20	-15.53	60.90	3	Vertical	7	1.80	-	36.79	9.28	34.30			
RMS	7.1267G	58.50	68.20	-9.70	46.76	3	Vertical	7	1.80	-	36.76	9.28	34.30			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 76
05-I-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0109G	104.61	Inf	-Inf	93.66	3	Horizontal	87	1.80	-	36.14	9.25	34.44				
RMS	7.0127G	94.68	Inf	-Inf	83.72	3	Horizontal	87	1.80	-	36.15	9.25	34.44				
PK	7.1288G	69.02	88.20	-19.18	57.27	3	Horizontal	87	1.80	-	36.77	9.28	34.30				
RMS	7.1264G	57.98	68.20	-10.22	46.24	3	Horizontal	87	1.80	-	36.76	9.28	34.30				

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04019G	48.64	88.20	-39.56	60.33	3	Vertical	189	1.35	-	41.18	11.71	64.58			
RMS	14.04865G	37.01	68.20	-31.19	48.66	3	Vertical	189	1.35	-	41.20	11.72	64.57			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05G	47.75	88.20	-40.45	59.40	3	Horizontal	42	1.99	-	41.20	11.72	64.57			
RMS	14.05G	37.30	68.20	-30.90	48.95	3	Horizontal	42	1.99	-	41.20	11.72	64.57			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08871G	50.08	83.54	-33.46	44.50	1	Vertical	12	1.80	-	38.00	16.51	48.93			
AV	21.07647G	38.96	63.54	-24.58	33.40	1	Vertical	12	1.80	-	38.00	16.50	48.94			

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 76
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08964G	49.66	83.54	-33.88	44.07	1	Horizontal	211	1.80	-	38.00	16.52	48.93			
AV	21.08505G	39.20	63.54	-24.34	33.62	1	Horizontal	211	1.80	-	38.00	16.51	48.93			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Z_1TX
Setting 78
03-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	79.35	88.20	-8.85	71.87	3	Vertical	25	2.23	-	34.59	8.09	35.20			
RMS	5.9235G	68.02	68.20	-0.18	60.54	3	Vertical	25	2.23	-	34.59	8.09	35.20			
PK	5.9545G	106.70	Inf	-Inf	99.07	3	Vertical	25	2.23	-	34.70	8.12	35.19			
RMS	5.9675G	97.26	Inf	-Inf	89.61	3	Vertical	25	2.23	-	34.70	8.14	35.19			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
03-E-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	74.99	88.20	-13.21	67.52	3	Horizontal	0	2.34	-	34.58	8.09	35.20			
RMS	5.923G	63.02	68.20	-5.18	55.54	3	Horizontal	0	2.34	-	34.59	8.09	35.20			
PK	5.9635G	101.00	Inf	-Inf	93.36	3	Horizontal	0	2.34	-	34.70	8.13	35.19			
RMS	5.9675G	91.73	Inf	-Inf	84.08	3	Horizontal	0	2.34	-	34.70	8.14	35.19			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Z_1TX
Setting 78
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04565G	45.15	74.00	-28.85	59.94	3	Vertical	227	2.05	-	39.11	11.83	65.73			
AV	12.06371G	34.66	54.00	-19.34	49.51	3	Vertical	227	2.05	-	39.05	11.83	65.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Z_1TX
Setting 78
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04217G	45.01	74.00	-28.99	59.79	3	Horizontal	4	1.53	-	39.12	11.83	65.73			
AV	12.05354G	34.77	54.00	-19.23	49.58	3	Horizontal	4	1.53	-	39.09	11.83	65.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07917G	47.74	83.54	-35.80	44.25	1	Vertical	355	1.80	-	37.58	15.44	49.53			
AV	18.07014G	37.02	63.54	-26.52	33.58	1	Vertical	355	1.80	-	37.52	15.44	49.52			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Z_1TX
Setting 78
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07086G	46.67	83.54	-36.87	43.22	1	Horizontal	9	1.99	-	37.53	15.44	49.52			
AV	18.06021G	36.04	63.54	-27.50	32.67	1	Horizontal	9	1.99	-	37.46	15.43	49.52			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.35866G	45.14	74.00	-28.86	60.16	3	Vertical	288	2.30	-	38.80	11.80	65.62			
AV	12.37951G	35.68	54.00	-18.32	50.69	3	Vertical	288	2.30	-	38.80	11.80	65.61			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37759G	46.10	74.00	-27.90	61.11	3	Horizontal	306	1.96	-	38.80	11.80	65.61			
AV	12.36601G	36.34	54.00	-17.66	51.36	3	Horizontal	306	1.96	-	38.80	11.80	65.62			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54624G	53.32	83.54	-30.22	43.27	1	Vertical	360	1.80	-	37.80	20.60	48.35			
AV	18.55602G	42.41	63.54	-21.13	32.36	1	Vertical	360	1.80	-	37.80	20.61	48.36			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.56283G	53.18	83.54	-30.36	43.13	1	Horizontal	0	1.80	-	37.80	20.61	48.36			
AV	18.54375G	42.39	63.54	-21.15	32.33	1	Horizontal	0	1.80	-	37.80	20.60	48.34			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69402G	45.11	74.00	-28.89	59.73	3	Vertical	348	1.83	-	38.90	11.78	65.30			
AV	12.6918G	35.01	54.00	-18.99	49.64	3	Vertical	348	1.83	-	38.90	11.78	65.31			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69375G	46.02	74.00	-27.98	60.64	3	Horizontal	230	2.47	-	38.90	11.78	65.30			
AV	12.69708G	34.88	54.00	-19.12	49.50	3	Horizontal	230	2.47	-	38.90	11.78	65.30			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0449G	55.68	83.54	-27.86	45.90	1	Vertical	191	1.80	-	37.91	20.67	48.80			
AV	19.0449G	44.62	63.54	-18.92	34.84	1	Vertical	191	1.80	-	37.91	20.67	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03482G	53.43	83.54	-30.11	43.63	1	Horizontal	229	1.54	-	37.93	20.67	48.80			
AV	19.03605G	42.72	63.54	-20.82	32.92	1	Horizontal	229	1.54	-	37.93	20.67	48.80			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.99632G	45.29	88.20	-42.91	58.92	3	Vertical	280	1.80	-	39.50	11.76	64.89			
RMS	12.9992G	35.17	68.20	-33.03	48.79	3	Vertical	280	1.80	-	39.50	11.76	64.88			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00454G	44.84	88.20	-43.36	58.47	3	Horizontal	162	1.92	-	39.50	11.75	64.88			
RMS	12.99668G	36.06	68.20	-32.14	49.68	3	Horizontal	162	1.92	-	39.50	11.76	64.88			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.50378G	54.28	83.54	-29.26	44.38	1	Vertical	148	1.80	-	37.79	20.91	48.80			
AV	19.50768G	43.60	63.54	-19.94	33.72	1	Vertical	148	1.80	-	37.78	20.90	48.80			

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.52514G	53.58	83.54	-29.96	43.74	1	Horizontal	87	1.80	-	37.75	20.89	48.80			
AV	19.51206G	43.36	63.54	-20.18	33.48	1	Horizontal	87	1.80	-	37.78	20.90	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32985G	46.14	74.00	-27.86	59.16	3	Vertical	316	2.67	-	40.10	11.73	64.85			
AV	13.3324G	35.73	54.00	-18.27	48.75	3	Vertical	316	2.67	-	40.10	11.73	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33315G	47.85	74.00	-26.15	60.87	3	Horizontal	228	1.05	-	40.10	11.73	64.85			
AV	13.31776G	37.37	54.00	-16.63	50.39	3	Horizontal	228	1.05	-	40.10	11.73	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98531G	55.10	83.54	-28.44	45.61	1	Vertical	360	1.80	-	37.73	20.56	48.80			
AV	19.99866G	43.91	63.54	-19.63	34.46	1	Vertical	360	1.80	-	37.70	20.55	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00862G	53.73	83.54	-29.81	44.24	1	Horizontal	288	1.80	-	37.72	20.57	48.80			
AV	19.9947G	42.99	63.54	-20.55	33.53	1	Horizontal	288	1.80	-	37.71	20.55	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65165G	45.15	88.20	-43.05	57.80	3	Vertical	245	1.08	-	40.40	11.71	64.76			
RMS	13.64592G	37.18	68.20	-31.02	49.83	3	Vertical	245	1.08	-	40.40	11.71	64.76			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64916G	45.50	88.20	-42.70	58.15	3	Horizontal	255	1.62	-	40.40	11.71	64.76			
RMS	13.64463G	35.03	68.20	-33.17	47.68	3	Horizontal	255	1.62	-	40.40	11.71	64.76			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4852G	54.07	83.54	-29.47	43.44	1	Vertical	51	1.80	-	37.90	21.43	48.70			
AV	20.48253G	44.09	63.54	-19.45	33.46	1	Vertical	51	1.80	-	37.90	21.43	48.70			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz_TX




EUT_Z_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.48433G	53.73	83.54	-29.81	43.10	1	Horizontal	336	1.80	-	37.90	21.43	48.70			
AV	20.48487G	42.96	63.54	-20.58	32.33	1	Horizontal	336	1.80	-	37.90	21.43	48.70			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 72
05-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.909G	102.54	Inf	-Inf	91.84	3	Vertical	338	1.80	-	36.02	9.12	34.44
RMS	6.909G	94.28	Inf	-Inf	83.58	3	Vertical	338	1.80	-	36.02	9.12	34.44
PK	7.145G	75.75	88.20	-12.45	63.87	3	Vertical	338	1.80	-	36.87	9.29	34.28
RMS	7.129G	67.95	68.20	-0.25	56.20	3	Vertical	338	1.80	-	36.77	9.28	34.30
PK	7.2642G	60.67	74.00	-13.33	48.44	3	Vertical	338	1.80	-	37.03	9.34	34.14
AV	7.2562G	52.20	54.00	-1.80	40.00	3	Vertical	338	1.80	-	37.01	9.34	34.15

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 72
05-I-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9226G	105.75	Inf	-Inf	95.00	3	Horizontal	70	2.53	-	36.05	9.14	34.44			
RMS	6.9194G	96.20	Inf	-Inf	85.47	3	Horizontal	70	2.53	-	36.04	9.13	34.44			
PK	7.1418G	75.40	88.20	-12.80	63.55	3	Horizontal	70	2.53	-	36.85	9.29	34.29			
RMS	7.129G	67.82	68.20	-0.38	56.07	3	Horizontal	70	2.53	-	36.77	9.28	34.30			
PK	7.257G	61.48	74.00	-12.52	49.28	3	Horizontal	70	2.53	-	37.01	9.34	34.15			
AV	7.2546G	53.61	54.00	-0.39	41.41	3	Horizontal	70	2.53	-	37.01	9.34	34.15			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 72
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98038G	47.82	88.20	-40.38	59.73	3	Vertical	117	1.80	-	41.02	11.68	64.61			
RMS	13.98035G	36.50	68.20	-31.70	48.41	3	Vertical	117	1.80	-	41.02	11.68	64.61			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX



EUT_Z_1TX
Setting 72
03-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97537G	46.65	88.20	-41.55	58.58	3	Horizontal	68	1.45	-	41.00	11.68	64.61			
RMS	13.95638G	37.25	68.20	-30.95	49.26	3	Horizontal	68	1.45	-	40.93	11.68	64.62			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 72
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96178G	53.13	83.54	-30.41	41.98	1	Vertical	46	2.00	-	37.92	21.93	48.70			
AV	20.95788G	42.44	63.54	-21.10	31.29	1	Vertical	46	2.00	-	37.92	21.93	48.70			

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX



EUT_Z_1TX
Setting 72
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94537G	53.62	83.54	-29.92	42.51	1	Horizontal	205	1.80	-	37.90	21.91	48.70			
AV	20.95587G	42.72	63.54	-20.82	31.59	1	Horizontal	205	1.80	-	37.91	21.92	48.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1.(MCS0)_4TX	Pass	AV	7.2514G	53.94	54.00	-0.06	3	Vertical	305.9	1.80	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 38
06-H-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9057G	58.68	88.20	-29.52	53.61	3	Vertical	316	2.88	-	32.40	7.25	34.58				
RMS	5.9161G	49.88	68.20	-18.32	44.81	3	Vertical	316	2.88	-	32.40	7.26	34.59				
PK	5.9565G	111.75	Inf	-Inf	106.68	3	Vertical	316	2.88	-	32.41	7.29	34.63				
RMS	5.9618G	100.87	Inf	-Inf	95.80	3	Vertical	316	2.88	-	32.42	7.29	34.64				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 38
06-H-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9067G	59.51	88.20	-28.69	54.44	3	Horizontal	17	3.00	-	32.40	7.25	34.58			
RMS	5.9175G	49.70	68.20	-18.50	44.63	3	Horizontal	17	3.00	-	32.40	7.26	34.59			
PK	5.9618G	104.96	Inf	-Inf	99.89	3	Horizontal	17	3.00	-	32.42	7.29	34.64			
RMS	5.9566G	94.42	Inf	-Inf	89.35	3	Horizontal	17	3.00	-	32.41	7.29	34.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 38
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.88735G	45.71	74.00	-28.29	60.75	3	Vertical	9	2.64	-	38.80	12.01	65.85			
AV	11.8988G	35.61	54.00	-18.39	50.64	3	Vertical	9	2.64	-	38.80	12.01	65.84			
PK	17.8717G	54.86	74.00	-19.14	56.83	3	Vertical	19	1.79	-	47.98	14.06	64.01			
AV	17.87445G	45.24	54.00	-8.76	47.11	3	Vertical	19	1.79	-	48.08	14.06	64.01			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 38
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.88685G	44.99	74.00	-29.01	60.03	3	Horizontal	353	2.49	-	38.80	12.01	65.85				
AV	11.88815G	35.35	54.00	-18.65	50.39	3	Horizontal	353	2.49	-	38.80	12.01	65.85				
PK	17.8608G	54.86	74.00	-19.14	57.24	3	Horizontal	58	1.14	-	47.59	14.05	64.02				
AV	17.8856G	45.40	54.00	-8.60	46.87	3	Horizontal	58	1.14	-	48.48	14.06	64.01				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82321G	61.89	83.54	-21.65	47.47	1	Vertical	269	2.47	-	39.10	22.99	47.67			
AV	23.81796G	52.16	63.54	-11.38	37.74	1	Vertical	269	2.47	-	39.10	22.99	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82279G	60.89	83.54	-22.65	46.47	1	Horizontal	33	1.99	-	39.10	22.99	47.67			
AV	23.82276G	51.81	63.54	-11.73	37.39	1	Horizontal	33	1.99	-	39.10	22.99	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 35
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3926G	45.48	74.00	-28.52	60.22	3	Vertical	84	1.73	-	38.80	12.07	65.61			
AV	12.39815G	36.16	54.00	-17.84	50.90	3	Vertical	84	1.73	-	38.80	12.07	65.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 35
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4116G	45.98	74.00	-28.02	60.73	3	Horizontal	324	2.27	-	38.78	12.07	65.60			
AV	12.4035G	36.05	54.00	-17.95	50.79	3	Horizontal	324	2.27	-	38.79	12.07	65.60			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 35
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57735G	49.67	83.54	-33.87	39.64	1	Vertical	243	2.66	-	37.80	20.61	48.38			
AV	18.58314G	39.73	63.54	-23.81	29.70	1	Vertical	243	2.66	-	37.80	20.61	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 35
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57042G	50.12	83.54	-33.42	40.08	1	Horizontal	288	2.24	-	37.80	20.61	48.37			
AV	18.57612G	39.92	63.54	-23.62	29.89	1	Horizontal	288	2.24	-	37.80	20.61	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 36
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8287G	46.35	88.20	-41.85	60.21	3	Vertical	156	2.74	-	39.20	12.06	65.12			
RMS	12.8076G	36.04	68.20	-32.16	49.93	3	Vertical	156	2.74	-	39.20	12.06	65.15			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 36
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8055G	45.83	88.20	-42.37	59.72	3	Horizontal	116	2.10	-	39.20	12.06	65.15			
RMS	12.8149G	35.98	68.20	-32.22	49.86	3	Horizontal	116	2.10	-	39.20	12.06	65.14			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 36
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2546G	50.33	83.54	-33.21	40.37	1	Vertical	282	1.40	-	37.98	20.78	48.80			
AV	19.23324G	40.15	63.54	-23.39	30.25	1	Vertical	282	1.40	-	37.93	20.77	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 36
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25994G	50.20	83.54	-33.34	40.25	1	Horizontal	105	2.62	-	37.96	20.79	48.80			
AV	19.2546G	40.13	63.54	-23.41	30.17	1	Horizontal	105	2.62	-	37.98	20.78	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8611G	45.97	88.20	-42.23	59.77	3	Vertical	51	1.47	-	39.22	12.05	65.07			
RMS	12.8674G	35.90	68.20	-32.30	49.68	3	Vertical	51	1.47	-	39.23	12.05	65.06			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89415G	45.61	88.20	-42.59	59.30	3	Horizontal	21	2.63	-	39.29	12.05	65.03			
RMS	12.8607G	35.64	68.20	-32.56	49.44	3	Horizontal	21	2.63	-	39.22	12.05	65.07			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30356G	49.50	83.54	-34.04	39.69	1	Vertical	16	1.59	-	37.80	20.81	48.80			
AV	19.31514G	39.76	63.54	-23.78	29.95	1	Vertical	16	1.59	-	37.80	20.81	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31568G	50.08	83.54	-33.46	40.27	1	Horizontal	57	1.56	-	37.80	20.81	48.80			
AV	19.31817G	39.78	63.54	-23.76	29.96	1	Horizontal	57	1.56	-	37.80	20.82	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97365G	45.76	88.20	-42.44	59.18	3	Vertical	133	1.57	-	39.45	12.05	64.92			
RMS	12.9735G	34.94	68.20	-33.26	48.36	3	Vertical	133	1.57	-	39.45	12.05	64.92			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96425G	45.64	88.20	-42.56	59.05	3	Horizontal	63	2.75	-	39.47	12.05	64.93			
RMS	12.9676G	35.09	68.20	-33.11	48.50	3	Horizontal	63	2.75	-	39.46	12.05	64.92			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41954G	51.60	83.54	-31.94	41.71	1	Vertical	83	1.59	-	37.82	20.87	48.80			
AV	19.43634G	40.84	63.54	-22.70	31.01	1	Vertical	83	1.59	-	37.75	20.88	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42731G	51.86	83.54	-31.68	42.00	1	Horizontal	308	1.76	-	37.79	20.87	48.80			
AV	19.43799G	41.18	63.54	-22.36	31.35	1	Horizontal	308	1.76	-	37.75	20.88	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0189G	45.23	88.20	-42.97	58.74	3	Vertical	8	1.91	-	39.32	12.05	64.88			
RMS	13.0109G	35.91	68.20	-32.29	49.38	3	Vertical	8	1.91	-	39.36	12.05	64.88			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01565G	46.02	88.20	-42.18	59.51	3	Horizontal	202	2.28	-	39.34	12.05	64.88			
RMS	13.00705G	35.70	68.20	-32.50	49.16	3	Horizontal	202	2.28	-	39.37	12.05	64.88			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.55241G	50.44	83.54	-33.10	40.67	1	Vertical	20	1.82	-	37.70	20.87	48.80			
AV	19.53894G	40.81	63.54	-22.73	31.01	1	Vertical	20	1.82	-	37.72	20.88	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.53345G	50.55	83.54	-32.99	40.73	1	Horizontal	220	2.02	-	37.73	20.89	48.80			
AV	19.53366G	40.72	63.54	-22.82	30.90	1	Horizontal	220	2.02	-	37.73	20.89	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0843G	46.08	88.20	-42.12	59.70	3	Vertical	317	2.13	-	39.20	12.05	64.87			
RMS	13.0795G	35.94	68.20	-32.26	49.56	3	Vertical	317	2.13	-	39.20	12.05	64.87			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT V_4TX
Setting 38
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08925G	46.53	88.20	-41.67	60.15	3	Horizontal	104	1.86	-	39.20	12.05	64.87			
RMS	13.06625G	35.73	68.20	-32.47	49.35	3	Horizontal	104	1.86	-	39.20	12.05	64.87			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6062G	50.42	83.54	-33.12	40.69	1	Vertical	277	1.45	-	37.70	20.83	48.80			
AV	19.60353G	39.61	63.54	-23.93	29.87	1	Vertical	277	1.45	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_V_4TX
Setting 38
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61193G	49.77	83.54	-33.77	40.04	1	Horizontal	317	2.84	-	37.70	20.83	48.80			
AV	19.59474G	39.67	63.54	-23.87	29.93	1	Horizontal	317	2.84	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 36
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39714G	47.17	74.00	-26.83	59.97	3	Vertical	240	1.39	-	40.00	12.04	64.84			
AV	13.38854G	37.48	54.00	-16.52	50.28	3	Vertical	240	1.39	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 36
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3855G	47.47	74.00	-26.53	60.27	3	Horizontal	9	1.16	-	40.00	12.04	64.84			
AV	13.39358G	37.02	54.00	-16.98	49.82	3	Horizontal	9	1.16	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 36
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08821G	49.10	83.54	-34.44	39.37	1	Vertical	92	1.07	-	37.80	20.71	48.78			
AV	20.07957G	39.26	63.54	-24.28	29.55	1	Vertical	92	1.07	-	37.80	20.69	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 36
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0736G	49.59	83.54	-33.95	39.90	1	Horizontal	226	1.22	-	37.80	20.68	48.79			
AV	20.0916G	39.21	63.54	-24.33	29.47	1	Horizontal	226	1.22	-	37.80	20.72	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 43
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.755G	48.21	88.20	-39.99	60.47	3	Vertical	325	2.62	-	40.42	12.03	64.71			
RMS	13.75884G	36.53	68.20	-31.67	48.77	3	Vertical	325	2.62	-	40.44	12.03	64.71			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 43
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74948G	47.34	88.20	-40.86	59.63	3	Horizontal	350	2.08	-	40.40	12.03	64.72			
RMS	13.7578G	36.67	68.20	-31.53	48.92	3	Horizontal	350	2.08	-	40.43	12.03	64.71			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 43
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.61351G	50.66	83.54	-32.88	39.88	1	Vertical	15	3.00	-	37.90	21.58	48.70			
AV	20.61612G	40.11	63.54	-23.43	29.33	1	Vertical	15	3.00	-	37.90	21.58	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 43
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.625G	50.78	83.54	-32.76	39.99	1	Horizontal	333	1.76	-	37.90	21.59	48.70			
AV	20.63064G	39.95	63.54	-23.59	29.16	1	Horizontal	333	1.76	-	37.90	21.59	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 39
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79748G	47.16	88.20	-41.04	59.23	3	Vertical	56	1.85	-	40.59	12.03	64.69			
RMS	13.7835G	37.10	68.20	-31.10	49.24	3	Vertical	56	1.85	-	40.53	12.03	64.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 39
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7935G	47.83	88.20	-40.37	59.92	3	Horizontal	117	1.07	-	40.57	12.03	64.69			
RMS	13.7877G	37.09	68.20	-31.11	49.21	3	Horizontal	117	1.07	-	40.55	12.03	64.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 39
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67399G	50.43	83.54	-33.11	39.59	1	Vertical	303	2.43	-	37.90	21.64	48.70			
AV	20.68509G	40.24	63.54	-23.30	29.39	1	Vertical	303	2.43	-	37.90	21.65	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 39
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68551G	49.81	83.54	-33.73	38.96	1	Horizontal	125	2.28	-	37.90	21.65	48.70			
AV	20.685G	39.83	63.54	-23.71	28.98	1	Horizontal	125	2.28	-	37.90	21.65	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 41
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99502G	47.22	88.20	-40.98	58.82	3	Vertical	71	2.01	-	40.98	12.02	64.60			
RMS	13.98676G	37.21	68.20	-30.99	48.85	3	Vertical	71	2.01	-	40.95	12.02	64.61			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 41
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98246G	46.96	88.20	-41.24	58.62	3	Horizontal	194	2.42	-	40.93	12.02	64.61			
RMS	13.9917G	37.36	68.20	-30.84	48.97	3	Horizontal	194	2.42	-	40.97	12.02	64.60			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 41
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98527G	50.32	83.54	-33.22	39.10	1	Vertical	286	2.70	-	37.97	21.95	48.70			
AV	20.99361G	40.19	63.54	-23.35	28.94	1	Vertical	286	2.70	-	37.99	21.96	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 41
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98263G	51.14	83.54	-32.40	39.92	1	Horizontal	110	2.27	-	37.97	21.95	48.70			
AV	20.98314G	40.49	63.54	-23.05	29.27	1	Horizontal	110	2.27	-	37.97	21.95	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 43
06-H-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1016G	110.26	Inf	-Inf	100.06	3	Vertical	52	1.80	-	36.00	8.38	34.18			
RMS	7.0916G	100.33	Inf	-Inf	90.21	3	Vertical	52	1.80	-	35.93	8.37	34.18			
PK	7.1812G	62.87	88.20	-25.33	52.43	3	Vertical	52	1.80	-	36.16	8.46	34.18			
RMS	7.1414G	52.59	68.20	-15.61	42.27	3	Vertical	52	1.80	-	36.08	8.42	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 43
06-H-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1008G	106.14	Inf	-Inf	95.94	3	Horizontal	0	2.78	-	36.00	8.38	34.18			
RMS	7.0902G	96.76	Inf	-Inf	86.65	3	Horizontal	0	2.78	-	35.92	8.37	34.18			
PK	7.1884G	62.05	88.20	-26.15	51.58	3	Horizontal	0	2.78	-	36.18	8.47	34.18			
RMS	7.1716G	52.54	68.20	-15.66	42.13	3	Horizontal	0	2.78	-	36.14	8.45	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 43
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1829G	48.81	88.20	-39.39	59.85	3	Vertical	174	1.92	-	41.30	12.15	64.49			
RMS	14.18564G	38.14	68.20	-30.06	49.18	3	Vertical	174	1.92	-	41.30	12.15	64.49			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 43
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18014G	48.41	88.20	-39.79	59.45	3	Horizontal	319	2.88	-	41.30	12.15	64.49			
RMS	14.18936G	38.07	68.20	-30.13	49.11	3	Horizontal	319	2.88	-	41.30	12.15	64.49			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 43
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28446G	50.98	83.54	-32.56	39.76	1	Vertical	31	2.16	-	38.07	21.79	48.64			
AV	21.28002G	40.26	63.54	-23.28	29.04	1	Vertical	31	2.16	-	38.06	21.80	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 43
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27855G	50.01	83.54	-33.53	38.79	1	Horizontal	16	1.83	-	38.06	21.80	48.64			
AV	21.29436G	40.19	63.54	-23.35	28.95	1	Horizontal	16	1.83	-	38.09	21.79	48.64			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 49
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9173G	59.49	88.20	-28.71	54.42	3	Vertical	318	2.93	-	32.40	7.26	34.59			
RMS	5.9152G	48.80	68.20	-19.40	43.73	3	Vertical	318	2.93	-	32.40	7.26	34.59			
PK	5.9716G	109.62	Inf	-Inf	104.53	3	Vertical	318	2.93	-	32.44	7.30	34.65			
RMS	5.9764G	100.14	Inf	-Inf	95.04	3	Vertical	318	2.93	-	32.45	7.30	34.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 49
06-H-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.8735G	59.65	88.20	-28.55	54.68	3	Horizontal	317	2.80	-	32.29	7.23	34.55				
RMS	5.908G	48.50	68.20	-19.70	43.42	3	Horizontal	317	2.80	-	32.40	7.26	34.58				
PK	5.9761G	105.66	Inf	-Inf	100.56	3	Horizontal	317	2.80	-	32.45	7.30	34.65				
RMS	5.9764G	96.07	Inf	-Inf	90.97	3	Horizontal	317	2.80	-	32.45	7.30	34.65				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 49
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9336G	46.20	74.00	-27.80	61.10	3	Vertical	74	3.00	-	38.87	12.04	65.81			
AV	11.95295G	35.50	54.00	-18.50	50.33	3	Vertical	74	3.00	-	38.91	12.05	65.79			
PK	17.9068G	59.29	74.00	-14.71	59.97	3	Vertical	26	1.82	-	49.24	14.07	63.99			
AV	17.9071G	48.53	54.00	-5.47	49.19	3	Vertical	26	1.82	-	49.26	14.07	63.99			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 49
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90825G	46.59	74.00	-27.41	61.58	3	Horizontal	179	1.82	-	38.82	12.02	65.83			
AV	11.93205G	35.70	54.00	-18.30	50.61	3	Horizontal	179	1.82	-	38.86	12.04	65.81			
PK	17.9075G	56.96	74.00	-17.04	57.61	3	Horizontal	199	1.06	-	49.27	14.07	63.99			
AV	17.91685G	46.19	54.00	-7.81	46.49	3	Horizontal	199	1.06	-	49.61	14.07	63.98			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 49
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84827G	57.83	83.54	-25.71	43.38	1	Vertical	166	1.15	-	39.10	23.01	47.66			
AV	23.84773G	44.82	63.54	-18.72	30.37	1	Vertical	166	1.15	-	39.10	23.01	47.66			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 49
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84788G	60.05	83.54	-23.49	45.60	1	Horizontal	251	2.27	-	39.10	23.01	47.66			
AV	23.848G	44.63	63.54	-18.91	30.18	1	Horizontal	251	2.27	-	39.10	23.01	47.66			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 46
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4149G	46.03	74.00	-27.97	60.79	3	Vertical	317	1.24	-	38.77	12.07	65.60			
AV	12.3963G	36.25	54.00	-17.75	50.99	3	Vertical	317	1.24	-	38.80	12.07	65.61			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 46
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4231G	46.55	74.00	-27.45	61.33	3	Horizontal	349	1.20	-	38.75	12.07	65.60			
AV	12.40925G	36.20	54.00	-17.80	50.95	3	Horizontal	349	1.20	-	38.78	12.07	65.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 46
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60135G	49.61	83.54	-33.93	39.60	1	Vertical	69	2.31	-	37.80	20.61	48.40			
AV	18.62508G	39.45	63.54	-24.09	29.42	1	Vertical	69	2.31	-	37.85	20.61	48.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 46
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61014G	50.05	83.54	-33.49	40.03	1	Horizontal	51	1.40	-	37.82	20.61	48.41			
AV	18.61995G	39.86	63.54	-23.68	29.83	1	Horizontal	51	1.40	-	37.84	20.61	48.42			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 50
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7952G	46.38	88.20	-41.82	60.31	3	Vertical	117	1.98	-	39.17	12.06	65.16			
RMS	12.80075G	35.73	68.20	-32.47	49.62	3	Vertical	117	1.98	-	39.20	12.06	65.15			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 50
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.79385G	46.42	88.20	-41.78	60.36	3	Horizontal	79	1.77	-	39.16	12.06	65.16			
RMS	12.80415G	35.94	68.20	-32.26	49.83	3	Horizontal	79	1.77	-	39.20	12.06	65.15			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 50
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22397G	50.78	83.54	-32.76	40.91	1	Vertical	302	1.99	-	37.90	20.77	48.80			
AV	19.20033G	40.36	63.54	-23.18	30.61	1	Vertical	302	1.99	-	37.80	20.75	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 50
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21002G	50.76	83.54	-32.78	40.96	1	Horizontal	174	1.40	-	37.84	20.76	48.80			
AV	19.20849G	40.41	63.54	-23.13	30.62	1	Horizontal	174	1.40	-	37.83	20.76	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 48
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88185G	46.70	88.20	-41.50	60.43	3	Vertical	65	2.76	-	39.26	12.05	65.04			
RMS	12.88835G	35.89	68.20	-32.31	49.59	3	Vertical	65	2.76	-	39.28	12.05	65.03			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 48
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8666G	47.04	88.20	-41.16	60.82	3	Horizontal	333	1.59	-	39.23	12.05	65.06			
RMS	12.88735G	35.56	68.20	-32.64	49.28	3	Horizontal	333	1.59	-	39.27	12.05	65.04			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 48
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.34079G	51.14	83.54	-32.40	41.31	1	Vertical	64	1.50	-	37.80	20.83	48.80			
AV	19.34772G	40.10	63.54	-23.44	30.27	1	Vertical	64	1.50	-	37.80	20.83	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_V_4TX
Setting 48
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.34361G	50.73	83.54	-32.81	40.90	1	Horizontal	315	1.42	-	37.80	20.83	48.80			
AV	19.33773G	40.12	63.54	-23.42	30.29	1	Horizontal	315	1.42	-	37.80	20.83	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 46
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9773G	45.78	88.20	-42.42	59.19	3	Vertical	29	2.79	-	39.45	12.05	64.91			
RMS	12.98775G	35.13	68.20	-33.07	48.56	3	Vertical	29	2.79	-	39.42	12.05	64.90			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6485MHz_TX

EUT_Y_4TX
Setting 46
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97645G	46.80	88.20	-41.40	60.21	3	Horizontal	330	2.71	-	39.45	12.05	64.91			
RMS	12.98435G	35.23	68.20	-32.97	48.65	3	Horizontal	330	2.71	-	39.43	12.05	64.90			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 46
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.44213G	52.74	83.54	-30.80	42.93	1	Vertical	199	2.42	-	37.73	20.88	48.80			
AV	19.45014G	41.56	63.54	-21.98	31.78	1	Vertical	199	2.42	-	37.70	20.88	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 46
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45302G	53.02	83.54	-30.52	43.22	1	Horizontal	195	2.40	-	37.71	20.89	48.80			
AV	19.46589G	41.63	63.54	-21.91	31.81	1	Horizontal	195	2.40	-	37.73	20.89	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 51
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.068G	46.09	88.20	-42.11	59.71	3	Vertical	208	1.19	-	39.20	12.05	64.87			
RMS	13.0742G	35.37	68.20	-32.83	48.99	3	Vertical	208	1.19	-	39.20	12.05	64.87			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 51
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0499G	46.22	88.20	-41.98	59.85	3	Horizontal	149	2.02	-	39.20	12.05	64.88			
RMS	13.0497G	35.37	68.20	-32.83	49.00	3	Horizontal	149	2.02	-	39.20	12.05	64.88			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6525MHz_TX

EUT_V_4TX
Setting 51
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5711G	51.18	83.54	-32.36	41.42	1	Vertical	308	2.72	-	37.70	20.86	48.80			
AV	19.56567G	40.47	63.54	-23.07	30.71	1	Vertical	308	2.72	-	37.70	20.86	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 51
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.58961G	51.35	83.54	-32.19	41.60	1	Horizontal	240	2.62	-	37.70	20.85	48.80			
AV	19.56567G	40.47	63.54	-23.07	30.71	1	Horizontal	240	2.62	-	37.70	20.86	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 47
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.14835G	46.18	88.20	-42.02	59.41	3	Vertical	192	1.99	-	39.59	12.05	64.87			
RMS	13.1272G	35.78	68.20	-32.42	49.18	3	Vertical	192	1.99	-	39.42	12.05	64.87			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 47
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1451G	46.58	88.20	-41.62	59.84	3	Horizontal	358	2.23	-	39.56	12.05	64.87			
RMS	13.1389G	35.97	68.20	-32.23	49.28	3	Horizontal	358	2.23	-	39.51	12.05	64.87			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 47
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68003G	50.91	83.54	-32.63	41.23	1	Vertical	22	2.38	-	37.70	20.78	48.80			
AV	19.68252G	39.75	63.54	-23.79	30.07	1	Vertical	22	2.38	-	37.70	20.78	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 47
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70196G	50.74	83.54	-32.80	41.08	1	Horizontal	263	2.13	-	37.70	20.76	48.80			
AV	19.70124G	40.12	63.54	-23.42	30.45	1	Horizontal	263	2.13	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 44
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.351G	47.32	74.00	-26.68	60.12	3	Vertical	197	1.51	-	40.00	12.04	64.84			
AV	13.38525G	36.73	54.00	-17.27	49.53	3	Vertical	197	1.51	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 44
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3847G	46.54	74.00	-27.46	59.34	3	Horizontal	307	2.82	-	40.00	12.04	64.84			
AV	13.3882G	36.87	54.00	-17.13	49.67	3	Horizontal	307	2.82	-	40.00	12.04	64.84			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 44
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0673G	49.07	83.54	-34.47	39.39	1	Vertical	67	2.34	-	37.80	20.67	48.79			
AV	20.04378G	38.99	63.54	-24.55	29.36	1	Vertical	67	2.34	-	37.79	20.63	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 44
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.064333G	49.33	83.54	-34.21	39.65	1	Horizontal	278	2.90	-	37.80	20.67	48.79			
AV	20.04021G	39.31	63.54	-24.23	29.70	1	Horizontal	278	2.90	-	37.78	20.62	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 50
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7715G	47.57	88.20	-40.63	59.76	3	Vertical	124	1.91	-	40.49	12.03	64.71			
RMS	13.76795G	36.77	68.20	-31.43	48.98	3	Vertical	124	1.91	-	40.47	12.03	64.71			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 50
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76345G	47.24	88.20	-40.96	59.47	3	Horizontal	196	1.09	-	40.45	12.03	64.71			
RMS	13.7767G	36.58	68.20	-31.62	48.74	3	Horizontal	196	1.09	-	40.51	12.03	64.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
Setting 50
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.64519G	50.93	83.54	-32.61	40.12	1	Vertical	171	1.62	-	37.90	21.61	48.70			
AV	20.66838G	39.92	63.54	-23.62	29.09	1	Vertical	171	1.62	-	37.90	21.63	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 50
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65218G	50.86	83.54	-32.68	40.04	1	Horizontal	91	2.60	-	37.90	21.62	48.70			
AV	20.64693G	39.90	63.54	-23.64	29.09	1	Horizontal	91	2.60	-	37.90	21.61	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 48
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.86145G	47.23	88.20	-40.97	59.32	3	Vertical	113	1.01	-	40.55	12.02	64.66			
RMS	13.8666G	36.68	68.20	-31.52	48.75	3	Vertical	113	1.01	-	40.57	12.02	64.66			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 48
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.83745G	47.13	88.20	-41.07	59.25	3	Horizontal	13	2.92	-	40.53	12.02	64.67			
RMS	13.86775G	36.80	68.20	-31.40	48.87	3	Horizontal	13	2.92	-	40.57	12.02	64.66			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 48
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7864G	50.65	83.54	-32.89	39.70	1	Vertical	180	1.19	-	37.90	21.75	48.70			
AV	20.78025G	39.63	63.54	-23.91	28.68	1	Vertical	180	1.19	-	37.90	21.75	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 48
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77965G	51.11	83.54	-32.43	40.16	1	Horizontal	326	1.02	-	37.90	21.75	48.70			
AV	20.77869G	39.73	63.54	-23.81	28.79	1	Horizontal	326	1.02	-	37.90	21.74	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 49
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01505G	47.83	88.20	-40.37	59.36	3	Vertical	241	1.86	-	41.03	12.03	64.59			
RMS	13.9873G	37.18	68.20	-31.02	48.82	3	Vertical	241	1.86	-	40.95	12.02	64.61			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 49
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.987G	47.93	88.20	-40.27	59.57	3	Horizontal	100	1.05	-	40.95	12.02	64.61			
RMS	13.9991G	37.07	68.20	-31.13	48.65	3	Horizontal	100	1.05	-	41.00	12.02	64.60			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 49
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01842G	51.98	83.54	-31.56	40.72	1	Vertical	211	1.48	-	38.00	21.96	48.70			
AV	21.00912G	40.46	63.54	-23.08	29.20	1	Vertical	211	1.48	-	38.00	21.96	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 49
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01665G	51.50	83.54	-32.04	40.24	1	Horizontal	139	1.77	-	38.00	21.96	48.70			
AV	21.00546G	40.68	63.54	-22.86	29.41	1	Horizontal	139	1.77	-	38.00	21.97	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 54
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	7.0814G	110.31	Inf	-Inf	100.28	3	Vertical	52	1.80	-	35.85	8.36	34.18					
RMS	7.0916G	100.04	Inf	-Inf	89.92	3	Vertical	52	1.80	-	35.93	8.37	34.18					
PK	7.1368G	65.41	88.20	-22.79	55.10	3	Vertical	52	1.80	-	36.07	8.42	34.18					
RMS	7.1264G	52.87	68.20	-15.33	42.59	3	Vertical	52	1.80	-	36.05	8.41	34.18					

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 54
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0828G	107.14	Inf	-Inf	97.10	3	Horizontal	6	2.82	-	35.86	8.36	34.18			
RMS	7.073G	96.96	Inf	-Inf	87.01	3	Horizontal	6	2.82	-	35.78	8.35	34.18			
PK	7.13G	63.13	88.20	-25.07	52.84	3	Horizontal	6	2.82	-	36.06	8.41	34.18			
RMS	7.1846G	52.08	68.20	-16.12	41.63	3	Horizontal	6	2.82	-	36.17	8.46	34.18			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.191G	48.14	88.20	-40.06	59.18	3	Vertical	322	2.52	-	41.30	12.15	64.49			
RMS	14.18385G	37.96	68.20	-30.24	49.00	3	Vertical	322	2.52	-	41.30	12.15	64.49			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1526G	48.16	88.20	-40.04	59.24	3	Horizontal	50	2.38	-	41.30	12.13	64.51			
RMS	14.1943G	37.88	68.20	-30.32	48.90	3	Horizontal	50	2.38	-	41.30	12.16	64.48			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.267G	50.13	83.54	-33.41	38.95	1	Vertical	214	2.36	-	38.03	21.80	48.65			
AV	21.26814G	39.86	63.54	-23.68	28.67	1	Vertical	214	2.36	-	38.04	21.80	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.24198G	50.00	83.54	-33.54	38.81	1	Horizontal	84	2.56	-	38.02	21.82	48.65			
AV	21.24744G	40.15	63.54	-23.39	28.97	1	Horizontal	84	2.56	-	38.01	21.82	48.65			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 57
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	68.87	88.20	-19.33	63.80	3	Vertical	319	2.88	-	32.40	7.26	34.59			
RMS	5.9174G	50.58	68.20	-17.62	45.51	3	Vertical	319	2.88	-	32.40	7.26	34.59			
PK	6.0014G	110.30	Inf	-Inf	105.16	3	Vertical	319	2.88	-	32.50	7.32	34.68			
RMS	5.9966G	100.18	Inf	-Inf	95.05	3	Vertical	319	2.88	-	32.49	7.32	34.68			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 57
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	63.15	88.20	-25.05	58.08	3	Horizontal	17	2.94	-	32.40	7.26	34.59			
RMS	5.9194G	48.53	68.20	-19.67	43.46	3	Horizontal	17	2.94	-	32.40	7.26	34.59			
PK	5.9914G	102.72	Inf	-Inf	97.60	3	Horizontal	17	2.94	-	32.48	7.31	34.67			
RMS	5.9766G	92.67	Inf	-Inf	87.58	3	Horizontal	17	2.94	-	32.45	7.30	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 57
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9805G	45.90	74.00	-28.10	60.64	3	Vertical	164	2.97	-	38.96	12.07	65.77			
AV	11.94525G	35.74	54.00	-18.26	50.61	3	Vertical	164	2.97	-	38.89	12.04	65.80			
PK	17.96105G	60.20	74.00	-13.80	58.74	3	Vertical	24	1.80	-	51.33	14.09	63.96			
AV	17.9769G	51.28	54.00	-2.72	49.05	3	Vertical	24	1.80	-	52.09	14.09	63.95			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 57
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9834G	45.32	74.00	-28.68	60.04	3	Horizontal	145	2.73	-	38.97	12.07	65.76			
AV	11.94645G	35.53	54.00	-18.47	50.39	3	Horizontal	145	2.73	-	38.89	12.05	65.80			
PK	17.97525G	59.18	74.00	-14.82	57.03	3	Horizontal	182	1.17	-	52.01	14.09	63.95			
AV	17.9775G	49.47	54.00	-4.53	47.20	3	Horizontal	182	1.17	-	52.12	14.09	63.94			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_V_4TX
Setting 57
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94543G	52.61	83.54	-30.93	38.15	1	Vertical	102	2.30	-	39.00	23.08	47.62			
AV	23.93217G	41.46	63.54	-22.08	27.02	1	Vertical	102	2.30	-	39.00	23.07	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 57
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9349G	52.74	83.54	-30.80	38.30	1	Horizontal	64	1.29	-	39.00	23.07	47.63			
AV	23.95248G	41.54	63.54	-22.00	27.07	1	Horizontal	64	1.29	-	39.00	23.09	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 56
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4433G	46.70	74.00	-27.30	61.51	3	Vertical	353	1.88	-	38.71	12.07	65.59			
AV	12.448G	36.11	54.00	-17.89	50.93	3	Vertical	353	1.88	-	38.70	12.07	65.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 56
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.458G	46.69	74.00	-27.31	61.53	3	Horizontal	15	1.19	-	38.68	12.07	65.59			
AV	12.4286G	35.81	54.00	-18.19	50.60	3	Horizontal	15	1.19	-	38.74	12.07	65.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 56
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67782G	51.01	83.54	-32.53	40.97	1	Vertical	90	2.98	-	37.90	20.62	48.48			
AV	18.67212G	39.85	63.54	-23.69	29.80	1	Vertical	90	2.98	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 56
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67056G	50.61	83.54	-32.93	40.56	1	Horizontal	116	2.16	-	37.90	20.62	48.47			
AV	18.66096G	39.99	63.54	-23.55	29.93	1	Horizontal	116	2.16	-	37.90	20.62	48.46			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 60
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78645G	46.59	88.20	-41.61	60.58	3	Vertical	87	1.29	-	39.12	12.06	65.17			
RMS	12.7848G	35.69	68.20	-32.51	49.70	3	Vertical	87	1.29	-	39.11	12.06	65.18			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT V_4TX
Setting 60
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76445G	46.29	88.20	-41.91	60.45	3	Horizontal	215	2.27	-	38.99	12.06	65.21			
RMS	12.7848G	35.95	68.20	-32.25	49.96	3	Horizontal	215	2.27	-	39.11	12.06	65.18			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_V_4TX
Setting 60
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15632G	51.09	83.54	-32.45	41.19	1	Vertical	110	1.47	-	37.97	20.73	48.80			
AV	19.16568G	41.06	63.54	-22.48	31.18	1	Vertical	110	1.47	-	37.94	20.74	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 60
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16187G	51.06	83.54	-32.48	41.18	1	Horizontal	54	2.80	-	37.95	20.73	48.80			
AV	19.16532G	40.99	63.54	-22.55	31.11	1	Horizontal	54	2.80	-	37.94	20.74	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9056G	44.66	88.20	-43.54	58.30	3	Vertical	88	2.32	-	39.32	12.05	65.01			
RMS	12.9053G	35.17	68.20	-33.03	48.81	3	Vertical	88	2.32	-	39.32	12.05	65.01			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.946G	44.95	88.20	-43.25	58.37	3	Horizontal	332	1.01	-	39.48	12.05	64.95			
RMS	12.90965G	35.04	68.20	-33.16	48.65	3	Horizontal	332	1.01	-	39.34	12.05	65.00			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38858G	50.52	83.54	-33.02	40.59	1	Vertical	302	1.44	-	37.88	20.85	48.80			
AV	19.39815G	40.58	63.54	-22.96	30.62	1	Vertical	302	1.44	-	37.90	20.86	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38138G	50.64	83.54	-32.90	40.73	1	Horizontal	317	1.54	-	37.86	20.85	48.80			
AV	19.40088G	40.46	63.54	-23.08	30.50	1	Horizontal	317	1.54	-	37.90	20.86	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.10175G	45.89	88.20	-42.31	59.50	3	Vertical	69	2.44	-	39.21	12.05	64.87			
RMS	13.10405G	35.90	68.20	-32.30	49.49	3	Vertical	69	2.44	-	39.23	12.05	64.87			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0874G	46.77	88.20	-41.43	60.39	3	Horizontal	275	1.40	-	39.20	12.05	64.87			
RMS	13.06745G	36.16	68.20	-32.04	49.78	3	Horizontal	275	1.40	-	39.20	12.05	64.87			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63749G	50.13	83.54	-33.41	40.42	1	Vertical	171	1.71	-	37.70	20.81	48.80			
AV	19.62171G	39.42	63.54	-24.12	29.70	1	Vertical	171	1.71	-	37.70	20.82	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6545MHz_TX

EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.62696G	49.73	83.54	-33.81	40.01	1	Horizontal	12	2.39	-	37.70	20.82	48.80			
AV	19.62285G	39.75	63.54	-23.79	30.03	1	Horizontal	12	2.39	-	37.70	20.82	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.26435G	46.01	74.00	-27.99	59.19	3	Vertical	90	1.82	-	39.63	12.04	64.85			
AV	13.25435G	35.78	54.00	-18.22	48.98	3	Vertical	90	1.82	-	39.61	12.04	64.85			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_Y_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2656G	46.30	74.00	-27.70	59.48	3	Horizontal	135	1.89	-	39.63	12.04	64.85			
AV	13.26325G	35.86	54.00	-18.14	49.04	3	Horizontal	135	1.89	-	39.63	12.04	64.85			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87377G	50.30	83.54	-33.24	40.76	1	Vertical	336	1.83	-	37.70	20.64	48.80			
AV	19.88556G	39.72	63.54	-23.82	30.19	1	Vertical	336	1.83	-	37.70	20.63	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86411G	50.01	83.54	-33.53	40.46	1	Horizontal	51	1.79	-	37.70	20.65	48.80			
AV	19.87716G	39.83	63.54	-23.71	30.29	1	Horizontal	51	1.79	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4184G	46.84	88.20	-41.36	59.57	3	Vertical	186	2.12	-	40.07	12.04	64.84			
RMS	13.40478G	36.99	68.20	-31.21	49.77	3	Vertical	186	2.12	-	40.02	12.04	64.84			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40631G	46.62	88.20	-41.58	59.39	3	Horizontal	74	2.67	-	40.03	12.04	64.84			
RMS	13.41825G	36.90	68.20	-31.30	49.63	3	Horizontal	74	2.67	-	40.07	12.04	64.84			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12454G	49.74	83.54	-33.80	39.94	1	Vertical	216	2.92	-	37.80	20.78	48.78			
AV	20.10543G	39.32	63.54	-24.22	29.56	1	Vertical	216	2.92	-	37.80	20.74	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 55
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12259G	49.75	83.54	-33.79	39.96	1	Horizontal	315	1.47	-	37.80	20.77	48.78			
AV	20.10246G	39.50	63.54	-24.04	29.74	1	Horizontal	315	1.47	-	37.80	20.74	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57573G	47.59	88.20	-40.61	59.81	3	Vertical	96	2.86	-	40.55	12.03	64.80			
RMS	13.55707G	37.18	68.20	-31.02	49.29	3	Vertical	96	2.86	-	40.66	12.03	64.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57327G	48.22	88.20	-39.98	60.43	3	Horizontal	321	2.49	-	40.56	12.03	64.80			
RMS	13.57558G	37.31	68.20	-30.89	49.53	3	Horizontal	321	2.49	-	40.55	12.03	64.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34966G	49.86	83.54	-33.68	39.50	1	Vertical	96	1.38	-	37.90	21.19	48.73			
AV	20.34171G	39.88	63.54	-23.66	29.56	1	Vertical	96	1.38	-	37.88	21.17	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 54
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36595G	49.18	83.54	-34.36	38.82	1	Horizontal	289	2.69	-	37.87	21.22	48.73			
AV	20.34888G	40.20	63.54	-23.34	29.85	1	Horizontal	289	2.69	-	37.90	21.18	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT Y_4TX
Setting 57
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73342G	46.25	88.20	-41.95	58.57	3	Vertical	226	1.62	-	40.37	12.03	64.72			
RMS	13.74338G	35.96	68.20	-32.24	48.26	3	Vertical	226	1.62	-	40.39	12.03	64.72			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 57
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73801G	46.28	88.20	-41.92	58.59	3	Horizontal	70	1.02	-	40.38	12.03	64.72			
RMS	13.71539G	36.55	68.20	-31.65	48.92	3	Horizontal	70	1.02	-	40.33	12.03	64.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 57
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6076G	50.40	83.54	-33.14	39.63	1	Vertical	194	1.97	-	37.90	21.57	48.70			
AV	20.60721G	40.56	63.54	-22.98	29.79	1	Vertical	194	1.97	-	37.90	21.57	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 57
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5806G	50.76	83.54	-32.78	40.02	1	Horizontal	94	1.11	-	37.90	21.54	48.70			
AV	20.60409G	40.55	63.54	-22.99	29.78	1	Horizontal	94	1.11	-	37.90	21.57	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 57
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89081G	46.79	88.20	-41.41	58.76	3	Vertical	151	1.77	-	40.66	12.02	64.65			
RMS	13.88997G	36.48	68.20	-31.72	48.45	3	Vertical	151	1.77	-	40.66	12.02	64.65			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 57
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.90191G	46.36	88.20	-41.84	58.29	3	Horizontal	97	1.01	-	40.70	12.02	64.65			
RMS	13.87947G	36.53	68.20	-31.67	48.55	3	Horizontal	97	1.01	-	40.62	12.02	64.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 57
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.84547G	49.70	83.54	-33.84	38.69	1	Vertical	223	2.07	-	37.90	21.81	48.70			
AV	20.83602G	39.66	63.54	-23.88	28.66	1	Vertical	223	2.07	-	37.90	21.80	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 57
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83251G	49.73	83.54	-33.81	38.73	1	Horizontal	326	2.21	-	37.90	21.80	48.70			
AV	20.82888G	39.79	63.54	-23.75	28.79	1	Horizontal	326	2.21	-	37.90	21.80	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 59
05-I-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9989G	109.77	Inf	-Inf	98.87	3	Vertical	310	1.80	-	36.10	9.25	34.45			
RMS	7.0337G	101.01	Inf	-Inf	89.93	3	Vertical	310	1.80	-	36.23	9.26	34.41			
PK	7.1522G	64.07	88.20	-24.13	52.15	3	Vertical	310	1.80	-	36.90	9.29	34.27			
RMS	7.1684G	54.72	68.20	-13.48	42.74	3	Vertical	310	1.80	-	36.94	9.29	34.25			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 59
05-I-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.013G	108.27	Inf	-Inf	97.30	3	Horizontal	335	2.90	-	36.15	9.25	34.43			
RMS	7.0331G	99.51	Inf	-Inf	88.43	3	Horizontal	335	2.90	-	36.23	9.26	34.41			
PK	7.1702G	65.46	88.20	-22.74	53.48	3	Horizontal	335	2.90	-	36.94	9.29	34.25			
RMS	7.1705G	54.66	68.20	-13.54	42.68	3	Horizontal	335	2.90	-	36.94	9.29	34.25			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 59
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0452G	47.32	88.20	-40.88	58.75	3	Vertical	233	1.01	-	41.09	12.05	64.57			
RMS	14.06194G	37.09	68.20	-31.11	48.44	3	Vertical	233	1.01	-	41.15	12.06	64.56			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 59
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05681G	47.12	88.20	-41.08	58.50	3	Horizontal	238	1.35	-	41.13	12.06	64.57			
RMS	14.03656G	37.33	68.20	-30.87	48.79	3	Horizontal	238	1.35	-	41.07	12.05	64.58			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 59
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07479G	50.34	83.54	-33.20	39.11	1	Vertical	97	1.85	-	38.00	21.92	48.69			
AV	21.08721G	40.20	63.54	-23.34	28.96	1	Vertical	97	1.85	-	38.00	21.92	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 59
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07317G	50.46	83.54	-33.08	39.23	1	Horizontal	355	1.75	-	38.00	21.92	48.69			
AV	21.08403G	40.30	63.54	-23.24	29.06	1	Horizontal	355	1.75	-	38.00	21.92	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 66
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9182G	73.31	88.20	-14.89	68.24	3	Vertical	313	2.02	-	32.40	7.26	34.59			
RMS	5.9164G	55.06	68.20	-13.14	49.99	3	Vertical	313	2.02	-	32.40	7.26	34.59			
PK	6.0622G	110.38	Inf	-Inf	105.15	3	Vertical	313	2.02	-	32.50	7.35	34.62			
RMS	6.0668G	100.22	Inf	-Inf	94.94	3	Vertical	313	2.02	-	32.50	7.37	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 66
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9182G	69.30	88.20	-18.90	64.23	3	Horizontal	316	2.77	-	32.40	7.26	34.59			
RMS	5.9164G	51.96	68.20	-16.24	46.89	3	Horizontal	316	2.77	-	32.40	7.26	34.59			
PK	6.0766G	104.84	Inf	-Inf	99.58	3	Horizontal	316	2.77	-	32.50	7.36	34.60			
RMS	6.0568G	94.34	Inf	-Inf	89.11	3	Horizontal	316	2.77	-	32.50	7.35	34.62			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 66
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06044G	45.82	74.00	-28.18	60.23	3	Vertical	68	1.33	-	39.24	12.08	65.73			
AV	12.06356G	35.57	54.00	-18.43	49.97	3	Vertical	68	1.33	-	39.25	12.08	65.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 66
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.06446G	45.30	74.00	-28.70	59.69	3	Horizontal	150	2.08	-	39.26	12.08	65.73			
AV	12.05687G	35.53	54.00	-18.47	49.95	3	Horizontal	150	2.08	-	39.23	12.08	65.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 66
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07449G	49.63	83.54	-33.91	39.97	1	Vertical	102	1.98	-	37.55	20.32	48.21			
AV	18.07464G	39.33	63.54	-24.21	29.67	1	Vertical	102	1.98	-	37.55	20.32	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 66
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.087G	49.83	83.54	-33.71	40.10	1	Horizontal	324	2.62	-	37.62	20.33	48.22			
AV	18.07761G	39.36	63.54	-24.18	29.69	1	Horizontal	324	2.62	-	37.57	20.32	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 66
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36439G	46.44	74.00	-27.56	61.19	3	Vertical	349	1.55	-	38.80	12.07	65.62			
AV	12.38344G	36.06	54.00	-17.94	50.80	3	Vertical	349	1.55	-	38.80	12.07	65.61			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 66
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37588G	46.03	74.00	-27.97	60.77	3	Horizontal	320	1.29	-	38.80	12.07	65.61			
AV	12.38224G	35.91	54.00	-18.09	50.65	3	Horizontal	320	1.29	-	38.80	12.07	65.61			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 66
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54366G	51.73	83.54	-31.81	41.67	1	Vertical	42	1.74	-	37.80	20.60	48.34			
AV	18.5478G	40.07	63.54	-23.47	30.02	1	Vertical	42	1.74	-	37.80	20.60	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 66
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54807G	50.97	83.54	-32.57	40.92	1	Horizontal	340	1.48	-	37.80	20.60	48.35			
AV	18.55377G	40.37	63.54	-23.17	30.31	1	Horizontal	340	1.48	-	37.80	20.61	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 69
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69954G	46.17	74.00	-27.83	60.40	3	Vertical	118	1.08	-	39.00	12.06	65.29			
AV	12.68892G	35.44	54.00	-18.56	49.71	3	Vertical	118	1.08	-	38.98	12.06	65.31			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 69
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.6996G	45.32	74.00	-28.68	59.55	3	Horizontal	275	2.66	-	39.00	12.06	65.29			
AV	12.69246G	35.62	54.00	-18.38	49.88	3	Horizontal	275	2.66	-	38.98	12.06	65.30			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 69
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.02048G	50.20	83.54	-33.34	40.38	1	Vertical	73	1.95	-	37.96	20.66	48.80			
AV	19.02513G	39.64	63.54	-23.90	29.83	1	Vertical	73	1.95	-	37.95	20.66	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 69
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03137G	50.39	83.54	-33.15	40.58	1	Horizontal	47	2.00	-	37.94	20.67	48.80			
AV	19.03134G	39.67	63.54	-23.87	29.86	1	Horizontal	47	2.00	-	37.94	20.67	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 69
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.99551G	46.29	88.20	-41.91	59.72	3	Vertical	154	1.11	-	39.41	12.05	64.89			
RMS	12.99836G	35.99	68.20	-32.21	49.42	3	Vertical	154	1.11	-	39.40	12.05	64.88			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz_TX

EUT_Y_4TX
Setting 69
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02107G	46.17	88.20	-42.03	59.68	3	Horizontal	236	1.50	-	39.32	12.05	64.88			
RMS	12.99863G	36.23	68.20	-31.97	49.66	3	Horizontal	236	1.50	-	39.40	12.05	64.88			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz_TX

EUT_V_4TX
Setting 69
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.50609G	51.44	83.54	-32.10	41.54	1	Vertical	89	1.62	-	37.79	20.91	48.80			
AV	19.50132G	41.54	63.54	-22.00	31.63	1	Vertical	89	1.62	-	37.80	20.91	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 69
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.52964G	51.75	83.54	-31.79	41.92	1	Horizontal	249	1.36	-	37.74	20.89	48.80			
AV	19.50675G	41.71	63.54	-21.83	31.81	1	Horizontal	249	1.36	-	37.79	20.91	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 66
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31836G	46.37	74.00	-27.63	59.37	3	Vertical	132	1.49	-	39.81	12.04	64.85			
AV	13.31764G	37.01	54.00	-16.99	50.01	3	Vertical	132	1.49	-	39.81	12.04	64.85			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 66
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.34374G	46.29	74.00	-27.71	59.14	3	Horizontal	341	2.82	-	39.96	12.04	64.85			
AV	13.31809G	36.97	54.00	-17.03	49.97	3	Horizontal	341	2.82	-	39.81	12.04	64.85			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 66
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00646G	50.19	83.54	-33.35	40.72	1	Vertical	301	2.58	-	37.71	20.56	48.80			
AV	19.98048G	39.33	63.54	-24.21	29.83	1	Vertical	301	2.58	-	37.74	20.56	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 66
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98849G	49.49	83.54	-34.05	40.01	1	Horizontal	44	2.06	-	37.72	20.56	48.80			
AV	19.98744G	39.35	63.54	-24.19	29.86	1	Horizontal	44	2.06	-	37.73	20.56	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 69
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65798G	47.96	88.20	-40.24	60.39	3	Vertical	111	2.05	-	40.30	12.03	64.76			
RMS	13.66065G	36.62	68.20	-31.58	49.05	3	Vertical	111	2.05	-	40.30	12.03	64.76			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 69
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.66482G	46.90	88.20	-41.30	59.32	3	Horizontal	318	2.97	-	40.30	12.03	64.75			
RMS	13.65705G	36.68	68.20	-31.52	49.11	3	Horizontal	318	2.97	-	40.30	12.03	64.76			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT Y_4TX
Setting 69
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47404G	50.34	83.54	-33.20	39.74	1	Vertical	75	2.55	-	37.90	21.41	48.71			
AV	20.478G	39.50	63.54	-24.04	28.88	1	Vertical	75	2.55	-	37.90	21.42	48.70			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 69
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47317G	49.42	83.54	-34.12	38.82	1	Horizontal	169	2.45	-	37.90	21.41	48.71			
AV	20.47434G	39.68	63.54	-23.86	29.08	1	Horizontal	169	2.45	-	37.90	21.41	48.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 68
05-I-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0138G	109.42	Inf	-Inf	98.44	3	Vertical	305.9	1.80	-	36.16	9.25	34.43			
RMS	7.0442G	101.30	Inf	-Inf	90.16	3	Vertical	305.9	1.80	-	36.28	9.26	34.40			
PK	7.137G	74.44	88.20	-13.76	62.63	3	Vertical	305.9	1.80	-	36.82	9.28	34.29			
RMS	7.129G	63.66	68.20	-4.54	51.91	3	Vertical	305.9	1.80	-	36.77	9.28	34.30			
PK	7.257G	64.21	74.00	-9.79	52.01	3	Vertical	305.9	1.80	-	37.01	9.34	34.15			
AV	7.2514G	53.94	54.00	-0.06	41.77	3	Vertical	305.9	1.80	-	37.00	9.33	34.16			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 68
05-I-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9826G	108.27	Inf	-Inf	97.40	3	Horizontal	337	2.91	-	36.10	9.22	34.45			
RMS	7.0482G	99.06	Inf	-Inf	87.90	3	Horizontal	337	2.91	-	36.29	9.26	34.39			
PK	7.133G	73.94	88.20	-14.26	62.16	3	Horizontal	337	2.91	-	36.80	9.28	34.30			
RMS	7.133G	63.06	68.20	-5.14	51.28	3	Horizontal	337	2.91	-	36.80	9.28	34.30			
PK	7.2706G	63.65	74.00	-10.35	51.40	3	Horizontal	337	2.91	-	37.04	9.35	34.14			
AV	7.273G	52.11	54.00	-1.89	39.84	3	Horizontal	337	2.91	-	37.05	9.35	34.13			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_V_4TX
Setting 68
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97966G	47.28	88.20	-40.92	58.95	3	Vertical	42	2.11	-	40.92	12.02	64.61			
RMS	13.98125G	37.42	68.20	-30.78	49.09	3	Vertical	42	2.11	-	40.92	12.02	64.61			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 68
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96727G	47.20	88.20	-41.00	58.93	3	Horizontal	12	1.73	-	40.87	12.02	64.62			
RMS	13.98431G	36.97	68.20	-31.23	48.62	3	Horizontal	12	1.73	-	40.94	12.02	64.61			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 68
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96454G	50.54	83.54	-33.00	39.38	1	Vertical	191	1.07	-	37.93	21.93	48.70			
AV	20.96907G	40.44	63.54	-23.10	29.26	1	Vertical	191	1.07	-	37.94	21.94	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 68
06-H-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95932G	50.46	83.54	-33.08	39.31	1	Horizontal	305	2.27	-	37.92	21.93	48.70			
AV	20.96019G	40.14	63.54	-23.40	28.99	1	Horizontal	305	2.27	-	37.92	21.93	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 80
06-H-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.899G	80.16	88.20	-8.04	75.08	3	Vertical	309	1.94	-	32.40	7.25	34.57			
RMS	5.925G	67.93	68.20	-0.27	62.86	3	Vertical	309	1.94	-	32.40	7.27	34.60			
PK	6.082G	111.27	Inf	-Inf	106.00	3	Vertical	309	1.94	-	32.50	7.37	34.60			
RMS	6.142G	100.44	Inf	-Inf	94.91	3	Vertical	309	1.94	-	32.67	7.40	34.54			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 80
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.899G	75.37	88.20	-12.83	70.29	3	Horizontal	314	2.77	-	32.40	7.25	34.57			
RMS	5.921G	63.50	68.20	-4.70	58.44	3	Horizontal	314	2.77	-	32.40	7.26	34.60			
PK	6.137G	105.22	Inf	-Inf	99.72	3	Horizontal	314	2.77	-	32.65	7.40	34.55			
RMS	6.056G	94.38	Inf	-Inf	89.16	3	Horizontal	314	2.77	-	32.50	7.35	34.63			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 80
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2307G	57.76	74.00	-16.24	41.26	3	Vertical	156	1.56	-	38.98	12.07	34.55			
AV	12.19875G	47.82	54.00	-6.18	31.20	3	Vertical	156	1.56	-	39.10	12.07	34.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 80
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.204G	58.16	74.00	-15.84	41.56	3	Horizontal	328	2.96	-	39.08	12.07	34.55			
AV	12.2052G	47.79	54.00	-6.21	31.19	3	Horizontal	328	2.96	-	39.08	12.07	34.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX



EUT_V_4TX
Setting 80
06-H-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30486G	49.15	83.54	-34.39	39.33	1	Vertical	31	2.70	-	37.61	20.47	48.26			
AV	18.3234G	39.47	63.54	-24.07	29.60	1	Vertical	31	2.70	-	37.65	20.48	48.26			