


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 96
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64719G	59.62	74.00	-14.38	38.55	3	Vertical	188	1.14	-	39.29	12.61	30.83			
AV	11.65064G	48.99	54.00	-5.01	27.92	3	Vertical	188	1.14	-	39.30	12.61	30.84			
PK	17.47614G	61.11	68.20	-7.09	34.56	3	Vertical	203	1.06	-	43.71	15.13	32.29			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 96
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64864G	60.21	74.00	-13.79	39.13	3	Horizontal	320	1.18	-	39.30	12.61	30.83			
AV	11.65205G	48.77	54.00	-5.23	27.70	3	Horizontal	320	1.18	-	39.30	12.61	30.84			
PK	17.47489G	61.05	68.20	-7.15	34.51	3	Horizontal	100	2.46	-	43.70	15.13	32.29			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 90
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6455G	67.57	68.20	-0.63	56.33	3	Vertical	12	1.86	-	34.00	7.94	30.70				
PK	5.7585G	121.25	Inf	-Inf	109.78	3	Vertical	12	1.86	-	34.00	8.14	30.67				
AV	5.7485G	110.51	Inf	-Inf	99.06	3	Vertical	12	1.86	-	34.00	8.12	30.67				
PK	5.954G	58.20	68.20	-10.00	46.47	3	Vertical	12	1.86	-	34.21	8.14	30.62				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Y_4TX
Setting 90
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6475G	67.87	68.20	-0.33	56.62	3	Horizontal	342	2.04	-	34.00	7.94	30.69			
PK	5.7375G	122.28	Inf	-Inf	110.85	3	Horizontal	342	2.04	-	34.00	8.10	30.67			
AV	5.748G	111.69	Inf	-Inf	100.24	3	Horizontal	342	2.04	-	34.00	8.12	30.67			
PK	5.9925G	58.52	68.20	-9.68	46.72	3	Horizontal	342	2.04	-	34.29	8.12	30.61			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Y_4TX
Setting 90
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50886G	60.10	74.00	-13.90	39.26	3	Vertical	268	1.88	-	39.02	12.54	30.72			
AV	11.5146G	49.45	54.00	-4.55	28.60	3	Vertical	268	1.88	-	39.03	12.54	30.72			
PK	17.26207G	61.19	68.20	-7.01	36.11	3	Vertical	349	2.99	-	42.20	15.09	32.21			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Y_4TX
Setting 90
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51199G	60.21	74.00	-13.79	39.37	3	Horizontal	214	2.81	-	39.02	12.54	30.72			
AV	11.51474G	49.14	54.00	-4.86	28.29	3	Horizontal	214	2.81	-	39.03	12.54	30.72			
PK	17.2602G	61.97	68.20	-6.23	36.91	3	Horizontal	6	1.05	-	42.18	15.09	32.21			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 95
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6545G	70.68	71.53	-0.85	59.41	3	Vertical	14	1.84	-	34.00	7.96	30.69			
PK	5.808G	122.20	Inf	-Inf	110.67	3	Vertical	14	1.84	-	33.98	8.21	30.66			
AV	5.788G	111.50	Inf	-Inf	99.97	3	Vertical	14	1.84	-	34.00	8.19	30.66			
PK	6.0425G	58.74	68.20	-9.46	46.92	3	Vertical	14	1.84	-	34.38	8.10	30.66			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
Setting 95
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.83	68.20	-0.37	56.57	3	Horizontal	8	1.91	-	34.00	7.95	30.69
PK	5.78G	121.41	Inf	-Inf	109.89	3	Horizontal	8	1.91	-	34.00	8.18	30.66
AV	5.79G	111.85	Inf	-Inf	100.32	3	Horizontal	8	1.91	-	34.00	8.19	30.66
PK	5.955G	58.58	68.20	-9.62	46.85	3	Horizontal	8	1.91	-	34.21	8.14	30.62

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 95
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59284G	60.47	74.00	-13.53	39.49	3	Vertical	267	2.71	-	39.19	12.58	30.79			
AV	11.59363G	49.44	54.00	-4.56	28.46	3	Vertical	267	2.71	-	39.19	12.58	30.79			
PK	17.38004G	61.49	68.20	-6.71	35.62	3	Vertical	34	1.48	-	43.02	15.11	32.26			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
Setting 95
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58851G	60.59	74.00	-13.41	39.61	3	Horizontal	229	2.57	-	39.18	12.58	30.78			
AV	11.58719G	49.40	54.00	-4.60	28.43	3	Horizontal	229	2.57	-	39.17	12.58	30.78			
PK	17.38264G	61.97	68.20	-6.23	36.09	3	Horizontal	291	2.61	-	43.03	15.11	32.26			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Y_4TX
Setting 79
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.648G	68.06	68.20	-0.14	56.81	3	Vertical	13	2.04	-	34.00	7.94	30.69				
PK	5.778G	115.33	Inf	-Inf	103.82	3	Vertical	13	2.04	-	34.00	8.17	30.66				
AV	5.7635G	104.78	Inf	-Inf	93.30	3	Vertical	13	2.04	-	34.00	8.15	30.67				
PK	5.9635G	58.37	68.20	-9.83	46.62	3	Vertical	13	2.04	-	34.23	8.14	30.62				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 79
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.644G	67.59	68.20	-0.61	56.35	3	Horizontal	0	2.18	-	34.00	7.94	30.70				
PK	5.7805G	116.12	Inf	-Inf	104.60	3	Horizontal	0	2.18	-	34.00	8.18	30.66				
AV	5.7655G	105.10	Inf	-Inf	93.62	3	Horizontal	0	2.18	-	34.00	8.15	30.67				
PK	5.929G	59.29	68.20	-8.91	47.61	3	Horizontal	0	2.18	-	34.16	8.15	30.63				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Y_4TX
Setting 79
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55118G	60.19	74.00	-13.81	39.28	3	Vertical	64	1.31	-	39.10	12.56	30.75			
AV	11.55468G	49.41	54.00	-4.59	28.49	3	Vertical	64	1.31	-	39.11	12.57	30.76			
PK	17.32706G	61.86	68.20	-6.34	36.28	3	Vertical	75	2.63	-	42.72	15.10	32.24			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX

EUT_Y_4TX
Setting 79
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55044G	60.83	74.00	-13.17	39.92	3	Horizontal	337	1.32	-	39.10	12.56	30.75			
AV	11.55029G	49.68	54.00	-4.32	28.77	3	Horizontal	337	1.32	-	39.10	12.56	30.75			
PK	17.32752G	61.80	68.20	-6.40	36.22	3	Horizontal	182	1.86	-	42.72	15.10	32.24			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.3504G	53.97	54.00	-0.03	3	Horizontal	348	2.05	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 63
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	66.96	74.00	-7.04	62.22	3	Vertical	331	2.94	-	32.00	6.78	34.04			
AV	5.1498G	52.09	54.00	-1.91	47.35	3	Vertical	331	2.94	-	32.00	6.78	34.04			
PK	5.1846G	106.25	Inf	-Inf	101.68	3	Vertical	331	2.94	-	31.79	6.83	34.05			
AV	5.1782G	98.58	Inf	-Inf	93.98	3	Vertical	331	2.94	-	31.83	6.82	34.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
Setting 63
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1498G	68.01	74.00	-5.99	63.27	3	Horizontal	353	1.98	-	32.00	6.78	34.04				
AV	5.1498G	53.03	54.00	-0.97	48.29	3	Horizontal	353	1.98	-	32.00	6.78	34.04				
PK	5.1738G	108.90	Inf	-Inf	104.28	3	Horizontal	353	1.98	-	31.86	6.81	34.05				
AV	5.177G	100.77	Inf	-Inf	96.16	3	Horizontal	353	1.98	-	31.84	6.82	34.05				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 63
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3489G	58.72	68.20	-9.48	42.59	3	Vertical	360	1.85	-	39.59	11.01	34.47			
PK	15.53718G	59.67	74.00	-14.33	42.44	3	Vertical	166	1.80	-	38.25	13.10	34.12			
AV	15.55236G	50.03	54.00	-3.97	32.85	3	Vertical	166	1.80	-	38.19	13.11	34.12			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 63
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36264G	58.96	68.20	-9.24	42.82	3	Horizontal	209	1.64	-	39.60	11.02	34.48			
PK	15.55326G	59.95	74.00	-14.05	42.77	3	Horizontal	306	1.80	-	38.19	13.11	34.12			
AV	15.54198G	50.04	54.00	-3.96	32.83	3	Horizontal	306	1.80	-	38.23	13.10	34.12			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT Y_1TX
Setting 79
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1496G	65.91	74.00	-8.09	61.17	3	Vertical	336	2.87	-	32.00	6.78	34.04				
AV	5.15G	52.19	54.00	-1.81	47.45	3	Vertical	336	2.87	-	32.00	6.78	34.04				
PK	5.2044G	110.71	Inf	-Inf	106.25	3	Vertical	336	2.87	-	31.67	6.85	34.06				
AV	5.202G	102.97	Inf	-Inf	98.48	3	Vertical	336	2.87	-	31.69	6.85	34.05				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 79
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1492G	67.06	74.00	-6.94	62.32	3	Horizontal	356	1.80	-	32.00	6.78	34.04					
AV	5.15G	52.95	54.00	-1.05	48.21	3	Horizontal	356	1.80	-	32.00	6.78	34.04					
PK	5.2032G	112.23	Inf	-Inf	107.76	3	Horizontal	356	1.80	-	31.68	6.85	34.06					
AV	5.194G	104.72	Inf	-Inf	100.19	3	Horizontal	356	1.80	-	31.74	6.84	34.05					

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 79
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4099G	58.51	68.20	-9.69	42.32	3	Vertical	288	1.47	-	39.62	11.05	34.48			
PK	15.61494G	59.63	74.00	-14.37	42.77	3	Vertical	357	1.80	-	37.85	13.15	34.14			
AV	15.60906G	49.99	54.00	-4.01	33.07	3	Vertical	357	1.80	-	37.91	13.15	34.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 79
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41008G	58.66	68.20	-9.54	42.47	3	Horizontal	214	1.38	-	39.62	11.05	34.48			
PK	15.5886G	59.51	74.00	-14.49	42.46	3	Horizontal	240	1.80	-	38.05	13.13	34.13			
AV	15.58884G	49.56	54.00	-4.44	32.52	3	Horizontal	240	1.80	-	38.04	13.13	34.13			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 97
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	62.44	74.00	-11.56	57.70	3	Vertical	323	3.00	-	32.00	6.78	34.04			
AV	5.1432G	51.16	54.00	-2.84	46.46	3	Vertical	323	3.00	-	31.97	6.77	34.04			
PK	5.236G	114.41	Inf	-Inf	110.14	3	Vertical	323	3.00	-	31.48	6.86	34.07			
AV	5.2408G	106.17	Inf	-Inf	101.92	3	Vertical	323	3.00	-	31.46	6.86	34.07			
PK	5.3528G	58.67	74.00	-15.33	54.49	3	Vertical	323	3.00	-	31.41	6.87	34.10			
AV	5.3624G	49.56	54.00	-4.44	45.38	3	Vertical	323	3.00	-	31.42	6.87	34.11			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 97
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1448G	63.72	74.00	-10.28	59.01	3	Horizontal	356	1.98	-	31.98	6.77	34.04			
AV	5.1488G	52.47	54.00	-1.53	47.73	3	Horizontal	356	1.98	-	32.00	6.78	34.04			
PK	5.2432G	117.17	Inf	-Inf	112.94	3	Horizontal	356	1.98	-	31.44	6.86	34.07			
AV	5.236G	108.40	Inf	-Inf	104.13	3	Horizontal	356	1.98	-	31.48	6.86	34.07			
PK	5.3512G	61.81	74.00	-12.19	57.64	3	Horizontal	356	1.98	-	31.40	6.87	34.10			
AV	5.3536G	50.48	54.00	-3.52	46.30	3	Horizontal	356	1.98	-	31.41	6.87	34.10			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 97
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.492G	58.33	68.20	-9.87	42.03	3	Vertical	60	1.40	-	39.70	11.10	34.50			
PK	15.72798G	59.27	74.00	-14.73	42.45	3	Vertical	28	2.71	-	37.76	13.23	34.17			
AV	15.72246G	49.71	54.00	-4.29	32.91	3	Vertical	28	2.71	-	37.74	13.23	34.17			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 97
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4881G	58.58	68.20	-9.62	42.28	3	Horizontal	42	1.29	-	39.70	11.10	34.50			
PK	15.72018G	59.24	74.00	-14.76	42.45	3	Horizontal	0	1.96	-	37.74	13.22	34.17			
AV	15.73248G	50.11	54.00	-3.89	33.30	3	Horizontal	0	1.96	-	37.76	13.23	34.18			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1496G	59.24	74.00	-14.76	54.50	3	Vertical	327	2.58	-	32.00	6.78	34.04				
AV	5.1442G	49.88	54.00	-4.12	45.17	3	Vertical	327	2.58	-	31.98	6.77	34.04				
PK	5.263G	114.46	Inf	-Inf	110.30	3	Vertical	327	2.58	-	31.37	6.86	34.07				
AV	5.2558G	105.95	Inf	-Inf	101.77	3	Vertical	327	2.58	-	31.39	6.86	34.07				
PK	5.3506G	62.28	74.00	-11.72	58.11	3	Vertical	327	2.58	-	31.40	6.87	34.10				
AV	5.3512G	51.43	54.00	-2.57	47.26	3	Vertical	327	2.58	-	31.40	6.87	34.10				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1424G	59.85	74.00	-14.15	55.15	3	Horizontal	358	2.02	-	31.97	6.77	34.04			
AV	5.1496G	50.20	54.00	-3.80	45.46	3	Horizontal	358	2.02	-	32.00	6.78	34.04			
PK	5.263G	117.09	Inf	-Inf	112.93	3	Horizontal	358	2.02	-	31.37	6.86	34.07			
AV	5.2648G	108.69	Inf	-Inf	104.53	3	Horizontal	358	2.02	-	31.37	6.86	34.07			
PK	5.3518G	65.77	74.00	-8.23	61.60	3	Horizontal	358	2.02	-	31.40	6.87	34.10			
AV	5.3506G	53.01	54.00	-0.99	48.84	3	Horizontal	358	2.02	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50944G	58.85	68.20	-9.35	42.53	3	Vertical	178	1.97	-	39.70	11.11	34.49			
PK	15.7845G	60.28	74.00	-13.72	43.54	3	Vertical	351	1.02	-	37.66	13.27	34.19			
AV	15.78252G	50.71	54.00	-3.29	33.96	3	Vertical	351	1.02	-	37.67	13.27	34.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52378G	58.76	68.20	-9.44	42.43	3	Horizontal	354	2.12	-	39.70	11.12	34.49			
PK	15.77076G	60.47	74.00	-13.53	43.68	3	Horizontal	114	1.73	-	37.72	13.26	34.19			
AV	15.77274G	50.70	54.00	-3.30	33.92	3	Horizontal	114	1.73	-	37.71	13.26	34.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 85
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.304G	110.17	Inf	-Inf	106.08	3	Vertical	320	2.26	-	31.31	6.87	34.09				
AV	5.3016G	102.26	Inf	-Inf	98.18	3	Vertical	320	2.26	-	31.30	6.87	34.09				
PK	5.35G	64.60	74.00	-9.40	60.43	3	Vertical	320	2.26	-	31.40	6.87	34.10				
AV	5.35G	51.72	54.00	-2.28	47.55	3	Vertical	320	2.26	-	31.40	6.87	34.10				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 85
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.304G	112.42	Inf	-Inf	108.33	3	Horizontal	357	2.12	-	31.31	6.87	34.09			
AV	5.3032G	104.76	Inf	-Inf	100.67	3	Horizontal	357	2.12	-	31.31	6.87	34.09			
PK	5.3504G	67.32	74.00	-6.68	63.15	3	Horizontal	357	2.12	-	31.40	6.87	34.10			
AV	5.3508G	53.82	54.00	-0.18	49.65	3	Horizontal	357	2.12	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 85
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61488G	58.67	74.00	-15.33	42.12	3	Vertical	274	1.83	-	39.80	11.18	34.43			
AV	10.615G	48.34	54.00	-5.66	31.79	3	Vertical	274	1.83	-	39.80	11.18	34.43			
PK	15.88638G	60.30	74.00	-13.70	43.51	3	Vertical	286	2.40	-	37.67	13.34	34.22			
AV	15.88572G	49.77	54.00	-4.23	32.98	3	Vertical	286	2.40	-	37.67	13.34	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 85
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60864G	58.76	74.00	-15.24	42.22	3	Horizontal	112	1.98	-	39.80	11.18	34.44			
AV	10.61458G	48.34	54.00	-5.66	31.79	3	Horizontal	112	1.98	-	39.80	11.18	34.43			
PK	15.88896G	59.55	74.00	-14.45	42.75	3	Horizontal	309	2.26	-	37.68	13.34	34.22			
AV	15.90804G	50.19	54.00	-3.81	33.38	3	Horizontal	309	2.26	-	37.67	13.36	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 69
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3152G	106.35	Inf	-Inf	102.24	3	Vertical	326	2.34	-	31.33	6.87	34.09				
AV	5.314G	98.79	Inf	-Inf	94.68	3	Vertical	326	2.34	-	31.33	6.87	34.09				
PK	5.3502G	64.86	74.00	-9.14	60.69	3	Vertical	326	2.34	-	31.40	6.87	34.10				
AV	5.351G	52.66	54.00	-1.34	48.49	3	Vertical	326	2.34	-	31.40	6.87	34.10				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 69
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3232G	108.05	Inf	-Inf	103.92	3	Horizontal	354	1.80	-	31.35	6.87	34.09			
AV	5.3172G	100.31	Inf	-Inf	96.20	3	Horizontal	354	1.80	-	31.33	6.87	34.09			
PK	5.3502G	67.25	74.00	-6.75	63.08	3	Horizontal	354	1.80	-	31.40	6.87	34.10			
AV	5.3514G	52.93	54.00	-1.07	48.76	3	Horizontal	354	1.80	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 69
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64162G	57.94	74.00	-16.06	41.36	3	Vertical	21	2.29	-	39.80	11.20	34.42			
AV	10.63004G	48.38	54.00	-5.62	31.81	3	Vertical	21	2.29	-	39.80	11.19	34.42			
PK	15.95022G	58.74	74.00	-15.26	42.09	3	Vertical	51	2.99	-	37.50	13.39	34.24			
AV	15.95394G	49.36	54.00	-4.64	32.73	3	Vertical	51	2.99	-	37.48	13.39	34.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 69
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63904G	57.82	74.00	-16.18	41.24	3	Horizontal	133	2.17	-	39.80	11.20	34.42			
AV	10.63292G	48.42	54.00	-5.58	31.85	3	Horizontal	133	2.17	-	39.80	11.19	34.42			
PK	15.95286G	59.42	74.00	-14.58	42.78	3	Horizontal	232	1.48	-	37.49	13.39	34.24			
AV	15.97206G	49.16	54.00	-4.84	32.59	3	Horizontal	232	1.48	-	37.41	13.40	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT Y_1TX
Setting 71
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4588G	60.77	74.00	-13.23	56.30	3	Vertical	320	2.63	-	31.72	6.89	34.14			
AV	5.46G	49.29	54.00	-4.71	44.82	3	Vertical	320	2.63	-	31.72	6.89	34.14			
PK	5.4688G	65.66	68.20	-2.54	61.17	3	Vertical	320	2.63	-	31.74	6.89	34.14			
PK	5.4936G	107.92	Inf	-Inf	103.39	3	Vertical	320	2.63	-	31.79	6.89	34.15			
AV	5.4984G	100.15	Inf	-Inf	95.61	3	Vertical	320	2.63	-	31.80	6.89	34.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 71
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	63.66	74.00	-10.34	59.19	3	Horizontal	358	1.97	-	31.72	6.89	34.14			
AV	5.4584G	50.44	54.00	-3.56	45.97	3	Horizontal	358	1.97	-	31.72	6.89	34.14			
PK	5.4644G	67.85	68.20	-0.35	63.37	3	Horizontal	358	1.97	-	31.73	6.89	34.14			
PK	5.494G	109.37	Inf	-Inf	104.84	3	Horizontal	358	1.97	-	31.79	6.89	34.15			
AV	5.4984G	101.37	Inf	-Inf	96.83	3	Horizontal	358	1.97	-	31.80	6.89	34.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 71
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00468G	59.79	74.00	-14.21	42.40	3	Vertical	83	1.26	-	40.18	11.43	34.22			
AV	10.98818G	49.57	54.00	-4.43	32.15	3	Vertical	83	1.26	-	40.22	11.42	34.22			
PK	16.49388G	61.36	68.20	-6.84	42.41	3	Vertical	330	1.02	-	39.64	13.59	34.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX

EUT_Y_1TX
Setting 71
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98734G	59.37	74.00	-14.63	41.94	3	Horizontal	215	2.47	-	40.23	11.42	34.22			
AV	10.9868G	50.14	54.00	-3.86	32.71	3	Horizontal	215	2.47	-	40.23	11.42	34.22			
PK	16.49442G	61.48	68.20	-6.72	42.53	3	Horizontal	309	1.16	-	39.64	13.59	34.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.388G	57.90	74.00	-16.10	53.65	3	Vertical	320	2.68	-	31.48	6.88	34.11			
PK	5.464G	59.90	68.20	-8.30	55.42	3	Vertical	320	2.68	-	31.73	6.89	34.14			
AV	5.4576G	49.02	54.00	-4.98	44.55	3	Vertical	320	2.68	-	31.72	6.89	34.14			
PK	5.576G	114.79	Inf	-Inf	110.36	3	Vertical	320	2.68	-	31.75	6.91	34.23			
AV	5.584G	106.75	Inf	-Inf	102.35	3	Vertical	320	2.68	-	31.73	6.91	34.24			
PK	5.732G	58.73	68.20	-9.47	53.94	3	Vertical	320	2.68	-	32.10	7.09	34.40			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4464G	58.65	74.00	-15.35	54.20	3	Horizontal	358	1.80	-	31.69	6.89	34.13			
AV	5.4528G	49.43	54.00	-4.57	44.96	3	Horizontal	358	1.80	-	31.71	6.89	34.13			
PK	5.4696G	58.93	68.20	-9.27	54.44	3	Horizontal	358	1.80	-	31.74	6.89	34.14			
PK	5.5768G	115.85	Inf	-Inf	111.42	3	Horizontal	358	1.80	-	31.75	6.91	34.23			
AV	5.5848G	107.50	Inf	-Inf	103.10	3	Horizontal	358	1.80	-	31.73	6.91	34.24			
PK	5.7264G	59.03	68.20	-9.17	54.24	3	Horizontal	358	1.80	-	32.10	7.08	34.39			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16918G	58.27	74.00	-15.73	41.74	3	Vertical	211	2.04	-	39.46	11.54	34.47			
AV	11.16114G	49.01	54.00	-4.99	32.46	3	Vertical	211	2.04	-	39.48	11.53	34.46			
PK	16.72836G	61.69	68.20	-6.51	42.42	3	Vertical	113	2.88	-	39.87	13.67	34.27			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17344G	58.56	74.00	-15.44	42.05	3	Horizontal	289	1.70	-	39.45	11.54	34.48			
AV	11.17362G	48.83	54.00	-5.17	32.32	3	Horizontal	289	1.70	-	39.45	11.54	34.48			
PK	16.73268G	61.42	68.20	-6.78	42.12	3	Horizontal	297	1.90	-	39.90	13.67	34.27			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 65
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6952G	106.60	Inf	-Inf	101.84	3	Vertical	319	2.60	-	32.08	7.04	34.36				
AV	5.6984G	98.99	Inf	-Inf	94.22	3	Vertical	319	2.60	-	32.09	7.04	34.36				
PK	5.7262G	65.71	68.20	-2.49	60.92	3	Vertical	319	2.60	-	32.10	7.08	34.39				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 65
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6938G	109.15	Inf	-Inf	104.39	3	Horizontal	358	1.80	-	32.08	7.04	34.36			
AV	5.697G	101.12	Inf	-Inf	96.35	3	Horizontal	358	1.80	-	32.09	7.04	34.36			
PK	5.7272G	67.96	68.20	-0.24	63.17	3	Horizontal	358	1.80	-	32.10	7.08	34.39			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 65
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39196G	60.21	74.00	-13.79	43.57	3	Vertical	12	2.09	-	39.78	11.68	34.82			
AV	11.39724G	50.19	54.00	-3.81	33.54	3	Vertical	12	2.09	-	39.79	11.69	34.83			
PK	17.0979G	62.23	68.20	-5.97	42.28	3	Vertical	210	2.16	-	40.40	13.79	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 65
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38974G	59.45	74.00	-14.55	42.81	3	Horizontal	167	2.57	-	39.78	11.68	34.82			
AV	11.40306G	49.70	54.00	-4.30	33.05	3	Horizontal	167	2.57	-	39.80	11.69	34.84			
PK	17.10036G	63.03	68.20	-5.17	43.08	3	Horizontal	328	1.13	-	40.40	13.79	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7232G	114.86	Inf	-Inf	110.07	3	Vertical	321	2.46	-	32.10	7.08	34.39			
AV	5.724G	106.53	Inf	-Inf	101.74	3	Vertical	321	2.46	-	32.10	7.08	34.39			
PK	5.9008G	60.02	68.20	-8.18	54.94	3	Vertical	321	2.46	-	32.40	7.25	34.57			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7224G	116.50	Inf	-Inf	111.71	3	Horizontal	357	1.63	-	32.10	7.08	34.39			
AV	5.7248G	108.69	Inf	-Inf	103.90	3	Horizontal	357	1.63	-	32.10	7.08	34.39			
PK	5.9032G	59.99	68.20	-8.21	54.92	3	Horizontal	357	1.63	-	32.40	7.25	34.58			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4415G	59.34	74.00	-14.66	42.72	3	Vertical	275	1.05	-	39.80	11.72	34.90			
AV	11.42902G	49.44	54.00	-4.56	32.81	3	Vertical	275	1.05	-	39.80	11.71	34.88			
PK	17.15106G	62.29	68.20	-5.91	42.20	3	Vertical	256	2.83	-	40.51	13.81	34.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.45176G	58.68	74.00	-15.32	42.07	3	Horizontal	174	2.63	-	39.80	11.72	34.91			
AV	11.42914G	49.50	54.00	-4.50	32.87	3	Horizontal	174	2.63	-	39.80	11.71	34.88			
PK	17.16594G	62.42	68.20	-5.78	42.22	3	Horizontal	151	2.02	-	40.60	13.82	34.22			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.65G	60.32	68.20	-7.88	55.75	3	Vertical	317	2.34	-	31.90	6.98	34.31				
PK	5.748G	114.74	Inf	-Inf	109.94	3	Vertical	317	2.34	-	32.10	7.11	34.41				
AV	5.75G	106.26	Inf	-Inf	101.46	3	Vertical	317	2.34	-	32.10	7.11	34.41				
PK	5.951G	59.65	68.20	-8.55	54.59	3	Vertical	317	2.34	-	32.40	7.29	34.63				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.654G	65.16	71.16	-6.00	60.57	3	Horizontal	354	1.52	-	31.92	6.98	34.31
PK	5.742G	116.87	Inf	-Inf	112.08	3	Horizontal	354	1.52	-	32.10	7.10	34.41
AV	5.749G	108.57	Inf	-Inf	103.77	3	Horizontal	354	1.52	-	32.10	7.11	34.41
PK	5.982G	59.47	68.20	-8.73	54.36	3	Horizontal	354	1.52	-	32.46	7.31	34.66

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50338G	58.37	74.00	-15.63	41.70	3	Vertical	175	1.97	-	39.90	11.76	34.99			
AV	11.50314G	48.94	54.00	-5.06	32.27	3	Vertical	175	1.97	-	39.90	11.76	34.99			
PK	17.23002G	62.48	68.20	-5.72	41.93	3	Vertical	192	2.54	-	40.92	13.84	34.21			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48598G	58.49	74.00	-15.51	41.84	3	Horizontal	256	1.27	-	39.87	11.75	34.97			
AV	11.50206G	48.84	54.00	-5.16	32.17	3	Horizontal	256	1.27	-	39.90	11.76	34.99			
PK	17.22342G	61.58	68.20	-6.62	41.06	3	Horizontal	349	2.21	-	40.89	13.84	34.21			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.58G	58.40	68.20	-9.80	53.98	3	Vertical	320	2.41	-	31.74	6.91	34.23				
PK	5.783G	113.51	Inf	-Inf	108.70	3	Vertical	320	2.41	-	32.10	7.16	34.45				
AV	5.781G	105.72	Inf	-Inf	100.92	3	Vertical	320	2.41	-	32.10	7.15	34.45				
PK	5.973G	59.66	68.20	-8.54	54.56	3	Vertical	320	2.41	-	32.45	7.30	34.65				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.607G	59.03	68.20	-9.17	54.64	3	Horizontal	354	1.58	-	31.73	6.92	34.26			
PK	5.783G	116.16	Inf	-Inf	111.35	3	Horizontal	354	1.58	-	32.10	7.16	34.45			
AV	5.788G	108.26	Inf	-Inf	103.46	3	Horizontal	354	1.58	-	32.10	7.16	34.46			
PK	6G	60.32	68.20	-7.88	55.18	3	Horizontal	354	1.58	-	32.50	7.32	34.68			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX

EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56004G	58.09	74.00	-15.91	41.38	3	Vertical	41	1.25	-	39.86	11.79	34.94			
AV	11.5559G	48.96	54.00	-5.04	32.23	3	Vertical	41	1.25	-	39.88	11.79	34.94			
PK	17.3688G	62.89	68.20	-5.31	41.39	3	Vertical	279	2.26	-	41.79	13.89	34.18			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56298G	58.78	74.00	-15.22	42.06	3	Horizontal	175	1.54	-	39.85	11.80	34.93			
AV	11.5646G	48.86	54.00	-5.14	32.15	3	Horizontal	175	1.54	-	39.84	11.80	34.93			
PK	17.36094G	63.22	68.20	-4.98	41.81	3	Horizontal	187	1.73	-	41.71	13.88	34.18			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.589G	58.20	68.20	-10.00	53.81	3	Vertical	321	2.40	-	31.72	6.91	34.24			
PK	5.827G	113.28	Inf	-Inf	108.43	3	Vertical	321	2.40	-	32.15	7.20	34.50			
AV	5.822G	105.24	Inf	-Inf	100.39	3	Vertical	321	2.40	-	32.14	7.20	34.49			
PK	6.03G	60.15	68.20	-8.05	54.96	3	Vertical	321	2.40	-	32.50	7.34	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.632G	58.23	68.20	-9.97	53.74	3	Horizontal	352	1.55	-	31.83	6.95	34.29				
PK	5.831G	115.98	Inf	-Inf	111.12	3	Horizontal	352	1.55	-	32.16	7.20	34.50				
AV	5.826G	107.96	Inf	-Inf	103.11	3	Horizontal	352	1.55	-	32.15	7.20	34.50				
PK	5.926G	62.36	68.20	-5.84	57.29	3	Horizontal	352	1.55	-	32.40	7.27	34.60				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6413G	58.77	74.00	-15.23	42.34	3	Vertical	225	2.20	-	39.45	11.85	34.87			
AV	11.66476G	48.48	54.00	-5.52	32.13	3	Vertical	225	2.20	-	39.34	11.86	34.85			
PK	17.4708G	63.76	68.20	-4.44	41.53	3	Vertical	66	2.50	-	42.47	13.92	34.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64034G	58.04	74.00	-15.96	41.60	3	Horizontal	167	1.99	-	39.46	11.85	34.87			
AV	11.64586G	48.24	54.00	-5.76	31.83	3	Horizontal	167	1.99	-	39.42	11.85	34.86			
PK	17.48376G	64.60	68.20	-3.60	42.26	3	Horizontal	103	2.23	-	42.57	13.92	34.15			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT Y_1TX
Setting 60
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	67.17	74.00	-6.83	62.43	3	Vertical	325	2.79	-	32.00	6.78	34.04				
AV	5.1488G	51.13	54.00	-2.87	46.39	3	Vertical	325	2.79	-	32.00	6.78	34.04				
PK	5.1832G	109.02	Inf	-Inf	104.44	3	Vertical	325	2.79	-	31.80	6.83	34.05				
AV	5.1816G	97.39	Inf	-Inf	92.81	3	Vertical	325	2.79	-	31.81	6.82	34.05				

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 60
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	69.79	74.00	-4.21	65.05	3	Horizontal	350	2.01	-	32.00	6.78	34.04			
AV	5.15G	53.12	54.00	-0.88	48.38	3	Horizontal	350	2.01	-	32.00	6.78	34.04			
PK	5.178G	110.35	Inf	-Inf	105.75	3	Horizontal	350	2.01	-	31.83	6.82	34.05			
AV	5.1844G	99.24	Inf	-Inf	94.67	3	Horizontal	350	2.01	-	31.79	6.83	34.05			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 60
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35874G	58.22	68.20	-9.98	42.08	3	Vertical	285	1.12	-	39.60	11.01	34.47			
PK	15.54504G	59.63	74.00	-14.37	42.43	3	Vertical	37	1.39	-	38.22	13.10	34.12			
AV	15.55218G	49.22	54.00	-4.78	32.04	3	Vertical	37	1.39	-	38.19	13.11	34.12			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 60
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35112G	58.24	68.20	-9.96	42.10	3	Horizontal	231	2.40	-	39.60	11.01	34.47			
PK	15.54936G	60.15	74.00	-13.85	42.97	3	Horizontal	2	1.80	-	38.20	13.10	34.12			
AV	15.53298G	49.30	54.00	-4.70	32.06	3	Horizontal	2	1.80	-	38.27	13.09	34.12			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 76
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	68.10	74.00	-5.90	63.36	3	Vertical	327	2.88	-	32.00	6.78	34.04				
AV	5.15G	52.29	54.00	-1.71	47.55	3	Vertical	327	2.88	-	32.00	6.78	34.04				
PK	5.1932G	112.24	Inf	-Inf	107.71	3	Vertical	327	2.88	-	31.74	6.84	34.05				
AV	5.1976G	101.38	Inf	-Inf	96.87	3	Vertical	327	2.88	-	31.71	6.85	34.05				

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 76
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	69.45	74.00	-4.55	64.73	3	Horizontal	348	1.99	-	31.99	6.77	34.04			
AV	5.1492G	53.88	54.00	-0.12	49.14	3	Horizontal	348	1.99	-	32.00	6.78	34.04			
PK	5.194G	114.17	Inf	-Inf	109.64	3	Horizontal	348	1.99	-	31.74	6.84	34.05			
AV	5.1956G	103.59	Inf	-Inf	99.07	3	Horizontal	348	1.99	-	31.73	6.84	34.05			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 76
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39088G	58.58	68.20	-9.62	42.43	3	Vertical	228	2.91	-	39.60	11.03	34.48			
PK	15.59136G	58.97	74.00	-15.03	41.95	3	Vertical	341	1.94	-	38.03	13.13	34.14			
AV	15.58842G	48.50	54.00	-5.50	31.45	3	Vertical	341	1.94	-	38.05	13.13	34.13			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5200MHz_TX

EUT Y_1TX
Setting 76
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39646G	57.78	68.20	-10.42	41.62	3	Horizontal	228	2.98	-	39.60	11.04	34.48			
PK	15.5988G	58.55	74.00	-15.45	41.55	3	Horizontal	34	2.58	-	38.00	13.14	34.14			
AV	15.59484G	47.56	54.00	-6.44	30.54	3	Horizontal	34	2.58	-	38.02	13.14	34.14			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 96
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	65.31	74.00	-8.69	60.60	3	Vertical	316	2.97	-	31.98	6.77	34.04			
AV	5.15G	52.19	54.00	-1.81	47.45	3	Vertical	316	2.97	-	32.00	6.78	34.04			
PK	5.2478G	114.49	Inf	-Inf	110.29	3	Vertical	316	2.97	-	31.41	6.86	34.07			
AV	5.2424G	104.66	Inf	-Inf	100.42	3	Vertical	316	2.97	-	31.45	6.86	34.07			
PK	5.3558G	61.40	74.00	-12.60	57.22	3	Vertical	316	2.97	-	31.41	6.87	34.10			
AV	5.3558G	49.53	54.00	-4.47	45.35	3	Vertical	316	2.97	-	31.41	6.87	34.10			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT_Y_1TX
Setting 96
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	67.57	74.00	-6.43	62.83	3	Horizontal	348	1.98	-	32.00	6.78	34.04			
AV	5.1494G	53.38	54.00	-0.62	48.64	3	Horizontal	348	1.98	-	32.00	6.78	34.04			
PK	5.234G	117.12	Inf	-Inf	112.82	3	Horizontal	348	1.98	-	31.50	6.86	34.06			
AV	5.2418G	107.03	Inf	-Inf	102.79	3	Horizontal	348	1.98	-	31.45	6.86	34.07			
PK	5.3552G	64.34	74.00	-9.66	60.16	3	Horizontal	348	1.98	-	31.41	6.87	34.10			
AV	5.351G	51.32	54.00	-2.68	47.15	3	Horizontal	348	1.98	-	31.40	6.87	34.10			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT Y_1TX
Setting 96
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4728G	59.26	68.20	-8.94	42.97	3	Vertical	195	1.44	-	39.70	11.09	34.50			
PK	15.73128G	59.40	74.00	-14.60	42.58	3	Vertical	188	1.17	-	37.76	13.23	34.17			
AV	15.73284G	48.92	54.00	-5.08	32.10	3	Vertical	188	1.17	-	37.77	13.23	34.18			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT Y_1TX
Setting 96
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46938G	57.60	68.20	-10.60	41.30	3	Horizontal	265	1.61	-	39.70	11.09	34.49			
PK	15.72888G	58.06	74.00	-15.94	41.24	3	Horizontal	223	3.00	-	37.76	13.23	34.17			
AV	15.73164G	47.98	54.00	-6.02	31.16	3	Horizontal	223	3.00	-	37.76	13.23	34.17			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 98
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	59.60	74.00	-14.40	54.87	3	Vertical	316	2.58	-	31.99	6.78	34.04			
AV	5.1496G	49.15	54.00	-4.85	44.41	3	Vertical	316	2.58	-	32.00	6.78	34.04			
PK	5.2576G	115.72	Inf	-Inf	111.55	3	Vertical	316	2.58	-	31.38	6.86	34.07			
AV	5.2624G	104.72	Inf	-Inf	100.55	3	Vertical	316	2.58	-	31.38	6.86	34.07			
PK	5.3542G	63.98	74.00	-10.02	59.80	3	Vertical	316	2.58	-	31.41	6.87	34.10			
AV	5.3506G	51.82	54.00	-2.18	47.65	3	Vertical	316	2.58	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_Y_1TX
Setting 98
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1442G	61.94	74.00	-12.06	57.23	3	Horizontal	345	1.97	-	31.98	6.77	34.04			
AV	5.1496G	50.08	54.00	-3.92	45.34	3	Horizontal	345	1.97	-	32.00	6.78	34.04			
PK	5.2666G	118.13	Inf	-Inf	113.98	3	Horizontal	345	1.97	-	31.37	6.86	34.08			
AV	5.2648G	107.52	Inf	-Inf	103.36	3	Horizontal	345	1.97	-	31.37	6.86	34.07			
PK	5.3506G	67.22	74.00	-6.78	63.05	3	Horizontal	345	1.97	-	31.40	6.87	34.10			
AV	5.3512G	53.59	54.00	-0.41	49.42	3	Horizontal	345	1.97	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_Y_1TX
Setting 98
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51484G	58.16	68.20	-10.04	41.84	3	Vertical	78	1.92	-	39.70	11.11	34.49			
PK	15.77982G	60.56	74.00	-13.44	43.80	3	Vertical	360	1.22	-	37.68	13.27	34.19			
AV	15.77292G	50.02	54.00	-3.98	33.24	3	Vertical	360	1.22	-	37.71	13.26	34.19			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT Y_1TX
Setting 98
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.505G	57.03	68.20	-11.17	40.72	3	Horizontal	344	1.35	-	39.70	11.11	34.50			
PK	15.7755G	59.46	74.00	-14.54	42.69	3	Horizontal	240	1.12	-	37.70	13.26	34.19			
AV	15.76698G	48.73	54.00	-5.27	31.92	3	Horizontal	240	1.12	-	37.73	13.26	34.18			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 81
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2992G	111.71	Inf	-Inf	107.64	3	Vertical	310	2.22	-	31.30	6.86	34.09				
AV	5.2964G	100.91	Inf	-Inf	96.82	3	Vertical	310	2.22	-	31.31	6.86	34.08				
PK	5.3544G	67.08	74.00	-6.92	62.90	3	Vertical	310	2.22	-	31.41	6.87	34.10				
AV	5.3512G	52.93	54.00	-1.07	48.76	3	Vertical	310	2.22	-	31.40	6.87	34.10				

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 81
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2952G	113.88	Inf	-Inf	109.79	3	Horizontal	348	2.05	-	31.31	6.86	34.08				
AV	5.3048G	103.28	Inf	-Inf	99.19	3	Horizontal	348	2.05	-	31.31	6.87	34.09				
PK	5.3536G	71.97	74.00	-2.03	67.79	3	Horizontal	348	2.05	-	31.41	6.87	34.10				
AV	5.3504G	53.97	54.00	-0.03	49.80	3	Horizontal	348	2.05	-	31.40	6.87	34.10				

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT_Y_1TX
Setting 81
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.61000G	58.57	74.00	-15.43	42.03	3	Vertical	135	1.81	-	39.80	11.18	34.44				
AV	10.61266G	47.56	54.00	-6.44	31.01	3	Vertical	135	1.81	-	39.80	11.18	34.43				
PK	15.90426G	59.30	74.00	-14.70	42.49	3	Vertical	291	1.18	-	37.68	13.35	34.22				
AV	15.8853G	49.20	54.00	-4.80	32.41	3	Vertical	291	1.18	-	37.67	13.34	34.22				

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 81
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61000G	57.22	74.00	-16.78	40.68	3	Horizontal	360	2.48	-	39.80	11.18	34.44			
AV	10.61152G	46.87	54.00	-7.13	30.33	3	Horizontal	360	2.48	-	39.80	11.18	34.44			
PK	15.89406G	58.36	74.00	-15.64	41.54	3	Horizontal	112	1.96	-	37.69	13.35	34.22			
AV	15.90054G	48.10	54.00	-5.90	31.27	3	Horizontal	112	1.96	-	37.70	13.35	34.22			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 67
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.324G	109.09	Inf	-Inf	104.96	3	Vertical	312	2.32	-	31.35	6.87	34.09			
AV	5.325G	97.68	Inf	-Inf	93.55	3	Vertical	312	2.32	-	31.35	6.87	34.09			
PK	5.3508G	66.75	74.00	-7.25	62.58	3	Vertical	312	2.32	-	31.40	6.87	34.10			
AV	5.352G	51.23	54.00	-2.77	47.06	3	Vertical	312	2.32	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 67
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3158G	111.42	Inf	-Inf	107.31	3	Horizontal	347	2.05	-	31.33	6.87	34.09			
AV	5.3146G	99.90	Inf	-Inf	95.79	3	Horizontal	347	2.05	-	31.33	6.87	34.09			
PK	5.3586G	69.80	74.00	-4.20	65.61	3	Horizontal	347	2.05	-	31.42	6.87	34.10			
AV	5.351G	53.18	54.00	-0.82	49.01	3	Horizontal	347	2.05	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT_Y_1TX
Setting 67
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62836G	58.28	74.00	-15.72	41.72	3	Vertical	23	1.09	-	39.80	11.19	34.43			
AV	10.62818G	47.53	54.00	-6.47	30.97	3	Vertical	23	1.09	-	39.80	11.19	34.43			
PK	15.95238G	59.08	74.00	-14.92	42.44	3	Vertical	230	2.02	-	37.49	13.39	34.24			
AV	15.97206G	48.50	54.00	-5.50	31.93	3	Vertical	230	2.02	-	37.41	13.40	34.24			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 67
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.62758G	57.04	74.00	-16.96	40.48	3	Horizontal	252	2.91	-	39.80	11.19	34.43				
AV	10.62944G	46.60	54.00	-7.40	30.03	3	Horizontal	252	2.91	-	39.80	11.19	34.42				
PK	15.95988G	57.90	74.00	-16.10	41.29	3	Horizontal	86	1.24	-	37.46	13.39	34.24				
AV	15.9462G	47.40	54.00	-6.60	30.73	3	Horizontal	86	1.24	-	37.52	13.38	34.23				

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 66
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4584G	61.30	74.00	-12.70	56.83	3	Vertical	310	2.63	-	31.72	6.89	34.14			
AV	5.4568G	48.58	54.00	-5.42	44.12	3	Vertical	310	2.63	-	31.71	6.89	34.14			
PK	5.4688G	66.97	68.20	-1.23	62.48	3	Vertical	310	2.63	-	31.74	6.89	34.14			
PK	5.494G	109.31	Inf	-Inf	104.78	3	Vertical	310	2.63	-	31.79	6.89	34.15			
AV	5.5044G	98.15	Inf	-Inf	93.60	3	Vertical	310	2.63	-	31.80	6.90	34.15			

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 66
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	62.96	74.00	-11.04	58.49	3	Horizontal	345	1.88	-	31.72	6.89	34.14			
AV	5.4584G	49.16	54.00	-4.84	44.69	3	Horizontal	345	1.88	-	31.72	6.89	34.14			
PK	5.4684G	68.05	68.20	-0.15	63.56	3	Horizontal	345	1.88	-	31.74	6.89	34.14			
PK	5.4988G	110.69	Inf	-Inf	106.15	3	Horizontal	345	1.88	-	31.80	6.89	34.15			
AV	5.5016G	99.92	Inf	-Inf	95.37	3	Horizontal	345	1.88	-	31.80	6.90	34.15			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT_Y_1TX
Setting 66
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98818G	58.72	74.00	-15.28	41.30	3	Vertical	197	1.82	-	40.22	11.42	34.22			
AV	11.00024G	47.95	54.00	-6.05	30.53	3	Vertical	197	1.82	-	40.20	11.43	34.21			
PK	16.5135G	60.87	68.20	-7.33	41.86	3	Vertical	302	1.81	-	39.70	13.59	34.28			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT_Y_1TX
Setting 66
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00474G	59.45	74.00	-14.55	42.06	3	Horizontal	74	2.67	-	40.18	11.43	34.22			
AV	10.98938G	49.40	54.00	-4.60	31.98	3	Horizontal	74	2.67	-	40.22	11.42	34.22			
PK	16.5108G	61.39	68.20	-6.81	42.38	3	Horizontal	31	2.04	-	39.70	13.59	34.28			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	61.06	74.00	-12.94	56.59	3	Vertical	311	2.68	-	31.72	6.89	34.14			
AV	5.4592G	49.02	54.00	-4.98	44.55	3	Vertical	311	2.68	-	31.72	6.89	34.14			
PK	5.4672G	61.33	68.20	-6.87	56.85	3	Vertical	311	2.68	-	31.73	6.89	34.14			
PK	5.5832G	115.42	Inf	-Inf	111.02	3	Vertical	311	2.68	-	31.73	6.91	34.24			
AV	5.5776G	104.87	Inf	-Inf	100.45	3	Vertical	311	2.68	-	31.74	6.91	34.23			
PK	5.7368G	59.65	68.20	-8.55	54.86	3	Vertical	311	2.68	-	32.10	7.09	34.40			

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4408G	61.41	74.00	-12.59	56.99	3	Horizontal	345	1.80	-	31.66	6.89	34.13
PK	5.4688G	63.46	68.20	-4.74	58.97	3	Horizontal	345	1.80	-	31.74	6.89	34.14
AV	5.4592G	49.95	54.00	-4.05	45.48	3	Horizontal	345	1.80	-	31.72	6.89	34.14
PK	5.5776G	116.20	Inf	-Inf	111.78	3	Horizontal	345	1.80	-	31.74	6.91	34.23
AV	5.5744G	106.33	Inf	-Inf	101.90	3	Horizontal	345	1.80	-	31.75	6.91	34.23
PK	5.7464G	59.39	68.20	-8.81	54.59	3	Horizontal	345	1.80	-	32.10	7.11	34.41

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16216G	56.09	74.00	-17.91	39.53	3	Vertical	194	2.72	-	39.48	11.54	34.46			
AV	11.1597G	45.92	54.00	-8.08	29.37	3	Vertical	194	2.72	-	39.48	11.53	34.46			
PK	16.7487G	59.49	68.20	-8.71	40.10	3	Vertical	69	2.40	-	39.99	13.67	34.27			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17152G	58.40	74.00	-15.60	41.88	3	Horizontal	208	2.28	-	39.46	11.54	34.48			
AV	11.15472G	47.70	54.00	-6.30	31.13	3	Horizontal	208	2.28	-	39.49	11.53	34.45			
PK	16.75098G	62.03	68.20	-6.17	42.61	3	Horizontal	136	1.80	-	40.01	13.68	34.27			

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
Setting 56
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7028G	107.28	Inf	-Inf	102.49	3	Vertical	307	2.50	-	32.10	7.05	34.36			
AV	5.7014G	95.51	Inf	-Inf	90.72	3	Vertical	307	2.50	-	32.10	7.05	34.36			
PK	5.733G	64.77	68.20	-3.43	59.98	3	Vertical	307	2.50	-	32.10	7.09	34.40			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
Setting 56
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7038G	108.91	Inf	-Inf	104.13	3	Horizontal	345	1.64	-	32.10	7.05	34.37			
AV	5.6944G	97.64	Inf	-Inf	92.88	3	Horizontal	345	1.64	-	32.08	7.04	34.36			
PK	5.727G	66.45	68.20	-1.75	61.66	3	Horizontal	345	1.64	-	32.10	7.08	34.39			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 56
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3973G	59.01	74.00	-14.99	42.36	3	Vertical	275	2.79	-	39.79	11.69	34.83			
AV	11.40726G	48.99	54.00	-5.01	32.35	3	Vertical	275	2.79	-	39.80	11.69	34.85			
PK	17.10768G	62.45	68.20	-5.75	42.47	3	Vertical	339	1.84	-	40.42	13.80	34.24			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT_Y_1TX
Setting 56
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40036G	58.26	74.00	-15.74	41.60	3	Horizontal	8	1.17	-	39.80	11.69	34.83			
AV	11.4003G	48.09	54.00	-5.91	31.43	3	Horizontal	8	1.17	-	39.80	11.69	34.83			
PK	17.08512G	61.29	68.20	-6.91	41.31	3	Horizontal	313	1.94	-	40.43	13.79	34.24			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 99
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7144G	115.28	Inf	-Inf	110.50	3	Vertical	309	2.68	-	32.10	7.06	34.38				
AV	5.7272G	105.30	Inf	-Inf	100.51	3	Vertical	309	2.68	-	32.10	7.08	34.39				
PK	5.8536G	60.27	68.20	-7.93	55.36	3	Vertical	309	2.68	-	32.21	7.22	34.52				

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7192G	117.90	Inf	-Inf	113.11	3	Horizontal	343	1.64	-	32.10	7.07	34.38			
AV	5.7248G	107.34	Inf	-Inf	102.55	3	Horizontal	343	1.64	-	32.10	7.08	34.39			
PK	5.8552G	60.84	68.20	-7.36	55.93	3	Horizontal	343	1.64	-	32.22	7.22	34.53			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 99
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43886G	59.52	74.00	-14.48	42.89	3	Vertical	69	2.21	-	39.80	11.72	34.89			
AV	11.43616G	48.77	54.00	-5.23	32.15	3	Vertical	69	2.21	-	39.80	11.71	34.89			
PK	17.1621G	59.92	68.20	-8.28	39.75	3	Vertical	147	2.04	-	40.57	13.82	34.22			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43616G	58.76	74.00	-15.24	42.14	3	Horizontal	60	1.00	-	39.80	11.71	34.89			
AV	11.42932G	48.36	54.00	-5.64	31.73	3	Horizontal	60	1.00	-	39.80	11.71	34.88			
PK	17.16888G	62.19	68.20	-6.01	41.98	3	Horizontal	55	1.12	-	40.61	13.82	34.22			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.65G	62.70	68.20	-5.50	58.13	3	Vertical	305	2.33	-	31.90	6.98	34.31				
PK	5.742G	116.00	Inf	-Inf	111.21	3	Vertical	305	2.33	-	32.10	7.10	34.41				
AV	5.739G	105.01	Inf	-Inf	100.21	3	Vertical	305	2.33	-	32.10	7.10	34.40				
PK	5.985G	59.31	68.20	-8.89	54.19	3	Vertical	305	2.33	-	32.47	7.31	34.66				

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	66.33	68.94	-2.61	61.76	3	Horizontal	342	1.52	-	31.90	6.98	34.31			
PK	5.739G	118.09	Inf	-Inf	113.29	3	Horizontal	342	1.52	-	32.10	7.10	34.40			
AV	5.747G	107.56	Inf	-Inf	102.76	3	Horizontal	342	1.52	-	32.10	7.11	34.41			
PK	5.936G	59.77	68.20	-8.43	54.70	3	Horizontal	342	1.52	-	32.40	7.28	34.61			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.49282G	57.97	74.00	-16.03	41.31	3	Vertical	141	1.31	-	39.89	11.75	34.98			
AV	11.5035G	46.33	54.00	-7.67	29.66	3	Vertical	141	1.31	-	39.90	11.76	34.99			
PK	17.23344G	61.86	68.20	-6.34	41.30	3	Vertical	263	1.94	-	40.93	13.84	34.21			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX

EUT Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5011G	59.01	74.00	-14.99	42.34	3	Horizontal	6	2.76	-	39.90	11.76	34.99			
AV	11.5038G	48.38	54.00	-5.62	31.71	3	Horizontal	6	2.76	-	39.90	11.76	34.99			
PK	17.2266G	62.42	68.20	-5.78	41.88	3	Horizontal	109	2.82	-	40.91	13.84	34.21			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.649G	59.25	68.20	-8.95	54.68	3	Vertical	307	2.64	-	31.90	6.98	34.31				
PK	5.778G	114.24	Inf	-Inf	109.43	3	Vertical	307	2.64	-	32.10	7.15	34.44				
AV	5.784G	104.75	Inf	-Inf	99.94	3	Vertical	307	2.64	-	32.10	7.16	34.45				
PK	6.015G	59.48	68.20	-8.72	54.32	3	Vertical	307	2.64	-	32.50	7.33	34.67				

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.649G	58.84	68.20	-9.36	54.27	3	Horizontal	342	1.58	-	31.90	6.98	34.31				
PK	5.779G	116.75	Inf	-Inf	111.95	3	Horizontal	342	1.58	-	32.10	7.15	34.45				
AV	5.781G	107.03	Inf	-Inf	102.23	3	Horizontal	342	1.58	-	32.10	7.15	34.45				
PK	5.935G	60.30	68.20	-7.90	55.24	3	Horizontal	342	1.58	-	32.40	7.27	34.61				

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58092G	58.62	74.00	-15.38	41.95	3	Vertical	91	1.14	-	39.78	11.81	34.92			
AV	11.5607G	48.22	54.00	-5.78	31.51	3	Vertical	91	1.14	-	39.86	11.79	34.94			
PK	17.35212G	62.99	68.20	-5.21	41.67	3	Vertical	252	1.76	-	41.62	13.88	34.18			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55602G	57.05	74.00	-16.95	40.32	3	Horizontal	336	2.13	-	39.88	11.79	34.94			
AV	11.56946G	47.05	54.00	-6.95	30.36	3	Horizontal	336	2.13	-	39.82	11.80	34.93			
PK	17.35134G	61.37	68.20	-6.83	40.06	3	Horizontal	265	2.23	-	41.61	13.88	34.18			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.584G	58.68	68.20	-9.52	54.28	3	Vertical	305	2.41	-	31.73	6.91	34.24			
PK	5.822G	114.56	Inf	-Inf	109.71	3	Vertical	305	2.41	-	32.14	7.20	34.49			
AV	5.823G	103.71	Inf	-Inf	98.85	3	Vertical	305	2.41	-	32.15	7.20	34.49			
PK	5.937G	61.41	68.20	-6.79	56.34	3	Vertical	305	2.41	-	32.40	7.28	34.61			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 99
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.592G	58.47	68.20	-9.73	54.09	3	Horizontal	341	1.54	-	31.72	6.91	34.25			
PK	5.83G	117.29	Inf	-Inf	112.43	3	Horizontal	341	1.54	-	32.16	7.20	34.50			
AV	5.829G	107.03	Inf	-Inf	102.17	3	Horizontal	341	1.54	-	32.16	7.20	34.50			
PK	5.927G	63.78	68.20	-4.42	58.71	3	Horizontal	341	1.54	-	32.40	7.27	34.60			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6371G	57.74	74.00	-16.26	41.29	3	Vertical	192	2.49	-	39.48	11.84	34.87			
AV	11.64262G	47.37	54.00	-6.63	30.94	3	Vertical	192	2.49	-	39.44	11.85	34.86			
PK	17.47458G	64.16	68.20	-4.04	41.90	3	Vertical	170	2.65	-	42.50	13.92	34.16			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT_Y_1TX
Setting 99
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6422G	56.01	74.00	-17.99	39.57	3	Horizontal	0	1.28	-	39.45	11.85	34.86			
AV	11.64418G	46.42	54.00	-7.58	30.00	3	Horizontal	0	1.28	-	39.43	11.85	34.86			
PK	17.48346G	63.17	68.20	-5.03	40.83	3	Horizontal	148	1.00	-	42.57	13.92	34.15			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 55
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	65.45	74.00	-8.55	60.73	3	Vertical	315	2.86	-	31.99	6.77	34.04			
AV	5.1498G	52.39	54.00	-1.61	47.65	3	Vertical	315	2.86	-	32.00	6.78	34.04			
PK	5.1762G	104.53	Inf	-Inf	99.92	3	Vertical	315	2.86	-	31.84	6.82	34.05			
AV	5.196G	93.51	Inf	-Inf	89.00	3	Vertical	315	2.86	-	31.72	6.84	34.05			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 55
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1474G	68.93	74.00	-5.07	64.21	3	Horizontal	336	2.00	-	31.99	6.77	34.04				
AV	5.1498G	53.89	54.00	-0.11	49.15	3	Horizontal	336	2.00	-	32.00	6.78	34.04				
PK	5.1996G	107.22	Inf	-Inf	102.72	3	Horizontal	336	2.00	-	31.70	6.85	34.05				
AV	5.1954G	96.00	Inf	-Inf	91.48	3	Horizontal	336	2.00	-	31.73	6.84	34.05				

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 55
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36548G	58.01	68.20	-10.19	41.87	3	Vertical	287	1.32	-	39.60	11.02	34.48			
PK	15.58176G	59.69	74.00	-14.31	42.62	3	Vertical	8	2.69	-	38.07	13.13	34.13			
AV	15.55926G	49.13	54.00	-4.87	31.99	3	Vertical	8	2.69	-	38.16	13.11	34.13			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 55
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38G	57.19	68.20	-11.01	41.04	3	Horizontal	339	1.83	-	39.60	11.03	34.48			
PK	15.56676G	58.21	74.00	-15.79	41.09	3	Horizontal	292	2.64	-	38.13	13.12	34.13			
AV	15.55848G	48.08	54.00	-5.92	30.93	3	Horizontal	292	2.64	-	38.17	13.11	34.13			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 72
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.91	74.00	-9.09	60.17	3	Vertical	306	3.00	-	32.00	6.78	34.04			
AV	5.15G	52.19	54.00	-1.81	47.45	3	Vertical	306	3.00	-	32.00	6.78	34.04			
PK	5.2324G	108.61	Inf	-Inf	104.31	3	Vertical	306	3.00	-	31.51	6.85	34.06			
AV	5.2354G	97.86	Inf	-Inf	93.58	3	Vertical	306	3.00	-	31.49	6.86	34.07			
PK	5.3578G	57.67	74.00	-16.33	53.48	3	Vertical	306	3.00	-	31.42	6.87	34.10			
AV	5.3638G	47.73	54.00	-6.27	43.54	3	Vertical	306	3.00	-	31.43	6.87	34.11			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 72
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	66.26	74.00	-7.74	61.52	3	Horizontal	339	2.01	-	32.00	6.78	34.04			
AV	5.15G	53.97	54.00	-0.03	49.23	3	Horizontal	339	2.01	-	32.00	6.78	34.04			
PK	5.2324G	111.04	Inf	-Inf	106.74	3	Horizontal	339	2.01	-	31.51	6.85	34.06			
AV	5.2396G	100.16	Inf	-Inf	95.91	3	Horizontal	339	2.01	-	31.46	6.86	34.07			
PK	5.3614G	58.80	74.00	-15.20	54.62	3	Horizontal	339	2.01	-	31.42	6.87	34.11			
AV	5.3608G	48.61	54.00	-5.39	44.43	3	Horizontal	339	2.01	-	31.42	6.87	34.11			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 72
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.46174G	59.54	68.20	-8.66	43.25	3	Vertical	329	2.73	-	39.70	11.08	34.49				
PK	15.69846G	59.22	74.00	-14.78	42.49	3	Vertical	107	1.02	-	37.69	13.21	34.17				
AV	15.67704G	48.73	54.00	-5.27	32.09	3	Vertical	107	1.02	-	37.61	13.19	34.16				

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT Y_1TX
Setting 72
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47002G	58.67	68.20	-9.53	42.37	3	Horizontal	305	1.31	-	39.70	11.09	34.49			
PK	15.6939G	58.71	74.00	-15.29	41.98	3	Horizontal	122	1.29	-	37.68	13.21	34.16			
AV	15.68154G	48.58	54.00	-5.42	31.91	3	Horizontal	122	1.29	-	37.63	13.20	34.16			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 75
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	57.88	74.00	-16.12	53.16	3	Vertical	302	2.59	-	31.99	6.77	34.04			
AV	5.15G	48.87	54.00	-5.13	44.13	3	Vertical	302	2.59	-	32.00	6.78	34.04			
PK	5.2526G	108.60	Inf	-Inf	104.42	3	Vertical	302	2.59	-	31.39	6.86	34.07			
AV	5.2676G	97.40	Inf	-Inf	93.26	3	Vertical	302	2.59	-	31.36	6.86	34.08			
PK	5.354G	63.41	74.00	-10.59	59.23	3	Vertical	302	2.59	-	31.41	6.87	34.10			
AV	5.35G	51.21	54.00	-2.79	47.04	3	Vertical	302	2.59	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 75
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1482G	58.39	74.00	-15.61	53.67	3	Horizontal	339	1.98	-	31.99	6.77	34.04			
AV	5.1464G	48.82	54.00	-5.18	44.10	3	Horizontal	339	1.98	-	31.99	6.77	34.04			
PK	5.2652G	111.47	Inf	-Inf	107.31	3	Horizontal	339	1.98	-	31.37	6.86	34.07			
AV	5.264G	100.14	Inf	-Inf	95.98	3	Horizontal	339	1.98	-	31.37	6.86	34.07			
PK	5.3534G	67.84	74.00	-6.16	63.66	3	Horizontal	339	1.98	-	31.41	6.87	34.10			
AV	5.3504G	53.58	54.00	-0.42	49.41	3	Horizontal	339	1.98	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_Y_1TX
Setting 75
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54894G	58.42	68.20	-9.78	42.05	3	Vertical	262	2.02	-	39.70	11.14	34.47			
PK	15.82056G	60.46	74.00	-13.54	43.77	3	Vertical	302	2.71	-	37.60	13.29	34.20			
AV	15.82332G	49.42	54.00	-4.58	32.72	3	Vertical	302	2.71	-	37.60	13.30	34.20			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 75
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5292G	56.82	68.20	-11.38	40.48	3	Horizontal	333	1.29	-	39.70	11.12	34.48			
PK	15.80436G	58.95	74.00	-15.05	42.27	3	Horizontal	109	2.55	-	37.60	13.28	34.20			
AV	15.8022G	48.47	54.00	-5.53	31.78	3	Horizontal	109	2.55	-	37.60	13.28	34.19			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 61
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.298G	105.02	Inf	-Inf	100.95	3	Vertical	300	2.23	-	31.30	6.86	34.09			
AV	5.304G	93.54	Inf	-Inf	89.45	3	Vertical	300	2.23	-	31.31	6.87	34.09			
PK	5.35G	67.09	74.00	-6.91	62.92	3	Vertical	300	2.23	-	31.40	6.87	34.10			
AV	5.35G	51.32	54.00	-2.68	47.15	3	Vertical	300	2.23	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 61
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3016G	106.78	Inf	-Inf	102.70	3	Horizontal	339	2.08	-	31.30	6.87	34.09			
AV	5.3154G	95.69	Inf	-Inf	91.58	3	Horizontal	339	2.08	-	31.33	6.87	34.09			
PK	5.352G	69.61	74.00	-4.39	65.44	3	Horizontal	339	2.08	-	31.40	6.87	34.10			
AV	5.35G	53.26	54.00	-0.74	49.09	3	Horizontal	339	2.08	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT_Y_1TX
Setting 61
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60602G	57.99	74.00	-16.01	41.46	3	Vertical	128	2.05	-	39.80	11.17	34.44			
AV	10.62792G	47.72	54.00	-6.28	31.16	3	Vertical	128	2.05	-	39.80	11.19	34.43			
PK	15.92862G	59.16	74.00	-14.84	42.43	3	Vertical	333	2.72	-	37.59	13.37	34.23			
AV	15.93978G	48.62	54.00	-5.38	31.93	3	Vertical	333	2.72	-	37.54	13.38	34.23			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT_Y_1TX
Setting 61
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6074G	57.28	74.00	-16.72	40.75	3	Horizontal	43	1.22	-	39.80	11.17	34.44			
AV	10.62036G	46.70	54.00	-7.30	30.15	3	Horizontal	43	1.22	-	39.80	11.18	34.43			
PK	15.93576G	57.96	74.00	-16.04	41.25	3	Horizontal	283	1.20	-	37.56	13.38	34.23			
AV	15.93174G	47.42	54.00	-6.58	30.71	3	Horizontal	283	1.20	-	37.57	13.37	34.23			

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
Setting 57
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4512G	58.75	74.00	-15.25	54.29	3	Vertical	296	2.71	-	31.70	6.89	34.13			
AV	5.4584G	47.65	54.00	-6.35	43.18	3	Vertical	296	2.71	-	31.72	6.89	34.14			
PK	5.4696G	64.37	68.20	-3.83	59.88	3	Vertical	296	2.71	-	31.74	6.89	34.14			
PK	5.5116G	103.55	Inf	-Inf	99.01	3	Vertical	296	2.71	-	31.80	6.90	34.16			
AV	5.526G	92.40	Inf	-Inf	87.88	3	Vertical	296	2.71	-	31.80	6.90	34.18			

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
Setting 57
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4588G	62.29	74.00	-11.71	57.82	3	Horizontal	338	1.84	-	31.72	6.89	34.14			
AV	5.4596G	48.44	54.00	-5.56	43.97	3	Horizontal	338	1.84	-	31.72	6.89	34.14			
PK	5.4672G	68.14	68.20	-0.06	63.66	3	Horizontal	338	1.84	-	31.73	6.89	34.14			
PK	5.5068G	106.23	Inf	-Inf	101.69	3	Horizontal	338	1.84	-	31.80	6.90	34.16			
AV	5.522G	94.39	Inf	-Inf	89.86	3	Horizontal	338	1.84	-	31.80	6.90	34.17			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
Setting 57
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00614G	59.43	74.00	-14.57	42.04	3	Vertical	237	2.87	-	40.18	11.43	34.22			
AV	11.01532G	48.80	54.00	-5.20	31.45	3	Vertical	237	2.87	-	40.14	11.44	34.23			
PK	16.52424G	61.43	68.20	-6.77	42.41	3	Vertical	52	1.11	-	39.70	13.60	34.28			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX

EUT_Y_1TX
Setting 57
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01862G	57.93	74.00	-16.07	40.60	3	Horizontal	99	2.82	-	40.13	11.44	34.24			
AV	11.00662G	47.77	54.00	-6.23	30.39	3	Horizontal	99	2.82	-	40.17	11.43	34.22			
PK	16.54464G	60.38	68.20	-7.82	41.35	3	Horizontal	255	2.75	-	39.70	13.61	34.28			

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
Setting 80
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.317G	57.12	68.20	-11.08	53.01	3	Vertical	302	2.61	-	31.33	6.87	34.09			
PK	5.46G	64.02	74.00	-9.98	59.55	3	Vertical	302	2.61	-	31.72	6.89	34.14			
AV	5.457G	51.54	54.00	-2.46	47.08	3	Vertical	302	2.61	-	31.71	6.89	34.14			
PK	5.461G	65.05	68.20	-3.15	60.58	3	Vertical	302	2.61	-	31.72	6.89	34.14			
PK	5.546G	110.21	Inf	-Inf	105.71	3	Vertical	302	2.61	-	31.80	6.90	34.20			
AV	5.544G	98.79	Inf	-Inf	94.29	3	Vertical	302	2.61	-	31.80	6.90	34.20			
PK	5.789G	58.57	68.20	-9.63	53.76	3	Vertical	302	2.61	-	32.10	7.17	34.46			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
Setting 80
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.343G	57.66	68.20	-10.54	53.50	3	Horizontal	338	1.69	-	31.39	6.87	34.10			
PK	5.455G	65.19	74.00	-8.81	60.73	3	Horizontal	338	1.69	-	31.71	6.89	34.14			
AV	5.459G	53.84	54.00	-0.16	49.37	3	Horizontal	338	1.69	-	31.72	6.89	34.14			
PK	5.467G	67.36	68.20	-0.84	62.88	3	Horizontal	338	1.69	-	31.73	6.89	34.14			
PK	5.557G	110.94	Inf	-Inf	106.46	3	Horizontal	338	1.69	-	31.79	6.90	34.21			
AV	5.555G	99.98	Inf	-Inf	95.50	3	Horizontal	338	1.69	-	31.79	6.90	34.21			
PK	5.758G	58.62	68.20	-9.58	53.82	3	Horizontal	338	1.69	-	32.10	7.12	34.42			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX

EUT_Y_1TX
Setting 80
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08554G	59.32	74.00	-14.68	42.31	3	Vertical	204	1.81	-	39.86	11.49	34.34			
AV	11.0997G	48.74	54.00	-5.26	31.82	3	Vertical	204	1.81	-	39.80	11.49	34.37			
PK	16.63974G	60.87	68.20	-7.33	41.84	3	Vertical	139	2.89	-	39.66	13.64	34.27			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
Setting 80
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0892G	58.87	74.00	-15.13	41.89	3	Horizontal	161	2.32	-	39.84	11.49	34.35			
AV	11.09508G	48.36	54.00	-5.64	31.41	3	Horizontal	161	2.32	-	39.82	11.49	34.36			
PK	16.6551G	60.74	68.20	-7.46	41.67	3	Horizontal	339	2.45	-	39.70	13.64	34.27			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
Setting 68
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6576G	108.04	Inf	-Inf	103.44	3	Vertical	296	2.50	-	31.93	6.99	34.32				
AV	5.6544G	96.19	Inf	-Inf	91.60	3	Vertical	296	2.50	-	31.92	6.98	34.31				
PK	5.7252G	65.30	68.20	-2.90	60.51	3	Vertical	296	2.50	-	32.10	7.08	34.39				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT_Y_1TX
Setting 68
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6564G	109.74	Inf	-Inf	105.14	3	Horizontal	338	1.84	-	31.93	6.99	34.32
AV	5.6852G	98.03	Inf	-Inf	93.31	3	Horizontal	338	1.84	-	32.04	7.03	34.35
PK	5.728G	67.97	68.20	-0.23	63.18	3	Horizontal	338	1.84	-	32.10	7.08	34.39

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT_Y_1TX
Setting 68
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34048G	59.36	74.00	-14.64	42.79	3	Vertical	28	2.21	-	39.66	11.65	34.74			
AV	11.34504G	48.34	54.00	-5.66	31.76	3	Vertical	28	2.21	-	39.68	11.65	34.75			
PK	17.02266G	62.23	68.20	-5.97	42.33	3	Vertical	2	1.70	-	40.39	13.77	34.26			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT_Y_1TX
Setting 68
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3547G	59.29	74.00	-14.71	42.68	3	Horizontal	104	1.90	-	39.71	11.66	34.76
AV	11.34072G	48.93	54.00	-5.07	32.36	3	Horizontal	104	1.90	-	39.66	11.65	34.74
PK	17.00088G	62.38	68.20	-5.82	42.58	3	Horizontal	243	2.62	-	40.30	13.76	34.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 98
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	112.47	Inf	-Inf	107.71	3	Vertical	304	2.48	-	32.08	7.04	34.36
AV	5.7148G	102.20	Inf	-Inf	97.42	3	Vertical	304	2.48	-	32.10	7.06	34.38
PK	5.85G	65.26	68.20	-2.94	60.36	3	Vertical	304	2.48	-	32.20	7.22	34.52

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 98
06-H-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7236G	115.20	Inf	-Inf	110.41	3	Horizontal	336	1.62	-	32.10	7.08	34.39			
AV	5.714G	104.59	Inf	-Inf	99.81	3	Horizontal	336	1.62	-	32.10	7.06	34.38			
PK	5.8524G	67.98	68.20	-0.22	63.07	3	Horizontal	336	1.62	-	32.21	7.22	34.52			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_1TX
Setting 98
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.40608G	59.16	74.00	-14.84	42.51	3	Vertical	147	2.72	-	39.80	11.69	34.84			
AV	11.41442G	48.54	54.00	-5.46	31.90	3	Vertical	147	2.72	-	39.80	11.70	34.86			
PK	17.1309G	61.83	68.20	-6.37	41.80	3	Vertical	312	1.93	-	40.46	13.80	34.23			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 98
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4107G	58.60	74.00	-15.40	41.95	3	Horizontal	7	2.44	-	39.80	11.70	34.85			
AV	11.40548G	47.76	54.00	-6.24	31.11	3	Horizontal	7	2.44	-	39.80	11.69	34.84			
PK	17.1318G	60.80	68.20	-7.40	40.77	3	Horizontal	104	2.96	-	40.46	13.80	34.23			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 91
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	65.23	68.20	-2.97	60.72	3	Vertical	303	2.35	-	31.84	6.96	34.29
PK	5.739G	111.24	Inf	-Inf	106.44	3	Vertical	303	2.35	-	32.10	7.10	34.40
AV	5.761G	100.79	Inf	-Inf	95.99	3	Vertical	303	2.35	-	32.10	7.13	34.43
PK	5.934G	59.89	68.20	-8.31	54.83	3	Vertical	303	2.35	-	32.40	7.27	34.61

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 91
06-H-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	67.59	68.20	-0.61	63.10	3	Horizontal	334	1.61	-	31.83	6.95	34.29
PK	5.749G	113.97	Inf	-Inf	109.17	3	Horizontal	334	1.61	-	32.10	7.11	34.41
AV	5.752G	103.38	Inf	-Inf	98.58	3	Horizontal	334	1.61	-	32.10	7.12	34.42
PK	5.926G	60.64	68.20	-7.56	55.57	3	Horizontal	334	1.61	-	32.40	7.27	34.60

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 91
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50148G	59.14	74.00	-14.86	42.47	3	Vertical	151	2.99	-	39.90	11.76	34.99			
AV	11.51156G	48.36	54.00	-5.64	31.68	3	Vertical	151	2.99	-	39.90	11.76	34.98			
PK	17.27862G	62.01	68.20	-6.19	41.25	3	Vertical	55	1.31	-	41.11	13.85	34.20			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT Y_1TX
Setting 91
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52026G	58.68	74.00	-15.32	41.98	3	Horizontal	161	2.45	-	39.90	11.77	34.97			
AV	11.50556G	48.48	54.00	-5.52	31.81	3	Horizontal	161	2.45	-	39.90	11.76	34.99			
PK	17.27274G	62.03	68.20	-6.17	41.29	3	Horizontal	14	2.98	-	41.09	13.85	34.20			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
Setting 96
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.643G	64.99	68.20	-3.21	60.45	3	Vertical	332	2.63	-	31.87	6.97	34.30			
PK	5.783G	112.56	Inf	-Inf	107.75	3	Vertical	332	2.63	-	32.10	7.16	34.45			
AV	5.781G	101.76	Inf	-Inf	96.96	3	Vertical	332	2.63	-	32.10	7.15	34.45			
PK	5.926G	64.71	68.20	-3.49	59.64	3	Vertical	332	2.63	-	32.40	7.27	34.60			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
Setting 96
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	64.15	68.20	-4.05	59.58	3	Horizontal	8	1.80	-	31.90	6.98	34.31			
PK	5.791G	113.72	Inf	-Inf	108.91	3	Horizontal	8	1.80	-	32.10	7.17	34.46			
AV	5.784G	103.08	Inf	-Inf	98.27	3	Horizontal	8	1.80	-	32.10	7.16	34.45			
PK	5.927G	68.02	68.20	-0.18	62.95	3	Horizontal	8	1.80	-	32.40	7.27	34.60			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
Setting 96
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.59672G	58.56	74.00	-15.44	41.93	3	Vertical	176	1.02	-	39.71	11.82	34.90			
AV	11.58226G	48.04	54.00	-5.96	31.38	3	Vertical	176	1.02	-	39.77	11.81	34.92			
PK	17.37162G	64.03	68.20	-4.17	42.50	3	Vertical	222	2.26	-	41.82	13.89	34.18			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5795MHz_TX

EUT_Y_1TX
Setting 96
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58796G	57.04	74.00	-16.96	40.39	3	Horizontal	24	1.65	-	39.75	11.81	34.91			
AV	11.57548G	46.94	54.00	-7.06	30.26	3	Horizontal	24	1.65	-	39.80	11.80	34.92			
PK	17.38392G	63.04	68.20	-5.16	41.39	3	Horizontal	328	2.11	-	41.94	13.89	34.18			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 56
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	63.49	74.00	-10.51	58.77	3	Vertical	340	2.89	-	31.99	6.77	34.04			
AV	5.143G	52.10	54.00	-1.90	47.40	3	Vertical	340	2.89	-	31.97	6.77	34.04			
PK	5.204G	101.94	Inf	-Inf	97.47	3	Vertical	340	2.89	-	31.68	6.85	34.06			
AV	5.201G	90.66	Inf	-Inf	86.17	3	Vertical	340	2.89	-	31.69	6.85	34.05			
PK	5.438G	58.95	74.00	-15.05	54.54	3	Vertical	340	2.89	-	31.65	6.89	34.13			
AV	5.414G	47.79	54.00	-6.21	43.47	3	Vertical	340	2.89	-	31.56	6.88	34.12			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 56
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.37	74.00	-7.63	61.63	3	Horizontal	359	1.93	-	32.00	6.78	34.04			
AV	5.15G	53.48	54.00	-0.52	48.74	3	Horizontal	359	1.93	-	32.00	6.78	34.04			
PK	5.195G	103.74	Inf	-Inf	99.22	3	Horizontal	359	1.93	-	31.73	6.84	34.05			
AV	5.22G	92.49	Inf	-Inf	88.12	3	Horizontal	359	1.93	-	31.58	6.85	34.06			
PK	5.359G	57.27	74.00	-16.73	53.08	3	Horizontal	359	1.93	-	31.42	6.87	34.10			
AV	5.368G	47.61	54.00	-6.39	43.40	3	Horizontal	359	1.93	-	31.44	6.88	34.11			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 56
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41406G	59.07	68.20	-9.13	42.87	3	Vertical	190	1.28	-	39.63	11.05	34.48			
PK	15.62298G	59.02	74.00	-14.98	42.23	3	Vertical	63	1.08	-	37.77	13.16	34.14			
AV	15.6189G	48.34	54.00	-5.66	31.52	3	Vertical	63	1.08	-	37.81	13.15	34.14			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT Y_1TX
Setting 56
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40836G	57.56	68.20	-10.64	41.37	3	Horizontal	249	2.25	-	39.62	11.05	34.48			
PK	15.61698G	58.04	74.00	-15.96	41.20	3	Horizontal	117	2.38	-	37.83	13.15	34.14			
AV	15.61752G	47.26	54.00	-6.74	30.43	3	Horizontal	117	2.38	-	37.82	13.15	34.14			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
Setting 61
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.073G	57.92	74.00	-16.08	53.57	3	Vertical	330	2.44	-	31.69	6.67	34.01			
AV	5.148G	47.92	54.00	-6.08	43.20	3	Vertical	330	2.44	-	31.99	6.77	34.04			
PK	5.294G	102.11	Inf	-Inf	98.02	3	Vertical	330	2.44	-	31.31	6.86	34.08			
AV	5.301G	91.06	Inf	-Inf	86.98	3	Vertical	330	2.44	-	31.30	6.87	34.09			
PK	5.35G	67.07	74.00	-6.93	62.90	3	Vertical	330	2.44	-	31.40	6.87	34.10			
AV	5.35G	52.11	54.00	-1.89	47.94	3	Vertical	330	2.44	-	31.40	6.87	34.10			
PK	5.489G	58.73	68.20	-9.47	54.21	3	Vertical	330	2.44	-	31.78	6.89	34.15			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Y_1TX
Setting 61
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.129G	58.08	74.00	-15.92	53.44	3	Horizontal	4	1.95	-	31.92	6.75	34.03			
AV	5.121G	48.08	54.00	-5.92	43.49	3	Horizontal	4	1.95	-	31.88	6.74	34.03			
PK	5.275G	104.62	Inf	-Inf	100.49	3	Horizontal	4	1.95	-	31.35	6.86	34.08			
AV	5.28G	93.22	Inf	-Inf	89.10	3	Horizontal	4	1.95	-	31.34	6.86	34.08			
PK	5.35G	69.02	74.00	-4.98	64.85	3	Horizontal	4	1.95	-	31.40	6.87	34.10			
AV	5.352G	53.43	54.00	-0.57	49.26	3	Horizontal	4	1.95	-	31.40	6.87	34.10			
PK	5.515G	58.78	68.20	-9.42	54.25	3	Horizontal	4	1.95	-	31.80	6.90	34.17			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Y_1TX
Setting 61
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59086G	58.18	68.20	-10.02	41.69	3	Vertical	248	1.70	-	39.78	11.16	34.45			
PK	15.87744G	60.24	74.00	-13.76	43.48	3	Vertical	123	2.63	-	37.65	13.33	34.22			
AV	15.87828G	49.45	54.00	-4.55	32.68	3	Vertical	123	2.63	-	37.66	13.33	34.22			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Y_1TX
Setting 61
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58588G	56.94	68.20	-11.26	40.46	3	Horizontal	175	1.22	-	39.77	11.16	34.45			
PK	15.86142G	58.99	74.00	-15.01	42.26	3	Horizontal	41	2.21	-	37.62	13.32	34.21			
AV	15.86094G	48.19	54.00	-5.81	31.46	3	Horizontal	41	2.21	-	37.62	13.32	34.21			

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT_V_1TX
Setting 60
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	57.07	68.20	-11.13	52.98	3	Vertical	328	2.74	-	31.31	6.87	34.09
AV	5.35G	46.46	54.00	-7.54	42.29	3	Vertical	328	2.74	-	31.40	6.87	34.10
PK	5.453G	64.14	74.00	-9.86	59.67	3	Vertical	328	2.74	-	31.71	6.89	34.13
PK	5.465G	65.09	68.20	-3.11	60.61	3	Vertical	328	2.74	-	31.73	6.89	34.14
AV	5.46G	49.82	54.00	-4.18	45.35	3	Vertical	328	2.74	-	31.72	6.89	34.14
PK	5.534G	101.94	Inf	-Inf	97.43	3	Vertical	328	2.74	-	31.80	6.90	34.19
AV	5.524G	91.37	Inf	-Inf	86.85	3	Vertical	328	2.74	-	31.80	6.90	34.18
PK	5.757G	58.46	68.20	-9.74	53.66	3	Vertical	328	2.74	-	32.10	7.12	34.42

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_V_1TX
Setting 60
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.339G	57.77	68.20	-10.43	53.62	3	Horizontal	4	1.80	-	31.38	6.87	34.10
AV	5.35G	46.64	54.00	-7.36	42.47	3	Horizontal	4	1.80	-	31.40	6.87	34.10
PK	5.459G	65.72	74.00	-8.28	61.25	3	Horizontal	4	1.80	-	31.72	6.89	34.14
AV	5.453G	51.34	54.00	-2.66	46.87	3	Horizontal	4	1.80	-	31.71	6.89	34.13
PK	5.468G	67.70	68.20	-0.50	63.21	3	Horizontal	4	1.80	-	31.74	6.89	34.14
PK	5.524G	103.64	Inf	-Inf	99.12	3	Horizontal	4	1.80	-	31.80	6.90	34.18
AV	5.521G	92.46	Inf	-Inf	87.93	3	Horizontal	4	1.80	-	31.80	6.90	34.17
PK	5.766G	58.38	68.20	-9.82	53.58	3	Horizontal	4	1.80	-	32.10	7.13	34.43

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT Y_1TX
Setting 60
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04932G	59.82	74.00	-14.18	42.65	3	Vertical	77	1.83	-	40.00	11.46	34.29			
AV	11.07428G	48.43	54.00	-5.57	31.38	3	Vertical	77	1.83	-	39.90	11.48	34.33			
PK	16.58508G	61.09	68.20	-7.11	42.19	3	Vertical	148	1.78	-	39.56	13.62	34.28			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT_Y_1TX
Setting 60
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06492G	58.25	74.00	-15.75	41.15	3	Horizontal	289	1.01	-	39.94	11.47	34.31			
AV	11.06288G	47.71	54.00	-6.29	30.60	3	Horizontal	289	1.01	-	39.95	11.47	34.31			
PK	16.60392G	59.98	68.20	-8.22	41.11	3	Horizontal	233	1.77	-	39.52	13.63	34.28			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
Setting 76
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.447G	61.59	74.00	-12.41	57.14	3	Vertical	331	2.76	-	31.69	6.89	34.13			
PK	5.463G	63.70	68.20	-4.50	59.22	3	Vertical	331	2.76	-	31.73	6.89	34.14			
AV	5.46G	51.13	54.00	-2.87	46.66	3	Vertical	331	2.76	-	31.72	6.89	34.14			
PK	5.625G	106.21	Inf	-Inf	101.75	3	Vertical	331	2.76	-	31.80	6.94	34.28			
AV	5.62G	95.71	Inf	-Inf	91.27	3	Vertical	331	2.76	-	31.78	6.94	34.28			
PK	5.726G	65.13	68.20	-3.07	60.34	3	Vertical	331	2.76	-	32.10	7.08	34.39			

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
Setting 76
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.81	74.00	-10.19	59.34	3	Horizontal	4	1.77	-	31.72	6.89	34.14
AV	5.46G	52.64	54.00	-1.36	48.17	3	Horizontal	4	1.77	-	31.72	6.89	34.14
PK	5.467G	64.68	68.20	-3.52	60.20	3	Horizontal	4	1.77	-	31.73	6.89	34.14
PK	5.596G	108.71	Inf	-Inf	104.34	3	Horizontal	4	1.77	-	31.71	6.91	34.25
AV	5.601G	97.03	Inf	-Inf	92.68	3	Horizontal	4	1.77	-	31.70	6.91	34.26
PK	5.726G	67.49	68.20	-0.71	62.70	3	Horizontal	4	1.77	-	32.10	7.08	34.39

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
Setting 76
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2053G	58.34	74.00	-15.66	41.90	3	Vertical	265	2.66	-	39.41	11.56	34.53			
AV	11.2233G	47.56	54.00	-6.44	31.09	3	Vertical	265	2.66	-	39.45	11.58	34.56			
PK	16.82736G	63.61	68.20	-4.59	43.46	3	Vertical	109	2.77	-	40.72	13.70	34.27			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
Setting 76
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2092G	57.57	74.00	-16.43	41.12	3	Horizontal	299	1.87	-	39.42	11.57	34.54			
AV	11.22726G	46.75	54.00	-7.25	30.28	3	Horizontal	299	1.87	-	39.45	11.58	34.56			
PK	16.82178G	62.88	68.20	-5.32	42.78	3	Horizontal	19	1.74	-	40.67	13.70	34.27			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 84
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	58.87	74.00	-15.13	54.44	3	Vertical	328	2.61	-	31.67	6.89	34.13
AV	5.456G	48.58	54.00	-5.42	44.12	3	Vertical	328	2.61	-	31.71	6.89	34.14
PK	5.47G	59.38	68.20	-8.82	54.89	3	Vertical	328	2.61	-	31.74	6.89	34.14
PK	5.67G	107.57	Inf	-Inf	102.92	3	Vertical	328	2.61	-	31.98	7.00	34.33
AV	5.678G	97.24	Inf	-Inf	92.55	3	Vertical	328	2.61	-	32.01	7.02	34.34
PK	5.864G	63.45	68.20	-4.75	58.51	3	Vertical	328	2.61	-	32.26	7.22	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 84
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	59.22	74.00	-14.78	54.79	3	Horizontal	4	1.62	-	31.67	6.89	34.13
AV	5.45G	49.15	54.00	-4.85	44.69	3	Horizontal	4	1.62	-	31.70	6.89	34.13
PK	5.461G	60.11	68.20	-8.09	55.64	3	Horizontal	4	1.62	-	31.72	6.89	34.14
PK	5.674G	109.90	Inf	-Inf	105.22	3	Horizontal	4	1.62	-	32.00	7.01	34.33
AV	5.679G	98.88	Inf	-Inf	94.18	3	Horizontal	4	1.62	-	32.02	7.02	34.34
PK	5.853G	67.61	68.20	-0.59	62.70	3	Horizontal	4	1.62	-	32.21	7.22	34.52

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 84
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.39194G	59.40	74.00	-14.60	42.76	3	Vertical	50	1.33	-	39.78	11.68	34.82				
AV	11.39008G	48.88	54.00	-5.12	32.24	3	Vertical	50	1.33	-	39.78	11.68	34.82				
PK	17.07102G	62.85	68.20	-5.35	42.85	3	Vertical	111	1.65	-	40.46	13.78	34.24				

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 84
06-H-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38678G	58.65	74.00	-15.35	42.01	3	Horizontal	155	1.64	-	39.77	11.68	34.81			
AV	11.377G	49.10	54.00	-4.90	32.47	3	Horizontal	155	1.64	-	39.75	11.68	34.80			
PK	17.07804G	61.97	68.20	-6.23	41.98	3	Horizontal	36	2.79	-	40.44	13.79	34.24			

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
Setting 81
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	65.72	68.20	-2.48	61.15	3	Vertical	331	2.66	-	31.90	6.98	34.31			
PK	5.766G	106.32	Inf	-Inf	101.52	3	Vertical	331	2.66	-	32.10	7.13	34.43			
AV	5.761G	95.67	Inf	-Inf	90.87	3	Vertical	331	2.66	-	32.10	7.13	34.43			
PK	5.94G	63.54	68.20	-4.66	58.48	3	Vertical	331	2.66	-	32.40	7.28	34.62			

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
Setting 81
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.89	68.20	-0.31	63.32	3	Horizontal	2	1.57	-	31.90	6.98	34.31
PK	5.772G	109.08	Inf	-Inf	104.28	3	Horizontal	2	1.57	-	32.10	7.14	34.44
AV	5.762G	98.11	Inf	-Inf	93.31	3	Horizontal	2	1.57	-	32.10	7.13	34.43
PK	5.925G	65.64	68.20	-2.56	60.57	3	Horizontal	2	1.57	-	32.40	7.27	34.60

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX

EUT_Y_1TX
Setting 81
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5413G	58.89	74.00	-15.11	42.16	3	Vertical	300	2.09	-	39.90	11.78	34.95			
AV	11.54394G	48.28	54.00	-5.72	31.55	3	Vertical	300	2.09	-	39.90	11.78	34.95			
PK	17.3217G	62.37	68.20	-5.83	41.32	3	Vertical	216	1.27	-	41.37	13.87	34.19			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX

EUT_Y_1TX
Setting 81
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56182G	57.44	74.00	-16.56	40.73	3	Horizontal	289	1.62	-	39.85	11.80	34.94			
AV	11.56026G	47.11	54.00	-6.89	30.40	3	Horizontal	289	1.62	-	39.86	11.79	34.94			
PK	17.33874G	61.41	68.20	-6.79	40.21	3	Horizontal	101	2.56	-	41.51	13.88	34.19			

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 61
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	64.38	74.00	-9.62	59.67	3	Vertical	332	2.70	-	31.98	6.77	34.04			
AV	5.1476G	52.35	54.00	-1.65	47.63	3	Vertical	332	2.70	-	31.99	6.77	34.04			
PK	5.2228G	99.88	Inf	-Inf	95.53	3	Vertical	332	2.70	-	31.56	6.85	34.06			
AV	5.2772G	88.64	Inf	-Inf	84.51	3	Vertical	332	2.70	-	31.35	6.86	34.08			
PK	5.3636G	65.64	74.00	-8.36	61.45	3	Vertical	332	2.70	-	31.43	6.87	34.11			
AV	5.3524G	52.13	54.00	-1.87	47.96	3	Vertical	332	2.70	-	31.40	6.87	34.10			
PK	5.4948G	59.72	68.20	-8.48	55.19	3	Vertical	332	2.70	-	31.79	6.89	34.15			

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 61
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	66.14	74.00	-7.86	61.43	3	Horizontal	360	1.96	-	31.98	6.77	34.04			
AV	5.1428G	53.46	54.00	-0.54	48.76	3	Horizontal	360	1.96	-	31.97	6.77	34.04			
PK	5.1908G	101.67	Inf	-Inf	97.12	3	Horizontal	360	1.96	-	31.76	6.84	34.05			
AV	5.266G	90.63	Inf	-Inf	86.48	3	Horizontal	360	1.96	-	31.37	6.86	34.08			
PK	5.3556G	66.61	74.00	-7.39	62.43	3	Horizontal	360	1.96	-	31.41	6.87	34.10			
AV	5.3604G	53.57	54.00	-0.43	49.39	3	Horizontal	360	1.96	-	31.42	6.87	34.11			
PK	5.4612G	59.38	68.20	-8.82	54.91	3	Horizontal	360	1.96	-	31.72	6.89	34.14			

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 61
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48866G	58.25	68.20	-9.95	41.95	3	Vertical	344	1.76	-	39.70	11.10	34.50			
PK	15.75744G	60.15	74.00	-13.85	43.31	3	Vertical	85	2.64	-	37.77	13.25	34.18			
AV	15.74826G	50.05	54.00	-3.95	33.19	3	Vertical	85	2.64	-	37.80	13.24	34.18			

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_1TX
Setting 61
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48794G	57.75	68.20	-10.45	41.45	3	Horizontal	335	1.24	-	39.70	11.10	34.50			
PK	15.7629G	58.18	74.00	-15.82	41.36	3	Horizontal	237	1.12	-	37.75	13.25	34.18			
AV	15.76404G	48.13	54.00	-5.87	31.32	3	Horizontal	237	1.12	-	37.74	13.25	34.18			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 63
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3076G	58.40	68.20	-9.80	54.30	3	Vertical	324	2.62	-	31.32	6.87	34.09			
PK	5.4452G	65.37	74.00	-8.63	60.93	3	Vertical	324	2.62	-	31.68	6.89	34.13			
AV	5.4532G	51.75	54.00	-2.25	47.29	3	Vertical	324	2.62	-	31.71	6.89	34.14			
PK	5.4692G	66.07	68.20	-2.13	61.58	3	Vertical	324	2.62	-	31.74	6.89	34.14			
AV	5.5412G	89.00	Inf	-Inf	84.49	3	Vertical	324	2.62	-	31.80	6.90	34.19			
PK	5.6452G	99.65	Inf	-Inf	95.10	3	Vertical	324	2.62	-	31.88	6.97	34.30			
PK	5.738G	61.31	68.20	-6.89	56.51	3	Vertical	324	2.62	-	32.10	7.10	34.40			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 63
06-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3428G	59.56	68.20	-8.64	55.40	3	Horizontal	0	1.82	-	31.39	6.87	34.10
PK	5.458G	67.50	74.00	-6.50	63.03	3	Horizontal	0	1.82	-	31.72	6.89	34.14
AV	5.442G	53.58	54.00	-0.42	49.15	3	Horizontal	0	1.82	-	31.67	6.89	34.13
PK	5.466G	67.44	68.20	-0.76	62.96	3	Horizontal	0	1.82	-	31.73	6.89	34.14
AV	5.4932G	90.37	Inf	-Inf	85.84	3	Horizontal	0	1.82	-	31.79	6.89	34.15
PK	5.578G	100.60	Inf	-Inf	96.18	3	Horizontal	0	1.82	-	31.74	6.91	34.23
PK	5.7268G	61.79	68.20	-6.41	57.00	3	Horizontal	0	1.82	-	32.10	7.08	34.39

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX

EUT_Y_1TX
Setting 63
06-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14636G	58.35	74.00	-15.65	41.74	3	Vertical	191	2.32	-	39.52	11.53	34.44			
AV	11.14294G	47.56	54.00	-6.44	30.93	3	Vertical	191	2.32	-	39.54	11.52	34.43			
PK	16.7193G	61.51	68.20	-6.69	42.30	3	Vertical	321	2.00	-	39.82	13.66	34.27			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX

EUT_Y_1TX
Setting 63
06-H-V-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13658G	57.26	74.00	-16.74	40.58	3	Horizontal	68	2.57	-	39.58	11.52	34.42			
AV	11.14654G	46.73	54.00	-7.27	30.12	3	Horizontal	68	2.57	-	39.52	11.53	34.44			
PK	16.72392G	60.21	68.20	-7.99	40.97	3	Horizontal	210	2.99	-	39.84	13.67	34.27			

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.47G	68.16	68.20	-0.04	3	Vertical	349	2.45	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.6495G	68.16	68.20	-0.04	3	Vertical	336	2.96	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 68
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1489G	65.87	74.00	-8.13	69.37	3	Vertical	179	1.80	-	31.99	8.39	43.88			
AV	5.1477G	53.59	54.00	-0.41	57.09	3	Vertical	179	1.80	-	31.99	8.39	43.88			
PK	5.1746G	118.27	Inf	-Inf	121.87	3	Vertical	179	1.80	-	31.85	8.41	43.86			
AV	5.1748G	110.93	Inf	-Inf	114.53	3	Vertical	179	1.80	-	31.85	8.41	43.86			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 68
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1464G	66.88	74.00	-7.12	70.39	3	Horizontal	186	1.80	-	31.98	8.39	43.88				
AV	5.1458G	52.63	54.00	-1.37	56.15	3	Horizontal	186	1.80	-	31.97	8.39	43.88				
PK	5.1744G	119.09	Inf	-Inf	122.69	3	Horizontal	186	1.80	-	31.85	8.41	43.86				
AV	5.1741G	111.11	Inf	-Inf	114.70	3	Horizontal	186	1.80	-	31.86	8.41	43.86				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 68
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3622G	58.02	68.20	-10.18	49.56	3	Vertical	263	1.73	-	39.12	12.42	43.08			
PK	15.53138G	59.19	74.00	-14.81	47.29	3	Vertical	128	2.34	-	37.97	16.17	42.24			
AV	15.54402G	49.93	54.00	-4.07	38.09	3	Vertical	128	2.34	-	37.92	16.17	42.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 68
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35392G	57.76	68.20	-10.44	49.31	3	Horizontal	313	2.74	-	39.11	12.41	43.07			
PK	15.5366G	59.17	74.00	-14.83	47.30	3	Horizontal	154	2.71	-	37.95	16.17	42.25			
AV	15.53088G	49.82	54.00	-4.18	37.91	3	Horizontal	154	2.71	-	37.98	16.17	42.24			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 83
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1478G	65.39	74.00	-8.61	68.89	3	Vertical	178	1.80	-	31.99	8.39	43.88				
AV	5.1474G	53.50	54.00	-0.50	57.01	3	Vertical	178	1.80	-	31.98	8.39	43.88				
PK	5.1946G	120.93	Inf	-Inf	124.63	3	Vertical	178	1.80	-	31.73	8.42	43.85				
AV	5.1954G	112.99	Inf	-Inf	116.69	3	Vertical	178	1.80	-	31.73	8.42	43.85				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 83
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1482G	64.31	74.00	-9.69	67.81	3	Horizontal	174	1.80	-	31.99	8.39	43.88			
AV	5.1486G	53.05	54.00	-0.95	56.55	3	Horizontal	174	1.80	-	31.99	8.39	43.88			
PK	5.2064G	122.10	Inf	-Inf	125.87	3	Horizontal	174	1.80	-	31.66	8.42	43.85			
AV	5.2056G	113.69	Inf	-Inf	117.45	3	Horizontal	174	1.80	-	31.67	8.42	43.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 83
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39288G	58.46	68.20	-9.74	49.94	3	Vertical	54	1.59	-	39.19	12.44	43.11			
PK	15.604G	58.51	74.00	-15.49	47.05	3	Vertical	177	2.69	-	37.58	16.18	42.30			
AV	15.60292G	49.05	54.00	-4.95	37.59	3	Vertical	177	2.69	-	37.58	16.18	42.30			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 83
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40786G	59.50	68.20	-8.70	50.96	3	Horizontal	18	1.30	-	39.22	12.45	43.13			
PK	15.60216G	58.83	74.00	-15.17	47.36	3	Horizontal	245	1.26	-	37.59	16.18	42.30			
AV	15.60088G	49.43	54.00	-4.57	37.96	3	Horizontal	245	1.26	-	37.59	16.18	42.30			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1491G	64.24	74.00	-9.76	67.74	3	Vertical	184	1.80	-	31.99	8.39	43.88			
AV	5.1485G	51.61	54.00	-2.39	55.11	3	Vertical	184	1.80	-	31.99	8.39	43.88			
PK	5.2382G	124.86	Inf	-Inf	128.79	3	Vertical	184	1.80	-	31.47	8.43	43.83			
AV	5.2385G	117.50	Inf	-Inf	121.43	3	Vertical	184	1.80	-	31.47	8.43	43.83			
PK	5.3687G	59.17	74.00	-14.83	63.06	3	Vertical	184	1.80	-	31.40	8.48	43.77			
AV	5.3594G	49.88	54.00	-4.12	53.77	3	Vertical	184	1.80	-	31.40	8.48	43.77			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1365G	62.08	74.00	-11.92	65.65	3	Horizontal	188	1.80	-	31.92	8.39	43.88			
AV	5.1458G	51.89	54.00	-2.11	55.41	3	Horizontal	188	1.80	-	31.97	8.39	43.88			
PK	5.2352G	124.84	Inf	-Inf	128.75	3	Horizontal	188	1.80	-	31.49	8.43	43.83			
AV	5.2355G	117.41	Inf	-Inf	121.32	3	Horizontal	188	1.80	-	31.49	8.43	43.83			
PK	5.3702G	59.42	74.00	-14.58	63.30	3	Horizontal	188	1.80	-	31.40	8.48	43.76			
AV	5.3522G	49.93	54.00	-4.07	53.83	3	Horizontal	188	1.80	-	31.40	8.47	43.77			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47402G	58.84	68.20	-9.36	50.18	3	Vertical	21	1.80	-	39.35	12.50	43.19			
PK	15.71958G	60.04	74.00	-13.96	48.61	3	Vertical	24	1.80	-	37.64	16.18	42.39			
AV	15.7194G	50.55	54.00	-3.45	39.12	3	Vertical	24	1.80	-	37.64	16.18	42.39			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4841G	59.26	68.20	-8.94	50.58	3	Horizontal	274	1.60	-	39.37	12.51	43.20			
PK	15.7249G	60.11	74.00	-13.89	48.68	3	Horizontal	346	1.80	-	37.65	16.18	42.40			
AV	15.72106G	49.95	54.00	-4.05	38.52	3	Horizontal	346	1.80	-	37.64	16.18	42.39			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 66
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	69.23	74.00	-4.77	72.74	3	Vertical	177	1.80	-	31.98	8.39	43.88			
AV	5.1472G	53.39	54.00	-0.61	56.90	3	Vertical	177	1.80	-	31.98	8.39	43.88			
PK	5.1718G	119.43	Inf	-Inf	123.02	3	Vertical	177	1.80	-	31.87	8.40	43.86			
AV	5.177G	108.85	Inf	-Inf	112.46	3	Vertical	177	1.80	-	31.84	8.41	43.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 66
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1479G	70.37	74.00	-3.63	73.87	3	Horizontal	186	1.80	-	31.99	8.39	43.88			
AV	5.1476G	53.52	54.00	-0.48	57.02	3	Horizontal	186	1.80	-	31.99	8.39	43.88			
PK	5.1771G	121.36	Inf	-Inf	124.97	3	Horizontal	186	1.80	-	31.84	8.41	43.86			
AV	5.177G	109.65	Inf	-Inf	113.26	3	Horizontal	186	1.80	-	31.84	8.41	43.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Z_4TX
Setting 66
04-H-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.36098G	58.36	68.20	-9.84	49.90	3	Vertical	175	2.05	-	39.12	12.42	43.08				
PK	15.53931G	59.41	74.00	-14.59	47.55	3	Vertical	204	1.04	-	37.94	16.17	42.25				
AV	15.54055G	49.08	54.00	-4.92	37.22	3	Vertical	204	1.04	-	37.94	16.17	42.25				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 66
04-H-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35943G	59.02	68.20	-9.18	50.56	3	Horizontal	237	2.38	-	39.12	12.42	43.08			
PK	15.54067G	59.12	74.00	-14.88	47.26	3	Horizontal	163	1.29	-	37.94	16.17	42.25			
AV	15.53938G	48.89	54.00	-5.11	37.03	3	Horizontal	163	1.29	-	37.94	16.17	42.25			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 81
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1478G	67.65	74.00	-6.35	71.15	3	Vertical	179	1.80	-	31.99	8.39	43.88				
AV	5.1492G	53.28	54.00	-0.72	56.77	3	Vertical	179	1.80	-	32.00	8.39	43.88				
PK	5.1978G	122.67	Inf	-Inf	126.39	3	Vertical	179	1.80	-	31.71	8.42	43.85				
AV	5.2074G	111.44	Inf	-Inf	115.21	3	Vertical	179	1.80	-	31.66	8.42	43.85				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 81
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1482G	66.73	74.00	-7.27	70.23	3	Horizontal	185	1.80	-	31.99	8.39	43.88			
AV	5.1466G	52.93	54.00	-1.07	56.44	3	Horizontal	185	1.80	-	31.98	8.39	43.88			
PK	5.202G	121.87	Inf	-Inf	125.61	3	Horizontal	185	1.80	-	31.69	8.42	43.85			
AV	5.2062G	111.94	Inf	-Inf	115.71	3	Horizontal	185	1.80	-	31.66	8.42	43.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 81
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4009G	59.20	68.20	-9.00	50.67	3	Vertical	140	1.67	-	39.20	12.45	43.12			
PK	15.59977G	58.79	74.00	-15.21	47.31	3	Vertical	125	2.19	-	37.60	16.18	42.30			
AV	15.59977G	48.29	54.00	-5.71	36.81	3	Vertical	125	2.19	-	37.60	16.18	42.30			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 81
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40098G	59.14	68.20	-9.06	50.61	3	Horizontal	288	2.67	-	39.20	12.45	43.12			
PK	15.6002G	58.92	74.00	-15.08	47.44	3	Horizontal	268	2.07	-	37.60	16.18	42.30			
AV	15.60047G	48.32	54.00	-5.68	36.84	3	Horizontal	268	2.07	-	37.60	16.18	42.30			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 103
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1425G	62.44	74.00	-11.56	65.98	3	Vertical	179	1.80	-	31.95	8.39	43.88			
AV	5.1482G	50.87	54.00	-3.13	54.37	3	Vertical	179	1.80	-	31.99	8.39	43.88			
PK	5.2322G	125.14	Inf	-Inf	129.03	3	Vertical	179	1.80	-	31.51	8.43	43.83			
AV	5.2373G	115.22	Inf	-Inf	119.14	3	Vertical	179	1.80	-	31.48	8.43	43.83			
PK	5.3537G	59.25	74.00	-14.75	63.15	3	Vertical	179	1.80	-	31.40	8.47	43.77			
AV	5.3519G	48.41	54.00	-5.59	52.31	3	Vertical	179	1.80	-	31.40	8.47	43.77			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 103
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1155G	70.46	74.00	-3.54	74.19	3	Horizontal	186	1.80	-	31.79	8.37	43.89			
AV	5.147G	51.79	54.00	-2.21	55.30	3	Horizontal	186	1.80	-	31.98	8.39	43.88			
PK	5.2472G	126.31	Inf	-Inf	130.28	3	Horizontal	186	1.80	-	31.42	8.44	43.83			
AV	5.2466G	115.99	Inf	-Inf	119.96	3	Horizontal	186	1.80	-	31.42	8.44	43.83			
PK	5.3885G	69.62	74.00	-4.38	73.49	3	Horizontal	186	1.80	-	31.40	8.49	43.76			
AV	5.3594G	49.74	54.00	-4.26	53.63	3	Horizontal	186	1.80	-	31.40	8.48	43.77			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 103
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47988G	58.16	68.20	-10.04	49.50	3	Vertical	360	2.89	-	39.36	12.50	43.20			
PK	15.7197G	60.20	74.00	-13.80	48.77	3	Vertical	215	2.99	-	37.64	16.18	42.39			
AV	15.72037G	48.63	54.00	-5.37	37.20	3	Vertical	215	2.99	-	37.64	16.18	42.39			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 103
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47922G	58.59	68.20	-9.61	49.93	3	Horizontal	103	2.27	-	39.36	12.50	43.20
PK	15.72092G	59.93	74.00	-14.07	48.50	3	Horizontal	178	1.02	-	37.64	16.18	42.39
AV	15.71904G	48.62	54.00	-5.38	37.19	3	Horizontal	178	1.02	-	37.64	16.18	42.39

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 57
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	65.57	74.00	-8.43	69.06	3	Vertical	319	2.97	-	32.00	8.39	43.88			
AV	5.1483G	51.62	54.00	-2.38	55.12	3	Vertical	319	2.97	-	31.99	8.39	43.88			
PK	5.1846G	110.42	Inf	-Inf	114.08	3	Vertical	319	2.97	-	31.79	8.41	43.86			
AV	5.1942G	100.82	Inf	-Inf	104.52	3	Vertical	319	2.97	-	31.73	8.42	43.85			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 57
04-I-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	66.82	74.00	-7.18	70.30	3	Horizontal	328	3.00	-	32.00	8.39	43.87			
AV	5.15G	53.79	54.00	-0.21	57.27	3	Horizontal	328	3.00	-	32.00	8.39	43.87			
PK	5.1936G	113.17	Inf	-Inf	116.86	3	Horizontal	328	3.00	-	31.74	8.42	43.85			
AV	5.1936G	103.02	Inf	-Inf	106.71	3	Horizontal	328	3.00	-	31.74	8.42	43.85			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 57
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37978G	58.48	68.20	-9.72	49.99	3	Vertical	346	2.25	-	39.16	12.43	43.10			
PK	15.57054G	58.79	74.00	-15.21	47.12	3	Vertical	176	1.21	-	37.78	16.17	42.28			
AV	15.5702G	48.47	54.00	-5.53	36.79	3	Vertical	176	1.21	-	37.78	16.17	42.27			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 59
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38099G	58.44	68.20	-9.76	49.95	3	Horizontal	313	1.11	-	39.16	12.43	43.10			
PK	15.56996G	59.06	74.00	-14.94	47.38	3	Horizontal	165	2.55	-	37.78	16.17	42.27			
AV	15.56915G	48.16	54.00	-5.84	36.47	3	Horizontal	165	2.55	-	37.79	16.17	42.27			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 81
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1493G	64.55	74.00	-9.45	68.04	3	Vertical	318	3.00	-	32.00	8.39	43.88			
AV	5.1499G	51.74	54.00	-2.26	55.23	3	Vertical	318	3.00	-	32.00	8.39	43.88			
PK	5.2294G	115.39	Inf	-Inf	119.28	3	Vertical	318	3.00	-	31.52	8.43	43.84			
AV	5.2345G	105.63	Inf	-Inf	109.54	3	Vertical	318	3.00	-	31.49	8.43	43.83			
PK	5.3614G	57.32	74.00	-16.68	61.21	3	Vertical	318	3.00	-	31.40	8.48	43.77			
AV	5.3539G	47.01	54.00	-6.99	50.91	3	Vertical	318	3.00	-	31.40	8.47	43.77			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 81
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	64.90	74.00	-9.10	68.43	3	Horizontal	339	3.00	-	31.96	8.39	43.88			
AV	5.1499G	53.85	54.00	-0.15	57.34	3	Horizontal	339	3.00	-	32.00	8.39	43.88			
PK	5.2285G	117.78	Inf	-Inf	121.66	3	Horizontal	339	3.00	-	31.53	8.43	43.84			
AV	5.2282G	107.12	Inf	-Inf	111.00	3	Horizontal	339	3.00	-	31.53	8.43	43.84			
PK	5.3518G	59.18	74.00	-14.82	63.08	3	Horizontal	339	3.00	-	31.40	8.47	43.77			
AV	5.3512G	49.21	54.00	-4.79	53.11	3	Horizontal	339	3.00	-	31.40	8.47	43.77			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 81
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46088G	59.00	68.20	-9.20	50.37	3	Vertical	311	2.35	-	39.32	12.49	43.18			
PK	15.68906G	58.79	74.00	-15.21	47.45	3	Vertical	307	2.59	-	37.53	16.18	42.37			
AV	15.69051G	48.37	54.00	-5.63	37.02	3	Vertical	307	2.59	-	37.54	16.18	42.37			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 81
04-I-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.45959G	58.33	68.20	-9.87	49.70	3	Horizontal	127	2.88	-	39.32	12.49	43.18				
PK	15.68951G	59.06	74.00	-14.94	47.71	3	Horizontal	267	2.12	-	37.54	16.18	42.37				
AV	15.68932G	48.16	54.00	-5.84	36.81	3	Horizontal	267	2.12	-	37.54	16.18	42.37				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 62
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	71.63	74.00	-2.37	75.13	3	Vertical	320	3.00	-	31.99	8.39	43.88			
AV	5.1492G	52.82	54.00	-1.18	56.31	3	Vertical	320	3.00	-	32.00	8.39	43.88			
PK	5.194G	108.45	Inf	-Inf	112.14	3	Vertical	320	3.00	-	31.74	8.42	43.85			
AV	5.204G	97.41	Inf	-Inf	101.16	3	Vertical	320	3.00	-	31.68	8.42	43.85			
PK	5.3872G	55.74	74.00	-18.26	59.61	3	Vertical	320	3.00	-	31.40	8.49	43.76			
AV	5.3588G	45.73	54.00	-8.27	49.62	3	Vertical	320	3.00	-	31.40	8.48	43.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 62
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	71.30	74.00	-2.70	74.78	3	Horizontal	326	2.97	-	32.00	8.39	43.87			
AV	5.1484G	53.82	54.00	-0.18	57.32	3	Horizontal	326	2.97	-	31.99	8.39	43.88			
PK	5.2288G	109.97	Inf	-Inf	113.85	3	Horizontal	326	2.97	-	31.53	8.43	43.84			
AV	5.2236G	99.74	Inf	-Inf	103.59	3	Horizontal	326	2.97	-	31.56	8.43	43.84			
PK	5.35G	57.89	74.00	-16.11	61.80	3	Horizontal	326	2.97	-	31.40	8.47	43.78			
AV	5.3536G	46.64	54.00	-7.36	50.54	3	Horizontal	326	2.97	-	31.40	8.47	43.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 62
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42009G	59.20	68.20	-9.00	50.64	3	Vertical	79	2.04	-	39.24	12.46	43.14			
PK	15.62919G	58.57	74.00	-15.43	47.29	3	Vertical	28	1.79	-	37.42	16.18	42.32			
AV	15.63071G	48.15	54.00	-5.85	36.87	3	Vertical	28	1.79	-	37.42	16.18	42.32			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 62
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4193G	58.33	68.20	-9.87	49.77	3	Horizontal	36	2.35	-	39.24	12.46	43.14			
PK	15.63068G	58.85	74.00	-15.15	47.57	3	Horizontal	245	1.69	-	37.42	16.18	42.32			
AV	15.62912G	48.04	54.00	-5.96	36.75	3	Horizontal	245	1.69	-	37.43	16.18	42.32			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 66
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1444G	67.14	74.00	-6.86	70.66	3	Vertical	321	3.00	-	31.97	8.39	43.88				
AV	5.1388G	52.27	54.00	-1.73	55.83	3	Vertical	321	3.00	-	31.93	8.39	43.88				
PK	5.1836G	105.14	Inf	-Inf	108.79	3	Vertical	321	3.00	-	31.80	8.41	43.86				
AV	5.174G	95.06	Inf	-Inf	98.65	3	Vertical	321	3.00	-	31.86	8.41	43.86				
PK	5.3548G	63.18	74.00	-10.82	67.08	3	Vertical	321	3.00	-	31.40	8.47	43.77				
AV	5.3636G	47.85	54.00	-6.15	51.74	3	Vertical	321	3.00	-	31.40	8.48	43.77				
PK	5.4988G	57.47	68.20	-10.73	60.78	3	Vertical	321	3.00	-	31.80	8.59	43.70				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 66
04-I-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1372G	66.71	74.00	-7.29	70.28	3	Horizontal	331	1.80	-	31.92	8.39	43.88			
AV	5.1436G	53.84	54.00	-0.16	57.37	3	Horizontal	331	1.80	-	31.96	8.39	43.88			
PK	5.2188G	106.71	Inf	-Inf	110.53	3	Horizontal	331	1.80	-	31.59	8.43	43.84			
AV	5.2236G	95.97	Inf	-Inf	99.82	3	Horizontal	331	1.80	-	31.56	8.43	43.84			
PK	5.35G	65.62	74.00	-8.38	69.53	3	Horizontal	331	1.80	-	31.40	8.47	43.78			
AV	5.362G	48.66	54.00	-5.34	52.55	3	Horizontal	331	1.80	-	31.40	8.48	43.77			
PK	5.4692G	57.28	68.20	-10.92	60.76	3	Horizontal	331	1.80	-	31.68	8.56	43.72			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 66
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50031G	58.50	68.20	-9.70	49.80	3	Vertical	323	1.90	-	39.40	12.52	43.22			
PK	15.74976G	59.38	74.00	-14.62	47.91	3	Vertical	357	1.49	-	37.70	16.18	42.41			
AV	15.75092G	48.71	54.00	-5.29	37.24	3	Vertical	357	1.49	-	37.70	16.19	42.42			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 66
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5001G	58.06	68.20	-10.14	49.36	3	Horizontal	259	2.42	-	39.40	12.52	43.22			
PK	15.75027G	58.98	74.00	-15.02	47.51	3	Horizontal	231	2.18	-	37.70	16.19	42.42			
AV	15.75076G	48.54	54.00	-5.46	37.07	3	Horizontal	231	2.18	-	37.70	16.19	42.42			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	64.00	74.00	-10.00	67.55	3	Vertical	179	1.80	-	31.94	8.39	43.88			
AV	5.1466G	50.94	54.00	-3.06	54.45	3	Vertical	179	1.80	-	31.98	8.39	43.88			
PK	5.2561G	124.50	Inf	-Inf	128.50	3	Vertical	179	1.80	-	31.38	8.44	43.82			
AV	5.2552G	117.09	Inf	-Inf	121.09	3	Vertical	179	1.80	-	31.38	8.44	43.82			
PK	5.35G	64.40	74.00	-9.60	68.30	3	Vertical	179	1.80	-	31.40	8.47	43.77			
AV	5.3524G	52.24	54.00	-1.76	56.14	3	Vertical	179	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	59.04	74.00	-14.96	62.55	3	Horizontal	184	1.80	-	31.98	8.39	43.88			
AV	5.1442G	49.76	54.00	-4.24	53.28	3	Horizontal	184	1.80	-	31.97	8.39	43.88			
PK	5.2534G	125.15	Inf	-Inf	129.14	3	Horizontal	184	1.80	-	31.39	8.44	43.82			
AV	5.2525G	117.82	Inf	-Inf	121.81	3	Horizontal	184	1.80	-	31.39	8.44	43.82			
PK	5.3506G	65.63	74.00	-8.37	69.53	3	Horizontal	184	1.80	-	31.40	8.47	43.77			
AV	5.3542G	53.19	54.00	-0.81	57.09	3	Horizontal	184	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
04-I-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.529G	57.82	68.20	-10.38	49.08	3	Vertical	288	2.81	-	39.40	12.54	43.20				
PK	15.7892G	58.81	74.00	-15.19	47.53	3	Vertical	286	3.00	-	37.54	16.19	42.45				
AV	15.78746G	49.83	54.00	-4.17	38.53	3	Vertical	286	3.00	-	37.55	16.19	42.44				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52094G	57.59	68.20	-10.61	48.87	3	Horizontal	205	2.96	-	39.40	12.53	43.21			
PK	15.77688G	58.90	74.00	-15.10	47.56	3	Horizontal	36	1.84	-	37.59	16.19	42.44			
AV	15.78194G	49.59	54.00	-4.41	38.27	3	Horizontal	36	1.84	-	37.57	16.19	42.44			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 79
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2974G	120.34	Inf	-Inf	124.48	3	Vertical	182	1.79	-	31.21	8.45	43.80				
AV	5.2978G	112.86	Inf	-Inf	117.00	3	Vertical	182	1.79	-	31.21	8.45	43.80				
PK	5.3556G	62.89	74.00	-11.11	66.79	3	Vertical	182	1.79	-	31.40	8.47	43.77				
AV	5.356G	51.77	54.00	-2.23	55.67	3	Vertical	182	1.79	-	31.40	8.47	43.77				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 79
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3004G	120.40	Inf	-Inf	124.54	3	Horizontal	182	1.80	-	31.20	8.46	43.80			
AV	5.3016G	113.39	Inf	-Inf	117.52	3	Horizontal	182	1.80	-	31.21	8.46	43.80			
PK	5.3524G	63.92	74.00	-10.08	67.82	3	Horizontal	182	1.80	-	31.40	8.47	43.77			
AV	5.3512G	53.65	54.00	-0.35	57.55	3	Horizontal	182	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 79
04-I-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6091G	57.40	74.00	-16.60	48.53	3	Vertical	30	1.03	-	39.42	12.60	43.15			
AV	10.60378G	47.93	54.00	-6.07	39.09	3	Vertical	30	1.03	-	39.41	12.59	43.16			
PK	15.90316G	58.78	74.00	-15.22	47.83	3	Vertical	144	2.85	-	37.29	16.19	42.53			
AV	15.90886G	49.35	54.00	-4.65	38.44	3	Vertical	144	2.85	-	37.26	16.19	42.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 79
04-I-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60834G	57.77	74.00	-16.23	48.91	3	Horizontal	224	2.75	-	39.42	12.59	43.15			
AV	10.60214G	48.10	54.00	-5.90	39.27	3	Horizontal	224	2.75	-	39.40	12.59	43.16			
PK	15.90548G	58.69	74.00	-15.31	47.76	3	Horizontal	33	1.65	-	37.28	16.19	42.54			
AV	15.90112G	48.72	54.00	-5.28	37.76	3	Horizontal	33	1.65	-	37.30	16.19	42.53			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 68
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3172G	119.47	Inf	-Inf	123.53	3	Vertical	183	1.80	-	31.27	8.46	43.79				
AV	5.3188G	111.85	Inf	-Inf	115.90	3	Vertical	183	1.80	-	31.28	8.46	43.79				
PK	5.3503G	68.22	74.00	-5.78	72.12	3	Vertical	183	1.80	-	31.40	8.47	43.77				
AV	5.35G	53.46	54.00	-0.54	57.36	3	Vertical	183	1.80	-	31.40	8.47	43.77				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 68
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3264G	119.81	Inf	-Inf	123.83	3	Horizontal	175	1.80	-	31.31	8.46	43.79			
AV	5.3171G	110.81	Inf	-Inf	114.87	3	Horizontal	175	1.80	-	31.27	8.46	43.79			
PK	5.354G	63.14	74.00	-10.86	67.04	3	Horizontal	175	1.80	-	31.40	8.47	43.77			
AV	5.3546G	52.71	54.00	-1.29	56.61	3	Horizontal	175	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 68
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64158G	57.51	74.00	-16.49	48.54	3	Vertical	213	2.71	-	39.48	12.62	43.13			
AV	10.64692G	47.98	54.00	-6.02	39.00	3	Vertical	213	2.71	-	39.49	12.62	43.13			
PK	15.95856G	58.76	74.00	-15.24	48.07	3	Vertical	218	1.15	-	37.07	16.20	42.58			
AV	15.95572G	48.87	54.00	-5.13	38.17	3	Vertical	218	1.15	-	37.08	16.20	42.58			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 68
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64236G	57.32	74.00	-16.68	48.35	3	Horizontal	77	2.33	-	39.48	12.62	43.13			
AV	10.63614G	48.04	54.00	-5.96	39.10	3	Horizontal	77	2.33	-	39.47	12.61	43.14			
PK	15.95908G	57.99	74.00	-16.01	47.31	3	Horizontal	38	1.23	-	37.06	16.20	42.58			
AV	15.95168G	48.95	54.00	-5.05	38.23	3	Horizontal	38	1.23	-	37.09	16.20	42.57			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 100
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1451G	59.31	74.00	-14.69	62.83	3	Vertical	177	1.80	-	31.97	8.39	43.88
AV	5.1484G	49.27	54.00	-4.73	52.77	3	Vertical	177	1.80	-	31.99	8.39	43.88
PK	5.2576G	124.42	Inf	-Inf	128.43	3	Vertical	177	1.80	-	31.37	8.44	43.82
AV	5.2519G	115.06	Inf	-Inf	119.05	3	Vertical	177	1.80	-	31.39	8.44	43.82
PK	5.3518G	64.01	74.00	-9.99	67.91	3	Vertical	177	1.80	-	31.40	8.47	43.77
AV	5.3509G	50.52	54.00	-3.48	54.42	3	Vertical	177	1.80	-	31.40	8.47	43.77

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 100
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1451G	70.74	74.00	-3.26	74.26	3	Horizontal	184	1.80	-	31.97	8.39	43.88			
AV	5.1421G	48.99	54.00	-5.01	52.53	3	Horizontal	184	1.80	-	31.95	8.39	43.88			
PK	5.2618G	125.35	Inf	-Inf	129.38	3	Horizontal	184	1.80	-	31.35	8.44	43.82			
AV	5.2663G	115.91	Inf	-Inf	119.96	3	Horizontal	184	1.80	-	31.33	8.44	43.82			
PK	5.3515G	68.64	74.00	-5.36	72.54	3	Horizontal	184	1.80	-	31.40	8.47	43.77			
AV	5.3512G	51.89	54.00	-2.11	55.79	3	Horizontal	184	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 100
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51944G	58.03	68.20	-10.17	49.31	3	Vertical	336	1.82	-	39.40	12.53	43.21			
PK	15.77966G	59.46	74.00	-14.54	48.13	3	Vertical	1	2.90	-	37.58	16.19	42.44			
AV	15.77923G	48.41	54.00	-5.59	37.08	3	Vertical	1	2.90	-	37.58	16.19	42.44			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 100
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51991G	57.61	68.20	-10.59	48.89	3	Horizontal	156	1.85	-	39.40	12.53	43.21			
PK	15.77948G	58.99	74.00	-15.01	47.66	3	Horizontal	158	1.06	-	37.58	16.19	42.44			
AV	15.78086G	48.57	54.00	-5.43	37.24	3	Horizontal	158	1.06	-	37.58	16.19	42.44			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 81
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.297G	122.40	Inf	-Inf	126.54	3	Vertical	180	1.80	-	31.21	8.45	43.80				
AV	5.2976G	111.86	Inf	-Inf	116.00	3	Vertical	180	1.80	-	31.21	8.45	43.80				
PK	5.353G	65.91	74.00	-8.09	69.81	3	Vertical	180	1.80	-	31.40	8.47	43.77				
AV	5.352G	52.64	54.00	-1.36	56.54	3	Vertical	180	1.80	-	31.40	8.47	43.77				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 81
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2994G	122.77	Inf	-Inf	126.92	3	Horizontal	193	1.80	-	31.20	8.45	43.80			
AV	5.3042G	112.11	Inf	-Inf	116.23	3	Horizontal	193	1.80	-	31.22	8.46	43.80			
PK	5.35G	67.67	74.00	-6.33	71.57	3	Horizontal	193	1.80	-	31.40	8.47	43.77			
AV	5.35G	53.95	54.00	-0.05	57.85	3	Horizontal	193	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 81
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5996G	58.05	68.20	-10.15	49.22	3	Vertical	258	1.64	-	39.40	12.59	43.16			
PK	15.90091G	58.84	74.00	-15.16	47.88	3	Vertical	85	1.58	-	37.30	16.19	42.53			
AV	15.9006G	48.16	54.00	-5.84	37.20	3	Vertical	85	1.58	-	37.30	16.19	42.53			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 81
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60029G	58.40	74.00	-15.60	49.57	3	Horizontal	54	1.83	-	39.40	12.59	43.16			
PK	15.90013G	58.29	74.00	-15.71	47.33	3	Horizontal	167	1.98	-	37.30	16.19	42.53			
AV	15.89916G	48.33	54.00	-5.67	37.37	3	Horizontal	167	1.98	-	37.30	16.19	42.53			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 66
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.317G	120.45	Inf	-Inf	124.51	3	Vertical	180	1.80	-	31.27	8.46	43.79			
AV	5.3177G	109.92	Inf	-Inf	113.98	3	Vertical	180	1.80	-	31.27	8.46	43.79			
PK	5.3524G	69.12	74.00	-4.88	73.02	3	Vertical	180	1.80	-	31.40	8.47	43.77			
AV	5.3529G	53.11	54.00	-0.89	57.01	3	Vertical	180	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 66
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3251G	120.43	Inf	-Inf	124.46	3	Horizontal	178	1.80	-	31.30	8.46	43.79			
AV	5.3241G	109.30	Inf	-Inf	113.33	3	Horizontal	178	1.80	-	31.30	8.46	43.79			
PK	5.3542G	70.82	74.00	-3.18	74.72	3	Horizontal	178	1.80	-	31.40	8.47	43.77			
AV	5.3501G	53.85	54.00	-0.15	57.75	3	Horizontal	178	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 66
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64049G	57.43	74.00	-16.57	48.46	3	Vertical	65	2.14	-	39.48	12.62	43.13			
AV	10.64032G	47.07	54.00	-6.93	38.10	3	Vertical	65	2.14	-	39.48	12.62	43.13			
PK	15.95963G	58.73	74.00	-15.27	48.05	3	Vertical	304	2.95	-	37.06	16.20	42.58			
AV	15.95983G	47.63	54.00	-6.37	36.95	3	Vertical	304	2.95	-	37.06	16.20	42.58			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 66
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63948G	58.35	74.00	-15.65	49.38	3	Horizontal	263	1.29	-	39.48	12.62	43.13			
AV	10.64049G	47.24	54.00	-6.76	38.27	3	Horizontal	263	1.29	-	39.48	12.62	43.13			
PK	15.95933G	59.23	74.00	-14.77	48.55	3	Horizontal	82	1.21	-	37.06	16.20	42.58			
AV	15.95964G	48.08	54.00	-5.92	37.40	3	Horizontal	82	1.21	-	37.06	16.20	42.58			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 77
04-I-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1476G	57.29	74.00	-16.71	60.79	3	Vertical	320	3.00	-	31.99	8.39	43.88			
AV	5.15G	48.79	54.00	-5.21	52.27	3	Vertical	320	3.00	-	32.00	8.39	43.87			
PK	5.2739G	114.83	Inf	-Inf	118.89	3	Vertical	320	3.00	-	31.30	8.45	43.81			
AV	5.2643G	104.49	Inf	-Inf	108.53	3	Vertical	320	3.00	-	31.34	8.44	43.82			
PK	5.3543G	64.08	74.00	-9.92	67.98	3	Vertical	320	3.00	-	31.40	8.47	43.77			
AV	5.3507G	49.81	54.00	-4.19	53.71	3	Vertical	320	3.00	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 77
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1425G	57.71	74.00	-16.29	61.25	3	Horizontal	327	3.00	-	31.95	8.39	43.88			
AV	5.1413G	48.77	54.00	-5.23	52.31	3	Horizontal	327	3.00	-	31.95	8.39	43.88			
PK	5.2688G	117.69	Inf	-Inf	121.75	3	Horizontal	327	3.00	-	31.32	8.44	43.82			
AV	5.2685G	107.84	Inf	-Inf	111.89	3	Horizontal	327	3.00	-	31.33	8.44	43.82			
PK	5.3537G	66.66	74.00	-7.34	70.56	3	Horizontal	327	3.00	-	31.40	8.47	43.77			
AV	5.3567G	53.84	54.00	-0.16	57.74	3	Horizontal	327	3.00	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 77
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5406G	57.68	68.20	-10.52	48.92	3	Vertical	35	1.94	-	39.40	12.55	43.19			
PK	15.8106G	59.31	74.00	-14.69	48.14	3	Vertical	233	2.72	-	37.44	16.19	42.46			
AV	15.80956G	48.60	54.00	-5.40	37.43	3	Vertical	233	2.72	-	37.44	16.19	42.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 77
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53921G	57.99	68.20	-10.21	49.24	3	Horizontal	250	1.16	-	39.40	12.55	43.20			
PK	15.81098G	59.64	74.00	-14.36	48.48	3	Horizontal	132	2.29	-	37.43	16.19	42.46			
AV	15.81026G	48.64	54.00	-5.36	37.47	3	Horizontal	132	2.29	-	37.44	16.19	42.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 58
04-I-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3118G	108.34	Inf	-Inf	112.42	3	Vertical	323	2.19	-	31.25	8.46	43.79			
AV	5.3061G	98.62	Inf	-Inf	102.74	3	Vertical	323	2.19	-	31.22	8.46	43.80			
PK	5.3649G	62.89	74.00	-11.11	66.78	3	Vertical	323	2.19	-	31.40	8.48	43.77			
AV	5.3637G	48.85	54.00	-5.15	52.74	3	Vertical	323	2.19	-	31.40	8.48	43.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX

EUT_Z_4TX
Setting 58
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2983G	113.93	Inf	-Inf	118.07	3	Horizontal	337.8	3.00	-	31.21	8.45	43.80			
AV	5.2983G	103.60	Inf	-Inf	107.74	3	Horizontal	337.8	3.00	-	31.21	8.45	43.80			
PK	5.3556G	68.56	74.00	-5.44	72.46	3	Horizontal	337.8	3.00	-	31.40	8.47	43.77			
AV	5.3562G	53.84	54.00	-0.16	57.74	3	Horizontal	337.8	3.00	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 58
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62007G	58.31	74.00	-15.69	49.42	3	Vertical	116	1.28	-	39.44	12.60	43.15			
AV	10.6192G	47.02	54.00	-6.98	38.13	3	Vertical	116	1.28	-	39.44	12.60	43.15			
PK	15.92945G	58.26	74.00	-15.74	47.43	3	Vertical	149	2.08	-	37.18	16.20	42.55			
AV	15.92925G	47.90	54.00	-6.10	37.07	3	Vertical	149	2.08	-	37.18	16.20	42.55			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 58
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61929G	57.40	74.00	-16.60	48.51	3	Horizontal	337	2.41	-	39.44	12.60	43.15			
AV	10.62012G	46.82	54.00	-7.18	37.93	3	Horizontal	337	2.41	-	39.44	12.60	43.15			
PK	15.93059G	58.08	74.00	-15.92	47.26	3	Horizontal	309	2.82	-	37.18	16.20	42.56			
AV	15.93057G	47.84	54.00	-6.16	37.02	3	Horizontal	309	2.82	-	37.18	16.20	42.56			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 67
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1465G	61.33	74.00	-12.67	64.84	3	Vertical	321	2.97	-	31.98	8.39	43.88			
AV	5.144G	46.87	54.00	-7.13	50.40	3	Vertical	321	2.97	-	31.96	8.39	43.88			
PK	5.279G	107.09	Inf	-Inf	111.17	3	Vertical	321	2.97	-	31.28	8.45	43.81			
AV	5.2585G	96.27	Inf	-Inf	100.28	3	Vertical	321	2.97	-	31.37	8.44	43.82			
PK	5.355G	68.32	74.00	-5.68	72.22	3	Vertical	321	2.97	-	31.40	8.47	43.77			
AV	5.3535G	51.14	54.00	-2.86	55.04	3	Vertical	321	2.97	-	31.40	8.47	43.77			
PK	5.5295G	56.57	68.20	-11.63	59.87	3	Vertical	321	2.97	-	31.74	8.63	43.67			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 67
04-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1395G	60.11	74.00	-13.89	63.66	3	Horizontal	330	1.80	-	31.94	8.39	43.88			
AV	5.139G	46.33	54.00	-7.67	49.89	3	Horizontal	330	1.80	-	31.93	8.39	43.88			
PK	5.279G	110.53	Inf	-Inf	114.61	3	Horizontal	330	1.80	-	31.28	8.45	43.81			
AV	5.279G	100.27	Inf	-Inf	104.35	3	Horizontal	330	1.80	-	31.28	8.45	43.81			
PK	5.3575G	71.29	74.00	-2.71	75.18	3	Horizontal	330	1.80	-	31.40	8.48	43.77			
AV	5.3515G	53.79	54.00	-0.21	57.69	3	Horizontal	330	1.80	-	31.40	8.47	43.77			
PK	5.484G	55.98	68.20	-12.22	59.37	3	Horizontal	330	1.80	-	31.74	8.58	43.71			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 67
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58062G	57.24	68.20	-10.96	48.43	3	Vertical	351	2.84	-	39.40	12.58	43.17			
PK	15.87073G	57.52	74.00	-16.48	46.60	3	Vertical	287	2.20	-	37.24	16.19	42.51			
AV	15.86936G	47.36	54.00	-6.64	36.44	3	Vertical	287	2.20	-	37.24	16.19	42.51			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 67
04-I-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58034G	57.12	68.20	-11.08	48.32	3	Horizontal	27	2.66	-	39.40	12.57	43.17			
PK	15.86998G	57.72	74.00	-16.28	46.80	3	Horizontal	101	2.69	-	37.24	16.19	42.51			
AV	15.86942G	47.22	54.00	-6.78	36.30	3	Horizontal	101	2.69	-	37.24	16.19	42.51			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 68
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4586G	60.89	74.00	-13.11	64.43	3	Vertical	183	1.80	-	31.63	8.55	43.72			
AV	5.459G	51.24	54.00	-2.76	54.77	3	Vertical	183	1.80	-	31.64	8.55	43.72			
PK	5.4688G	67.27	68.20	-0.93	70.75	3	Vertical	183	1.80	-	31.68	8.56	43.72			
PK	5.4971G	118.84	Inf	-Inf	122.16	3	Vertical	183	1.80	-	31.79	8.59	43.70			
AV	5.4983G	111.35	Inf	-Inf	114.67	3	Vertical	183	1.80	-	31.79	8.59	43.70			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 68
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4564G	62.66	74.00	-11.34	66.20	3	Horizontal	175	1.80	-	31.63	8.55	43.72			
AV	5.4582G	50.51	54.00	-3.49	54.05	3	Horizontal	175	1.80	-	31.63	8.55	43.72			
PK	5.4688G	65.77	68.20	-2.43	69.25	3	Horizontal	175	1.80	-	31.68	8.56	43.72			
PK	5.4974G	119.27	Inf	-Inf	122.59	3	Horizontal	175	1.80	-	31.79	8.59	43.70			
AV	5.497G	111.09	Inf	-Inf	114.41	3	Horizontal	175	1.80	-	31.79	8.59	43.70			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 68
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.00077G	58.94	74.00	-15.06	48.97	3	Vertical	171	1.24	-	40.00	12.88	42.91				
AV	11.00077G	49.69	54.00	-4.31	39.72	3	Vertical	171	1.24	-	40.00	12.88	42.91				
PK	16.50077G	61.83	68.20	-6.37	48.60	3	Vertical	18	1.54	-	39.10	16.26	42.13				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 68
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00028G	59.01	74.00	-14.99	49.04	3	Horizontal	179	1.27	-	40.00	12.88	42.91			
AV	11.00045G	49.42	54.00	-4.58	39.45	3	Horizontal	179	1.27	-	40.00	12.88	42.91			
PK	16.49932G	61.26	68.20	-6.94	48.05	3	Horizontal	344	1.94	-	39.09	16.25	42.13			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 105
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4156G	60.66	74.00	-13.34	64.43	3	Vertical	187	1.80	-	31.46	8.51	43.74			
AV	5.4148G	52.16	54.00	-1.84	55.93	3	Vertical	187	1.80	-	31.46	8.51	43.74			
PK	5.4688G	59.39	68.20	-8.81	62.87	3	Vertical	187	1.80	-	31.68	8.56	43.72			
PK	5.5808G	124.68	Inf	-Inf	127.98	3	Vertical	187	1.80	-	31.64	8.68	43.62			
AV	5.5788G	117.41	Inf	-Inf	120.71	3	Vertical	187	1.80	-	31.64	8.68	43.62			
PK	5.7368G	62.19	68.20	-6.01	64.74	3	Vertical	187	1.80	-	32.07	8.84	43.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 105
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4548G	65.85	74.00	-8.15	69.40	3	Horizontal	181	1.80	-	31.62	8.55	43.72			
PK	5.4608G	63.34	68.20	-4.86	66.87	3	Horizontal	181	1.80	-	31.64	8.55	43.72			
AV	5.4596G	50.62	54.00	-3.38	54.15	3	Horizontal	181	1.80	-	31.64	8.55	43.72			
PK	5.5808G	126.31	Inf	-Inf	129.61	3	Horizontal	181	1.80	-	31.64	8.68	43.62			
AV	5.5812G	118.22	Inf	-Inf	121.52	3	Horizontal	181	1.80	-	31.64	8.68	43.62			
PK	5.7412G	60.24	68.20	-7.96	62.77	3	Horizontal	181	1.80	-	32.08	8.85	43.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 105
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15932G	59.08	74.00	-14.92	49.47	3	Vertical	180	2.66	-	39.48	12.99	42.86			
AV	11.16044G	49.36	54.00	-4.64	39.75	3	Vertical	180	2.66	-	39.48	12.99	42.86			
PK	16.73905G	61.00	68.20	-7.20	47.54	3	Vertical	181	1.02	-	39.43	16.28	42.25			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX



EUT_Z_4TX
Setting 105
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16048G	59.17	74.00	-14.83	49.56	3	Horizontal	96	2.09	-	39.48	12.99	42.86			
AV	11.1591G	49.16	54.00	-4.84	39.55	3	Horizontal	96	2.09	-	39.48	12.99	42.86			
PK	16.73938G	61.61	68.20	-6.59	48.14	3	Horizontal	236	2.56	-	39.44	16.28	42.25			