


5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT Y_1TX
Setting 95
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51912G	56.59	68.20	-11.61	41.71	3	Vertical	237	1.65	-	38.14	11.23	34.49			
PK	15.77951G	59.94	74.00	-14.06	44.35	3	Vertical	1	2.85	-	37.54	13.09	35.04			
AV	15.78121G	46.84	54.00	-7.16	31.24	3	Vertical	1	2.85	-	37.54	13.10	35.04			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_Y_1TX
Setting 95
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51887G	56.86	68.20	-11.34	41.98	3	Horizontal	340	1.15	-	38.14	11.23	34.49			
PK	15.77983G	59.65	74.00	-14.35	44.06	3	Horizontal	59	2.97	-	37.54	13.09	35.04			
AV	15.78103G	46.85	54.00	-7.15	31.25	3	Horizontal	59	2.97	-	37.54	13.10	35.04			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT Y_1TX
Setting 78
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2942G	111.93	Inf	-Inf	105.11	3	Vertical	193	2.71	-	34.37	7.73	35.28			
AV	5.2952G	100.30	Inf	-Inf	93.48	3	Vertical	193	2.71	-	34.37	7.73	35.28			
PK	5.3534G	67.34	74.00	-6.66	60.30	3	Vertical	193	2.71	-	34.51	7.80	35.27			
AV	5.3556G	51.50	54.00	-2.50	44.45	3	Vertical	193	2.71	-	34.52	7.80	35.27			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT Y_1TX
Setting 78
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3028G	115.75	Inf	-Inf	108.88	3	Horizontal	195	1.18	-	34.41	7.74	35.28			
AV	5.3018G	103.56	Inf	-Inf	96.70	3	Horizontal	195	1.18	-	34.40	7.74	35.28			
PK	5.3536G	71.84	74.00	-2.16	64.80	3	Horizontal	195	1.18	-	34.51	7.80	35.27			
AV	5.3508G	53.88	54.00	-0.12	46.85	3	Horizontal	195	1.18	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT Y_1TX
Setting 78
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59598G	56.97	68.20	-11.23	41.99	3	Vertical	277	2.71	-	38.20	11.26	34.48			
PK	15.8984G	60.64	74.00	-13.36	44.75	3	Vertical	56	2.20	-	37.80	13.19	35.10			
AV	15.90164G	47.73	54.00	-6.27	31.85	3	Vertical	56	2.20	-	37.79	13.19	35.10			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT Y_1TX
Setting 78
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59555G	56.91	68.20	-11.29	41.93	3	Horizontal	305	2.52	-	38.20	11.26	34.48			
PK	15.89975G	60.98	74.00	-13.02	45.09	3	Horizontal	19	2.39	-	37.80	13.19	35.10			
AV	15.9017G	47.87	54.00	-6.13	31.99	3	Horizontal	19	2.39	-	37.79	13.19	35.10			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT Y_1TX
Setting 66
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3226G	109.27	Inf	-Inf	102.33	3	Vertical	211	2.96	-	34.45	7.76	35.27			
AV	5.3159G	97.19	Inf	-Inf	90.28	3	Vertical	211	2.96	-	34.43	7.75	35.27			
PK	5.3515G	67.27	74.00	-6.73	60.23	3	Vertical	211	2.96	-	34.51	7.80	35.27			
AV	5.35G	51.53	54.00	-2.47	44.50	3	Vertical	211	2.96	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT_Y_1TX
Setting 66
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3135G	111.63	Inf	-Inf	104.72	3	Horizontal	192	1.01	-	34.43	7.75	35.27			
AV	5.3129G	99.42	Inf	-Inf	92.51	3	Horizontal	192	1.01	-	34.43	7.75	35.27			
PK	5.3576G	69.54	74.00	-4.46	62.47	3	Horizontal	192	1.01	-	34.53	7.81	35.27			
AV	5.3505G	53.89	54.00	-0.11	46.86	3	Horizontal	192	1.01	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT Y_1TX
Setting 66
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64001G	57.81	74.00	-16.19	42.81	3	Vertical	15	2.55	-	38.20	11.28	34.48			
AV	10.64039G	44.46	54.00	-9.54	29.46	3	Vertical	15	2.55	-	38.20	11.28	34.48			
PK	15.96071G	61.21	74.00	-12.79	45.53	3	Vertical	78	1.61	-	37.56	13.24	35.12			
AV	15.95902G	47.14	54.00	-6.86	31.46	3	Vertical	78	1.61	-	37.56	13.24	35.12			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT Y_1TX
Setting 66
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63911G	58.17	74.00	-15.83	43.17	3	Horizontal	188	2.88	-	38.20	11.28	34.48			
AV	10.63928G	44.58	54.00	-9.42	29.58	3	Horizontal	188	2.88	-	38.20	11.28	34.48			
PK	15.9606G	61.29	74.00	-12.71	45.61	3	Horizontal	254	1.49	-	37.56	13.24	35.12			
AV	15.95921G	47.07	54.00	-6.93	31.39	3	Horizontal	254	1.49	-	37.56	13.24	35.12			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT Y_1TX
Setting 66
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	63.23	74.00	-10.77	56.09	3	Vertical	139	2.77	-	34.60	7.79	35.25			
AV	5.4557G	50.77	54.00	-3.23	43.63	3	Vertical	139	2.77	-	34.60	7.79	35.25			
PK	5.4694G	65.87	68.20	-2.33	58.75	3	Vertical	139	2.77	-	34.60	7.77	35.25			
PK	5.5029G	109.60	Inf	-Inf	102.52	3	Vertical	139	2.77	-	34.59	7.73	35.24			
AV	5.5048G	97.59	Inf	-Inf	90.51	3	Vertical	139	2.77	-	34.59	7.73	35.24			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT Y_1TX
Setting 66
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	64.33	74.00	-9.67	57.19	3	Horizontal	184	2.75	-	34.60	7.79	35.25			
AV	5.4592G	51.31	54.00	-2.69	44.17	3	Horizontal	184	2.75	-	34.60	7.79	35.25			
PK	5.4686G	68.06	68.20	-0.14	60.94	3	Horizontal	184	2.75	-	34.60	7.77	35.25			
PK	5.5057G	110.68	Inf	-Inf	103.60	3	Horizontal	184	2.75	-	34.59	7.73	35.24			
AV	5.4953G	98.44	Inf	-Inf	91.34	3	Horizontal	184	2.75	-	34.60	7.74	35.24			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT Y_1TX
Setting 66
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99962G	56.59	74.00	-17.41	41.32	3	Vertical	95	1.56	-	38.30	11.42	34.45			
AV	10.99995G	43.43	54.00	-10.57	28.16	3	Vertical	95	1.56	-	38.30	11.42	34.45			
PK	16.50023G	61.86	68.20	-6.34	45.20	3	Vertical	236	2.23	-	38.00	13.52	34.86			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT_Y_1TX
Setting 66
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00029G	56.40	74.00	-17.60	41.12	3	Horizontal	19	1.80	-	38.30	11.43	34.45			
AV	11.00023G	43.36	54.00	-10.64	28.08	3	Horizontal	19	1.80	-	38.30	11.43	34.45			
PK	16.50096G	61.25	68.20	-6.95	44.58	3	Horizontal	228	1.15	-	38.01	13.52	34.86			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT Y_1TX
Setting 100
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	62.63	74.00	-11.37	55.48	3	Vertical	142	2.72	-	34.60	7.80	35.25			
AV	5.4564G	52.04	54.00	-1.96	44.90	3	Vertical	142	2.72	-	34.60	7.79	35.25			
PK	5.464G	64.21	68.20	-3.99	57.08	3	Vertical	142	2.72	-	34.60	7.78	35.25			
PK	5.5768G	114.64	Inf	-Inf	107.84	3	Vertical	142	2.72	-	34.39	7.64	35.23			
AV	5.5764G	104.78	Inf	-Inf	97.98	3	Vertical	142	2.72	-	34.39	7.64	35.23			
PK	5.7508G	61.71	68.20	-6.49	54.85	3	Vertical	142	2.72	-	34.20	7.87	35.21			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT Y_1TX
Setting 100
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4556G	64.27	74.00	-9.73	57.13	3	Horizontal	183	2.70	-	34.60	7.79	35.25			
AV	5.452G	52.20	54.00	-1.80	45.06	3	Horizontal	183	2.70	-	34.60	7.79	35.25			
PK	5.4672G	64.26	68.20	-3.94	57.13	3	Horizontal	183	2.70	-	34.60	7.78	35.25			
PK	5.5828G	115.28	Inf	-Inf	108.51	3	Horizontal	183	2.70	-	34.37	7.63	35.23			
AV	5.5716G	104.78	Inf	-Inf	97.95	3	Horizontal	183	2.70	-	34.41	7.65	35.23			
PK	5.7256G	60.96	68.20	-7.24	54.15	3	Horizontal	183	2.70	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT Y_1TX
Setting 100
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15918G	56.65	74.00	-17.35	41.16	3	Vertical	203	2.16	-	38.42	11.49	34.42			
AV	11.16005G	46.24	54.00	-7.76	30.75	3	Vertical	203	2.16	-	38.42	11.49	34.42			
PK	16.74044G	61.87	68.20	-6.33	44.04	3	Vertical	88	1.04	-	38.80	13.63	34.60			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT Y_1TX
Setting 100
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15995G	57.30	74.00	-16.70	41.81	3	Horizontal	67	2.38	-	38.42	11.49	34.42			
AV	11.16018G	46.38	54.00	-7.62	30.89	3	Horizontal	67	2.38	-	38.42	11.49	34.42			
PK	16.73978G	61.33	68.20	-6.87	43.50	3	Horizontal	272	2.74	-	38.80	13.63	34.60			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT_Y_1TX
Setting 58
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7024G	108.44	Inf	-Inf	101.67	3	Vertical	140	2.51	-	34.20	7.79	35.22			
AV	5.7029G	96.42	Inf	-Inf	89.65	3	Vertical	140	2.51	-	34.20	7.79	35.22			
PK	5.7253G	66.25	68.20	-1.95	59.44	3	Vertical	140	2.51	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT Y_1TX
Setting 58
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7028G	110.13	Inf	-Inf	103.36	3	Horizontal	258	2.26	-	34.20	7.79	35.22			
AV	5.7028G	97.94	Inf	-Inf	91.17	3	Horizontal	258	2.26	-	34.20	7.79	35.22			
PK	5.7253G	68.07	68.20	-0.13	61.26	3	Horizontal	258	2.26	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT Y_1TX
Setting 58
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40057G	57.15	74.00	-16.85	41.23	3	Vertical	217	1.48	-	38.70	11.59	34.37			
AV	11.40029G	44.10	54.00	-9.90	28.18	3	Vertical	217	1.48	-	38.70	11.59	34.37			
PK	17.10057G	61.59	68.20	-6.61	41.90	3	Vertical	99	1.44	-	40.10	13.81	34.22			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT Y_1TX
Setting 58
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39954G	56.95	74.00	-17.05	41.03	3	Horizontal	260	1.71	-	38.70	11.59	34.37			
AV	11.4002G	44.52	54.00	-9.48	28.60	3	Horizontal	260	1.71	-	38.70	11.59	34.37			
PK	17.1009G	61.72	68.20	-6.48	42.03	3	Horizontal	268	2.93	-	40.10	13.81	34.22			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 108
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7244G	117.14	Inf	-Inf	110.33	3	Vertical	146	2.60	-	34.20	7.83	35.22			
AV	5.7212G	106.16	Inf	-Inf	99.36	3	Vertical	146	2.60	-	34.20	7.82	35.22			
PK	5.8512G	64.24	68.20	-3.96	57.13	3	Vertical	146	2.60	-	34.30	8.01	35.20			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 108
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7188G	118.53	Inf	-Inf	111.73	3	Horizontal	111	2.58	-	34.20	7.82	35.22			
AV	5.7264G	108.03	Inf	-Inf	101.22	3	Horizontal	111	2.58	-	34.20	7.83	35.22			
PK	5.852G	64.24	68.20	-3.96	57.12	3	Horizontal	111	2.58	-	34.31	8.01	35.20			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX



Lim.PK

PK

Lim.AV

AV


30/06/2025

EUT Y_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43915G	57.69	74.00	-16.31	41.67	3	Vertical	1	1.71	-	38.78	11.60	34.36			
AV	11.44045G	46.71	54.00	-7.29	30.69	3	Vertical	1	1.71	-	38.78	11.60	34.36			
PK	17.15988G	61.74	68.20	-6.46	41.71	3	Vertical	114	1.03	-	40.34	13.84	34.15			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4403G	57.41	74.00	-16.59	41.39	3	Horizontal	154	2.48	-	38.78	11.60	34.36			
AV	11.43942G	46.88	54.00	-7.12	30.86	3	Horizontal	154	2.48	-	38.78	11.60	34.36			
PK	17.16039G	62.07	68.20	-6.13	42.04	3	Horizontal	273	2.07	-	40.34	13.84	34.15			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX

EUT Y_1TX
Setting 108
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6465G	67.38	68.20	-0.82	60.62	3	Vertical	146	2.59	-	34.30	7.69	35.23			
PK	5.752G	117.19	Inf	-Inf	110.32	3	Vertical	146	2.59	-	34.20	7.88	35.21			
AV	5.7425G	106.53	Inf	-Inf	99.69	3	Vertical	146	2.59	-	34.20	7.86	35.22			
PK	5.9255G	61.23	68.20	-6.97	53.74	3	Vertical	146	2.59	-	34.60	8.09	35.20			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT Y_1TX
Setting 108
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	67.58	68.20	-0.62	60.82	3	Horizontal	119	2.69	-	34.30	7.69	35.23			
PK	5.743G	117.62	Inf	-Inf	110.78	3	Horizontal	119	2.69	-	34.20	7.86	35.22			
AV	5.747G	106.88	Inf	-Inf	100.03	3	Horizontal	119	2.69	-	34.20	7.87	35.22			
PK	5.9405G	61.26	68.20	-6.94	53.69	3	Horizontal	119	2.69	-	34.66	8.11	35.20			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT Y_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48986G	59.25	74.00	-14.75	43.10	3	Vertical	6	2.11	-	38.88	11.62	34.35			
AV	11.49005G	47.45	54.00	-6.55	31.30	3	Vertical	6	2.11	-	38.88	11.62	34.35			
PK	17.23506G	61.75	68.20	-6.45	41.24	3	Vertical	320	2.19	-	40.71	13.88	34.08			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX

EUT_Y_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49026G	58.59	74.00	-15.41	42.44	3	Horizontal	342	2.06	-	38.88	11.62	34.35			
AV	11.49099G	47.56	54.00	-6.44	31.41	3	Horizontal	342	2.06	-	38.88	11.62	34.35			
PK	17.23515G	61.69	68.20	-6.51	41.18	3	Horizontal	266	2.56	-	40.71	13.88	34.08			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT Y_1TX
Setting 108
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64G	61.95	68.20	-6.25	55.20	3	Vertical	152	2.61	-	34.30	7.68	35.23			
PK	5.788G	117.28	Inf	-Inf	110.35	3	Vertical	152	2.61	-	34.20	7.94	35.21			
AV	5.777G	106.51	Inf	-Inf	99.60	3	Vertical	152	2.61	-	34.20	7.92	35.21			
PK	5.9255G	63.27	68.20	-4.93	55.78	3	Vertical	152	2.61	-	34.60	8.09	35.20			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT Y_1TX
Setting 108
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	63.09	68.20	-5.11	56.33	3	Horizontal	114	2.67	-	34.30	7.69	35.23			
PK	5.783G	118.16	Inf	-Inf	111.24	3	Horizontal	114	2.67	-	34.20	7.93	35.21			
AV	5.784G	106.93	Inf	-Inf	100.01	3	Horizontal	114	2.67	-	34.20	7.93	35.21			
PK	5.9255G	64.11	68.20	-4.09	56.62	3	Horizontal	114	2.67	-	34.60	8.09	35.20			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT Y_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56975G	58.75	74.00	-15.25	42.32	3	Vertical	84	2.30	-	39.18	11.66	34.41			
AV	11.56922G	47.69	54.00	-6.31	31.26	3	Vertical	84	2.30	-	39.18	11.66	34.41			
PK	17.35478G	61.19	68.20	-7.01	39.78	3	Vertical	123	1.73	-	41.43	13.93	33.95			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT_Y_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56972G	59.13	74.00	-14.87	42.70	3	Horizontal	43	2.70	-	39.18	11.66	34.41			
AV	11.56966G	47.89	54.00	-6.11	31.46	3	Horizontal	43	2.70	-	39.18	11.66	34.41			
PK	17.35425G	61.36	68.20	-6.84	39.95	3	Horizontal	341	2.12	-	41.43	13.93	33.95			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT Y_1TX
Setting 108
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6155G	61.79	68.20	-6.41	55.08	3	Vertical	146	2.58	-	34.30	7.64	35.23			
PK	5.8225G	117.17	Inf	-Inf	110.16	3	Vertical	146	2.58	-	34.24	7.98	35.21			
AV	5.82G	105.98	Inf	-Inf	98.97	3	Vertical	146	2.58	-	34.24	7.98	35.21			
PK	5.9285G	66.55	68.20	-1.65	59.05	3	Vertical	146	2.58	-	34.61	8.09	35.20			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Y_1TX
Setting 108
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6215G	60.83	68.20	-7.37	54.11	3	Horizontal	115	1.77	-	34.30	7.65	35.23			
PK	5.8225G	117.55	Inf	-Inf	110.54	3	Horizontal	115	1.77	-	34.24	7.98	35.21			
AV	5.8205G	106.85	Inf	-Inf	99.84	3	Horizontal	115	1.77	-	34.24	7.98	35.21			
PK	5.9245G	68.41	68.57	-0.16	60.92	3	Horizontal	115	1.77	-	34.60	8.09	35.20			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT Y_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64967G	58.59	74.00	-15.41	41.99	3	Vertical	212	2.95	-	39.40	11.69	34.49			
AV	11.64932G	48.28	54.00	-5.72	31.68	3	Vertical	212	2.95	-	39.40	11.69	34.49			
PK	17.47504G	61.69	68.20	-6.51	39.23	3	Vertical	196	1.82	-	42.30	13.99	33.83			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT_Y_1TX
Setting 108
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65072G	59.42	74.00	-14.58	42.82	3	Horizontal	250	2.88	-	39.40	11.69	34.49			
AV	11.65009G	48.25	54.00	-5.75	31.65	3	Horizontal	250	2.88	-	39.40	11.69	34.49			
PK	17.47414G	61.06	68.20	-7.14	38.61	3	Horizontal	106	2.08	-	42.29	13.99	33.83			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5190MHz_TX

EUT Y_1TX
Setting 58
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	67.42	74.00	-6.58	61.33	3	Vertical	155	3.00	-	33.90	7.49	35.30			
AV	5.1498G	51.52	54.00	-2.48	45.43	3	Vertical	155	3.00	-	33.90	7.49	35.30			
PK	5.1874G	107.02	Inf	-Inf	100.69	3	Vertical	155	3.00	-	34.05	7.58	35.30			
AV	5.183G	94.02	Inf	-Inf	87.72	3	Vertical	155	3.00	-	34.03	7.57	35.30			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5190MHz_TX

EUT_Y_1TX
Setting 58
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	70.77	74.00	-3.23	64.68	3	Horizontal	197	1.34	-	33.90	7.49	35.30			
AV	5.1498G	53.72	54.00	-0.28	47.63	3	Horizontal	197	1.34	-	33.90	7.49	35.30			
PK	5.1856G	109.47	Inf	-Inf	103.15	3	Horizontal	197	1.34	-	34.04	7.58	35.30			
AV	5.1922G	95.95	Inf	-Inf	89.59	3	Horizontal	197	1.34	-	34.07	7.59	35.30			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5190MHz_TX

EUT Y_1TX
Setting 58
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37922G	57.05	68.20	-11.15	42.55	3	Vertical	306	2.29	-	37.98	11.17	34.65			
PK	15.56993G	63.44	74.00	-10.56	47.24	3	Vertical	260	2.22	-	38.22	12.93	34.95			
AV	15.571G	47.78	54.00	-6.22	31.58	3	Vertical	260	2.22	-	38.22	12.93	34.95			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 58
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38002G	56.47	68.20	-11.73	41.97	3	Horizontal	1	2.81	-	37.98	11.17	34.65			
PK	15.57032G	62.30	74.00	-11.70	46.10	3	Horizontal	328	1.04	-	38.22	12.93	34.95			
AV	15.5693G	47.82	54.00	-6.18	31.62	3	Horizontal	328	1.04	-	38.22	12.93	34.95			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5230MHz_TX

EUT Y_1TX
Setting 74
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	65.01	74.00	-8.99	58.92	3	Vertical	156	3.00	-	33.90	7.49	35.30			
AV	5.1499G	51.53	54.00	-2.47	45.44	3	Vertical	156	3.00	-	33.90	7.49	35.30			
PK	5.2357G	109.21	Inf	-Inf	102.75	3	Vertical	156	3.00	-	34.10	7.65	35.29			
AV	5.2162G	97.27	Inf	-Inf	90.83	3	Vertical	156	3.00	-	34.10	7.63	35.29			
PK	5.3665G	61.63	74.00	-12.37	54.50	3	Vertical	156	3.00	-	34.57	7.82	35.26			
AV	5.377G	49.54	54.00	-4.46	42.36	3	Vertical	156	3.00	-	34.61	7.83	35.26			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5230MHz_TX

EUT Y_1TX
Setting 74
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	67.72	74.00	-6.28	61.63	3	Horizontal	193	1.27	-	33.90	7.49	35.30			
AV	5.1496G	53.70	54.00	-0.30	47.61	3	Horizontal	193	1.27	-	33.90	7.49	35.30			
PK	5.2123G	111.66	Inf	-Inf	105.22	3	Horizontal	193	1.27	-	34.10	7.63	35.29			
AV	5.2333G	99.91	Inf	-Inf	93.45	3	Horizontal	193	1.27	-	34.10	7.65	35.29			
PK	5.3758G	61.81	74.00	-12.19	54.64	3	Horizontal	193	1.27	-	34.60	7.83	35.26			
AV	5.3521G	49.97	54.00	-4.03	42.93	3	Horizontal	193	1.27	-	34.51	7.80	35.27			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5230MHz_TX

EUT Y_1TX
Setting 74
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45907G	56.18	68.20	-12.02	41.57	3	Vertical	122	2.02	-	37.94	11.21	34.54			
PK	15.69066G	60.38	74.00	-13.62	44.56	3	Vertical	348	2.09	-	37.80	13.02	35.00			
AV	15.68902G	47.22	54.00	-6.78	31.40	3	Vertical	348	2.09	-	37.80	13.02	35.00			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 74
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45929G	57.07	68.20	-11.13	42.46	3	Horizontal	335	2.00	-	37.94	11.21	34.54			
PK	15.69016G	60.58	74.00	-13.42	44.76	3	Horizontal	129	2.05	-	37.80	13.02	35.00			
AV	15.68936G	47.10	54.00	-6.90	31.28	3	Horizontal	129	2.05	-	37.80	13.02	35.00			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_Y_1TX
Setting 73
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	59.54	74.00	-14.46	53.45	3	Vertical	160	1.96	-	33.90	7.49	35.30			
AV	5.1479G	48.33	54.00	-5.67	42.24	3	Vertical	160	1.96	-	33.90	7.49	35.30			
PK	5.2724G	109.70	Inf	-Inf	103.05	3	Vertical	160	1.96	-	34.23	7.70	35.28			
AV	5.2682G	96.70	Inf	-Inf	90.07	3	Vertical	160	1.96	-	34.21	7.70	35.28			
PK	5.3528G	66.71	74.00	-7.29	59.67	3	Vertical	160	1.96	-	34.51	7.80	35.27			
AV	5.3516G	51.01	54.00	-2.99	43.97	3	Vertical	160	1.96	-	34.51	7.80	35.27			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT Y_1TX
Setting 73
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1407G	61.58	74.00	-12.42	55.51	3	Horizontal	196	1.35	-	33.90	7.47	35.30			
AV	5.15G	49.06	54.00	-4.94	42.97	3	Horizontal	196	1.35	-	33.90	7.49	35.30			
PK	5.267G	111.80	Inf	-Inf	105.19	3	Horizontal	196	1.35	-	34.20	7.69	35.28			
AV	5.2658G	99.01	Inf	-Inf	92.41	3	Horizontal	196	1.35	-	34.19	7.69	35.28			
PK	5.3516G	67.08	74.00	-6.92	60.04	3	Horizontal	196	1.35	-	34.51	7.80	35.27			
AV	5.3504G	52.96	54.00	-1.04	45.93	3	Horizontal	196	1.35	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Y_1TX
Setting 73
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53933G	56.79	68.20	-11.41	41.86	3	Vertical	13	2.20	-	38.18	11.24	34.49			
PK	15.81091G	59.97	74.00	-14.03	44.37	3	Vertical	328	2.82	-	37.54	13.12	35.06			
AV	15.81047G	47.94	54.00	-6.06	32.34	3	Vertical	328	2.82	-	37.54	13.12	35.06			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT Y_1TX
Setting 73
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54088G	56.94	68.20	-11.26	42.01	3	Horizontal	360	1.77	-	38.18	11.24	34.49			
PK	15.80923G	59.55	74.00	-14.45	43.95	3	Horizontal	139	1.99	-	37.54	13.12	35.06			
AV	15.80934G	47.80	54.00	-6.20	32.20	3	Horizontal	139	1.99	-	37.54	13.12	35.06			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT_Y_1TX
Setting 61
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2922G	105.26	Inf	-Inf	98.46	3	Vertical	160	2.13	-	34.35	7.73	35.28			
AV	5.3028G	92.32	Inf	-Inf	85.45	3	Vertical	160	2.13	-	34.41	7.74	35.28			
PK	5.3514G	68.03	74.00	-5.97	60.99	3	Vertical	160	2.13	-	34.51	7.80	35.27			
AV	5.352G	51.18	54.00	-2.82	44.14	3	Vertical	160	2.13	-	34.51	7.80	35.27			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT Y_1TX
Setting 61
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3068G	108.54	Inf	-Inf	101.66	3	Horizontal	194	1.18	-	34.41	7.74	35.27			
AV	5.303G	95.77	Inf	-Inf	88.90	3	Horizontal	194	1.18	-	34.41	7.74	35.28			
PK	5.3538G	72.34	74.00	-1.66	65.29	3	Horizontal	194	1.18	-	34.52	7.80	35.27			
AV	5.35G	53.64	54.00	-0.36	46.61	3	Horizontal	194	1.18	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT Y_1TX
Setting 61
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61967G	57.13	74.00	-16.87	42.14	3	Vertical	262	2.25	-	38.20	11.27	34.48			
AV	10.62029G	44.87	54.00	-9.13	29.88	3	Vertical	262	2.25	-	38.20	11.27	34.48			
PK	15.93083G	61.89	74.00	-12.11	46.10	3	Vertical	360	1.50	-	37.68	13.22	35.11			
AV	15.93068G	47.68	54.00	-6.32	31.90	3	Vertical	360	1.50	-	37.68	13.21	35.11			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT Y_1TX
Setting 61
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61963G	56.94	74.00	-17.06	41.95	3	Horizontal	41	2.70	-	38.20	11.27	34.48			
AV	10.61975G	44.75	54.00	-9.25	29.76	3	Horizontal	41	2.70	-	38.20	11.27	34.48			
PK	15.92969G	61.66	74.00	-12.34	45.88	3	Horizontal	165	1.74	-	37.68	13.21	35.11			
AV	15.93086G	47.46	54.00	-6.54	31.67	3	Horizontal	165	1.74	-	37.68	13.22	35.11			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX
Setting 60
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	62.12	74.00	-11.88	54.98	3	Vertical	143	2.66	-	34.60	7.79	35.25			
AV	5.4566G	49.56	54.00	-4.44	42.42	3	Vertical	143	2.66	-	34.60	7.79	35.25			
PK	5.4664G	66.77	68.20	-1.43	59.64	3	Vertical	143	2.66	-	34.60	7.78	35.25			
PK	5.5222G	104.58	Inf	-Inf	97.55	3	Vertical	143	2.66	-	34.56	7.71	35.24			
AV	5.516G	91.36	Inf	-Inf	84.31	3	Vertical	143	2.66	-	34.57	7.72	35.24			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT Y_1TX
Setting 60
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	62.07	74.00	-11.93	54.93	3	Horizontal	182	2.76	-	34.60	7.79	35.25			
AV	5.4598G	49.70	54.00	-4.30	42.56	3	Horizontal	182	2.76	-	34.60	7.79	35.25			
PK	5.4694G	68.06	68.20	-0.14	60.94	3	Horizontal	182	2.76	-	34.60	7.77	35.25			
PK	5.5124G	105.48	Inf	-Inf	98.42	3	Horizontal	182	2.76	-	34.58	7.72	35.24			
AV	5.5012G	92.80	Inf	-Inf	85.71	3	Horizontal	182	2.76	-	34.60	7.73	35.24			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX

EUT Y_1TX
Setting 60
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01912G	56.69	74.00	-17.31	41.37	3	Vertical	253	1.12	-	38.34	11.43	34.45			
AV	11.0209G	44.15	54.00	-9.85	28.83	3	Vertical	253	1.12	-	38.34	11.43	34.45			
PK	16.52993G	61.12	68.20	-7.08	44.24	3	Vertical	292	1.39	-	38.18	13.53	34.83			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX

EUT Y_1TX
Setting 60
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0191G	56.60	74.00	-17.40	41.28	3	Horizontal	169	1.80	-	38.34	11.43	34.45			
AV	11.01963G	44.38	54.00	-9.62	29.06	3	Horizontal	169	1.80	-	38.34	11.43	34.45			
PK	16.53004G	61.91	68.20	-6.29	45.03	3	Horizontal	175	2.35	-	38.18	13.53	34.83			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX

EUT Y_1TX
Setting 80
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4549G	66.78	74.00	-7.22	59.64	3	Vertical	148	3.00	-	34.60	7.79	35.25			
AV	5.4597G	52.51	54.00	-1.49	45.37	3	Vertical	148	3.00	-	34.60	7.79	35.25			
PK	5.4678G	66.08	68.20	-2.12	58.95	3	Vertical	148	3.00	-	34.60	7.78	35.25			
PK	5.5545G	109.82	Inf	-Inf	102.90	3	Vertical	148	3.00	-	34.48	7.67	35.23			
AV	5.5545G	97.57	Inf	-Inf	90.65	3	Vertical	148	3.00	-	34.48	7.67	35.23			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX

EUT Y_1TX
Setting 80
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4531G	65.16	74.00	-8.84	58.02	3	Horizontal	185	2.72	-	34.60	7.79	35.25			
AV	5.46G	52.36	54.00	-1.64	45.22	3	Horizontal	185	2.72	-	34.60	7.79	35.25			
PK	5.4696G	68.00	68.20	-0.20	60.88	3	Horizontal	185	2.72	-	34.60	7.77	35.25			
PK	5.5623G	111.32	Inf	-Inf	104.44	3	Horizontal	185	2.72	-	34.45	7.66	35.23			
AV	5.5542G	98.30	Inf	-Inf	91.38	3	Horizontal	185	2.72	-	34.48	7.67	35.23			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX

EUT Y_1TX
Setting 80
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10008G	57.52	74.00	-16.48	41.98	3	Vertical	171	1.00	-	38.50	11.47	34.43			
AV	11.10076G	45.38	54.00	-8.62	29.84	3	Vertical	171	1.00	-	38.50	11.47	34.43			
PK	16.64933G	59.72	68.20	-8.48	42.03	3	Vertical	360	1.50	-	38.80	13.59	34.70			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX

EUT Y_1TX
Setting 80
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09981G	57.31	74.00	-16.69	41.77	3	Horizontal	24	1.30	-	38.50	11.47	34.43			
AV	11.09939G	45.05	54.00	-8.95	29.51	3	Horizontal	24	1.30	-	38.50	11.47	34.43			
PK	16.64929G	60.06	68.20	-8.14	42.37	3	Horizontal	342	1.08	-	38.80	13.59	34.70			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT Y_1TX
Setting 71
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6528G	109.44	Inf	-Inf	102.67	3	Vertical	147	2.78	-	34.29	7.70	35.22			
AV	5.6656G	96.30	Inf	-Inf	89.53	3	Vertical	147	2.78	-	34.27	7.72	35.22			
PK	5.7286G	68.16	68.20	-0.04	61.34	3	Vertical	147	2.78	-	34.20	7.84	35.22			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT Y_1TX
Setting 71
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6568G	109.12	Inf	-Inf	102.34	3	Horizontal	182	1.29	-	34.29	7.71	35.22			
AV	5.6874G	95.89	Inf	-Inf	89.12	3	Horizontal	182	1.29	-	34.23	7.76	35.22			
PK	5.7336G	67.79	68.20	-0.41	60.97	3	Horizontal	182	1.29	-	34.20	7.84	35.22			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT Y_1TX
Setting 71
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33973G	58.05	74.00	-15.95	42.29	3	Vertical	298	1.45	-	38.58	11.56	34.38			
AV	11.34028G	45.50	54.00	-8.50	29.74	3	Vertical	298	1.45	-	38.58	11.56	34.38			
PK	17.01097G	61.20	68.20	-7.00	41.74	3	Vertical	346	2.39	-	40.00	13.77	34.31			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT Y_1TX
Setting 71
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33986G	57.47	74.00	-16.53	41.71	3	Horizontal	348	1.31	-	38.58	11.56	34.38			
AV	11.34059G	45.73	54.00	-8.27	29.97	3	Horizontal	348	1.31	-	38.58	11.56	34.38			
PK	17.00933G	61.43	68.20	-6.77	41.98	3	Horizontal	359	1.28	-	40.00	13.76	34.31			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 98
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6988G	114.54	Inf	-Inf	107.78	3	Vertical	148	2.75	-	34.20	7.78	35.22			
AV	5.704G	102.64	Inf	-Inf	95.87	3	Vertical	148	2.75	-	34.20	7.79	35.22			
PK	5.8532G	68.18	68.20	-0.02	61.05	3	Vertical	148	2.75	-	34.31	8.02	35.20			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 98
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7224G	115.48	Inf	-Inf	108.68	3	Horizontal	258	1.95	-	34.20	7.82	35.22			
AV	5.6976G	103.50	Inf	-Inf	96.74	3	Horizontal	258	1.95	-	34.20	7.78	35.22			
PK	5.85G	67.98	68.20	-0.22	60.87	3	Horizontal	258	1.95	-	34.30	8.01	35.20			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 98
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41958G	57.98	74.00	-16.02	42.02	3	Vertical	349	1.01	-	38.74	11.59	34.37			
AV	11.42008G	45.74	54.00	-8.26	29.77	3	Vertical	349	1.01	-	38.74	11.60	34.37			
PK	17.13092G	61.19	68.20	-7.01	41.33	3	Vertical	289	1.96	-	40.22	13.82	34.18			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 98
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42085G	58.16	74.00	-15.84	42.19	3	Horizontal	276	2.83	-	38.74	11.60	34.37			
AV	11.42093G	45.64	54.00	-8.36	29.67	3	Horizontal	276	2.83	-	38.74	11.60	34.37			
PK	17.13079G	61.37	68.20	-6.83	41.51	3	Horizontal	349	1.41	-	40.22	13.82	34.18			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT Y_1TX
Setting 92
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.645G	67.95	68.20	-0.25	61.19	3	Vertical	149	2.69	-	34.30	7.69	35.23			
PK	5.742G	113.03	Inf	-Inf	106.19	3	Vertical	149	2.69	-	34.20	7.86	35.22			
AV	5.77G	101.11	Inf	-Inf	94.21	3	Vertical	149	2.69	-	34.20	7.91	35.21			
PK	5.9925G	62.25	68.20	-5.95	54.58	3	Vertical	149	2.69	-	34.70	8.16	35.19			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT Y_1TX
Setting 92
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6445G	67.74	68.20	-0.46	60.98	3	Horizontal	109	2.69	-	34.30	7.69	35.23			
PK	5.7655G	113.39	Inf	-Inf	106.50	3	Horizontal	109	2.69	-	34.20	7.90	35.21			
AV	5.7475G	101.64	Inf	-Inf	94.79	3	Horizontal	109	2.69	-	34.20	7.87	35.22			
PK	5.981G	61.66	68.20	-6.54	54.00	3	Horizontal	109	2.69	-	34.70	8.15	35.19			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX

EUT Y_1TX
Setting 92
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50909G	58.68	74.00	-15.32	42.47	3	Vertical	217	1.96	-	38.94	11.63	34.36			
AV	11.51051G	45.83	54.00	-8.17	29.62	3	Vertical	217	1.96	-	38.94	11.63	34.36			
PK	17.26552G	61.90	68.20	-6.30	41.16	3	Vertical	100	1.94	-	40.89	13.89	34.04			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX

EUT Y_1TX
Setting 92
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50952G	58.00	74.00	-16.00	41.79	3	Horizontal	304	2.15	-	38.94	11.63	34.36			
AV	11.5107G	45.85	54.00	-8.15	29.64	3	Horizontal	304	2.15	-	38.94	11.63	34.36			
PK	17.26486G	61.70	68.20	-6.50	40.96	3	Horizontal	174	2.68	-	40.89	13.89	34.04			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX

EUT Y_1TX
Setting 96
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	63.55	68.20	-4.65	56.79	3	Vertical	152	2.60	-	34.30	7.69	35.23			
PK	5.791G	114.40	Inf	-Inf	107.47	3	Vertical	152	2.60	-	34.20	7.94	35.21			
AV	5.7805G	101.45	Inf	-Inf	94.53	3	Vertical	152	2.60	-	34.20	7.93	35.21			
PK	5.932G	67.79	68.20	-0.41	60.26	3	Vertical	152	2.60	-	34.63	8.10	35.20			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX

EUT Y_1TX
Setting 96
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	63.99	68.20	-4.21	57.22	3	Horizontal	114	2.69	-	34.30	7.70	35.23			
PK	5.7835G	114.73	Inf	-Inf	107.81	3	Horizontal	114	2.69	-	34.20	7.93	35.21			
AV	5.7815G	102.15	Inf	-Inf	95.23	3	Horizontal	114	2.69	-	34.20	7.93	35.21			
PK	5.932G	66.88	68.20	-1.32	59.35	3	Horizontal	114	2.69	-	34.63	8.10	35.20			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX

EUT Y_1TX
Setting 96
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58945G	59.02	74.00	-14.98	42.53	3	Vertical	294	2.80	-	39.26	11.66	34.43			
AV	11.59088G	46.30	54.00	-7.70	29.81	3	Vertical	294	2.80	-	39.26	11.66	34.43			
PK	17.38477G	61.14	68.20	-7.06	39.50	3	Vertical	19	2.91	-	41.61	13.95	33.92			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX

EUT Y_1TX
Setting 96
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59044G	58.61	74.00	-15.39	42.12	3	Horizontal	218	1.77	-	39.26	11.66	34.43			
AV	11.58907G	46.67	54.00	-7.33	30.18	3	Horizontal	218	1.77	-	39.26	11.66	34.43			
PK	17.38553G	61.86	68.20	-6.34	40.22	3	Horizontal	253	2.37	-	41.61	13.95	33.92			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5210MHz_TX

EUT_Y_1TX
Setting 59
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.42	74.00	-9.58	58.33	3	Vertical	158	3.00	-	33.90	7.49	35.30			
AV	5.15G	51.80	54.00	-2.20	45.71	3	Vertical	158	3.00	-	33.90	7.49	35.30			
PK	5.201G	102.79	Inf	-Inf	96.37	3	Vertical	158	3.00	-	34.10	7.61	35.29			
AV	5.2245G	90.30	Inf	-Inf	83.85	3	Vertical	158	3.00	-	34.10	7.64	35.29			
PK	5.4245G	61.32	74.00	-12.68	54.09	3	Vertical	158	3.00	-	34.65	7.83	35.25			
AV	5.377G	49.38	54.00	-4.62	42.20	3	Vertical	158	3.00	-	34.61	7.83	35.26			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5210MHz_TX

EUT_Y_1TX
Setting 59
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	67.82	74.00	-6.18	61.75	3	Horizontal	197	1.57	-	33.90	7.47	35.30			
AV	5.1455G	53.51	54.00	-0.49	47.43	3	Horizontal	197	1.57	-	33.90	7.48	35.30			
PK	5.196G	104.11	Inf	-Inf	97.72	3	Horizontal	197	1.57	-	34.08	7.60	35.29			
AV	5.219G	91.94	Inf	-Inf	85.50	3	Horizontal	197	1.57	-	34.10	7.63	35.29			
PK	5.442G	61.17	74.00	-12.83	53.99	3	Horizontal	197	1.57	-	34.62	7.81	35.25			
AV	5.353G	49.29	54.00	-4.71	42.25	3	Horizontal	197	1.57	-	34.51	7.80	35.27			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5210MHz_TX

EUT Y_1TX
Setting 59
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4196G	56.83	68.20	-11.37	42.34	3	Vertical	272	1.77	-	37.90	11.19	34.60			
PK	15.62923G	61.55	74.00	-12.45	45.63	3	Vertical	213	1.58	-	37.92	12.98	34.98			
AV	15.62922G	47.79	54.00	-6.21	31.87	3	Vertical	213	1.58	-	37.92	12.98	34.98			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT Y_1TX
Setting 59
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41994G	56.50	68.20	-11.70	42.01	3	Horizontal	203	2.76	-	37.90	11.19	34.60			
PK	15.62962G	62.01	74.00	-11.99	46.09	3	Horizontal	299	2.93	-	37.92	12.98	34.98			
AV	15.63067G	47.01	54.00	-6.99	31.09	3	Horizontal	299	2.93	-	37.92	12.98	34.98			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Y_1TX
Setting 61
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	59.41	74.00	-14.59	53.37	3	Vertical	161	2.06	-	33.90	7.45	35.31			
AV	5.142G	47.95	54.00	-6.05	41.88	3	Vertical	161	2.06	-	33.90	7.47	35.30			
PK	5.277G	102.16	Inf	-Inf	95.47	3	Vertical	161	2.06	-	34.26	7.71	35.28			
AV	5.2815G	90.09	Inf	-Inf	83.37	3	Vertical	161	2.06	-	34.29	7.71	35.28			
PK	5.3515G	65.51	74.00	-8.49	58.47	3	Vertical	161	2.06	-	34.51	7.80	35.27			
AV	5.35G	51.20	54.00	-2.80	44.17	3	Vertical	161	2.06	-	34.50	7.80	35.27			
PK	5.5075G	60.83	68.20	-7.37	53.75	3	Vertical	161	2.06	-	34.59	7.73	35.24			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Y_1TX
Setting 61
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1325G	60.18	74.00	-13.82	54.14	3	Horizontal	195	1.20	-	33.90	7.45	35.31			
AV	5.141G	48.04	54.00	-5.96	41.97	3	Horizontal	195	1.20	-	33.90	7.47	35.30			
PK	5.273G	104.64	Inf	-Inf	97.98	3	Horizontal	195	1.20	-	34.24	7.70	35.28			
AV	5.275G	92.95	Inf	-Inf	86.28	3	Horizontal	195	1.20	-	34.25	7.70	35.28			
PK	5.353G	70.90	74.00	-3.10	63.86	3	Horizontal	195	1.20	-	34.51	7.80	35.27			
AV	5.3505G	53.66	54.00	-0.34	46.63	3	Horizontal	195	1.20	-	34.50	7.80	35.27			
PK	5.524G	60.95	68.20	-7.25	53.93	3	Horizontal	195	1.20	-	34.55	7.71	35.24			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT Y_1TX
Setting 61
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58063G	57.06	68.20	-11.14	42.08	3	Vertical	164	2.26	-	38.20	11.26	34.48			
PK	15.87083G	60.79	74.00	-13.21	44.96	3	Vertical	269	1.73	-	37.74	13.17	35.08			
AV	15.87029G	47.02	54.00	-6.98	31.19	3	Vertical	269	1.73	-	37.74	13.17	35.08			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Y_1TX
Setting 61
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57901G	57.46	68.20	-10.74	42.49	3	Horizontal	70	1.52	-	38.20	11.25	34.48			
PK	15.86914G	60.93	74.00	-13.07	45.10	3	Horizontal	46	1.10	-	37.74	13.17	35.08			
AV	15.8692G	47.18	54.00	-6.82	31.35	3	Horizontal	46	1.10	-	37.74	13.17	35.08			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT Y_1TX
Setting 61
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2825G	60.21	68.20	-7.99	53.48	3	Vertical	146	2.91	-	34.30	7.71	35.28			
AV	5.35G	48.27	54.00	-5.73	41.24	3	Vertical	146	2.91	-	34.50	7.80	35.27			
PK	5.4585G	64.65	74.00	-9.35	57.51	3	Vertical	146	2.91	-	34.60	7.79	35.25			
AV	5.46G	49.98	54.00	-4.02	42.84	3	Vertical	146	2.91	-	34.60	7.79	35.25			
PK	5.4675G	66.96	68.20	-1.24	59.83	3	Vertical	146	2.91	-	34.60	7.78	35.25			
PK	5.522G	101.67	Inf	-Inf	94.64	3	Vertical	146	2.91	-	34.56	7.71	35.24			
AV	5.518G	89.61	Inf	-Inf	82.58	3	Vertical	146	2.91	-	34.56	7.71	35.24			
PK	5.728G	60.42	68.20	-7.78	53.61	3	Vertical	146	2.91	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT Y_1TX
Setting 61
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.344G	60.05	68.20	-8.15	53.04	3	Horizontal	251	2.08	-	34.49	7.79	35.27			
AV	5.35G	48.25	54.00	-5.75	41.22	3	Horizontal	251	2.08	-	34.50	7.80	35.27			
PK	5.458G	66.15	74.00	-7.85	59.01	3	Horizontal	251	2.08	-	34.60	7.79	35.25			
AV	5.4505G	50.09	54.00	-3.91	42.94	3	Horizontal	251	2.08	-	34.60	7.80	35.25			
PK	5.468G	67.69	68.20	-0.51	60.56	3	Horizontal	251	2.08	-	34.60	7.78	35.25			
PK	5.536G	102.86	Inf	-Inf	95.88	3	Horizontal	251	2.08	-	34.53	7.69	35.24			
AV	5.538G	90.39	Inf	-Inf	83.42	3	Horizontal	251	2.08	-	34.52	7.69	35.24			
PK	5.758G	60.11	68.20	-8.09	53.23	3	Horizontal	251	2.08	-	34.20	7.89	35.21			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT Y_1TX
Setting 61
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0598G	57.23	74.00	-16.77	41.80	3	Vertical	153	2.72	-	38.42	11.45	34.44			
AV	11.05904G	44.81	54.00	-9.19	29.38	3	Vertical	153	2.72	-	38.42	11.45	34.44			
PK	16.58983G	61.25	68.20	-6.95	43.91	3	Vertical	202	2.84	-	38.54	13.56	34.76			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT Y_1TX
Setting 61
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0607G	56.87	74.00	-17.13	41.44	3	Horizontal	10	2.96	-	38.42	11.45	34.44			
AV	11.06015G	44.57	54.00	-9.43	29.14	3	Horizontal	10	2.96	-	38.42	11.45	34.44			
PK	16.58982G	61.24	68.20	-6.96	43.90	3	Horizontal	333	2.18	-	38.54	13.56	34.76			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT_Y_1TX
Setting 78
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.436G	63.85	74.00	-10.15	56.65	3	Vertical	155	2.96	-	34.63	7.82	35.25			
PK	5.4635G	65.85	68.20	-2.35	58.72	3	Vertical	155	2.96	-	34.60	7.78	35.25			
AV	5.459G	52.14	54.00	-1.86	45.00	3	Vertical	155	2.96	-	34.60	7.79	35.25			
PK	5.6405G	106.97	Inf	-Inf	100.22	3	Vertical	155	2.96	-	34.30	7.68	35.23			
AV	5.6215G	94.39	Inf	-Inf	87.67	3	Vertical	155	2.96	-	34.30	7.65	35.23			
PK	5.7265G	67.07	68.20	-1.13	60.26	3	Vertical	155	2.96	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT Y_1TX
Setting 78
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	65.84	74.00	-8.16	58.70	3	Horizontal	255	2.16	-	34.60	7.79	35.25			
AV	5.459G	53.70	54.00	-0.30	46.56	3	Horizontal	255	2.16	-	34.60	7.79	35.25			
PK	5.467G	66.60	68.20	-1.60	59.47	3	Horizontal	255	2.16	-	34.60	7.78	35.25			
PK	5.62G	107.09	Inf	-Inf	100.37	3	Horizontal	255	2.16	-	34.30	7.65	35.23			
AV	5.621G	95.07	Inf	-Inf	88.35	3	Horizontal	255	2.16	-	34.30	7.65	35.23			
PK	5.727G	67.34	68.20	-0.86	60.53	3	Horizontal	255	2.16	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT Y_1TX
Setting 78
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22068G	58.12	74.00	-15.88	42.52	3	Vertical	22	2.11	-	38.50	11.51	34.41			
AV	11.21908G	45.54	54.00	-8.46	29.94	3	Vertical	22	2.11	-	38.50	11.51	34.41			
PK	16.82926G	61.37	68.20	-6.83	42.91	3	Vertical	114	2.71	-	39.28	13.68	34.50			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT Y_1TX
Setting 78
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2198G	58.05	74.00	-15.95	42.45	3	Horizontal	311	2.52	-	38.50	11.51	34.41			
AV	11.21963G	45.37	54.00	-8.63	29.77	3	Horizontal	311	2.52	-	38.50	11.51	34.41			
PK	16.82969G	61.12	68.20	-7.08	42.66	3	Horizontal	47	2.77	-	39.28	13.68	34.50			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 87
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	62.01	74.00	-11.99	54.87	3	Vertical	151	2.88	-	34.60	7.79	35.25			
AV	5.459G	50.70	54.00	-3.30	43.56	3	Vertical	151	2.88	-	34.60	7.79	35.25			
PK	5.467G	62.92	68.20	-5.28	55.79	3	Vertical	151	2.88	-	34.60	7.78	35.25			
PK	5.7005G	109.73	Inf	-Inf	102.96	3	Vertical	151	2.88	-	34.20	7.79	35.22			
AV	5.7G	97.12	Inf	-Inf	90.35	3	Vertical	151	2.88	-	34.20	7.79	35.22			
PK	5.8565G	67.90	68.20	-0.30	60.75	3	Vertical	151	2.88	-	34.33	8.02	35.20			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 87
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4515G	63.14	74.00	-10.86	55.99	3	Horizontal	263	2.26	-	34.60	7.80	35.25			
AV	5.457G	51.05	54.00	-2.95	43.91	3	Horizontal	263	2.26	-	34.60	7.79	35.25			
PK	5.466G	63.45	68.20	-4.75	56.32	3	Horizontal	263	2.26	-	34.60	7.78	35.25			
PK	5.6985G	109.66	Inf	-Inf	102.90	3	Horizontal	263	2.26	-	34.20	7.78	35.22			
AV	5.705G	97.27	Inf	-Inf	90.50	3	Horizontal	263	2.26	-	34.20	7.79	35.22			
PK	5.857G	66.59	68.20	-1.61	59.44	3	Horizontal	263	2.26	-	34.33	8.02	35.20			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 87
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38077G	57.71	74.00	-16.29	41.84	3	Vertical	211	1.88	-	38.66	11.58	34.37			
AV	11.37931G	45.45	54.00	-8.55	29.58	3	Vertical	211	1.88	-	38.66	11.58	34.37			
PK	17.07016G	60.68	68.20	-7.52	41.10	3	Vertical	266	1.46	-	40.04	13.79	34.25			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 87
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37951G	57.61	74.00	-16.39	41.74	3	Horizontal	112	2.96	-	38.66	11.58	34.37			
AV	11.38053G	45.44	54.00	-8.56	29.57	3	Horizontal	112	2.96	-	38.66	11.58	34.37			
PK	17.07038G	60.75	68.20	-7.45	41.17	3	Horizontal	4	2.85	-	40.04	13.79	34.25			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX

EUT Y_1TX
Setting 86
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	67.44	68.20	-0.76	60.67	3	Vertical	145	2.61	-	34.30	7.70	35.23			
PK	5.7595G	108.48	Inf	-Inf	101.60	3	Vertical	145	2.61	-	34.20	7.89	35.21			
AV	5.764G	96.22	Inf	-Inf	89.33	3	Vertical	145	2.61	-	34.20	7.90	35.21			
PK	5.93G	67.45	68.20	-0.75	59.93	3	Vertical	145	2.61	-	34.62	8.10	35.20			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT Y_1TX
Setting 86
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	68.13	68.20	-0.07	61.37	3	Horizontal	112	2.70	-	34.30	7.69	35.23			
PK	5.76G	108.64	Inf	-Inf	101.76	3	Horizontal	112	2.70	-	34.20	7.89	35.21			
AV	5.7645G	96.77	Inf	-Inf	89.88	3	Horizontal	112	2.70	-	34.20	7.90	35.21			
PK	5.935G	67.27	68.20	-0.93	59.73	3	Horizontal	112	2.70	-	34.64	8.10	35.20			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX

EUT Y_1TX
Setting 86
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54913G	58.46	74.00	-15.54	42.11	3	Vertical	273	1.42	-	39.10	11.65	34.40			
AV	11.55014G	46.11	54.00	-7.89	29.76	3	Vertical	273	1.42	-	39.10	11.65	34.40			
PK	17.32528G	61.74	68.20	-6.46	40.55	3	Vertical	170	2.78	-	41.25	13.92	33.98			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX

EUT Y_1TX
Setting 86
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54989G	58.88	74.00	-15.12	42.53	3	Horizontal	33	1.71	-	39.10	11.65	34.40			
AV	11.55012G	45.77	54.00	-8.23	29.42	3	Horizontal	33	1.71	-	39.10	11.65	34.40			
PK	17.32429G	61.92	68.20	-6.28	40.73	3	Horizontal	249	2.00	-	41.25	13.92	33.98			

5.15-5.25GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 65
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1285G	65.28	74.00	-8.72	59.25	3	Vertical	158	2.98	-	33.90	7.44	35.31			
AV	5.1485G	50.21	54.00	-3.79	44.12	3	Vertical	158	2.98	-	33.90	7.49	35.30			
PK	5.216G	100.79	Inf	-Inf	94.35	3	Vertical	158	2.98	-	34.10	7.63	35.29			
AV	5.224G	84.50	Inf	-Inf	78.05	3	Vertical	158	2.98	-	34.10	7.64	35.29			
PK	5.3525G	68.13	74.00	-5.87	61.09	3	Vertical	158	2.98	-	34.51	7.80	35.27			
AV	5.357G	51.34	54.00	-2.66	44.27	3	Vertical	158	2.98	-	34.53	7.81	35.27			
PK	5.485G	61.91	68.20	-6.29	54.80	3	Vertical	158	2.98	-	34.60	7.75	35.24			

5.15-5.25GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_1TX
Setting 65
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1355G	69.26	74.00	-4.74	63.21	3	Horizontal	196	1.40	-	33.90	7.46	35.31			
AV	5.148G	52.53	54.00	-1.47	46.44	3	Horizontal	196	1.40	-	33.90	7.49	35.30			
AV	5.1735G	86.91	Inf	-Inf	80.67	3	Horizontal	196	1.40	-	33.99	7.55	35.30			
PK	5.226G	103.03	Inf	-Inf	96.58	3	Horizontal	196	1.40	-	34.10	7.64	35.29			
PK	5.354G	70.17	74.00	-3.83	63.12	3	Horizontal	196	1.40	-	34.52	7.80	35.27			
AV	5.36G	53.15	54.00	-0.85	46.07	3	Horizontal	196	1.40	-	34.54	7.81	35.27			
PK	5.4815G	62.82	68.20	-5.38	55.70	3	Horizontal	196	1.40	-	34.60	7.76	35.24			

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 65
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49915G	57.35	68.20	-10.85	42.52	3	Vertical	275	2.83	-	38.10	11.22	34.49			
PK	15.75041G	59.76	74.00	-14.24	44.12	3	Vertical	246	2.56	-	37.60	13.07	35.03			
AV	15.74977G	46.39	54.00	-7.61	30.75	3	Vertical	246	2.56	-	37.60	13.07	35.03			

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 65
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50033G	56.91	68.20	-11.29	42.08	3	Horizontal	207	1.27	-	38.10	11.22	34.49			
PK	15.75059G	59.70	74.00	-14.30	44.06	3	Horizontal	29	2.10	-	37.60	13.07	35.03			
AV	15.74909G	46.38	54.00	-7.62	30.74	3	Horizontal	29	2.10	-	37.60	13.07	35.03			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 66
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.349G	60.68	68.20	-7.52	53.65	3	Vertical	138	2.77	-	34.50	7.80	35.27			
AV	5.35G	48.04	54.00	-5.96	41.01	3	Vertical	138	2.77	-	34.50	7.80	35.27			
PK	5.3865G	66.56	74.00	-7.44	59.33	3	Vertical	138	2.77	-	34.65	7.84	35.26			
PK	5.47G	66.24	68.20	-1.96	59.12	3	Vertical	138	2.77	-	34.60	7.77	35.25			
AV	5.4585G	49.90	54.00	-4.10	42.76	3	Vertical	138	2.77	-	34.60	7.79	35.25			
PK	5.496G	100.38	Inf	-Inf	93.28	3	Vertical	138	2.77	-	34.60	7.74	35.24			
AV	5.507G	83.95	Inf	-Inf	76.87	3	Vertical	138	2.77	-	34.59	7.73	35.24			
PK	5.731G	61.71	68.20	-6.49	54.89	3	Vertical	138	2.77	-	34.20	7.84	35.22			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 66
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3485G	61.46	68.20	-6.74	54.43	3	Horizontal	254	2.10	-	34.50	7.80	35.27			
AV	5.35G	48.13	54.00	-5.87	41.10	3	Horizontal	254	2.10	-	34.50	7.80	35.27			
PK	5.456G	68.64	74.00	-5.36	61.50	3	Horizontal	254	2.10	-	34.60	7.79	35.25			
AV	5.458G	51.10	54.00	-2.90	43.96	3	Horizontal	254	2.10	-	34.60	7.79	35.25			
PK	5.47G	67.97	68.20	-0.23	60.85	3	Horizontal	254	2.10	-	34.60	7.77	35.25			
PK	5.5095G	100.89	Inf	-Inf	93.83	3	Horizontal	254	2.10	-	34.58	7.72	35.24			
AV	5.5075G	84.93	Inf	-Inf	77.85	3	Horizontal	254	2.10	-	34.59	7.73	35.24			
PK	5.804G	65.75	68.20	-2.45	58.79	3	Horizontal	254	2.10	-	34.21	7.96	35.21			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX

EUT_Y_1TX
Setting 66
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13962G	57.48	74.00	-16.52	42.00	3	Vertical	55	2.01	-	38.42	11.48	34.42			
AV	11.14093G	44.15	54.00	-9.85	28.67	3	Vertical	55	2.01	-	38.42	11.48	34.42			
PK	16.71049G	61.46	68.20	-6.74	43.67	3	Vertical	108	2.37	-	38.80	13.62	34.63			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX

EUT_Y_1TX
Setting 66
03-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14089G	57.88	74.00	-16.12	42.40	3	Horizontal	118	1.88	-	38.42	11.48	34.42			
AV	11.14062G	44.09	54.00	-9.91	28.61	3	Horizontal	118	1.88	-	38.42	11.48	34.42			
PK	16.71032G	61.07	68.20	-7.13	43.28	3	Horizontal	241	1.57	-	38.80	13.62	34.63			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_4TX	Pass	AV	5.35G	53.90	54.00	-0.10	3	Horizontal	344	1.07	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 80
02-D-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1498G	67.91	74.00	-6.09	58.26	3	Vertical	346	1.95	-	33.60	6.98	30.93					
AV	5.1465G	51.62	54.00	-2.38	41.98	3	Vertical	346	1.95	-	33.59	6.98	30.93					
PK	5.1765G	119.00	Inf	-Inf	109.27	3	Vertical	346	1.95	-	33.65	6.99	30.91					
AV	5.1762G	110.10	Inf	-Inf	100.37	3	Vertical	346	1.95	-	33.65	6.99	30.91					

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 80
02-D-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1469G	70.76	74.00	-3.24	61.12	3	Horizontal	344	2.35	-	33.59	6.98	30.93			
AV	5.1465G	53.89	54.00	-0.11	44.25	3	Horizontal	344	2.35	-	33.59	6.98	30.93			
PK	5.1863G	118.62	Inf	-Inf	108.86	3	Horizontal	344	2.35	-	33.67	7.00	30.91			
AV	5.1862G	109.80	Inf	-Inf	100.04	3	Horizontal	344	2.35	-	33.67	7.00	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 80
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34976G	56.69	68.20	-11.51	37.79	3	Vertical	156	2.82	-	38.40	11.03	30.53			
PK	15.52148G	59.54	74.00	-14.46	41.60	3	Vertical	8	2.62	-	38.01	11.85	31.92			
AV	15.54124G	47.73	54.00	-6.27	29.88	3	Vertical	8	2.62	-	37.94	11.85	31.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 80
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34784G	57.40	68.20	-10.80	38.50	3	Horizontal	211	1.22	-	38.40	11.03	30.53			
PK	15.52264G	58.37	74.00	-15.63	40.43	3	Horizontal	160	2.63	-	38.01	11.85	31.92			
AV	15.53944G	47.29	54.00	-6.71	29.44	3	Horizontal	160	2.63	-	37.94	11.85	31.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 97
02-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1354G	65.99	74.00	-8.01	56.38	3	Vertical	344	1.85	-	33.57	6.97	30.93			
AV	5.1398G	52.10	54.00	-1.90	42.48	3	Vertical	344	1.85	-	33.58	6.97	30.93			
PK	5.1966G	122.55	Inf	-Inf	112.75	3	Vertical	344	1.85	-	33.69	7.01	30.90			
AV	5.1962G	114.09	Inf	-Inf	104.29	3	Vertical	344	1.85	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 97
02-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	67.15	74.00	-6.85	57.52	3	Horizontal	344	1.02	-	33.59	6.97	30.93			
AV	5.148G	53.65	54.00	-0.35	44.00	3	Horizontal	344	1.02	-	33.60	6.98	30.93			
PK	5.205G	121.46	Inf	-Inf	111.65	3	Horizontal	344	1.02	-	33.70	7.01	30.90			
AV	5.2054G	112.97	Inf	-Inf	103.15	3	Horizontal	344	1.02	-	33.70	7.01	30.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 97
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3812G	56.74	68.20	-11.46	37.87	3	Vertical	49	1.51	-	38.34	11.05	30.52			
PK	15.59804G	58.26	74.00	-15.74	40.58	3	Vertical	256	2.42	-	37.80	11.85	31.97			
AV	15.6052G	47.07	54.00	-6.93	29.41	3	Vertical	256	2.42	-	37.79	11.85	31.98			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 97
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.393G	57.11	68.20	-11.09	38.26	3	Horizontal	347	2.28	-	38.31	11.06	30.52			
PK	15.60092G	58.22	74.00	-15.78	40.54	3	Horizontal	289	2.16	-	37.80	11.85	31.97			
AV	15.59968G	47.18	54.00	-6.82	29.50	3	Horizontal	289	2.16	-	37.80	11.85	31.97			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	62.56	74.00	-11.44	52.91	3	Vertical	339	2.43	-	33.60	6.98	30.93			
AV	5.1362G	50.34	54.00	-3.66	40.73	3	Vertical	339	2.43	-	33.57	6.97	30.93			
PK	5.2361G	124.17	Inf	-Inf	114.35	3	Vertical	339	2.43	-	33.70	7.00	30.88			
AV	5.2367G	115.33	Inf	-Inf	105.51	3	Vertical	339	2.43	-	33.70	7.00	30.88			
PK	5.369G	60.26	74.00	-13.74	50.19	3	Vertical	339	2.43	-	33.90	6.97	30.80			
AV	5.351G	50.55	54.00	-3.45	40.49	3	Vertical	339	2.43	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1086G	61.69	74.00	-12.31	52.17	3	Horizontal	348	1.01	-	33.52	6.95	30.95			
AV	5.1449G	50.28	54.00	-3.72	40.65	3	Horizontal	348	1.01	-	33.59	6.97	30.93			
PK	5.2457G	123.16	Inf	-Inf	113.33	3	Horizontal	348	1.01	-	33.70	7.00	30.87			
AV	5.2448G	114.88	Inf	-Inf	105.05	3	Horizontal	348	1.01	-	33.70	7.00	30.87			
PK	5.3756G	61.16	74.00	-12.84	51.09	3	Horizontal	348	1.01	-	33.90	6.97	30.80			
AV	5.3717G	50.90	54.00	-3.10	40.83	3	Horizontal	348	1.01	-	33.90	6.97	30.80			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.47416G	56.41	68.20	-11.79	37.55	3	Vertical	235	1.59	-	38.25	11.11	30.50				
PK	15.71724G	58.77	74.00	-15.23	41.39	3	Vertical	243	1.34	-	37.57	11.86	32.05				
AV	15.72984G	47.96	54.00	-6.04	30.62	3	Vertical	243	1.34	-	37.54	11.86	32.06				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.48512G	56.80	68.20	-11.40	37.90	3	Horizontal	117	3.00	-	38.27	11.12	30.49			
PK	15.70816G	59.52	74.00	-14.48	42.12	3	Horizontal	208	1.80	-	37.58	11.86	32.04			
AV	15.70644G	47.30	54.00	-6.70	29.89	3	Horizontal	208	1.80	-	37.59	11.86	32.04			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 68
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1447G	71.13	74.00	-2.87	61.50	3	Vertical	6	1.25	-	33.59	6.97	30.93			
AV	5.1493G	52.97	54.00	-1.03	43.32	3	Vertical	6	1.25	-	33.60	6.98	30.93			
PK	5.1748G	117.69	Inf	-Inf	107.96	3	Vertical	6	1.25	-	33.65	6.99	30.91			
AV	5.1748G	106.61	Inf	-Inf	96.88	3	Vertical	6	1.25	-	33.65	6.99	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 68
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	68.03	74.00	-5.97	58.40	3	Horizontal	352	2.81	-	33.59	6.97	30.93			
AV	5.1493G	53.74	54.00	-0.26	44.09	3	Horizontal	352	2.81	-	33.60	6.98	30.93			
PK	5.1796G	117.56	Inf	-Inf	107.81	3	Horizontal	352	2.81	-	33.66	7.00	30.91			
AV	5.1746G	107.14	Inf	-Inf	97.41	3	Horizontal	352	2.81	-	33.65	6.99	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 68
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3595G	58.24	68.20	-9.96	38.42	3	Vertical	52	2.43	-	38.38	11.96	30.52			
PK	15.53855G	62.68	74.00	-11.32	42.23	3	Vertical	189	1.20	-	37.95	14.43	31.93			
AV	15.54423G	47.78	54.00	-6.22	27.36	3	Vertical	189	1.20	-	37.92	14.44	31.94			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 68
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36304G	58.20	68.20	-10.00	38.39	3	Horizontal	250	1.27	-	38.37	11.96	30.52			
PK	15.53538G	62.33	74.00	-11.67	41.87	3	Horizontal	253	1.42	-	37.96	14.43	31.93			
AV	15.53664G	47.17	54.00	-6.83	26.72	3	Horizontal	253	1.42	-	37.95	14.43	31.93			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 85
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1444G	71.40	74.00	-2.60	61.77	3	Vertical	9	1.23	-	33.59	6.97	30.93			
AV	5.1494G	53.84	54.00	-0.16	44.19	3	Vertical	9	1.23	-	33.60	6.98	30.93			
PK	5.1996G	122.24	Inf	-Inf	112.43	3	Vertical	9	1.23	-	33.70	7.01	30.90			
AV	5.1946G	111.71	Inf	-Inf	101.91	3	Vertical	9	1.23	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 85
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1494G	66.46	74.00	-7.54	56.81	3	Horizontal	350	2.79	-	33.60	6.98	30.93				
AV	5.1496G	52.79	54.00	-1.21	43.14	3	Horizontal	350	2.79	-	33.60	6.98	30.93				
PK	5.205G	122.58	Inf	-Inf	112.77	3	Horizontal	350	2.79	-	33.70	7.01	30.90				
AV	5.1944G	111.32	Inf	-Inf	101.52	3	Horizontal	350	2.79	-	33.69	7.01	30.90				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 85
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39931G	58.83	68.20	-9.37	39.06	3	Vertical	142	1.70	-	38.30	11.98	30.51			
PK	15.59566G	62.52	74.00	-11.48	42.20	3	Vertical	273	2.65	-	37.81	14.48	31.97			
AV	15.60413G	47.04	54.00	-6.96	26.74	3	Vertical	273	2.65	-	37.79	14.49	31.98			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 85
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39922G	58.95	68.20	-9.25	39.18	3	Horizontal	233	2.54	-	38.30	11.98	30.51			
PK	15.60126G	62.68	74.00	-11.32	42.36	3	Horizontal	43	2.09	-	37.80	14.49	31.97			
AV	15.6037G	47.09	54.00	-6.91	26.79	3	Horizontal	43	2.09	-	37.79	14.49	31.98			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting106
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1383G	72.75	74.00	-1.25	63.13	3	Vertical	10	1.46	-	33.58	6.97	30.93
AV	5.1494G	52.51	54.00	-1.49	42.86	3	Vertical	10	1.46	-	33.60	6.98	30.93
PK	5.2394G	124.99	Inf	-Inf	115.17	3	Vertical	10	1.46	-	33.70	7.00	30.88
AV	5.2445G	114.40	Inf	-Inf	104.57	3	Vertical	10	1.46	-	33.70	7.00	30.87
PK	5.3777G	68.55	74.00	-5.45	58.48	3	Vertical	10	1.46	-	33.90	6.97	30.80
AV	5.3663G	51.58	54.00	-2.42	41.51	3	Vertical	10	1.46	-	33.90	6.97	30.80

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting106
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1479G	67.04	74.00	-6.96	57.39	3	Horizontal	345	2.20	-	33.60	6.98	30.93			
AV	5.1476G	51.33	54.00	-2.67	41.68	3	Horizontal	345	2.20	-	33.60	6.98	30.93			
PK	5.2436G	125.03	Inf	-Inf	115.20	3	Horizontal	345	2.20	-	33.70	7.00	30.87			
AV	5.243G	114.96	Inf	-Inf	105.13	3	Horizontal	345	2.20	-	33.70	7.00	30.87			
PK	5.3654G	64.33	74.00	-9.67	54.27	3	Horizontal	345	2.20	-	33.90	6.97	30.81			
AV	5.3792G	51.46	54.00	-2.54	41.39	3	Horizontal	345	2.20	-	33.90	6.97	30.80			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting106
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47869G	58.96	68.20	-9.24	39.18	3	Vertical	37	1.36	-	38.26	12.02	30.50			
PK	15.7153G	63.00	74.00	-11.00	42.90	3	Vertical	199	1.07	-	37.57	14.58	32.05			
AV	15.72042G	47.45	54.00	-6.55	27.35	3	Vertical	199	1.07	-	37.56	14.59	32.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting106
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48011G	58.47	68.20	-9.73	38.68	3	Horizontal	17	2.01	-	38.26	12.02	30.49			
PK	15.71783G	63.20	74.00	-10.80	43.10	3	Horizontal	71	1.99	-	37.56	14.59	32.05			
AV	15.72111G	47.53	54.00	-6.47	27.43	3	Horizontal	71	1.99	-	37.56	14.59	32.05			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	70.15	74.00	-3.85	60.52	3	Vertical	5	2.55	-	33.59	6.97	30.93			
AV	5.146G	52.82	54.00	-1.18	43.19	3	Vertical	5	2.55	-	33.59	6.97	30.93			
PK	5.1806G	116.18	Inf	-Inf	106.43	3	Vertical	5	2.55	-	33.66	7.00	30.91			
AV	5.1958G	104.62	Inf	-Inf	94.82	3	Vertical	5	2.55	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	71.04	74.00	-2.96	61.39	3	Horizontal	5	2.55	-	33.60	6.98	30.93			
AV	5.1458G	53.52	54.00	-0.48	43.89	3	Horizontal	5	2.55	-	33.59	6.97	30.93			
PK	5.1906G	116.24	Inf	-Inf	106.46	3	Horizontal	5	2.55	-	33.68	7.00	30.90			
AV	5.1806G	104.68	Inf	-Inf	94.93	3	Horizontal	5	2.55	-	33.66	7.00	30.91			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38065G	58.46	68.20	-9.74	38.67	3	Vertical	268	2.71	-	38.34	11.97	30.52			
PK	15.56525G	62.83	74.00	-11.17	42.46	3	Vertical	4	2.45	-	37.87	14.45	31.95			
AV	15.569G	47.91	54.00	-6.09	27.54	3	Vertical	4	2.45	-	37.86	14.46	31.95			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37756G	58.48	68.20	-9.72	38.69	3	Horizontal	117	1.16	-	38.34	11.97	30.52			
PK	15.56938G	62.87	74.00	-11.13	42.50	3	Horizontal	59	2.97	-	37.86	14.46	31.95			
AV	15.57192G	47.04	54.00	-6.96	26.68	3	Horizontal	59	2.97	-	37.86	14.46	31.96			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5230MHz_TX

EUT_Y_4TX
Setting 81
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.85	74.00	-7.15	57.20	3	Vertical	9	1.11	-	33.60	6.98	30.93
AV	5.149G	53.23	54.00	-0.77	43.58	3	Vertical	9	1.11	-	33.60	6.98	30.93
PK	5.2246G	119.12	Inf	-Inf	109.30	3	Vertical	9	1.11	-	33.70	7.00	30.88
AV	5.2246G	107.77	Inf	-Inf	97.95	3	Vertical	9	1.11	-	33.70	7.00	30.88
PK	5.3545G	60.85	74.00	-13.15	50.79	3	Vertical	9	1.11	-	33.90	6.97	30.81
AV	5.3506G	49.02	54.00	-4.98	38.96	3	Vertical	9	1.11	-	33.90	6.97	30.81

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 81
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	64.86	74.00	-9.14	55.22	3	Horizontal	347	2.32	-	33.59	6.98	30.93			
AV	5.1496G	51.65	54.00	-2.35	42.00	3	Horizontal	347	2.32	-	33.60	6.98	30.93			
PK	5.233G	118.58	Inf	-Inf	108.76	3	Horizontal	347	2.32	-	33.70	7.00	30.88			
AV	5.2279G	107.60	Inf	-Inf	97.78	3	Horizontal	347	2.32	-	33.70	7.00	30.88			
PK	5.3506G	59.99	74.00	-14.01	49.93	3	Horizontal	347	2.32	-	33.90	6.97	30.81			
AV	5.365G	49.36	54.00	-4.64	39.30	3	Horizontal	347	2.32	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 81
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.45747G	57.99	68.20	-10.21	38.27	3	Vertical	339	2.27	-	38.21	12.01	30.50			
PK	15.68604G	60.49	74.00	-13.51	40.33	3	Vertical	223	2.92	-	37.63	14.56	32.03			
AV	15.68723G	47.67	54.00	-6.33	27.51	3	Vertical	223	2.92	-	37.63	14.56	32.03			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 81
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46045G	58.38	68.20	-9.82	38.65	3	Horizontal	106	2.18	-	38.22	12.01	30.50			
PK	15.68839G	60.71	74.00	-13.29	40.56	3	Horizontal	42	2.52	-	37.62	14.56	32.03			
AV	15.68882G	47.83	54.00	-6.17	27.68	3	Horizontal	42	2.52	-	37.62	14.56	32.03			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	72.72	74.00	-1.28	62.47	3	Vertical	12	1.20	-	33.60	7.58	30.93			
AV	5.148G	53.37	54.00	-0.63	43.12	3	Vertical	12	1.20	-	33.60	7.58	30.93			
PK	5.1995G	111.69	Inf	-Inf	101.30	3	Vertical	12	1.20	-	33.70	7.59	30.90			
AV	5.1995G	101.53	Inf	-Inf	91.14	3	Vertical	12	1.20	-	33.70	7.59	30.90			
PK	5.357G	58.78	74.00	-15.22	47.98	3	Vertical	12	1.20	-	33.90	7.71	30.81			
AV	5.376G	48.97	54.00	-5.03	38.15	3	Vertical	12	1.20	-	33.90	7.72	30.80			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	72.97	74.00	-1.03	62.72	3	Horizontal	344	2.24	-	33.60	7.58	30.93			
AV	5.1495G	53.44	54.00	-0.56	43.19	3	Horizontal	344	2.24	-	33.60	7.58	30.93			
PK	5.213G	112.02	Inf	-Inf	101.61	3	Horizontal	344	2.24	-	33.70	7.60	30.89			
AV	5.223G	101.21	Inf	-Inf	90.79	3	Horizontal	344	2.24	-	33.70	7.61	30.89			
PK	5.431G	59.38	74.00	-14.62	48.49	3	Horizontal	344	2.24	-	33.90	7.76	30.77			
AV	5.379G	49.29	54.00	-4.71	38.47	3	Horizontal	344	2.24	-	33.90	7.72	30.80			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.41888G	58.99	68.20	-9.21	39.25	3	Vertical	306	2.26	-	38.26	11.99	30.51				
PK	15.62653G	64.23	74.00	-9.77	43.96	3	Vertical	314	1.71	-	37.75	14.51	31.99				
AV	15.63356G	47.54	54.00	-6.46	27.30	3	Vertical	314	1.71	-	37.73	14.51	32.00				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41656G	58.73	68.20	-9.47	38.98	3	Horizontal	156	1.00	-	38.27	11.99	30.51			
PK	15.62622G	63.84	74.00	-10.16	43.57	3	Horizontal	146	2.72	-	37.75	14.51	31.99			
AV	15.6277G	47.18	54.00	-6.82	26.92	3	Horizontal	146	2.72	-	37.74	14.51	31.99			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.86	74.00	-9.14	54.61	3	Vertical	0	1.00	-	33.60	7.58	30.93			
AV	5.146G	53.14	54.00	-0.86	42.90	3	Vertical	0	1.00	-	33.59	7.58	30.93			
PK	5.2708G	109.54	Inf	-Inf	99.02	3	Vertical	0	1.00	-	33.74	7.64	30.86			
AV	5.2756G	98.65	Inf	-Inf	88.11	3	Vertical	0	1.00	-	33.75	7.65	30.86			
PK	5.3508G	65.88	74.00	-8.12	55.09	3	Vertical	0	1.00	-	33.90	7.70	30.81			
AV	5.354G	50.96	54.00	-3.04	40.16	3	Vertical	0	1.00	-	33.90	7.71	30.81			
PK	5.4924G	61.46	68.20	-6.74	50.41	3	Vertical	0	1.00	-	33.98	7.80	30.73			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	63.34	74.00	-10.66	53.09	3	Horizontal	348	2.18	-	33.60	7.58	30.93			
AV	5.1028G	53.06	54.00	-0.94	42.93	3	Horizontal	348	2.18	-	33.51	7.57	30.95			
PK	5.2876G	109.00	Inf	-Inf	98.41	3	Horizontal	348	2.18	-	33.78	7.66	30.85			
AV	5.2684G	98.04	Inf	-Inf	87.52	3	Horizontal	348	2.18	-	33.74	7.64	30.86			
PK	5.3692G	64.76	74.00	-9.24	53.94	3	Horizontal	348	2.18	-	33.90	7.72	30.80			
AV	5.3532G	50.52	54.00	-3.48	39.73	3	Horizontal	348	2.18	-	33.90	7.70	30.81			
PK	5.494G	59.67	68.20	-8.53	48.61	3	Horizontal	348	2.18	-	33.99	7.80	30.73			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5046G	59.17	68.20	-9.03	39.33	3	Vertical	141	1.53	-	38.30	12.03	30.49				
PK	15.75185G	63.90	74.00	-10.10	43.85	3	Vertical	194	2.23	-	37.50	14.62	32.07				
AV	15.75222G	47.38	54.00	-6.62	27.33	3	Vertical	194	2.23	-	37.50	14.62	32.07				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 64
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.50117G	59.03	68.20	-9.17	39.19	3	Horizontal	165	1.73	-	38.30	12.03	30.49			
PK	15.74621G	63.54	74.00	-10.46	43.49	3	Horizontal	185	1.85	-	37.51	14.61	32.07			
AV	15.75318G	47.42	54.00	-6.58	27.38	3	Horizontal	185	1.85	-	37.49	14.62	32.07			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1463G	64.16	74.00	-9.84	54.52	3	Vertical	344	2.08	-	33.59	6.98	30.93			
AV	5.1466G	49.97	54.00	-4.03	40.33	3	Vertical	344	2.08	-	33.59	6.98	30.93			
PK	5.257G	124.99	Inf	-Inf	115.15	3	Vertical	344	2.08	-	33.71	7.00	30.87			
AV	5.2567G	115.41	Inf	-Inf	105.57	3	Vertical	344	2.08	-	33.71	7.00	30.87			
PK	5.3533G	65.22	74.00	-8.78	55.16	3	Vertical	344	2.08	-	33.90	6.97	30.81			
AV	5.3605G	51.08	54.00	-2.92	41.02	3	Vertical	344	2.08	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1199G	59.98	74.00	-14.02	50.42	3	Horizontal	344	1.80	-	33.54	6.96	30.94				
AV	5.143G	49.61	54.00	-4.39	39.98	3	Horizontal	344	1.80	-	33.59	6.97	30.93				
PK	5.2654G	122.74	Inf	-Inf	112.88	3	Horizontal	344	1.80	-	33.73	6.99	30.86				
AV	5.2663G	114.47	Inf	-Inf	104.61	3	Horizontal	344	1.80	-	33.73	6.99	30.86				
PK	5.35G	63.66	74.00	-10.34	53.60	3	Horizontal	344	1.80	-	33.90	6.97	30.81				
AV	5.3527G	50.66	54.00	-3.34	40.60	3	Horizontal	344	1.80	-	33.90	6.97	30.81				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50956G	59.19	68.20	-9.01	39.34	3	Vertical	254	1.16	-	38.30	12.04	30.49			
PK	15.77241G	63.22	74.00	-10.78	43.21	3	Vertical	130	1.80	-	37.46	14.63	32.08			
AV	15.77826G	47.31	54.00	-6.69	27.32	3	Vertical	130	1.80	-	37.44	14.64	32.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52438G	58.33	68.20	-9.87	38.48	3	Horizontal	333	2.57	-	38.30	12.04	30.49			
PK	15.77292G	63.12	74.00	-10.88	43.12	3	Horizontal	110	2.79	-	37.45	14.63	32.08			
AV	15.79059G	47.25	54.00	-6.75	27.28	3	Horizontal	110	2.79	-	37.42	14.65	32.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 98
02-D-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3018G	121.11	Inf	-Inf	111.17	3	Vertical	360	1.80	-	33.80	6.98	30.84			
AV	5.301G	112.55	Inf	-Inf	102.61	3	Vertical	360	1.80	-	33.80	6.98	30.84			
PK	5.3606G	65.41	74.00	-8.59	55.35	3	Vertical	360	1.80	-	33.90	6.97	30.81			
AV	5.3516G	53.23	54.00	-0.77	43.17	3	Vertical	360	1.80	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 98
02-D-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3044G	121.26	Inf	-Inf	111.31	3	Horizontal	344	1.07	-	33.81	6.98	30.84			
AV	5.305G	112.50	Inf	-Inf	102.55	3	Horizontal	344	1.07	-	33.81	6.98	30.84			
PK	5.35G	67.09	74.00	-6.91	57.03	3	Horizontal	344	1.07	-	33.90	6.97	30.81			
AV	5.35G	53.90	54.00	-0.10	43.84	3	Horizontal	344	1.07	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 98
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58674G	58.71	68.20	-9.49	38.75	3	Vertical	228	2.71	-	38.37	12.08	30.49			
PK	15.89469G	62.36	74.00	-11.64	42.10	3	Vertical	123	1.31	-	37.68	14.74	32.16			
AV	15.89718G	47.79	54.00	-6.21	27.52	3	Vertical	123	1.31	-	37.69	14.74	32.16			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 98
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58968G	58.51	68.20	-9.69	38.54	3	Horizontal	56	2.02	-	38.38	12.08	30.49			
PK	15.90828G	62.10	74.00	-11.90	41.85	3	Horizontal	253	1.72	-	37.67	14.75	32.17			
AV	15.89541G	47.47	54.00	-6.53	27.21	3	Horizontal	253	1.72	-	37.68	14.74	32.16			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 82
02-D-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3165G	118.23	Inf	-Inf	108.25	3	Vertical	340	2.20	-	33.83	6.98	30.83			
AV	5.317G	109.15	Inf	-Inf	99.17	3	Vertical	340	2.20	-	33.83	6.98	30.83			
PK	5.3549G	67.79	74.00	-6.21	57.73	3	Vertical	340	2.20	-	33.90	6.97	30.81			
AV	5.3548G	53.40	54.00	-0.60	43.34	3	Vertical	340	2.20	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 82
02-D-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3243G	117.84	Inf	-Inf	107.84	3	Horizontal	346	1.03	-	33.85	6.98	30.83			
AV	5.3246G	109.69	Inf	-Inf	99.69	3	Horizontal	346	1.03	-	33.85	6.98	30.83			
PK	5.3525G	68.99	74.00	-5.01	58.93	3	Horizontal	346	1.03	-	33.90	6.97	30.81			
AV	5.3503G	53.80	54.00	-0.20	43.74	3	Horizontal	346	1.03	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 82
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64343G	59.48	74.00	-14.52	39.47	3	Vertical	147	1.98	-	38.40	12.10	30.49			
AV	10.64405G	47.65	54.00	-6.35	27.63	3	Vertical	147	1.98	-	38.40	12.11	30.49			
PK	15.95875G	62.77	74.00	-11.23	42.68	3	Vertical	266	1.33	-	37.50	14.79	32.20			
AV	15.96156G	47.27	54.00	-6.73	27.18	3	Vertical	266	1.33	-	37.50	14.80	32.21			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 82
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63846G	58.56	74.00	-15.44	38.55	3	Horizontal	147	1.81	-	38.40	12.10	30.49			
AV	10.63568G	47.64	54.00	-6.36	27.63	3	Horizontal	147	1.81	-	38.40	12.10	30.49			
PK	15.96032G	61.97	74.00	-12.03	41.87	3	Horizontal	273	2.60	-	37.50	14.80	32.20			
AV	15.9553G	47.84	54.00	-6.16	27.75	3	Horizontal	273	2.60	-	37.50	14.79	32.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 106
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1466G	73.74	74.00	-0.26	64.10	3	Vertical	8	1.19	-	33.59	6.98	30.93			
AV	5.1445G	51.15	54.00	-2.85	41.52	3	Vertical	8	1.19	-	33.59	6.97	30.93			
PK	5.2645G	125.48	Inf	-Inf	115.62	3	Vertical	8	1.19	-	33.73	6.99	30.86			
AV	5.2645G	114.81	Inf	-Inf	104.95	3	Vertical	8	1.19	-	33.73	6.99	30.86			
PK	5.35G	70.13	74.00	-3.87	60.07	3	Vertical	8	1.19	-	33.90	6.97	30.81			
AV	5.3539G	52.10	54.00	-1.90	42.04	3	Vertical	8	1.19	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 106
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1394G	67.22	74.00	-6.78	57.60	3	Horizontal	346	2.18	-	33.58	6.97	30.93			
AV	5.1319G	50.81	54.00	-3.19	41.22	3	Horizontal	346	2.18	-	33.56	6.97	30.94			
PK	5.2633G	125.04	Inf	-Inf	115.18	3	Horizontal	346	2.18	-	33.73	6.99	30.86			
AV	5.2681G	114.59	Inf	-Inf	104.72	3	Horizontal	346	2.18	-	33.74	6.99	30.86			
PK	5.353G	65.77	74.00	-8.23	55.71	3	Horizontal	346	2.18	-	33.90	6.97	30.81			
AV	5.3599G	51.96	54.00	-2.04	41.90	3	Horizontal	346	2.18	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting106
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51556G	58.62	68.20	-9.58	38.77	3	Vertical	0	1.87	-	38.30	12.04	30.49			
PK	15.78027G	63.42	74.00	-10.58	43.43	3	Vertical	183	1.09	-	37.44	14.64	32.09			
AV	15.77632G	47.30	54.00	-6.70	27.30	3	Vertical	183	1.09	-	37.45	14.64	32.09			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting106
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52324G	58.77	68.20	-9.43	38.92	3	Horizontal	62	2.20	-	38.30	12.04	30.49			
PK	15.78058G	62.49	74.00	-11.51	42.50	3	Horizontal	333	2.59	-	37.44	14.64	32.09			
AV	15.77743G	47.85	54.00	-6.15	27.85	3	Horizontal	333	2.59	-	37.45	14.64	32.09			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 85
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3046G	121.84	Inf	-Inf	111.89	3	Vertical	7	1.80	-	33.81	6.98	30.84			
AV	5.3046G	110.55	Inf	-Inf	100.60	3	Vertical	7	1.80	-	33.81	6.98	30.84			
PK	5.3544G	68.11	74.00	-5.89	58.05	3	Vertical	7	1.80	-	33.90	6.97	30.81			
AV	5.35G	53.88	54.00	-0.12	43.82	3	Vertical	7	1.80	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 85
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2992G	121.31	Inf	-Inf	111.36	3	Horizontal	349	2.85	-	33.80	6.99	30.84				
AV	5.2946G	110.71	Inf	-Inf	100.78	3	Horizontal	349	2.85	-	33.79	6.99	30.85				
PK	5.357G	64.32	74.00	-9.68	54.26	3	Horizontal	349	2.85	-	33.90	6.97	30.81				
AV	5.35G	52.08	54.00	-1.92	42.02	3	Horizontal	349	2.85	-	33.90	6.97	30.81				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 85
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.59523G	58.39	68.20	-9.81	38.41	3	Vertical	141	2.88	-	38.39	12.08	30.49			
PK	15.90076G	62.51	74.00	-11.49	42.24	3	Vertical	297	2.25	-	37.70	14.74	32.17			
AV	15.89697G	47.45	54.00	-6.55	27.18	3	Vertical	297	2.25	-	37.69	14.74	32.16			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 85
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.59423G	59.06	68.20	-9.14	39.08	3	Horizontal	308	2.05	-	38.39	12.08	30.49				
PK	15.89707G	63.01	74.00	-10.99	42.74	3	Horizontal	270	2.62	-	37.69	14.74	32.16				
AV	15.90227G	47.59	54.00	-6.41	27.32	3	Horizontal	270	2.62	-	37.69	14.75	32.17				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 73
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3194G	119.33	Inf	-Inf	109.34	3	Vertical	7	1.80	-	33.84	6.98	30.83			
AV	5.3144G	107.78	Inf	-Inf	97.80	3	Vertical	7	1.80	-	33.83	6.98	30.83			
PK	5.3544G	72.68	74.00	-1.32	62.62	3	Vertical	7	1.80	-	33.90	6.97	30.81			
AV	5.3502G	53.76	54.00	-0.24	43.70	3	Vertical	7	1.80	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 73
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3132G	119.81	Inf	-Inf	109.83	3	Horizontal	344	2.38	-	33.83	6.98	30.83			
AV	5.318G	108.78	Inf	-Inf	98.79	3	Horizontal	344	2.38	-	33.84	6.98	30.83			
PK	5.3526G	70.03	74.00	-3.97	59.97	3	Horizontal	344	2.38	-	33.90	6.97	30.81			
AV	5.3528G	52.96	54.00	-1.04	42.90	3	Horizontal	344	2.38	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 73
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.645G	58.63	74.00	-15.37	38.61	3	Vertical	240	2.57	-	38.40	12.11	30.49			
AV	10.63758G	47.94	54.00	-6.06	27.93	3	Vertical	240	2.57	-	38.40	12.10	30.49			
PK	15.96265G	62.60	74.00	-11.40	42.51	3	Vertical	199	2.02	-	37.50	14.80	32.21			
AV	15.95639G	47.78	54.00	-6.22	27.69	3	Vertical	199	2.02	-	37.50	14.79	32.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 73
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64423G	58.79	74.00	-15.21	38.77	3	Horizontal	205	1.21	-	38.40	12.11	30.49			
AV	10.63959G	47.38	54.00	-6.62	27.37	3	Horizontal	205	1.21	-	38.40	12.10	30.49			
PK	15.95727G	63.01	74.00	-10.99	42.92	3	Horizontal	224	2.07	-	37.50	14.79	32.20			
AV	15.95681G	47.06	54.00	-6.94	26.97	3	Horizontal	224	2.07	-	37.50	14.79	32.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 83
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.1395G	59.59	74.00	-14.41	49.36	3	Vertical	15	1.43	-	33.58	7.58	30.93
AV	5.1494G	49.18	54.00	-4.82	38.93	3	Vertical	15	1.43	-	33.60	7.58	30.93
PK	5.2838G	121.54	Inf	-Inf	110.97	3	Vertical	15	1.43	-	33.77	7.65	30.85
AV	5.2793G	108.63	Inf	-Inf	98.07	3	Vertical	15	1.43	-	33.76	7.65	30.85
PK	5.3534G	68.49	74.00	-5.51	57.69	3	Vertical	15	1.43	-	33.90	7.71	30.81
AV	5.354G	53.59	54.00	-0.41	42.79	3	Vertical	15	1.43	-	33.90	7.71	30.81

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 83
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1479G	58.88	74.00	-15.12	48.63	3	Horizontal	344	2.32	-	33.60	7.58	30.93			
AV	5.1443G	48.99	54.00	-5.01	38.75	3	Horizontal	344	2.32	-	33.59	7.58	30.93			
PK	5.2634G	119.48	Inf	-Inf	108.97	3	Horizontal	344	2.32	-	33.73	7.64	30.86			
AV	5.2682G	108.40	Inf	-Inf	97.88	3	Horizontal	344	2.32	-	33.74	7.64	30.86			
PK	5.3546G	65.97	74.00	-8.03	55.17	3	Horizontal	344	2.32	-	33.90	7.71	30.81			
AV	5.3549G	53.84	54.00	-0.16	43.04	3	Horizontal	344	2.32	-	33.90	7.71	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 83
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54008G	59.07	68.20	-9.13	39.21	3	Vertical	150	1.31	-	38.30	12.05	30.49			
PK	15.80537G	62.87	74.00	-11.13	42.91	3	Vertical	59	1.53	-	37.41	14.66	32.11			
AV	15.80894G	47.05	54.00	-6.95	27.08	3	Vertical	59	1.53	-	37.42	14.66	32.11			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 83
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5405G	59.07	68.20	-9.13	39.21	3	Horizontal	341	1.39	-	38.30	12.05	30.49			
PK	15.80858G	63.48	74.00	-10.52	43.51	3	Horizontal	47	2.39	-	37.42	14.66	32.11			
AV	15.81138G	47.09	54.00	-6.91	27.11	3	Horizontal	47	2.39	-	37.42	14.67	32.11			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 67
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3156G	116.51	Inf	-Inf	105.83	3	Vertical	360	1.18	-	33.83	7.68	30.83			
AV	5.3002G	104.57	Inf	-Inf	93.94	3	Vertical	360	1.18	-	33.80	7.67	30.84			
PK	5.35G	70.35	74.00	-3.65	59.56	3	Vertical	360	1.18	-	33.90	7.70	30.81			
AV	5.3532G	51.88	54.00	-2.12	41.09	3	Vertical	360	1.18	-	33.90	7.70	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 67
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3032G	116.18	Inf	-Inf	105.54	3	Horizontal	344	2.14	-	33.81	7.67	30.84			
AV	5.298G	104.53	Inf	-Inf	93.91	3	Horizontal	344	2.14	-	33.80	7.66	30.84			
PK	5.3508G	68.44	74.00	-5.56	57.65	3	Horizontal	344	2.14	-	33.90	7.70	30.81			
AV	5.35G	53.56	54.00	-0.44	42.77	3	Horizontal	344	2.14	-	33.90	7.70	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 67
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61898G	59.20	74.00	-14.80	39.20	3	Vertical	24	2.64	-	38.40	12.09	30.49			
AV	10.61567G	47.82	54.00	-6.18	27.82	3	Vertical	24	2.64	-	38.40	12.09	30.49			
PK	15.92951G	62.74	74.00	-11.26	42.57	3	Vertical	176	1.58	-	37.58	14.77	32.18			
AV	15.92933G	47.50	54.00	-6.50	27.33	3	Vertical	176	1.58	-	37.58	14.77	32.18			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 67
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61791G	59.45	74.00	-14.55	39.45	3	Horizontal	273	2.12	-	38.40	12.09	30.49			
AV	10.62084G	47.95	54.00	-6.05	27.95	3	Horizontal	273	2.12	-	38.40	12.09	30.49			
PK	15.92792G	62.34	74.00	-11.66	42.16	3	Horizontal	256	1.95	-	37.59	14.77	32.18			
AV	15.93126G	47.38	54.00	-6.62	27.23	3	Horizontal	256	1.95	-	37.57	14.77	32.19			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.118G	58.05	74.00	-15.95	47.88	3	Vertical	8	1.44	-	33.54	7.57	30.94			
AV	5.143G	47.70	54.00	-6.30	37.46	3	Vertical	8	1.44	-	33.59	7.58	30.93			
PK	5.2795G	113.38	Inf	-Inf	102.82	3	Vertical	8	1.44	-	33.76	7.65	30.85			
AV	5.2795G	101.93	Inf	-Inf	91.37	3	Vertical	8	1.44	-	33.76	7.65	30.85			
PK	5.35G	72.91	74.00	-1.09	62.12	3	Vertical	8	1.44	-	33.90	7.70	30.81			
AV	5.3525G	53.05	54.00	-0.95	42.26	3	Vertical	8	1.44	-	33.90	7.70	30.81			
PK	5.535G	58.95	68.20	-9.25	47.78	3	Vertical	8	1.44	-	34.07	7.82	30.72			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1385G	58.08	74.00	-15.92	47.85	3	Horizontal	346	2.18	-	33.58	7.58	30.93			
AV	5.142G	47.95	54.00	-6.05	37.72	3	Horizontal	346	2.18	-	33.58	7.58	30.93			
PK	5.278G	112.22	Inf	-Inf	101.66	3	Horizontal	346	2.18	-	33.76	7.65	30.85			
AV	5.278G	101.51	Inf	-Inf	90.95	3	Horizontal	346	2.18	-	33.76	7.65	30.85			
PK	5.3555G	73.24	74.00	-0.76	62.44	3	Horizontal	346	2.18	-	33.90	7.71	30.81			
AV	5.3555G	52.41	54.00	-1.59	41.61	3	Horizontal	346	2.18	-	33.90	7.71	30.81			
PK	5.4955G	58.87	68.20	-9.33	47.81	3	Horizontal	346	2.18	-	33.99	7.80	30.73			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57733G	59.60	68.20	-8.60	39.67	3	Vertical	184	2.90	-	38.35	12.07	30.49			
PK	15.86611G	62.77	74.00	-11.23	42.64	3	Vertical	345	1.44	-	37.56	14.71	32.14			
AV	15.87163G	47.21	54.00	-6.79	27.05	3	Vertical	345	1.44	-	37.59	14.72	32.15			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 64
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57738G	59.57	68.20	-8.63	39.64	3	Horizontal	281	2.46	-	38.35	12.07	30.49			
PK	15.86915G	62.89	74.00	-11.11	42.74	3	Horizontal	22	2.30	-	37.58	14.72	32.15			
AV	15.86916G	47.70	54.00	-6.30	27.55	3	Horizontal	22	2.30	-	37.58	14.72	32.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
Setting 75
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4584G	61.61	74.00	-12.39	51.29	3	Vertical	358	2.05	-	33.92	7.15	30.75			
AV	5.4584G	51.04	54.00	-2.96	40.72	3	Vertical	358	2.05	-	33.92	7.15	30.75			
PK	5.4613G	66.88	68.20	-1.32	56.55	3	Vertical	358	2.05	-	33.92	7.16	30.75			
PK	5.5024G	117.91	Inf	-Inf	107.34	3	Vertical	358	2.05	-	34.00	7.30	30.73			
AV	5.5018G	109.53	Inf	-Inf	98.96	3	Vertical	358	2.05	-	34.00	7.30	30.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
Setting 75
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4506G	61.76	74.00	-12.24	51.49	3	Horizontal	342	1.65	-	33.90	7.13	30.76			
AV	5.4556G	51.43	54.00	-2.57	41.13	3	Horizontal	342	1.65	-	33.91	7.14	30.75			
PK	5.4672G	68.08	68.20	-0.12	57.72	3	Horizontal	342	1.65	-	33.93	7.18	30.75			
PK	5.5064G	118.02	Inf	-Inf	107.43	3	Horizontal	342	1.65	-	34.01	7.31	30.73			
AV	5.5053G	109.29	Inf	-Inf	98.70	3	Horizontal	342	1.65	-	34.01	7.31	30.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 75
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.9963G	59.18	74.00	-14.82	38.98	3	Vertical	78	2.85	-	38.40	12.28	30.48			
AV	10.99516G	48.62	54.00	-5.38	28.42	3	Vertical	78	2.85	-	38.40	12.28	30.48			
PK	16.50327G	61.53	68.20	-6.67	39.83	3	Vertical	240	1.18	-	38.82	14.93	32.05			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 75
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.00028G	58.93	74.00	-15.07	38.72	3	Horizontal	241	1.53	-	38.40	12.29	30.48				
AV	10.99603G	48.41	54.00	-5.59	28.21	3	Horizontal	241	1.53	-	38.40	12.28	30.48				
PK	16.49665G	61.09	68.20	-7.11	39.42	3	Horizontal	306	1.28	-	38.79	14.93	32.05				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	65.22	74.00	-8.78	54.90	3	Vertical	360	1.83	-	33.92	7.15	30.75			
AV	5.4268G	51.91	54.00	-2.09	41.73	3	Vertical	360	1.83	-	33.90	7.05	30.77			
PK	5.4632G	66.70	68.20	-1.50	56.35	3	Vertical	360	1.83	-	33.93	7.17	30.75			
PK	5.5812G	125.18	Inf	-Inf	114.29	3	Vertical	360	1.83	-	34.04	7.56	30.71			
AV	5.5812G	117.07	Inf	-Inf	106.18	3	Vertical	360	1.83	-	34.04	7.56	30.71			
PK	5.752G	62.36	68.20	-5.84	51.27	3	Vertical	360	1.83	-	34.00	7.76	30.67			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4568G	64.76	74.00	-9.24	54.45	3	Horizontal	341	1.94	-	33.91	7.15	30.75			
AV	5.4212G	51.71	54.00	-2.29	41.55	3	Horizontal	341	1.94	-	33.90	7.03	30.77			
PK	5.4648G	65.48	68.20	-2.72	55.13	3	Horizontal	341	1.94	-	33.93	7.17	30.75			
PK	5.586G	124.99	Inf	-Inf	114.10	3	Horizontal	341	1.94	-	34.03	7.57	30.71			
AV	5.5852G	116.52	Inf	-Inf	105.63	3	Horizontal	341	1.94	-	34.03	7.57	30.71			
PK	5.7296G	62.23	68.20	-5.97	51.16	3	Horizontal	341	1.94	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15973G	58.89	74.00	-15.11	38.57	3	Vertical	16	1.97	-	38.50	12.37	30.55			
AV	11.16267G	48.39	54.00	-5.61	28.07	3	Vertical	16	1.97	-	38.50	12.37	30.55			
PK	16.74315G	61.86	68.20	-6.34	38.97	3	Vertical	78	1.79	-	39.99	14.98	32.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15756G	58.84	74.00	-15.16	38.53	3	Horizontal	67	2.74	-	38.50	12.36	30.55			
AV	11.15832G	47.74	54.00	-6.26	27.43	3	Horizontal	67	2.74	-	38.50	12.36	30.55			
PK	16.74025G	61.30	68.20	-6.90	38.42	3	Horizontal	248	1.97	-	39.98	14.98	32.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 69
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7021G	117.43	Inf	-Inf	106.40	3	Vertical	357	1.98	-	34.00	7.71	30.68			
AV	5.7016G	109.53	Inf	-Inf	98.50	3	Vertical	357	1.98	-	34.00	7.71	30.68			
PK	5.7251G	64.66	68.20	-3.54	53.61	3	Vertical	357	1.98	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 69
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7062G	117.44	Inf	-Inf	106.40	3	Horizontal	340	1.96	-	34.00	7.72	30.68				
AV	5.7062G	107.91	Inf	-Inf	96.87	3	Horizontal	340	1.96	-	34.00	7.72	30.68				
PK	5.7258G	67.66	68.20	-0.54	56.61	3	Horizontal	340	1.96	-	34.00	7.73	30.68				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 69
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39702G	59.96	74.00	-14.04	39.43	3	Vertical	204	1.04	-	38.70	12.49	30.66			
AV	11.40467G	49.49	54.00	-4.51	28.96	3	Vertical	204	1.04	-	38.71	12.49	30.67			
PK	17.09611G	61.07	68.20	-7.13	36.78	3	Vertical	177	2.12	-	41.39	15.05	32.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 69
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40325G	59.99	74.00	-14.01	39.46	3	Horizontal	116	2.91	-	38.71	12.49	30.67			
AV	11.40251G	49.32	54.00	-4.68	28.79	3	Horizontal	116	2.91	-	38.71	12.49	30.67			
PK	17.10258G	61.68	68.20	-6.52	37.37	3	Horizontal	16	1.97	-	41.41	15.06	32.16			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.716G	124.40	Inf	-Inf	113.36	3	Vertical	342	1.80	-	34.00	7.72	30.68			
AV	5.7156G	115.52	Inf	-Inf	104.48	3	Vertical	342	1.80	-	34.00	7.72	30.68			
PK	5.902G	61.98	68.20	-6.22	50.64	3	Vertical	342	1.80	-	34.10	7.87	30.63			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.726G	126.29	Inf	-Inf	115.24	3	Horizontal	338	2.04	-	34.00	7.73	30.68			
AV	5.7256G	117.17	Inf	-Inf	106.12	3	Horizontal	338	2.04	-	34.00	7.73	30.68			
PK	5.8808G	61.85	68.20	-6.35	50.62	3	Horizontal	338	2.04	-	34.02	7.85	30.64			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43652G	59.94	74.00	-14.06	39.34	3	Vertical	255	1.63	-	38.77	12.51	30.68			
AV	11.44148G	49.77	54.00	-4.23	29.16	3	Vertical	255	1.63	-	38.78	12.51	30.68			
PK	17.15643G	61.64	68.20	-6.56	37.12	3	Vertical	58	2.07	-	41.63	15.07	32.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44045G	59.89	74.00	-14.11	39.28	3	Horizontal	171	1.25	-	38.78	12.51	30.68			
AV	11.44448G	49.38	54.00	-4.62	28.76	3	Horizontal	171	1.25	-	38.79	12.51	30.68			
PK	17.15994G	61.94	68.20	-6.26	37.41	3	Horizontal	13	2.66	-	41.64	15.07	32.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 65
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4591G	61.93	74.00	-12.07	51.60	3	Vertical	8	2.06	-	33.92	7.16	30.75			
AV	5.4596G	51.21	54.00	-2.79	40.88	3	Vertical	8	2.06	-	33.92	7.16	30.75			
PK	5.4691G	67.99	68.20	-0.21	57.61	3	Vertical	8	2.06	-	33.94	7.19	30.75			
PK	5.4942G	118.38	Inf	-Inf	107.85	3	Vertical	8	2.06	-	33.99	7.27	30.73			
AV	5.504G	107.22	Inf	-Inf	96.64	3	Vertical	8	2.06	-	34.01	7.30	30.73			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 65
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4532G	61.83	74.00	-12.17	51.54	3	Horizontal	345	2.24	-	33.91	7.14	30.76			
AV	5.4581G	51.32	54.00	-2.68	41.00	3	Horizontal	345	2.24	-	33.92	7.15	30.75			
PK	5.4681G	66.13	68.20	-2.07	55.76	3	Horizontal	345	2.24	-	33.94	7.18	30.75			
PK	5.4981G	118.91	Inf	-Inf	108.36	3	Horizontal	345	2.24	-	34.00	7.28	30.73			
AV	5.498G	107.34	Inf	-Inf	96.79	3	Horizontal	345	2.24	-	34.00	7.28	30.73			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 65
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99901G	58.88	74.00	-15.12	38.68	3	Vertical	239	2.14	-	38.40	12.28	30.48			
AV	10.99919G	48.17	54.00	-5.83	27.97	3	Vertical	239	2.14	-	38.40	12.28	30.48			
PK	16.49936G	61.10	68.20	-7.10	39.42	3	Vertical	132	2.24	-	38.80	14.93	32.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 65
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.001111G	59.11	74.00	-14.89	38.90	3	Horizontal	89	2.22	-	38.40	12.29	30.48			
AV	10.99993G	48.23	54.00	-5.77	28.03	3	Horizontal	89	2.22	-	38.40	12.28	30.48			
PK	16.49857G	61.36	68.20	-6.84	39.69	3	Horizontal	131	1.49	-	38.79	14.93	32.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 97
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.416G	62.38	74.00	-11.62	52.25	3	Vertical	360	1.94	-	33.90	7.01	30.78			
AV	5.4132G	51.71	54.00	-2.29	41.59	3	Vertical	360	1.94	-	33.90	7.00	30.78			
PK	5.4628G	61.62	68.20	-6.58	51.27	3	Vertical	360	1.94	-	33.93	7.17	30.75			
PK	5.5748G	124.61	Inf	-Inf	113.73	3	Vertical	360	1.94	-	34.05	7.54	30.71			
AV	5.5748G	114.47	Inf	-Inf	103.59	3	Vertical	360	1.94	-	34.05	7.54	30.71			
PK	5.7472G	62.39	68.20	-5.81	51.31	3	Vertical	360	1.94	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 97
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4372G	67.09	74.00	-6.91	56.88	3	Horizontal	339	2.22	-	33.90	7.08	30.77			
PK	5.4604G	64.99	68.20	-3.21	54.66	3	Horizontal	339	2.22	-	33.92	7.16	30.75			
AV	5.4524G	51.91	54.00	-2.09	41.64	3	Horizontal	339	2.22	-	33.90	7.13	30.76			
PK	5.578G	124.98	Inf	-Inf	114.10	3	Horizontal	339	2.22	-	34.04	7.55	30.71			
AV	5.5836G	114.86	Inf	-Inf	103.97	3	Horizontal	339	2.22	-	34.03	7.57	30.71			
PK	5.734G	62.54	68.20	-5.66	51.47	3	Horizontal	339	2.22	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 97
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16338G	58.81	74.00	-15.19	38.50	3	Vertical	39	2.58	-	38.50	12.37	30.56			
AV	11.16493G	47.83	54.00	-6.17	27.52	3	Vertical	39	2.58	-	38.50	12.37	30.56			
PK	16.73954G	61.29	68.20	-6.91	38.41	3	Vertical	256	2.06	-	39.98	14.98	32.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 97
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16402G	59.19	74.00	-14.81	38.88	3	Horizontal	267	2.96	-	38.50	12.37	30.56			
AV	11.15535G	47.58	54.00	-6.42	27.27	3	Horizontal	267	2.96	-	38.50	12.36	30.55			
PK	16.74405G	61.92	68.20	-6.28	39.03	3	Horizontal	221	2.69	-	39.99	14.98	32.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 63
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6946G	116.89	Inf	-Inf	105.86	3	Vertical	2	1.80	-	34.00	7.71	30.68				
AV	5.6945G	105.74	Inf	-Inf	94.71	3	Vertical	2	1.80	-	34.00	7.71	30.68				
PK	5.725G	65.56	68.20	-2.64	54.51	3	Vertical	2	1.80	-	34.00	7.73	30.68				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 63
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7029G	118.27	Inf	-Inf	107.24	3	Horizontal	343	2.06	-	34.00	7.71	30.68			
AV	5.7028G	107.60	Inf	-Inf	96.57	3	Horizontal	343	2.06	-	34.00	7.71	30.68			
PK	5.7275G	66.59	68.20	-1.61	55.54	3	Horizontal	343	2.06	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 63
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40491G	59.44	74.00	-14.56	38.91	3	Vertical	318	2.57	-	38.71	12.49	30.67			
AV	11.3977G	48.53	54.00	-5.47	28.00	3	Vertical	318	2.57	-	38.70	12.49	30.66			
PK	17.09846G	61.87	68.20	-6.33	37.57	3	Vertical	255	2.38	-	41.40	15.06	32.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 63
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.39883G	59.27	74.00	-14.73	38.74	3	Horizontal	67	2.33	-	38.70	12.49	30.66				
AV	11.40396G	48.75	54.00	-5.25	28.22	3	Horizontal	67	2.33	-	38.71	12.49	30.67				
PK	17.10247G	61.84	68.20	-6.36	37.53	3	Horizontal	266	1.71	-	41.41	15.06	32.16				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7156G	125.24	Inf	-Inf	114.20	3	Vertical	1	1.03	-	34.00	7.72	30.68			
AV	5.7148G	114.79	Inf	-Inf	103.75	3	Vertical	1	1.03	-	34.00	7.72	30.68			
PK	5.8516G	67.63	68.20	-0.57	56.54	3	Vertical	1	1.03	-	33.91	7.83	30.65			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7236G	126.22	Inf	-Inf	115.17	3	Horizontal	340	2.05	-	34.00	7.73	30.68			
AV	5.7132G	116.54	Inf	-Inf	105.50	3	Horizontal	340	2.05	-	34.00	7.72	30.68			
PK	5.862G	66.78	68.20	-1.42	55.63	3	Horizontal	340	2.05	-	33.95	7.84	30.64			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.44143G	59.39	74.00	-14.61	38.78	3	Vertical	206	1.99	-	38.78	12.51	30.68				
AV	11.44172G	48.73	54.00	-5.27	28.12	3	Vertical	206	1.99	-	38.78	12.51	30.68				
PK	17.16358G	61.62	68.20	-6.58	37.08	3	Vertical	304	1.53	-	41.65	15.07	32.18				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.4382G	59.34	74.00	-14.66	38.73	3	Horizontal	41	1.72	-	38.78	12.51	30.68				
AV	11.43679G	48.82	54.00	-5.18	28.22	3	Horizontal	41	1.72	-	38.77	12.51	30.68				
PK	17.15706G	61.76	68.20	-6.44	37.24	3	Horizontal	283	2.88	-	41.63	15.07	32.18				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 60
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	64.28	74.00	-9.72	53.34	3	Vertical	14	2.17	-	33.92	7.77	30.75			
AV	5.4586G	50.84	54.00	-3.16	39.89	3	Vertical	14	2.17	-	33.92	7.78	30.75			
PK	5.4692G	67.18	68.20	-1.02	56.21	3	Vertical	14	2.17	-	33.94	7.78	30.75			
PK	5.5138G	114.54	Inf	-Inf	103.43	3	Vertical	14	2.17	-	34.03	7.81	30.73			
AV	5.4934G	103.48	Inf	-Inf	92.42	3	Vertical	14	2.17	-	33.99	7.80	30.73			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 60
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.453G	64.00	74.00	-10.00	53.08	3	Horizontal	343	1.99	-	33.91	7.77	30.76			
AV	5.4486G	50.58	54.00	-3.42	39.67	3	Horizontal	343	1.99	-	33.90	7.77	30.76			
PK	5.469G	66.04	68.20	-2.16	55.07	3	Horizontal	343	1.99	-	33.94	7.78	30.75			
PK	5.4982G	115.06	Inf	-Inf	103.99	3	Horizontal	343	1.99	-	34.00	7.80	30.73			
AV	5.518G	103.52	Inf	-Inf	92.40	3	Horizontal	343	1.99	-	34.04	7.81	30.73			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 60
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02023G	59.59	74.00	-14.41	39.34	3	Vertical	222	1.92	-	38.44	12.30	30.49			
AV	11.01519G	48.41	54.00	-5.59	28.18	3	Vertical	222	1.92	-	38.43	12.29	30.49			
PK	16.52591G	61.69	68.20	-6.51	39.84	3	Vertical	144	2.14	-	38.96	14.94	32.05			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 60
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02133G	59.64	74.00	-14.36	39.39	3	Horizontal	45	1.83	-	38.44	12.30	30.49			
AV	11.02334G	48.53	54.00	-5.47	28.27	3	Horizontal	45	1.83	-	38.45	12.30	30.49			
PK	16.52832G	61.42	68.20	-6.78	39.56	3	Horizontal	180	2.09	-	38.97	14.94	32.05			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 80
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	65.48	74.00	-8.52	54.53	3	Vertical	12	2.11	-	33.92	7.78	30.75
AV	5.4564G	51.38	54.00	-2.62	40.45	3	Vertical	12	2.11	-	33.91	7.77	30.75
PK	5.4636G	67.79	68.20	-0.41	56.83	3	Vertical	12	2.11	-	33.93	7.78	30.75
PK	5.5588G	120.06	Inf	-Inf	108.86	3	Vertical	12	2.11	-	34.08	7.84	30.72
AV	5.5636G	108.07	Inf	-Inf	96.87	3	Vertical	12	2.11	-	34.07	7.84	30.71
PK	5.7456G	59.18	68.20	-9.02	47.74	3	Vertical	12	2.11	-	34.00	8.11	30.67

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 80
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4536G	63.51	74.00	-10.49	52.59	3	Horizontal	342	2.21	-	33.91	7.77	30.76			
AV	5.4584G	50.54	54.00	-3.46	39.59	3	Horizontal	342	2.21	-	33.92	7.78	30.75			
PK	5.4696G	65.13	68.20	-3.07	54.16	3	Horizontal	342	2.21	-	33.94	7.78	30.75			
PK	5.5432G	119.60	Inf	-Inf	108.40	3	Horizontal	342	2.21	-	34.09	7.83	30.72			
AV	5.548G	108.45	Inf	-Inf	97.24	3	Horizontal	342	2.21	-	34.10	7.83	30.72			
PK	5.7272G	60.05	68.20	-8.15	48.65	3	Horizontal	342	2.21	-	34.00	8.08	30.68			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 80
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.09663G	59.80	74.00	-14.20	39.40	3	Vertical	312	1.91	-	38.59	12.33	30.52				
AV	11.10016G	48.53	54.00	-5.47	28.12	3	Vertical	312	1.91	-	38.60	12.34	30.53				
PK	16.65157G	61.53	68.20	-6.67	38.84	3	Vertical	190	2.96	-	39.80	14.96	32.07				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 80
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09859G	59.52	74.00	-14.48	39.12	3	Horizontal	89	1.15	-	38.60	12.33	30.53			
AV	11.09501G	48.65	54.00	-5.35	28.25	3	Horizontal	89	1.15	-	38.59	12.33	30.52			
PK	16.64579G	61.40	68.20	-6.80	38.74	3	Horizontal	218	1.14	-	39.77	14.96	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
Setting 68
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6584G	116.52	Inf	-Inf	105.25	3	Vertical	13	2.57	-	34.00	7.96	30.69			
AV	5.6532G	105.19	Inf	-Inf	93.93	3	Vertical	13	2.57	-	34.00	7.95	30.69			
PK	5.7252G	64.55	68.20	-3.65	53.15	3	Vertical	13	2.57	-	34.00	8.08	30.68			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
Setting 68
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.673G	116.90	Inf	-Inf	105.60	3	Horizontal	344	1.99	-	34.00	7.99	30.69			
AV	5.6578G	105.73	Inf	-Inf	94.46	3	Horizontal	344	1.99	-	34.00	7.96	30.69			
PK	5.7278G	67.40	68.20	-0.80	56.00	3	Horizontal	344	1.99	-	34.00	8.08	30.68			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 68
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.33754G	59.68	74.00	-14.32	39.18	3	Vertical	235	1.77	-	38.68	12.46	30.64				
AV	11.33587G	48.97	54.00	-5.03	28.48	3	Vertical	235	1.77	-	38.67	12.45	30.63				
PK	17.01234G	61.86	68.20	-6.34	37.72	3	Vertical	156	2.19	-	41.22	15.04	32.12				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 68
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3407G	59.72	74.00	-14.28	39.22	3	Horizontal	153	1.99	-	38.68	12.46	30.64			
AV	11.33709G	49.02	54.00	-4.98	28.53	3	Horizontal	153	1.99	-	38.67	12.46	30.64			
PK	17.00926G	61.19	68.20	-7.01	37.05	3	Horizontal	270	1.46	-	41.22	15.04	32.12			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 98
02-D-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7156G	121.73	Inf	-Inf	110.35	3	Vertical	355	1.80	-	34.00	8.06	30.68			
AV	5.7004G	111.24	Inf	-Inf	99.88	3	Vertical	355	1.80	-	34.00	8.04	30.68			
PK	5.8512G	64.96	68.20	-3.24	53.52	3	Vertical	355	1.80	-	33.90	8.19	30.65			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 98
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7024G	122.64	Inf	-Inf	111.28	3	Horizontal	342	1.98	-	34.00	8.04	30.68			
AV	5.708G	112.45	Inf	-Inf	101.08	3	Horizontal	342	1.98	-	34.00	8.05	30.68			
PK	5.8536G	63.11	68.20	-5.09	51.66	3	Horizontal	342	1.98	-	33.91	8.19	30.65			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 98
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42494G	59.79	74.00	-14.21	39.22	3	Vertical	2	1.53	-	38.75	12.50	30.68			
AV	11.42383G	49.03	54.00	-4.97	28.45	3	Vertical	2	1.53	-	38.75	12.50	30.67			
PK	17.13453G	61.49	68.20	-6.71	37.06	3	Vertical	315	1.02	-	41.54	15.06	32.17			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 98
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41791G	59.74	74.00	-14.26	39.17	3	Horizontal	52	2.59	-	38.74	12.50	30.67			
AV	11.41699G	49.16	54.00	-4.84	28.60	3	Horizontal	52	2.59	-	38.73	12.50	30.67			
PK	17.13425G	61.66	68.20	-6.54	37.23	3	Horizontal	238	1.70	-	41.54	15.06	32.17			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 55
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3055G	57.78	68.20	-10.42	47.14	3	Vertical	6	2.12	-	33.81	7.67	30.84			
PK	5.4365G	67.11	74.00	-6.89	56.22	3	Vertical	6	2.12	-	33.90	7.76	30.77			
PK	5.47G	67.31	68.20	-0.89	56.34	3	Vertical	6	2.12	-	33.94	7.78	30.75			
AV	5.459G	50.65	54.00	-3.35	39.70	3	Vertical	6	2.12	-	33.92	7.78	30.75			
PK	5.5595G	110.14	Inf	-Inf	98.94	3	Vertical	6	2.12	-	34.08	7.84	30.72			
AV	5.5595G	99.24	Inf	-Inf	88.04	3	Vertical	6	2.12	-	34.08	7.84	30.72			
PK	5.7315G	59.42	68.20	-8.78	48.00	3	Vertical	6	2.12	-	34.00	8.09	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 55
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.302G	58.37	68.20	-9.83	47.74	3	Horizontal	342	2.33	-	33.80	7.67	30.84			
PK	5.4375G	66.75	74.00	-7.25	55.86	3	Horizontal	342	2.33	-	33.90	7.76	30.77			
AV	5.4375G	51.90	54.00	-2.10	41.01	3	Horizontal	342	2.33	-	33.90	7.76	30.77			
PK	5.469G	67.96	68.20	-0.24	56.99	3	Horizontal	342	2.33	-	33.94	7.78	30.75			
PK	5.538G	112.29	Inf	-Inf	101.11	3	Horizontal	342	2.33	-	34.08	7.82	30.72			
AV	5.538G	100.58	Inf	-Inf	89.40	3	Horizontal	342	2.33	-	34.08	7.82	30.72			
PK	5.7285G	58.50	68.20	-9.70	47.10	3	Horizontal	342	2.33	-	34.00	8.08	30.68			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Y_4TX
Setting 55
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06056G	59.63	74.00	-14.37	39.30	3	Vertical	270	1.18	-	38.52	12.32	30.51			
AV	11.0595G	48.93	54.00	-5.07	28.60	3	Vertical	270	1.18	-	38.52	12.32	30.51			
PK	16.58668G	61.84	68.20	-6.36	39.56	3	Vertical	319	1.94	-	39.39	14.95	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 55
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.05684G	59.70	74.00	-14.30	39.39	3	Horizontal	295	1.75	-	38.51	12.31	30.51			
AV	11.06114G	48.91	54.00	-5.09	28.58	3	Horizontal	295	1.75	-	38.52	12.32	30.51			
PK	16.58548G	61.18	68.20	-7.02	38.91	3	Horizontal	249	1.94	-	39.38	14.95	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
Setting 75
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.439G	66.59	74.00	-7.41	55.69	3	Vertical	9	1.99	-	33.90	7.76	30.76
PK	5.469G	64.42	68.20	-3.78	53.45	3	Vertical	9	1.99	-	33.94	7.78	30.75
AV	5.458G	51.28	54.00	-2.72	40.34	3	Vertical	9	1.99	-	33.92	7.77	30.75
PK	5.619G	115.96	Inf	-Inf	104.77	3	Vertical	9	1.99	-	34.00	7.89	30.70
AV	5.6195G	104.39	Inf	-Inf	93.20	3	Vertical	9	1.99	-	34.00	7.89	30.70
PK	5.7295G	66.98	68.20	-1.22	55.56	3	Vertical	9	1.99	-	34.00	8.09	30.67

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
Setting 75
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4535G	64.18	74.00	-9.82	53.26	3	Horizontal	344	2.02	-	33.91	7.77	30.76
AV	5.453G	51.64	54.00	-2.36	40.72	3	Horizontal	344	2.02	-	33.91	7.77	30.76
PK	5.467G	63.71	68.20	-4.49	52.75	3	Horizontal	344	2.02	-	33.93	7.78	30.75
PK	5.613G	116.12	Inf	-Inf	104.94	3	Horizontal	344	2.02	-	34.00	7.88	30.70
AV	5.618G	105.24	Inf	-Inf	94.05	3	Horizontal	344	2.02	-	34.00	7.89	30.70
PK	5.726G	67.83	68.20	-0.37	56.43	3	Horizontal	344	2.02	-	34.00	8.08	30.68

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 75
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.2167G	59.44	74.00	-14.56	39.13	3	Vertical	98	2.22	-	38.50	12.39	30.58				
AV	11.21661G	48.47	54.00	-5.53	28.16	3	Vertical	98	2.22	-	38.50	12.39	30.58				
PK	16.82515G	61.53	68.20	-6.67	38.28	3	Vertical	246	2.56	-	40.35	15.00	32.10				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 75
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.21718G	59.49	74.00	-14.51	39.18	3	Horizontal	259	1.98	-	38.50	12.39	30.58			
AV	11.21512G	48.39	54.00	-5.61	28.08	3	Horizontal	259	1.98	-	38.50	12.39	30.58			
PK	16.83275G	61.56	68.20	-6.64	38.29	3	Horizontal	194	1.08	-	40.37	15.00	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 87
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.448G	61.32	74.00	-12.68	50.41	3	Vertical	11	1.80	-	33.90	7.77	30.76			
AV	5.4475G	50.09	54.00	-3.91	39.18	3	Vertical	11	1.80	-	33.90	7.77	30.76			
PK	5.4675G	63.40	68.20	-4.80	52.44	3	Vertical	11	1.80	-	33.93	7.78	30.75			
PK	5.6685G	117.23	Inf	-Inf	105.94	3	Vertical	11	1.80	-	34.00	7.98	30.69			
AV	5.6785G	106.16	Inf	-Inf	94.85	3	Vertical	11	1.80	-	34.00	8.00	30.69			
PK	5.853G	66.52	68.20	-1.68	55.07	3	Vertical	11	1.80	-	33.91	8.19	30.65			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 87
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4565G	62.64	74.00	-11.36	51.71	3	Horizontal	344	2.07	-	33.91	7.77	30.75
AV	5.4525G	51.12	54.00	-2.88	40.20	3	Horizontal	344	2.07	-	33.91	7.77	30.76
PK	5.4675G	62.98	68.20	-5.22	52.02	3	Horizontal	344	2.07	-	33.93	7.78	30.75
PK	5.673G	117.75	Inf	-Inf	106.45	3	Horizontal	344	2.07	-	34.00	7.99	30.69
AV	5.678G	107.32	Inf	-Inf	96.01	3	Horizontal	344	2.07	-	34.00	8.00	30.69
PK	5.85G	67.63	68.20	-0.57	56.19	3	Horizontal	344	2.07	-	33.90	8.19	30.65

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 87
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38465G	59.80	74.00	-14.20	39.28	3	Vertical	174	2.00	-	38.70	12.48	30.66			
AV	11.38491G	49.00	54.00	-5.00	28.48	3	Vertical	174	2.00	-	38.70	12.48	30.66			
PK	17.06598G	61.07	68.20	-7.13	36.83	3	Vertical	302	1.62	-	41.33	15.05	32.14			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 87
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3844G	60.14	74.00	-13.86	39.62	3	Horizontal	160	2.94	-	38.70	12.48	30.66			
AV	11.37577G	49.09	54.00	-4.91	28.57	3	Horizontal	160	2.94	-	38.70	12.47	30.65			
PK	17.06855G	61.10	68.20	-7.10	36.85	3	Horizontal	78	1.25	-	41.34	15.05	32.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 63
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3276G	58.49	68.20	-9.71	47.77	3	Vertical	20	2.21	-	33.86	7.69	30.83			
PK	5.4332G	65.67	74.00	-8.33	54.78	3	Vertical	20	2.21	-	33.90	7.76	30.77			
PK	5.4604G	65.18	68.20	-3.02	54.23	3	Vertical	20	2.21	-	33.92	7.78	30.75			
AV	5.458G	53.66	54.00	-0.34	42.72	3	Vertical	20	2.21	-	33.92	7.77	30.75			
PK	5.5884G	109.44	Inf	-Inf	98.28	3	Vertical	20	2.21	-	34.02	7.85	30.71			
AV	5.5876G	98.49	Inf	-Inf	87.33	3	Vertical	20	2.21	-	34.02	7.85	30.71			
PK	5.8124G	63.62	68.20	-4.58	52.10	3	Vertical	20	2.21	-	33.98	8.20	30.66			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Y_4TX
Setting 63
02-D-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	58.88	68.20	-9.32	48.11	3	Horizontal	343	2.04	-	33.89	7.70	30.82			
PK	5.458G	64.80	74.00	-9.20	53.86	3	Horizontal	343	2.04	-	33.92	7.77	30.75			
AV	5.4484G	53.54	54.00	-0.46	42.63	3	Horizontal	343	2.04	-	33.90	7.77	30.76			
PK	5.4692G	64.88	68.20	-3.32	53.91	3	Horizontal	343	2.04	-	33.94	7.78	30.75			
PK	5.618G	109.28	Inf	-Inf	98.09	3	Horizontal	343	2.04	-	34.00	7.89	30.70			
AV	5.5932G	99.02	Inf	-Inf	87.86	3	Horizontal	343	2.04	-	34.01	7.86	30.71			
PK	5.7284G	65.81	68.20	-2.39	54.41	3	Horizontal	343	2.04	-	34.00	8.08	30.68			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Y_4TX
Setting 63
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14381G	59.05	74.00	-14.95	38.73	3	Vertical	125	2.49	-	38.51	12.36	30.55			
AV	11.1418G	48.50	54.00	-5.50	28.17	3	Vertical	125	2.49	-	38.52	12.36	30.55			
PK	16.71337G	61.16	68.20	-7.04	38.33	3	Vertical	346	1.24	-	39.93	14.98	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 63
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13934G	58.93	74.00	-15.07	38.59	3	Horizontal	252	2.17	-	38.52	12.36	30.54			
AV	11.14193G	48.42	54.00	-5.58	28.09	3	Horizontal	252	2.17	-	38.52	12.36	30.55			
PK	16.71422G	61.20	68.20	-7.00	38.37	3	Horizontal	185	1.40	-	39.93	14.98	32.08			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6485G	64.76	68.20	-3.44	53.79	3	Vertical	356	2.03	-	34.00	7.66	30.69				
PK	5.7465G	125.52	Inf	-Inf	114.44	3	Vertical	356	2.03	-	34.00	7.75	30.67				
AV	5.746G	117.04	Inf	-Inf	105.96	3	Vertical	356	2.03	-	34.00	7.75	30.67				
PK	5.988G	62.33	68.20	-5.87	50.74	3	Vertical	356	2.03	-	34.28	7.92	30.61				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6415G	66.49	68.20	-1.71	55.53	3	Horizontal	339	2.04	-	34.00	7.66	30.70			
PK	5.751G	126.05	Inf	-Inf	114.96	3	Horizontal	339	2.04	-	34.00	7.76	30.67			
AV	5.7515G	118.27	Inf	-Inf	107.18	3	Horizontal	339	2.04	-	34.00	7.76	30.67			
PK	5.952G	61.98	68.20	-6.22	50.50	3	Horizontal	339	2.04	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48954G	59.63	74.00	-14.37	38.85	3	Vertical	215	1.90	-	38.96	12.53	30.71			
AV	11.48742G	49.32	54.00	-4.68	28.54	3	Vertical	215	1.90	-	38.95	12.53	30.70			
PK	17.23036G	61.37	68.20	-6.83	36.51	3	Vertical	102	2.49	-	41.98	15.08	32.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48774G	59.93	74.00	-14.07	39.15	3	Horizontal	8	2.25	-	38.95	12.53	30.70			
AV	11.49262G	49.15	54.00	-4.85	28.36	3	Horizontal	8	2.25	-	38.97	12.53	30.71			
PK	17.23373G	61.18	68.20	-7.02	36.30	3	Horizontal	343	1.30	-	42.00	15.08	32.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.555G	62.72	68.20	-5.48	51.88	3	Vertical	336	2.06	-	34.09	7.47	30.72			
PK	5.782G	125.21	Inf	-Inf	114.09	3	Vertical	336	2.06	-	34.00	7.78	30.66			
AV	5.7835G	115.46	Inf	-Inf	104.33	3	Vertical	336	2.06	-	34.00	7.79	30.66			
PK	5.993G	62.31	68.20	-5.89	50.70	3	Vertical	336	2.06	-	34.29	7.93	30.61			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.569G	62.59	68.20	-5.61	51.72	3	Horizontal	338	2.11	-	34.06	7.52	30.71			
PK	5.7915G	125.31	Inf	-Inf	114.18	3	Horizontal	338	2.11	-	34.00	7.79	30.66			
AV	5.7905G	116.66	Inf	-Inf	105.53	3	Horizontal	338	2.11	-	34.00	7.79	30.66			
PK	5.977G	62.70	68.20	-5.50	51.15	3	Horizontal	338	2.11	-	34.25	7.92	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56549G	60.66	74.00	-13.34	39.73	3	Vertical	137	1.40	-	39.13	12.57	30.77			
AV	11.56848G	49.01	54.00	-4.99	28.07	3	Vertical	137	1.40	-	39.14	12.57	30.77			
PK	17.35448G	61.90	68.20	-6.30	36.12	3	Vertical	27	2.58	-	42.92	15.11	32.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57079G	59.68	74.00	-14.32	38.74	3	Horizontal	99	2.02	-	39.14	12.57	30.77			
AV	11.57428G	48.98	54.00	-5.02	28.02	3	Horizontal	99	2.02	-	39.15	12.58	30.77			
PK	17.35629G	61.97	68.20	-6.23	36.18	3	Horizontal	24	2.53	-	42.93	15.11	32.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.63G	62.06	68.20	-6.14	51.11	3	Vertical	12	1.57	-	34.00	7.65	30.70				
PK	5.8305G	122.72	Inf	-Inf	111.61	3	Vertical	12	1.57	-	33.94	7.82	30.65				
AV	5.8305G	114.29	Inf	-Inf	103.18	3	Vertical	12	1.57	-	33.94	7.82	30.65				
PK	6.044G	62.78	68.20	-5.42	51.05	3	Vertical	12	1.57	-	34.39	8.00	30.66				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.626G	62.09	68.20	-6.11	51.15	3	Horizontal	341	1.98	-	34.00	7.64	30.70			
PK	5.8305G	124.53	Inf	-Inf	113.42	3	Horizontal	341	1.98	-	33.94	7.82	30.65			
AV	5.8305G	115.86	Inf	-Inf	104.75	3	Horizontal	341	1.98	-	33.94	7.82	30.65			
PK	6.075G	62.86	68.20	-5.34	51.05	3	Horizontal	341	1.98	-	34.45	8.05	30.69			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.65237G	59.92	74.00	-14.08	38.85	3	Vertical	228	1.73	-	39.30	12.61	30.84			
AV	11.6491G	49.19	54.00	-4.81	28.12	3	Vertical	228	1.73	-	39.30	12.61	30.84			
PK	17.47167G	61.89	68.20	-6.31	35.38	3	Vertical	212	1.01	-	43.67	15.13	32.29			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 108
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65029G	59.90	74.00	-14.10	38.83	3	Horizontal	29	2.94	-	39.30	12.61	30.84			
AV	11.65019G	49.40	54.00	-4.60	28.33	3	Horizontal	29	2.94	-	39.30	12.61	30.84			
PK	17.47672G	61.25	68.20	-6.95	34.70	3	Horizontal	85	1.60	-	43.71	15.13	32.29			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 94
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6195G	63.38	68.20	-4.82	52.44	3	Vertical	9	1.78	-	34.00	7.64	30.70				
PK	5.743G	123.41	Inf	-Inf	112.33	3	Vertical	9	1.78	-	34.00	7.75	30.67				
AV	5.744G	113.00	Inf	-Inf	101.92	3	Vertical	9	1.78	-	34.00	7.75	30.67				
PK	5.9715G	62.28	68.20	-5.92	50.75	3	Vertical	9	1.78	-	34.24	7.91	30.62				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 94
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.585G	62.99	68.20	-5.21	52.10	3	Horizontal	341	2.15	-	34.03	7.57	30.71			
PK	5.738G	125.09	Inf	-Inf	114.02	3	Horizontal	341	2.15	-	34.00	7.74	30.67			
AV	5.743G	114.80	Inf	-Inf	103.72	3	Horizontal	341	2.15	-	34.00	7.75	30.67			
PK	5.941G	62.13	68.20	-6.07	50.68	3	Horizontal	341	2.15	-	34.18	7.89	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 94
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48571G	60.28	74.00	-13.72	39.51	3	Vertical	44	1.38	-	38.94	12.53	30.70			
AV	11.493G	48.52	54.00	-5.48	27.73	3	Vertical	44	1.38	-	38.97	12.53	30.71			
PK	17.23995G	61.15	68.20	-7.05	36.24	3	Vertical	349	2.43	-	42.04	15.08	32.21			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 94
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48908G	59.34	74.00	-14.66	38.55	3	Horizontal	98	1.60	-	38.96	12.53	30.70			
AV	11.49071G	48.69	54.00	-5.31	27.91	3	Horizontal	98	1.60	-	38.96	12.53	30.71			
PK	17.23987G	61.82	68.20	-6.38	36.91	3	Horizontal	187	2.66	-	42.04	15.08	32.21			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 94
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.6255G	64.43	68.20	-3.77	53.49	3	Vertical	2	1.94	-	34.00	7.64	30.70					
PK	5.784G	123.04	Inf	-Inf	111.91	3	Vertical	2	1.94	-	34.00	7.79	30.66					
AV	5.7895G	112.88	Inf	-Inf	101.75	3	Vertical	2	1.94	-	34.00	7.79	30.66					
PK	5.9595G	62.61	68.20	-5.59	51.11	3	Vertical	2	1.94	-	34.22	7.90	30.62					

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 95
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6285G	63.12	68.20	-5.08	52.17	3	Horizontal	7	1.91	-	34.00	7.65	30.70			
PK	5.7905G	123.91	Inf	-Inf	112.78	3	Horizontal	7	1.91	-	34.00	7.79	30.66			
AV	5.78G	113.64	Inf	-Inf	102.52	3	Horizontal	7	1.91	-	34.00	7.78	30.66			
PK	5.962G	62.36	68.20	-5.84	50.85	3	Horizontal	7	1.91	-	34.22	7.91	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 94
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.57385G	59.59	74.00	-14.41	38.64	3	Vertical	324	2.38	-	39.15	12.57	30.77				
AV	11.57188G	48.99	54.00	-5.01	28.05	3	Vertical	324	2.38	-	39.14	12.57	30.77				
PK	17.35215G	61.55	68.20	-6.65	35.78	3	Vertical	251	1.64	-	42.91	15.11	32.25				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 94
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57483G	59.94	74.00	-14.06	38.98	3	Horizontal	108	2.80	-	39.15	12.58	30.77			
AV	11.56944G	49.07	54.00	-4.93	28.13	3	Horizontal	108	2.80	-	39.14	12.57	30.77			
PK	17.35369G	61.16	68.20	-7.04	35.39	3	Horizontal	95	2.41	-	42.91	15.11	32.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 96
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.637G	67.12	68.20	-1.08	56.17	3	Vertical	29	1.90	-	34.00	7.65	30.70			
PK	5.817G	123.17	Inf	-Inf	112.04	3	Vertical	29	1.90	-	33.97	7.81	30.65			
AV	5.8165G	112.54	Inf	-Inf	101.41	3	Vertical	29	1.90	-	33.97	7.81	30.65			
PK	5.979G	62.40	68.20	-5.80	50.84	3	Vertical	29	1.90	-	34.26	7.92	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX



EUT_Y_4TX
Setting 96
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6505G	67.72	68.57	-0.85	56.74	3	Horizontal	342	2.01	-	34.00	7.67	30.69			
PK	5.823G	124.04	Inf	-Inf	112.93	3	Horizontal	342	2.01	-	33.95	7.81	30.65			
AV	5.818G	114.18	Inf	-Inf	103.06	3	Horizontal	342	2.01	-	33.96	7.81	30.65			
PK	6.038G	63.12	68.20	-5.08	51.40	3	Horizontal	342	2.01	-	34.38	7.99	30.65			