


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5775MHz

21/07/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/07/2025



5250-5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.26	1.26	-4.93	-4.17	-5.41	-3.91

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/07/2025



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.25	1.25	-4.66	-4.46	-4.81	-4.59

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.25	1.25	-5.19	-4.14	-5.34	-4.05

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

PSD

5570MHz

22/07/2025



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.85	-0.85	-6.82	-6.23	-7.49	-6.20


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

PSD

5570MHz

22/07/2025

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.82	-0.82	-6.80	-6.19	-7.44	-6.33

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	2.96	8.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-0.27	5.45
5.25-5.35GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	2.83	8.88
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-0.35	5.70
5.47-5.725GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	4.92	12.16
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-0.22	7.02
5.725-5.85GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	4.28	11.07

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	5.72	-2.91	-2.89	-2.87	-3.49	2.96	17.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.05	-3.08	-2.73	-3.35	-3.26	2.83	10.95
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.24	-4.86	-4.93	-4.47	-4.77	1.16	9.76
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	7.24	-0.62	-0.82	-1.21	-1.50	4.92	9.76
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.24	-1.42	-1.49	-1.21	-1.78	4.42	9.76
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	6.79	-4.08	-4.12	-3.71	-4.09	1.96	29.21
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	6.79	-1.48	-1.75	-1.63	-1.91	4.28	29.21
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.72	-6.11	-6.50	-5.51	-6.94	-0.37	17.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.72	-6.06	-6.43	-5.52	-6.98	-0.27	17.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	6.05	-6.39	-6.12	-5.84	-6.31	-0.39	10.95
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	6.05	-6.58	-6.05	-6.17	-6.30	-0.35	10.95
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.24	-6.27	-5.99	-5.85	-6.04	-0.23	9.76
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.24	-6.23	-5.88	-5.93	-5.99	-0.22	9.76

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5210MHz

06/08/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5290MHz

06/08/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5530MHz

06/08/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5610MHz

06/08/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

06/08/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

06/08/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5775MHz

06/08/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

07/08/2025



5250-5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.39	-0.39	-6.39	-6.12	-5.84	-6.31

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

07/08/2025



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.27	-0.27	-6.06	-6.43	-5.52	-6.98

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.35	-0.35	-6.58	-6.05	-6.17	-6.30

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

PSD

5570MHz

07/08/2025



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.23	-0.23	-6.27	-5.99	-5.85	-6.04


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

PSD

5570MHz

07/08/2025

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.22	-0.22	-6.23	-5.88	-5.93	-5.99

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242_4TX	1.19
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242_4TX	-0.17
802.11be EHT160_Nss1,(MCS0),RU996+RU484_4TX	-0.21
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242_4TX	0.67
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242_4TX	-0.55
802.11be EHT160_Nss1,(MCS0),RU996+RU484_4TX	-0.58
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242_4TX	0.36
802.11be EHT80_Nss1,(MCS0),RU484+RU242_4TX	0.27
802.11be EHT80_Nss1,(MCS0),RU484+RU242_4TX	0.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242_4TX	-2.41
802.11be EHT160_Nss1,(MCS0),RU996+RU484_4TX	-2.37
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242_4TX	-1.82
802.11be EHT80_Nss1,(MCS0),RU484+RU242_4TX	4.47

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	13.01	-4.43	-4.61	-4.86	-4.94	1.19	9.99
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	13.01	-5.12	-5.11	-5.40	-5.48	0.67	3.99
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	13.01	-5.40	-6.07	-5.47	-5.35	0.36	3.99
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	13.01	-5.70	-5.67	-5.96	-5.37	0.27	3.99
5690MHz Straddle 5.47-5.725GHz	Pass	13.01	-5.25	-5.72	-5.75	-4.91	0.57	3.99
5690MHz Straddle 5.725-5.85GHz	Pass	13.01	-7.84	-7.75	-7.67	-8.02	-1.82	22.99
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	13.01	-1.32	-1.72	-1.58	-1.28	4.47	22.99
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	13.01	-5.61	-5.91	-6.22	-6.65	-0.17	9.99
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	13.01	-5.78	-5.99	-6.31	-6.36	-0.21	9.99
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	13.01	-6.30	-6.03	-7.04	-6.54	-0.55	3.99
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	13.01	-6.52	-6.05	-7.33	-6.29	-0.58	3.99
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	13.01	-8.00	-8.04	-8.60	-7.99	-2.41	3.99
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	13.01	-8.14	-8.05	-8.46	-8.01	-2.37	3.99


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5210MHz

23/07/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5290MHz

22/07/2025



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5530MHz

22/07/2025

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.36	0.36	-5.40	-6.07	-5.47	-5.35

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5610MHz

22/07/2025

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.27	0.27	-5.70	-5.67	-5.96	-5.37

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

22/07/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

22/07/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5775MHz

23/07/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/07/2025



5250-5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.55	-0.55	-6.30	-6.03	-7.04	-6.54

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/07/2025



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.21	-0.21	-5.78	-5.99	-6.31	-6.36

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.58	-0.58	-6.52	-6.05	-7.33	-6.29

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

PSD

5570MHz

23/07/2025




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.41	-2.41	-8.00	-8.04	-8.60	-7.99

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

PSD

5570MHz

23/07/2025






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 15	Pass	QP	55.22M	35.51	40.00	-4.49	Vertical

Mode 15



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
QP	52.8M	31.52	40.00	-8.48	-34.23	3	Vertical	66	1.00	-	65.75	19.90	0.80	54.93		
QP	55.22M	35.51	40.00	-4.49	-34.36	3	Vertical	138	1.00	"Worst"	69.87	19.76	0.83	54.95		
QP	64.44M	29.23	40.00	-10.77	-35.47	3	Vertical	233	2.00	"	64.70	18.35	0.89	54.71		
PK	214.79M	33.50	43.50	-10.00	-36.88	3	Vertical	25	2.00	-	70.38	15.71	1.79	54.38		
PK	366.59M	33.37	46.00	-12.63	-30.58	3	Vertical	79	2.00	-	63.95	20.87	2.54	53.99		
PK	482.02M	34.49	46.00	-11.51	-27.66	3	Vertical	142	1.00	-	62.15	23.27	2.99	53.92		

Mode 15



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	215.76M	29.55	43.50	-13.95	-36.85	3	Horizontal	56	1.00	-	66.40	15.73	1.80	54.38		
PK	320.52M	29.12	46.00	-16.88	-31.77	3	Horizontal	156	2.00	-	60.89	19.89	2.35	54.01		
PK	347.68M	30.35	46.00	-15.65	-30.91	3	Horizontal	128	2.00	-	61.26	20.22	2.49	53.62		
PK	367.56M	34.82	46.00	-11.18	-30.55	3	Horizontal	43	1.00	"Worst"	65.37	20.92	2.54	54.01		
QP	377.26M	32.30	46.00	-13.70	-30.41	3	Horizontal	66	1.00	"	62.71	21.27	2.57	54.25		
PK	450.98M	32.14	46.00	-13.86	-28.42	3	Horizontal	90	1.00	-	60.56	22.82	2.96	54.20		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.4682G	68.17	68.20	-0.03	3	Vertical	167	2.51	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 80
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1465G	73.84	74.00	-0.16	66.95	3	Vertical	260	2.47	-	32.79	6.64	32.54			
AV	5.1454G	53.49	54.00	-0.51	46.61	3	Vertical	260	2.47	-	32.79	6.64	32.55			
PK	5.1846G	122.44	Inf	-Inf	115.48	3	Vertical	260	2.47	-	32.87	6.63	32.54			
AV	5.1846G	113.15	Inf	-Inf	106.19	3	Vertical	260	2.47	-	32.87	6.63	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 80
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1427G	65.24	74.00	-8.76	58.36	3	Horizontal	340	2.59	-	32.79	6.64	32.55				
AV	5.1499G	50.76	54.00	-3.24	43.86	3	Horizontal	340	2.59	-	32.80	6.64	32.54				
PK	5.1831G	112.11	Inf	-Inf	105.15	3	Horizontal	340	2.59	-	32.87	6.63	32.54				
AV	5.1824G	102.86	Inf	-Inf	95.91	3	Horizontal	340	2.59	-	32.86	6.63	32.54				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 80
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36235G	58.33	68.20	-9.87	41.40	3	Vertical	359	1.04	-	38.78	10.69	32.54			
PK	15.54334G	61.64	74.00	-12.36	42.17	3	Vertical	0	2.54	-	38.60	13.60	32.73			
AV	15.53853G	47.02	54.00	-2.98	31.55	3	Vertical	0	2.54	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 80
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35818G	58.20	68.20	-10.00	41.27	3	Horizontal	325	2.91	-	38.78	10.69	32.54			
PK	15.53979G	62.38	74.00	-11.62	42.91	3	Horizontal	180	3.00	-	38.60	13.60	32.73			
AV	15.53815G	47.18	54.00	-6.82	27.71	3	Horizontal	180	3.00	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 94
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1454G	68.75	74.00	-5.25	61.87	3	Vertical	261	2.51	-	32.79	6.64	32.55				
AV	5.1456G	53.88	54.00	-0.12	47.00	3	Vertical	261	2.51	-	32.79	6.64	32.55				
PK	5.2044G	124.71	Inf	-Inf	117.71	3	Vertical	261	2.51	-	32.90	6.63	32.53				
AV	5.2046G	115.68	Inf	-Inf	108.68	3	Vertical	261	2.51	-	32.90	6.63	32.53				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 94
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1482G	63.95	74.00	-10.05	57.05	3	Horizontal	158	2.95	-	32.80	6.64	32.54			
AV	5.1496G	50.08	54.00	-3.92	43.18	3	Horizontal	158	2.95	-	32.80	6.64	32.54			
PK	5.1958G	116.58	Inf	-Inf	109.59	3	Horizontal	158	2.95	-	32.89	6.63	32.53			
AV	5.195G	107.93	Inf	-Inf	100.94	3	Horizontal	158	2.95	-	32.89	6.63	32.53			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 94
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40379G	58.10	68.20	-10.10	41.16	3	Vertical	77	2.90	-	38.71	10.73	32.50			
PK	15.59533G	61.43	74.00	-12.57	42.14	3	Vertical	206	1.94	-	38.42	13.61	32.74			
AV	15.60169G	47.63	54.00	-6.37	28.37	3	Vertical	206	1.94	-	38.39	13.61	32.74			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 94
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.39886G	58.36	68.20	-9.84	41.43	3	Horizontal	191	2.88	-	38.70	10.73	32.50			
PK	15.60114G	61.91	74.00	-12.09	42.65	3	Horizontal	311	1.62	-	38.39	13.61	32.74			
AV	15.5987G	47.64	54.00	-6.36	28.36	3	Horizontal	311	1.62	-	38.41	13.61	32.74			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 103
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1422G	69.01	74.00	-4.99	62.14	3	Vertical	261	2.61	-	32.78	6.64	32.55			
AV	5.1467G	51.17	54.00	-2.83	44.28	3	Vertical	261	2.61	-	32.79	6.64	32.54			
PK	5.2442G	126.22	Inf	-Inf	119.19	3	Vertical	261	2.61	-	32.90	6.65	32.52			
AV	5.2442G	117.33	Inf	-Inf	110.30	3	Vertical	261	2.61	-	32.90	6.65	32.52			
PK	5.3672G	62.35	74.00	-11.65	54.96	3	Vertical	261	2.61	-	33.17	6.71	32.49			
AV	5.3633G	51.39	54.00	-2.61	44.02	3	Vertical	261	2.61	-	33.15	6.71	32.49			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 103
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1407G	59.94	74.00	-14.06	53.07	3	Horizontal	156	2.95	-	32.78	6.64	32.55
AV	5.15G	49.42	54.00	-4.58	42.52	3	Horizontal	156	2.95	-	32.80	6.64	32.54
PK	5.2346G	118.22	Inf	-Inf	111.19	3	Horizontal	156	2.95	-	32.90	6.65	32.52
AV	5.2349G	109.45	Inf	-Inf	102.42	3	Horizontal	156	2.95	-	32.90	6.65	32.52
PK	5.3642G	60.39	74.00	-13.61	53.01	3	Horizontal	156	2.95	-	33.16	6.71	32.49
AV	5.3834G	49.80	54.00	-4.20	42.34	3	Horizontal	156	2.95	-	33.23	6.72	32.49

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 103
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4817G	57.82	68.20	-10.38	40.51	3	Vertical	317	2.59	-	38.93	10.81	32.43			
PK	15.71676G	61.75	74.00	-12.25	42.61	3	Vertical	159	2.78	-	38.27	13.62	32.75			
AV	15.71976G	47.79	54.00	-6.21	28.65	3	Vertical	159	2.78	-	38.28	13.62	32.76			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 103
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47641G	58.87	68.20	-9.33	41.58	3	Horizontal	140	1.88	-	38.91	10.81	32.43			
PK	15.72124G	61.66	74.00	-12.34	42.52	3	Horizontal	125	2.64	-	38.28	13.62	32.76			
AV	15.71639G	47.72	54.00	-6.28	28.58	3	Horizontal	125	2.64	-	38.27	13.62	32.75			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1373G	70.21	74.00	-3.79	63.35	3	Vertical	200	2.35	-	32.77	6.64	32.55			
AV	5.1481G	50.90	54.00	-3.10	44.00	3	Vertical	200	2.35	-	32.80	6.64	32.54			
PK	5.2612G	126.42	Inf	-Inf	119.36	3	Vertical	200	2.35	-	32.92	6.66	32.52			
AV	5.2606G	118.46	Inf	-Inf	111.40	3	Vertical	200	2.35	-	32.92	6.66	32.52			
PK	5.3554G	71.78	74.00	-2.22	64.44	3	Vertical	200	2.35	-	33.12	6.71	32.49			
AV	5.3533G	52.98	54.00	-1.02	45.66	3	Vertical	200	2.35	-	33.11	6.71	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1499G	61.75	74.00	-12.25	54.85	3	Horizontal	294	2.49	-	32.80	6.64	32.54			
AV	5.1391G	48.59	54.00	-5.41	41.72	3	Horizontal	294	2.49	-	32.78	6.64	32.55			
PK	5.266G	117.51	Inf	-Inf	110.44	3	Horizontal	294	2.49	-	32.93	6.66	32.52			
AV	5.2654G	108.49	Inf	-Inf	101.42	3	Horizontal	294	2.49	-	32.93	6.66	32.52			
PK	5.3503G	62.22	74.00	-11.78	54.91	3	Horizontal	294	2.49	-	33.10	6.71	32.50			
AV	5.3779G	50.10	54.00	-3.90	42.66	3	Horizontal	294	2.49	-	33.21	6.72	32.49			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52627G	59.26	68.20	-8.94	41.76	3	Vertical	92	1.78	-	39.05	10.86	32.41			
PK	15.77064G	62.22	74.00	-11.78	42.95	3	Vertical	281	1.80	-	38.40	13.63	32.76			
AV	15.7719G	47.74	54.00	-6.26	28.47	3	Vertical	281	1.80	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52162G	57.89	68.20	-10.31	40.41	3	Horizontal	20	1.80	-	39.04	10.85	32.41			
PK	15.77058G	61.54	74.00	-12.46	42.27	3	Horizontal	292	1.08	-	38.40	13.63	32.76			
AV	15.77994G	47.59	54.00	-6.41	28.32	3	Horizontal	292	1.08	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 94
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2972G	124.73	Inf	-Inf	117.57	3	Vertical	318	2.95	-	32.99	6.68	32.51				
AV	5.2968G	115.85	Inf	-Inf	108.69	3	Vertical	318	2.95	-	32.99	6.68	32.51				
PK	5.3512G	69.53	74.00	-4.47	62.22	3	Vertical	318	2.95	-	33.10	6.71	32.50				
AV	5.3548G	53.80	54.00	-0.20	46.46	3	Vertical	318	2.95	-	33.12	6.71	32.49				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 94
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3062G	116.01	Inf	-Inf	108.83	3	Horizontal	295	2.46	-	33.01	6.68	32.51			
AV	5.3042G	105.91	Inf	-Inf	98.73	3	Horizontal	295	2.46	-	33.01	6.68	32.51			
PK	5.35G	60.91	74.00	-13.09	53.60	3	Horizontal	295	2.46	-	33.10	6.71	32.50			
AV	5.3512G	49.45	54.00	-4.55	42.14	3	Horizontal	295	2.46	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 94
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.59502G	58.69	68.20	-9.51	41.07	3	Vertical	159	2.99	-	39.10	10.93	32.41				
PK	15.89986G	61.84	74.00	-12.16	42.38	3	Vertical	179	2.97	-	38.60	13.64	32.78				
AV	15.89895G	47.71	54.00	-6.29	28.25	3	Vertical	179	2.97	-	38.60	13.64	32.78				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 94
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60058G	58.92	74.00	-15.08	41.30	3	Horizontal	136	1.89	-	39.10	10.93	32.41			
PK	15.89629G	62.30	74.00	-11.70	42.85	3	Horizontal	163	1.42	-	38.59	13.64	32.78			
AV	15.90001G	47.89	54.00	-6.11	28.43	3	Horizontal	163	1.42	-	38.60	13.64	32.78			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 83
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3216G	121.63	Inf	-Inf	114.40	3	Vertical	333	2.23	-	33.04	6.69	32.50			
AV	5.3208G	112.74	Inf	-Inf	105.51	3	Vertical	333	2.23	-	33.04	6.69	32.50			
PK	5.3595G	70.30	74.00	-3.70	62.94	3	Vertical	333	2.23	-	33.14	6.71	32.49			
AV	5.3559G	53.78	54.00	-0.22	46.44	3	Vertical	333	2.23	-	33.12	6.71	32.49			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 83
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3264G	113.56	Inf	-Inf	106.32	3	Horizontal	294	2.33	-	33.05	6.69	32.50				
AV	5.3254G	103.19	Inf	-Inf	95.95	3	Horizontal	294	2.33	-	33.05	6.69	32.50				
PK	5.35G	63.85	74.00	-10.15	56.54	3	Horizontal	294	2.33	-	33.10	6.71	32.50				
AV	5.3501G	49.40	54.00	-4.60	42.09	3	Horizontal	294	2.33	-	33.10	6.71	32.50				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 83
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64391G	59.10	74.00	-14.90	41.35	3	Vertical	290	1.68	-	39.19	10.98	32.42			
AV	10.64011G	46.11	54.00	-7.89	28.38	3	Vertical	290	1.68	-	39.18	10.97	32.42			
PK	15.95802G	62.68	74.00	-11.32	43.35	3	Vertical	59	2.06	-	38.47	13.65	32.79			
AV	15.95639G	47.88	54.00	-6.12	28.55	3	Vertical	59	2.06	-	38.47	13.65	32.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 83
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6441G	59.82	74.00	-14.18	42.07	3	Horizontal	190	2.65	-	39.19	10.98	32.42			
AV	10.64279G	46.18	54.00	-7.82	28.43	3	Horizontal	190	2.65	-	39.19	10.98	32.42			
PK	15.95975G	62.58	74.00	-11.42	43.26	3	Horizontal	183	1.65	-	38.46	13.65	32.79			
AV	15.95655G	47.88	54.00	-6.12	28.55	3	Horizontal	183	1.65	-	38.47	13.65	32.79			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 72
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4576G	61.54	74.00	-12.46	53.62	3	Vertical	312	2.43	-	33.55	6.84	32.47			
AV	5.4584G	50.95	54.00	-3.05	43.03	3	Vertical	312	2.43	-	33.55	6.84	32.47			
PK	5.4698G	67.82	68.20	-0.38	59.81	3	Vertical	312	2.43	-	33.62	6.86	32.47			
PK	5.4932G	120.71	Inf	-Inf	112.51	3	Vertical	312	2.43	-	33.76	6.90	32.46			
AV	5.493G	111.86	Inf	-Inf	103.66	3	Vertical	312	2.43	-	33.76	6.90	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 72
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4525G	59.53	74.00	-14.47	51.65	3	Horizontal	292	2.69	-	33.52	6.83	32.47			
AV	5.4576G	49.46	54.00	-4.54	41.54	3	Horizontal	292	2.69	-	33.55	6.84	32.47			
PK	5.4653G	60.17	68.20	-8.03	52.20	3	Horizontal	292	2.69	-	33.59	6.85	32.47			
PK	5.5061G	110.52	Inf	-Inf	102.24	3	Horizontal	292	2.69	-	33.81	6.93	32.46			
AV	5.5043G	100.79	Inf	-Inf	92.52	3	Horizontal	292	2.69	-	33.81	6.92	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 72
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99896G	59.68	74.00	-14.32	41.67	3	Vertical	5	1.39	-	39.10	11.34	32.43			
AV	10.99789G	46.46	54.00	-7.54	28.45	3	Vertical	5	1.39	-	39.10	11.34	32.43			
PK	16.50489G	61.30	68.20	-6.90	40.36	3	Vertical	48	1.43	-	39.60	13.80	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 72
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99858G	59.32	74.00	-14.68	41.31	3	Horizontal	69	2.77	-	39.10	11.34	32.43			
AV	11.00473G	46.48	54.00	-7.52	28.48	3	Horizontal	69	2.77	-	39.09	11.34	32.43			
PK	16.50018G	61.65	68.20	-6.55	40.71	3	Horizontal	258	2.32	-	39.60	13.80	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 101
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4232G	60.83	74.00	-13.17	53.15	3	Vertical	307	2.58	-	33.39	6.77	32.48			
AV	5.416G	51.36	54.00	-2.64	43.72	3	Vertical	307	2.58	-	33.36	6.76	32.48			
PK	5.4684G	61.19	68.20	-7.01	53.19	3	Vertical	307	2.58	-	33.61	6.86	32.47			
PK	5.5732G	127.18	Inf	-Inf	118.69	3	Vertical	307	2.58	-	33.90	7.05	32.46			
AV	5.5736G	118.49	Inf	-Inf	110.00	3	Vertical	307	2.58	-	33.90	7.05	32.46			
PK	5.7416G	62.17	68.20	-6.03	53.24	3	Vertical	307	2.58	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 101
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4552G	60.22	74.00	-13.78	52.33	3	Horizontal	155	2.95	-	33.53	6.83	32.47			
AV	5.4512G	49.72	54.00	-4.28	41.86	3	Horizontal	155	2.95	-	33.51	6.82	32.47			
PK	5.4628G	59.00	68.20	-9.20	51.04	3	Horizontal	155	2.95	-	33.58	6.85	32.47			
PK	5.5876G	117.57	Inf	-Inf	109.05	3	Horizontal	155	2.95	-	33.90	7.08	32.46			
AV	5.5872G	108.16	Inf	-Inf	99.64	3	Horizontal	155	2.95	-	33.90	7.08	32.46			
PK	5.7576G	60.98	68.20	-7.22	52.01	3	Horizontal	155	2.95	-	34.12	7.30	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 101
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16471G	59.14	74.00	-14.86	41.31	3	Vertical	345	1.83	-	38.80	11.51	32.48			
AV	11.15626G	47.88	54.00	-6.12	30.06	3	Vertical	345	1.83	-	38.80	11.50	32.48			
PK	16.73643G	60.59	68.20	-7.61	39.06	3	Vertical	13	2.35	-	39.95	13.86	32.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 101
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16239G	59.15	74.00	-14.85	41.32	3	Horizontal	149	2.29	-	38.80	11.51	32.48			
AV	11.15996G	47.04	54.00	-6.96	29.22	3	Horizontal	149	2.29	-	38.80	11.50	32.48			
PK	16.73692G	60.25	68.20	-7.95	38.72	3	Horizontal	340	2.35	-	39.95	13.86	32.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 71
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6977G	120.74	Inf	-Inf	111.87	3	Vertical	319	2.43	-	34.10	7.22	32.45				
AV	5.6974G	111.10	Inf	-Inf	102.24	3	Vertical	319	2.43	-	34.09	7.22	32.45				
PK	5.7295G	67.96	68.20	-0.24	59.05	3	Vertical	319	2.43	-	34.10	7.26	32.45				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 71
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7023G	110.42	Inf	-Inf	101.54	3	Horizontal	292	2.70	-	34.10	7.23	32.45			
AV	5.7017G	101.33	Inf	-Inf	92.45	3	Horizontal	292	2.70	-	34.10	7.23	32.45			
PK	5.7471G	61.34	68.20	-6.86	52.41	3	Horizontal	292	2.70	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 71
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39996G	59.46	74.00	-14.54	41.16	3	Vertical	263	2.85	-	39.10	11.75	32.55			
AV	11.40293G	46.57	54.00	-7.43	28.28	3	Vertical	263	2.85	-	39.09	11.75	32.55			
PK	17.10491G	61.20	68.20	-7.00	38.13	3	Vertical	294	2.68	-	41.11	13.97	32.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 71
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40187G	59.40	74.00	-14.60	41.10	3	Horizontal	228	1.28	-	39.10	11.75	32.55			
AV	11.39934G	46.67	54.00	-7.33	28.37	3	Horizontal	228	1.28	-	39.10	11.75	32.55			
PK	17.09769G	61.69	68.20	-6.51	38.65	3	Horizontal	267	2.08	-	41.09	13.97	32.02			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 102
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7172G	127.84	Inf	-Inf	118.94	3	Vertical	319	2.31	-	34.10	7.25	32.45			
AV	5.7168G	118.65	Inf	-Inf	109.75	3	Vertical	319	2.31	-	34.10	7.25	32.45			
PK	5.8524G	62.23	68.20	-5.97	52.78	3	Vertical	319	2.31	-	34.51	7.39	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 102
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.726G	117.40	Inf	-Inf	108.49	3	Horizontal	285	2.56	-	34.10	7.26	32.45			
AV	5.7256G	108.42	Inf	-Inf	99.51	3	Horizontal	285	2.56	-	34.10	7.26	32.45			
PK	5.8568G	61.68	68.20	-6.52	52.20	3	Horizontal	285	2.56	-	34.54	7.39	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 102
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.44378G	59.48	74.00	-14.52	41.24	3	Vertical	8	2.21	-	39.01	11.79	32.56				
AV	11.44449G	46.68	54.00	-7.32	28.44	3	Vertical	8	2.21	-	39.01	11.79	32.56				
PK	17.16053G	61.06	68.20	-7.14	37.83	3	Vertical	277	1.11	-	41.22	13.99	31.98				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 102
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44486G	59.64	74.00	-14.36	41.40	3	Horizontal	336	2.69	-	39.01	11.79	32.56			
AV	11.43688G	46.43	54.00	-7.57	28.17	3	Horizontal	336	2.69	-	39.03	11.79	32.56			
PK	17.16466G	61.49	68.20	-6.71	38.24	3	Horizontal	31	1.61	-	41.23	13.99	31.97			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.628G	62.54	68.20	-5.66	53.90	3	Vertical	317	2.36	-	33.96	7.13	32.45			
PK	5.7425G	127.34	Inf	-Inf	118.41	3	Vertical	317	2.36	-	34.10	7.28	32.45			
AV	5.7425G	118.78	Inf	-Inf	109.85	3	Vertical	317	2.36	-	34.10	7.28	32.45			
PK	5.9845G	61.73	68.20	-6.47	51.44	3	Vertical	317	2.36	-	35.24	7.49	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5365G	60.68	68.20	-7.52	52.29	3	Horizontal	159	2.81	-	33.87	6.98	32.46				
PK	5.7525G	116.67	Inf	-Inf	107.72	3	Horizontal	159	2.81	-	34.11	7.29	32.45				
AV	5.752G	108.49	Inf	-Inf	99.55	3	Horizontal	159	2.81	-	34.10	7.29	32.45				
PK	5.9805G	62.00	68.20	-6.20	51.73	3	Horizontal	159	2.81	-	35.22	7.49	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48869G	59.70	74.00	-14.30	41.52	3	Vertical	147	1.04	-	38.92	11.84	32.58			
AV	11.49016G	46.56	54.00	-7.44	28.38	3	Vertical	147	1.04	-	38.92	11.84	32.58			
PK	17.232G	61.90	68.20	-6.30	38.39	3	Vertical	216	1.56	-	41.43	14.01	31.93			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.49444G	60.15	74.00	-13.85	41.98	3	Horizontal	70	1.77	-	38.91	11.84	32.58			
AV	11.48516G	46.48	54.00	-7.52	28.30	3	Horizontal	70	1.77	-	38.93	11.83	32.58			
PK	17.23552G	61.29	68.20	-6.91	37.77	3	Horizontal	184	2.62	-	41.44	14.01	31.93			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.626G	62.42	68.20	-5.78	53.79	3	Vertical	317	2.36	-	33.95	7.13	32.45			
PK	5.783G	126.56	Inf	-Inf	117.51	3	Vertical	317	2.36	-	34.17	7.33	32.45			
AV	5.782G	118.10	Inf	-Inf	109.06	3	Vertical	317	2.36	-	34.16	7.33	32.45			
PK	6.03G	62.42	68.20	-5.78	51.99	3	Vertical	317	2.36	-	35.36	7.51	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.5765G	61.24	68.20	-6.96	52.74	3	Horizontal	341	2.73	-	33.90	7.06	32.46				
PK	5.7785G	117.60	Inf	-Inf	108.57	3	Horizontal	341	2.73	-	34.16	7.32	32.45				
AV	5.779G	108.86	Inf	-Inf	99.83	3	Horizontal	341	2.73	-	34.16	7.32	32.45				
PK	6.029G	62.21	68.20	-5.99	51.78	3	Horizontal	341	2.73	-	35.36	7.51	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56723G	59.53	74.00	-14.47	41.25	3	Vertical	116	1.58	-	38.97	11.92	32.61			
AV	11.57119G	46.64	54.00	-7.36	28.37	3	Vertical	116	1.58	-	38.96	11.92	32.61			
PK	17.35982G	61.65	68.20	-6.55	37.62	3	Vertical	333	1.21	-	41.84	14.04	31.85			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56996G	60.26	74.00	-13.74	41.99	3	Horizontal	126	2.13	-	38.96	11.92	32.61			
AV	11.57353G	46.71	54.00	-7.29	28.44	3	Horizontal	126	2.13	-	38.95	11.93	32.61			
PK	17.3543G	61.88	68.20	-6.32	37.87	3	Horizontal	136	1.71	-	41.82	14.04	31.85			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.648G	61.42	68.20	-6.78	52.71	3	Vertical	12	2.38	-	34.00	7.16	32.45				
PK	5.818G	124.87	Inf	-Inf	115.65	3	Vertical	12	2.38	-	34.31	7.36	32.45				
AV	5.818G	116.35	Inf	-Inf	107.13	3	Vertical	12	2.38	-	34.31	7.36	32.45				
PK	6.075G	61.97	68.20	-6.23	51.47	3	Vertical	12	2.38	-	35.40	7.53	32.43				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6085G	60.85	68.20	-7.35	52.28	3	Horizontal	341	2.73	-	33.92	7.11	32.46				
PK	5.8205G	116.48	Inf	-Inf	107.24	3	Horizontal	341	2.73	-	34.32	7.37	32.45				
AV	5.8185G	107.84	Inf	-Inf	98.62	3	Horizontal	341	2.73	-	34.31	7.36	32.45				
PK	5.941G	62.77	68.20	-5.43	52.70	3	Horizontal	341	2.73	-	35.05	7.46	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65016G	59.61	74.00	-14.39	41.36	3	Vertical	338	1.69	-	38.90	12.00	32.65			
AV	11.65245G	46.74	54.00	-7.26	28.48	3	Vertical	338	1.69	-	38.90	12.01	32.65			
PK	17.47667G	61.89	68.20	-6.31	37.69	3	Vertical	140	1.59	-	41.89	14.08	31.77			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 98
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64837G	59.41	74.00	-14.59	41.16	3	Horizontal	151	1.17	-	38.90	12.00	32.65			
AV	11.6509G	46.99	54.00	-7.01	28.74	3	Horizontal	151	1.17	-	38.90	12.00	32.65			
PK	17.47866G	61.57	68.20	-6.63	37.37	3	Horizontal	69	2.24	-	41.89	14.08	31.77			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 76
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1439G	70.24	74.00	-3.76	63.36	3	Vertical	300	2.25	-	32.79	6.64	32.55			
AV	5.1497G	53.96	54.00	-0.04	47.06	3	Vertical	300	2.25	-	32.80	6.64	32.54			
PK	5.1885G	119.29	Inf	-Inf	112.31	3	Vertical	300	2.25	-	32.88	6.63	32.53			
AV	5.1885G	108.66	Inf	-Inf	101.68	3	Vertical	300	2.25	-	32.88	6.63	32.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 76
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	61.66	74.00	-12.34	54.78	3	Horizontal	296	2.49	-	32.79	6.64	32.55			
AV	5.1461G	47.90	54.00	-6.10	41.01	3	Horizontal	296	2.49	-	32.79	6.64	32.54			
PK	5.1764G	110.69	Inf	-Inf	103.75	3	Horizontal	296	2.49	-	32.85	6.63	32.54			
AV	5.1859G	99.84	Inf	-Inf	92.88	3	Horizontal	296	2.49	-	32.87	6.63	32.54			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 76
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35745G	58.89	68.20	-9.31	41.96	3	Vertical	77	2.12	-	38.79	10.68	32.54			
PK	15.54215G	62.69	74.00	-11.31	43.22	3	Vertical	8	1.42	-	38.60	13.60	32.73			
AV	15.53901G	47.44	54.00	-6.56	27.97	3	Vertical	8	1.42	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 76
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36178G	58.16	68.20	-10.04	41.23	3	Horizontal	144	2.80	-	38.78	10.69	32.54			
PK	15.53952G	61.73	74.00	-12.27	42.26	3	Horizontal	104	1.84	-	38.60	13.60	32.73			
AV	15.54057G	47.15	54.00	-6.85	27.68	3	Horizontal	104	1.84	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 92
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	69.81	74.00	-4.19	62.91	3	Vertical	0	2.41	-	32.80	6.64	32.54			
AV	5.149G	53.81	54.00	-0.19	46.91	3	Vertical	0	2.41	-	32.80	6.64	32.54			
PK	5.199G	121.60	Inf	-Inf	114.60	3	Vertical	0	2.41	-	32.90	6.63	32.53			
AV	5.1942G	111.78	Inf	-Inf	104.79	3	Vertical	0	2.41	-	32.89	6.63	32.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 92
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1466G	62.96	74.00	-11.04	56.07	3	Horizontal	293	2.44	-	32.79	6.64	32.54			
AV	5.1484G	48.27	54.00	-5.73	41.37	3	Horizontal	293	2.44	-	32.80	6.64	32.54			
PK	5.2034G	113.36	Inf	-Inf	106.36	3	Horizontal	293	2.44	-	32.90	6.63	32.53			
AV	5.2086G	102.65	Inf	-Inf	95.65	3	Horizontal	293	2.44	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 92
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40038G	59.07	68.20	-9.13	42.14	3	Vertical	185	2.75	-	38.70	10.73	32.50			
PK	15.60085G	62.11	74.00	-11.89	42.85	3	Vertical	246	2.84	-	38.39	13.61	32.74			
AV	15.60106G	47.04	54.00	-6.96	27.78	3	Vertical	246	2.84	-	38.39	13.61	32.74			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 92
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40336G	59.19	68.20	-9.01	42.25	3	Horizontal	92	1.52	-	38.71	10.73	32.50			
PK	15.59891G	62.66	74.00	-11.34	43.39	3	Horizontal	199	2.09	-	38.40	13.61	32.74			
AV	15.59978G	47.97	54.00	-6.03	28.70	3	Horizontal	199	2.09	-	38.40	13.61	32.74			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	73.55	74.00	-0.45	66.65	3	Vertical	3	2.39	-	32.80	6.64	32.54			
AV	5.1437G	50.95	54.00	-3.05	44.07	3	Vertical	3	2.39	-	32.79	6.64	32.55			
PK	5.234G	125.23	Inf	-Inf	118.20	3	Vertical	3	2.39	-	32.90	6.65	32.52			
AV	5.2388G	114.90	Inf	-Inf	107.87	3	Vertical	3	2.39	-	32.90	6.65	32.52			
PK	5.3651G	70.27	74.00	-3.73	62.89	3	Vertical	3	2.39	-	33.16	6.71	32.49			
AV	5.3516G	50.02	54.00	-3.98	42.70	3	Vertical	3	2.39	-	33.11	6.71	32.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	63.69	74.00	-10.31	56.83	3	Horizontal	292	2.38	-	32.77	6.64	32.55
AV	5.1485G	48.01	54.00	-5.99	41.11	3	Horizontal	292	2.38	-	32.80	6.64	32.54
PK	5.2436G	116.52	Inf	-Inf	109.49	3	Horizontal	292	2.38	-	32.90	6.65	32.52
AV	5.2385G	105.47	Inf	-Inf	98.44	3	Horizontal	292	2.38	-	32.90	6.65	32.52
PK	5.3507G	60.18	74.00	-13.82	52.87	3	Horizontal	292	2.38	-	33.10	6.71	32.50
AV	5.3639G	47.98	54.00	-6.02	40.60	3	Horizontal	292	2.38	-	33.16	6.71	32.49

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Z_4TX
Setting 108
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.47743G	58.81	68.20	-9.39	41.52	3	Vertical	110	1.28	-	38.91	10.81	32.43			
PK	15.71709G	62.40	74.00	-11.60	43.26	3	Vertical	142	1.25	-	38.27	13.62	32.75			
AV	15.71755G	47.08	54.00	-6.92	27.94	3	Vertical	142	1.25	-	38.27	13.62	32.75			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48468G	59.55	68.20	-8.65	42.22	3	Horizontal	134	1.42	-	38.94	10.81	32.42			
PK	15.71591G	62.36	74.00	-11.64	43.23	3	Horizontal	221	2.46	-	38.26	13.62	32.75			
AV	15.72267G	47.91	54.00	-6.09	28.76	3	Horizontal	221	2.46	-	38.29	13.62	32.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1406G	72.69	74.00	-1.31	65.82	3	Vertical	7	2.54	-	32.78	6.64	32.55			
AV	5.1475G	49.48	54.00	-4.52	42.59	3	Vertical	7	2.54	-	32.79	6.64	32.54			
PK	5.2636G	125.81	Inf	-Inf	118.74	3	Vertical	7	2.54	-	32.93	6.66	32.52			
AV	5.2687G	115.66	Inf	-Inf	108.58	3	Vertical	7	2.54	-	32.94	6.66	32.52			
PK	5.3515G	72.27	74.00	-1.73	64.95	3	Vertical	7	2.54	-	33.11	6.71	32.50			
AV	5.3509G	53.08	54.00	-0.92	45.77	3	Vertical	7	2.54	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1487G	69.03	74.00	-4.97	62.13	3	Horizontal	338	2.95	-	32.80	6.64	32.54			
AV	5.1493G	47.83	54.00	-6.17	40.93	3	Horizontal	338	2.95	-	32.80	6.64	32.54			
PK	5.2576G	118.30	Inf	-Inf	111.24	3	Horizontal	338	2.95	-	32.92	6.66	32.52			
AV	5.2678G	107.64	Inf	-Inf	100.56	3	Horizontal	338	2.95	-	32.94	6.66	32.52			
PK	5.3512G	71.68	74.00	-2.32	64.37	3	Horizontal	338	2.95	-	33.10	6.71	32.50			
AV	5.3563G	49.57	54.00	-4.43	42.22	3	Horizontal	338	2.95	-	33.13	6.71	32.49			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Z_4TX
Setting 108
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.52389G	59.66	68.20	-8.54	42.17	3	Vertical	216	1.80	-	39.05	10.85	32.41			
PK	15.77948G	62.48	74.00	-11.52	43.21	3	Vertical	36	2.54	-	38.40	13.63	32.76			
AV	15.77687G	47.82	54.00	-6.18	28.55	3	Vertical	36	2.54	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.52436G	58.48	68.20	-9.72	40.99	3	Horizontal	196	2.54	-	39.05	10.85	32.41			
PK	15.77777G	62.36	74.00	-11.64	43.09	3	Horizontal	92	2.45	-	38.40	13.63	32.76			
AV	15.77884G	47.91	54.00	-6.09	28.64	3	Horizontal	92	2.45	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Z_4TX
Setting 89
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.3006G	112.30	Inf	-Inf	105.13	3	Vertical	321	2.23	-	33.00	6.68	32.51			
PK	5.3508G	71.58	74.00	-2.42	64.27	3	Vertical	321	2.23	-	33.10	6.71	32.50			
AV	5.3504G	53.80	54.00	-0.20	46.49	3	Vertical	321	2.23	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 89
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2948G	114.34	Inf	-Inf	107.18	3	Horizontal	143	1.05	-	32.99	6.68	32.51				
AV	5.305G	102.98	Inf	-Inf	95.80	3	Horizontal	143	1.05	-	33.01	6.68	32.51				
PK	5.35G	61.01	74.00	-12.99	53.70	3	Horizontal	143	1.05	-	33.10	6.71	32.50				
AV	5.3502G	48.61	54.00	-5.39	41.30	3	Horizontal	143	1.05	-	33.10	6.71	32.50				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 89
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60425G	59.78	74.00	-14.22	42.14	3	Vertical	336	2.53	-	39.11	10.94	32.41			
PK	15.89942G	62.69	74.00	-11.31	43.23	3	Vertical	81	2.93	-	38.60	13.64	32.78			
AV	15.90412G	47.74	54.00	-6.26	28.29	3	Vertical	81	2.93	-	38.59	13.64	32.78			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 89
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60374G	59.34	74.00	-14.66	41.70	3	Horizontal	34	2.46	-	39.11	10.94	32.41			
PK	15.89786G	63.04	74.00	-10.96	43.59	3	Horizontal	204	1.28	-	38.59	13.64	32.78			
AV	15.89962G	47.80	54.00	-6.20	28.34	3	Horizontal	204	1.28	-	38.60	13.64	32.78			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 71
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.325G	120.70	Inf	-Inf	113.46	3	Vertical	329	2.28	-	33.05	6.69	32.50			
AV	5.3253G	108.45	Inf	-Inf	101.21	3	Vertical	329	2.28	-	33.05	6.69	32.50			
PK	5.3505G	73.23	74.00	-0.77	65.92	3	Vertical	329	2.28	-	33.10	6.71	32.50			
AV	5.3505G	53.85	54.00	-0.15	46.54	3	Vertical	329	2.28	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 71
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3157G	108.80	Inf	-Inf	101.58	3	Horizontal	300	2.74	-	33.03	6.69	32.50			
AV	5.3252G	97.56	Inf	-Inf	90.32	3	Horizontal	300	2.74	-	33.05	6.69	32.50			
PK	5.35G	62.84	74.00	-11.16	55.53	3	Horizontal	300	2.74	-	33.10	6.71	32.50			
AV	5.3505G	47.76	54.00	-6.24	40.45	3	Horizontal	300	2.74	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 71
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64045G	59.83	74.00	-14.17	42.10	3	Vertical	159	2.72	-	39.18	10.97	32.42			
AV	10.63757G	47.04	54.00	-6.96	29.31	3	Vertical	159	2.72	-	39.18	10.97	32.42			
PK	15.95686G	62.76	74.00	-11.24	43.43	3	Vertical	308	2.11	-	38.47	13.65	32.79			
AV	15.96139G	47.87	54.00	-6.13	28.56	3	Vertical	308	2.11	-	38.45	13.65	32.79			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 71
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64113G	59.70	74.00	-14.30	41.97	3	Horizontal	251	1.67	-	39.18	10.97	32.42			
AV	10.64459G	47.08	54.00	-6.92	29.33	3	Horizontal	251	1.67	-	39.19	10.98	32.42			
PK	15.95978G	62.72	74.00	-11.28	43.40	3	Horizontal	12	2.26	-	38.46	13.65	32.79			
AV	15.964G	47.08	54.00	-6.92	27.78	3	Horizontal	12	2.26	-	38.44	13.65	32.79			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 67
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4584G	62.15	74.00	-11.85	54.23	3	Vertical	297	2.95	-	33.55	6.84	32.47			
AV	5.4573G	49.16	54.00	-4.84	41.25	3	Vertical	297	2.95	-	33.54	6.84	32.47			
PK	5.4682G	68.01	68.20	-0.19	60.01	3	Vertical	297	2.95	-	33.61	6.86	32.47			
PK	5.5035G	118.72	Inf	-Inf	110.45	3	Vertical	297	2.95	-	33.81	6.92	32.46			
AV	5.4985G	107.48	Inf	-Inf	99.24	3	Vertical	297	2.95	-	33.79	6.91	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 67
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4529G	58.95	74.00	-15.05	51.07	3	Horizontal	297	2.38	-	33.52	6.83	32.47			
AV	5.4539G	47.93	54.00	-6.07	40.05	3	Horizontal	297	2.38	-	33.52	6.83	32.47			
PK	5.47G	62.20	68.20	-6.00	54.19	3	Horizontal	297	2.38	-	33.62	6.86	32.47			
PK	5.5043G	109.33	Inf	-Inf	101.06	3	Horizontal	297	2.38	-	33.81	6.92	32.46			
AV	5.4947G	97.71	Inf	-Inf	89.49	3	Horizontal	297	2.38	-	33.77	6.91	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 67
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99917G	59.39	74.00	-14.61	41.38	3	Vertical	325	1.58	-	39.10	11.34	32.43			
AV	10.99633G	46.51	54.00	-7.49	28.49	3	Vertical	325	1.58	-	39.11	11.34	32.43			
PK	16.5019G	61.50	68.20	-6.70	40.56	3	Vertical	279	1.57	-	39.60	13.80	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 67
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00068G	58.91	74.00	-15.09	40.90	3	Horizontal	251	1.39	-	39.10	11.34	32.43			
AV	11.00493G	46.44	54.00	-7.56	28.43	3	Horizontal	251	1.39	-	39.09	11.35	32.43			
PK	16.50451G	61.79	68.20	-6.41	40.85	3	Horizontal	164	2.27	-	39.60	13.80	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 100
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	70.91	74.00	-3.09	62.99	3	Vertical	304	2.33	-	33.55	6.84	32.47
AV	5.4596G	50.03	54.00	-3.97	42.10	3	Vertical	304	2.33	-	33.56	6.84	32.47
PK	5.4612G	67.83	68.20	-0.37	59.89	3	Vertical	304	2.33	-	33.57	6.84	32.47
PK	5.5816G	125.97	Inf	-Inf	117.46	3	Vertical	304	2.33	-	33.90	7.07	32.46
AV	5.5868G	115.95	Inf	-Inf	107.43	3	Vertical	304	2.33	-	33.90	7.08	32.46
PK	5.736G	61.68	68.20	-6.52	52.76	3	Vertical	304	2.33	-	34.10	7.27	32.45

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 100
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.404G	58.82	74.00	-15.18	51.24	3	Horizontal	286	2.45	-	33.32	6.74	32.48			
AV	5.428G	48.32	54.00	-5.68	40.61	3	Horizontal	286	2.45	-	33.41	6.78	32.48			
PK	5.464G	59.23	68.20	-8.97	51.27	3	Horizontal	286	2.45	-	33.58	6.85	32.47			
PK	5.5836G	114.00	Inf	-Inf	105.49	3	Horizontal	286	2.45	-	33.90	7.07	32.46			
AV	5.5732G	104.67	Inf	-Inf	96.18	3	Horizontal	286	2.45	-	33.90	7.05	32.46			
PK	5.7368G	60.56	68.20	-7.64	51.64	3	Horizontal	286	2.45	-	34.10	7.27	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 100
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15605G	60.26	74.00	-13.74	42.44	3	Vertical	182	2.01	-	38.80	11.50	32.48			
AV	11.15788G	46.13	54.00	-7.87	28.31	3	Vertical	182	2.01	-	38.80	11.50	32.48			
PK	16.73506G	61.87	68.20	-6.33	40.35	3	Vertical	6	1.46	-	39.94	13.86	32.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 100
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15758G	58.53	74.00	-15.47	40.71	3	Horizontal	312	2.29	-	38.80	11.50	32.48			
AV	11.15804G	46.01	54.00	-7.99	28.19	3	Horizontal	312	2.29	-	38.80	11.50	32.48			
PK	16.73752G	61.72	68.20	-6.48	40.19	3	Horizontal	130	1.95	-	39.95	13.86	32.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 66
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7028G	118.80	Inf	-Inf	109.92	3	Vertical	20	2.22	-	34.10	7.23	32.45			
AV	5.7027G	107.13	Inf	-Inf	98.25	3	Vertical	20	2.22	-	34.10	7.23	32.45			
PK	5.7272G	68.03	68.20	-0.17	59.12	3	Vertical	20	2.22	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 66
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6991G	109.45	Inf	-Inf	100.58	3	Horizontal	294	2.50	-	34.10	7.22	32.45			
AV	5.7046G	98.37	Inf	-Inf	89.49	3	Horizontal	294	2.50	-	34.10	7.23	32.45			
PK	5.725G	63.12	68.20	-5.08	54.21	3	Horizontal	294	2.50	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 66
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39727G	59.38	74.00	-14.62	41.08	3	Vertical	212	2.46	-	39.10	11.75	32.55			
AV	11.39608G	46.64	54.00	-7.36	28.35	3	Vertical	212	2.46	-	39.10	11.74	32.55			
PK	17.09673G	61.31	68.20	-6.89	38.27	3	Vertical	35	1.40	-	41.09	13.97	32.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 66
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39577G	59.64	74.00	-14.36	41.35	3	Horizontal	156	2.08	-	39.10	11.74	32.55			
AV	11.4039G	46.81	54.00	-7.19	28.52	3	Horizontal	156	2.08	-	39.09	11.75	32.55			
PK	17.09648G	61.52	68.20	-6.68	38.48	3	Horizontal	150	1.53	-	41.09	13.97	32.02			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 108
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7176G	125.83	Inf	-Inf	116.93	3	Vertical	21	2.50	-	34.10	7.25	32.45				
AV	5.7176G	115.83	Inf	-Inf	106.93	3	Vertical	21	2.50	-	34.10	7.25	32.45				
PK	5.8508G	65.19	68.20	-3.01	55.75	3	Vertical	21	2.50	-	34.50	7.39	32.45				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 108
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.726G	119.72	Inf	-Inf	110.81	3	Horizontal	343	2.80	-	34.10	7.26	32.45			
AV	5.726G	109.13	Inf	-Inf	100.22	3	Horizontal	343	2.80	-	34.10	7.26	32.45			
PK	5.8552G	62.05	68.20	-6.15	52.58	3	Horizontal	343	2.80	-	34.53	7.39	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 108
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43735G	59.69	74.00	-14.31	41.43	3	Vertical	289	2.70	-	39.03	11.79	32.56			
AV	11.43602G	46.76	54.00	-7.24	28.51	3	Vertical	289	2.70	-	39.03	11.78	32.56			
PK	17.16169G	61.39	68.20	-6.81	38.16	3	Vertical	353	1.60	-	41.22	13.99	31.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 108
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43985G	59.85	74.00	-14.15	41.60	3	Horizontal	179	2.98	-	39.02	11.79	32.56			
AV	11.43771G	46.86	54.00	-7.14	28.61	3	Horizontal	179	2.98	-	39.02	11.79	32.56			
PK	17.16254G	61.67	68.20	-6.53	38.43	3	Horizontal	326	2.85	-	41.23	13.99	31.98			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 97
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6505G	68.41	68.57	-0.16	59.70	3	Vertical	20	2.25	-	34.00	7.16	32.45			
PK	5.738G	126.18	Inf	-Inf	117.26	3	Vertical	20	2.25	-	34.10	7.27	32.45			
AV	5.7475G	115.55	Inf	-Inf	106.62	3	Vertical	20	2.25	-	34.10	7.28	32.45			
PK	5.96G	61.68	68.20	-6.52	51.51	3	Vertical	20	2.25	-	35.14	7.47	32.44			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 97
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.604G	60.96	68.20	-7.24	52.41	3	Horizontal	341	2.82	-	33.91	7.10	32.46			
PK	5.737G	117.77	Inf	-Inf	108.85	3	Horizontal	341	2.82	-	34.10	7.27	32.45			
AV	5.7415G	107.44	Inf	-Inf	98.51	3	Horizontal	341	2.82	-	34.10	7.28	32.45			
PK	5.9615G	62.68	68.20	-5.52	52.50	3	Horizontal	341	2.82	-	35.15	7.47	32.44			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 97
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48694G	59.70	74.00	-14.30	41.51	3	Vertical	51	1.87	-	38.93	11.84	32.58			
AV	11.48621G	46.82	54.00	-7.18	28.63	3	Vertical	51	1.87	-	38.93	11.84	32.58			
PK	17.2347G	61.59	68.20	-6.61	38.07	3	Vertical	143	1.49	-	41.44	14.01	31.93			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 97
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49347G	59.41	74.00	-14.59	41.24	3	Horizontal	178	1.02	-	38.91	11.84	32.58			
AV	11.4892G	46.54	54.00	-7.46	28.36	3	Horizontal	178	1.02	-	38.92	11.84	32.58			
PK	17.23146G	61.92	68.20	-6.28	38.41	3	Horizontal	201	2.98	-	41.43	14.01	31.93			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 99
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.65G	67.95	68.20	-0.25	59.24	3	Vertical	23	2.35	-	34.00	7.16	32.45				
PK	5.7775G	124.77	Inf	-Inf	115.74	3	Vertical	23	2.35	-	34.16	7.32	32.45				
AV	5.7825G	114.09	Inf	-Inf	105.05	3	Vertical	23	2.35	-	34.16	7.33	32.45				
PK	6.0235G	62.39	68.20	-5.81	51.97	3	Vertical	23	2.35	-	35.35	7.51	32.44				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 99
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.632G	66.06	68.20	-2.14	57.41	3	Horizontal	342	2.78	-	33.96	7.14	32.45			
PK	5.791G	117.93	Inf	-Inf	108.86	3	Horizontal	342	2.78	-	34.18	7.34	32.45			
AV	5.791G	107.09	Inf	-Inf	98.02	3	Horizontal	342	2.78	-	34.18	7.34	32.45			
PK	6.002G	62.13	68.20	-6.07	51.77	3	Horizontal	342	2.78	-	35.30	7.50	32.44			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 99
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56594G	59.41	74.00	-14.59	41.13	3	Vertical	44	2.17	-	38.97	11.92	32.61			
AV	11.56609G	46.95	54.00	-7.05	28.67	3	Vertical	44	2.17	-	38.97	11.92	32.61			
PK	17.35936G	61.31	68.20	-6.89	37.28	3	Vertical	29	2.58	-	41.84	14.04	31.85			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 99
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57139G	59.53	74.00	-14.47	41.26	3	Horizontal	51	1.66	-	38.96	11.92	32.61			
AV	11.56758G	46.78	54.00	-7.22	28.51	3	Horizontal	51	1.66	-	38.96	11.92	32.61			
PK	17.35177G	61.44	68.20	-6.76	37.44	3	Horizontal	290	1.59	-	41.81	14.04	31.85			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 99
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5935G	68.03	68.20	-0.17	59.50	3	Vertical	22	2.32	-	33.90	7.09	32.46				
PK	5.8175G	123.97	Inf	-Inf	114.75	3	Vertical	22	2.32	-	34.31	7.36	32.45				
AV	5.8225G	114.18	Inf	-Inf	104.92	3	Vertical	22	2.32	-	34.34	7.37	32.45				
PK	6.0155G	61.98	68.20	-6.22	51.58	3	Vertical	22	2.32	-	35.33	7.51	32.44				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 99
01-U-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6305G	64.88	68.20	-3.32	56.23	3	Horizontal	340	2.63	-	33.96	7.14	32.45			
PK	5.8175G	116.03	Inf	-Inf	106.81	3	Horizontal	340	2.63	-	34.31	7.36	32.45			
AV	5.8215G	105.61	Inf	-Inf	96.36	3	Horizontal	340	2.63	-	34.33	7.37	32.45			
PK	6.075G	61.96	68.20	-6.24	51.46	3	Horizontal	340	2.63	-	35.40	7.53	32.43			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 99
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64896G	59.89	74.00	-14.11	41.64	3	Vertical	124	2.96	-	38.90	12.00	32.65			
AV	11.65367G	46.01	54.00	-7.99	27.75	3	Vertical	124	2.96	-	38.90	12.01	32.65			
PK	17.47573G	61.28	68.20	-6.92	37.08	3	Vertical	59	1.25	-	41.90	14.08	31.78			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 99
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65287G	61.25	74.00	-12.75	42.99	3	Horizontal	83	1.71	-	38.90	12.01	32.65			
AV	11.65056G	46.86	54.00	-7.14	28.61	3	Horizontal	83	1.71	-	38.90	12.00	32.65			
PK	17.47599G	61.37	68.20	-6.83	37.17	3	Horizontal	260	1.59	-	41.90	14.08	31.78			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 64
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	72.45	74.00	-1.55	65.55	3	Vertical	3	2.44	-	32.80	6.64	32.54			
AV	5.149G	53.92	54.00	-0.08	47.02	3	Vertical	3	2.44	-	32.80	6.64	32.54			
PK	5.1942G	115.62	Inf	-Inf	108.63	3	Vertical	3	2.44	-	32.89	6.63	32.53			
AV	5.184G	103.35	Inf	-Inf	96.39	3	Vertical	3	2.44	-	32.87	6.63	32.54			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 64
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.43	74.00	-10.57	56.53	3	Horizontal	300	2.49	-	32.80	6.64	32.54			
AV	5.148G	48.36	54.00	-5.64	41.46	3	Horizontal	300	2.49	-	32.80	6.64	32.54			
PK	5.1858G	105.45	Inf	-Inf	98.49	3	Horizontal	300	2.49	-	32.87	6.63	32.54			
AV	5.1806G	93.95	Inf	-Inf	87.00	3	Horizontal	300	2.49	-	32.86	6.63	32.54			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 64
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3771G	58.60	68.20	-9.60	41.67	3	Vertical	244	1.49	-	38.75	10.70	32.52			
PK	15.57073G	61.43	74.00	-12.57	42.03	3	Vertical	319	1.51	-	38.52	13.61	32.73			
AV	15.569G	47.91	54.00	-6.09	28.51	3	Vertical	319	1.51	-	38.52	13.61	32.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 64
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38078G	57.85	68.20	-10.35	40.92	3	Horizontal	133	2.72	-	38.74	10.71	32.52			
PK	15.57478G	61.65	74.00	-12.35	42.27	3	Horizontal	208	1.57	-	38.50	13.61	32.73			
AV	15.57221G	47.10	54.00	-6.90	27.71	3	Horizontal	208	1.57	-	38.51	13.61	32.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 88
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1493G	69.72	74.00	-4.28	62.82	3	Vertical	9	2.38	-	32.80	6.64	32.54
AV	5.1496G	53.93	54.00	-0.07	47.03	3	Vertical	9	2.38	-	32.80	6.64	32.54
PK	5.2393G	119.62	Inf	-Inf	112.59	3	Vertical	9	2.38	-	32.90	6.65	32.52
AV	5.2438G	108.41	Inf	-Inf	101.38	3	Vertical	9	2.38	-	32.90	6.65	32.52
PK	5.3587G	63.86	74.00	-10.14	56.51	3	Vertical	9	2.38	-	33.13	6.71	32.49
AV	5.3539G	50.74	54.00	-3.26	43.41	3	Vertical	9	2.38	-	33.12	6.71	32.50

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 88
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	61.93	74.00	-12.07	55.03	3	Horizontal	293	2.44	-	32.80	6.64	32.54			
AV	5.149G	48.88	54.00	-5.12	41.98	3	Horizontal	293	2.44	-	32.80	6.64	32.54			
PK	5.2288G	111.02	Inf	-Inf	104.01	3	Horizontal	293	2.44	-	32.90	6.64	32.53			
AV	5.2435G	99.01	Inf	-Inf	91.98	3	Horizontal	293	2.44	-	32.90	6.65	32.52			
PK	5.3644G	59.16	74.00	-14.84	51.78	3	Horizontal	293	2.44	-	33.16	6.71	32.49			
AV	5.3587G	48.40	54.00	-5.60	41.05	3	Horizontal	293	2.44	-	33.13	6.71	32.49			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 88
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46376G	58.53	68.20	-9.67	41.32	3	Vertical	246	2.74	-	38.86	10.79	32.44			
PK	15.6861G	62.02	74.00	-11.98	42.98	3	Vertical	100	1.45	-	38.17	13.62	32.75			
AV	15.69221G	47.78	54.00	-6.22	28.73	3	Vertical	100	1.45	-	38.18	13.62	32.75			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 88
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.45883G	57.68	68.20	-10.52	40.50	3	Horizontal	26	2.15	-	38.84	10.79	32.45			
PK	15.69344G	61.85	74.00	-12.15	42.79	3	Horizontal	135	2.87	-	38.19	13.62	32.75			
AV	15.68856G	47.04	54.00	-6.96	27.99	3	Horizontal	135	2.87	-	38.18	13.62	32.75			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 87
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1359G	61.11	74.00	-12.89	54.25	3	Vertical	9	2.43	-	32.77	6.64	32.55
AV	5.1419G	49.35	54.00	-4.65	42.48	3	Vertical	9	2.43	-	32.78	6.64	32.55
PK	5.2793G	121.10	Inf	-Inf	113.98	3	Vertical	9	2.43	-	32.96	6.67	32.51
AV	5.2589G	108.83	Inf	-Inf	101.77	3	Vertical	9	2.43	-	32.92	6.66	32.52
PK	5.3573G	69.79	74.00	-4.21	62.44	3	Vertical	9	2.43	-	33.13	6.71	32.49
AV	5.3534G	53.91	54.00	-0.09	46.59	3	Vertical	9	2.43	-	33.11	6.71	32.50

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 87
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1287G	59.17	74.00	-14.83	52.32	3	Horizontal	341	2.95	-	32.76	6.64	32.55			
AV	5.147G	47.41	54.00	-6.59	40.52	3	Horizontal	341	2.95	-	32.79	6.64	32.54			
PK	5.273G	113.04	Inf	-Inf	105.93	3	Horizontal	341	2.95	-	32.95	6.67	32.51			
AV	5.2727G	101.40	Inf	-Inf	94.29	3	Horizontal	341	2.95	-	32.95	6.67	32.51			
PK	5.3549G	65.85	74.00	-8.15	58.51	3	Horizontal	341	2.95	-	33.12	6.71	32.49			
AV	5.35G	51.07	54.00	-2.93	43.76	3	Horizontal	341	2.95	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 87
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.53944G	58.03	68.20	-10.17	40.49	3	Vertical	152	1.53	-	39.08	10.87	32.41				
PK	15.80669G	61.80	74.00	-12.20	42.54	3	Vertical	190	2.83	-	38.40	13.63	32.77				
AV	15.81125G	47.78	54.00	-6.22	28.52	3	Vertical	190	2.83	-	38.40	13.63	32.77				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 87
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53874G	58.20	68.20	-10.00	40.66	3	Horizontal	115	2.84	-	39.08	10.87	32.41			
PK	15.80611G	61.69	74.00	-12.31	42.43	3	Horizontal	109	2.99	-	38.40	13.63	32.77			
AV	15.80884G	47.47	54.00	-6.53	28.21	3	Horizontal	109	2.99	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 67
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3264G	116.92	Inf	-Inf	109.68	3	Vertical	318	2.30	-	33.05	6.69	32.50			
AV	5.3258G	104.22	Inf	-Inf	96.98	3	Vertical	318	2.30	-	33.05	6.69	32.50			
PK	5.3536G	73.89	74.00	-0.11	66.57	3	Vertical	318	2.30	-	33.11	6.71	32.50			
AV	5.3538G	52.45	54.00	-1.55	45.12	3	Vertical	318	2.30	-	33.12	6.71	32.50			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 67
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3136G	106.32	Inf	-Inf	99.10	3	Horizontal	294	2.63	-	33.03	6.69	32.50			
AV	5.3084G	94.22	Inf	-Inf	87.03	3	Horizontal	294	2.63	-	33.02	6.68	32.51			
PK	5.3558G	65.80	74.00	-8.20	58.46	3	Horizontal	294	2.63	-	33.12	6.71	32.49			
AV	5.3624G	48.69	54.00	-5.31	41.32	3	Horizontal	294	2.63	-	33.15	6.71	32.49			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 67
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61576G	58.66	74.00	-15.34	40.99	3	Vertical	268	1.67	-	39.13	10.95	32.41			
AV	10.6196G	47.00	54.00	-7.00	29.32	3	Vertical	268	1.67	-	39.14	10.95	32.41			
PK	15.93459G	61.48	74.00	-12.52	42.10	3	Vertical	98	1.97	-	38.53	13.64	32.79			
AV	15.93456G	47.63	54.00	-6.37	28.25	3	Vertical	98	1.97	-	38.53	13.64	32.79			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 67
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62327G	59.34	74.00	-14.66	41.64	3	Horizontal	344	2.05	-	39.15	10.96	32.41			
AV	10.62015G	46.84	54.00	-7.16	29.16	3	Horizontal	344	2.05	-	39.14	10.95	32.41			
PK	15.92862G	61.26	74.00	-12.74	41.87	3	Horizontal	237	2.41	-	38.54	13.64	32.79			
AV	15.92609G	47.97	54.00	-6.03	28.57	3	Horizontal	237	2.41	-	38.55	13.64	32.79			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 58
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	66.20	74.00	-7.80	58.28	3	Vertical	167	2.51	-	33.55	6.84	32.47			
AV	5.4486G	50.22	54.00	-3.78	42.38	3	Vertical	167	2.51	-	33.49	6.82	32.47			
PK	5.4682G	68.17	68.20	-0.03	60.17	3	Vertical	167	2.51	-	33.61	6.86	32.47			
PK	5.5184G	114.94	Inf	-Inf	106.61	3	Vertical	167	2.51	-	33.84	6.95	32.46			
AV	5.5234G	103.88	Inf	-Inf	95.53	3	Vertical	167	2.51	-	33.85	6.96	32.46			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 58
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4452G	59.58	74.00	-14.42	51.76	3	Horizontal	298	2.52	-	33.48	6.81	32.47			
PK	5.4692G	63.41	68.20	-4.79	55.40	3	Horizontal	298	2.52	-	33.62	6.86	32.47			
AV	5.4592G	48.71	54.00	-5.29	40.78	3	Horizontal	298	2.52	-	33.56	6.84	32.47			
PK	5.515G	104.38	Inf	-Inf	96.07	3	Horizontal	298	2.52	-	33.83	6.94	32.46			
AV	5.5146G	92.90	Inf	-Inf	84.59	3	Horizontal	298	2.52	-	33.83	6.94	32.46			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 58
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01722G	59.51	74.00	-14.49	41.52	3	Vertical	335	2.58	-	39.07	11.36	32.44			
AV	11.01884G	46.45	54.00	-7.55	28.47	3	Vertical	335	2.58	-	39.06	11.36	32.44			
PK	16.52647G	61.25	68.20	-6.95	40.29	3	Vertical	195	1.88	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 58
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01653G	59.09	74.00	-14.91	41.09	3	Horizontal	268	2.11	-	39.07	11.36	32.43			
AV	11.01601G	46.36	54.00	-7.64	28.36	3	Horizontal	268	2.11	-	39.07	11.36	32.43			
PK	16.52929G	61.12	68.20	-7.08	40.16	3	Horizontal	221	1.53	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 77
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4597G	64.24	74.00	-9.76	56.31	3	Vertical	305	2.31	-	33.56	6.84	32.47			
AV	5.46G	51.12	54.00	-2.88	43.19	3	Vertical	305	2.31	-	33.56	6.84	32.47			
PK	5.4669G	67.91	68.20	-0.29	59.93	3	Vertical	305	2.31	-	33.60	6.85	32.47			
PK	5.5419G	120.36	Inf	-Inf	111.95	3	Vertical	305	2.31	-	33.88	6.99	32.46			
AV	5.5464G	108.64	Inf	-Inf	100.21	3	Vertical	305	2.31	-	33.89	7.00	32.46			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 77
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4207G	59.75	74.00	-14.25	52.08	3	Horizontal	286	2.78	-	33.38	6.77	32.48			
PK	5.4633G	59.80	68.20	-8.40	51.84	3	Horizontal	286	2.78	-	33.58	6.85	32.47			
AV	5.457G	48.48	54.00	-5.52	40.57	3	Horizontal	286	2.78	-	33.54	6.84	32.47			
PK	5.5536G	109.72	Inf	-Inf	101.27	3	Horizontal	286	2.78	-	33.90	7.01	32.46			
AV	5.5536G	97.93	Inf	-Inf	89.48	3	Horizontal	286	2.78	-	33.90	7.01	32.46			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 77
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09726G	58.95	74.00	-15.05	40.97	3	Vertical	344	1.07	-	39.00	11.44	32.46			
AV	11.09645G	46.31	54.00	-7.69	28.33	3	Vertical	344	1.07	-	39.00	11.44	32.46			
PK	16.65447G	61.06	68.20	-7.14	39.76	3	Vertical	163	2.65	-	39.80	13.84	32.34			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 77
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10012G	58.83	74.00	-15.17	40.85	3	Horizontal	129	2.36	-	39.00	11.44	32.46			
AV	11.09598G	46.07	54.00	-7.93	28.09	3	Horizontal	129	2.36	-	39.00	11.44	32.46			
PK	16.65004G	61.26	68.20	-6.94	39.97	3	Horizontal	27	1.65	-	39.80	13.84	32.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 62
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6588G	116.08	Inf	-Inf	107.34	3	Vertical	326	2.38	-	34.02	7.17	32.45			
AV	5.6588G	104.65	Inf	-Inf	95.91	3	Vertical	326	2.38	-	34.02	7.17	32.45			
PK	5.726G	68.08	68.20	-0.12	59.17	3	Vertical	326	2.38	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 62
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6748G	105.80	Inf	-Inf	97.01	3	Horizontal	292	1.06	-	34.05	7.19	32.45			
AV	5.6596G	94.56	Inf	-Inf	85.82	3	Horizontal	292	1.06	-	34.02	7.17	32.45			
PK	5.7624G	61.10	68.20	-7.10	52.13	3	Horizontal	292	1.06	-	34.12	7.30	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 62
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34128G	60.11	74.00	-13.89	41.87	3	Vertical	109	2.36	-	39.08	11.69	32.53			
AV	11.33796G	46.57	54.00	-7.43	28.34	3	Vertical	109	2.36	-	39.08	11.68	32.53			
PK	17.01291G	61.11	68.20	-7.09	38.56	3	Vertical	2	1.83	-	40.68	13.94	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 62
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3353G	60.37	74.00	-13.63	42.15	3	Horizontal	249	2.95	-	39.07	11.68	32.53			
AV	11.34426G	46.65	54.00	-7.35	28.40	3	Horizontal	249	2.95	-	39.09	11.69	32.53			
PK	17.00544G	61.23	68.20	-6.97	38.74	3	Horizontal	10	1.97	-	40.63	13.94	32.08			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 100
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	124.07	Inf	-Inf	115.18	3	Vertical	324	2.33	-	34.10	7.24	32.45
AV	5.6992G	112.99	Inf	-Inf	104.12	3	Vertical	324	2.33	-	34.10	7.22	32.45
PK	5.856G	66.40	68.20	-1.80	56.92	3	Vertical	324	2.33	-	34.54	7.39	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 100
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7132G	112.79	Inf	-Inf	103.90	3	Horizontal	285	2.59	-	34.10	7.24	32.45			
AV	5.6984G	102.35	Inf	-Inf	93.48	3	Horizontal	285	2.59	-	34.10	7.22	32.45			
PK	5.8544G	62.17	68.20	-6.03	52.70	3	Horizontal	285	2.59	-	34.53	7.39	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 100
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.41618G	59.82	74.00	-14.18	41.54	3	Vertical	205	1.24	-	39.07	11.76	32.55				
AV	11.42036G	46.82	54.00	-7.18	28.55	3	Vertical	205	1.24	-	39.06	11.77	32.56				
PK	17.12904G	61.53	68.20	-6.67	38.39	3	Vertical	314	2.00	-	41.16	13.98	32.00				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 100
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41506G	59.41	74.00	-14.59	41.13	3	Horizontal	13	1.91	-	39.07	11.76	32.55			
AV	11.41599G	46.74	54.00	-7.26	28.46	3	Horizontal	13	1.91	-	39.07	11.76	32.55			
PK	17.13044G	61.89	68.20	-6.31	38.75	3	Horizontal	338	1.99	-	41.16	13.98	32.00			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 88
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	67.74	68.20	-0.46	59.03	3	Vertical	20	2.30	-	34.00	7.16	32.45			
PK	5.753G	121.07	Inf	-Inf	112.12	3	Vertical	20	2.30	-	34.11	7.29	32.45			
AV	5.7575G	110.56	Inf	-Inf	101.59	3	Vertical	20	2.30	-	34.12	7.30	32.45			
PK	5.9855G	62.75	68.20	-5.45	52.46	3	Vertical	20	2.30	-	35.24	7.49	32.44			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 88
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.755G	61.22	68.20	-6.98	52.73	3	Horizontal	284	2.58	-	33.90	7.05	32.46			
PK	5.7485G	112.45	Inf	-Inf	103.51	3	Horizontal	284	2.58	-	34.10	7.29	32.45			
AV	5.7385G	101.03	Inf	-Inf	92.11	3	Horizontal	284	2.58	-	34.10	7.27	32.45			
PK	5.999G	62.11	68.20	-6.09	51.75	3	Horizontal	284	2.58	-	35.30	7.50	32.44			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 88
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50839G	59.63	74.00	-14.37	41.43	3	Vertical	328	1.44	-	38.92	11.86	32.58			
AV	11.50651G	45.51	54.00	-8.49	27.32	3	Vertical	328	1.44	-	38.91	11.86	32.58			
PK	17.26322G	61.37	68.20	-6.83	37.71	3	Vertical	49	2.32	-	41.55	14.02	31.91			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 88
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51047G	59.53	74.00	-14.47	41.33	3	Horizontal	350	1.02	-	38.92	11.86	32.58			
AV	11.51434G	46.52	54.00	-7.48	28.32	3	Horizontal	350	1.02	-	38.93	11.86	32.59			
PK	17.26237G	61.57	68.20	-6.63	37.91	3	Horizontal	233	2.09	-	41.55	14.02	31.91			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 93
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	66.96	68.94	-1.98	58.25	3	Vertical	22	2.48	-	34.00	7.16	32.45			
PK	5.7925G	122.01	Inf	-Inf	112.93	3	Vertical	22	2.48	-	34.19	7.34	32.45			
AV	5.7875G	110.75	Inf	-Inf	101.69	3	Vertical	22	2.48	-	34.18	7.33	32.45			
PK	5.9965G	62.80	68.20	-5.40	52.45	3	Vertical	22	2.48	-	35.29	7.50	32.44			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 93
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5745G	61.39	68.20	-6.81	52.90	3	Horizontal	282	2.65	-	33.90	7.05	32.46			
PK	5.804G	112.34	Inf	-Inf	103.22	3	Horizontal	282	2.65	-	34.22	7.35	32.45			
AV	5.7785G	101.80	Inf	-Inf	92.77	3	Horizontal	282	2.65	-	34.16	7.32	32.45			
PK	5.976G	62.34	68.20	-5.86	52.10	3	Horizontal	282	2.65	-	35.20	7.48	32.44			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 93
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59442G	59.62	74.00	-14.38	41.38	3	Vertical	218	1.47	-	38.91	11.95	32.62			
AV	11.58678G	46.62	54.00	-7.38	28.37	3	Vertical	218	1.47	-	38.93	11.94	32.62			
PK	17.38963G	61.21	68.20	-6.99	37.03	3	Vertical	212	2.28	-	41.96	14.05	31.83			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 93
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59308G	59.36	74.00	-14.64	41.13	3	Horizontal	271	2.92	-	38.91	11.94	32.62			
AV	11.58717G	46.10	54.00	-7.90	27.85	3	Horizontal	271	2.92	-	38.93	11.94	32.62			
PK	17.38783G	61.54	68.20	-6.66	37.37	3	Horizontal	300	1.77	-	41.95	14.05	31.83			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 62
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.86	74.00	-0.14	66.96	3	Vertical	6	2.51	-	32.80	6.64	32.54
AV	5.1495G	52.15	54.00	-1.85	45.25	3	Vertical	6	2.51	-	32.80	6.64	32.54
PK	5.2395G	111.62	Inf	-Inf	104.59	3	Vertical	6	2.51	-	32.90	6.65	32.52
AV	5.224G	100.15	Inf	-Inf	93.14	3	Vertical	6	2.51	-	32.90	6.64	32.53
PK	5.4585G	60.02	74.00	-13.98	52.10	3	Vertical	6	2.51	-	33.55	6.84	32.47
AV	5.369G	48.89	54.00	-5.11	41.49	3	Vertical	6	2.51	-	33.18	6.71	32.49

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 62
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	64.35	74.00	-9.65	57.47	3	Horizontal	293	2.69	-	32.79	6.64	32.55			
AV	5.149G	48.19	54.00	-5.81	41.29	3	Horizontal	293	2.69	-	32.80	6.64	32.54			
PK	5.219G	102.10	Inf	-Inf	95.09	3	Horizontal	293	2.69	-	32.90	6.64	32.53			
AV	5.2235G	90.86	Inf	-Inf	83.85	3	Horizontal	293	2.69	-	32.90	6.64	32.53			
PK	5.373G	59.70	74.00	-14.30	52.28	3	Horizontal	293	2.69	-	33.19	6.72	32.49			
AV	5.435G	48.68	54.00	-5.32	40.93	3	Horizontal	293	2.69	-	33.44	6.79	32.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 62
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42303G	58.59	68.20	-9.61	41.57	3	Vertical	339	2.96	-	38.75	10.75	32.48			
PK	15.63347G	60.95	74.00	-13.05	41.88	3	Vertical	99	2.01	-	38.20	13.61	32.74			
AV	15.63407G	47.74	54.00	-6.26	28.67	3	Vertical	99	2.01	-	38.20	13.61	32.74			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Z_4TX
Setting 62
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.4235G	58.02	68.20	-10.18	41.00	3	Horizontal	15	2.96	-	38.75	10.75	32.48				
PK	15.62654G	60.99	74.00	-13.01	41.88	3	Horizontal	85	1.79	-	38.24	13.61	32.74				
AV	15.632G	47.85	54.00	-6.15	28.77	3	Horizontal	85	1.79	-	38.21	13.61	32.74				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 63
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1325G	59.29	74.00	-14.71	52.43	3	Vertical	321	2.28	-	32.77	6.64	32.55
AV	5.1485G	48.23	54.00	-5.77	41.33	3	Vertical	321	2.28	-	32.80	6.64	32.54
PK	5.281G	111.46	Inf	-Inf	104.34	3	Vertical	321	2.28	-	32.96	6.67	32.51
AV	5.306G	100.61	Inf	-Inf	93.43	3	Vertical	321	2.28	-	33.01	6.68	32.51
PK	5.3525G	73.63	74.00	-0.37	66.31	3	Vertical	321	2.28	-	33.11	6.71	32.50
AV	5.351G	51.08	54.00	-2.92	43.77	3	Vertical	321	2.28	-	33.10	6.71	32.50
PK	5.5345G	60.65	68.20	-7.55	52.26	3	Vertical	321	2.28	-	33.87	6.98	32.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 63
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.118G	58.67	74.00	-15.33	51.83	3	Horizontal	294	2.49	-	32.74	6.65	32.55			
AV	5.0525G	47.41	54.00	-6.59	40.53	3	Horizontal	294	2.49	-	32.79	6.66	32.57			
PK	5.2985G	102.24	Inf	-Inf	95.07	3	Horizontal	294	2.49	-	33.00	6.68	32.51			
AV	5.2835G	91.01	Inf	-Inf	83.88	3	Horizontal	294	2.49	-	32.97	6.67	32.51			
PK	5.353G	64.09	74.00	-9.91	56.77	3	Horizontal	294	2.49	-	33.11	6.71	32.50			
PK	5.4885G	60.69	68.20	-7.51	52.53	3	Horizontal	294	2.49	-	33.73	6.89	32.46			
AV	5.455G	48.69	54.00	-5.31	40.80	3	Horizontal	294	2.49	-	33.53	6.83	32.47			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 63
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57648G	58.42	68.20	-9.78	40.82	3	Vertical	155	1.02	-	39.10	10.91	32.41			
PK	15.87233G	62.45	74.00	-11.55	43.10	3	Vertical	97	2.24	-	38.49	13.64	32.78			
AV	15.87271G	47.49	54.00	-6.51	28.14	3	Vertical	97	2.24	-	38.49	13.64	32.78			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 63
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57711G	58.75	68.20	-9.45	41.15	3	Horizontal	209	1.24	-	39.10	10.91	32.41			
PK	15.87286G	61.21	74.00	-12.79	41.86	3	Horizontal	311	2.36	-	38.49	13.64	32.78			
AV	15.87181G	47.58	54.00	-6.42	28.23	3	Horizontal	311	2.36	-	38.49	13.64	32.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 57
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.28G	60.29	68.20	-7.91	53.17	3	Vertical	170	2.26	-	32.96	6.67	32.51			
PK	5.458G	70.87	74.00	-3.13	62.95	3	Vertical	170	2.26	-	33.55	6.84	32.47			
AV	5.4585G	51.12	54.00	-2.88	43.20	3	Vertical	170	2.26	-	33.55	6.84	32.47			
PK	5.4605G	67.96	68.20	-0.24	60.03	3	Vertical	170	2.26	-	33.56	6.84	32.47			
PK	5.549G	111.39	Inf	-Inf	102.94	3	Vertical	170	2.26	-	33.90	7.01	32.46			
AV	5.5435G	100.73	Inf	-Inf	92.30	3	Vertical	170	2.26	-	33.89	7.00	32.46			
PK	5.754G	60.92	68.20	-7.28	51.97	3	Vertical	170	2.26	-	34.11	7.29	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 57
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3225G	58.79	68.20	-9.41	51.55	3	Horizontal	294	1.05	-	33.05	6.69	32.50
PK	5.4455G	60.50	74.00	-13.50	52.68	3	Horizontal	294	1.05	-	33.48	6.81	32.47
AV	5.453G	49.00	54.00	-5.00	41.12	3	Horizontal	294	1.05	-	33.52	6.83	32.47
PK	5.4695G	63.93	68.20	-4.27	55.92	3	Horizontal	294	1.05	-	33.62	6.86	32.47
PK	5.5395G	101.94	Inf	-Inf	93.53	3	Horizontal	294	1.05	-	33.88	6.99	32.46
AV	5.5395G	90.60	Inf	-Inf	82.19	3	Horizontal	294	1.05	-	33.88	6.99	32.46
PK	5.7665G	60.51	68.20	-7.69	51.52	3	Horizontal	294	1.05	-	34.13	7.31	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 57
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05952G	58.95	74.00	-15.05	41.00	3	Vertical	267	1.63	-	39.00	11.40	32.45			
AV	11.06017G	46.19	54.00	-7.81	28.24	3	Vertical	267	1.63	-	39.00	11.40	32.45			
PK	16.58995G	61.39	68.20	-6.81	40.36	3	Vertical	316	1.41	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 57
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06365G	58.92	74.00	-15.08	40.97	3	Horizontal	354	2.17	-	39.00	11.40	32.45			
AV	11.06414G	46.20	54.00	-7.80	28.24	3	Horizontal	354	2.17	-	39.00	11.41	32.45			
PK	16.58706G	61.19	68.20	-7.01	40.16	3	Horizontal	198	2.96	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 67
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	62.26	74.00	-11.74	54.33	3	Vertical	329	2.95	-	33.56	6.84	32.47			
AV	5.45G	50.03	54.00	-3.97	42.18	3	Vertical	329	2.95	-	33.50	6.82	32.47			
PK	5.469G	64.26	68.20	-3.94	56.26	3	Vertical	329	2.95	-	33.61	6.86	32.47			
PK	5.5855G	115.73	Inf	-Inf	107.22	3	Vertical	329	2.95	-	33.90	7.07	32.46			
AV	5.595G	104.04	Inf	-Inf	95.51	3	Vertical	329	2.95	-	33.90	7.09	32.46			
PK	5.73G	68.15	68.20	-0.05	59.24	3	Vertical	329	2.95	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 67
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	59.68	74.00	-14.32	51.80	3	Horizontal	293	1.05	-	33.52	6.83	32.47
PK	5.463G	59.12	68.20	-9.08	51.16	3	Horizontal	293	1.05	-	33.58	6.85	32.47
AV	5.4595G	48.41	54.00	-5.59	40.48	3	Horizontal	293	1.05	-	33.56	6.84	32.47
PK	5.62G	104.21	Inf	-Inf	95.61	3	Horizontal	293	1.05	-	33.94	7.12	32.46
AV	5.6195G	93.93	Inf	-Inf	85.33	3	Horizontal	293	1.05	-	33.94	7.12	32.46
PK	5.789G	61.45	68.20	-6.75	52.38	3	Horizontal	293	1.05	-	34.18	7.34	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 67
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22372G	59.80	74.00	-14.20	41.88	3	Vertical	318	2.82	-	38.85	11.57	32.50			
AV	11.21533G	46.28	54.00	-7.72	28.38	3	Vertical	318	2.82	-	38.83	11.56	32.49			
PK	16.82518G	61.96	68.20	-6.24	39.98	3	Vertical	164	2.23	-	40.30	13.89	32.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 67
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22095G	58.97	74.00	-15.03	41.06	3	Horizontal	229	2.99	-	38.84	11.57	32.50			
AV	11.21958G	46.32	54.00	-7.68	28.42	3	Horizontal	229	2.99	-	38.84	11.56	32.50			
PK	16.82901G	61.85	68.20	-6.35	39.85	3	Horizontal	97	1.79	-	40.32	13.89	32.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 87
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	64.58	74.00	-9.42	56.71	3	Vertical	328	2.22	-	33.51	6.83	32.47
AV	5.46G	51.80	54.00	-2.20	43.87	3	Vertical	328	2.22	-	33.56	6.84	32.47
PK	5.469G	64.34	68.20	-3.86	56.34	3	Vertical	328	2.22	-	33.61	6.86	32.47
PK	5.674G	118.68	Inf	-Inf	109.89	3	Vertical	328	2.22	-	34.05	7.19	32.45
AV	5.679G	107.50	Inf	-Inf	98.69	3	Vertical	328	2.22	-	34.06	7.20	32.45
PK	5.854G	67.84	68.20	-0.36	58.38	3	Vertical	328	2.22	-	34.52	7.39	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 87
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4545G	59.47	74.00	-14.53	51.58	3	Horizontal	294	1.05	-	33.53	6.83	32.47			
AV	5.443G	49.21	54.00	-4.79	41.40	3	Horizontal	294	1.05	-	33.47	6.81	32.47			
PK	5.47G	59.58	68.20	-8.62	51.57	3	Horizontal	294	1.05	-	33.62	6.86	32.47			
PK	5.679G	108.78	Inf	-Inf	99.97	3	Horizontal	294	1.05	-	34.06	7.20	32.45			
AV	5.679G	97.66	Inf	-Inf	88.85	3	Horizontal	294	1.05	-	34.06	7.20	32.45			
PK	5.8985G	62.24	68.20	-5.96	52.47	3	Horizontal	294	1.05	-	34.79	7.42	32.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 87
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.37777G	59.64	74.00	-14.36	41.35	3	Vertical	0	2.79	-	39.10	11.73	32.54			
AV	11.37505G	46.92	54.00	-7.08	28.64	3	Vertical	0	2.79	-	39.10	11.72	32.54			
PK	17.07G	61.48	68.20	-6.72	38.58	3	Vertical	233	1.63	-	40.98	13.96	32.04			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 87
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37802G	59.85	74.00	-14.15	41.56	3	Horizontal	53	2.71	-	39.10	11.73	32.54			
AV	11.37562G	46.87	54.00	-7.13	28.59	3	Horizontal	53	2.71	-	39.10	11.72	32.54			
PK	17.07234G	61.05	68.20	-7.15	38.13	3	Horizontal	287	1.67	-	40.99	13.96	32.03			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 76
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.659G	74.79	74.86	-0.07	66.05	3	Vertical	20	2.28	-	34.02	7.17	32.45			
PK	5.763G	115.05	Inf	-Inf	106.07	3	Vertical	20	2.28	-	34.13	7.30	32.45			
AV	5.7625G	104.83	Inf	-Inf	95.86	3	Vertical	20	2.28	-	34.12	7.30	32.45			
PK	5.9585G	61.93	68.20	-6.27	51.77	3	Vertical	20	2.28	-	35.13	7.47	32.44			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 76
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	61.45	68.20	-6.75	52.74	3	Horizontal	284	2.64	-	34.00	7.16	32.45			
PK	5.7485G	105.84	Inf	-Inf	96.90	3	Horizontal	284	2.64	-	34.10	7.29	32.45			
AV	5.7635G	95.95	Inf	-Inf	86.97	3	Horizontal	284	2.64	-	34.13	7.30	32.45			
PK	5.9915G	62.72	68.20	-5.48	52.40	3	Horizontal	284	2.64	-	35.27	7.49	32.44			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 76
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54799G	59.75	74.00	-14.25	41.45	3	Vertical	2	2.30	-	39.00	11.90	32.60			
AV	11.55489G	46.55	54.00	-7.45	28.25	3	Vertical	2	2.30	-	38.99	11.91	32.60			
PK	17.32906G	61.47	68.20	-6.73	37.54	3	Vertical	109	2.00	-	41.76	14.04	31.87			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 76
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54808G	59.37	74.00	-14.63	41.07	3	Horizontal	76	2.34	-	39.00	11.90	32.60			
AV	11.55308G	46.58	54.00	-7.42	28.29	3	Horizontal	76	2.34	-	38.99	11.90	32.60			
PK	17.32944G	61.24	68.20	-6.96	37.31	3	Horizontal	304	1.06	-	41.76	14.04	31.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 70
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	73.16	74.00	-0.84	66.26	3	Vertical	10	2.26	-	32.80	6.64	32.54			
AV	5.15G	53.84	54.00	-0.16	46.94	3	Vertical	10	2.26	-	32.80	6.64	32.54			
PK	5.3132G	110.97	Inf	-Inf	103.75	3	Vertical	10	2.26	-	33.03	6.69	32.50			
AV	5.2788G	99.52	Inf	-Inf	92.40	3	Vertical	10	2.26	-	32.96	6.67	32.51			
PK	5.3564G	71.45	74.00	-2.55	64.10	3	Vertical	10	2.26	-	33.13	6.71	32.49			
AV	5.3532G	52.07	54.00	-1.93	44.75	3	Vertical	10	2.26	-	33.11	6.71	32.50			
PK	5.4924G	61.90	68.20	-6.30	53.71	3	Vertical	10	2.26	-	33.75	6.90	32.46			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 70
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	64.71	74.00	-9.29	57.82	3	Horizontal	294	2.70	-	32.79	6.64	32.54			
AV	5.1436G	49.00	54.00	-5.00	42.12	3	Horizontal	294	2.70	-	32.79	6.64	32.55			
PK	5.174G	100.07	Inf	-Inf	93.12	3	Horizontal	294	2.70	-	32.85	6.64	32.54			
AV	5.2236G	89.25	Inf	-Inf	82.24	3	Horizontal	294	2.70	-	32.90	6.64	32.53			
PK	5.3532G	63.63	74.00	-10.37	56.31	3	Horizontal	294	2.70	-	33.11	6.71	32.50			
AV	5.4484G	48.65	54.00	-5.35	40.81	3	Horizontal	294	2.70	-	33.49	6.82	32.47			
PK	5.5884G	60.59	68.20	-7.61	52.07	3	Horizontal	294	2.70	-	33.90	7.08	32.46			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 70
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49713G	57.60	68.20	-10.60	40.19	3	Vertical	199	2.07	-	38.99	10.83	32.41			
PK	15.74859G	61.97	74.00	-12.03	42.72	3	Vertical	242	1.41	-	38.39	13.62	32.76			
AV	15.74679G	47.08	54.00	-6.92	27.83	3	Vertical	242	1.41	-	38.39	13.62	32.76			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 70
01-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5049G	57.64	68.20	-10.56	40.21	3	Horizontal	7	1.62	-	39.01	10.83	32.41			
PK	15.75019G	61.56	74.00	-12.44	42.29	3	Horizontal	57	1.89	-	38.40	13.63	32.76			
AV	15.75341G	47.08	54.00	-6.92	27.81	3	Horizontal	57	1.89	-	38.40	13.63	32.76			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 59
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3468G	61.24	68.20	-6.96	53.95	3	Vertical	304	2.31	-	33.09	6.70	32.50			
AV	5.35G	48.53	54.00	-5.47	41.22	3	Vertical	304	2.31	-	33.10	6.71	32.50			
PK	5.446G	64.90	74.00	-9.10	57.07	3	Vertical	304	2.31	-	33.48	6.82	32.47			
AV	5.4412G	53.05	54.00	-0.95	45.25	3	Vertical	304	2.31	-	33.46	6.81	32.47			
PK	5.4636G	68.05	68.20	-0.15	60.09	3	Vertical	304	2.31	-	33.58	6.85	32.47			
PK	5.5372G	110.96	Inf	-Inf	102.57	3	Vertical	304	2.31	-	33.87	6.98	32.46			
AV	5.5468G	98.99	Inf	-Inf	90.56	3	Vertical	304	2.31	-	33.89	7.00	32.46			
PK	5.742G	62.30	68.20	-5.90	53.37	3	Vertical	304	2.31	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 59
01-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.282G	59.28	68.20	-8.92	52.16	3	Horizontal	285	2.54	-	32.96	6.67	32.51				
AV	5.35G	47.51	54.00	-6.49	40.20	3	Horizontal	285	2.54	-	33.10	6.71	32.50				
PK	5.4324G	60.39	74.00	-13.61	52.65	3	Horizontal	285	2.54	-	33.43	6.79	32.48				
PK	5.4684G	60.40	68.20	-7.80	52.40	3	Horizontal	285	2.54	-	33.61	6.86	32.47				
AV	5.4588G	48.95	54.00	-5.05	41.03	3	Horizontal	285	2.54	-	33.55	6.84	32.47				
PK	5.5444G	98.89	Inf	-Inf	90.46	3	Horizontal	285	2.54	-	33.89	7.00	32.46				
AV	5.6036G	88.23	Inf	-Inf	79.68	3	Horizontal	285	2.54	-	33.91	7.10	32.46				
PK	5.7676G	61.89	68.20	-6.31	52.89	3	Horizontal	285	2.54	-	34.14	7.31	32.45				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 59
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13911G	59.28	74.00	-14.72	41.43	3	Vertical	213	2.96	-	38.84	11.48	32.47			
AV	11.14042G	46.03	54.00	-7.97	28.18	3	Vertical	213	2.96	-	38.84	11.48	32.47			
PK	16.71045G	61.12	68.20	-7.08	39.72	3	Vertical	27	1.41	-	39.84	13.86	32.30			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Z_4TX
Setting 59
01-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14106G	58.43	74.00	-15.57	40.58	3	Horizontal	294	2.62	-	38.84	11.48	32.47			
AV	11.14201G	46.03	54.00	-7.97	28.19	3	Horizontal	294	2.62	-	38.83	11.48	32.47			
PK	16.70715G	61.92	68.20	-6.28	40.53	3	Horizontal	275	2.53	-	39.83	13.86	32.30			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.8532G	68.18	68.20	-0.02	3	Vertical	148	2.75	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 68
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	66.64	74.00	-7.36	60.55	3	Vertical	156	3.00	-	33.90	7.49	35.30			
AV	5.1493G	52.19	54.00	-1.81	46.10	3	Vertical	156	3.00	-	33.90	7.49	35.30			
PK	5.1837G	109.87	Inf	-Inf	103.57	3	Vertical	156	3.00	-	34.03	7.57	35.30			
AV	5.1847G	100.12	Inf	-Inf	93.81	3	Vertical	156	3.00	-	34.04	7.57	35.30			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
Setting 68
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	70.31	74.00	-3.69	64.22	3	Horizontal	194	1.39	-	33.90	7.49	35.30			
AV	5.1491G	53.50	54.00	-0.50	47.41	3	Horizontal	194	1.39	-	33.90	7.49	35.30			
PK	5.174G	111.19	Inf	-Inf	104.94	3	Horizontal	194	1.39	-	34.00	7.55	35.30			
AV	5.1744G	102.34	Inf	-Inf	96.09	3	Horizontal	194	1.39	-	34.00	7.55	35.30			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
Setting 68
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36155G	56.48	68.20	-11.72	41.93	3	Vertical	349	1.80	-	38.05	11.17	34.67			
PK	15.53827G	62.08	74.00	-11.92	45.77	3	Vertical	37	1.85	-	38.35	12.90	34.94			
AV	15.54242G	47.19	54.00	-6.81	30.89	3	Vertical	37	1.85	-	38.33	12.91	34.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 68
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35939G	56.04	68.20	-12.16	41.49	3	Horizontal	227	2.25	-	38.06	11.17	34.68			
PK	15.53933G	62.31	74.00	-11.69	46.01	3	Horizontal	71	2.48	-	38.34	12.90	34.94			
AV	15.53894G	47.12	54.00	-6.88	30.82	3	Horizontal	71	2.48	-	38.34	12.90	34.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT Y_1TX
Setting 83
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	66.53	74.00	-7.47	60.44	3	Vertical	154	3.00	-	33.90	7.49	35.30			
AV	5.1488G	51.62	54.00	-2.38	45.53	3	Vertical	154	3.00	-	33.90	7.49	35.30			
PK	5.2004G	112.08	Inf	-Inf	105.66	3	Vertical	154	3.00	-	34.10	7.61	35.29			
AV	5.197G	103.33	Inf	-Inf	96.93	3	Vertical	154	3.00	-	34.09	7.60	35.29			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT Y_1TX
Setting 83
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	68.65	74.00	-5.35	62.56	3	Horizontal	198	1.41	-	33.90	7.49	35.30			
AV	5.1488G	53.52	54.00	-0.48	47.43	3	Horizontal	198	1.41	-	33.90	7.49	35.30			
PK	5.207G	114.23	Inf	-Inf	107.80	3	Horizontal	198	1.41	-	34.10	7.62	35.29			
AV	5.2054G	105.30	Inf	-Inf	98.87	3	Horizontal	198	1.41	-	34.10	7.62	35.29			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT Y_1TX
Setting 83
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40134G	56.27	68.20	-11.93	41.81	3	Vertical	291	2.79	-	37.90	11.18	34.62			
PK	15.60024G	61.72	74.00	-12.28	45.63	3	Vertical	98	1.02	-	38.10	12.95	34.96			
AV	15.60101G	47.61	54.00	-6.39	31.53	3	Vertical	98	1.02	-	38.09	12.95	34.96			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT Y_1TX
Setting 83
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40202G	56.42	68.20	-11.78	41.96	3	Horizontal	63	2.49	-	37.90	11.18	34.62			
PK	15.60016G	61.92	74.00	-12.08	45.83	3	Horizontal	199	1.27	-	38.10	12.95	34.96			
AV	15.5999G	47.56	54.00	-6.44	31.47	3	Horizontal	199	1.27	-	38.10	12.95	34.96			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX


EUT Y_1TX
Setting 99
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1491G	63.31	74.00	-10.69	57.22	3	Vertical	157	2.95	-	33.90	7.49	35.30			
AV	5.15G	50.99	54.00	-3.01	44.90	3	Vertical	157	2.95	-	33.90	7.49	35.30			
PK	5.243G	115.92	Inf	-Inf	109.45	3	Vertical	157	2.95	-	34.10	7.66	35.29			
AV	5.2418G	106.26	Inf	-Inf	99.79	3	Vertical	157	2.95	-	34.10	7.66	35.29			
PK	5.357G	61.31	74.00	-12.69	54.24	3	Vertical	157	2.95	-	34.53	7.81	35.27			
AV	5.3558G	50.94	54.00	-3.06	43.89	3	Vertical	157	2.95	-	34.52	7.80	35.27			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX

EUT Y_1TX
Setting 99
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	65.31	74.00	-8.69	59.22	3	Horizontal	196	1.27	-	33.90	7.49	35.30			
AV	5.1494G	52.94	54.00	-1.06	46.85	3	Horizontal	196	1.27	-	33.90	7.49	35.30			
PK	5.234G	117.35	Inf	-Inf	110.89	3	Horizontal	196	1.27	-	34.10	7.65	35.29			
AV	5.2391G	108.65	Inf	-Inf	102.18	3	Horizontal	196	1.27	-	34.10	7.66	35.29			
PK	5.369G	61.36	74.00	-12.64	54.22	3	Horizontal	196	1.27	-	34.58	7.82	35.26			
AV	5.3579G	51.85	54.00	-2.15	44.78	3	Horizontal	196	1.27	-	34.53	7.81	35.27			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT Y_1TX
Setting 99
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47872G	56.57	68.20	-11.63	41.87	3	Vertical	240	2.54	-	38.01	11.21	34.52			
PK	15.71908G	59.68	74.00	-14.32	43.93	3	Vertical	297	1.80	-	37.72	13.05	35.02			
AV	15.72244G	46.93	54.00	-7.07	31.19	3	Vertical	297	1.80	-	37.71	13.05	35.02			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT Y_1TX
Setting 99
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48303G	57.48	68.20	-10.72	42.74	3	Horizontal	340	2.04	-	38.03	11.22	34.51			
PK	15.72301G	60.55	74.00	-13.45	44.81	3	Horizontal	8	2.99	-	37.71	13.05	35.02			
AV	15.71786G	47.06	54.00	-6.94	31.30	3	Horizontal	8	2.99	-	37.73	13.05	35.02			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT Y_1TX
Setting 99
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	60.17	74.00	-13.83	54.09	3	Vertical	152	2.92	-	33.90	7.48	35.30			
AV	5.1427G	50.80	54.00	-3.20	44.72	3	Vertical	152	2.92	-	33.90	7.48	35.30			
PK	5.2582G	115.80	Inf	-Inf	109.25	3	Vertical	152	2.92	-	34.15	7.68	35.28			
AV	5.263G	105.81	Inf	-Inf	99.22	3	Vertical	152	2.92	-	34.18	7.69	35.28			
PK	5.3515G	64.17	74.00	-9.83	57.13	3	Vertical	152	2.92	-	34.51	7.80	35.27			
AV	5.3587G	52.58	54.00	-1.42	45.51	3	Vertical	152	2.92	-	34.53	7.81	35.27			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX

EUT Y_1TX
Setting 99
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	62.13	74.00	-11.87	56.04	3	Horizontal	188	2.02	-	33.90	7.49	35.30			
AV	5.1424G	50.65	54.00	-3.35	44.58	3	Horizontal	188	2.02	-	33.90	7.47	35.30			
PK	5.2642G	115.90	Inf	-Inf	109.30	3	Horizontal	188	2.02	-	34.19	7.69	35.28			
AV	5.2669G	107.30	Inf	-Inf	100.69	3	Horizontal	188	2.02	-	34.20	7.69	35.28			
PK	5.3551G	66.45	74.00	-7.55	59.40	3	Horizontal	188	2.02	-	34.52	7.80	35.27			
AV	5.3524G	53.63	54.00	-0.37	46.59	3	Horizontal	188	2.02	-	34.51	7.80	35.27			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX

EUT Y_1TX
Setting 99
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52163G	56.83	68.20	-11.37	41.95	3	Vertical	194	2.82	-	38.14	11.23	34.49			
PK	15.78127G	59.85	74.00	-14.15	44.25	3	Vertical	360	1.04	-	37.54	13.10	35.04			
AV	15.77623G	46.37	54.00	-7.63	30.77	3	Vertical	360	1.04	-	37.55	13.09	35.04			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT Y_1TX
Setting 99
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5219G	56.95	68.20	-11.25	42.07	3	Horizontal	190	1.80	-	38.14	11.23	34.49			
PK	15.77688G	59.74	74.00	-14.26	44.14	3	Horizontal	341	1.34	-	37.55	13.09	35.04			
AV	15.77809G	46.42	54.00	-7.58	30.83	3	Horizontal	341	1.34	-	37.54	13.09	35.04			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT Y_1TX
Setting 83
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3038G	110.87	Inf	-Inf	104.00	3	Vertical	155	2.89	-	34.41	7.74	35.28			
AV	5.3032G	100.93	Inf	-Inf	94.06	3	Vertical	155	2.89	-	34.41	7.74	35.28			
PK	5.3532G	64.91	74.00	-9.09	57.87	3	Vertical	155	2.89	-	34.51	7.80	35.27			
AV	5.3508G	51.60	54.00	-2.40	44.57	3	Vertical	155	2.89	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT Y_1TX
Setting 83
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.297G	113.54	Inf	-Inf	106.71	3	Horizontal	196	1.18	-	34.38	7.73	35.28			
AV	5.3036G	104.68	Inf	-Inf	97.81	3	Horizontal	196	1.18	-	34.41	7.74	35.28			
PK	5.351G	66.90	74.00	-7.10	59.87	3	Horizontal	196	1.18	-	34.50	7.80	35.27			
AV	5.35G	53.79	54.00	-0.21	46.76	3	Horizontal	196	1.18	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX

EUT Y_1TX
Setting 83
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59808G	56.47	68.20	-11.73	41.49	3	Vertical	48	1.21	-	38.20	11.26	34.48			
AV	10.601G	43.37	54.00	-10.63	28.39	3	Vertical	48	1.21	-	38.20	11.26	34.48			
PK	15.90201G	61.27	74.00	-12.73	45.39	3	Vertical	148	1.46	-	37.79	13.19	35.10			
AV	15.90271G	47.58	54.00	-6.42	31.70	3	Vertical	148	1.46	-	37.79	13.19	35.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT Y_1TX
Setting 83
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59537G	56.86	68.20	-11.34	41.88	3	Horizontal	238	2.18	-	38.20	11.26	34.48			
AV	10.60441G	43.67	54.00	-10.33	28.69	3	Horizontal	238	2.18	-	38.20	11.26	34.48			
PK	15.90345G	60.93	74.00	-13.07	45.05	3	Horizontal	21	1.03	-	37.79	13.19	35.10			
AV	15.89679G	47.97	54.00	-6.03	32.08	3	Horizontal	21	1.03	-	37.79	13.19	35.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT Y_1TX
 Setting 69
 03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3236G	108.17	Inf	-Inf	101.23	3	Vertical	209	2.94	-	34.45	7.76	35.27				
AV	5.3166G	98.72	Inf	-Inf	91.80	3	Vertical	209	2.94	-	34.43	7.76	35.27				
PK	5.352G	65.63	74.00	-8.37	58.59	3	Vertical	209	2.94	-	34.51	7.80	35.27				
AV	5.3507G	51.02	54.00	-2.98	43.99	3	Vertical	209	2.94	-	34.50	7.80	35.27				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX

EUT Y_1TX
Setting 69
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3238G	109.87	Inf	-Inf	102.93	3	Horizontal	198	1.24	-	34.45	7.76	35.27			
AV	5.3247G	100.75	Inf	-Inf	93.80	3	Horizontal	198	1.24	-	34.45	7.77	35.27			
PK	5.3508G	69.46	74.00	-4.54	62.43	3	Horizontal	198	1.24	-	34.50	7.80	35.27			
AV	5.3501G	53.84	54.00	-0.16	46.81	3	Horizontal	198	1.24	-	34.50	7.80	35.27			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT Y_1TX
Setting 69
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64141G	58.78	74.00	-15.22	43.78	3	Vertical	286	2.56	-	38.20	11.28	34.48			
AV	10.63829G	45.36	54.00	-8.64	30.36	3	Vertical	286	2.56	-	38.20	11.28	34.48			
PK	15.96178G	61.82	74.00	-12.18	46.15	3	Vertical	266	1.22	-	37.55	13.24	35.12			
AV	15.96095G	47.16	54.00	-6.84	31.48	3	Vertical	266	1.22	-	37.56	13.24	35.12			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT Y_1TX
Setting 69
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63938G	58.27	74.00	-15.73	43.27	3	Horizontal	224	2.47	-	38.20	11.28	34.48			
AV	10.64221G	45.91	54.00	-8.09	30.91	3	Horizontal	224	2.47	-	38.20	11.28	34.48			
PK	15.9576G	62.52	74.00	-11.48	46.83	3	Horizontal	171	2.24	-	37.57	13.24	35.12			
AV	15.96184G	47.23	54.00	-6.77	31.56	3	Horizontal	171	2.24	-	37.55	13.24	35.12			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX

EUT Y_1TX
Setting 70
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4581G	62.52	74.00	-11.48	55.38	3	Vertical	140	2.69	-	34.60	7.79	35.25			
AV	5.4592G	50.90	54.00	-3.10	43.76	3	Vertical	140	2.69	-	34.60	7.79	35.25			
PK	5.4682G	65.87	68.20	-2.33	58.75	3	Vertical	140	2.69	-	34.60	7.77	35.25			
PK	5.4936G	107.47	Inf	-Inf	100.37	3	Vertical	140	2.69	-	34.60	7.74	35.24			
AV	5.4963G	98.41	Inf	-Inf	91.31	3	Vertical	140	2.69	-	34.60	7.74	35.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX

EUT Y_1TX
Setting 70
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4583G	62.01	74.00	-11.99	54.87	3	Horizontal	252	2.07	-	34.60	7.79	35.25			
AV	5.4527G	50.53	54.00	-3.47	43.39	3	Horizontal	252	2.07	-	34.60	7.79	35.25			
PK	5.4668G	67.62	68.20	-0.58	60.49	3	Horizontal	252	2.07	-	34.60	7.78	35.25			
PK	5.4936G	109.43	Inf	-Inf	102.33	3	Horizontal	252	2.07	-	34.60	7.74	35.24			
AV	5.4962G	100.30	Inf	-Inf	93.20	3	Horizontal	252	2.07	-	34.60	7.74	35.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX

EUT Y_1TX
Setting 70
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00004G	57.66	74.00	-16.34	42.38	3	Vertical	65	2.77	-	38.30	11.43	34.45			
AV	10.9992G	46.72	54.00	-7.28	31.45	3	Vertical	65	2.77	-	38.30	11.42	34.45			
PK	16.50105G	61.80	68.20	-6.40	45.13	3	Vertical	235	2.68	-	38.01	13.52	34.86			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX

EUT Y_1TX
Setting 70
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9979G	57.71	74.00	-16.29	42.44	3	Horizontal	107	2.58	-	38.30	11.42	34.45			
AV	10.9983G	46.72	54.00	-7.28	31.45	3	Horizontal	107	2.58	-	38.30	11.42	34.45			
PK	16.50029G	61.32	68.20	-6.88	44.66	3	Horizontal	141	1.46	-	38.00	13.52	34.86			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX
Setting 108
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4508G	61.98	74.00	-12.02	54.83	3	Vertical	140	2.94	-	34.60	7.80	35.25			
AV	5.4572G	52.10	54.00	-1.90	44.96	3	Vertical	140	2.94	-	34.60	7.79	35.25			
PK	5.464G	64.37	68.20	-3.83	57.24	3	Vertical	140	2.94	-	34.60	7.78	35.25			
PK	5.5872G	114.39	Inf	-Inf	107.64	3	Vertical	140	2.94	-	34.35	7.63	35.23			
AV	5.5848G	105.27	Inf	-Inf	98.51	3	Vertical	140	2.94	-	34.36	7.63	35.23			
PK	5.7772G	60.62	68.20	-7.58	53.71	3	Vertical	140	2.94	-	34.20	7.92	35.21			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX

EUT Y_1TX
Setting 108
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.444G	62.59	74.00	-11.41	55.42	3	Horizontal	110	2.94	-	34.61	7.81	35.25			
AV	5.4528G	51.22	54.00	-2.78	44.08	3	Horizontal	110	2.94	-	34.60	7.79	35.25			
PK	5.464G	63.00	68.20	-5.20	55.87	3	Horizontal	110	2.94	-	34.60	7.78	35.25			
PK	5.5832G	114.99	Inf	-Inf	108.22	3	Horizontal	110	2.94	-	34.37	7.63	35.23			
AV	5.5792G	105.68	Inf	-Inf	98.89	3	Horizontal	110	2.94	-	34.38	7.64	35.23			
PK	5.7344G	60.88	68.20	-7.32	54.05	3	Horizontal	110	2.94	-	34.20	7.85	35.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX

EUT Y_1TX
Setting 108
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16102G	58.44	74.00	-15.56	42.95	3	Vertical	3	1.71	-	38.42	11.49	34.42			
AV	11.16243G	47.05	54.00	-6.95	31.56	3	Vertical	3	1.71	-	38.42	11.49	34.42			
PK	16.74147G	61.24	68.20	-6.96	43.41	3	Vertical	10	2.46	-	38.80	13.63	34.60			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX

EUT Y_1TX
Setting 108
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16138G	57.62	74.00	-16.38	42.13	3	Horizontal	173	2.84	-	38.42	11.49	34.42			
AV	11.1611G	46.77	54.00	-7.23	31.28	3	Horizontal	173	2.84	-	38.42	11.49	34.42			
PK	16.73962G	61.71	68.20	-6.49	43.88	3	Horizontal	177	2.93	-	38.80	13.63	34.60			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX

EUT Y_1TX
Setting 65
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7038G	108.28	Inf	-Inf	101.51	3	Vertical	149	2.74	-	34.20	7.79	35.22			
AV	5.7026G	98.86	Inf	-Inf	92.09	3	Vertical	149	2.74	-	34.20	7.79	35.22			
PK	5.725G	67.29	68.20	-0.91	60.48	3	Vertical	149	2.74	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX

EUT_Y_1TX
Setting 65
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7031G	108.19	Inf	-Inf	101.42	3	Horizontal	263	1.36	-	34.20	7.79	35.22			
AV	5.7032G	99.38	Inf	-Inf	92.61	3	Horizontal	263	1.36	-	34.20	7.79	35.22			
PK	5.7264G	66.98	68.20	-1.22	60.17	3	Horizontal	263	1.36	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX

EUT Y_1TX
Setting 65
03-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40207G	57.17	74.00	-16.83	41.25	3	Vertical	200	1.95	-	38.70	11.59	34.37			
AV	11.40058G	46.85	54.00	-7.15	30.93	3	Vertical	200	1.95	-	38.70	11.59	34.37			
PK	17.0998G	61.24	68.20	-6.96	41.55	3	Vertical	87	2.69	-	40.10	13.81	34.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX
Setting 65
03-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39918G	57.82	74.00	-16.18	41.90	3	Horizontal	220	1.12	-	38.70	11.59	34.37			
AV	11.39776G	46.89	54.00	-7.11	30.97	3	Horizontal	220	1.12	-	38.70	11.59	34.37			
PK	17.09776G	61.64	68.20	-6.56	41.95	3	Horizontal	195	2.20	-	40.10	13.81	34.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 108
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7275G	116.30	Inf	-Inf	109.49	3	Vertical	144	2.82	-	34.20	7.83	35.22			
AV	5.7266G	107.13	Inf	-Inf	100.32	3	Vertical	144	2.82	-	34.20	7.83	35.22			
PK	5.8502G	61.78	68.20	-6.42	54.67	3	Vertical	144	2.82	-	34.30	8.01	35.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 108
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7224G	116.95	Inf	-Inf	110.15	3	Horizontal	105	2.56	-	34.20	7.82	35.22			
AV	5.7224G	107.34	Inf	-Inf	100.54	3	Horizontal	105	2.56	-	34.20	7.82	35.22			
PK	5.8565G	62.15	68.20	-6.05	55.00	3	Horizontal	105	2.56	-	34.33	8.02	35.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 108
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44063G	57.75	74.00	-16.25	41.73	3	Vertical	122	2.50	-	38.78	11.60	34.36			
AV	11.43792G	44.66	54.00	-9.34	28.64	3	Vertical	122	2.50	-	38.78	11.60	34.36			
PK	17.15793G	61.33	68.20	-6.87	41.32	3	Vertical	339	2.68	-	40.33	13.84	34.16			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 108
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4394G	57.34	74.00	-16.66	41.32	3	Horizontal	235	2.42	-	38.78	11.60	34.36			
AV	11.44125G	44.40	54.00	-9.60	28.38	3	Horizontal	235	2.42	-	38.78	11.60	34.36			
PK	17.15983G	61.46	68.20	-6.74	41.43	3	Horizontal	249	2.36	-	40.34	13.84	34.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT Y_1TX
Setting 108
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	65.28	68.20	-2.92	58.52	3	Vertical	151	2.59	-	34.30	7.69	35.23			
PK	5.7485G	115.36	Inf	-Inf	108.51	3	Vertical	151	2.59	-	34.20	7.87	35.22			
AV	5.743G	106.57	Inf	-Inf	99.73	3	Vertical	151	2.59	-	34.20	7.86	35.22			
PK	5.9685G	60.75	68.20	-7.45	53.10	3	Vertical	151	2.59	-	34.70	8.14	35.19			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX

EUT Y_1TX
Setting 108
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	65.54	68.20	-2.66	58.78	3	Horizontal	111	2.69	-	34.30	7.69	35.23			
PK	5.742G	117.01	Inf	-Inf	110.17	3	Horizontal	111	2.69	-	34.20	7.86	35.22			
AV	5.749G	107.87	Inf	-Inf	101.02	3	Horizontal	111	2.69	-	34.20	7.87	35.22			
PK	5.932G	61.45	68.20	-6.75	53.92	3	Horizontal	111	2.69	-	34.63	8.10	35.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX

EUT Y_1TX
Setting 108
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49221G	58.21	74.00	-15.79	42.06	3	Vertical	141	1.12	-	38.88	11.62	34.35			
AV	11.49202G	44.57	54.00	-9.43	28.42	3	Vertical	141	1.12	-	38.88	11.62	34.35			
PK	17.23699G	61.43	68.20	-6.77	40.90	3	Vertical	23	2.95	-	40.72	13.88	34.07			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX

EUT Y_1TX
Setting 108
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48895G	57.64	74.00	-16.36	41.49	3	Horizontal	15	1.19	-	38.88	11.62	34.35			
AV	11.48784G	44.37	54.00	-9.63	28.22	3	Horizontal	15	1.19	-	38.88	11.62	34.35			
PK	17.23474G	61.40	68.20	-6.80	40.89	3	Horizontal	319	1.12	-	40.71	13.88	34.08			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT Y_1TX
Setting 108
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64G	60.54	68.20	-7.66	53.79	3	Vertical	156	2.92	-	34.30	7.68	35.23			
PK	5.7875G	116.85	Inf	-Inf	109.92	3	Vertical	156	2.92	-	34.20	7.94	35.21			
AV	5.7895G	107.39	Inf	-Inf	100.46	3	Vertical	156	2.92	-	34.20	7.94	35.21			
PK	5.938G	60.87	68.20	-7.33	53.32	3	Vertical	156	2.92	-	34.65	8.10	35.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX

EUT Y_1TX
Setting 108
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.558G	60.73	68.20	-7.47	53.83	3	Horizontal	115	1.79	-	34.47	7.66	35.23			
PK	5.79G	116.22	Inf	-Inf	109.29	3	Horizontal	115	1.79	-	34.20	7.94	35.21			
AV	5.788G	106.99	Inf	-Inf	100.06	3	Horizontal	115	1.79	-	34.20	7.94	35.21			
PK	5.9755G	62.39	68.20	-5.81	54.74	3	Horizontal	115	1.79	-	34.70	8.14	35.19			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX

EUT Y_1TX
Setting 108
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57035G	57.82	74.00	-16.18	41.39	3	Vertical	298	2.89	-	39.18	11.66	34.41			
AV	11.56861G	44.81	54.00	-9.19	28.39	3	Vertical	298	2.89	-	39.17	11.66	34.41			
PK	17.35542G	61.38	68.20	-6.82	39.97	3	Vertical	166	2.70	-	41.43	13.93	33.95			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX

EUT_Y_1TX
Setting 108
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56997G	58.15	74.00	-15.85	41.72	3	Horizontal	84	1.79	-	39.18	11.66	34.41			
AV	11.56809G	44.71	54.00	-9.29	28.29	3	Horizontal	84	1.79	-	39.17	11.66	34.41			
PK	17.34926G	61.16	68.20	-7.04	39.79	3	Horizontal	277	2.56	-	41.40	13.93	33.96			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX

EUT Y_1TX
Setting 108
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.636G	60.00	68.20	-8.20	53.26	3	Vertical	154	3.00	-	34.30	7.67	35.23			
PK	5.8235G	117.01	Inf	-Inf	109.99	3	Vertical	154	3.00	-	34.25	7.98	35.21			
AV	5.823G	106.97	Inf	-Inf	99.95	3	Vertical	154	3.00	-	34.25	7.98	35.21			
PK	5.925G	65.40	68.20	-2.80	57.91	3	Vertical	154	3.00	-	34.60	8.09	35.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT Y_1TX
Setting 108
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.623G	60.41	68.20	-7.79	53.69	3	Horizontal	114	1.80	-	34.30	7.65	35.23			
PK	5.8235G	116.46	Inf	-Inf	109.44	3	Horizontal	114	1.80	-	34.25	7.98	35.21			
AV	5.829G	107.57	Inf	-Inf	100.53	3	Horizontal	114	1.80	-	34.26	7.99	35.21			
PK	5.9285G	66.30	68.20	-1.90	58.80	3	Horizontal	114	1.80	-	34.61	8.09	35.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT Y_1TX
Setting 108
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64832G	58.43	74.00	-15.57	41.83	3	Vertical	213	1.53	-	39.40	11.69	34.49			
AV	11.64953G	45.01	54.00	-8.99	28.41	3	Vertical	213	1.53	-	39.40	11.69	34.49			
PK	17.47501G	61.22	68.20	-6.98	38.76	3	Vertical	309	2.85	-	42.30	13.99	33.83			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX

EUT Y_1TX
Setting 108
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65249G	58.16	74.00	-15.84	41.56	3	Horizontal	225	1.42	-	39.40	11.69	34.49			
AV	11.65G	44.96	54.00	-9.04	28.36	3	Horizontal	225	1.42	-	39.40	11.69	34.49			
PK	17.47608G	61.95	68.20	-6.25	39.47	3	Horizontal	134	1.16	-	42.31	13.99	33.82			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5180MHz_TX

EUT Y_1TX
Setting 63
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	67.58	74.00	-6.42	61.49	3	Vertical	154	3.00	-	33.90	7.49	35.30			
AV	5.1489G	51.85	54.00	-2.15	45.76	3	Vertical	154	3.00	-	33.90	7.49	35.30			
PK	5.1827G	110.74	Inf	-Inf	104.44	3	Vertical	154	3.00	-	34.03	7.57	35.30			
AV	5.1815G	98.46	Inf	-Inf	92.16	3	Vertical	154	3.00	-	34.03	7.57	35.30			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5180MHz_TX

EUT Y_1TX
Setting 63
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	70.63	74.00	-3.37	64.54	3	Horizontal	196	1.33	-	33.90	7.49	35.30			
AV	5.1498G	53.72	54.00	-0.28	47.63	3	Horizontal	196	1.33	-	33.90	7.49	35.30			
PK	5.1839G	112.42	Inf	-Inf	106.11	3	Horizontal	196	1.33	-	34.04	7.57	35.30			
AV	5.1829G	100.37	Inf	-Inf	94.07	3	Horizontal	196	1.33	-	34.03	7.57	35.30			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5180MHz_TX

EUT Y_1TX
Setting 63
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35789G	56.33	68.20	-11.87	41.78	3	Vertical	14	2.33	-	38.07	11.16	34.68			
PK	15.53753G	61.67	74.00	-12.33	45.36	3	Vertical	123	2.46	-	38.35	12.90	34.94			
AV	15.53783G	47.74	54.00	-6.26	31.43	3	Vertical	123	2.46	-	38.35	12.90	34.94			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 63
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35926G	56.06	68.20	-12.14	41.51	3	Horizontal	30	1.93	-	38.06	11.17	34.68			
PK	15.54064G	61.86	74.00	-12.14	45.56	3	Horizontal	77	1.04	-	38.34	12.90	34.94			
AV	15.54087G	47.54	54.00	-6.46	31.24	3	Horizontal	77	1.04	-	38.34	12.90	34.94			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5200MHz_TX

EUT Y_1TX
Setting 78
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	66.15	74.00	-7.85	60.06	3	Vertical	157	2.98	-	33.90	7.49	35.30			
AV	5.1476G	51.83	54.00	-2.17	45.74	3	Vertical	157	2.98	-	33.90	7.49	35.30			
PK	5.1992G	113.42	Inf	-Inf	107.00	3	Vertical	157	2.98	-	34.10	7.61	35.29			
AV	5.195G	102.20	Inf	-Inf	95.81	3	Vertical	157	2.98	-	34.08	7.60	35.29			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT Y_1TX
Setting 78
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	68.89	74.00	-5.11	62.81	3	Horizontal	184	1.96	-	33.90	7.48	35.30			
AV	5.15G	53.63	54.00	-0.37	47.54	3	Horizontal	184	1.96	-	33.90	7.49	35.30			
PK	5.1938G	115.51	Inf	-Inf	109.13	3	Horizontal	184	1.96	-	34.08	7.60	35.30			
AV	5.1986G	103.01	Inf	-Inf	96.60	3	Horizontal	184	1.96	-	34.09	7.61	35.29			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5200MHz_TX

EUT Y_1TX
Setting 78
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40088G	55.50	68.20	-12.70	41.04	3	Vertical	227	1.23	-	37.90	11.18	34.62			
PK	15.59963G	61.79	74.00	-12.21	45.70	3	Vertical	37	1.24	-	38.10	12.95	34.96			
AV	15.59769G	47.76	54.00	-6.24	31.66	3	Vertical	37	1.24	-	38.11	12.95	34.96			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5200MHz_TX

EUT Y_1TX
Setting 78
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40112G	56.85	68.20	-11.35	42.39	3	Horizontal	97	2.28	-	37.90	11.18	34.62			
PK	15.59809G	61.44	74.00	-12.56	45.34	3	Horizontal	166	1.19	-	38.11	12.95	34.96			
AV	15.5993G	47.86	54.00	-6.14	31.77	3	Horizontal	166	1.19	-	38.10	12.95	34.96			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5240MHz_TX

EUTY_1TX
Setting 98
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1443G	66.37	74.00	-7.63	60.29	3	Vertical	158	2.96	-	33.90	7.48	35.30			
AV	5.1488G	51.98	54.00	-2.02	45.89	3	Vertical	158	2.96	-	33.90	7.49	35.30			
PK	5.2436G	115.76	Inf	-Inf	109.29	3	Vertical	158	2.96	-	34.10	7.66	35.29			
AV	5.2412G	105.05	Inf	-Inf	98.58	3	Vertical	158	2.96	-	34.10	7.66	35.29			
PK	5.3546G	62.74	74.00	-11.26	55.69	3	Vertical	158	2.96	-	34.52	7.80	35.27			
AV	5.3531G	51.70	54.00	-2.30	44.66	3	Vertical	158	2.96	-	34.51	7.80	35.27			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT Y_1TX
Setting 98
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1467G	69.57	74.00	-4.43	63.49	3	Horizontal	193	1.30	-	33.90	7.48	35.30			
AV	5.1491G	53.94	54.00	-0.06	47.85	3	Horizontal	193	1.30	-	33.90	7.49	35.30			
PK	5.2442G	118.41	Inf	-Inf	111.93	3	Horizontal	193	1.30	-	34.10	7.67	35.29			
AV	5.2424G	107.64	Inf	-Inf	101.17	3	Horizontal	193	1.30	-	34.10	7.66	35.29			
PK	5.3561G	64.14	74.00	-9.86	57.08	3	Horizontal	193	1.30	-	34.52	7.81	35.27			
AV	5.3558G	52.85	54.00	-1.15	45.80	3	Horizontal	193	1.30	-	34.52	7.80	35.27			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT Y_1TX
Setting 98
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.479G	56.52	68.20	-11.68	41.81	3	Vertical	33	2.60	-	38.02	11.21	34.52			
PK	15.71979G	60.85	74.00	-13.15	45.10	3	Vertical	149	2.77	-	37.72	13.05	35.02			
AV	15.72153G	47.31	54.00	-6.69	31.57	3	Vertical	149	2.77	-	37.71	13.05	35.02			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 98
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47832G	56.75	68.20	-11.45	42.05	3	Horizontal	148	2.21	-	38.01	11.21	34.52			
PK	15.72209G	61.40	74.00	-12.60	45.66	3	Horizontal	316	2.08	-	37.71	13.05	35.02			
AV	15.72091G	47.20	54.00	-6.80	31.45	3	Horizontal	316	2.08	-	37.72	13.05	35.02			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT Y_1TX
Setting 95
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1487G	60.93	74.00	-13.07	54.84	3	Vertical	157	2.94	-	33.90	7.49	35.30			
AV	5.1394G	50.07	54.00	-3.93	44.00	3	Vertical	157	2.94	-	33.90	7.47	35.30			
PK	5.2552G	115.17	Inf	-Inf	108.64	3	Vertical	157	2.94	-	34.13	7.68	35.28			
AV	5.2567G	104.34	Inf	-Inf	97.80	3	Vertical	157	2.94	-	34.14	7.68	35.28			
PK	5.3512G	64.71	74.00	-9.29	57.68	3	Vertical	157	2.94	-	34.50	7.80	35.27			
AV	5.3536G	51.91	54.00	-2.09	44.87	3	Vertical	157	2.94	-	34.51	7.80	35.27			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

5260MHz_TX

EUT Y_1TX
Setting 95
03-E-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1493G	63.13	74.00	-10.87	57.04	3	Horizontal	195	1.33	-	33.90	7.49	35.30			
AV	5.1448G	51.33	54.00	-2.67	45.25	3	Horizontal	195	1.33	-	33.90	7.48	35.30			
PK	5.2576G	118.39	Inf	-Inf	111.84	3	Horizontal	195	1.33	-	34.15	7.68	35.28			
AV	5.2621G	107.29	Inf	-Inf	100.71	3	Horizontal	195	1.33	-	34.17	7.69	35.28			
PK	5.3521G	67.13	74.00	-6.87	60.09	3	Horizontal	195	1.33	-	34.51	7.80	35.27			
AV	5.3542G	53.74	54.00	-0.26	46.69	3	Horizontal	195	1.33	-	34.52	7.80	35.27			