



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	EIRP (dBm)	Margin (dB)	DG (dBi)	Limit (dBm)	Detector	Type	Freq (Hz)	Psum (dBm)	P1 (dBm)	P2 (dBm)
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	1M	5k	-41.53	-0.33	6.52	-41.20	Peak	AV	2.38992G	-48.05	-49.62	-53.23
2412MHz	Pass	2.36G	2.5235G	1M	5k	-49.46	-8.26	6.52	-41.20	Peak	AV	2.48377G	-55.98	-59.19	-58.80
2412MHz	Pass	2.36G	2.5235G	1M	3M	-33.20	-12.00	6.52	-21.20	Peak	PK	2.38796G	-39.72	-41.48	-44.48
2412MHz	Pass	2.36G	2.5235G	1M	3M	-37.50	-16.30	6.52	-21.20	Peak	PK	2.48393G	-44.02	-48.57	-45.89
2437MHz	Pass	2.36G	2.5235G	1M	5k	-45.22	-4.02	6.52	-41.20	Peak	AV	2.38992G	-51.74	-55.82	-53.90
2437MHz	Pass	2.36G	2.5235G	1M	5k	-44.89	-3.69	6.52	-41.20	Peak	AV	2.48393G	-51.41	-53.97	-54.93
2437MHz	Pass	2.36G	2.5235G	1M	3M	-35.92	-14.72	6.52	-21.20	Peak	PK	2.38992G	-42.44	-45.13	-45.80
2437MHz	Pass	2.36G	2.5235G	1M	3M	-34.76	-13.56	6.52	-21.20	Peak	PK	2.48361G	-41.28	-44.14	-44.45
2462MHz	Pass	2.36G	2.5235G	1M	5k	-51.27	-10.07	6.52	-41.20	Peak	AV	2.38698G	-57.79	-61.13	-60.49
2462MHz	Pass	2.36G	2.5235G	1M	5k	-41.75	-0.55	6.52	-41.20	Peak	AV	2.48361G	-48.27	-52.99	-50.06
2462MHz	Pass	2.36G	2.5235G	1M	3M	-39.57	-18.37	6.52	-21.20	Peak	PK	2.38927G	-46.09	-49.56	-48.68
2462MHz	Pass	2.36G	2.5235G	1M	3M	-32.08	-10.88	6.52	-21.20	Peak	PK	2.48361G	-38.60	-44.67	-39.83
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	1M	5k	-42.22	-1.02	6.52	-41.20	Peak	AV	2.38665G	-48.74	-51.70	-51.80
2412MHz	Pass	2.36G	2.5235G	1M	5k	-49.90	-8.70	6.52	-41.20	Peak	AV	2.48639G	-56.42	-60.11	-58.85
2412MHz	Pass	2.36G	2.5235G	1M	3M	-28.56	-7.36	6.52	-21.20	Peak	PK	2.38747G	-35.08	-36.79	-39.96
2412MHz	Pass	2.36G	2.5235G	1M	3M	-37.40	-16.20	6.52	-21.20	Peak	PK	2.48361G	-43.92	-46.74	-47.13
2437MHz	Pass	2.36G	2.5235G	1M	5k	-42.65	-1.45	6.52	-41.20	Peak	AV	2.38976G	-49.17	-52.74	-51.69
2437MHz	Pass	2.36G	2.5235G	1M	5k	-41.57	-0.37	6.52	-41.20	Peak	AV	2.48377G	-48.09	-52.90	-49.83
2437MHz	Pass	2.36G	2.5235G	1M	3M	-27.55	-6.35	6.52	-21.20	Peak	PK	2.38583G	-34.07	-40.55	-35.18
2437MHz	Pass	2.36G	2.5235G	1M	3M	-26.75	-5.55	6.52	-21.20	Peak	PK	2.48622G	-33.27	-37.35	-35.43
2462MHz	Pass	2.36G	2.5235G	1M	5k	-50.84	-9.64	6.52	-41.20	Peak	AV	2.38943G	-57.36	-60.58	-60.17
2462MHz	Pass	2.36G	2.5235G	1M	5k	-41.92	-0.72	6.52	-41.20	Peak	AV	2.48361G	-48.44	-52.56	-50.57
2462MHz	Pass	2.36G	2.5235G	1M	3M	-39.42	-18.22	6.52	-21.20	Peak	PK	2.3873G	-45.94	-50.31	-47.92
2462MHz	Pass	2.36G	2.5235G	1M	3M	-27.36	-6.16	6.52	-21.20	Peak	PK	2.48377G	-33.88	-41.38	-34.73
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	1M	5k	-41.47	-0.27	6.52	-41.20	Peak	AV	2.38992G	-47.99	-52.00	-50.18
2412MHz	Pass	2.36G	2.5235G	1M	5k	-50.42	-9.22	6.52	-41.20	Peak	AV	2.48426G	-56.94	-60.08	-59.82
2412MHz	Pass	2.36G	2.5235G	1M	3M	-27.62	-6.42	6.52	-21.20	Peak	PK	2.38878G	-34.14	-40.05	-35.43
2412MHz	Pass	2.36G	2.5235G	1M	3M	-38.75	-17.55	6.52	-21.20	Peak	PK	2.4841G	-45.27	-48.50	-48.08
2437MHz	Pass	2.36G	2.5235G	1M	5k	-42.87	-1.67	6.52	-41.20	Peak	AV	2.38959G	-49.39	-52.77	-52.06
2437MHz	Pass	2.36G	2.5235G	1M	5k	-41.84	-0.64	6.52	-41.20	Peak	AV	2.48377G	-48.36	-51.75	-51.03
2437MHz	Pass	2.36G	2.5235G	1M	3M	-28.40	-7.20	6.52	-21.20	Peak	PK	2.3891G	-34.92	-39.32	-36.88
2437MHz	Pass	2.36G	2.5235G	1M	3M	-27.18	-5.98	6.52	-21.20	Peak	PK	2.48524G	-33.70	-37.23	-36.24
2462MHz	Pass	2.36G	2.5235G	1M	5k	-51.45	-10.25	6.52	-41.20	Peak	AV	2.38763G	-57.97	-60.89	-61.08
2462MHz	Pass	2.36G	2.5235G	1M	5k	-41.31	-0.11	6.52	-41.20	Peak	AV	2.48377G	-47.83	-50.90	-50.79
2462MHz	Pass	2.36G	2.5235G	1M	3M	-39.71	-18.51	6.52	-21.20	Peak	PK	2.38796G	-46.23	-50.31	-48.39
2462MHz	Pass	2.36G	2.5235G	1M	3M	-29.78	-8.58	6.52	-21.20	Peak	PK	2.48393G	-36.30	-39.88	-38.81
802.11be EHT40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.32G	2.5635G	1M	5k	-41.71	-0.51	6.52	-41.20	Peak	AV	2.38355G	-48.23	-51.84	-50.72
2422MHz	Pass	2.32G	2.5635G	1M	5k	-47.33	-6.13	6.52	-41.20	Peak	AV	2.48436G	-53.85	-57.28	-56.47
2422MHz	Pass	2.32G	2.5635G	1M	3M	-30.40	-9.20	6.52	-21.20	Peak	PK	2.3838G	-36.92	-41.17	-38.97
2422MHz	Pass	2.32G	2.5635G	1M	3M	-35.79	-14.59	6.52	-21.20	Peak	PK	2.48388G	-42.31	-46.58	-44.35
2437MHz	Pass	2.32G	2.5635G	1M	5k	-41.58	-0.38	6.52	-41.20	Peak	AV	2.3894G	-48.10	-51.83	-50.49
2437MHz	Pass	2.32G	2.5635G	1M	5k	-41.57	-0.37	6.52	-41.20	Peak	AV	2.48388G	-48.09	-51.42	-50.80
2437MHz	Pass	2.32G	2.5635G	1M	3M	-24.31	-3.11	6.52	-21.20	Peak	PK	2.38575G	-30.83	-34.43	-33.32
2437MHz	Pass	2.32G	2.5635G	1M	3M	-22.33	-1.13	6.52	-21.20	Peak	PK	2.48534G	-28.85	-31.45	-32.31
2452MHz	Pass	2.32G	2.5635G	1M	5k	-44.62	-3.42	6.52	-41.20	Peak	AV	2.38842G	-51.14	-54.67	-53.68
2452MHz	Pass	2.32G	2.5635G	1M	5k	-41.38	-0.18	6.52	-41.20	Peak	AV	2.48582G	-47.90	-51.31	-50.54
2452MHz	Pass	2.32G	2.5635G	1M	3M	-32.03	-10.83	6.52	-21.20	Peak	PK	2.3855G	-38.55	-41.64	-41.48
2452MHz	Pass	2.32G	2.5635G	1M	3M	-30.08	-8.88	6.52	-21.20	Peak	PK	2.48363G	-36.60	-40.61	-38.79


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38796G	-33.20	-21.20	-12.00	6.52	0.00	-39.72	-41.48	-44.48
2.36G	2.5235G	1M	PK	2.48393G	-37.50	-21.20	-16.30	6.52	0.00	-44.02	-48.57	-45.89

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.53	-41.20	-0.33	6.52	0.00	-48.05	-49.62	-53.23
2.36G	2.5235G	1M	AV	2.48377G	-49.46	-41.20	-8.26	6.52	0.00	-55.98	-59.19	-58.80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-35.92	-21.20	-14.72	6.52	0.00	-42.44	-45.13	-45.80
2.36G	2.5235G	1M	PK	2.48361G	-34.76	-21.20	-13.56	6.52	0.00	-41.28	-44.14	-44.45

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-45.22	-41.20	-4.02	6.52	0.00	-51.74	-55.82	-53.90
2.36G	2.5235G	1M	AV	2.48393G	-44.89	-41.20	-3.69	6.52	0.00	-51.41	-53.97	-54.93

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-39.57	-21.20	-18.37	6.52	0.00	-46.09	-49.56	-48.68
2.36G	2.5235G	1M	PK	2.48361G	-32.08	-21.20	-10.88	6.52	0.00	-38.60	-44.67	-39.83

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38698G	-51.27	-41.20	-10.07	6.52	0.00	-57.79	-61.13	-60.49
2.36G	2.5235G	1M	AV	2.48361G	-41.75	-41.20	-0.55	6.52	0.00	-48.27	-52.99	-50.06

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2412MHz

12/08/2025




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2412MHz

12/08/2025




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Bandedge [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38583G	-27.55	-21.20	-6.35	6.52	0.00	-34.07	-40.55	-35.18
2.36G	2.5235G	1M	PK	2.48622G	-26.75	-21.20	-5.55	6.52	0.00	-33.27	-37.35	-35.43

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Bandedge [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-42.65	-41.20	-1.45	6.52	0.00	-49.17	-52.74	-51.69
2.36G	2.5235G	1M	AV	2.48377G	-41.57	-41.20	-0.37	6.52	0.00	-48.09	-52.90	-49.83

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.3873G	-39.42	-21.20	-18.22	6.52	0.00	-45.94	-50.31	-47.92
2.36G	2.5235G	1M	PK	2.48377G	-27.36	-21.20	-6.16	6.52	0.00	-33.88	-41.38	-34.73

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38943G	-50.84	-41.20	-9.64	6.52	0.00	-57.36	-60.58	-60.17
2.36G	2.5235G	1M	AV	2.48361G	-41.92	-41.20	-0.72	6.52	0.00	-48.44	-52.56	-50.57

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38878G	-27.62	-21.20	-6.42	6.52	0.00	-34.14	-40.05	-35.43
2.36G	2.5235G	1M	PK	2.4841G	-38.75	-21.20	-17.55	6.52	0.00	-45.27	-48.50	-48.08

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.47	-41.20	-0.27	6.52	0.00	-47.99	-52.00	-50.18
2.36G	2.5235G	1M	AV	2.48426G	-50.42	-41.20	-9.22	6.52	0.00	-56.94	-60.08	-59.82

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-28.40	-21.20	-7.20	6.52	0.00	-34.92	-39.32	-36.88
2.36G	2.5235G	1M	PK	2.48524G	-27.18	-21.20	-5.98	6.52	0.00	-33.70	-37.23	-36.24

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-42.87	-41.20	-1.67	6.52	0.00	-49.39	-52.77	-52.06
2.36G	2.5235G	1M	AV	2.48377G	-41.84	-41.20	-0.64	6.52	0.00	-48.36	-51.75	-51.03

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38796G	-39.71	-21.20	-18.51	6.52	0.00	-46.23	-50.31	-48.39
2.36G	2.5235G	1M	PK	2.48393G	-29.78	-21.20	-8.58	6.52	0.00	-36.30	-39.88	-38.81

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38763G	-51.45	-41.20	-10.25	6.52	0.00	-57.97	-60.89	-61.08
2.36G	2.5235G	1M	AV	2.48377G	-41.31	-41.20	-0.11	6.52	0.00	-47.83	-50.90	-50.79

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2422MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	PK	2.3838G	-30.40	-21.20	-9.20	6.52	0.00	-36.92	-41.17	-38.97
2.32G	2.5635G	1M	PK	2.48388G	-35.79	-21.20	-14.59	6.52	0.00	-42.31	-46.58	-44.35

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2422MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	AV	2.38355G	-41.71	-41.20	-0.51	6.52	0.00	-48.23	-51.84	-50.72
2.32G	2.5635G	1M	AV	2.48436G	-47.33	-41.20	-6.13	6.52	0.00	-53.85	-57.28	-56.47

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	PK	2.38575G	-24.31	-21.20	-3.11	6.52	0.00	-30.83	-34.43	-33.32
2.32G	2.5635G	1M	PK	2.48334G	-22.33	-21.20	-1.13	6.52	0.00	-28.85	-31.45	-32.31

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	AV	2.3894G	-41.58	-41.20	-0.38	6.52	0.00	-48.10	-51.83	-50.49
2.32G	2.5635G	1M	AV	2.48388G	-41.57	-41.20	-0.37	6.52	0.00	-48.09	-51.42	-50.80

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2452MHz

12/08/2025




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2452MHz

12/08/2025






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1.(6Mbps)_2TX	Pass	AV	7.30838G	46.53	54.00	-7.47	3	Vertical	170	2.27	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX Cabinet
Setting 81
06-E-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87282G	52.18	74.00	-21.82	46.21	3	Vertical	164	2.16	-	33.09	6.55	33.67				
AV	4.87222G	41.79	54.00	-12.21	35.82	3	Vertical	164	2.16	-	33.09	6.55	33.67				
PK	7.3134G	58.24	74.00	-15.76	45.87	3	Vertical	170	2.27	-	37.33	8.58	33.54				
AV	7.30838G	46.53	54.00	-7.47	34.18	3	Vertical	170	2.27	-	37.32	8.57	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX



EUT_Y_2TX Cabinet
Setting 81
06-E-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87274G	52.49	74.00	-21.51	46.52	3	Horizontal	228	2.00	-	33.09	6.55	33.67				
AV	4.87276G	41.21	54.00	-12.79	35.24	3	Horizontal	228	2.00	-	33.09	6.55	33.67				
PK	7.31268G	55.37	74.00	-18.63	43.00	3	Horizontal	201	1.80	-	37.33	8.58	33.54				
AV	7.31292G	44.95	54.00	-9.05	32.58	3	Horizontal	201	1.80	-	37.33	8.58	33.54				



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4~2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	1G	3G	AV	2.382G	5.12	-53.57	-53.57	-48.45	-41.20	-7.25
802.11g_Nss1,(6Mbps)_1TX	Pass	1G	3G	AV	2.378G	5.12	-50.94	-50.94	-45.82	-41.20	-4.62
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	1G	3G	AV	2.382G	5.12	-52.24	-52.24	-47.12	-41.20	-5.92
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	1G	3G	AV	2.378G	5.12	-50.55	-50.55	-45.43	-41.20	-4.23

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1.(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.382G	5.12	-53.57	-53.57	-48.45	-41.20	-7.25
2412MHz	Pass	1G	3G	AV	2.498G	5.12	-64.73	-64.73	-59.61	-41.20	-18.41
2412MHz	Pass	1G	3G	PK	2.376G	5.12	-47.13	-47.13	-42.01	-21.20	-20.81
2412MHz	Pass	1G	3G	PK	2.5G	5.12	-54.39	-54.39	-49.27	-21.20	-28.07
2437MHz	Pass	1G	3G	AV	2.376G	5.12	-59.75	-59.75	-54.63	-41.20	-13.43
2437MHz	Pass	1G	3G	AV	2.5G	5.12	-60.53	-60.53	-55.41	-41.20	-14.21
2437MHz	Pass	1G	3G	PK	2.376G	5.12	-50.93	-50.93	-45.81	-21.20	-24.61
2437MHz	Pass	1G	3G	PK	2.5G	5.12	-51.94	-51.94	-46.82	-21.20	-25.62
2462MHz	Pass	1G	3G	AV	2.382G	5.12	-63.42	-63.42	-58.30	-41.20	-17.10
2462MHz	Pass	1G	3G	AV	2.5G	5.12	-54.21	-54.21	-49.09	-41.20	-7.89
2462MHz	Pass	1G	3G	PK	2.382G	5.12	-54.56	-54.56	-49.44	-21.20	-28.24
2462MHz	Pass	1G	3G	PK	2.498G	5.12	-47.17	-47.17	-42.05	-21.20	-20.85
802.11g_Nss1.(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.378G	5.12	-50.94	-50.94	-45.82	-41.20	-4.62
2412MHz	Pass	1G	3G	AV	2.5G	5.12	-64.15	-64.15	-59.03	-41.20	-17.83
2412MHz	Pass	1G	3G	PK	2.382G	5.12	-39.51	-39.51	-34.39	-21.20	-13.19
2412MHz	Pass	1G	3G	PK	2.498G	5.12	-54.71	-54.71	-49.59	-21.20	-28.39
2437MHz	Pass	1G	3G	AV	2.384G	5.12	-52.22	-52.22	-47.10	-41.20	-5.90
2437MHz	Pass	1G	3G	AV	2.498G	5.12	-53.88	-53.88	-48.76	-41.20	-7.56
2437MHz	Pass	1G	3G	PK	2.382G	5.12	-40.37	-40.37	-35.25	-21.20	-14.05
2437MHz	Pass	1G	3G	PK	2.498G	5.12	-42.49	-42.49	-37.37	-21.20	-16.17
2462MHz	Pass	1G	3G	AV	2.378G	5.12	-63.27	-63.27	-58.15	-41.20	-16.95
2462MHz	Pass	1G	3G	AV	2.498G	5.12	-52.46	-52.46	-47.34	-41.20	-6.14
2462MHz	Pass	1G	3G	PK	2.38G	5.12	-53.90	-53.90	-48.78	-21.20	-27.58
2462MHz	Pass	1G	3G	PK	2.5G	5.12	-40.43	-40.43	-35.31	-21.20	-14.11
802.11be EHT20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	1G	3G	AV	2.38G	5.12	-52.41	-52.41	-47.29	-41.20	-6.09
2412MHz	Pass	1G	3G	AV	2.5G	5.12	-64.89	-64.89	-59.77	-41.20	-18.57
2412MHz	Pass	1G	3G	PK	2.38G	5.12	-39.36	-39.36	-34.24	-21.20	-13.04
2412MHz	Pass	1G	3G	PK	2.5G	5.12	-56.39	-56.39	-51.27	-21.20	-30.07
2437MHz	Pass	1G	3G	AV	2.382G	5.12	-52.24	-52.24	-47.12	-41.20	-5.92
2437MHz	Pass	1G	3G	AV	2.5G	5.12	-54.46	-54.46	-49.34	-41.20	-8.14
2437MHz	Pass	1G	3G	PK	2.38G	5.12	-40.83	-40.83	-35.71	-21.20	-14.51
2437MHz	Pass	1G	3G	PK	2.496G	5.12	-40.84	-40.84	-35.72	-21.20	-14.52
2462MHz	Pass	1G	3G	AV	2.38G	5.12	-63.42	-63.42	-58.30	-41.20	-17.10
2462MHz	Pass	1G	3G	AV	2.5G	5.12	-53.61	-53.61	-48.49	-41.20	-7.29
2462MHz	Pass	1G	3G	PK	2.38G	5.12	-54.95	-54.95	-49.83	-21.20	-28.63
2462MHz	Pass	1G	3G	PK	2.5G	5.12	-42.97	-42.97	-37.85	-21.20	-16.65
802.11be EHT40_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	1G	3G	AV	2.372G	5.12	-50.66	-50.66	-45.54	-41.20	-4.34
2422MHz	Pass	1G	3G	AV	2.5G	5.12	-58.85	-58.85	-53.73	-41.20	-12.53
2422MHz	Pass	1G	3G	PK	2.366G	5.12	-40.90	-40.90	-35.78	-21.20	-14.58
2422MHz	Pass	1G	3G	PK	2.498G	5.12	-49.50	-49.50	-44.38	-21.20	-23.18
2437MHz	Pass	1G	3G	AV	2.378G	5.12	-50.55	-50.55	-45.43	-41.20	-4.23
2437MHz	Pass	1G	3G	AV	2.5G	5.12	-54.09	-54.09	-48.97	-41.20	-7.77
2437MHz	Pass	1G	3G	PK	2.382G	5.12	-38.01	-38.01	-32.89	-21.20	-11.69
2437MHz	Pass	1G	3G	PK	2.5G	5.12	-40.96	-40.96	-35.84	-21.20	-14.64
2452MHz	Pass	1G	3G	AV	2.38G	5.12	-53.43	-53.43	-48.31	-41.20	-7.11
2452MHz	Pass	1G	3G	AV	2.5G	5.12	-51.01	-51.01	-45.89	-41.20	-4.69
2452MHz	Pass	1G	3G	PK	2.38G	5.12	-42.26	-42.26	-37.14	-21.20	-15.94
2452MHz	Pass	1G	3G	PK	2.5G	5.12	-41.18	-41.18	-36.06	-21.20	-14.86


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [PK]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.376G	-42.01	-21.20	-20.81	5.12	0.00	-47.13	-47.13
1G	3G	1M	PK	2.5G	-49.27	-21.20	-28.07	5.12	0.00	-54.39	-54.39

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Other [AV]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.382G	-48.45	-41.20	-7.25	5.12	0.00	-53.57	-53.57
1G	3G	1M	AV	2.498G	-59.61	-41.20	-18.41	5.12	0.00	-64.73	-64.73

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.376G	-45.81	-21.20	-24.61	5.12	0.00	-50.93	-50.93
1G	3G	1M	PK	2.5G	-46.82	-21.20	-25.62	5.12	0.00	-51.94	-51.94

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.376G	-54.63	-41.20	-13.43	5.12	0.00	-59.75	-59.75
1G	3G	1M	AV	2.5G	-55.41	-41.20	-14.21	5.12	0.00	-60.53	-60.53

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.382G	-49.44	-21.20	-28.24	5.12	0.00	-54.56	-54.56
1G	3G	1M	PK	2.498G	-42.05	-21.20	-20.85	5.12	0.00	-47.17	-47.17

2.4-2.4835GHz_802.11b_Nss1_(1Mbps)_1TX

CSE Other [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.382G	-58.30	-41.20	-17.10	5.12	0.00	-63.42	-63.42
1G	3G	1M	AV	2.5G	-49.09	-41.20	-7.89	5.12	0.00	-54.21	-54.21

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2412MHz

12/08/2025




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2412MHz

12/08/2025




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.382G	-35.25	-21.20	-14.05	5.12	0.00	-40.37	-40.37
1G	3G	1M	PK	2.498G	-37.37	-21.20	-16.17	5.12	0.00	-42.49	-42.49

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.384G	-47.10	-41.20	-5.90	5.12	0.00	-52.22	-52.22
1G	3G	1M	AV	2.498G	-48.76	-41.20	-7.56	5.12	0.00	-53.88	-53.88

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.38G	-48.78	-21.20	-27.58	5.12	0.00	-53.90	-53.90
1G	3G	1M	PK	2.5G	-35.31	-21.20	-14.11	5.12	0.00	-40.43	-40.43

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Other [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.378G	-58.15	-41.20	-16.95	5.12	0.00	-63.27	-63.27
1G	3G	1M	AV	2.488G	-47.34	-41.20	-6.14	5.12	0.00	-52.46	-52.46

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2412MHz

12/08/2025




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2412MHz

12/08/2025




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.38G	-35.71	-21.20	-14.51	5.12	0.00	-40.83	-40.83
1G	3G	1M	PK	2.496G	-35.72	-21.20	-14.52	5.12	0.00	-40.84	-40.84

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.382G	-47.12	-41.20	-5.92	5.12	0.00	-52.24	-52.24
1G	3G	1M	AV	2.5G	-49.34	-41.20	-8.14	5.12	0.00	-54.46	-54.46

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.38G	-49.83	-21.20	-28.63	5.12	0.00	-54.95	-54.95
1G	3G	1M	PK	2.5G	-37.85	-21.20	-16.65	5.12	0.00	-42.97	-42.97

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Other [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.38G	-58.30	-41.20	-17.10	5.12	0.00	-63.42	-63.42
1G	3G	1M	AV	2.5G	-48.49	-41.20	-7.29	5.12	0.00	-53.61	-53.61

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Other [PK]

2422MHz

12/08/2025




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Other [AV]

2422MHz

12/08/2025




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Other [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	PK	2.382G	-32.89	-21.20	-11.69	5.12	0.00	-38.01	-38.01
1G	3G	1M	PK	2.5G	-35.84	-21.20	-14.64	5.12	0.00	-40.96	-40.96

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Other [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	3G	1M	AV	2.378G	-45.43	-41.20	-4.23	5.12	0.00	-50.55	-50.55
1G	3G	1M	AV	2.5G	-48.97	-41.20	-7.77	5.12	0.00	-54.09	-54.09

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Other [PK]

2452MHz

12/08/2025




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Other [AV]

2452MHz

12/08/2025





Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	3G	25G	AV	4.87344G	5.12	-46.39	-46.39	-41.27	-41.20	-0.07
802.11g_Nss1,(6Mbps)_1TX	Pass	3G	25G	AV	4.87275G	5.12	-58.07	-58.07	-52.95	-41.20	-11.75
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	3G	25G	AV	4.87619G	5.12	-57.47	-57.47	-52.35	-41.20	-11.15
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	3G	25G	AV	4.90438G	5.12	-62.83	-62.83	-57.71	-41.20	-16.51

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.82394G	5.12	-46.54	-46.54	-41.42	-41.20	-0.22
2412MHz	Pass	3G	25G	PK	4.82394G	5.12	-46.14	-46.14	-41.02	-21.20	-19.82
2437MHz	Pass	3G	25G	AV	4.87344G	5.12	-46.39	-46.39	-41.27	-41.20	-0.07
2437MHz	Pass	3G	25G	PK	4.87344G	5.12	-45.86	-45.86	-40.74	-21.20	-19.54
2462MHz	Pass	3G	25G	AV	4.92363G	5.12	-46.50	-46.50	-41.38	-41.20	-0.18
2462MHz	Pass	3G	25G	PK	4.92363G	5.12	-45.56	-45.56	-40.44	-21.20	-19.24
802.11g_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.82463G	5.12	-59.31	-59.31	-54.19	-41.20	-12.99
2412MHz	Pass	3G	25G	PK	4.83081G	5.12	-51.02	-51.02	-45.90	-21.20	-24.70
2437MHz	Pass	3G	25G	AV	4.87275G	5.12	-58.07	-58.07	-52.95	-41.20	-11.75
2437MHz	Pass	3G	25G	PK	4.87344G	5.12	-51.03	-51.03	-45.91	-21.20	-24.71
2462MHz	Pass	3G	25G	AV	4.92363G	5.12	-59.77	-59.77	-54.65	-41.20	-13.45
2462MHz	Pass	3G	25G	PK	4.9305G	5.12	-50.81	-50.81	-45.69	-21.20	-24.49
802.11be EHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.82325G	5.12	-59.64	-59.64	-54.52	-41.20	-13.32
2412MHz	Pass	3G	25G	PK	4.82325G	5.12	-49.47	-49.47	-44.35	-21.20	-23.15
2437MHz	Pass	3G	25G	AV	4.87619G	5.12	-57.47	-57.47	-52.35	-41.20	-11.15
2437MHz	Pass	3G	25G	PK	4.87069G	5.12	-50.44	-50.44	-45.32	-21.20	-24.12
2462MHz	Pass	3G	25G	AV	4.92363G	5.12	-59.89	-59.89	-54.77	-41.20	-13.57
2462MHz	Pass	3G	25G	PK	4.9305G	5.12	-52.03	-52.03	-46.91	-21.20	-25.71
802.11be EHT40_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	3G	25G	AV	4.84319G	5.12	-63.05	-63.05	-57.93	-41.20	-16.73
2422MHz	Pass	3G	25G	PK	4.83906G	5.12	-55.29	-55.29	-50.17	-21.20	-28.97
2437MHz	Pass	3G	25G	AV	4.8755G	5.12	-62.89	-62.89	-57.77	-41.20	-16.57
2437MHz	Pass	3G	25G	PK	4.87069G	5.12	-54.38	-54.38	-49.26	-21.20	-28.06
2452MHz	Pass	3G	25G	AV	4.90438G	5.12	-62.83	-62.83	-57.71	-41.20	-16.51
2452MHz	Pass	3G	25G	PK	4.90438G	5.12	-53.42	-53.42	-48.30	-21.20	-27.10


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE [PK]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.82394G	-41.02	-21.20	-19.82	5.12	0.00	-46.14	-46.14

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE [AV]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.82394G	-41.42	-41.20	-0.22	5.12	0.00	-46.54	-46.54

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.87344G	-40.74	-21.20	-19.54	5.12	0.00	-45.86	-45.86

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.87344G	-41.27	-41.20	-0.07	5.12	0.00	-46.39	-46.39

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE [PK]

2462MHz

12/08/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.92363G	-40.44	-21.20	-19.24	5.12	0.00	-45.56	-45.56

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE [AV]

2462MHz

12/08/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.92363G	-41.38	-41.20	-0.18	5.12	0.00	-46.50	-46.50

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [PK]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.83081G	-45.90	-21.20	-24.70	5.12	0.00	-51.02	-51.02

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [AV]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.82463G	-54.19	-21.20	-12.99	5.12	0.00	-59.31	-59.31

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [PK]

2437MHz

12/08/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.87344G	-45.91	-21.20	-24.71	5.12	0.00	-51.03	-51.03

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [AV]

2437MHz

12/08/2025




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.87275G	-52.95	-21.20	-11.75	5.12	0.00	-58.07	-58.07

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.9305G	-45.69	-21.20	-24.49	5.12	0.00	-50.81	-50.81

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.92363G	-54.65	-41.20	-13.45	5.12	0.00	-59.77	-59.77

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psun(dBm)	P1(dBm)
3G	25G	1M	PK	4.82325G	-44.35	-21.20	-23.15	5.12	0.00	-49.47	-49.47

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psun(dBm)	P1(dBm)
3G	25G	1M	AV	4.82325G	-54.52	-41.20	-13.32	5.12	0.00	-59.64	-59.64

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

2437MHz

12/08/2025

Limit.PK
EIRP.PK
Port 1


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.87069G	-45.32	-21.20	-24.12	5.12	0.00	-50.44	-50.44

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

2437MHz

12/08/2025

Limit.AV
EIRP.AV
Port 1


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.87619G	-52.35	-41.20	-11.15	5.12	0.00	-57.47	-57.47

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.9305G	-46.91	-21.20	-25.71	5.12	0.00	-52.03	-52.03

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.92363G	-54.77	-41.20	-13.57	5.12	0.00	-59.89	-59.89

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [PK]

2422MHz

12/08/2025

Limit.PK
EIRP.PK
Port 1


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.83906G	-50.17	-21.20	-28.97	5.12	0.00	-55.29	-55.29

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [AV]

2422MHz

12/08/2025

Limit.AV
EIRP.AV
Port 1


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.84319G	-57.93	-41.20	-16.73	5.12	0.00	-63.05	-63.05

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [PK]

2437MHz

12/08/2025




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [AV]

2437MHz

12/08/2025




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [PK]

2452MHz

12/08/2025




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE [AV]

2452MHz

12/08/2025



**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.38943G	5.12	-48.17	-48.17	-43.05	-41.20	-1.85
802.11g_Nss1,(6Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.38992G	5.12	-46.49	-46.49	-41.37	-41.20	-0.17
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	2.36G	2.5235G	AV	2.48475G	5.12	-46.53	-46.53	-41.41	-41.20	-0.21
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	2.32G	2.5635G	AV	2.49337G	5.12	-46.46	-46.46	-41.34	-41.20	-0.14

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	VBW (Hz)	EIRP (dBm)	Margin (dB)	Limit (dBm)	Detector	Type	Freq (Hz)	DG (dBi)	Psum (dBm)	P1 (dBm)
802.11b_Nss1.(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	1M	5k	-43.05	-1.85	-41.20	Peak	AV	2.38943G	5.12	-48.17	-48.17
2412MHz	Pass	2.36G	2.5235G	1M	5k	-52.89	-11.69	-41.20	Peak	AV	2.48393G	5.12	-58.01	-58.01
2412MHz	Pass	2.36G	2.5235G	1M	3M	-35.86	-14.66	-21.20	Peak	PK	2.38943G	5.12	-40.98	-40.98
2412MHz	Pass	2.36G	2.5235G	1M	3M	-42.70	-21.50	-21.20	Peak	PK	2.49325G	5.12	-47.82	-47.82
2437MHz	Pass	2.36G	2.5235G	1M	5k	-51.39	-10.19	-41.20	Peak	AV	2.38976G	5.12	-56.51	-56.51
2437MHz	Pass	2.36G	2.5235G	1M	5k	-50.80	-9.60	-41.20	Peak	AV	2.4841G	5.12	-55.92	-55.92
2437MHz	Pass	2.36G	2.5235G	1M	3M	-41.65	-20.45	-21.20	Peak	PK	2.38992G	5.12	-46.77	-46.77
2437MHz	Pass	2.36G	2.5235G	1M	3M	-40.77	-19.57	-21.20	Peak	PK	2.48639G	5.12	-45.89	-45.89
2462MHz	Pass	2.36G	2.5235G	1M	5k	-54.25	-13.05	-41.20	Peak	AV	2.38861G	5.12	-59.37	-59.37
2462MHz	Pass	2.36G	2.5235G	1M	5k	-43.94	-2.74	-41.20	Peak	AV	2.48494G	5.12	-49.06	-49.06
2462MHz	Pass	2.36G	2.5235G	1M	3M	-43.23	-22.03	-21.20	Peak	PK	2.3842G	5.12	-48.35	-48.35
2462MHz	Pass	2.36G	2.5235G	1M	3M	-34.77	-13.57	-21.20	Peak	PK	2.48361G	5.12	-39.89	-39.89
802.11g_Nss1.(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	1M	5k	-41.37	-0.17	-41.20	Peak	AV	2.38992G	5.12	-46.49	-46.49
2412MHz	Pass	2.36G	2.5235G	1M	5k	-53.14	-11.94	-41.20	Peak	AV	2.48491G	5.12	-58.26	-58.26
2412MHz	Pass	2.36G	2.5235G	1M	3M	-28.63	-7.43	-21.20	Peak	PK	2.38403G	5.12	-33.75	-33.75
2412MHz	Pass	2.36G	2.5235G	1M	3M	-40.97	-19.77	-21.20	Peak	PK	2.48442G	5.12	-46.09	-46.09
2437MHz	Pass	2.36G	2.5235G	1M	5k	-41.70	-0.50	-41.20	Peak	AV	2.38992G	5.12	-46.82	-46.82
2437MHz	Pass	2.36G	2.5235G	1M	5k	-41.42	-0.22	-41.20	Peak	AV	2.48459G	5.12	-46.54	-46.54
2437MHz	Pass	2.36G	2.5235G	1M	3M	-27.68	-6.48	-21.20	Peak	PK	2.38714G	5.12	-32.80	-32.80
2437MHz	Pass	2.36G	2.5235G	1M	3M	-25.88	-4.68	-21.20	Peak	PK	2.48442G	5.12	-31.00	-31.00
2462MHz	Pass	2.36G	2.5235G	1M	5k	-53.62	-12.42	-41.20	Peak	AV	2.38959G	5.12	-58.74	-58.74
2462MHz	Pass	2.36G	2.5235G	1M	5k	-41.59	-0.39	-41.20	Peak	AV	2.48426G	5.12	-46.71	-46.71
2462MHz	Pass	2.36G	2.5235G	1M	3M	-41.60	-20.40	-21.20	Peak	PK	2.386G	5.12	-46.72	-46.72
2462MHz	Pass	2.36G	2.5235G	1M	3M	-26.74	-5.54	-21.20	Peak	PK	2.48361G	5.12	-31.86	-31.86
802.11be EHT20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	1M	5k	-41.68	-0.48	-41.20	Peak	AV	2.38976G	5.12	-46.80	-46.80
2412MHz	Pass	2.36G	2.5235G	1M	5k	-54.39	-13.19	-41.20	Peak	AV	2.48917G	5.12	-59.51	-59.51
2412MHz	Pass	2.36G	2.5235G	1M	3M	-26.54	-5.34	-21.20	Peak	PK	2.38861G	5.12	-31.66	-31.66
2412MHz	Pass	2.36G	2.5235G	1M	3M	-42.42	-21.22	-21.20	Peak	PK	2.48393G	5.12	-47.54	-47.54
2437MHz	Pass	2.36G	2.5235G	1M	5k	-41.60	-0.40	-41.20	Peak	AV	2.38927G	5.12	-46.72	-46.72
2437MHz	Pass	2.36G	2.5235G	1M	5k	-41.41	-0.21	-41.20	Peak	AV	2.48475G	5.12	-46.53	-46.53
2437MHz	Pass	2.36G	2.5235G	1M	3M	-27.42	-6.22	-21.20	Peak	PK	2.38224G	5.12	-32.54	-32.54
2437MHz	Pass	2.36G	2.5235G	1M	3M	-28.37	-7.17	-21.20	Peak	PK	2.48655G	5.12	-33.49	-33.49
2462MHz	Pass	2.36G	2.5235G	1M	5k	-54.08	-12.88	-41.20	Peak	AV	2.3873G	5.12	-59.20	-59.20
2462MHz	Pass	2.36G	2.5235G	1M	5k	-43.05	-1.85	-41.20	Peak	AV	2.48361G	5.12	-48.17	-48.17
2462MHz	Pass	2.36G	2.5235G	1M	3M	-41.39	-20.19	-21.20	Peak	PK	2.38976G	5.12	-46.51	-46.51
2462MHz	Pass	2.36G	2.5235G	1M	3M	-29.97	-8.77	-21.20	Peak	PK	2.48393G	5.12	-35.09	-35.09
802.11be EHT40_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.32G	2.5635G	1M	5k	-41.81	-0.61	-41.20	Peak	AV	2.38794G	5.12	-46.93	-46.93
2422MHz	Pass	2.32G	2.5635G	1M	5k	-49.37	-8.17	-41.20	Peak	AV	2.48582G	5.12	-54.49	-54.49
2422MHz	Pass	2.32G	2.5635G	1M	3M	-30.37	-9.17	-21.20	Peak	PK	2.37649G	5.12	-35.49	-35.49
2422MHz	Pass	2.32G	2.5635G	1M	3M	-36.90	-15.70	-21.20	Peak	PK	2.48607G	5.12	-42.02	-42.02
2437MHz	Pass	2.32G	2.5635G	1M	5k	-41.89	-0.69	-41.20	Peak	AV	2.38794G	5.12	-47.01	-47.01
2437MHz	Pass	2.32G	2.5635G	1M	5k	-41.62	-0.42	-41.20	Peak	AV	2.48388G	5.12	-46.74	-46.74
2437MHz	Pass	2.32G	2.5635G	1M	3M	-22.36	-1.16	-21.20	Peak	PK	2.38842G	5.12	-27.48	-27.48
2437MHz	Pass	2.32G	2.5635G	1M	3M	-22.32	-1.12	-21.20	Peak	PK	2.48558G	5.12	-27.44	-27.44
2452MHz	Pass	2.32G	2.5635G	1M	5k	-45.24	-4.04	-41.20	Peak	AV	2.38988G	5.12	-50.36	-50.36
2452MHz	Pass	2.32G	2.5635G	1M	5k	-41.34	-0.14	-41.20	Peak	AV	2.49337G	5.12	-46.46	-46.46
2452MHz	Pass	2.32G	2.5635G	1M	3M	-32.68	-11.48	-21.20	Peak	PK	2.3894G	5.12	-37.80	-37.80
2452MHz	Pass	2.32G	2.5635G	1M	3M	-28.83	-7.63	-21.20	Peak	PK	2.48996G	5.12	-33.95	-33.95

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2412MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38943G	-35.86	-21.20	-14.66	5.12	0.00	-40.98	-40.98
2.36G	2.5235G	1M	PK	2.49325G	-42.70	-21.20	-21.50	5.12	0.00	-47.82	-47.82

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2412MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38943G	-43.05	-41.20	-1.85	5.12	0.00	-48.17	-48.17
2.36G	2.5235G	1M	AV	2.48393G	-52.89	-41.20	-11.69	5.12	0.00	-58.01	-58.01

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-41.65	-21.20	-20.45	5.12	0.00	-46.77	-46.77
2.36G	2.5235G	1M	PK	2.48639G	-40.77	-21.20	-19.57	5.12	0.00	-45.89	-45.89

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-51.39	-41.20	-10.19	5.12	0.00	-56.51	-56.51
2.36G	2.5235G	1M	AV	2.4841G	-50.80	-41.20	-9.60	5.12	0.00	-55.92	-55.92

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.3842G	-43.23	-21.20	-22.03	5.12	0.00	-48.35	-48.35
2.36G	2.5235G	1M	PK	2.48361G	-34.77	-21.20	-13.57	5.12	0.00	-39.89	-39.89

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38861G	-54.25	-41.20	-13.05	5.12	0.00	-59.37	-59.37
2.36G	2.5235G	1M	AV	2.48949G	-43.94	-41.20	-2.74	5.12	0.00	-49.06	-49.06

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38403G	-28.63	-21.20	-7.43	5.12	0.00	-33.75	-33.75
2.36G	2.5235G	1M	PK	2.48442G	-40.97	-21.20	-19.77	5.12	0.00	-46.09	-46.09

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.37	-41.20	-0.17	5.12	0.00	-46.49	-46.49
2.36G	2.5235G	1M	AV	2.48491G	-53.14	-41.20	-11.94	5.12	0.00	-58.26	-58.26

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38714G	-27.68	-21.20	-6.48	5.12	0.00	-32.80	-32.80
2.36G	2.5235G	1M	PK	2.48442G	-25.88	-21.20	-4.68	5.12	0.00	-31.00	-31.00

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.70	-41.20	-0.50	5.12	0.00	-46.82	-46.82
2.36G	2.5235G	1M	AV	2.48459G	-41.42	-41.20	-0.22	5.12	0.00	-46.54	-46.54

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.386G	-41.60	-21.20	-20.40	5.12	0.00	-46.72	-46.72
2.36G	2.5235G	1M	PK	2.48361G	-26.74	-21.20	-5.54	5.12	0.00	-31.86	-31.86

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_1TX

CSE Bandedge [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-53.62	-41.20	-12.42	5.12	0.00	-58.74	-58.74
2.36G	2.5235G	1M	AV	2.48426G	-41.59	-41.20	-0.39	5.12	0.00	-46.71	-46.71

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38861G	-26.54	-21.20	-5.34	5.12	0.00	-31.66	-31.66
2.36G	2.5235G	1M	PK	2.48393G	-42.42	-21.20	-21.22	5.12	0.00	-47.54	-47.54

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2412MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-41.68	-41.20	-0.48	5.12	0.00	-46.80	-46.80
2.36G	2.5235G	1M	AV	2.48917G	-54.39	-41.20	-13.19	5.12	0.00	-59.51	-59.51

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38224G	-27.42	-21.20	-6.22	5.12	0.00	-32.54	-32.54
2.36G	2.5235G	1M	PK	2.48655G	-28.37	-21.20	-7.17	5.12	0.00	-33.49	-33.49

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38927G	-41.60	-41.20	-0.40	5.12	0.00	-46.72	-46.72
2.36G	2.5235G	1M	AV	2.48475G	-41.41	-41.20	-0.21	5.12	0.00	-46.53	-46.53

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-41.39	-21.20	-20.19	5.12	0.00	-46.51	-46.51
2.36G	2.5235G	1M	PK	2.48393G	-29.97	-21.20	-8.77	5.12	0.00	-35.09	-35.09

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2462MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.3873G	-54.08	-41.20	-12.88	5.12	0.00	-59.20	-59.20
2.36G	2.5235G	1M	AV	2.48361G	-43.05	-41.20	-1.85	5.12	0.00	-48.17	-48.17

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2422MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.32G	2.5635G	1M	PK	2.37649G	-30.37	-21.20	-9.17	5.12	0.00	-35.49	-35.49
2.32G	2.5635G	1M	PK	2.48607G	-36.90	-21.20	-15.70	5.12	0.00	-42.02	-42.02

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2422MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.32G	2.5635G	1M	AV	2.38794G	-41.81	-41.20	-0.61	5.12	0.00	-46.93	-46.93
2.32G	2.5635G	1M	AV	2.48582G	-49.37	-41.20	-8.17	5.12	0.00	-54.49	-54.49

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.32G	2.5635G	1M	PK	2.38842G	-22.36	-21.20	-1.16	5.12	0.00	-27.48	-27.48
2.32G	2.5635G	1M	PK	2.48558G	-22.32	-21.20	-1.12	5.12	0.00	-27.44	-27.44

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2437MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.32G	2.5635G	1M	AV	2.38794G	-41.89	-41.20	-0.69	5.12	0.00	-47.01	-47.01
2.32G	2.5635G	1M	AV	2.48388G	-41.62	-41.20	-0.42	5.12	0.00	-46.74	-46.74

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2452MHz

12/08/2025




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.32G	2.5635G	1M	PK	2.3894G	-32.68	-21.20	-11.48	5.12	0.00	-37.80	-37.80
2.32G	2.5635G	1M	PK	2.48996G	-28.83	-21.20	-7.63	5.12	0.00	-33.95	-33.95

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2452MHz

12/08/2025



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.32G	2.5635G	1M	AV	2.38988G	-45.24	-41.20	-4.04	5.12	0.00	-50.36	-50.36
2.32G	2.5635G	1M	AV	2.49337G	-41.34	-41.20	-0.14	5.12	0.00	-46.46	-46.46




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1.(6Mbps)_1TX	Pass	AV	7.31263G	43.26	54.00	-10.74	3	Vertical	360	1.00	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX Cabinet
Setting 83
06-E-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87537G	50.97	74.00	-23.03	44.99	3	Vertical	169	1.00	-	33.10	6.55	33.67				
AV	4.87254G	40.89	54.00	-13.11	34.92	3	Vertical	169	1.00	-	33.09	6.55	33.67				
PK	7.31021G	53.26	74.00	-20.74	40.91	3	Vertical	360	1.00	-	37.32	8.57	33.54				
AV	7.31263G	43.26	54.00	-10.74	30.89	3	Vertical	360	1.00	-	37.33	8.58	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX



EUT_Z_1TX Cabinet
Setting 83
06-E-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87253G	47.35	74.00	-26.65	41.38	3	Horizontal	216	1.80	-	33.09	6.55	33.67				
AV	4.87156G	36.51	54.00	-17.49	30.54	3	Horizontal	216	1.80	-	33.09	6.55	33.67				
PK	7.31051G	53.89	74.00	-20.11	41.54	3	Horizontal	3	1.80	-	37.32	8.57	33.54				
AV	7.31036G	42.46	54.00	-11.54	30.11	3	Horizontal	3	1.80	-	37.32	8.57	33.54				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.99	54.00	-0.01	3	Horizontal	182	1.80	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 74
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3894G	59.14	74.00	-14.86	69.92	3	Vertical	194	1.01	-	27.50	6.50	44.78				
AV	2.3894G	51.59	54.00	-2.41	62.37	3	Vertical	194	1.01	-	27.50	6.50	44.78				
PK	2.4128G	110.89	Inf	-Inf	121.64	3	Vertical	194	1.01	-	27.50	6.52	44.77				
AV	2.4128G	108.54	Inf	-Inf	119.29	3	Vertical	194	1.01	-	27.50	6.52	44.77				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 74
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3872G	61.17	74.00	-12.83	71.95	3	Horizontal	187	1.36	-	27.50	6.50	44.78			
AV	2.3868G	53.18	54.00	-0.82	63.96	3	Horizontal	187	1.36	-	27.50	6.50	44.78			
PK	2.4128G	111.18	Inf	-Inf	121.93	3	Horizontal	187	1.36	-	27.50	6.52	44.77			
AV	2.4128G	108.75	Inf	-Inf	119.50	3	Horizontal	187	1.36	-	27.50	6.52	44.77			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 74
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82388G	50.75	74.00	-23.25	55.33	3	Vertical	190	2.55	-	31.30	8.13	44.01			
AV	4.82394G	45.96	54.00	-8.04	50.54	3	Vertical	190	2.55	-	31.30	8.13	44.01			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 74
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82412G	50.03	74.00	-23.97	54.61	3	Horizontal	195	1.80	-	31.30	8.13	44.01			
AV	4.82394G	45.38	54.00	-8.62	49.96	3	Horizontal	195	1.80	-	31.30	8.13	44.01			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 85
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	59.59	74.00	-14.41	70.37	3	Vertical	191	1.26	-	27.50	6.50	44.78			
AV	2.3898G	50.64	54.00	-3.36	61.42	3	Vertical	191	1.26	-	27.50	6.50	44.78			
PK	2.4378G	112.12	Inf	-Inf	122.84	3	Vertical	191	1.26	-	27.50	6.54	44.76			
AV	2.4378G	109.94	Inf	-Inf	120.66	3	Vertical	191	1.26	-	27.50	6.54	44.76			
PK	2.4835G	60.64	74.00	-13.36	71.23	3	Vertical	191	1.26	-	27.57	6.59	44.75			
AV	2.4854G	51.33	54.00	-2.67	61.88	3	Vertical	191	1.26	-	27.61	6.59	44.75			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 85
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3878G	60.46	74.00	-13.54	71.24	3	Horizontal	197	1.47	-	27.50	6.50	44.78			
AV	2.3882G	53.49	54.00	-0.51	64.27	3	Horizontal	197	1.47	-	27.50	6.50	44.78			
PK	2.4378G	112.31	Inf	-Inf	123.03	3	Horizontal	197	1.47	-	27.50	6.54	44.76			
AV	2.4378G	110.01	Inf	-Inf	120.73	3	Horizontal	197	1.47	-	27.50	6.54	44.76			
PK	2.4886G	60.16	74.00	-13.84	70.64	3	Horizontal	197	1.47	-	27.67	6.59	44.74			
AV	2.4886G	53.36	54.00	-0.64	63.84	3	Horizontal	197	1.47	-	27.67	6.59	44.74			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 85
04-I-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87394G	52.61	74.00	-21.39	57.12	3	Vertical	180	2.64	-	31.30	8.18	43.99				
AV	4.87394G	49.13	54.00	-4.87	53.64	3	Vertical	180	2.64	-	31.30	8.18	43.99				
PK	7.31172G	54.23	74.00	-19.77	50.20	3	Vertical	4	1.80	-	36.20	10.38	42.55				
AV	7.30998G	44.13	54.00	-9.87	40.10	3	Vertical	4	1.80	-	36.20	10.38	42.55				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 85
04-I-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87406G	52.62	74.00	-21.38	57.13	3	Horizontal	179	2.73	-	31.30	8.18	43.99				
AV	4.87394G	49.35	54.00	-4.65	53.86	3	Horizontal	179	2.73	-	31.30	8.18	43.99				
PK	7.31136G	54.64	74.00	-19.36	50.61	3	Horizontal	328	2.11	-	36.20	10.38	42.55				
AV	7.30998G	43.20	54.00	-10.80	39.17	3	Horizontal	328	2.11	-	36.20	10.38	42.55				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Z_4TX
Setting 69
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4578G	111.37	Inf	-Inf	122.07	3	Vertical	190	1.02	-	27.50	6.56	44.76				
AV	2.4578G	108.92	Inf	-Inf	119.62	3	Vertical	190	1.02	-	27.50	6.56	44.76				
PK	2.4852G	60.90	74.00	-13.10	71.46	3	Vertical	190	1.02	-	27.60	6.59	44.75				
AV	2.4844G	51.51	54.00	-2.49	62.08	3	Vertical	190	1.02	-	27.59	6.59	44.75				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Z_4TX
Setting 69
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4578G	111.68	Inf	-Inf	122.38	3	Horizontal	199	1.32	-	27.50	6.56	44.76				
AV	2.4578G	109.35	Inf	-Inf	120.05	3	Horizontal	199	1.32	-	27.50	6.56	44.76				
PK	2.4846G	61.91	74.00	-12.09	72.48	3	Horizontal	199	1.32	-	27.59	6.59	44.75				
AV	2.4972G	53.87	54.00	-0.13	64.38	3	Horizontal	199	1.32	-	27.63	6.60	44.74				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 67
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4628G	111.14	Inf	-Inf	121.85	3	Vertical	190	1.80	-	27.47	6.57	44.75				
AV	2.4628G	108.69	Inf	-Inf	119.40	3	Vertical	190	1.80	-	27.47	6.57	44.75				
PK	2.487G	61.78	74.00	-12.22	72.29	3	Vertical	190	1.80	-	27.64	6.59	44.74				
AV	2.4835G	51.89	54.00	-2.11	62.48	3	Vertical	190	1.80	-	27.57	6.59	44.75				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 67
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4628G	111.33	Inf	-Inf	122.04	3	Horizontal	193	1.80	-	27.47	6.57	44.75			
AV	2.4628G	108.75	Inf	-Inf	119.46	3	Horizontal	193	1.80	-	27.47	6.57	44.75			
PK	2.4864G	62.01	74.00	-11.99	72.58	3	Horizontal	193	1.80	-	27.59	6.59	44.75			
AV	2.4864G	53.37	54.00	-0.63	63.90	3	Horizontal	193	1.80	-	27.63	6.59	44.75			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 67
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.92388G	50.10	74.00	-23.90	54.49	3	Vertical	189	2.63	-	31.35	8.23	43.97			
AV	4.924G	44.52	54.00	-9.48	48.91	3	Vertical	189	2.63	-	31.35	8.23	43.97			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 67
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.92394G	48.95	74.00	-25.05	53.34	3	Horizontal	187	1.80	-	31.35	8.23	43.97			
AV	4.92394G	43.34	54.00	-10.66	47.73	3	Horizontal	187	1.80	-	31.35	8.23	43.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 56
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	68.84	74.00	-5.16	79.62	3	Vertical	170	1.80	-	27.50	6.50	44.78			
AV	2.3896G	53.60	54.00	-0.40	64.38	3	Vertical	170	1.80	-	27.50	6.50	44.78			
PK	2.406G	108.86	Inf	-Inf	119.62	3	Vertical	170	1.80	-	27.50	6.52	44.78			
AV	2.41G	102.02	Inf	-Inf	112.77	3	Vertical	170	1.80	-	27.50	6.52	44.77			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 56
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3884G	68.68	74.00	-5.32	79.46	3	Horizontal	179	2.59	-	27.50	6.50	44.78				
AV	2.3886G	51.85	54.00	-2.15	62.63	3	Horizontal	179	2.59	-	27.50	6.50	44.78				
PK	2.4182G	111.43	Inf	-Inf	122.17	3	Horizontal	179	2.59	-	27.50	6.53	44.77				
AV	2.4078G	102.31	Inf	-Inf	113.07	3	Horizontal	179	2.59	-	27.50	6.52	44.78				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 56
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8333G	45.08	74.00	-28.92	49.65	3	Vertical	261	1.02	-	31.30	8.13	44.00			
AV	4.8207G	35.78	54.00	-18.22	40.37	3	Vertical	261	1.02	-	31.30	8.12	44.01			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 56
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82814G	46.24	74.00	-27.76	50.81	3	Horizontal	150	1.80	-	31.30	8.13	44.00			
AV	4.82256G	36.27	54.00	-17.73	40.86	3	Horizontal	150	1.80	-	31.30	8.12	44.01			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Z_4TX
Setting 60
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.3854G	66.38	74.00	-7.62	77.16	3	Vertical	168	1.80	-	27.50	6.50	44.78			
AV	2.39G	51.29	54.00	-2.71	62.07	3	Vertical	168	1.80	-	27.50	6.50	44.78			
PK	2.4242G	109.53	Inf	-Inf	120.27	3	Vertical	168	1.80	-	27.50	6.53	44.77			
AV	2.42G	102.43	Inf	-Inf	113.17	3	Vertical	168	1.80	-	27.50	6.53	44.77			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Z_4TX
Setting 60
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3868G	68.42	74.00	-5.58	79.20	3	Horizontal	182	1.69	-	27.50	6.50	44.78			
AV	2.3896G	53.67	54.00	-0.33	64.45	3	Horizontal	182	1.69	-	27.50	6.50	44.78			
PK	2.4156G	112.30	Inf	-Inf	123.05	3	Horizontal	182	1.69	-	27.50	6.52	44.77			
AV	2.4204G	103.25	Inf	-Inf	113.99	3	Horizontal	182	1.69	-	27.50	6.53	44.77			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 69
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	65.07	74.00	-8.93	75.85	3	Vertical	186	1.80	-	27.50	6.50	44.78			
AV	2.3898G	50.80	54.00	-3.20	61.58	3	Vertical	186	1.80	-	27.50	6.50	44.78			
PK	2.441G	111.47	Inf	-Inf	122.18	3	Vertical	186	1.80	-	27.50	6.55	44.76			
AV	2.4414G	104.74	Inf	-Inf	115.45	3	Vertical	186	1.80	-	27.50	6.55	44.76			
PK	2.4902G	65.68	74.00	-8.32	76.13	3	Vertical	186	1.80	-	27.70	6.59	44.74			
AV	2.4838G	52.58	54.00	-1.42	63.16	3	Vertical	186	1.80	-	27.58	6.59	44.75			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 69
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	66.58	74.00	-7.42	77.36	3	Horizontal	181	2.56	-	27.50	6.50	44.78			
AV	2.3894G	52.53	54.00	-1.47	63.31	3	Horizontal	181	2.56	-	27.50	6.50	44.78			
PK	2.433G	114.66	Inf	-Inf	125.39	3	Horizontal	181	2.56	-	27.50	6.54	44.77			
AV	2.4422G	105.68	Inf	-Inf	116.39	3	Horizontal	181	2.56	-	27.50	6.55	44.76			
PK	2.4878G	66.36	74.00	-7.64	76.85	3	Horizontal	181	2.56	-	27.66	6.59	44.74			
AV	2.4838G	53.16	54.00	-0.84	63.74	3	Horizontal	181	2.56	-	27.58	6.59	44.75			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 69
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.87046G	47.27	74.00	-26.73	51.79	3	Vertical	204	1.80	-	31.30	8.17	43.99			
AV	4.87514G	37.33	54.00	-16.67	41.84	3	Vertical	204	1.80	-	31.30	8.18	43.99			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 69
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.87052G	46.51	74.00	-27.49	51.03	3	Horizontal	191	1.80	-	31.30	8.17	43.99			
AV	4.87916G	37.92	54.00	-16.08	42.43	3	Horizontal	191	1.80	-	31.30	8.18	43.99			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Z_4TX
Setting 56
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.455G	111.14	Inf	-Inf	121.84	3	Vertical	174	1.80	-	27.50	6.56	44.76			
AV	2.4554G	104.28	Inf	-Inf	114.98	3	Vertical	174	1.80	-	27.50	6.56	44.76			
PK	2.4854G	69.03	74.00	-4.97	79.58	3	Vertical	174	1.80	-	27.61	6.59	44.75			
AV	2.485G	53.37	54.00	-0.63	63.93	3	Vertical	174	1.80	-	27.60	6.59	44.75			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Z_4TX
Setting 56
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4614G	112.62	Inf	-Inf	123.31	3	Horizontal	181	1.80	-	27.49	6.57	44.75			
AV	2.4644G	103.48	Inf	-Inf	114.20	3	Horizontal	181	1.80	-	27.46	6.57	44.75			
PK	2.488G	69.50	74.00	-4.50	79.99	3	Horizontal	181	1.80	-	27.66	6.59	44.74			
AV	2.4864G	53.40	54.00	-0.60	63.93	3	Horizontal	181	1.80	-	27.63	6.59	44.75			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 52
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.466G	109.95	Inf	-Inf	120.69	3	Vertical	174	1.80	-	27.44	6.57	44.75				
AV	2.4602G	102.62	Inf	-Inf	113.32	3	Vertical	174	1.80	-	27.50	6.56	44.76				
PK	2.4836G	72.42	74.00	-1.58	83.01	3	Vertical	174	1.80	-	27.57	6.59	44.75				
AV	2.484G	53.33	54.00	-0.67	63.91	3	Vertical	174	1.80	-	27.58	6.59	44.75				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 52
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.465G	109.75	Inf	-Inf	120.48	3	Horizontal	169	1.80	-	27.45	6.57	44.75
AV	2.4552G	102.39	Inf	-Inf	113.09	3	Horizontal	169	1.80	-	27.50	6.56	44.76
PK	2.4838G	72.22	74.00	-1.78	82.80	3	Horizontal	169	1.80	-	27.58	6.59	44.75
AV	2.4842G	53.66	54.00	-0.34	64.24	3	Horizontal	169	1.80	-	27.58	6.59	44.75

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 52
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.9252G	45.77	74.00	-28.23	50.16	3	Vertical	175	1.80	-	31.35	8.23	43.97			
AV	4.92442G	36.50	54.00	-17.50	40.89	3	Vertical	175	1.80	-	31.35	8.23	43.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 52
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.93396G	45.84	74.00	-28.16	50.20	3	Horizontal	183	1.80	-	31.37	8.24	43.97			
AV	4.92418G	36.62	54.00	-17.38	41.01	3	Horizontal	183	1.80	-	31.35	8.23	43.97			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 51
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	2.3882G	53.96	54.00	-0.04	64.74	3	Vertical	173	1.80	-	27.50	6.50	44.78			
PK	2.3888G	73.85	74.00	-0.15	84.63	3	Vertical	173	1.80	-	27.50	6.50	44.78			
PK	2.4134G	111.38	Inf	-Inf	122.13	3	Vertical	173	1.80	-	27.50	6.52	44.77			
AV	2.421G	100.52	Inf	-Inf	111.26	3	Vertical	173	1.80	-	27.50	6.53	44.77			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 51
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.389G	71.28	74.00	-2.72	82.06	3	Horizontal	181	1.80	-	27.50	6.50	44.78				
AV	2.3898G	51.76	54.00	-2.24	62.54	3	Horizontal	181	1.80	-	27.50	6.50	44.78				
PK	2.4166G	111.23	Inf	-Inf	121.98	3	Horizontal	181	1.80	-	27.50	6.52	44.77				
AV	2.4184G	100.40	Inf	-Inf	111.14	3	Horizontal	181	1.80	-	27.50	6.53	44.77				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 51
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82322G	45.69	74.00	-28.31	50.28	3	Vertical	193	2.85	-	31.30	8.12	44.01			
AV	4.82832G	35.32	54.00	-18.68	39.89	3	Vertical	193	2.85	-	31.30	8.13	44.00			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_4TX
Setting 51
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83102G	45.49	74.00	-28.51	50.06	3	Horizontal	148	1.99	-	31.30	8.13	44.00			
AV	4.83246G	35.00	54.00	-19.00	39.57	3	Horizontal	148	1.99	-	31.30	8.13	44.00			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Z_4TX
Setting 56
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	72.72	74.00	-1.28	83.50	3	Vertical	177	1.80	-	27.50	6.50	44.78			
AV	2.3882G	53.76	54.00	-0.24	64.54	3	Vertical	177	1.80	-	27.50	6.50	44.78			
PK	2.418G	112.93	Inf	-Inf	123.67	3	Vertical	177	1.80	-	27.50	6.53	44.77			
AV	2.4212G	101.42	Inf	-Inf	112.16	3	Vertical	177	1.80	-	27.50	6.53	44.77			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Z_4TX
Setting 56
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	70.52	74.00	-3.48	81.30	3	Horizontal	180	1.80	-	27.50	6.50	44.78			
AV	2.388G	52.43	54.00	-1.57	63.21	3	Horizontal	180	1.80	-	27.50	6.50	44.78			
PK	2.4236G	112.44	Inf	-Inf	123.18	3	Horizontal	180	1.80	-	27.50	6.53	44.77			
AV	2.4234G	101.70	Inf	-Inf	112.44	3	Horizontal	180	1.80	-	27.50	6.53	44.77			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 63
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	65.87	74.00	-8.13	76.65	3	Vertical	168	1.80	-	27.50	6.50	44.78			
AV	2.3878G	50.44	54.00	-3.56	61.22	3	Vertical	168	1.80	-	27.50	6.50	44.78			
PK	2.443G	113.93	Inf	-Inf	124.64	3	Vertical	168	1.80	-	27.50	6.55	44.76			
AV	2.4434G	103.41	Inf	-Inf	114.12	3	Vertical	168	1.80	-	27.50	6.55	44.76			
PK	2.4862G	68.12	74.00	-5.88	78.66	3	Vertical	168	1.80	-	27.62	6.59	44.75			
AV	2.4835G	52.80	54.00	-1.20	63.39	3	Vertical	168	1.80	-	27.57	6.59	44.75			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 63
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3742G	68.32	74.00	-5.68	79.07	3	Horizontal	182	1.80	-	27.56	6.48	44.79			
AV	2.3898G	51.90	54.00	-2.10	62.68	3	Horizontal	182	1.80	-	27.50	6.50	44.78			
PK	2.4342G	113.84	Inf	-Inf	124.57	3	Horizontal	182	1.80	-	27.50	6.54	44.77			
AV	2.4434G	103.81	Inf	-Inf	114.52	3	Horizontal	182	1.80	-	27.50	6.55	44.76			
PK	2.4982G	69.36	74.00	-4.64	79.88	3	Horizontal	182	1.80	-	27.62	6.60	44.74			
AV	2.4862G	53.87	54.00	-0.13	64.41	3	Horizontal	182	1.80	-	27.62	6.59	44.75			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 63
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.86452G	45.88	74.00	-28.12	50.40	3	Vertical	194	1.80	-	31.30	8.17	43.99			
AV	4.87484G	35.43	54.00	-18.57	39.94	3	Vertical	194	1.80	-	31.30	8.18	43.99			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 63
04-I-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87352G	46.18	74.00	-27.82	50.69	3	Horizontal	193	1.78	-	31.30	8.18	43.99			
AV	4.87436G	35.91	54.00	-18.09	40.42	3	Horizontal	193	1.78	-	31.30	8.18	43.99			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_4TX
Setting 52
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4564G	112.32	Inf	-Inf	123.02	3	Vertical	172	1.80	-	27.50	6.56	44.76			
AV	2.456G	102.34	Inf	-Inf	113.04	3	Vertical	172	1.80	-	27.50	6.56	44.76			
PK	2.4836G	72.68	74.00	-1.32	83.27	3	Vertical	172	1.80	-	27.57	6.59	44.75			
AV	2.4838G	52.98	54.00	-1.02	63.56	3	Vertical	172	1.80	-	27.58	6.59	44.75			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_4TX
Setting 52
04-I-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4604G	112.35	Inf	-Inf	123.05	3	Horizontal	182	1.80	-	27.50	6.56	44.76			
AV	2.4636G	102.02	Inf	-Inf	112.74	3	Horizontal	182	1.80	-	27.46	6.57	44.75			
PK	2.488G	69.79	74.00	-4.21	80.28	3	Horizontal	182	1.80	-	27.66	6.59	44.74			
AV	2.4835G	52.61	54.00	-1.39	63.20	3	Horizontal	182	1.80	-	27.57	6.59	44.75			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 47
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.458G	112.35	Inf	-Inf	123.05	3	Vertical	172	1.80	-	27.50	6.56	44.76			
AV	2.456G	101.32	Inf	-Inf	112.02	3	Vertical	172	1.80	-	27.50	6.56	44.76			
PK	2.484G	72.88	74.00	-1.12	83.46	3	Vertical	172	1.80	-	27.58	6.59	44.75			
AV	2.4846G	53.77	54.00	-0.23	64.34	3	Vertical	172	1.80	-	27.59	6.59	44.75			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 47
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.463G	112.48	Inf	-Inf	123.19	3	Horizontal	181	1.80	-	27.47	6.57	44.75			
AV	2.4608G	100.62	Inf	-Inf	111.32	3	Horizontal	181	1.80	-	27.49	6.56	44.75			
PK	2.4856G	69.67	74.00	-4.33	80.22	3	Horizontal	181	1.80	-	27.61	6.59	44.75			
AV	2.4836G	51.05	54.00	-2.95	61.64	3	Horizontal	181	1.80	-	27.57	6.59	44.75			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 47
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.93186G	48.44	74.00	-25.56	52.81	3	Vertical	182	3.00	-	31.36	8.24	43.97			
AV	4.92592G	36.64	54.00	-17.36	41.03	3	Vertical	182	3.00	-	31.35	8.23	43.97			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_4TX
Setting 47
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.93342G	46.82	74.00	-27.18	51.18	3	Horizontal	173	3.00	-	31.37	8.24	43.97			
AV	4.92328G	36.75	54.00	-17.25	41.14	3	Horizontal	173	3.00	-	31.35	8.23	43.97			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_4TX
Setting 49
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	68.13	74.00	-5.87	78.91	3	Vertical	173	1.79	-	27.50	6.50	44.78
AV	2.3844G	53.96	54.00	-0.04	64.75	3	Vertical	173	1.79	-	27.50	6.49	44.78
PK	2.4236G	107.55	Inf	-Inf	118.29	3	Vertical	173	1.79	-	27.50	6.53	44.77
AV	2.4364G	97.51	Inf	-Inf	108.23	3	Vertical	173	1.79	-	27.50	6.54	44.76
PK	2.4908G	56.63	74.00	-17.37	67.09	3	Vertical	173	1.79	-	27.69	6.59	44.74
AV	2.4835G	45.22	54.00	-8.78	55.81	3	Vertical	173	1.79	-	27.57	6.59	44.75

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_4TX
Setting 49
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3872G	65.67	74.00	-8.33	76.45	3	Horizontal	183	1.80	-	27.50	6.50	44.78			
AV	2.388G	53.15	54.00	-0.85	63.93	3	Horizontal	183	1.80	-	27.50	6.50	44.78			
PK	2.4364G	107.98	Inf	-Inf	118.70	3	Horizontal	183	1.80	-	27.50	6.54	44.76			
AV	2.436G	97.54	Inf	-Inf	108.26	3	Horizontal	183	1.80	-	27.50	6.54	44.76			
PK	2.4864G	59.13	74.00	-14.87	69.66	3	Horizontal	183	1.80	-	27.63	6.59	44.75			
AV	2.4888G	45.00	54.00	-9.00	55.47	3	Horizontal	183	1.80	-	27.68	6.59	44.74			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_4TX
Setting 49
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83884G	45.29	74.00	-28.71	49.85	3	Vertical	179	2.91	-	31.30	8.14	44.00			
AV	4.84376G	35.14	54.00	-18.86	39.69	3	Vertical	179	2.91	-	31.30	8.15	44.00			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_4TX
Setting 49
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.83416G	45.75	74.00	-28.25	50.31	3	Horizontal	195	1.79	-	31.30	8.14	44.00				
AV	4.84244G	35.02	54.00	-18.98	39.58	3	Horizontal	195	1.79	-	31.30	8.14	44.00				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 52
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	67.04	74.00	-6.96	77.82	3	Vertical	170	1.80	-	27.50	6.50	44.78
AV	2.3878G	50.91	54.00	-3.09	61.69	3	Vertical	170	1.80	-	27.50	6.50	44.78
PK	2.431G	108.81	Inf	-Inf	119.54	3	Vertical	170	1.80	-	27.50	6.54	44.77
AV	2.4514G	99.21	Inf	-Inf	109.91	3	Vertical	170	1.80	-	27.50	6.56	44.76
PK	2.4858G	69.33	74.00	-4.67	79.87	3	Vertical	170	1.80	-	27.62	6.59	44.75
AV	2.4838G	53.14	54.00	-0.86	63.72	3	Vertical	170	1.80	-	27.58	6.59	44.75

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 52
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3854G	66.22	74.00	-7.78	77.00	3	Horizontal	182	1.80	-	27.50	6.50	44.78			
AV	2.3886G	49.84	54.00	-4.16	60.62	3	Horizontal	182	1.80	-	27.50	6.50	44.78			
PK	2.4506G	108.52	Inf	-Inf	119.22	3	Horizontal	182	1.80	-	27.50	6.56	44.76			
AV	2.4438G	98.82	Inf	-Inf	109.53	3	Horizontal	182	1.80	-	27.50	6.55	44.76			
PK	2.4854G	68.77	74.00	-5.23	79.32	3	Horizontal	182	1.80	-	27.61	6.59	44.75			
AV	2.4835G	53.99	54.00	-0.01	64.58	3	Horizontal	182	1.80	-	27.57	6.59	44.75			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 52
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8785G	45.19	74.00	-28.81	49.70	3	Vertical	207	1.01	-	31.30	8.18	43.99			
AV	4.87394G	34.89	54.00	-19.11	39.40	3	Vertical	207	1.01	-	31.30	8.18	43.99			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_4TX
Setting 52
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.86932G	45.98	74.00	-28.02	50.50	3	Horizontal	176	1.89	-	31.30	8.17	43.99			
AV	4.87214G	35.10	54.00	-18.90	39.61	3	Horizontal	176	1.89	-	31.30	8.18	43.99			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_4TX
Setting 46
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3792G	58.13	74.00	-15.87	68.92	3	Vertical	169	1.80	-	27.51	6.49	44.79			
AV	2.3896G	44.27	54.00	-9.73	55.05	3	Vertical	169	1.80	-	27.50	6.50	44.78			
PK	2.4564G	108.87	Inf	-Inf	119.57	3	Vertical	169	1.80	-	27.50	6.56	44.76			
AV	2.456G	97.93	Inf	-Inf	108.63	3	Vertical	169	1.80	-	27.50	6.56	44.76			
PK	2.4848G	70.62	74.00	-3.38	81.18	3	Vertical	169	1.80	-	27.60	6.59	44.75			
AV	2.4856G	53.91	54.00	-0.09	64.46	3	Vertical	169	1.80	-	27.61	6.59	44.75			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_4TX
Setting 46
04-I-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38G	58.79	74.00	-15.21	69.59	3	Horizontal	177	1.80	-	27.50	6.49	44.79			
AV	2.386G	44.70	54.00	-9.30	55.48	3	Horizontal	177	1.80	-	27.50	6.50	44.78			
PK	2.4512G	108.77	Inf	-Inf	119.47	3	Horizontal	177	1.80	-	27.50	6.56	44.76			
AV	2.4536G	97.95	Inf	-Inf	108.65	3	Horizontal	177	1.80	-	27.50	6.56	44.76			
PK	2.4868G	68.59	74.00	-5.41	79.11	3	Horizontal	177	1.80	-	27.64	6.59	44.75			
AV	2.4835G	53.04	54.00	-0.96	63.63	3	Horizontal	177	1.80	-	27.57	6.59	44.75			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_4TX
Setting 46
04-I-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.90112G	45.58	74.00	-28.42	50.05	3	Vertical	0	1.02	-	31.30	8.21	43.98			
AV	4.8968G	34.95	54.00	-19.05	39.43	3	Vertical	0	1.02	-	31.30	8.20	43.98			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX



EUT_Z_4TX
Setting 46
04-I-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.90652G	45.27	74.00	-28.73	49.73	3	Horizontal	187	2.49	-	31.31	8.21	43.98			
AV	4.9052G	35.27	54.00	-18.73	39.73	3	Horizontal	187	2.49	-	31.31	8.21	43.98			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1.(MCS0)_1TX	Pass	PK	2.484G	73.95	74.00	-0.05	3	Horizontal	355	1.93	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 72
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.387G	62.24	74.00	-11.76	61.05	3	Horizontal	359	1.76	-	28.50	4.98	32.29			
AV	2.3892G	53.89	54.00	-0.11	52.70	3	Horizontal	359	1.76	-	28.50	4.98	32.29			
PK	2.413G	115.32	Inf	-Inf	114.16	3	Horizontal	359	1.76	-	28.43	5.01	32.28			
AV	2.4112G	111.03	Inf	-Inf	109.89	3	Horizontal	359	1.76	-	28.41	5.01	32.28			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 70
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82406G	55.68	74.00	-18.32	46.32	3	Vertical	150	2.49	-	32.95	7.41	31.00			
AV	4.824G	52.49	54.00	-1.51	43.13	3	Vertical	150	2.49	-	32.95	7.41	31.00			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 70
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.824G	56.62	74.00	-17.38	47.26	3	Horizontal	15	1.91	-	32.95	7.41	31.00			
AV	4.82397G	53.83	54.00	-0.17	44.47	3	Horizontal	15	1.91	-	32.95	7.41	31.00			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 85
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	60.82	74.00	-13.18	59.63	3	Horizontal	358	2.16	-	28.50	4.98	32.29			
AV	2.385G	52.29	54.00	-1.71	51.11	3	Horizontal	358	2.16	-	28.50	4.98	32.30			
PK	2.4378G	118.00	Inf	-Inf	116.82	3	Horizontal	358	2.16	-	28.40	5.05	32.27			
AV	2.4362G	114.26	Inf	-Inf	113.08	3	Horizontal	358	2.16	-	28.40	5.05	32.27			
PK	2.4862G	63.13	74.00	-10.87	61.79	3	Horizontal	358	2.16	-	28.46	5.13	32.25			
AV	2.4882G	53.10	54.00	-0.90	51.73	3	Horizontal	358	2.16	-	28.48	5.14	32.25			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 65
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.87394G	54.97	74.00	-19.03	45.42	3	Vertical	149	2.46	-	33.10	7.45	31.00				
AV	4.87397G	51.32	54.00	-2.68	41.77	3	Vertical	149	2.46	-	33.10	7.45	31.00				
PK	7.31166G	52.92	74.00	-21.08	38.81	3	Vertical	215	1.30	-	36.52	9.02	31.43				
AV	7.30902G	39.16	54.00	-14.84	25.05	3	Vertical	215	1.30	-	36.52	9.02	31.43				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 65
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.87397G	56.91	74.00	-17.09	47.36	3	Horizontal	21	1.93	-	33.10	7.45	31.00				
AV	4.87397G	53.94	54.00	-0.06	44.39	3	Horizontal	21	1.93	-	33.10	7.45	31.00				
PK	7.31184G	55.03	74.00	-18.97	40.92	3	Horizontal	-0	2.25	-	36.52	9.02	31.43				
AV	7.31172G	44.44	54.00	-9.56	30.33	3	Horizontal	-0	2.25	-	36.52	9.02	31.43				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT Y_1TX
Setting 61
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.463G	113.62	Inf	-Inf	112.39	3	Horizontal	356	1.92	-	28.40	5.09	32.26			
AV	2.4612G	109.62	Inf	-Inf	108.39	3	Horizontal	356	1.92	-	28.40	5.09	32.26			
PK	2.4856G	59.51	74.00	-14.49	58.17	3	Horizontal	356	1.92	-	28.46	5.13	32.25			
AV	2.4838G	48.15	54.00	-5.85	46.83	3	Horizontal	356	1.92	-	28.44	5.13	32.25			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 61
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.924G	51.21	74.00	-22.79	41.48	3	Vertical	151	2.42	-	33.25	7.49	31.01				
AV	4.924G	45.15	54.00	-8.85	35.42	3	Vertical	151	2.42	-	33.25	7.49	31.01				
PK	7.3908G	53.48	74.00	-20.52	39.20	3	Vertical	329	1.17	-	36.68	9.03	31.43				
AV	7.38735G	39.89	54.00	-14.11	25.62	3	Vertical	329	1.17	-	36.67	9.03	31.43				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 61
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92391G	55.98	74.00	-18.02	46.25	3	Horizontal	18	1.69	-	33.25	7.49	31.01				
AV	4.924G	52.27	54.00	-1.73	42.54	3	Horizontal	18	1.69	-	33.25	7.49	31.01				
PK	7.38435G	55.12	74.00	-18.88	40.85	3	Horizontal	-0	1.88	-	36.67	9.03	31.43				
AV	7.38675G	43.84	54.00	-10.16	29.57	3	Horizontal	-0	1.88	-	36.67	9.03	31.43				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 61
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	72.35	74.00	-1.65	71.16	3	Horizontal	359	1.80	-	28.50	4.98	32.29			
AV	2.3896G	53.39	54.00	-0.61	52.20	3	Horizontal	359	1.80	-	28.50	4.98	32.29			
PK	2.4142G	112.32	Inf	-Inf	111.15	3	Horizontal	359	1.80	-	28.44	5.01	32.28			
AV	2.414G	103.80	Inf	-Inf	102.63	3	Horizontal	359	1.80	-	28.44	5.01	32.28			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 61
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8206G	51.13	74.00	-22.87	41.78	3	Vertical	148	2.58	-	32.94	7.41	31.00			
AV	4.8245G	40.74	54.00	-13.26	31.38	3	Vertical	148	2.58	-	32.95	7.41	31.00			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 61
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8207G	52.39	74.00	-21.61	43.04	3	Horizontal	15	1.98	-	32.94	7.41	31.00			
AV	4.8247G	41.63	54.00	-12.37	32.27	3	Horizontal	15	1.98	-	32.95	7.41	31.00			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 71
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	66.96	74.00	-7.04	65.77	3	Horizontal	-0	1.80	-	28.50	4.98	32.29			
AV	2.3898G	52.39	54.00	-1.61	51.20	3	Horizontal	-0	1.80	-	28.50	4.98	32.29			
PK	2.4442G	114.73	Inf	-Inf	113.54	3	Horizontal	-0	1.80	-	28.40	5.06	32.27			
AV	2.4322G	105.75	Inf	-Inf	104.58	3	Horizontal	-0	1.80	-	28.40	5.04	32.27			
PK	2.4898G	66.92	74.00	-7.08	65.52	3	Horizontal	-0	1.80	-	28.50	5.14	32.24			
AV	2.4835G	52.17	54.00	-1.83	50.85	3	Horizontal	-0	1.80	-	28.44	5.13	32.25			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
 Setting 71
 02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8706G	51.70	74.00	-22.30	42.17	3	Vertical	146	2.47	-	33.08	7.45	31.00				
AV	4.8747G	40.49	54.00	-13.51	30.94	3	Vertical	146	2.47	-	33.10	7.45	31.00				
PK	7.3315G	52.40	74.00	-21.60	38.25	3	Vertical	8	1.87	-	36.56	9.02	31.43				
AV	7.2887G	42.16	54.00	-11.84	28.13	3	Vertical	8	1.87	-	36.45	9.01	31.43				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Y_1TX
Setting 60
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3798G	53.34	74.00	-20.66	52.17	3	Horizontal	357	2.12	-	28.50	4.97	32.30			
AV	2.3858G	43.37	54.00	-10.63	42.18	3	Horizontal	357	2.12	-	28.50	4.98	32.29			
PK	2.4558G	112.04	Inf	-Inf	110.82	3	Horizontal	357	2.12	-	28.40	5.08	32.26			
AV	2.4598G	103.75	Inf	-Inf	102.52	3	Horizontal	357	2.12	-	28.40	5.09	32.26			
PK	2.4835G	69.04	74.00	-4.96	67.72	3	Horizontal	357	2.12	-	28.44	5.13	32.25			
AV	2.4835G	52.10	54.00	-1.90	50.78	3	Horizontal	357	2.12	-	28.44	5.13	32.25			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 51
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4596G	110.67	Inf	-Inf	109.44	3	Horizontal	358	2.29	-	28.40	5.09	32.26			
AV	2.4586G	101.62	Inf	-Inf	100.39	3	Horizontal	358	2.29	-	28.40	5.09	32.26			
PK	2.4836G	73.70	74.00	-0.30	72.38	3	Horizontal	358	2.29	-	28.44	5.13	32.25			
AV	2.486G	48.54	54.00	-5.46	47.20	3	Horizontal	358	2.29	-	28.46	5.13	32.25			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 51
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9143G	46.95	74.00	-27.05	37.24	3	Vertical	158	1.89	-	33.23	7.48	31.00				
AV	4.9109G	36.84	54.00	-17.16	27.14	3	Vertical	158	1.89	-	33.22	7.48	31.00				
PK	7.4059G	53.67	74.00	-20.33	39.37	3	Vertical	69	1.69	-	36.70	9.03	31.43				
AV	7.4025G	42.96	54.00	-11.04	28.66	3	Vertical	69	1.69	-	36.70	9.03	31.43				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 51
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9205G	50.41	74.00	-23.59	40.69	3	Horizontal	18	1.77	-	33.24	7.49	31.01				
AV	4.9165G	39.65	54.00	-14.35	29.94	3	Horizontal	18	1.77	-	33.23	7.48	31.00				
PK	7.4109G	53.53	74.00	-20.47	39.22	3	Horizontal	129	1.93	-	36.70	9.04	31.43				
AV	7.3956G	42.88	54.00	-11.12	28.59	3	Horizontal	129	1.93	-	36.69	9.03	31.43				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 52
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3874G	73.64	74.00	-0.36	72.45	3	Horizontal	360	1.75	-	28.50	4.98	32.29			
AV	2.3894G	52.51	54.00	-1.49	51.32	3	Horizontal	360	1.75	-	28.50	4.98	32.29			
PK	2.4102G	113.07	Inf	-Inf	111.94	3	Horizontal	360	1.75	-	28.40	5.01	32.28			
AV	2.415G	101.60	Inf	-Inf	100.42	3	Horizontal	360	1.75	-	28.45	5.01	32.28			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 51
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8258G	49.40	74.00	-24.60	40.04	3	Vertical	149	2.57	-	32.95	7.41	31.00			
AV	4.8219G	38.70	54.00	-15.30	29.35	3	Vertical	149	2.57	-	32.94	7.41	31.00			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
Setting 51
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8228G	50.14	74.00	-23.86	40.78	3	Horizontal	13	2.65	-	32.95	7.41	31.00			
AV	4.825G	40.06	54.00	-13.94	30.70	3	Horizontal	13	2.65	-	32.95	7.41	31.00			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT_Y_1TX
Setting 60
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	72.43	74.00	-1.57	71.24	3	Horizontal	0	2.15	-	28.50	4.98	32.29			
AV	2.3894G	53.31	54.00	-0.69	52.12	3	Horizontal	0	2.15	-	28.50	4.98	32.29			
PK	2.4126G	115.05	Inf	-Inf	113.89	3	Horizontal	0	2.15	-	28.43	5.01	32.28			
AV	2.4234G	102.86	Inf	-Inf	101.64	3	Horizontal	0	2.15	-	28.47	5.03	32.28			
PK	2.4846G	55.78	74.00	-18.22	54.45	3	Horizontal	0	2.15	-	28.45	5.13	32.25			
AV	2.4835G	43.83	54.00	-10.17	42.51	3	Horizontal	0	2.15	-	28.44	5.13	32.25			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 66
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	71.59	74.00	-2.41	70.40	3	Horizontal	357	2.11	-	28.50	4.98	32.29			
AV	2.3886G	52.25	54.00	-1.75	51.06	3	Horizontal	357	2.11	-	28.50	4.98	32.29			
PK	2.429G	116.34	Inf	-Inf	115.16	3	Horizontal	357	2.11	-	28.41	5.04	32.27			
AV	2.445G	105.62	Inf	-Inf	104.43	3	Horizontal	357	2.11	-	28.40	5.06	32.27			
PK	2.4866G	71.72	74.00	-2.28	70.37	3	Horizontal	357	2.11	-	28.47	5.13	32.25			
AV	2.4846G	53.66	54.00	-0.34	52.33	3	Horizontal	357	2.11	-	28.45	5.13	32.25			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 66
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8725G	50.85	74.00	-23.15	41.31	3	Vertical	148	2.65	-	33.09	7.45	31.00				
AV	4.8734G	40.38	54.00	-13.62	30.84	3	Vertical	148	2.65	-	33.09	7.45	31.00				
PK	7.2924G	52.36	74.00	-21.64	38.31	3	Vertical	289	1.74	-	36.47	9.01	31.43				
AV	7.3122G	42.07	54.00	-11.93	27.96	3	Vertical	289	1.74	-	36.52	9.02	31.43				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 66
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	4.8673G	53.92	74.00	-20.08	44.41	3	Horizontal	19	1.71	-	33.07	7.44	31.00					
AV	4.8723G	42.85	54.00	-11.15	33.31	3	Horizontal	19	1.71	-	33.09	7.45	31.00					
PK	7.3139G	53.64	74.00	-20.36	39.52	3	Horizontal	353	1.10	-	36.53	9.02	31.43					
AV	7.3096G	43.12	54.00	-10.88	29.01	3	Horizontal	353	1.10	-	36.52	9.02	31.43					

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT Y_1TX
Setting 55
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3878G	54.50	74.00	-19.50	53.31	3	Horizontal	357	1.93	-	28.50	4.98	32.29			
AV	2.389G	42.63	54.00	-11.37	41.44	3	Horizontal	357	1.93	-	28.50	4.98	32.29			
PK	2.4578G	113.90	Inf	-Inf	112.67	3	Horizontal	357	1.93	-	28.40	5.09	32.26			
AV	2.4634G	102.47	Inf	-Inf	101.24	3	Horizontal	357	1.93	-	28.40	5.09	32.26			
PK	2.4842G	73.55	74.00	-0.45	72.23	3	Horizontal	357	1.93	-	28.44	5.13	32.25			
AV	2.4858G	51.90	54.00	-2.10	50.56	3	Horizontal	357	1.93	-	28.46	5.13	32.25			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 49
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4542G	112.61	Inf	-Inf	111.39	3	Horizontal	355	1.93	-	28.40	5.08	32.26			
AV	2.4652G	101.66	Inf	-Inf	100.42	3	Horizontal	355	1.93	-	28.40	5.10	32.26			
PK	2.484G	73.95	74.00	-0.05	72.63	3	Horizontal	355	1.93	-	28.44	5.13	32.25			
AV	2.4838G	50.40	54.00	-3.60	49.08	3	Horizontal	355	1.93	-	28.44	5.13	32.25			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 4 9
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9314G	49.35	74.00	-24.65	39.60	3	Vertical	18	1.56	-	33.26	7.50	31.01				
AV	4.9244G	38.35	54.00	-15.65	28.62	3	Vertical	18	1.56	-	33.25	7.49	31.01				
PK	7.38G	53.31	74.00	-20.69	39.05	3	Vertical	128	2.03	-	36.66	9.03	31.43				
AV	7.3778G	42.71	54.00	-11.29	28.45	3	Vertical	128	2.03	-	36.66	9.03	31.43				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
Setting 49
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9229G	48.99	74.00	-25.01	39.26	3	Horizontal	316	1.31	-	33.25	7.49	31.01			
AV	4.9235G	38.51	54.00	-15.49	28.78	3	Horizontal	316	1.31	-	33.25	7.49	31.01			
PK	7.3796G	53.61	74.00	-20.39	39.35	3	Horizontal	21	2.50	-	36.66	9.03	31.43			
AV	7.3754G	42.55	54.00	-11.45	28.30	3	Horizontal	21	2.50	-	36.65	9.03	31.43			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

2422MHz_TX




EUT_Y_1TX
Setting 46
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3844G	71.22	74.00	-2.78	70.04	3	Horizontal	358	1.80	-	28.50	4.98	32.30			
AV	2.386G	53.76	54.00	-0.24	52.57	3	Horizontal	358	1.80	-	28.50	4.98	32.29			
PK	2.4344G	108.71	Inf	-Inf	107.53	3	Horizontal	358	1.80	-	28.40	5.05	32.27			
AV	2.4316G	97.53	Inf	-Inf	96.36	3	Horizontal	358	1.80	-	28.40	5.04	32.27			
PK	2.4924G	56.17	74.00	-17.83	54.75	3	Horizontal	358	1.80	-	28.52	5.14	32.24			
AV	2.484G	44.82	54.00	-9.18	43.50	3	Horizontal	358	1.80	-	28.44	5.13	32.25			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

2422MHz_TX




EUT_Z_1TX
Setting 46
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8505G	48.91	74.00	-25.09	39.48	3	Vertical	108	1.25	-	33.00	7.43	31.00				
AV	4.8427G	38.37	54.00	-15.63	28.96	3	Vertical	108	1.25	-	32.99	7.42	31.00				
PK	7.2837G	52.32	74.00	-21.68	38.31	3	Vertical	349	1.81	-	36.43	9.01	31.43				
AV	7.2679G	41.85	54.00	-12.15	27.90	3	Vertical	349	1.81	-	36.37	9.01	31.43				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

2422MHz_TX




EUT_Z_1TX
Setting 46
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8473G	48.80	74.00	-25.20	39.38	3	Horizontal	92	1.76	-	32.99	7.43	31.00				
AV	4.849G	38.33	54.00	-15.67	28.90	3	Horizontal	92	1.76	-	33.00	7.43	31.00				
PK	7.2818G	52.12	74.00	-21.88	38.11	3	Horizontal	195	2.79	-	36.43	9.01	31.43				
AV	7.2518G	42.00	54.00	-12.00	28.11	3	Horizontal	195	2.79	-	36.31	9.01	31.43				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 55
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	68.67	74.00	-5.33	67.48	3	Horizontal	356	1.73	-	28.50	4.98	32.29
AV	2.3886G	52.87	54.00	-1.13	51.68	3	Horizontal	356	1.73	-	28.50	4.98	32.29
PK	2.4434G	111.79	Inf	-Inf	110.60	3	Horizontal	356	1.73	-	28.40	5.06	32.27
AV	2.4462G	99.82	Inf	-Inf	98.62	3	Horizontal	356	1.73	-	28.40	5.07	32.27
PK	2.4858G	71.17	74.00	-2.83	69.83	3	Horizontal	356	1.73	-	28.46	5.13	32.25
AV	2.4842G	52.34	54.00	-1.66	51.02	3	Horizontal	356	1.73	-	28.44	5.13	32.25

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 55
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.85696G	49.77	74.00	-24.23	40.30	3	Vertical	6	1.70	-	33.03	7.44	31.00				
AV	4.87328G	39.55	54.00	-14.45	30.01	3	Vertical	6	1.70	-	33.09	7.45	31.00				
PK	7.32216G	52.73	74.00	-21.27	38.60	3	Vertical	114	1.75	-	36.54	9.02	31.43				
AV	7.33344G	41.81	54.00	-12.19	27.65	3	Vertical	114	1.75	-	36.57	9.02	31.43				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
Setting 55
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86452G	50.31	74.00	-23.69	40.81	3	Horizontal	19	1.71	-	33.06	7.44	31.00				
AV	4.87688G	39.75	54.00	-14.25	30.19	3	Horizontal	19	1.71	-	33.11	7.45	31.00				
PK	7.2864G	52.42	74.00	-21.58	38.39	3	Horizontal	175	2.41	-	36.45	9.01	31.43				
AV	7.32348G	42.05	54.00	-11.95	27.91	3	Horizontal	175	2.41	-	36.55	9.02	31.43				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT_Y_1TX
Setting 48
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	59.89	74.00	-14.11	58.70	3	Horizontal	355	1.94	-	28.50	4.98	32.29
AV	2.39G	45.77	54.00	-8.23	44.58	3	Horizontal	355	1.94	-	28.50	4.98	32.29
PK	2.4608G	110.98	Inf	-Inf	109.75	3	Horizontal	355	1.94	-	28.40	5.09	32.26
AV	2.4628G	98.01	Inf	-Inf	96.78	3	Horizontal	355	1.94	-	28.40	5.09	32.26
PK	2.4864G	73.79	74.00	-0.21	72.45	3	Horizontal	355	1.94	-	28.46	5.13	32.25
AV	2.4835G	53.45	54.00	-0.55	52.13	3	Horizontal	355	1.94	-	28.44	5.13	32.25

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT_Z_1TX
Setting 48
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9028G	51.52	74.00	-22.48	41.84	3	Vertical	139	2.97	-	33.21	7.47	31.00			
AV	4.90076G	40.22	54.00	-13.78	30.55	3	Vertical	139	2.97	-	33.20	7.47	31.00			
PK	7.36392G	53.02	74.00	-20.98	38.80	3	Vertical	273	2.12	-	36.63	9.02	31.43			
AV	7.34856G	42.50	54.00	-11.50	28.31	3	Vertical	273	2.12	-	36.60	9.02	31.43			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_1TX

2452MHz_TX



EUT_Z_1TX
Setting 48
02-D-B-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90712G	49.82	74.00	-24.18	40.13	3	Horizontal	19	2.31	-	33.21	7.48	31.00				
AV	4.9028G	38.95	54.00	-15.05	29.27	3	Horizontal	19	2.31	-	33.21	7.47	31.00				
PK	7.37904G	53.10	74.00	-20.90	38.84	3	Horizontal	35	1.74	-	36.66	9.03	31.43				
AV	7.36512G	42.80	54.00	-11.20	28.58	3	Horizontal	35	1.74	-	36.63	9.02	31.43				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	3.284G	45.19	54.00	-8.81	Vertical

Mode 2



Mode 2

