


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8222G	109.54	Inf	-Inf	110.81	3	Horizontal	357	2.21	-	34.19	7.05	42.51			
RMS	6.767G	99.03	Inf	-Inf	100.54	3	Horizontal	357	2.21	-	34.03	7.03	42.57			
PK	7.1906G	78.91	88.20	-9.29	78.31	3	Horizontal	357	2.21	-	35.98	7.21	42.59			
RMS	7.1252G	65.02	68.20	-3.18	64.49	3	Horizontal	357	2.21	-	35.80	7.22	42.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78792G	56.20	88.20	-32.00	45.81	3	Vertical	279	1.68	-	40.38	12.70	42.69			
RMS	13.81438G	45.38	68.20	-22.82	34.95	3	Vertical	279	1.68	-	40.43	12.73	42.73			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.83892G	56.48	88.20	-31.72	46.01	3	Horizontal	19	1.94	-	40.48	12.75	42.76			
RMS	13.83244G	45.18	68.20	-23.02	34.72	3	Horizontal	19	1.94	-	40.46	12.75	42.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71386G	48.36	83.54	-35.18	43.41	1	Vertical	196	1.40	-	37.90	15.75	48.70			
AV	20.73132G	37.15	63.54	-26.39	32.18	1	Vertical	196	1.40	-	37.90	15.77	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 67
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.69184G	48.60	83.54	-34.94	43.67	1	Horizontal	164	2.93	-	37.90	15.73	48.70			
AV	20.7288G	37.55	63.54	-25.99	32.59	1	Horizontal	164	2.93	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_Y_4TX
Setting 64
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9176G	110.10	Inf	-Inf	110.67	3	Vertical	2	2.28	-	34.67	7.16	42.40			
RMS	6.9476G	99.67	Inf	-Inf	100.06	3	Vertical	2	2.28	-	34.79	7.19	42.37			
PK	7.16G	81.04	88.20	-7.16	80.44	3	Vertical	2	2.28	-	35.92	7.22	42.54			
RMS	7.1324G	67.51	68.20	-0.69	66.96	3	Vertical	2	2.28	-	35.83	7.22	42.50			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_Y_4TX
Setting 64
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8564G	110.19	Inf	-Inf	111.23	3	Horizontal	360	2.26	-	34.34	7.09	42.47			
RMS	6.8618G	100.02	Inf	-Inf	101.01	3	Horizontal	360	2.26	-	34.37	7.10	42.46			
PK	7.1312G	78.31	88.20	-9.89	77.77	3	Horizontal	360	2.26	-	35.82	7.22	42.50			
RMS	7.1282G	64.82	68.20	-3.38	64.29	3	Horizontal	360	2.26	-	35.81	7.22	42.50			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT Y_4TX
Setting 64
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9384G	56.60	88.20	-31.60	45.83	3	Vertical	113	1.29	-	40.80	12.86	42.89			
RMS	13.891G	45.66	68.20	-22.54	34.93	3	Vertical	113	1.29	-	40.75	12.81	42.83			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT Y_4TX
Setting 64
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80952G	56.44	88.20	-31.76	46.02	3	Horizontal	278	2.32	-	40.42	12.72	42.72			
RMS	13.81012G	45.10	68.20	-23.10	34.68	3	Horizontal	278	2.32	-	40.42	12.72	42.72			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT Y_4TX
Setting 64
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71926G	47.37	83.54	-36.17	42.41	1	Vertical	60	1.60	-	37.90	15.76	48.70			
AV	20.68554G	36.01	63.54	-27.53	31.08	1	Vertical	60	1.60	-	37.90	15.73	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX

EUT Y_4TX
Setting 64
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.72406G	47.54	83.54	-36.00	42.58	1	Horizontal	274	1.07	-	37.90	15.76	48.70				
AV	20.68734G	36.18	63.54	-27.36	31.25	1	Horizontal	274	1.07	-	37.90	15.73	48.70				




Test Mode: Mode 9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX	Pass	RMS	7.1266G	68.11	68.20	-0.09	3	Horizontal	352	2.19	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 77
03-P-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	79.79	88.20	-8.41	72.35	3	Vertical	356	1.88	-	34.55	8.09	35.20			
RMS	5.9245G	65.24	68.20	-2.96	57.80	3	Vertical	356	1.88	-	34.55	8.09	35.20			
PK	6G	118.96	Inf	-Inf	111.38	3	Vertical	356	1.88	-	34.60	8.17	35.19			
RMS	5.9955G	108.30	Inf	-Inf	100.72	3	Vertical	356	1.88	-	34.60	8.17	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 77
03-P-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	81.00	88.20	-7.20	73.56	3	Horizontal	356	2.06	-	34.55	8.09	35.20			
RMS	5.925G	67.84	68.20	-0.36	60.40	3	Horizontal	356	2.06	-	34.55	8.09	35.20			
PK	5.9945G	118.60	Inf	-Inf	111.03	3	Horizontal	356	2.06	-	34.60	8.16	35.19			
RMS	5.995G	108.49	Inf	-Inf	100.92	3	Horizontal	356	2.06	-	34.60	8.16	35.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 77
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96064G	45.49	74.00	-28.51	60.27	3	Vertical	34	2.45	-	39.18	11.81	65.77			
AV	11.96379G	33.47	54.00	-20.53	48.24	3	Vertical	34	2.45	-	39.17	11.82	65.76			
PK	17.94264G	53.40	74.00	-20.60	56.86	3	Vertical	30	2.95	-	44.71	14.22	62.39			
AV	17.96601G	42.17	54.00	-11.83	45.49	3	Vertical	30	2.95	-	44.80	14.23	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Y_4TX
Setting 77
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98425G	45.08	74.00	-28.92	59.88	3	Horizontal	131	2.46	-	39.13	11.82	65.75			
AV	11.96334G	33.57	54.00	-20.43	48.34	3	Horizontal	131	2.46	-	39.17	11.82	65.76			
PK	17.96601G	53.57	74.00	-20.43	56.89	3	Horizontal	328	1.39	-	44.80	14.23	62.35			
AV	17.96559G	42.11	54.00	-11.89	45.44	3	Horizontal	328	1.39	-	44.79	14.23	62.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_V_4TX
Setting 77
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94198G	49.49	83.54	-34.05	40.80	1	Vertical	278	1.91	-	39.00	17.31	47.62			
AV	23.9425G	37.68	63.54	-25.86	28.99	1	Vertical	278	1.91	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_V_4TX
Setting 77
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94362G	49.54	83.54	-34.00	40.84	1	Horizontal	20	1.03	-	39.00	17.32	47.62			
AV	23.9445G	37.94	63.54	-25.60	29.24	1	Horizontal	20	1.03	-	39.00	17.32	47.62			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


7025MHz_TX

EUT_Y_4TX
Setting 72
03-P-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9895G	118.99	Inf	-Inf	110.12	3	Vertical	0	1.98	-	35.60	8.40	35.13
RMS	6.9935G	108.31	Inf	-Inf	99.45	3	Vertical	0	1.98	-	35.60	8.39	35.13
PK	7.1285G	81.36	88.20	-6.84	72.21	3	Vertical	0	1.98	-	35.81	8.48	35.14
RMS	7.1285G	67.36	68.20	-0.84	58.21	3	Vertical	0	1.98	-	35.81	8.48	35.14
PK	7.2525G	61.77	74.00	-12.23	51.84	3	Vertical	0	1.98	-	36.51	8.57	35.15
AV	7.2655G	50.95	54.00	-3.05	40.96	3	Vertical	0	1.98	-	36.56	8.58	35.15

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


7025MHz_TX

EUT_Y_4TX
Setting 72
03-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9925G	118.44	Inf	-Inf	109.58	3	Horizontal	0	2.18	-	35.60	8.39	35.13
RMS	6.993G	107.55	Inf	-Inf	98.69	3	Horizontal	0	2.18	-	35.60	8.39	35.13
PK	7.125G	79.21	88.20	-8.99	70.07	3	Horizontal	0	2.18	-	35.80	8.48	35.14
RMS	7.125G	67.05	68.20	-1.15	57.91	3	Horizontal	0	2.18	-	35.80	8.48	35.14
PK	7.266G	62.45	74.00	-11.55	52.46	3	Horizontal	0	2.18	-	36.56	8.58	35.15
AV	7.252G	50.86	54.00	-3.14	40.93	3	Horizontal	0	2.18	-	36.51	8.57	35.15

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT Y_4TX
Setting 72
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04999G	47.33	88.20	-40.87	58.76	3	Vertical	79	2.04	-	41.20	11.72	64.35			
RMS	14.04914G	36.52	68.20	-31.68	47.95	3	Vertical	79	2.04	-	41.20	11.72	64.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT Y_4TX
Setting 72
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04679G	47.87	88.20	-40.33	59.31	3	Horizontal	62	2.38	-	41.20	11.72	64.36			
RMS	14.0466G	36.13	68.20	-32.07	47.57	3	Horizontal	62	2.38	-	41.20	11.72	64.36			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 72
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07158G	50.21	83.54	-33.33	44.86	1	Vertical	95	1.78	-	38.00	16.04	48.69			
AV	21.07852G	38.67	63.54	-24.87	33.30	1	Vertical	95	1.78	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


7025MHz_TX

EUT_Y_4TX
Setting 72
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07118G	49.78	83.54	-33.76	44.43	1	Horizontal	314	2.24	-	38.00	16.04	48.69			
AV	21.0755G	38.57	63.54	-24.97	33.20	1	Horizontal	314	2.24	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6025MHz_TX




EUT_Y_4TX
Setting 81
03-P-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	76.15	88.20	-12.05	68.71	3	Vertical	357	2.09	-	34.55	8.09	35.20			
RMS	5.925G	66.24	68.20	-1.96	58.80	3	Vertical	357	2.09	-	34.55	8.09	35.20			
PK	6.0666G	117.56	Inf	-Inf	109.78	3	Vertical	357	2.09	-	34.70	8.27	35.19			
RMS	6.0874G	106.98	Inf	-Inf	99.06	3	Vertical	357	2.09	-	34.82	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX


6025MHz_TX

EUT_Y_4TX
Setting 81
03-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.48	88.20	-9.72	71.04	3	Horizontal	358	1.96	-	34.55	8.09	35.20			
RMS	5.925G	66.75	68.20	-1.45	59.31	3	Horizontal	358	1.96	-	34.55	8.09	35.20			
PK	6.101G	118.24	Inf	-Inf	110.22	3	Horizontal	358	1.96	-	34.90	8.32	35.20			
RMS	6.0858G	106.97	Inf	-Inf	99.06	3	Horizontal	358	1.96	-	34.81	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX


6025MHz_TX

EUT_Y_4TX
Setting 81
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04638G	44.76	74.00	-29.24	59.62	3	Vertical	184	1.84	-	39.01	11.83	65.70			
AV	12.04556G	33.66	54.00	-20.34	48.52	3	Vertical	184	1.84	-	39.01	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX


6025MHz_TX

EUT_V_4TX
Setting 81
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05453G	45.15	74.00	-28.85	60.02	3	Horizontal	186	2.96	-	38.99	11.83	65.69			
AV	12.04926G	33.72	54.00	-20.28	48.59	3	Horizontal	186	2.96	-	39.00	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX


6025MHz_TX

EUT_V_4TX
Setting 81
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07224G	47.10	83.54	-36.44	42.49	1	Vertical	14	1.13	-	37.53	15.29	48.21			
AV	18.07978G	35.91	63.54	-27.63	31.26	1	Vertical	14	1.13	-	37.58	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX


6025MHz_TX

EUT_V_4TX
Setting 81
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07852G	47.36	83.54	-36.18	42.72	1	Horizontal	50	1.05	-	37.57	15.29	48.22			
AV	18.07818G	35.84	63.54	-27.70	31.20	1	Horizontal	50	1.05	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_Y_4TX
Setting 80
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.26	88.20	-10.94	69.82	3	Vertical	360	1.96	-	34.55	8.09	35.20			
RMS	5.925G	65.68	68.20	-2.52	58.24	3	Vertical	360	1.96	-	34.55	8.09	35.20			
PK	6.0866G	118.54	Inf	-Inf	110.62	3	Vertical	360	1.96	-	34.82	8.30	35.20			
RMS	6.0874G	108.18	Inf	-Inf	100.26	3	Vertical	360	1.96	-	34.82	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_Y_4TX
Setting 80
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	79.45	88.20	-8.75	72.01	3	Horizontal	358	1.97	-	34.55	8.09	35.20			
RMS	5.925G	67.67	68.20	-0.53	60.23	3	Horizontal	358	1.97	-	34.55	8.09	35.20			
PK	6.1002G	117.20	Inf	-Inf	109.18	3	Horizontal	358	1.97	-	34.90	8.32	35.20			
RMS	6.0858G	107.48	Inf	-Inf	99.57	3	Horizontal	358	1.97	-	34.81	8.30	35.20			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6025MHz_TX

EUT_Y_4TX
Setting 80
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05011G	45.74	74.00	-28.26	60.60	3	Vertical	230	1.63	-	39.00	11.83	65.69			
AV	12.0461G	33.56	54.00	-20.44	48.42	3	Vertical	230	1.63	-	39.01	11.83	65.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT V_4TX
Setting 80
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04852G	45.03	74.00	-28.97	59.90	3	Horizontal	353	2.25	-	39.00	11.83	65.70			
AV	12.05474G	33.74	54.00	-20.26	48.61	3	Horizontal	353	2.25	-	38.99	11.83	65.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6025MHz_TX

EUT_Y_4TX
Setting 80
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0763G	47.75	83.54	-35.79	43.12	1	Vertical	21	1.23	-	37.56	15.29	48.22			
AV	18.07242G	35.77	63.54	-27.77	31.16	1	Vertical	21	1.23	-	37.53	15.29	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6025MHz_TX

EUT_Y_4TX
Setting 80
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07268G	46.95	83.54	-36.59	42.33	1	Horizontal	340	2.95	-	37.54	15.29	48.21			
AV	18.07708G	35.87	63.54	-27.67	31.24	1	Horizontal	340	2.95	-	37.56	15.29	48.22			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6985MHz_TX

EUT Y_4TX
Setting 73
03-P-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9818G	114.72	Inf	-Inf	105.82	3	Vertical	355	1.05	-	35.60	8.43	35.13			
RMS	6.9218G	104.59	Inf	-Inf	95.51	3	Vertical	355	1.05	-	35.60	8.62	35.14			
PK	7.1266G	76.96	88.20	-11.24	67.81	3	Vertical	355	1.05	-	35.81	8.48	35.14			
RMS	7.1322G	67.02	68.20	-1.18	57.85	3	Vertical	355	1.05	-	35.83	8.48	35.14			
PK	7.2906G	61.96	74.00	-12.04	51.85	3	Vertical	355	1.05	-	36.66	8.60	35.15			
AV	7.3682G	51.29	54.00	-2.71	40.90	3	Vertical	355	1.05	-	36.90	8.65	35.16			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6985MHz_TX




EUT_Y_4TX
Setting 73
03-P-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9114G	115.57	Inf	-Inf	106.46	3	Horizontal	360	1.86	-	35.60	8.66	35.15			
RMS	6.9602G	104.54	Inf	-Inf	95.58	3	Horizontal	360	1.86	-	35.60	8.50	35.14			
PK	7.137G	79.68	88.20	-8.52	70.48	3	Horizontal	360	1.86	-	35.85	8.49	35.14			
RMS	7.1322G	67.57	68.20	-0.63	58.40	3	Horizontal	360	1.86	-	35.83	8.48	35.14			
PK	7.3522G	62.08	74.00	-11.92	51.70	3	Horizontal	360	1.86	-	36.90	8.64	35.16			
AV	7.3106G	51.49	54.00	-2.51	41.29	3	Horizontal	360	1.86	-	36.74	8.61	35.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6985MHz_TX

EUT_Y_4TX
Setting 73
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97265G	52.21	88.20	-35.99	63.89	3	Vertical	277	1.73	-	41.09	11.68	64.45			
RMS	13.97307G	40.28	68.20	-27.92	51.96	3	Vertical	277	1.73	-	41.09	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6985MHz_TX

EUT Y_4TX
Setting 73
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96686G	51.79	88.20	-36.41	63.49	3	Horizontal	325	1.30	-	41.07	11.68	64.45			
RMS	13.97203G	40.44	68.20	-27.76	52.12	3	Horizontal	325	1.30	-	41.09	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6985MHz_TX




EUT_Y_4TX
Setting 73
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95384G	49.89	83.54	-33.65	44.73	1	Vertical	45	1.02	-	37.91	15.95	48.70			
AV	20.9544G	38.70	63.54	-24.84	33.54	1	Vertical	45	1.02	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6985MHz_TX

EUT_Y_4TX
Setting 73
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95888G	50.75	83.54	-32.79	45.58	1	Horizontal	56	2.49	-	37.92	15.95	48.70			
AV	20.95242G	38.57	63.54	-24.97	33.42	1	Horizontal	56	2.49	-	37.90	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


6985MHz_TX

EUT_Y_4TX
Setting 73
03-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9594G	116.74	Inf	-Inf	107.78	3	Vertical	357	1.35	-	35.60	8.50	35.14
RMS	6.9586G	105.67	Inf	-Inf	96.71	3	Vertical	357	1.35	-	35.60	8.50	35.14
PK	7.125G	79.81	88.20	-8.39	70.67	3	Vertical	357	1.35	-	35.80	8.48	35.14
RMS	7.1298G	67.49	68.20	-0.71	58.33	3	Vertical	357	1.35	-	35.82	8.48	35.14
PK	7.361G	62.25	74.00	-11.75	51.87	3	Vertical	357	1.35	-	36.90	8.64	35.16
AV	7.373G	51.19	54.00	-2.81	40.80	3	Vertical	357	1.35	-	36.90	8.65	35.16

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

6985MHz_TX




EUT_Y_4TX
Setting 73
03-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9882G	115.13	Inf	-Inf	106.25	3	Horizontal	353	1.89	-	35.60	8.41	35.13
RMS	6.9578G	105.13	Inf	-Inf	96.16	3	Horizontal	353	1.89	-	35.60	8.51	35.14
PK	7.1298G	79.70	88.20	-8.50	70.54	3	Horizontal	353	1.89	-	35.82	8.48	35.14
RMS	7.125G	67.87	68.20	-0.33	58.73	3	Horizontal	353	1.89	-	35.80	8.48	35.14
PK	7.2762G	62.12	74.00	-11.88	52.08	3	Horizontal	353	1.89	-	36.60	8.59	35.15
AV	7.3306G	51.29	54.00	-2.71	41.01	3	Horizontal	353	1.89	-	36.82	8.62	35.16

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

6985MHz_TX




EUT Y_4TX
Setting 73
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96661G	50.90	88.20	-37.30	62.60	3	Vertical	105	2.16	-	41.07	11.68	64.45			
RMS	13.97675G	39.46	68.20	-28.74	51.12	3	Vertical	105	2.16	-	41.11	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


6985MHz_TX

EUT_Y_4TX
Setting 73
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96994G	50.26	88.20	-37.94	61.95	3	Horizontal	360	1.50	-	41.08	11.68	64.45			
RMS	13.98164G	37.96	68.20	-30.24	49.60	3	Horizontal	360	1.50	-	41.13	11.68	64.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


6985MHz_TX

EUT_Y_4TX
Setting 73
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95002G	50.21	83.54	-33.33	45.07	1	Vertical	351	1.43	-	37.90	15.94	48.70			
AV	20.96G	38.59	63.54	-24.95	33.42	1	Vertical	351	1.43	-	37.92	15.95	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


6985MHz_TX

EUT_Y_4TX
Setting 73
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95972G	50.03	83.54	-33.51	44.86	1	Horizontal	209	2.18	-	37.92	15.95	48.70			
AV	20.95298G	38.62	63.54	-24.92	33.46	1	Horizontal	209	2.18	-	37.91	15.95	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 86
03-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	76.40	88.20	-11.80	68.96	3	Vertical	359	2.03	-	34.55	8.09	35.20
RMS	5.925G	66.13	68.20	-2.07	58.69	3	Vertical	359	2.03	-	34.55	8.09	35.20
PK	6.1426G	116.43	Inf	-Inf	108.35	3	Vertical	359	2.03	-	34.90	8.38	35.20
RMS	6.1474G	104.79	Inf	-Inf	96.70	3	Vertical	359	2.03	-	34.90	8.39	35.20

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 86
03-P-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	78.24	88.20	-9.96	70.80	3	Horizontal	359	1.92	-	34.55	8.09	35.20				
RMS	5.925G	67.48	68.20	-0.72	60.04	3	Horizontal	359	1.92	-	34.55	8.09	35.20				
PK	6.0706G	115.07	Inf	-Inf	107.26	3	Horizontal	359	1.92	-	34.72	8.28	35.19				
RMS	6.1362G	103.86	Inf	-Inf	95.79	3	Horizontal	359	1.92	-	34.90	8.37	35.20				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_V_4TX
Setting 86
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20546G	46.68	74.00	-27.32	61.72	3	Vertical	190	1.54	-	38.71	11.81	65.56			
AV	12.21006G	34.70	54.00	-19.30	49.72	3	Vertical	190	1.54	-	38.72	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_Y_4TX
Setting 86
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2052G	45.11	74.00	-28.89	60.15	3	Horizontal	53	1.02	-	38.71	11.81	65.56			
AV	12.21003G	34.46	54.00	-19.54	49.48	3	Horizontal	53	1.02	-	38.72	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_Y_4TX
Setting 86
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3139G	47.38	83.54	-36.16	42.74	1	Vertical	326	1.72	-	37.63	15.27	48.26			
AV	18.31456G	35.68	63.54	-27.86	31.04	1	Vertical	326	1.72	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_Y_4TX
Setting 86
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3176G	47.43	83.54	-36.11	42.78	1	Horizontal	191	2.97	-	37.64	15.27	48.26			
AV	18.3135G	35.67	63.54	-27.87	31.03	1	Horizontal	191	2.97	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 84
03-P-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	79.95	88.20	-8.25	72.51	3	Vertical	358	1.94	-	34.55	8.09	35.20			
RMS	5.925G	67.98	68.20	-0.22	60.54	3	Vertical	358	1.94	-	34.55	8.09	35.20			
PK	6.137G	116.13	Inf	-Inf	108.05	3	Vertical	358	1.94	-	34.90	8.38	35.20			
RMS	6.1466G	105.74	Inf	-Inf	97.65	3	Vertical	358	1.94	-	34.90	8.39	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 84
03-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.51	88.20	-10.69	70.07	3	Horizontal	359	1.80	-	34.55	8.09	35.20			
RMS	5.925G	67.69	68.20	-0.51	60.25	3	Horizontal	359	1.80	-	34.55	8.09	35.20			
PK	6.1002G	115.33	Inf	-Inf	107.31	3	Horizontal	359	1.80	-	34.90	8.32	35.20			
RMS	6.1354G	104.63	Inf	-Inf	96.56	3	Horizontal	359	1.80	-	34.90	8.37	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_V_4TX
Setting 84
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21094G	45.28	74.00	-28.72	60.30	3	Vertical	10	2.58	-	38.72	11.81	65.55			
AV	12.20859G	34.16	54.00	-19.84	49.18	3	Vertical	10	2.58	-	38.72	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_V_4TX
Setting 84
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2078G	45.58	74.00	-28.42	60.60	3	Horizontal	156	1.21	-	38.72	11.81	65.55			
AV	12.21233G	33.93	54.00	-20.07	48.95	3	Horizontal	156	1.21	-	38.72	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 84
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31182G	47.75	83.54	-35.79	43.12	1	Vertical	303	1.94	-	37.62	15.27	48.26			
AV	18.31084G	36.11	63.54	-27.43	31.48	1	Vertical	303	1.94	-	37.62	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Y_4TX
Setting 84
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.3171G	47.30	83.54	-36.24	42.66	1	Horizontal	246	2.06	-	37.63	15.27	48.26			
AV	18.31674G	36.02	63.54	-27.52	31.38	1	Horizontal	246	2.06	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX

6105MHz_TX




EUT_Y_4TX
Setting 84
03-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.11	88.20	-11.09	69.67	3	Vertical	0	1.80	-	34.55	8.09	35.20			
RMS	5.925G	66.96	68.20	-1.24	59.52	3	Vertical	0	1.80	-	34.55	8.09	35.20			
PK	6.1322G	117.34	Inf	-Inf	109.27	3	Vertical	0	1.80	-	34.90	8.37	35.20			
RMS	6.1474G	106.11	Inf	-Inf	98.02	3	Vertical	0	1.80	-	34.90	8.39	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX

6105MHz_TX




EUT_Y_4TX
Setting 84
03-P-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	78.93	88.20	-9.27	71.49	3	Horizontal	358	1.95	-	34.55	8.09	35.20			
RMS	5.925G	67.85	68.20	-0.35	60.41	3	Horizontal	358	1.95	-	34.55	8.09	35.20			
PK	6.1258G	117.76	Inf	-Inf	109.70	3	Horizontal	358	1.95	-	34.90	8.36	35.20			
RMS	6.1258G	105.60	Inf	-Inf	97.54	3	Horizontal	358	1.95	-	34.90	8.36	35.20			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX


6105MHz_TX

EUT_V_4TX
Setting 84
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21053G	45.77	74.00	-28.23	60.79	3	Vertical	322	1.80	-	38.72	11.81	65.55			
AV	12.20756G	33.92	54.00	-20.08	48.94	3	Vertical	322	1.80	-	38.72	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX


6105MHz_TX

EUT_V_4TX
Setting 84
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21428G	45.57	74.00	-28.43	60.58	3	Horizontal	149	1.45	-	38.73	11.81	65.55			
AV	12.20797G	33.98	54.00	-20.02	49.00	3	Horizontal	149	1.45	-	38.72	11.81	65.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX


6105MHz_TX

EUT_Y_4TX
Setting 84
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31542G	47.66	83.54	-35.88	43.02	1	Vertical	317	1.22	-	37.63	15.27	48.26			
AV	18.315G	36.10	63.54	-27.44	31.46	1	Vertical	317	1.22	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX


6105MHz_TX

EUT_Y_4TX
Setting 84
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31686G	47.64	83.54	-35.90	43.00	1	Horizontal	306	1.23	-	37.63	15.27	48.26			
AV	18.31842G	36.08	63.54	-27.46	31.43	1	Horizontal	306	1.23	-	37.64	15.27	48.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




EUT_Y_4TX
Setting 73
03-P-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8042G	113.13	Inf	-Inf	103.69	3	Vertical	355	1.80	-	35.60	9.01	35.17			
RMS	6.7642G	102.30	Inf	-Inf	93.01	3	Vertical	355	1.80	-	35.46	9.00	35.17			
PK	7.1266G	81.30	88.20	-6.90	72.15	3	Vertical	355	1.80	-	35.81	8.48	35.14			
RMS	7.1266G	67.31	68.20	-0.89	58.16	3	Vertical	355	1.80	-	35.81	8.48	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




EUT_Y_4TX
Setting 73
03-P-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7682G	113.46	Inf	-Inf	104.16	3	Horizontal	352	2.19	-	35.47	9.00	35.17			
RMS	6.7482G	102.63	Inf	-Inf	93.42	3	Horizontal	352	2.19	-	35.40	8.99	35.18			
PK	7.1314G	80.87	88.20	-7.33	71.70	3	Horizontal	352	2.19	-	35.83	8.48	35.14			
RMS	7.1266G	68.11	68.20	-0.09	58.96	3	Horizontal	352	2.19	-	35.81	8.48	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT_Y_4TX
Setting 73
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81188G	46.60	88.20	-41.60	58.57	3	Vertical	17	2.55	-	40.72	11.69	64.38			
RMS	13.81179G	34.83	68.20	-33.37	46.80	3	Vertical	17	2.55	-	40.72	11.69	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT_V_4TX
Setting 73
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81191G	46.66	88.20	-41.54	58.63	3	Horizontal	139	1.81	-	40.72	11.69	64.38			
RMS	13.81317G	34.81	68.20	-33.39	46.78	3	Horizontal	139	1.81	-	40.73	11.69	64.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT_Y_4TX
Setting 73
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71394G	49.15	83.54	-34.39	44.20	1	Vertical	194	1.49	-	37.90	15.75	48.70			
AV	20.71062G	37.69	63.54	-25.85	32.74	1	Vertical	194	1.49	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX


6905MHz_TX

EUT_Y_4TX
Setting 73
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71444G	49.07	83.54	-34.47	44.12	1	Horizontal	232	1.91	-	37.90	15.75	48.70			
AV	20.71904G	37.75	63.54	-25.79	32.79	1	Horizontal	232	1.91	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT_Y_4TX
Setting 74
03-P-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8314G	113.25	Inf	-Inf	103.89	3	Vertical	360	1.78	-	35.60	8.92	35.16			
RMS	6.861G	102.46	Inf	-Inf	93.20	3	Vertical	360	1.78	-	35.60	8.82	35.16			
PK	7.1514G	80.16	88.20	-8.04	70.89	3	Vertical	360	1.78	-	35.91	8.50	35.14			
RMS	7.129G	68.09	68.20	-0.11	58.93	3	Vertical	360	1.78	-	35.82	8.48	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX

6905MHz_TX




EUT_Y_4TX
Setting 74
03-P-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8682G	113.75	Inf	-Inf	104.50	3	Horizontal	353	1.89	-	35.60	8.80	35.15			
RMS	6.8578G	102.88	Inf	-Inf	93.61	3	Horizontal	353	1.89	-	35.60	8.83	35.16			
PK	7.1538G	79.12	88.20	-9.08	69.84	3	Horizontal	353	1.89	-	35.92	8.50	35.14			
RMS	7.1298G	67.11	68.20	-1.09	57.95	3	Horizontal	353	1.89	-	35.82	8.48	35.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT_Y_4TX
Setting 74
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81238G	46.90	88.20	-41.30	58.87	3	Vertical	188	2.77	-	40.72	11.69	64.38			
RMS	13.81455G	35.23	68.20	-32.97	47.20	3	Vertical	188	2.77	-	40.73	11.69	64.39			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT_Y_4TX
Setting 74
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80792G	46.65	88.20	-41.55	58.62	3	Horizontal	304	2.15	-	40.72	11.69	64.38			
RMS	13.81091G	35.37	68.20	-32.83	47.34	3	Horizontal	304	2.15	-	40.72	11.69	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX

6905MHz_TX




EUT_Y_4TX
Setting 74
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71258G	49.47	83.54	-34.07	44.52	1	Vertical	127	1.05	-	37.90	15.75	48.70			
AV	20.7163G	38.37	63.54	-25.17	33.42	1	Vertical	127	1.05	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX

6905MHz_TX




EUT_Y_4TX
Setting 74
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7169G	49.22	83.54	-34.32	44.27	1	Horizontal	283	2.00	-	37.90	15.75	48.70			
AV	20.71412G	38.10	63.54	-25.44	33.15	1	Horizontal	283	2.00	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_Y_4TX
Setting 72
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80856G	46.69	88.20	-41.51	58.66	3	Vertical	271	1.16	-	40.72	11.69	64.38			
RMS	13.81178G	35.27	68.20	-32.93	47.24	3	Vertical	271	1.16	-	40.72	11.69	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_Y_4TX
Setting 72
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80711G	46.68	88.20	-41.52	58.66	3	Horizontal	187	2.02	-	40.71	11.69	64.38			
RMS	13.81114G	35.21	68.20	-32.99	47.18	3	Horizontal	187	2.02	-	40.72	11.69	64.38			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_Y_4TX
Setting 72
03-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7115G	50.00	83.54	-33.54	45.05	1	Vertical	334	1.06	-	37.90	15.75	48.70			
AV	20.71218G	38.18	63.54	-25.36	33.23	1	Vertical	334	1.06	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX

EUT_Y_4TX
Setting 72
03-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71316G	49.56	83.54	-33.98	44.61	1	Horizontal	193	2.27	-	37.90	15.75	48.70			
AV	20.7138G	38.41	63.54	-25.13	33.46	1	Horizontal	193	2.27	-	37.90	15.75	48.70			




Test Mode: Mode 10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	Pass	RMS	7.1294G	68.14	68.20	-0.06	3	Horizontal	-0	1.06	-

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT Y_4TX
Setting 70
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.033G	118.15	Inf	-Inf	118.07	3	Vertical	3	1.06	-	35.20	7.24	42.36			
RMS	7.0182G	108.31	Inf	-Inf	108.29	3	Vertical	3	1.06	-	35.11	7.25	42.34			
PK	7.1318G	79.88	88.20	-8.32	79.33	3	Vertical	3	1.06	-	35.83	7.22	42.50			
RMS	7.1282G	68.03	68.20	-0.17	67.50	3	Vertical	3	1.06	-	35.81	7.22	42.50			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT Y_4TX
Setting 70
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.019G	118.78	Inf	-Inf	118.76	3	Horizontal	-0	1.06	-	35.11	7.25	42.34			
RMS	7.0142G	108.90	Inf	-Inf	108.89	3	Horizontal	-0	1.06	-	35.09	7.25	42.33			
PK	7.135G	79.47	88.20	-8.73	78.92	3	Horizontal	-0	1.06	-	35.84	7.22	42.51			
RMS	7.1294G	68.14	68.20	-0.06	67.60	3	Horizontal	-0	1.06	-	35.82	7.22	42.50			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT Y_4TX
Setting 70
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.08861G	56.67	88.20	-31.53	45.07	3	Vertical	13	1.17	-	41.35	13.05	42.80			
RMS	14.10603G	44.75	68.20	-23.45	33.02	3	Vertical	13	1.17	-	41.41	13.08	42.76			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT Y_4TX
Setting 70
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05871G	55.98	88.20	-32.22	44.59	3	Horizontal	155	2.80	-	41.23	13.01	42.85			
RMS	14.05908G	44.61	68.20	-23.59	33.21	3	Horizontal	155	2.80	-	41.24	13.01	42.85			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT Y_4TX
Setting 70
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07292G	48.50	83.54	-35.04	43.15	1	Vertical	309	2.76	-	38.00	16.04	48.69			
AV	21.12544G	36.47	63.54	-27.07	31.05	1	Vertical	309	2.76	-	38.00	16.09	48.67			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT Y_4TX
Setting 70
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.03002G	46.94	83.54	-36.60	41.62	1	Horizontal	10	2.89	-	38.00	16.01	48.69			
AV	21.08735G	35.84	63.54	-27.70	30.46	1	Horizontal	10	2.89	-	38.00	16.06	48.68			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX


6985MHz_TX

EUT_Y_4TX
Setting 68
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0095G	114.22	Inf	-Inf	114.23	3	Vertical	1	1.06	-	35.06	7.25	42.32			
RMS	6.9595G	104.12	Inf	-Inf	104.42	3	Vertical	1	1.06	-	34.84	7.21	42.35			
PK	7.1295G	79.56	88.20	-8.64	79.02	3	Vertical	1	1.06	-	35.82	7.22	42.50			
RMS	7.1295G	67.04	68.20	-1.16	66.50	3	Vertical	1	1.06	-	35.82	7.22	42.50			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX


6985MHz_TX

EUT_Y_4TX
Setting 68
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.954G	114.24	Inf	-Inf	114.58	3	Horizontal	5	1.06	-	34.82	7.20	42.36			
RMS	6.959G	103.90	Inf	-Inf	104.22	3	Horizontal	5	1.06	-	34.84	7.20	42.36			
PK	7.125G	78.83	88.20	-9.37	78.30	3	Horizontal	5	1.06	-	35.80	7.22	42.49			
RMS	7.1345G	67.52	68.20	-0.68	66.97	3	Horizontal	5	1.06	-	35.84	7.22	42.51			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97963G	56.78	88.20	-31.42	45.90	3	Vertical	325	1.53	-	40.92	12.90	42.94			
RMS	13.97087G	44.73	68.20	-23.47	33.89	3	Vertical	325	1.53	-	40.88	12.89	42.93			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96967G	55.76	88.20	-32.44	44.92	3	Horizontal	310	2.21	-	40.88	12.89	42.93			
RMS	13.9559G	44.75	68.20	-23.45	33.97	3	Horizontal	310	2.21	-	40.82	12.87	42.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.00245G	46.35	83.54	-37.19	41.06	1	Vertical	263	1.33	-	38.00	15.99	48.70			
AV	20.99283G	35.44	63.54	-28.10	30.17	1	Vertical	263	1.33	-	37.99	15.98	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01831G	46.64	83.54	-36.90	41.34	1	Horizontal	87	2.22	-	38.00	16.00	48.70			
AV	21.01232G	35.50	63.54	-28.04	30.20	1	Horizontal	87	2.22	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT_Y_4TX
Setting 68
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.913G	115.94	Inf	-Inf	116.55	3	Vertical	10	1.05	-	34.65	7.15	42.41			
RMS	6.923G	105.15	Inf	-Inf	105.68	3	Vertical	10	1.05	-	34.69	7.17	42.39			
PK	7.1385G	80.81	88.20	-7.39	80.25	3	Vertical	10	1.05	-	35.85	7.22	42.51			
RMS	7.1335G	68.10	68.20	-0.10	67.55	3	Vertical	10	1.05	-	35.83	7.22	42.50			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT_Y_4TX
Setting 68
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.928G	115.05	Inf	-Inf	115.56	3	Horizontal	10	1.08	-	34.71	7.17	42.39			
RMS	6.923G	105.00	Inf	-Inf	105.53	3	Horizontal	10	1.08	-	34.69	7.17	42.39			
PK	7.1285G	80.39	88.20	-7.81	79.86	3	Horizontal	10	1.08	-	35.81	7.22	42.50			
RMS	7.1285G	67.37	68.20	-0.83	66.84	3	Horizontal	10	1.08	-	35.81	7.22	42.50			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.86638G	55.81	88.20	-32.39	45.23	3	Vertical	5	2.16	-	40.60	12.78	42.80			
RMS	13.86924G	44.67	68.20	-23.53	34.07	3	Vertical	5	2.16	-	40.62	12.78	42.80			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96714G	55.60	88.20	-32.60	44.77	3	Horizontal	73	1.32	-	40.87	12.89	42.93			
RMS	13.97124G	44.69	68.20	-23.51	33.85	3	Horizontal	73	1.32	-	40.88	12.89	42.93			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.97073G	47.78	83.54	-35.76	42.58	1	Vertical	186	1.56	-	37.94	15.96	48.70			
AV	20.99426G	36.80	63.54	-26.74	31.53	1	Vertical	186	1.56	-	37.99	15.98	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT Y_4TX
Setting 68
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.00596G	46.33	83.54	-37.21	41.04	1	Horizontal	307	1.22	-	38.00	15.99	48.70			
AV	20.99816G	35.40	63.54	-28.14	30.12	1	Horizontal	307	1.22	-	38.00	15.98	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7664G	112.21	Inf	-Inf	113.73	3	Vertical	-0	1.05	-	34.03	7.02	42.57			
RMS	6.7664G	101.00	Inf	-Inf	102.52	3	Vertical	-0	1.05	-	34.03	7.02	42.57			
PK	7.1306G	83.56	88.20	-4.64	83.02	3	Vertical	-0	1.05	-	35.82	7.22	42.50			
RMS	7.136G	66.85	68.20	-1.35	66.30	3	Vertical	-0	1.05	-	35.84	7.22	42.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT_Y_4TX
Setting 65
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8516G	110.42	Inf	-Inf	111.49	3	Horizontal	17	1.06	-	34.31	7.09	42.47			
RMS	6.8768G	99.84	Inf	-Inf	100.72	3	Horizontal	17	1.06	-	34.46	7.11	42.45			
PK	7.1306G	82.74	88.20	-5.46	82.20	3	Horizontal	17	1.06	-	35.82	7.22	42.50			
RMS	7.1306G	65.65	68.20	-2.55	65.11	3	Horizontal	17	1.06	-	35.82	7.22	42.50			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79911G	56.22	88.20	-31.98	45.82	3	Vertical	140	1.32	-	40.40	12.71	42.71			
RMS	13.80038G	44.92	68.20	-23.28	34.52	3	Vertical	140	1.32	-	40.40	12.71	42.71			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81588G	56.99	88.20	-31.21	46.56	3	Horizontal	135	2.42	-	40.43	12.73	42.73			
RMS	13.81333G	44.94	68.20	-23.26	34.51	3	Horizontal	135	2.42	-	40.43	12.73	42.73			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.66911G	45.44	83.54	-38.10	40.52	1	Vertical	117	2.53	-	37.90	15.72	48.70			
AV	20.65065G	34.16	63.54	-29.38	29.26	1	Vertical	117	2.53	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.65234G	46.08	83.54	-37.46	41.18	1	Horizontal	321	1.36	-	37.90	15.70	48.70				
AV	20.67545G	35.09	63.54	-28.45	30.17	1	Horizontal	321	1.36	-	37.90	15.72	48.70				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8618G	112.09	Inf	-Inf	113.08	3	Vertical	357	1.06	-	34.37	7.10	42.46			
RMS	6.8666G	101.59	Inf	-Inf	102.55	3	Vertical	357	1.06	-	34.40	7.10	42.46			
PK	7.1306G	82.53	88.20	-5.67	81.99	3	Vertical	357	1.06	-	35.82	7.22	42.50			
RMS	7.136G	67.54	68.20	-0.66	66.99	3	Vertical	357	1.06	-	35.84	7.22	42.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8666G	112.14	Inf	-Inf	113.10	3	Horizontal	357	1.05	-	34.40	7.10	42.46			
RMS	6.8618G	101.68	Inf	-Inf	102.67	3	Horizontal	357	1.05	-	34.37	7.10	42.46			
PK	7.1306G	83.11	88.20	-5.09	82.57	3	Horizontal	357	1.05	-	35.82	7.22	42.50			
RMS	7.136G	67.85	68.20	-0.35	67.30	3	Horizontal	357	1.05	-	35.84	7.22	42.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8208G	56.02	88.20	-32.18	45.59	3	Vertical	287	2.28	-	40.44	12.73	42.74			
RMS	13.8199G	44.88	68.20	-23.32	34.45	3	Vertical	287	2.28	-	40.44	12.73	42.74			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80298G	56.30	88.20	-31.90	45.88	3	Horizontal	10	1.54	-	40.41	12.72	42.71			
RMS	13.81033G	45.13	68.20	-23.07	34.71	3	Horizontal	10	1.54	-	40.42	12.72	42.72			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72961G	45.66	83.54	-37.88	40.70	1	Vertical	93	1.41	-	37.90	15.76	48.70			
AV	20.72565G	34.66	63.54	-28.88	29.70	1	Vertical	93	1.41	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX


6905MHz_TX

EUT Y_4TX
Setting 65
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.76804G	46.61	83.54	-36.93	41.61	1	Horizontal	45	1.65	-	37.90	15.80	48.70			
AV	20.7643G	35.15	63.54	-28.39	30.16	1	Horizontal	45	1.65	-	37.90	15.79	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT Y_4TX
Setting 63
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8366G	112.76	Inf	-Inf	113.93	3	Vertical	357	1.07	-	34.25	7.07	42.49			
RMS	6.8618G	102.14	Inf	-Inf	103.13	3	Vertical	357	1.07	-	34.37	7.10	42.46			
PK	7.154G	81.66	88.20	-6.54	81.06	3	Vertical	357	1.07	-	35.91	7.22	42.53			
RMS	7.1258G	67.44	68.20	-0.76	66.91	3	Vertical	357	1.07	-	35.80	7.22	42.49			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_Y_4TX
Setting 63
04-V-J-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8624G	111.28	Inf	-Inf	112.27	3	Horizontal	352	1.08	-	34.37	7.10	42.46			
RMS	6.863G	101.44	Inf	-Inf	102.42	3	Horizontal	352	1.08	-	34.38	7.10	42.46			
PK	7.1378G	82.03	88.20	-6.17	81.47	3	Horizontal	352	1.08	-	35.85	7.22	42.51			
RMS	7.1372G	65.82	68.20	-2.38	65.26	3	Horizontal	352	1.08	-	35.85	7.22	42.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT Y_4TX
Setting 63
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7908G	56.18	88.20	-32.02	45.80	3	Vertical	80	1.86	-	40.38	12.70	42.70			
RMS	13.7863G	44.91	68.20	-23.29	34.53	3	Vertical	80	1.86	-	40.37	12.70	42.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT Y_4TX
Setting 63
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8799G	56.26	88.20	-31.94	45.59	3	Horizontal	97	1.89	-	40.68	12.80	42.81			
RMS	13.86319G	45.00	68.20	-23.20	34.43	3	Horizontal	97	1.89	-	40.58	12.78	42.79			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT Y_4TX
Setting 63
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70195G	45.92	83.54	-37.62	40.98	1	Vertical	11	1.76	-	37.90	15.74	48.70			
AV	20.72655G	34.71	63.54	-28.83	29.75	1	Vertical	11	1.76	-	37.90	15.76	48.70			


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX

EUT Y_4TX
Setting 63
04-V-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7168G	46.21	83.54	-37.33	41.26	1	Horizontal	360	1.35	-	37.90	15.75	48.70			
AV	20.72241G	34.78	63.54	-28.76	29.82	1	Horizontal	360	1.35	-	37.90	15.76	48.70			

Test Mode: Mode 1




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

23/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

23/10/2024

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.533775G	-12.46	6.502175G	-68.42	-52.46	-15.96	1
6.527427G	-12.07	6.565675G	-66.40	-50.14	-16.26	2
6.528677G	-11.19	6.50435G	-65.68	-49.23	-16.45	3
6.541248G	-11.17	6.5656G	-65.34	-49.50	-15.84	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

23/10/2024

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697449G	-12.07	6.659025G	-67.82	-52.07	-15.75	1
6.688702G	-12.31	6.658825G	-67.64	-52.31	-15.33	2
6.688702G	-11.76	6.659875G	-67.75	-51.76	-15.99	3
6.687427G	-11.15	6.66435G	-65.29	-49.54	-15.75	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

23/10/2024



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

23/10/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.978847G	-10.02	6.02615G	-62.64	-50.02	-12.62	1
5.978697G	-9.71	6.0262G	-62.77	-49.71	-13.06	2
5.982696G	-10.04	6.0263G	-62.14	-50.04	-12.10	3
5.982296G	-10.77	6.02615G	-63.34	-50.77	-12.57	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

23/10/2024

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198752G	-9.27	6.1439G	-61.88	-49.11	-12.77	1
6.222596G	-9.03	6.1436G	-62.20	-49.03	-13.17	2
6.213848G	-9.65	6.2665G	-62.48	-49.65	-12.83	3
6.207099G	-10.71	6.14375G	-63.32	-50.71	-12.61	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

24/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

24/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

24/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

24/10/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

23/10/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

23/10/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

24/10/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

24/10/2024

CF (Hz)
6.865G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85G	-6.11	6.7049G	-51.59	-46.11	-5.48	1
6.83391G	-5.88	6.7051G	-56.39	-45.88	-10.51	2
6.8531G	-6.06	6.7426G	-57.05	-46.05	-11.00	3
6.8518G	-5.39	6.742G	-56.51	-45.36	-11.15	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

24/10/2024

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9322G	-7.07	6.7849G	-51.52	-47.07	-4.45	1
6.91661G	-6.42	6.7852G	-57.04	-46.42	-10.62	2
6.9299G	-6.88	6.8227G	-57.55	-46.75	-10.80	3
6.9589G	-6.53	6.8223G	-57.72	-46.42	-11.30	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

24/10/2024

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0084G	-6.96	6.8648G	-52.14	-46.96	-5.18	1
7.0115G	-6.84	6.865G	-57.88	-46.84	-11.04	2
7.0109G	-7.36	6.8533G	-58.66	-47.36	-11.30	3
7.0112G	-6.73	6.9031G	-58.48	-46.57	-11.91	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

23/10/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09998G	-4.49	6.2678G	-55.61	-43.81	-11.80	1
6.09978G	-4.60	6.2682G	-56.00	-44.26	-11.74	2
6.10078G	-4.07	6.269G	-55.15	-43.75	-11.40	3
6.10158G	-3.68	6.269G	-55.28	-43.46	-11.82	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

23/10/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

24/10/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76781G	-3.18	6.5816G	-54.05	-42.77	-11.28	1
6.74962G	-2.62	6.582G	-53.82	-41.87	-11.95	2
6.74962G	-2.74	6.5824G	-54.14	-41.93	-12.21	3
6.76222G	-2.62	6.5824G	-52.48	-42.10	-10.38	4


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

24/10/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00899G	-4.24	6.7416G	-52.45	-43.55	-8.90	1
6.90842G	-3.71	6.7412G	-51.95	-43.27	-8.68	2
6.92262G	-4.19	6.7418G	-51.97	-43.75	-8.22	3
6.96101G	-4.20	6.7418G	-53.03	-43.67	-9.36	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

23/10/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

23/10/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

23/10/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

23/10/2024



Test Mode: Mode 2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

27/11/2024

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

27/11/2024

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

27/11/2024

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882548G	-14.77	6.9126G	-59.07	-54.77	-4.30	1
6.878799G	-14.05	6.924225G	-58.43	-54.05	-4.38	2
6.870026G	-13.38	6.913225G	-58.87	-53.38	-5.49	3
6.869976G	-14.38	6.91665G	-59.01	-54.38	-4.63	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

27/11/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.897499G	-14.55	6.9364G	-58.84	-54.55	-4.29	1
6.900049G	-14.26	6.942975G	-58.23	-54.26	-3.97	2
6.902473G	-14.04	6.93835G	-58.86	-54.04	-4.82	3
6.901273G	-14.04	6.934G	-58.72	-54.04	-4.68	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

27/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

27/11/2024



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

27/11/2024

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.557102G	-11.28	6.49035G	-55.42	-51.28	-4.14	1
6.568699G	-10.60	6.496G	-54.88	-50.60	-4.28	2
6.553803G	-9.73	6.5013G	-55.62	-49.73	-5.89	3
6.570049G	-10.12	6.4996G	-55.58	-50.12	-5.46	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

27/11/2024

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697547G	-11.30	6.76085G	-56.56	-51.30	-5.26	1
6.688799G	-10.51	6.76285G	-55.88	-50.51	-5.37	2
6.693698G	-10.04	6.7639G	-56.51	-50.04	-6.47	3
6.702296G	-10.32	6.7452G	-56.48	-50.32	-6.16	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

27/11/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

27/11/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

27/11/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

27/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

27/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

27/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

27/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

27/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

27/11/2024

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9577G	-8.60	7.1412G	-52.76	-48.60	-4.16	1
6.9378G	-8.27	7.1348G	-52.21	-48.27	-3.94	2
6.9586G	-7.99	7.144G	-52.76	-47.99	-4.77	3
6.937G	-8.23	6.8076G	-52.80	-48.23	-4.57	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

27/11/2024

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0162G	-8.67	7.1982G	-52.26	-48.67	-3.59	1
7.0163G	-8.21	6.8986G	-51.53	-48.21	-3.32	2
7.0143G	-8.25	7.2239G	-52.33	-48.25	-4.08	3
7.0135G	-8.25	6.9019G	-52.08	-48.25	-3.83	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

27/11/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68959G	-4.97	6.954G	-48.76	-44.97	-3.79	1
6.68959G	-5.08	7.0068G	-48.30	-45.08	-3.22	2
6.68959G	-4.89	7.0008G	-48.96	-44.89	-4.07	3
6.72898G	-5.21	6.9792G	-48.96	-45.21	-3.75	4

Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

27/11/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74842G	-5.54	7.1802G	-49.69	-45.54	-4.15	1
6.74882G	-5.54	7.2018G	-48.92	-45.54	-3.38	2
6.74862G	-5.00	7.2226G	-49.55	-45.00	-4.55	3
6.79661G	-5.08	7.1902G	-49.60	-45.08	-4.52	4

Port 1
Port 2
Port 3
Port 4


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

27/11/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00999G	-5.81	7.382G	-49.04	-45.81	-3.23	1
6.95761G	-5.42	7.3808G	-48.49	-45.42	-3.07	2
6.96021G	-5.39	7.3574G	-49.11	-45.39	-3.72	3
6.90942G	-4.05	7.3818G	-48.99	-44.05	-4.94	4


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

27/11/2024

CF (Hz)
6.745G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71101G	-3.20	7.4918G	-46.54	-43.20	-3.34	1
6.70901G	-3.45	7.4846G	-45.86	-43.45	-2.41	2
6.71301G	-3.57	7.4802G	-46.53	-43.57	-2.96	3
6.78899G	-3.55	7.4922G	-46.53	-43.55	-2.98	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

27/11/2024




Test Mode: Mode 3

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

14/11/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

14/11/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

14/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.421223G	-8.07	6.44595G	-61.67	-47.42	-14.25	1
6.411226G	-8.78	6.44685G	-62.45	-48.78	-13.67	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

14/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.428727G	-7.75	6.47055G	-61.89	-47.75	-14.14	1
6.437474G	-7.41	6.4044G	-60.61	-46.08	-14.53	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

14/11/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

14/11/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

14/11/2024

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.537499G	-6.73	6.504175G	-60.03	-45.76	-14.27	1
6.537324G	-7.28	6.504325G	-60.42	-46.14	-14.28	2

Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

14/11/2024

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.701223G	-7.03	6.664375G	-60.56	-45.73	-14.83	1
6.691276G	-6.98	6.725625G	-60.97	-45.96	-15.01	2


Port 1
Port 2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

14/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

14/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

14/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99375G	-7.21	6.95875G	-61.34	-47.21	-14.13	1
6.993775G	-6.30	6.96285G	-61.07	-46.09	-14.98	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

14/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.090351G	-7.56	7.063875G	-60.95	-46.93	-14.02	1
7.097474G	-6.62	7.064425G	-60.71	-45.45	-15.26	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

15/11/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

15/11/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

15/11/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

15/11/2024



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

15/11/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

15/11/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

15/11/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

15/11/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

15/11/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

15/11/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.992503G	-2.92	6.94295G	-55.18	-42.92	-12.26	1
6.997452G	-3.05	6.9435G	-55.14	-43.05	-12.09	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.087799G	-3.53	7.1466G	-56.21	-43.53	-12.68	1
7.087699G	-2.99	7.0236G	-55.78	-42.99	-12.79	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

15/11/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

15/11/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3729G	-1.95	6.2252G	-52.11	-41.95	-10.16	1
6.3758G	-1.60	6.5081G	-51.10	-41.60	-9.50	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4542G	-1.29	6.305G	-51.12	-41.29	-9.83	1
6.4559G	-1.29	6.5912G	-51.30	-41.29	-10.01	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

15/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

15/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

15/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

15/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

15/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

15/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

15/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

15/11/2024



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

15/11/2024

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26058G	0.37	6.4286G	-49.08	-39.54	-9.54	1
6.24818G	1.00	6.4274G	-48.03	-38.83	-9.20	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

15/11/2024

CF (Hz)
6.345G


Span (Hz)
10

RBW (Hz)
800M

VBW (Hz)
2M

Sweep Time (s)
10M

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37059G	0.95	6.586G	-47.36	-38.48	-8.88	1
6.31981G	0.91	6.5884G	-47.11	-38.97	-8.14	2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47841G	1.34	6.7478G	-46.23	-38.55	-7.68	1
6.42922G	1.55	6.771G	-47.63	-38.36	-9.27	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58862G	2.38	6.923G	-45.50	-37.43	-8.07	1
6.60701G	1.57	6.4216G	-46.12	-37.46	-8.66	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74882G	2.22	6.5564G	-47.65	-37.78	-9.87	1
6.76222G	1.97	7.0862G	-46.84	-38.03	-8.81	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92062G	2.13	6.7168G	-43.40	-37.87	-5.53	1
6.95941G	2.52	6.7174G	-42.52	-37.48	-5.04	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20937G	4.14	5.495G	-40.30	-35.56	-4.74	1
6.20817G	4.97	5.3982G	-41.13	-35.03	-6.10	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35978G	4.49	6.9146G	-40.43	-35.01	-5.42	1
6.29819G	4.93	6.5954G	-25.78	-16.16	-9.62	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46019G	4.34	5.7318G	-41.94	-35.66	-6.28	1
6.39021G	4.71	5.7586G	-39.46	-35.29	-4.17	2

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

15/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47983G	5.29	5.9542G	-37.31	-34.71	-2.60	1
6.47863G	5.32	5.8226G	-42.35	-34.22	-8.13	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

15/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

15/11/2024



Test Mode: Mode 4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

22/10/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962473G	-14.96	5.992075G	-64.11	-54.96	-9.15	1
5.961223G	-16.27	5.9914G	-64.05	-56.27	-7.78	2
5.961298G	-16.01	5.98635G	-64.47	-56.01	-8.46	3
5.962498G	-15.26	5.999725G	-64.28	-55.26	-9.02	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

22/10/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190001G	-15.42	6.243475G	-63.96	-55.42	-8.54	1
6.201223G	-15.72	6.234875G	-63.77	-55.72	-8.05	2
6.193775G	-14.35	6.229375G	-64.02	-54.35	-9.67	3
6.192501G	-15.48	6.228525G	-64.02	-55.48	-8.54	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

22/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

23/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

23/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

23/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

23/10/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

22/10/2024

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.981246G	-13.99	6.0413G	-62.17	-53.99	-8.18	1
5.979946G	-14.68	6.027G	-61.77	-54.68	-7.09	2
5.982546G	-13.61	6.0304G	-62.17	-53.61	-8.56	3
5.979946G	-14.34	6.04825G	-62.19	-54.34	-7.85	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

22/10/2024

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.209849G	-11.67	6.27185G	-59.05	-51.67	-7.38	1
6.212548G	-12.23	6.2687G	-59.17	-52.23	-6.94	2
6.220796G	-11.83	6.2992G	-59.52	-51.83	-7.69	3
6.196252G	-12.09	6.28765G	-59.63	-52.09	-7.54	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

22/10/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

23/10/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

23/10/2024

CF (Hz)
6.485G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.481751G	-12.65	6.4169G	-59.62	-52.65	-6.97	1
6.482451G	-11.85	6.4235G	-59.36	-51.85	-7.51	2
6.501146G	-12.67	6.3997G	-59.84	-52.67	-7.17	3
6.471353G	-12.77	6.4143G	-59.71	-52.77	-6.94	4


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

23/10/2024

CF (Hz)
6.525G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.522601G	-12.72	6.4594G	-59.50	-52.72	-6.78	1
6.529849G	-11.60	6.4324G	-59.38	-51.60	-7.78	2
6.533698G	-12.37	6.46265G	-59.92	-52.37	-7.55	3
6.521851G	-12.92	6.4468G	-59.34	-52.92	-6.42	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

24/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

23/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

23/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

23/10/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

22/10/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

22/10/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

22/10/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3773G	-9.02	6.5093G	-56.43	-49.02	-7.41	1
6.3938G	-9.38	6.2581G	-56.25	-49.38	-6.87	2
6.3939G	-8.80	6.263G	-56.55	-48.80	-7.75	3
6.371G	-9.50	6.2584G	-56.92	-49.50	-7.42	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

24/10/2024

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4487G	-10.24	6.3051G	-56.37	-50.24	-6.13	1
6.4571G	-9.74	6.3105G	-56.48	-49.74	-6.74	2
6.4579G	-9.32	6.3205G	-56.59	-49.32	-7.27	3
6.4517G	-9.85	6.3392G	-56.55	-49.85	-6.70	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

24/10/2024

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5318G	-9.60	6.3852G	-55.78	-49.60	-6.18	1
6.5521G	-9.61	6.3781G	-56.60	-49.61	-6.99	2
6.5367G	-9.34	6.3889G	-56.43	-49.34	-7.09	3
6.557G	-9.68	6.4202G	-56.46	-49.68	-6.78	4

Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

24/10/2024

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6098G	-9.48	6.4647G	-55.92	-49.48	-6.44	1
6.6117G	-8.51	6.5031G	-55.69	-48.45	-7.24	2
6.6132G	-8.97	6.4725G	-56.32	-48.97	-7.35	3
6.614G	-8.96	6.4516G	-55.93	-48.96	-6.97	4


Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

24/10/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

24/10/2024



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

24/10/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8578G	-9.83	6.7052G	-52.89	-49.83	-3.06	1
6.8516G	-8.21	6.9875G	-55.03	-48.21	-6.82	2
6.859G	-8.78	6.9886G	-55.38	-48.78	-6.60	3
6.8495G	-8.67	6.9915G	-55.42	-48.67	-6.75	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

24/10/2024

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9303G	-10.74	6.7848G	-54.47	-50.74	-3.73	1
6.9353G	-9.87	6.7848G	-55.99	-49.87	-6.12	2
6.948G	-10.34	6.8066G	-56.71	-50.34	-6.37	3
6.9336G	-9.63	6.8062G	-56.21	-49.63	-6.58	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

24/10/2024

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0161G	-10.24	6.8649G	-54.47	-50.24	-4.23	1
7.0341G	-9.76	6.8865G	-55.49	-49.76	-5.73	2
7.0365G	-10.01	6.9018G	-55.89	-50.01	-5.88	3
7.0389G	-9.61	6.8951G	-55.95	-49.61	-6.34	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

22/10/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10158G	-6.65	6.2688G	-53.36	-46.65	-6.71	1
6.10078G	-6.86	6.2686G	-53.01	-46.86	-6.15	2
6.10078G	-6.47	6.2682G	-53.40	-46.42	-6.98	3
6.10018G	-6.63	6.2848G	-53.79	-46.63	-7.16	4


Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

22/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.11022G	-5.62	6.4284G	-53.32	-45.60	-7.72	1
6.12901G	-6.84	6.4278G	-53.27	-46.44	-6.83	2
6.26098G	-6.07	6.4302G	-53.44	-46.07	-7.37	3
6.12162G	-6.10	6.4288G	-53.84	-46.10	-7.74	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

22/10/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.28741G	-5.95	6.1004G	-53.67	-45.95	-7.72	1
6.31821G	-6.51	6.1024G	-53.73	-46.27	-7.46	2
6.31901G	-6.54	6.101G	-54.13	-46.32	-7.81	3
6.28362G	-6.38	6.1022G	-53.98	-45.98	-8.00	4


6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

24/10/2024

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44801G	-6.85	6.9036G	-53.42	-46.85	-6.57	1
6.58138G	-6.58	6.9008G	-53.45	-46.58	-6.87	2
6.56818G	-6.37	6.2616G	-53.54	-46.06	-7.48	3
6.44302G	-7.15	6.9034G	-53.51	-47.15	-6.36	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

24/10/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63741G	-6.17	7.0006G	-52.70	-46.17	-6.53	1
6.69179G	-5.75	7.0022G	-52.31	-45.75	-6.56	2
6.68839G	-5.70	6.9758G	-53.04	-45.70	-7.34	3
6.63901G	-5.55	6.9862G	-52.97	-45.55	-7.42	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

24/10/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74942G	-6.67	6.4902G	-53.22	-46.67	-6.55	1
6.74902G	-6.07	6.5G	-53.37	-46.07	-7.30	2
6.76242G	-6.04	6.5086G	-53.71	-46.04	-7.67	3
6.76362G	-6.43	6.5098G	-53.57	-46.43	-7.14	4

Port 1
Port 2
Port 3
Port 4


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

23/10/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01359G	-6.91	7.3782G	-52.84	-46.91	-5.93	1
6.96241G	-5.74	6.7424G	-52.01	-45.41	-6.60	2
6.96121G	-6.57	7.376G	-53.13	-46.57	-6.56	3
6.95961G	-6.35	6.741G	-52.52	-46.13	-6.39	4


Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

22/10/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

22/10/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

24/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60859G	-5.28	7.383G	-51.41	-45.28	-6.13	1
6.55261G	-5.30	7.3634G	-51.27	-45.30	-5.97	2
6.63259G	-5.00	7.3766G	-51.71	-45.00	-6.71	3
6.61939G	-4.88	7.3798G	-51.25	-44.88	-6.37	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

24/10/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69701G	-4.63	7.4978G	-50.36	-44.63	-5.73	1
6.71181G	-4.79	7.4982G	-50.25	-44.79	-5.46	2
6.70021G	-4.43	7.479G	-50.58	-44.43	-6.15	3
6.71301G	-4.35	7.4838G	-50.52	-44.35	-6.17	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

24/10/2024

