


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 74
01-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0162G	117.12	Inf	-Inf	105.74	3	Horizontal	290	2.79	-	36.16	7.96	32.74			
RMS	7.0162G	106.61	Inf	-Inf	95.23	3	Horizontal	290	2.79	-	36.16	7.96	32.74			
PK	7.1262G	78.13	88.20	-10.07	66.22	3	Horizontal	290	2.79	-	36.66	7.95	32.70			
RMS	7.1262G	66.37	68.20	-1.83	54.46	3	Horizontal	290	2.79	-	36.66	7.95	32.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_V_4TX
Setting 74
01-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.03955G	58.62	88.20	-29.58	48.71	3	Vertical	149	1.50	-	40.82	13.45	44.36			
RMS	14.0395G	48.63	68.20	-19.57	38.72	3	Vertical	149	1.50	-	40.82	13.45	44.36			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_V_4TX
Setting 74
01-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.02555G	59.53	88.20	-28.67	49.57	3	Horizontal	149	1.39	-	40.85	13.45	44.34			
RMS	14.04935G	47.87	68.20	-20.33	38.00	3	Horizontal	149	1.39	-	40.80	13.45	44.38			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 74
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07668G	56.86	83.54	-26.68	51.67	1	Vertical	302	1.91	-	38.00	16.06	48.87			
AV	21.06148G	45.59	63.54	-17.95	40.41	1	Vertical	302	1.91	-	38.00	16.05	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 74
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07644G	58.71	83.54	-24.83	53.52	1	Horizontal	297	1.76	-	38.00	16.06	48.87			
AV	21.07652G	48.08	63.54	-15.46	42.89	1	Horizontal	297	1.76	-	38.00	16.06	48.87			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 72
01-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9275G	106.49	Inf	-Inf	95.32	3	Vertical	22	1.01	-	35.90	7.97	32.70			
RMS	6.9275G	97.44	Inf	-Inf	86.27	3	Vertical	22	1.01	-	35.90	7.97	32.70			
PK	7.1275G	73.55	88.20	-14.65	61.64	3	Vertical	22	1.01	-	36.66	7.95	32.70			
RMS	7.1275G	62.29	68.20	-5.91	50.38	3	Vertical	22	1.01	-	36.66	7.95	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 72
01-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.929G	112.76	Inf	-Inf	101.59	3	Horizontal	298	2.37	-	35.90	7.97	32.70			
RMS	6.954G	102.77	Inf	-Inf	91.61	3	Horizontal	298	2.37	-	35.92	7.96	32.72			
PK	7.129G	78.68	88.20	-9.52	66.76	3	Horizontal	298	2.37	-	36.67	7.95	32.70			
RMS	7.129G	67.67	68.20	-0.53	55.75	3	Horizontal	298	2.37	-	36.67	7.95	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 72
01-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9464G	60.75	88.20	-27.45	50.88	3	Vertical	192	1.91	-	40.80	13.42	44.35			
RMS	13.99495G	49.22	68.20	-18.98	39.19	3	Vertical	192	1.91	-	40.89	13.45	44.31			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 72
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9661G	60.52	88.20	-27.68	50.59	3	Horizontal	51	1.78	-	40.83	13.43	44.33			
RMS	13.9679G	49.11	68.20	-19.09	39.17	3	Horizontal	51	1.78	-	40.84	13.43	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_V_4TX
Setting 72
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94124G	52.90	83.54	-30.64	47.96	1	Vertical	245	1.53	-	37.90	15.95	48.91			
AV	20.94476G	42.59	63.54	-20.95	37.64	1	Vertical	245	1.53	-	37.90	15.96	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX

EUT_V_4TX
Setting 72
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96132G	54.02	83.54	-29.52	49.03	1	Horizontal	316	2.10	-	37.92	15.97	48.90			
AV	20.96188G	43.08	63.54	-20.46	38.09	1	Horizontal	316	2.10	-	37.92	15.97	48.90			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	68.10	68.20	-0.10	3	Horizontal	12	1.10	BP 1MHz

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07932G	49.98	88.20	-38.22	33.59	3	Vertical	263	1.69	-	39.20	12.05	34.86			
RMS	13.0766G	39.55	68.20	-28.65	23.16	3	Vertical	263	1.69	-	39.20	12.05	34.86			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.064G	50.27	88.20	-37.93	33.89	3	Horizontal	27	1.80	-	39.20	12.05	34.87			
RMS	13.07452G	39.97	68.20	-28.23	23.58	3	Horizontal	27	1.80	-	39.20	12.05	34.86			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5958G	57.98	83.54	-25.56	54.69	1	Vertical	53	1.50	-	37.70	15.19	49.60			
AV	19.60588G	46.74	63.54	-16.80	43.44	1	Vertical	53	1.50	-	37.70	15.19	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6034G	57.77	83.54	-25.77	54.48	1	Horizontal	297	1.50	-	37.70	15.19	49.60			
AV	19.60856G	45.18	63.54	-18.36	41.88	1	Horizontal	297	1.50	-	37.70	15.19	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39444G	51.20	74.00	-22.80	33.86	3	Vertical	350	1.72	-	40.00	12.04	34.70			
AV	13.39456G	40.85	54.00	-13.15	23.51	3	Vertical	350	1.72	-	40.00	12.04	34.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3918G	51.55	74.00	-22.45	34.21	3	Horizontal	143	1.63	-	40.00	12.04	34.70			
AV	13.38896G	41.23	54.00	-12.77	23.90	3	Horizontal	143	1.63	-	40.00	12.04	34.71			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08412G	48.44	83.54	-35.10	44.65	1	Vertical	318	1.68	-	37.80	15.24	49.25			
AV	20.08608G	37.37	63.54	-26.17	33.58	1	Vertical	318	1.68	-	37.80	15.24	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07844G	49.84	83.54	-33.70	46.06	1	Horizontal	18	1.69	-	37.80	15.23	49.25			
AV	20.08856G	37.63	63.54	-25.91	33.84	1	Horizontal	18	1.69	-	37.80	15.24	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75396G	57.18	88.20	-31.02	39.55	3	Vertical	276	1.40	-	40.42	12.03	34.82			
RMS	13.75204G	46.50	68.20	-21.70	28.88	3	Vertical	276	1.40	-	40.41	12.03	34.82			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75464G	57.60	88.20	-30.60	39.97	3	Horizontal	195	2.02	-	40.42	12.03	34.82			
RMS	13.75924G	46.75	68.20	-21.45	29.11	3	Horizontal	195	2.02	-	40.44	12.03	34.83			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.61996G	47.11	83.54	-36.43	42.61	1	Vertical	194	1.94	-	37.90	15.68	49.08			
AV	20.62272G	36.58	63.54	-26.96	32.08	1	Vertical	194	1.94	-	37.90	15.68	49.08			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.61688G	46.94	83.54	-36.60	42.45	1	Horizontal	246	2.10	-	37.90	15.67	49.08			
AV	20.62548G	36.73	63.54	-26.81	32.22	1	Horizontal	246	2.10	-	37.90	15.68	49.07			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78G	57.02	88.20	-31.18	39.31	3	Vertical	2	1.80	-	40.52	12.03	34.84			
RMS	13.79732G	46.62	68.20	-21.58	28.85	3	Vertical	2	1.80	-	40.59	12.03	34.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78656G	57.14	88.20	-31.06	39.40	3	Horizontal	271	2.15	-	40.55	12.03	34.84			
RMS	13.78412G	46.71	68.20	-21.49	28.98	3	Horizontal	271	2.15	-	40.54	12.03	34.84			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.67764G	47.39	83.54	-36.15	42.82	1	Vertical	250	1.21	-	37.90	15.72	49.05			
AV	20.69188G	36.31	63.54	-27.23	31.72	1	Vertical	250	1.21	-	37.90	15.73	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68548G	46.88	83.54	-36.66	42.29	1	Horizontal	22	1.39	-	37.90	15.73	49.04			
AV	20.69216G	36.84	63.54	-26.70	32.25	1	Horizontal	22	1.39	-	37.90	15.73	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.99044G	59.15	88.20	-29.05	41.15	3	Vertical	279	1.86	-	40.96	12.02	34.98			
RMS	13.98744G	48.34	68.20	-19.86	30.35	3	Vertical	279	1.86	-	40.95	12.02	34.98			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99936G	58.57	88.20	-29.63	40.54	3	Horizontal	80	1.60	-	41.00	12.02	34.99			
RMS	13.9994G	48.60	68.20	-19.60	30.57	3	Horizontal	80	1.60	-	41.00	12.02	34.99			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.99172G	47.41	83.54	-36.13	42.33	1	Vertical	332	1.64	-	37.98	15.98	48.88			
AV	20.9768G	36.62	63.54	-26.92	31.59	1	Vertical	332	1.64	-	37.95	15.97	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.99392G	47.90	83.54	-35.64	42.81	1	Horizontal	278	1.76	-	37.99	15.98	48.88			
AV	20.99412G	36.85	63.54	-26.69	31.76	1	Horizontal	278	1.76	-	37.99	15.98	48.88			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 63
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0878G	119.29	Inf	-Inf	109.20	3	Vertical	1.6	2.40	-	35.90	8.37	34.18			
RMS	7.1022G	109.06	Inf	-Inf	98.86	3	Vertical	1.6	2.40	-	36.00	8.38	34.18			
PK	7.1268G	79.05	88.20	-9.15	68.77	3	Vertical	1.6	2.40	-	36.05	8.41	34.18			
RMS	7.1274G	67.98	68.20	-0.22	57.70	3	Vertical	1.6	2.40	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 63
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1004G	119.43	Inf	-Inf	109.23	3	Horizontal	7	2.03	-	36.00	8.38	34.18			
RMS	7.0908G	108.79	Inf	-Inf	98.67	3	Horizontal	7	2.03	-	35.93	8.37	34.18			
PK	7.1262G	77.73	88.20	-10.47	67.45	3	Horizontal	7	2.03	-	36.05	8.41	34.18			
RMS	7.1259G	66.72	68.20	-1.48	56.44	3	Horizontal	7	2.03	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 63
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19724G	61.04	88.20	-27.16	42.42	3	Vertical	269	2.80	-	41.30	12.16	34.84			
RMS	14.18008G	49.34	68.20	-18.86	30.74	3	Vertical	269	2.80	-	41.30	12.15	34.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 63
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19876G	60.44	88.20	-27.76	41.81	3	Horizontal	215	1.69	-	41.30	12.16	34.83			
RMS	14.18788G	49.58	68.20	-18.62	30.97	3	Horizontal	215	1.69	-	41.30	12.15	34.84			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 63
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.29468G	48.37	83.54	-35.17	42.89	1	Vertical	313	2.76	-	38.09	16.23	48.84			
AV	21.28584G	37.61	63.54	-25.93	32.17	1	Vertical	313	2.76	-	38.07	16.22	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 63
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28804G	48.21	83.54	-35.33	42.77	1	Horizontal	136	1.00	-	38.07	16.22	48.85			
AV	21.28876G	37.36	63.54	-26.18	31.91	1	Horizontal	136	1.00	-	38.08	16.22	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 5
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1065G	101.94	Inf	-Inf	91.72	3	Vertical	4	2.02	BP 1MHz	36.01	8.39	34.18			
RMS	7.1065G	96.04	Inf	-Inf	85.82	3	Vertical	4	2.02	BP 1MHz	36.01	8.39	34.18			
PK	7.1255G	74.30	88.20	-13.90	64.02	3	Vertical	4	2.02	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	64.00	68.20	-4.20	53.72	3	Vertical	4	2.02	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 5
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1135G	101.62	Inf	-Inf	91.38	3	Horizontal	12	1.10	BP 1MHz	36.03	8.39	34.18			
RMS	7.1085G	95.55	Inf	-Inf	85.32	3	Horizontal	12	1.10	BP 1MHz	36.02	8.39	34.18			
PK	7.1255G	77.88	88.20	-10.32	67.60	3	Horizontal	12	1.10	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	68.10	68.20	-0.10	57.82	3	Horizontal	12	1.10	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 5
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.22212G	59.51	88.20	-28.69	40.89	3	Vertical	245	1.05	-	41.26	12.18	34.82			
RMS	14.22804G	49.17	68.20	-19.03	30.56	3	Vertical	245	1.05	-	41.24	12.18	34.81			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 5
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22172G	59.29	88.20	-28.91	40.67	3	Horizontal	182	2.11	-	41.26	12.18	34.82			
RMS	14.22232G	49.02	68.20	-19.18	30.40	3	Horizontal	182	2.11	-	41.26	12.18	34.82			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7115MHz_TX

EUT_V_4TX
Setting 5
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.35032G	49.30	83.54	-34.24	43.77	1	Vertical	135	1.35	-	38.10	16.27	48.84			
AV	21.34808G	38.08	63.54	-25.46	32.55	1	Vertical	135	1.35	-	38.10	16.27	48.84			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7115MHz_TX

EUT_V_4TX
Setting 5
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.35124G	48.48	83.54	-35.06	42.95	1	Horizontal	15	1.98	-	38.10	16.27	48.84			
AV	21.3388G	37.97	63.54	-25.57	32.45	1	Horizontal	15	1.98	-	38.10	16.26	48.84			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12104G	49.55	88.20	-38.65	32.97	3	Vertical	274	1.77	-	39.37	12.05	34.84			
RMS	13.12564G	39.86	68.20	-28.34	23.24	3	Vertical	274	1.77	-	39.41	12.05	34.84			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1346G	49.36	88.20	-38.84	32.66	3	Horizontal	194	2.69	-	39.48	12.05	34.83			
RMS	13.13516G	39.61	68.20	-28.59	22.91	3	Horizontal	194	2.69	-	39.48	12.05	34.83			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6946G	51.53	83.54	-32.01	48.16	1	Vertical	348	1.66	-	37.70	15.19	49.52			
AV	19.68532G	40.73	63.54	-22.81	37.37	1	Vertical	348	1.66	-	37.70	15.19	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69924G	52.21	83.54	-31.33	48.84	1	Horizontal	72	1.74	-	37.70	15.19	49.52			
AV	19.69872G	39.94	63.54	-23.60	36.57	1	Horizontal	72	1.74	-	37.70	15.19	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3768G	50.83	74.00	-23.17	33.50	3	Vertical	345	2.45	-	40.00	12.04	34.71			
AV	13.3642G	40.00	54.00	-14.00	22.68	3	Vertical	345	2.45	-	40.00	12.04	34.72			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36952G	50.85	74.00	-23.15	33.53	3	Horizontal	320	2.88	-	40.00	12.04	34.72			
AV	13.37808G	39.97	54.00	-14.03	22.64	3	Horizontal	320	2.88	-	40.00	12.04	34.71			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05472G	46.91	83.54	-36.63	43.16	1	Vertical	327	1.17	-	37.80	15.21	49.26			
AV	20.05032G	35.49	63.54	-28.05	31.74	1	Vertical	327	1.17	-	37.80	15.21	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0598G	46.59	83.54	-36.95	42.82	1	Horizontal	292	2.01	-	37.80	15.22	49.25			
AV	20.05992G	35.90	63.54	-27.64	32.13	1	Horizontal	292	2.01	-	37.80	15.22	49.25			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77516G	57.13	88.20	-31.07	39.44	3	Vertical	341	1.05	-	40.50	12.03	34.84			
RMS	13.76464G	46.96	68.20	-21.24	29.30	3	Vertical	341	1.05	-	40.46	12.03	34.83			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7756G	57.13	88.20	-31.07	39.44	3	Horizontal	356	1.63	-	40.50	12.03	34.84			
RMS	13.76176G	46.64	68.20	-21.56	28.99	3	Horizontal	356	1.63	-	40.45	12.03	34.83			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.64812G	46.24	83.54	-37.30	41.70	1	Vertical	60	2.44	-	37.90	15.70	49.06			
AV	20.64668G	36.63	63.54	-26.91	32.09	1	Vertical	60	2.44	-	37.90	15.70	49.06			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65972G	46.90	83.54	-36.64	42.35	1	Horizontal	127	2.22	-	37.90	15.71	49.06			
AV	20.6586G	36.37	63.54	-27.17	31.82	1	Horizontal	127	2.22	-	37.90	15.71	49.06			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.85832G	56.85	88.20	-31.35	39.19	3	Vertical	252	1.26	-	40.53	12.02	34.89			
RMS	13.85948G	46.78	68.20	-21.42	29.11	3	Vertical	252	1.26	-	40.54	12.02	34.89			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85128G	56.78	88.20	-31.42	39.14	3	Horizontal	158	1.84	-	40.51	12.02	34.89			
RMS	13.8508G	46.59	68.20	-21.61	28.96	3	Horizontal	158	1.84	-	40.50	12.02	34.89			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.76608G	47.98	83.54	-35.56	43.29	1	Vertical	92	1.84	-	37.90	15.79	49.00			
AV	20.78064G	37.16	63.54	-26.38	32.44	1	Vertical	92	1.84	-	37.90	15.81	48.99			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77828G	48.36	83.54	-35.18	43.66	1	Horizontal	57	1.60	-	37.90	15.80	49.00			
AV	20.78168G	37.56	63.54	-25.98	32.84	1	Horizontal	57	1.60	-	37.90	15.81	48.99			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0182G	59.07	88.20	-29.13	40.98	3	Vertical	175	2.60	-	41.04	12.03	34.98			
RMS	14.01204G	48.50	68.20	-19.70	30.43	3	Vertical	175	2.60	-	41.02	12.03	34.98			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.01292G	59.35	88.20	-28.85	41.27	3	Horizontal	260	2.13	-	41.03	12.03	34.98			
RMS	14.01516G	48.69	68.20	-19.51	30.61	3	Horizontal	260	2.13	-	41.03	12.03	34.98			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01056G	47.52	83.54	-36.02	42.41	1	Vertical	231	2.10	-	38.00	15.99	48.88			
AV	21.01872G	36.77	63.54	-26.77	31.65	1	Vertical	231	2.10	-	38.00	16.00	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.00684G	47.66	83.54	-35.88	42.55	1	Horizontal	246	2.20	-	38.00	15.99	48.88			
AV	21.00672G	36.71	63.54	-26.83	31.60	1	Horizontal	246	2.20	-	38.00	15.99	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 60
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0868G	115.07	Inf	-Inf	104.99	3	Vertical	3	1.77	-	35.89	8.37	34.18			
RMS	7.0772G	105.64	Inf	-Inf	95.64	3	Vertical	3	1.77	-	35.82	8.36	34.18			
PK	7.1318G	85.53	88.20	-2.67	75.24	3	Vertical	3	1.77	-	36.06	8.41	34.18			
RMS	7.127G	67.96	68.20	-0.24	57.68	3	Vertical	3	1.77	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 60
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0688G	116.09	Inf	-Inf	106.17	3	Horizontal	11	1.03	-	35.75	8.35	34.18			
RMS	7.0742G	104.85	Inf	-Inf	94.89	3	Horizontal	11	1.03	-	35.79	8.35	34.18			
PK	7.1294G	81.70	88.20	-6.50	71.41	3	Horizontal	11	1.03	-	36.06	8.41	34.18			
RMS	7.1288G	66.59	68.20	-1.61	56.30	3	Horizontal	11	1.03	-	36.06	8.41	34.18			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 60
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.164G	59.83	88.20	-28.37	41.26	3	Vertical	197	1.10	-	41.30	12.13	34.86			
RMS	14.16908G	49.41	68.20	-18.79	30.83	3	Vertical	197	1.10	-	41.30	12.14	34.86			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 60
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1688G	60.76	88.20	-27.44	42.18	3	Horizontal	315	1.09	-	41.30	12.14	34.86			
RMS	14.17564G	49.72	68.20	-18.48	31.13	3	Horizontal	315	1.09	-	41.30	12.14	34.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 60
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2478G	47.50	83.54	-36.04	42.16	1	Vertical	28	2.12	-	38.00	16.19	48.85			
AV	21.25364G	36.97	63.54	-26.57	31.62	1	Vertical	28	2.12	-	38.01	16.19	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 60
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25396G	48.05	83.54	-35.49	42.70	1	Horizontal	139	1.47	-	38.01	16.19	48.85			
AV	21.25964G	37.18	63.54	-26.36	31.81	1	Horizontal	139	1.47	-	38.02	16.20	48.85			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24068G	49.81	88.20	-38.39	32.97	3	Vertical	31	1.93	-	39.58	12.04	34.78			
AV	13.25752G	39.34	54.00	-14.66	22.45	3	Vertical	31	1.93	-	39.62	12.04	34.77			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2466G	49.98	88.20	-38.22	33.13	3	Horizontal	42	1.46	-	39.59	12.04	34.78			
AV	13.25816G	39.39	54.00	-14.61	22.50	3	Horizontal	42	1.46	-	39.62	12.04	34.77			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8774G	47.36	83.54	-36.18	43.85	1	Vertical	121	1.71	-	37.70	15.18	49.37			
AV	19.875G	36.74	63.54	-26.80	33.23	1	Vertical	121	1.71	-	37.70	15.18	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8758G	48.52	83.54	-35.02	45.01	1	Horizontal	286	1.57	-	37.70	15.18	49.37			
AV	19.87516G	37.14	63.54	-26.40	33.63	1	Horizontal	286	1.57	-	37.70	15.18	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40476G	51.43	88.20	-36.77	34.07	3	Vertical	96	1.11	-	40.02	12.04	34.70			
RMS	13.4174G	41.13	68.20	-27.07	23.71	3	Vertical	96	1.11	-	40.07	12.04	34.69			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41428G	51.35	88.20	-36.85	33.94	3	Horizontal	153	2.50	-	40.06	12.04	34.69			
RMS	13.4062G	41.07	68.20	-27.13	23.71	3	Horizontal	153	2.50	-	40.02	12.04	34.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10552G	46.55	83.54	-36.99	42.73	1	Vertical	315	2.96	-	37.80	15.26	49.24			
AV	20.10624G	35.62	63.54	-27.92	31.80	1	Vertical	315	2.96	-	37.80	15.26	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12104G	46.58	83.54	-36.96	42.75	1	Horizontal	152	1.53	-	37.80	15.27	49.24			
AV	20.12496G	35.07	63.54	-28.47	31.24	1	Horizontal	152	1.53	-	37.80	15.27	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57832G	51.81	88.20	-36.39	33.95	3	Vertical	68	2.81	-	40.53	12.03	34.70			
RMS	13.57004G	41.27	68.20	-26.93	23.36	3	Vertical	68	2.81	-	40.58	12.03	34.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56464G	51.67	88.20	-36.53	33.72	3	Horizontal	244	1.50	-	40.61	12.03	34.69			
RMS	13.57368G	41.17	68.20	-27.03	23.28	3	Horizontal	244	1.50	-	40.56	12.03	34.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.357G	47.70	83.54	-35.84	43.53	1	Vertical	35	2.37	-	37.89	15.46	49.18			
AV	20.35696G	36.84	63.54	-26.70	32.67	1	Vertical	35	2.37	-	37.89	15.46	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35676G	47.65	83.54	-35.89	43.48	1	Horizontal	142	1.27	-	37.89	15.46	49.18			
AV	20.36068G	37.42	63.54	-26.12	33.26	1	Horizontal	142	1.27	-	37.88	15.46	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7216G	57.55	88.20	-30.65	39.98	3	Vertical	70	1.08	-	40.34	12.03	34.80			
RMS	13.72536G	46.58	68.20	-21.62	29.00	3	Vertical	70	1.08	-	40.35	12.03	34.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72528G	57.22	88.20	-30.98	39.64	3	Horizontal	310	2.24	-	40.35	12.03	34.80			
RMS	13.73308G	46.82	68.20	-21.38	29.23	3	Horizontal	310	2.24	-	40.37	12.03	34.81			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58596G	46.89	83.54	-36.65	42.44	1	Vertical	80	2.31	-	37.90	15.65	49.10			
AV	20.58676G	36.20	63.54	-27.34	31.74	1	Vertical	80	2.31	-	37.90	15.65	49.09			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59996G	47.42	83.54	-36.12	42.95	1	Horizontal	155	2.39	-	37.90	15.66	49.09			
AV	20.5948G	36.85	63.54	-26.69	32.39	1	Horizontal	155	2.39	-	37.90	15.65	49.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89248G	57.13	88.20	-31.07	39.36	3	Vertical	183	1.36	-	40.67	12.02	34.92			
RMS	13.8964G	46.88	68.20	-21.32	29.09	3	Vertical	183	1.36	-	40.69	12.02	34.92			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88796G	57.81	88.20	-30.39	40.05	3	Horizontal	163	1.93	-	40.65	12.02	34.91			
RMS	13.8888G	46.59	68.20	-21.61	28.82	3	Horizontal	163	1.93	-	40.66	12.02	34.91			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83284G	48.39	83.54	-35.15	43.61	1	Vertical	310	2.08	-	37.90	15.85	48.97			
AV	20.84388G	37.87	63.54	-25.67	33.07	1	Vertical	310	2.08	-	37.90	15.86	48.96			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.82988G	48.86	83.54	-34.68	44.08	1	Horizontal	111	1.02	-	37.90	15.85	48.97			
AV	20.82552G	37.95	63.54	-25.59	33.18	1	Horizontal	111	1.02	-	37.90	15.84	48.97			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 70
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0162G	114.66	Inf	-Inf	105.08	3	Vertical	19	1.21	-	35.46	8.30	34.18			
RMS	7.0362G	105.05	Inf	-Inf	95.37	3	Vertical	19	1.21	-	35.54	8.32	34.18			
PK	7.1258G	81.86	88.20	-6.34	71.58	3	Vertical	19	1.21	-	36.05	8.41	34.18			
RMS	7.1262G	67.96	68.20	-0.24	57.68	3	Vertical	19	1.21	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 70
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0138G	113.86	Inf	-Inf	104.29	3	Horizontal	355	1.80	-	35.46	8.29	34.18			
RMS	7.0182G	103.12	Inf	-Inf	93.53	3	Horizontal	355	1.80	-	35.47	8.30	34.18			
PK	7.1282G	79.06	88.20	-9.14	68.77	3	Horizontal	355	1.80	-	36.06	8.41	34.18			
RMS	7.1282G	66.38	68.20	-1.82	56.09	3	Horizontal	355	1.80	-	36.06	8.41	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 70
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0508G	59.81	88.20	-28.39	41.60	3	Vertical	207	2.37	-	41.10	12.06	34.95			
RMS	14.04708G	48.63	68.20	-19.57	30.44	3	Vertical	207	2.37	-	41.09	12.05	34.95			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 70
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0586G	60.15	88.20	-28.05	41.90	3	Horizontal	285	1.74	-	41.13	12.06	34.94			
RMS	14.05352G	48.97	68.20	-19.23	30.75	3	Horizontal	285	1.74	-	41.11	12.06	34.95			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 70
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0778G	47.30	83.54	-36.24	42.12	1	Vertical	226	1.43	-	38.00	16.05	48.87			
AV	21.07744G	36.62	63.54	-26.92	31.44	1	Vertical	226	1.43	-	38.00	16.05	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 70
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0842G	47.29	83.54	-36.25	42.11	1	Horizontal	148	2.65	-	38.00	16.05	48.87			
AV	21.08112G	36.53	63.54	-27.01	31.35	1	Horizontal	148	2.65	-	38.00	16.05	48.87			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 70
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.331G	50.70	74.00	-23.30	33.50	3	Vertical	212	1.31	-	39.89	12.04	34.73			
AV	13.3354G	39.97	54.00	-14.03	22.75	3	Vertical	212	1.31	-	39.91	12.04	34.73			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 70
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33264G	50.71	74.00	-23.29	33.50	3	Horizontal	13	1.81	-	39.90	12.04	34.73			
AV	13.32928G	40.24	54.00	-13.76	23.06	3	Horizontal	13	1.81	-	39.88	12.04	34.74			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 70
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99624G	47.38	83.54	-36.16	43.77	1	Vertical	52	2.08	-	37.71	15.17	49.27			
AV	20.00012G	36.70	63.54	-26.84	33.10	1	Vertical	52	2.08	-	37.70	15.17	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 70
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99436G	46.41	83.54	-37.13	42.80	1	Horizontal	42	1.67	-	37.71	15.17	49.27			
AV	20.00008G	36.12	63.54	-27.42	32.52	1	Horizontal	42	1.67	-	37.70	15.17	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64192G	58.72	88.20	-29.48	41.12	3	Vertical	156	1.33	-	40.32	12.03	34.75			
RMS	13.65292G	47.66	68.20	-20.54	30.08	3	Vertical	156	1.33	-	40.30	12.03	34.75			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65672G	57.49	88.20	-30.71	39.92	3	Horizontal	284	1.79	-	40.30	12.03	34.76			
RMS	13.6414G	47.56	68.20	-20.64	29.96	3	Horizontal	284	1.79	-	40.32	12.03	34.75			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Y_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4654G	47.43	83.54	-36.11	43.13	1	Vertical	279	1.30	-	37.90	15.55	49.15			
AV	20.4842G	36.75	63.54	-26.79	32.43	1	Vertical	279	1.30	-	37.90	15.56	49.14			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_V_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47672G	47.48	83.54	-36.06	43.17	1	Horizontal	124	2.97	-	37.90	15.56	49.15			
AV	20.4768G	37.33	63.54	-26.21	33.02	1	Horizontal	124	2.97	-	37.90	15.56	49.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 67
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.922G	111.45	Inf	-Inf	102.45	3	Vertical	2	1.76	-	35.03	8.15	34.18			
RMS	6.9275G	101.69	Inf	-Inf	92.64	3	Vertical	2	1.76	-	35.07	8.16	34.18			
PK	7.133G	79.54	88.20	-8.66	69.24	3	Vertical	2	1.76	-	36.07	8.41	34.18			
RMS	7.127G	67.96	68.20	-0.24	57.68	3	Vertical	2	1.76	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 67
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.922G	110.14	Inf	-Inf	101.14	3	Horizontal	0	1.80	-	35.03	8.15	34.18			
RMS	6.926G	99.77	Inf	-Inf	90.73	3	Horizontal	0	1.80	-	35.06	8.16	34.18			
PK	7.141G	77.67	88.20	-10.53	67.35	3	Horizontal	0	1.80	-	36.08	8.42	34.18			
RMS	7.127G	66.80	68.20	-1.40	56.52	3	Horizontal	0	1.80	-	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 67
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97444G	59.24	88.20	-28.96	41.29	3	Vertical	263	1.57	-	40.90	12.02	34.97			
RMS	13.97584G	47.66	68.20	-20.54	29.71	3	Vertical	263	1.57	-	40.90	12.02	34.97			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 67
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96352G	58.61	88.20	-29.59	40.71	3	Horizontal	20	1.47	-	40.85	12.02	34.97			
RMS	13.97648G	47.56	68.20	-20.64	29.60	3	Horizontal	20	1.47	-	40.91	12.02	34.97			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 67
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94752G	47.96	83.54	-35.58	43.03	1	Vertical	180	1.59	-	37.90	15.94	48.91			
AV	20.94716G	37.15	63.54	-26.39	32.22	1	Vertical	180	1.59	-	37.90	15.94	48.91			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_V_4TX
Setting 67
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96072G	47.74	83.54	-35.80	42.77	1	Horizontal	318	1.48	-	37.92	15.95	48.90			
AV	20.94964G	37.03	63.54	-26.51	32.10	1	Horizontal	318	1.48	-	37.90	15.94	48.91			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 67
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4826G	51.21	88.20	-36.99	33.56	3	Vertical	63	1.45	-	40.27	12.04	34.66			
RMS	13.48316G	42.00	68.20	-26.20	24.35	3	Vertical	63	1.45	-	40.27	12.04	34.66			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_Y_4TX
Setting 67
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49464G	52.22	88.20	-35.98	34.54	3	Horizontal	173	2.16	-	40.29	12.04	34.65			
RMS	13.48416G	41.30	68.20	-26.90	23.65	3	Horizontal	173	2.16	-	40.27	12.04	34.66			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Y_4TX
Setting 67
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23672G	48.31	83.54	-35.23	44.36	1	Vertical	341	2.91	-	37.80	15.36	49.21			
AV	20.2406G	36.69	63.54	-26.85	32.73	1	Vertical	341	2.91	-	37.80	15.37	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 67
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.24404G	47.78	83.54	-35.76	43.82	1	Horizontal	161	2.09	-	37.80	15.37	49.21			
AV	20.24272G	37.08	63.54	-26.46	33.12	1	Horizontal	161	2.09	-	37.80	15.37	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 69
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.969G	107.26	Inf	-Inf	97.93	3	Vertical	3	1.80	-	35.28	8.23	34.18			
RMS	6.8826G	97.15	Inf	-Inf	88.44	3	Vertical	3	1.80	-	34.80	8.09	34.18			
PK	7.1578G	79.14	88.20	-9.06	68.76	3	Vertical	3	1.80	-	36.12	8.44	34.18			
RMS	7.1274G	68.06	68.20	-0.14	57.78	3	Vertical	3	1.80	-	36.05	8.41	34.18			
PK	7.353G	60.67	74.00	-13.33	49.66	3	Vertical	3	1.80	-	36.59	8.61	34.19			
AV	7.369G	50.85	54.00	-3.15	39.90	3	Vertical	3	1.80	-	36.52	8.62	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT Y_4TX
Setting 69
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8058G	108.89	Inf	-Inf	100.69	3	Horizontal	0	1.80	-	34.42	7.96	34.18			
RMS	6.7562G	97.19	Inf	-Inf	89.01	3	Horizontal	0	1.80	-	34.40	7.96	34.18			
PK	7.1418G	76.17	88.20	-12.03	65.85	3	Horizontal	0	1.80	-	36.08	8.42	34.18			
RMS	7.1418G	64.70	68.20	-3.50	54.38	3	Horizontal	0	1.80	-	36.08	8.42	34.18			
PK	7.465G	61.59	74.00	-12.41	50.57	3	Horizontal	0	1.80	-	36.47	8.74	34.19			
AV	7.5098G	51.09	54.00	-2.91	40.07	3	Horizontal	0	1.80	-	36.40	8.81	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 69
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80068G	57.57	88.20	-30.63	39.79	3	Vertical	248	2.10	-	40.60	12.03	34.85			
RMS	13.81856G	46.59	68.20	-21.61	28.87	3	Vertical	248	2.10	-	40.56	12.03	34.87			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 69
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80552G	56.80	88.20	-31.40	39.04	3	Horizontal	138	1.06	-	40.59	12.03	34.86			
RMS	13.81652G	46.42	68.20	-21.78	28.69	3	Horizontal	138	1.06	-	40.57	12.03	34.87			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_Y_4TX
Setting 69
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70752G	47.87	83.54	-35.67	43.25	1	Vertical	193	2.94	-	37.90	15.75	49.03			
AV	20.70996G	36.56	63.54	-26.98	31.94	1	Vertical	193	2.94	-	37.90	15.75	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX

EUT_Y_4TX
Setting 69
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7094G	47.44	83.54	-36.10	42.82	1	Horizontal	128	1.50	-	37.90	15.75	49.03			
AV	20.71344G	36.57	63.54	-26.97	31.95	1	Horizontal	128	1.50	-	37.90	15.75	49.03			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	RMS	5.9202G	68.10	68.20	-0.10	3	Vertical	6	2.19	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 84
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9239G	81.03	88.20	-7.17	86.06	3	Vertical	17	2.47	-	32.40	5.64	43.07			
RMS	5.9243G	67.79	68.20	-0.41	72.82	3	Vertical	17	2.47	-	32.40	5.64	43.07			
PK	5.9544G	119.15	Inf	-Inf	124.14	3	Vertical	17	2.47	-	32.41	5.66	43.06			
RMS	5.959G	108.86	Inf	-Inf	113.83	3	Vertical	17	2.47	-	32.42	5.66	43.05			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 84
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	73.63	88.20	-14.57	78.66	3	Horizontal	163	2.44	-	32.40	5.64	43.07			
RMS	5.925G	59.20	68.20	-9.00	64.23	3	Horizontal	163	2.44	-	32.40	5.64	43.07			
PK	5.9625G	111.35	Inf	-Inf	116.31	3	Horizontal	163	2.44	-	32.42	5.67	43.05			
RMS	5.9602G	101.37	Inf	-Inf	106.34	3	Horizontal	163	2.44	-	32.42	5.66	43.05			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 84
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9103G	47.93	74.00	-26.07	41.18	3	Vertical	234	1.80	-	38.92	10.78	42.95			
AV	11.91075G	38.45	54.00	-15.55	31.70	3	Vertical	234	1.80	-	38.92	10.78	42.95			
PK	17.86497G	60.43	74.00	-13.57	39.38	3	Vertical	23	1.46	-	46.06	16.63	41.64			
AV	17.8645G	49.15	54.00	-4.85	28.11	3	Vertical	23	1.46	-	46.05	16.63	41.64			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 84
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9099G	48.02	74.00	-25.98	41.27	3	Horizontal	116	1.30	-	38.92	10.78	42.95			
AV	11.91091G	38.11	54.00	-15.89	31.36	3	Horizontal	116	1.30	-	38.92	10.78	42.95			
PK	17.86339G	61.10	74.00	-12.90	40.09	3	Horizontal	151	1.01	-	46.02	16.63	41.64			
AV	17.86496G	50.39	54.00	-3.61	29.34	3	Horizontal	151	1.01	-	46.06	16.63	41.64			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39063G	49.01	74.00	-24.99	41.97	3	Vertical	228	1.88	-	38.82	11.25	43.03			
AV	12.38928G	39.52	54.00	-14.48	32.48	3	Vertical	228	1.88	-	38.82	11.25	43.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.391G	49.97	74.00	-24.03	42.93	3	Horizontal	132	1.58	-	38.82	11.25	43.03			
AV	12.39094G	39.60	54.00	-14.40	32.56	3	Horizontal	132	1.58	-	38.82	11.25	43.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58813G	57.30	83.54	-26.24	53.87	1	Vertical	209	1.58	-	37.80	15.25	49.62			
AV	18.58307G	46.11	63.54	-17.43	42.67	1	Vertical	209	1.58	-	37.80	15.26	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58323G	50.22	83.54	-33.32	46.78	1	Horizontal	49	1.55	-	37.80	15.26	49.62			
AV	18.58567G	40.29	63.54	-23.25	36.86	1	Horizontal	49	1.55	-	37.80	15.25	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83023G	50.14	88.20	-38.06	41.82	3	Vertical	280	1.41	-	39.26	11.71	42.65			
RMS	12.82938G	40.38	68.20	-27.82	32.06	3	Vertical	280	1.41	-	39.26	11.71	42.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83088G	50.68	88.20	-37.52	42.36	3	Horizontal	253	2.48	-	39.26	11.71	42.65			
RMS	12.82944G	40.55	68.20	-27.65	32.23	3	Horizontal	253	2.48	-	39.26	11.71	42.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24468G	57.34	83.54	-26.20	53.65	1	Vertical	250	1.54	-	37.98	15.22	49.51			
AV	19.2441G	46.10	63.54	-17.44	42.41	1	Vertical	250	1.54	-	37.98	15.22	49.51			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24533G	50.98	83.54	-32.56	47.29	1	Horizontal	12	1.53	-	37.98	15.22	49.51			
AV	19.2459G	40.85	63.54	-22.69	37.16	1	Horizontal	12	1.53	-	37.98	15.22	49.51			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.871G	50.15	88.20	-38.05	41.70	3	Vertical	109	1.41	-	39.30	11.75	42.60			
RMS	12.86936G	40.55	68.20	-27.65	32.10	3	Vertical	109	1.41	-	39.30	11.75	42.60			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86995G	50.13	88.20	-38.07	41.68	3	Horizontal	306	1.96	-	39.30	11.75	42.60			
RMS	12.86917G	40.15	68.20	-28.05	31.70	3	Horizontal	306	1.96	-	39.30	11.75	42.60			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30438G	57.41	83.54	-26.13	53.95	1	Vertical	180	1.52	-	37.80	15.21	49.55			
AV	19.304G	46.65	63.54	-16.89	43.19	1	Vertical	180	1.52	-	37.80	15.21	49.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6435MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.304G	50.51	83.54	-33.03	47.05	1	Horizontal	149	1.52	-	37.80	15.21	49.55			
AV	19.30538G	40.89	63.54	-22.65	37.43	1	Horizontal	149	1.52	-	37.80	15.21	49.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94928G	49.78	88.20	-38.42	41.05	3	Vertical	354	1.19	-	39.40	11.83	42.50			
RMS	12.94951G	39.55	68.20	-28.65	30.82	3	Vertical	354	1.19	-	39.40	11.83	42.50			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94909G	49.75	88.20	-38.45	41.02	3	Horizontal	347	1.13	-	39.40	11.83	42.50			
RMS	12.94934G	39.72	68.20	-28.48	30.99	3	Horizontal	347	1.13	-	39.40	11.83	42.50			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42438G	57.15	83.54	-26.39	53.78	1	Vertical	200	1.50	-	37.80	15.20	49.63			
AV	19.42587G	46.88	63.54	-16.66	43.51	1	Vertical	200	1.50	-	37.80	15.20	49.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42596G	50.14	83.54	-33.40	46.77	1	Horizontal	277	1.51	-	37.80	15.20	49.63			
AV	19.4241G	40.56	63.54	-22.98	37.19	1	Horizontal	277	1.51	-	37.80	15.20	49.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02969G	50.07	88.20	-38.13	41.50	3	Vertical	182	2.28	-	39.08	11.92	42.43			
RMS	13.02954G	40.20	68.20	-28.00	31.63	3	Vertical	182	2.28	-	39.08	11.92	42.43			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0296G	51.12	88.20	-37.08	42.55	3	Horizontal	14	1.14	-	39.08	11.92	42.43			
RMS	13.02932G	40.45	68.20	-27.75	31.88	3	Horizontal	14	1.14	-	39.08	11.92	42.43			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54472G	57.69	83.54	-25.85	54.42	1	Vertical	322	1.50	-	37.71	15.20	49.64			
AV	19.54527G	46.10	63.54	-17.44	42.83	1	Vertical	322	1.50	-	37.71	15.20	49.64			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54446G	50.35	83.54	-33.19	47.08	1	Horizontal	267	1.54	-	37.71	15.20	49.64			
AV	19.54439G	40.79	63.54	-22.75	37.52	1	Horizontal	267	1.54	-	37.71	15.20	49.64			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07029G	50.48	88.20	-37.72	41.86	3	Vertical	355	2.92	-	39.08	11.96	42.42			
RMS	13.07087G	40.13	68.20	-28.07	31.51	3	Vertical	355	2.92	-	39.08	11.96	42.42			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07023G	50.63	88.20	-37.57	42.01	3	Horizontal	199	2.40	-	39.08	11.96	42.42			
RMS	13.07037G	40.46	68.20	-27.74	31.84	3	Horizontal	199	2.40	-	39.08	11.96	42.42			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60472G	57.32	83.54	-26.22	54.02	1	Vertical	246	1.53	-	37.70	15.19	49.59			
AV	19.60563G	46.58	63.54	-16.96	43.28	1	Vertical	246	1.53	-	37.70	15.19	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60579G	51.46	83.54	-32.08	48.16	1	Horizontal	311	1.52	-	37.70	15.19	49.59			
AV	19.60412G	40.66	63.54	-22.88	37.36	1	Horizontal	311	1.52	-	37.70	15.19	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38905G	51.41	74.00	-22.59	41.69	3	Vertical	103	2.60	-	39.78	12.29	42.35			
AV	13.38951G	41.70	54.00	-12.30	31.98	3	Vertical	103	2.60	-	39.78	12.29	42.35			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38995G	51.75	74.00	-22.25	42.03	3	Horizontal	355	2.04	-	39.78	12.29	42.35			
AV	13.39003G	41.36	54.00	-12.64	31.64	3	Horizontal	355	2.04	-	39.78	12.29	42.35			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08506G	57.22	83.54	-26.32	53.43	1	Vertical	193	1.53	-	37.80	15.24	49.25			
AV	20.08428G	46.60	63.54	-16.94	42.81	1	Vertical	193	1.53	-	37.80	15.24	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08471G	50.22	83.54	-33.32	46.43	1	Horizontal	28	1.54	-	37.80	15.24	49.25			
AV	20.08416G	40.60	63.54	-22.94	36.81	1	Horizontal	28	1.54	-	37.80	15.24	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74918G	51.68	88.20	-36.52	41.46	3	Vertical	177	1.97	-	40.20	12.66	42.64			
RMS	13.7492G	41.78	68.20	-26.42	31.56	3	Vertical	177	1.97	-	40.20	12.66	42.64			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6875MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7508G	51.90	88.20	-36.30	41.69	3	Horizontal	302	1.29	-	40.20	12.66	42.65			
RMS	13.74989G	41.90	68.20	-26.30	31.68	3	Horizontal	302	1.29	-	40.20	12.66	42.64			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62518G	57.74	83.54	-25.80	53.23	1	Vertical	5	1.55	-	37.90	15.68	49.07			
AV	20.62418G	46.02	63.54	-17.52	41.52	1	Vertical	5	1.55	-	37.90	15.68	49.08			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62501G	50.84	83.54	-32.70	46.33	1	Horizontal	176	1.51	-	37.90	15.68	49.07			
AV	20.62521G	40.18	63.54	-23.36	35.67	1	Horizontal	176	1.51	-	37.90	15.68	49.07			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79023G	51.99	88.20	-36.21	41.79	3	Vertical	116	2.55	-	40.20	12.70	42.70			
RMS	13.79018G	42.41	68.20	-25.79	32.21	3	Vertical	116	2.55	-	40.20	12.70	42.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79046G	52.43	88.20	-35.77	42.23	3	Horizontal	353	2.31	-	40.20	12.70	42.70			
RMS	13.7897G	42.13	68.20	-26.07	31.93	3	Horizontal	353	2.31	-	40.20	12.70	42.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68448G	57.34	83.54	-26.20	52.75	1	Vertical	335	1.54	-	37.90	15.73	49.04			
AV	20.68403G	46.08	63.54	-17.46	41.49	1	Vertical	335	1.54	-	37.90	15.73	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68408G	50.42	83.54	-33.12	45.83	1	Horizontal	71	1.54	-	37.90	15.73	49.04			
AV	20.68437G	40.30	63.54	-23.24	35.71	1	Horizontal	71	1.54	-	37.90	15.73	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98925G	52.16	88.20	-36.04	41.33	3	Vertical	190	2.25	-	40.88	12.91	42.96			
RMS	13.99068G	42.10	68.20	-26.10	31.27	3	Vertical	190	2.25	-	40.88	12.91	42.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99096G	52.10	88.20	-36.10	41.27	3	Horizontal	57	1.43	-	40.88	12.91	42.96			
RMS	13.98938G	42.32	68.20	-25.88	31.49	3	Horizontal	57	1.43	-	40.88	12.91	42.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98591G	57.39	83.54	-26.15	52.34	1	Vertical	278	1.50	-	37.97	15.97	48.89			
AV	20.98582G	46.75	63.54	-16.79	41.70	1	Vertical	278	1.50	-	37.97	15.97	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98539G	50.85	83.54	-32.69	45.80	1	Horizontal	180	1.50	-	37.97	15.97	48.89			
AV	20.9856G	40.28	63.54	-23.26	35.23	1	Horizontal	180	1.50	-	37.97	15.97	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 83
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1009G	119.19	Inf	-Inf	118.81	3	Vertical	323	2.14	-	35.61	7.23	42.46			
RMS	7.1012G	107.79	Inf	-Inf	107.41	3	Vertical	323	2.14	-	35.61	7.23	42.46			
PK	7.126G	80.38	88.20	-7.82	79.89	3	Vertical	323	2.14	-	35.76	7.22	42.49			
RMS	7.126G	67.79	68.20	-0.41	67.30	3	Vertical	323	2.14	-	35.76	7.22	42.49			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 83
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0937G	112.93	Inf	-Inf	112.59	3	Horizontal	291	2.38	-	35.56	7.23	42.45			
RMS	7.0889G	102.95	Inf	-Inf	102.63	3	Horizontal	291	2.38	-	35.53	7.23	42.44			
PK	7.1263G	76.68	88.20	-11.52	76.19	3	Horizontal	291	2.38	-	35.76	7.22	42.49			
RMS	7.1263G	63.57	68.20	-4.63	63.08	3	Horizontal	291	2.38	-	35.76	7.22	42.49			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Z_2TX
Setting 83
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18909G	54.51	88.20	-33.69	42.43	3	Vertical	246	2.37	-	41.48	13.20	42.60			
RMS	14.1909G	43.83	68.20	-24.37	31.75	3	Vertical	246	2.37	-	41.48	13.20	42.60			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Z_2TX
Setting 83
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18907G	53.15	88.20	-35.05	41.07	3	Horizontal	311	1.19	-	41.48	13.20	42.60			
RMS	14.18993G	43.72	68.20	-24.48	31.64	3	Horizontal	311	1.19	-	41.48	13.20	42.60			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Z_2TX
Setting 83
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28328G	57.12	83.54	-26.42	51.68	1	Vertical	176.9	1.56	-	38.07	16.22	48.85			
AV	21.28776G	46.96	63.54	-16.58	41.51	1	Vertical	176.9	1.56	-	38.08	16.22	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Z_2TX
Setting 83
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2949G	50.75	83.54	-32.79	45.27	1	Horizontal	230	1.53	-	38.09	16.23	48.84			
AV	21.28704G	40.59	63.54	-22.95	35.15	1	Horizontal	230	1.53	-	38.07	16.22	48.85			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 78
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	83.01	88.20	-5.19	88.04	3	Vertical	3	2.44	-	32.40	5.64	43.07			
RMS	5.925G	67.72	68.20	-0.48	72.75	3	Vertical	3	2.44	-	32.40	5.64	43.07			
PK	5.9574G	116.32	Inf	-Inf	121.30	3	Vertical	3	2.44	-	32.41	5.66	43.05			
RMS	5.98G	105.22	Inf	-Inf	110.12	3	Vertical	3	2.44	-	32.46	5.68	43.04			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 78
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9186G	73.96	88.20	-14.24	79.00	3	Horizontal	306	2.07	-	32.40	5.64	43.08			
RMS	5.9234G	57.69	68.20	-10.51	62.72	3	Horizontal	306	2.07	-	32.40	5.64	43.07			
PK	5.9634G	106.90	Inf	-Inf	111.85	3	Horizontal	306	2.07	-	32.43	5.67	43.05			
RMS	5.9612G	96.81	Inf	-Inf	101.78	3	Horizontal	306	2.07	-	32.42	5.66	43.05			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Z_2TX
Setting 78
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92968G	48.77	74.00	-25.23	41.94	3	Vertical	7	1.38	-	38.96	10.80	42.93			
AV	11.93031G	38.32	54.00	-15.68	31.49	3	Vertical	7	1.38	-	38.96	10.80	42.93			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Z_2TX
Setting 78
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93062G	48.04	74.00	-25.96	41.21	3	Horizontal	251	1.78	-	38.96	10.80	42.93			
AV	11.93089G	38.43	54.00	-15.57	31.60	3	Horizontal	251	1.78	-	38.96	10.80	42.93			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41038G	48.61	74.00	-25.39	41.64	3	Vertical	329	2.79	-	38.74	11.27	43.04			
AV	12.41035G	39.30	54.00	-14.70	32.33	3	Vertical	329	2.79	-	38.74	11.27	43.04			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41037G	49.37	74.00	-24.63	42.40	3	Horizontal	316	1.96	-	38.74	11.27	43.04			
AV	12.40926G	39.24	54.00	-14.76	32.27	3	Horizontal	316	1.96	-	38.74	11.27	43.04			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6134G	45.85	83.54	-37.69	42.37	1	Vertical	185	1.57	-	37.83	15.25	49.60			
AV	18.61511G	36.68	63.54	-26.86	33.20	1	Vertical	185	1.57	-	37.83	15.25	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61146G	45.40	83.54	-38.14	41.93	1	Horizontal	360	1.47	-	37.82	15.25	49.60			
AV	18.61194G	35.21	63.54	-28.33	31.74	1	Horizontal	360	1.47	-	37.82	15.25	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80933G	50.38	88.20	-37.82	42.15	3	Vertical	106	1.58	-	39.22	11.69	42.68			
RMS	12.80904G	40.36	68.20	-27.84	32.13	3	Vertical	106	1.58	-	39.22	11.69	42.68			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8102G	50.45	88.20	-37.75	42.22	3	Horizontal	43	2.31	-	39.22	11.69	42.68			
RMS	12.80997G	40.63	68.20	-27.57	32.40	3	Horizontal	43	2.31	-	39.22	11.69	42.68			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21707G	48.75	83.54	-34.79	45.15	1	Vertical	183	1.67	-	37.87	15.22	49.49			
AV	19.21702G	39.38	63.54	-24.16	35.78	1	Vertical	183	1.67	-	37.87	15.22	49.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2162G	48.17	83.54	-35.37	44.58	1	Horizontal	212	1.65	-	37.86	15.22	49.49			
AV	19.2134G	39.36	63.54	-24.18	35.78	1	Horizontal	212	1.65	-	37.85	15.22	49.49			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89008G	49.73	88.20	-38.47	41.24	3	Vertical	245	1.35	-	39.30	11.77	42.58			
RMS	12.89046G	41.01	68.20	-27.19	32.52	3	Vertical	245	1.35	-	39.30	11.77	42.58			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88994G	50.32	88.20	-37.88	41.83	3	Horizontal	82	1.96	-	39.30	11.77	42.58			
RMS	12.88967G	40.47	68.20	-27.73	31.98	3	Horizontal	82	1.96	-	39.30	11.77	42.58			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX



EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33978G	50.59	83.54	-32.95	47.15	1	Vertical	192	1.85	-	37.80	15.21	49.57			
AV	19.33901G	41.00	63.54	-22.54	37.56	1	Vertical	192	1.85	-	37.80	15.21	49.57			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33841G	54.33	83.54	-29.21	50.89	1	Horizontal	190	1.55	-	37.80	15.21	49.57			
AV	19.3363G	45.15	63.54	-18.39	41.71	1	Horizontal	190	1.55	-	37.80	15.21	49.57			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97096G	49.06	88.20	-39.14	40.37	3	Vertical	245	1.56	-	39.32	11.85	42.48			
RMS	12.9709G	39.72	68.20	-28.48	31.03	3	Vertical	245	1.56	-	39.32	11.85	42.48			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97055G	49.36	88.20	-38.84	40.67	3	Horizontal	307	1.06	-	39.32	11.85	42.48			
RMS	12.97033G	39.83	68.20	-28.37	31.14	3	Horizontal	307	1.06	-	39.32	11.85	42.48			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.44944G	53.02	83.54	-30.52	49.77	1	Vertical	211	1.57	-	37.70	15.20	49.65			
AV	19.44938G	44.25	63.54	-19.29	41.00	1	Vertical	211	1.57	-	37.70	15.20	49.65			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4435G	53.58	83.54	-29.96	50.29	1	Horizontal	185	1.53	-	37.73	15.20	49.64			
AV	19.4437G	44.73	63.54	-18.81	41.44	1	Horizontal	185	1.53	-	37.73	15.20	49.64			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04959G	50.45	88.20	-37.75	41.94	3	Vertical	285	1.61	-	39.00	11.94	42.43			
RMS	13.04929G	40.77	68.20	-27.43	32.26	3	Vertical	285	1.61	-	39.00	11.94	42.43			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04953G	50.45	88.20	-37.75	41.94	3	Horizontal	31	2.20	-	39.00	11.94	42.43			
RMS	13.04907G	40.51	68.20	-27.69	32.00	3	Horizontal	31	2.20	-	39.00	11.94	42.43			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5764G	54.08	83.54	-29.46	50.80	1	Vertical	187	1.57	-	37.70	15.20	49.62			
AV	19.5734G	46.13	63.54	-17.41	42.85	1	Vertical	187	1.57	-	37.70	15.20	49.62			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5649G	49.51	83.54	-34.03	46.24	1	Horizontal	166	1.68	-	37.70	15.20	49.63			
AV	19.5649G	40.53	63.54	-23.01	37.26	1	Horizontal	166	1.68	-	37.70	15.20	49.63			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13059G	50.86	88.20	-37.34	41.93	3	Vertical	108	2.23	-	39.32	12.02	42.41			
RMS	13.13003G	41.39	68.20	-26.81	32.46	3	Vertical	108	2.23	-	39.32	12.02	42.41			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13062G	50.89	88.20	-37.31	41.96	3	Horizontal	139	1.58	-	39.32	12.02	42.41			
RMS	13.12975G	41.28	68.20	-26.92	32.35	3	Horizontal	139	1.58	-	39.32	12.02	42.41			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6833G	51.36	83.54	-32.18	48.00	1	Vertical	191	1.57	-	37.70	15.19	49.53			
AV	19.6812G	43.81	63.54	-19.73	40.45	1	Vertical	191	1.57	-	37.70	15.19	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6892G	48.88	83.54	-34.66	45.51	1	Horizontal	163	1.56	-	37.70	15.19	49.52			
AV	19.6885G	40.07	63.54	-23.47	36.71	1	Horizontal	163	1.56	-	37.70	15.19	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36958G	50.70	74.00	-23.30	41.04	3	Vertical	285	2.11	-	39.74	12.27	42.35			
AV	13.37007G	40.96	54.00	-13.04	31.30	3	Vertical	285	2.11	-	39.74	12.27	42.35			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37064G	51.59	74.00	-22.41	41.93	3	Horizontal	211	2.58	-	39.74	12.27	42.35			
AV	13.37096G	41.17	54.00	-12.83	31.51	3	Horizontal	211	2.58	-	39.74	12.27	42.35			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.067G	46.93	83.54	-36.61	43.16	1	Vertical	178	1.55	-	37.80	15.22	49.25			
AV	20.0448G	38.75	63.54	-24.79	35.01	1	Vertical	178	1.55	-	37.79	15.21	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0449G	46.73	83.54	-36.81	42.99	1	Horizontal	183	1.62	-	37.79	15.21	49.26			
AV	20.0647G	38.25	63.54	-25.29	34.48	1	Horizontal	183	1.62	-	37.80	15.22	49.25			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77058G	51.64	88.20	-36.56	41.43	3	Vertical	349	2.72	-	40.20	12.68	42.67			
AV	13.77005G	41.66	68.20	-26.54	31.45	3	Vertical	349	2.72	-	40.20	12.68	42.67			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76924G	51.71	88.20	-36.49	41.50	3	Horizontal	267	1.76	-	40.20	12.68	42.67			
AV	13.76962G	41.90	68.20	-26.30	31.69	3	Horizontal	267	1.76	-	40.20	12.68	42.67			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6504G	45.09	83.54	-38.45	40.55	1	Vertical	202	1.50	-	37.90	15.70	49.06			
AV	20.6174G	35.54	63.54	-28.00	31.05	1	Vertical	202	1.50	-	37.90	15.67	49.08			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6298G	45.11	83.54	-38.43	40.60	1	Horizontal	142	1.30	-	37.90	15.68	49.07			
AV	20.6415G	35.31	63.54	-28.23	30.79	1	Horizontal	142	1.30	-	37.90	15.69	49.07			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8492G	52.14	88.20	-36.06	41.85	3	Vertical	249	2.33	-	40.30	12.76	42.77			
RMS	13.84967G	41.52	68.20	-26.68	31.23	3	Vertical	249	2.33	-	40.30	12.76	42.77			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8503G	51.40	88.20	-36.80	41.11	3	Horizontal	321	1.94	-	40.30	12.77	42.78			
RMS	13.84939G	41.58	68.20	-26.62	31.29	3	Horizontal	321	1.94	-	40.30	12.76	42.77			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.8036G	45.61	83.54	-37.93	40.87	1	Vertical	179	1.61	-	37.90	15.82	48.98			
AV	20.7748G	36.92	63.54	-26.62	32.22	1	Vertical	179	1.61	-	37.90	15.80	49.00			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7611G	44.82	83.54	-38.72	40.13	1	Horizontal	67	1.98	-	37.90	15.79	49.00			
AV	20.7965G	35.40	63.54	-28.14	30.67	1	Horizontal	67	1.98	-	37.90	15.82	48.99			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0105G	52.23	88.20	-35.97	41.32	3	Vertical	334	1.99	-	40.92	12.94	42.95			
RMS	14.00966G	41.93	68.20	-26.27	31.03	3	Vertical	334	1.99	-	40.92	12.93	42.95			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0104G	52.21	88.20	-35.99	41.30	3	Horizontal	292	1.76	-	40.92	12.94	42.95			
RMS	14.00958G	42.03	68.20	-26.17	31.13	3	Horizontal	292	1.76	-	40.92	12.93	42.95			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9998G	45.44	83.54	-38.10	40.34	1	Vertical	197	1.58	-	38.00	15.98	48.88			
AV	21.0083G	35.99	63.54	-27.55	30.88	1	Vertical	197	1.58	-	38.00	15.99	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0244G	47.04	83.54	-36.50	41.92	1	Horizontal	168	1.55	-	38.00	16.00	48.88			
AV	21.0171G	37.93	63.54	-25.61	32.81	1	Horizontal	168	1.55	-	38.00	16.00	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 78
04-H-G-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0808G	112.75	Inf	-Inf	112.47	3	Vertical	37	2.37	-	35.48	7.23	42.43			
RMS	7.0806G	102.61	Inf	-Inf	102.33	3	Vertical	37	2.37	-	35.48	7.23	42.43			
PK	7.1256G	81.42	88.20	-6.78	80.94	3	Vertical	37	2.37	-	35.75	7.22	42.49			
RMS	7.1258G	68.14	68.20	-0.06	67.66	3	Vertical	37	2.37	-	35.75	7.22	42.49			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 78
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0756G	103.07	Inf	-Inf	102.81	3	Horizontal	306	2.07	-	35.45	7.23	42.42			
RMS	7.071G	92.10	Inf	-Inf	91.84	3	Horizontal	306	2.07	-	35.43	7.24	42.41			
PK	7.1272G	70.75	88.20	-17.45	70.27	3	Horizontal	306	2.07	-	35.76	7.22	42.50			
RMS	7.1256G	57.85	68.20	-10.35	57.37	3	Horizontal	306	2.07	-	35.75	7.22	42.49			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Z_2TX
Setting 78
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16911G	53.51	88.20	-34.69	41.54	3	Vertical	55	1.54	-	41.44	13.17	42.64			
RMS	14.16905G	43.78	68.20	-24.42	31.81	3	Vertical	55	1.54	-	41.44	13.17	42.64			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Z_2TX
Setting 78
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16935G	53.76	88.20	-34.44	41.79	3	Horizontal	120	2.95	-	41.44	13.17	42.64			
RMS	14.17024G	43.77	68.20	-24.43	31.80	3	Horizontal	120	2.95	-	41.44	13.17	42.64			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Z_2TX
Setting 78
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2578G	48.53	83.54	-35.01	43.16	1	Vertical	178	1.60	-	38.02	16.20	48.85			
AV	21.2645G	39.38	63.54	-24.16	34.00	1	Vertical	178	1.60	-	38.03	16.20	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 78
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.3044G	45.13	83.54	-38.41	39.64	1	Horizontal	254	1.50	-	38.10	16.23	48.84			
AV	21.2102G	35.49	63.54	-28.05	30.10	1	Horizontal	254	1.50	-	38.08	16.16	48.85			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 79
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	83.37	88.20	-4.83	88.40	3	Vertical	6	2.19	-	32.40	5.64	43.07			
RMS	5.9202G	68.10	68.20	-0.10	73.13	3	Vertical	6	2.19	-	32.40	5.64	43.07			
PK	5.9978G	113.12	Inf	-Inf	117.96	3	Vertical	6	2.19	-	32.50	5.69	43.03			
RMS	6.0002G	101.97	Inf	-Inf	106.81	3	Vertical	6	2.19	-	32.50	5.69	43.03			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 79
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	74.43	88.20	-13.77	79.46	3	Horizontal	308	2.02	-	32.40	5.64	43.07			
RMS	5.911G	58.16	68.20	-10.04	63.21	3	Horizontal	308	2.02	-	32.40	5.63	43.08			
PK	5.993G	104.04	Inf	-Inf	108.89	3	Horizontal	308	2.02	-	32.49	5.69	43.03			
RMS	5.9958G	94.13	Inf	-Inf	98.98	3	Horizontal	308	2.02	-	32.49	5.69	43.03			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 79
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97063G	49.08	74.00	-24.92	42.12	3	Vertical	311	1.08	-	39.04	10.83	42.91			
AV	11.97033G	39.04	54.00	-14.96	32.08	3	Vertical	311	1.08	-	39.04	10.83	42.91			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 79
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96993G	49.54	74.00	-24.46	42.58	3	Horizontal	335	2.05	-	39.04	10.83	42.91			
AV	11.97022G	39.44	54.00	-14.56	32.48	3	Horizontal	335	2.05	-	39.04	10.83	42.91			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44905G	48.83	74.00	-25.17	42.06	3	Vertical	28	2.47	-	38.51	11.31	43.05			
AV	12.45002G	38.50	54.00	-15.50	31.73	3	Vertical	28	2.47	-	38.50	11.32	43.05			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45042G	48.24	74.00	-25.76	41.47	3	Horizontal	135	2.75	-	38.50	11.32	43.05			
AV	12.45003G	38.74	54.00	-15.26	31.97	3	Horizontal	135	2.75	-	38.50	11.32	43.05			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7115G	45.82	83.54	-37.72	42.21	1	Vertical	331	1.50	-	37.90	15.25	49.54			
AV	18.6367G	35.58	63.54	-27.96	32.05	1	Vertical	331	1.50	-	37.87	15.25	49.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7224G	45.78	83.54	-37.76	42.16	1	Horizontal	240	1.52	-	37.90	15.25	49.53			
AV	18.6924G	35.27	63.54	-28.27	31.67	1	Horizontal	240	1.52	-	37.90	15.25	49.55			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76988G	49.69	88.20	-38.51	41.75	3	Vertical	311	1.42	-	39.02	11.65	42.73			
RMS	12.76979G	40.34	68.20	-27.86	32.40	3	Vertical	311	1.42	-	39.02	11.65	42.73			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76938G	49.53	88.20	-38.67	41.59	3	Horizontal	165	2.79	-	39.02	11.65	42.73			
RMS	12.76966G	39.91	68.20	-28.29	31.97	3	Horizontal	165	2.79	-	39.02	11.65	42.73			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1405G	48.56	83.54	-34.98	44.78	1	Vertical	179	1.56	-	38.00	15.22	49.44			
AV	19.2023G	40.12	63.54	-23.42	36.57	1	Vertical	179	1.56	-	37.81	15.22	49.48			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1424G	48.11	83.54	-35.43	44.33	1	Horizontal	190	1.64	-	38.00	15.22	49.44			
AV	19.1425G	39.78	63.54	-23.76	36.00	1	Horizontal	190	1.64	-	38.00	15.22	49.44			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.9298G	49.77	88.20	-38.43	41.13	3	Vertical	2	2.63	-	39.36	11.81	42.53			
RMS	12.93089G	39.74	68.20	-28.46	31.10	3	Vertical	2	2.63	-	39.36	11.81	42.53			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93018G	49.61	88.20	-38.59	40.97	3	Horizontal	53	2.70	-	39.36	11.81	42.53			
RMS	12.93057G	39.86	68.20	-28.34	31.22	3	Horizontal	53	2.70	-	39.36	11.81	42.53			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4425G	49.40	83.54	-34.14	46.11	1	Vertical	207	1.66	-	37.73	15.20	49.64			
AV	19.4449G	38.15	63.54	-25.39	34.87	1	Vertical	207	1.66	-	37.72	15.20	49.64			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3589G	51.21	83.54	-32.33	47.76	1	Horizontal	187	1.55	-	37.82	15.21	49.58			
AV	19.3822G	42.79	63.54	-20.75	39.32	1	Horizontal	187	1.55	-	37.86	15.21	49.60			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.08918G	50.58	88.20	-37.62	41.86	3	Vertical	10	1.28	-	39.16	11.98	42.42				
RMS	13.09017G	40.69	68.20	-27.51	31.97	3	Vertical	10	1.28	-	39.16	11.98	42.42				

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09042G	50.58	88.20	-37.62	41.86	3	Horizontal	167	2.46	-	39.16	11.98	42.42			
RMS	13.08938G	41.06	68.20	-27.14	32.34	3	Horizontal	167	2.46	-	39.16	11.98	42.42			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6312G	52.32	83.54	-31.22	49.00	1	Vertical	184	1.30	-	37.70	15.19	49.57			
AV	19.6223G	44.00	63.54	-19.54	40.69	1	Vertical	184	1.30	-	37.70	15.19	49.58			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61095G	47.59	83.54	-35.95	44.29	1	Horizontal	209	1.68	-	37.70	15.19	49.59			
AV	19.61835G	38.20	63.54	-25.34	34.89	1	Horizontal	209	1.68	-	37.70	15.19	49.58			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25001G	49.92	74.00	-24.08	40.96	3	Vertical	139	1.21	-	39.20	12.14	42.38			
AV	13.25041G	40.66	54.00	-13.34	31.70	3	Vertical	139	1.21	-	39.20	12.14	42.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25009G	50.64	74.00	-23.36	41.68	3	Horizontal	41	1.40	-	39.20	12.14	42.38			
AV	13.25047G	40.54	54.00	-13.46	31.58	3	Horizontal	41	1.40	-	39.20	12.14	42.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8552G	49.00	83.54	-34.54	45.51	1	Vertical	168	1.30	-	37.70	15.18	49.39			
AV	19.8622G	39.23	63.54	-24.31	35.73	1	Vertical	168	1.30	-	37.70	15.18	49.38			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.8651G	47.27	83.54	-36.27	43.77	1	Horizontal	175	1.83	-	37.70	15.18	49.38			
AV	19.875G	37.81	63.54	-25.73	34.30	1	Horizontal	175	1.83	-	37.70	15.18	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41018G	50.57	88.20	-37.63	40.76	3	Vertical	225	1.31	-	39.84	12.31	42.34			
RMS	13.40915G	41.00	68.20	-27.20	31.19	3	Vertical	225	1.31	-	39.84	12.31	42.34			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40994G	50.55	88.20	-37.65	40.74	3	Horizontal	114	2.70	-	39.84	12.31	42.34			
RMS	13.40904G	40.67	68.20	-27.53	30.86	3	Horizontal	114	2.70	-	39.84	12.31	42.34			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1521G	48.38	83.54	-35.16	44.52	1	Vertical	185	1.56	-	37.80	15.29	49.23			
AV	20.1624G	39.68	63.54	-23.86	35.81	1	Vertical	185	1.56	-	37.80	15.30	49.23			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1163G	47.33	83.54	-36.21	43.51	1	Horizontal	251	1.70	-	37.80	15.26	49.24			
AV	20.1125G	37.87	63.54	-25.67	34.05	1	Horizontal	251	1.70	-	37.80	15.26	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57058G	51.76	88.20	-36.44	41.47	3	Vertical	339	1.57	-	40.22	12.48	42.41			
RMS	13.57049G	41.83	68.20	-26.37	31.54	3	Vertical	339	1.57	-	40.22	12.48	42.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57088G	52.46	88.20	-35.74	42.17	3	Horizontal	311	1.87	-	40.22	12.48	42.41			
RMS	13.56961G	42.39	68.20	-25.81	32.11	3	Horizontal	311	1.87	-	40.22	12.47	42.41			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.377G	45.97	83.54	-37.57	41.81	1	Vertical	177	1.56	-	37.85	15.48	49.17			
AV	20.3529G	36.61	63.54	-26.93	32.44	1	Vertical	177	1.56	-	37.89	15.46	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3843G	45.66	83.54	-37.88	41.52	1	Horizontal	251	1.31	-	37.83	15.48	49.17			
AV	20.3742G	35.92	63.54	-27.62	31.77	1	Horizontal	251	1.31	-	37.85	15.47	49.17			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72921G	51.52	88.20	-36.68	41.34	3	Vertical	291	1.56	-	40.16	12.64	42.62			
RMS	13.72937G	41.76	68.20	-26.44	31.58	3	Vertical	291	1.56	-	40.16	12.64	42.62			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72976G	52.04	88.20	-36.16	41.86	3	Horizontal	64	2.86	-	40.16	12.64	42.62			
RMS	13.72969G	41.70	68.20	-26.50	31.52	3	Horizontal	64	2.86	-	40.16	12.64	42.62			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5788G	45.81	83.54	-37.73	41.37	1	Vertical	202	1.92	-	37.90	15.64	49.10			
AV	20.6251G	36.50	63.54	-27.04	31.99	1	Vertical	202	1.92	-	37.90	15.68	49.07			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5569G	46.50	83.54	-37.04	42.09	1	Horizontal	197	1.50	-	37.90	15.62	49.11			
AV	20.5379G	36.53	63.54	-27.01	32.14	1	Horizontal	197	1.50	-	37.90	15.61	49.12			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88928G	51.44	88.20	-36.76	40.85	3	Vertical	327	2.30	-	40.61	12.81	42.83			
RMS	13.89047G	41.67	68.20	-26.53	31.07	3	Vertical	327	2.30	-	40.62	12.81	42.83			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88992G	51.75	88.20	-36.45	41.15	3	Horizontal	353	2.86	-	40.62	12.81	42.83			
RMS	13.88975G	41.73	68.20	-26.47	31.13	3	Horizontal	353	2.86	-	40.62	12.81	42.83			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7953G	47.13	83.54	-36.41	42.40	1	Vertical	175	1.84	-	37.90	15.82	48.99			
AV	20.815G	37.46	63.54	-26.08	32.71	1	Vertical	175	1.84	-	37.90	15.83	48.98			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.79963G	46.73	83.54	-36.81	41.99	1	Horizontal	110	1.50	-	37.90	15.82	48.98			
AV	20.77483G	36.41	63.54	-27.13	31.71	1	Horizontal	110	1.50	-	37.90	15.80	49.00			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 84
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9978G	111.69	Inf	-Inf	111.65	3	Vertical	35	2.31	-	35.10	7.25	42.31			
RMS	6.995G	102.73	Inf	-Inf	102.72	3	Vertical	35	2.31	-	35.09	7.24	42.32			
PK	7.1266G	80.16	88.20	-8.04	79.67	3	Vertical	35	2.31	-	35.76	7.22	42.49			
RMS	7.125G	68.10	68.20	-0.10	67.62	3	Vertical	35	2.31	-	35.75	7.22	42.49			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 84
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9986G	108.00	Inf	-Inf	107.96	3	Horizontal	293	2.34	-	35.10	7.25	42.31			
RMS	6.9962G	98.07	Inf	-Inf	98.04	3	Horizontal	293	2.34	-	35.09	7.25	42.31			
PK	7.127G	74.47	88.20	-13.73	73.99	3	Horizontal	293	2.34	-	35.76	7.22	42.50			
RMS	7.1262G	61.90	68.20	-6.30	61.41	3	Horizontal	293	2.34	-	35.76	7.22	42.49			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 84
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04962G	52.98	88.20	-35.22	41.86	3	Vertical	95	2.92	-	41.00	12.99	42.87			
RMS	14.05053G	42.88	68.20	-25.32	31.75	3	Vertical	95	2.92	-	41.00	13.00	42.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
Setting 84
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04908G	52.37	88.20	-35.83	41.25	3	Horizontal	105	2.19	-	41.00	12.99	42.87			
RMS	14.04961G	42.58	68.20	-25.62	31.46	3	Horizontal	105	2.19	-	41.00	12.99	42.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
Setting 84
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0532G	47.40	83.54	-36.14	42.24	1	Vertical	210	1.82	-	38.00	16.03	48.87			
AV	21.0308G	37.62	63.54	-25.92	32.49	1	Vertical	210	1.82	-	38.00	16.01	48.88			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 84
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0549G	48.03	83.54	-35.51	42.87	1	Horizontal	173	1.64	-	38.00	16.03	48.87			
AV	21.0549G	38.29	63.54	-25.25	33.13	1	Horizontal	173	1.64	-	38.00	16.03	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 82
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	79.93	88.20	-8.27	84.98	3	Vertical	20	2.30	-	32.40	5.63	43.08			
RMS	5.9242G	67.98	68.20	-0.22	73.01	3	Vertical	20	2.30	-	32.40	5.64	43.07			
PK	6.0266G	110.07	Inf	-Inf	114.82	3	Vertical	20	2.30	-	32.55	5.72	43.02			
RMS	6.0538G	99.77	Inf	-Inf	104.45	3	Vertical	20	2.30	-	32.59	5.74	43.01			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 82
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	73.20	88.20	-15.00	78.23	3	Horizontal	308	1.96	-	32.40	5.64	43.07			
RMS	5.921G	58.16	68.20	-10.04	63.19	3	Horizontal	308	1.96	-	32.40	5.64	43.07			
PK	6.041G	101.75	Inf	-Inf	106.46	3	Horizontal	308	1.96	-	32.58	5.73	43.02			
RMS	6.0506G	91.80	Inf	-Inf	96.47	3	Horizontal	308	1.96	-	32.60	5.74	43.01			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 82
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04973G	49.01	74.00	-24.99	41.72	3	Vertical	357	1.68	-	39.30	10.90	42.91			
AV	12.05076G	39.46	54.00	-14.54	32.17	3	Vertical	357	1.68	-	39.30	10.90	42.91			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 82
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04972G	49.82	74.00	-24.18	42.53	3	Horizontal	303	1.70	-	39.30	10.90	42.91			
AV	12.05019G	39.36	54.00	-14.64	32.07	3	Horizontal	303	1.70	-	39.30	10.90	42.91			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 82
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.1178G	46.83	83.54	-36.71	43.42	1	Vertical	356	1.50	-	37.63	15.28	49.50			
AV	18.1169G	36.71	63.54	-26.83	33.30	1	Vertical	356	1.50	-	37.63	15.28	49.50			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 82
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.1G	46.19	83.54	-37.35	42.70	1	Horizontal	128	1.50	-	37.70	15.28	49.49			
AV	18.0948G	36.66	63.54	-26.88	33.20	1	Horizontal	128	1.50	-	37.67	15.28	49.49			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36953G	49.05	74.00	-24.95	41.98	3	Vertical	302	2.07	-	38.86	11.23	43.02			
AV	12.36961G	39.10	54.00	-14.90	32.03	3	Vertical	302	2.07	-	38.86	11.23	43.02			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37022G	48.65	74.00	-25.35	41.58	3	Horizontal	242	2.11	-	38.86	11.23	43.02			
AV	12.36903G	38.93	54.00	-15.07	31.86	3	Horizontal	242	2.11	-	38.86	11.23	43.02			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5428G	46.49	83.54	-37.05	43.08	1	Vertical	360	1.30	-	37.80	15.26	49.65			
AV	18.533G	37.11	63.54	-26.43	33.71	1	Vertical	360	1.30	-	37.80	15.26	49.66			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.50285G	46.43	83.54	-37.11	43.05	1	Horizontal	311	1.50	-	37.80	15.26	49.68			
AV	18.50465G	37.55	63.54	-25.99	34.17	1	Horizontal	311	1.50	-	37.80	15.26	49.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68965G	48.84	74.00	-25.16	41.31	3	Vertical	37	2.87	-	38.80	11.56	42.83			
AV	12.68927G	38.83	54.00	-15.17	31.30	3	Vertical	37	2.87	-	38.80	11.56	42.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68981G	49.02	74.00	-24.98	41.49	3	Horizontal	318	1.64	-	38.80	11.56	42.83			
AV	12.69069G	39.39	54.00	-14.61	31.86	3	Horizontal	318	1.64	-	38.80	11.56	42.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0052G	47.21	83.54	-36.33	43.33	1	Vertical	188	1.65	-	37.99	15.23	49.34			
AV	19.0049G	38.74	63.54	-24.80	34.86	1	Vertical	188	1.65	-	37.99	15.23	49.34			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0809G	47.47	83.54	-36.07	43.68	1	Horizontal	183	1.63	-	37.96	15.23	49.40			
AV	19.0449G	38.97	63.54	-24.57	35.20	1	Horizontal	183	1.63	-	37.91	15.23	49.37			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00998G	50.32	88.20	-37.88	41.70	3	Vertical	31	1.35	-	39.16	11.90	42.44			
RMS	13.0106G	40.50	68.20	-27.70	31.88	3	Vertical	31	1.35	-	39.16	11.90	42.44			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.01027G	50.15	88.20	-38.05	41.53	3	Horizontal	225	1.83	-	39.16	11.90	42.44				
RMS	13.01081G	40.50	68.20	-27.70	31.88	3	Horizontal	225	1.83	-	39.16	11.90	42.44				

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5263G	53.10	83.54	-30.44	49.81	1	Vertical	185	1.55	-	37.75	15.20	49.66			
AV	19.5275G	43.58	63.54	-19.96	40.30	1	Vertical	185	1.55	-	37.74	15.20	49.66			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42765G	54.01	83.54	-29.53	50.65	1	Horizontal	184	1.55	-	37.79	15.20	49.63			
AV	19.43225G	43.84	63.54	-19.70	40.50	1	Horizontal	184	1.55	-	37.77	15.20	49.63			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32971G	51.05	74.00	-22.95	41.60	3	Vertical	240	2.04	-	39.58	12.23	42.36			
AV	13.33004G	41.42	54.00	-12.58	31.97	3	Vertical	240	2.04	-	39.58	12.23	42.36			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33039G	51.19	74.00	-22.81	41.74	3	Horizontal	185	1.31	-	39.58	12.23	42.36			
AV	13.329G	41.27	54.00	-12.73	31.83	3	Horizontal	185	1.31	-	39.57	12.23	42.36			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9612G	49.50	83.54	-34.04	45.85	1	Vertical	210	1.57	-	37.78	15.17	49.30			
AV	19.9711G	39.79	63.54	-23.75	36.15	1	Vertical	210	1.57	-	37.76	15.17	49.29			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9585G	49.07	83.54	-34.47	45.42	1	Horizontal	170	1.31	-	37.78	15.17	49.30			
AV	19.9531G	38.73	63.54	-24.81	35.08	1	Horizontal	170	1.31	-	37.79	15.17	49.31			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Z_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65021G	52.80	88.20	-35.40	42.66	3	Vertical	23	1.88	-	40.10	12.56	42.52			
RMS	13.65059G	42.42	68.20	-25.78	32.28	3	Vertical	23	1.88	-	40.10	12.56	42.52			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Z_TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64935G	52.53	88.20	-35.67	42.38	3	Horizontal	254	1.76	-	40.10	12.56	42.51			
RMS	13.64902G	42.21	68.20	-25.99	32.06	3	Horizontal	254	1.76	-	40.10	12.56	42.51			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4642G	45.80	83.54	-37.74	41.50	1	Vertical	328	1.50	-	37.90	15.55	49.15			
AV	20.4684G	36.47	63.54	-27.07	32.17	1	Vertical	328	1.50	-	37.90	15.55	49.15			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4818G	45.79	83.54	-37.75	41.47	1	Horizontal	46	1.50	-	37.90	15.56	49.14			
AV	20.4368G	35.94	63.54	-27.60	31.70	1	Horizontal	46	1.50	-	37.87	15.53	49.16			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 83
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.925G	110.67	Inf	-Inf	111.04	3	Vertical	171	2.29	-	34.85	7.17	42.39			
RMS	6.96G	100.73	Inf	-Inf	100.85	3	Vertical	171	2.29	-	35.02	7.21	42.35			
PK	7.1315G	79.95	88.20	-8.25	79.44	3	Vertical	171	2.29	-	35.79	7.22	42.50			
RMS	7.1255G	68.10	68.20	-0.10	67.62	3	Vertical	171	2.29	-	35.75	7.22	42.49			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 83
04-H-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.921G	104.76	Inf	-Inf	105.17	3	Horizontal	294	2.28	-	34.83	7.16	42.40			
RMS	6.921G	94.18	Inf	-Inf	94.59	3	Horizontal	294	2.28	-	34.83	7.16	42.40			
PK	7.1315G	74.52	88.20	-13.68	74.01	3	Horizontal	294	2.28	-	35.79	7.22	42.50			
RMS	7.131G	60.78	68.20	-7.42	60.27	3	Horizontal	294	2.28	-	35.79	7.22	42.50			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 83
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9702G	51.63	88.20	-36.57	40.83	3	Vertical	254	2.79	-	40.84	12.89	42.93			
RMS	13.96931G	42.03	68.20	-26.17	31.23	3	Vertical	254	2.79	-	40.84	12.89	42.93			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 83
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9694G	52.65	88.20	-35.55	41.85	3	Horizontal	167	1.54	-	40.84	12.89	42.93			
RMS	13.97097G	41.57	68.20	-26.63	30.77	3	Horizontal	167	1.54	-	40.84	12.89	42.93			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
Setting 83
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9726G	48.68	83.54	-34.86	43.66	1	Vertical	183	1.53	-	37.95	15.96	48.89			
AV	20.955G	37.84	63.54	-25.70	32.88	1	Vertical	183	1.53	-	37.91	15.95	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
Setting 83
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9998G	47.71	83.54	-35.83	42.61	1	Horizontal	168	1.30	-	38.00	15.98	48.88			
AV	20.9985G	38.33	63.54	-25.21	33.23	1	Horizontal	168	1.30	-	38.00	15.98	48.88			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 85
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8298G	82.11	88.20	-6.09	87.46	3	Vertical	1	2.35	-	32.20	5.58	43.13			
RMS	5.9146G	67.71	68.20	-0.49	72.76	3	Vertical	1	2.35	-	32.40	5.63	43.08			
PK	6.2002G	108.58	Inf	-Inf	112.85	3	Vertical	1	2.35	-	32.80	5.89	42.96			
RMS	6.0698G	98.37	Inf	-Inf	103.06	3	Vertical	1	2.35	-	32.56	5.76	43.01			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 85
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	71.15	88.20	-17.05	76.18	3	Horizontal	130	1.80	-	32.40	5.64	43.07			
RMS	5.9146G	56.67	68.20	-11.53	61.72	3	Horizontal	130	1.80	-	32.40	5.63	43.08			
PK	6.1426G	99.10	Inf	-Inf	103.58	3	Horizontal	130	1.80	-	32.67	5.83	42.98			
RMS	6.1298G	87.88	Inf	-Inf	92.43	3	Horizontal	130	1.80	-	32.62	5.82	42.99			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 85
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.226G	56.23	74.00	-17.77	49.02	3	Vertical	12	1.80	-	39.10	11.08	42.97			
AV	12.18875G	46.19	54.00	-7.81	38.95	3	Vertical	12	1.80	-	39.15	11.05	42.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 85
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20995G	56.34	74.00	-17.66	49.14	3	Horizontal	270	2.22	-	39.10	11.07	42.97			
AV	12.2052G	46.00	54.00	-8.00	38.80	3	Horizontal	270	2.22	-	39.10	11.06	42.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 85
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30105G	46.38	83.54	-37.16	43.09	1	Vertical	186	1.09	-	37.60	15.27	49.58			
AV	18.32265G	33.95	63.54	-29.59	30.62	1	Vertical	186	1.09	-	37.65	15.27	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_TX
Setting 85
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31521G	46.43	83.54	-37.11	43.12	1	Horizontal	326	2.22	-	37.63	15.27	49.59			
AV	18.32271G	34.02	63.54	-29.52	30.69	1	Horizontal	326	2.22	-	37.65	15.27	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5085G	55.18	74.00	-18.82	48.36	3	Vertical	59	1.80	-	38.50	11.38	43.06			
AV	12.51175G	45.81	54.00	-8.19	38.99	3	Vertical	59	1.80	-	38.50	11.38	43.06			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.50122G	56.33	74.00	-17.67	49.53	3	Horizontal	240	1.80	-	38.50	11.37	43.07			
AV	12.49822G	45.74	54.00	-8.26	38.94	3	Horizontal	240	1.80	-	38.50	11.37	43.07			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.78981G	47.83	83.54	-35.71	44.17	1	Vertical	17	2.57	-	37.90	15.24	49.48			
AV	18.80751G	33.90	63.54	-29.64	30.21	1	Vertical	17	2.57	-	37.92	15.24	49.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.7803G	46.03	83.54	-37.51	42.38	1	Horizontal	78	3.00	-	37.90	15.24	49.49			
AV	18.782G	33.98	63.54	-29.56	30.33	1	Horizontal	78	3.00	-	37.90	15.24	49.49			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8344G	56.29	88.20	-31.91	47.96	3	Vertical	17	1.44	-	39.27	11.71	42.65			
RMS	12.83985G	46.69	68.20	-21.51	38.33	3	Vertical	17	1.44	-	39.28	11.72	42.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83645G	56.22	88.20	-31.98	47.88	3	Horizontal	58	1.39	-	39.27	11.72	42.65			
RMS	12.8374G	46.88	68.20	-21.32	38.53	3	Horizontal	58	1.39	-	39.27	11.72	42.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27119G	46.58	74.00	-27.42	42.97	1	Vertical	115	2.89	-	37.92	15.21	49.52			
AV	19.26507G	33.66	54.00	-20.34	30.03	1	Vertical	115	2.89	-	37.94	15.21	49.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.26744G	47.59	83.54	-35.95	43.97	1	Horizontal	346	1.34	-	37.93	15.21	49.52			
AV	19.26834G	33.65	63.54	-29.89	30.03	1	Horizontal	346	1.34	-	37.93	15.21	49.52			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16185G	56.64	88.20	-31.56	47.64	3	Vertical	236	2.21	-	39.35	12.05	42.40			
RMS	13.1642G	46.45	68.20	-21.75	37.46	3	Vertical	236	2.21	-	39.34	12.05	42.40			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1672G	56.91	88.20	-31.29	47.92	3	Horizontal	60	1.73	-	39.33	12.06	42.40			
RMS	13.16535G	46.49	68.20	-21.71	37.49	3	Horizontal	60	1.73	-	39.34	12.06	42.40			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.74156G	45.80	83.54	-37.74	42.39	1	Vertical	199	1.23	-	37.70	15.19	49.48			
AV	19.76079G	33.06	63.54	-30.48	29.65	1	Vertical	199	1.23	-	37.70	15.18	49.47			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.74711G	45.74	83.54	-37.80	42.33	1	Horizontal	9	2.04	-	37.70	15.19	49.48			
AV	19.7433G	33.18	63.54	-30.36	29.77	1	Horizontal	9	2.04	-	37.70	15.19	49.48			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5057G	57.98	88.20	-30.22	47.78	3	Vertical	92	2.35	-	40.12	12.41	42.33			
RMS	13.5005G	47.44	68.20	-20.76	37.26	3	Vertical	92	2.35	-	40.10	12.40	42.32			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Z_TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49405G	57.48	88.20	-30.72	47.31	3	Horizontal	3	1.74	-	40.09	12.40	42.32			
RMS	13.50745G	47.70	68.20	-20.50	37.49	3	Horizontal	3	1.74	-	40.13	12.41	42.33			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.22279G	46.27	83.54	-37.27	42.33	1	Vertical	169	2.38	-	37.80	15.35	49.21			
AV	20.23209G	33.22	63.54	-30.32	29.27	1	Vertical	169	2.38	-	37.80	15.36	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX

EUT_Z_2TX
Setting 108
04-H-M-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.24958G	46.01	83.54	-37.53	42.05	1	Horizontal	147	1.20	-	37.80	15.37	49.21			
AV	20.24851G	33.44	63.54	-30.10	29.48	1	Horizontal	147	1.20	-	37.80	15.37	49.21			