


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

6535MHz

13/11/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW



6695MHz

13/11/2024





6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
6875MHz

13/11/2024


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
6895MHz

13/11/2024





6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

6995MHz

13/11/2024





6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

7095MHz

13/11/2024





6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

6565MHz

13/11/2024





6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

6685MHz

13/11/2024





6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

6885MHz

13/11/2024





6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

6925MHz

13/11/2024





6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

7005MHz

13/11/2024





6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

7085MHz

13/11/2024





6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

6625MHz

13/11/2024





6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

6705MHz

13/11/2024





6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

6785MHz

13/11/2024





6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

6865MHz

13/11/2024





6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

6945MHz

13/11/2024





6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

7025MHz

13/11/2024





6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

6665MHz

13/11/2024





6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

6825MHz

13/11/2024





6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

6985MHz

13/11/2024





6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

EBW

6745MHz

13/11/2024





6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

EBW

6905MHz

13/11/2024



Test Mode: Mode 6
Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	21.56M	19.039M	19M0D1D	20.57M	18.901M
802.11be EHT40_Nss1,(MCS0)_2TX	40.48M	37.855M	37M9D1D	39.38M	37.605M
802.11be EHT80_Nss1,(MCS0)_2TX	81.4M	77.274M	77M3D1D	80.08M	76.889M
802.11be EHT160_Nss1,(MCS0)_2TX	164.12M	156.566M	157MD1D	161.92M	155.808M
802.11be EHT320_Nss1,(MCS0)_2TX	325.6M	315.659M	316MD1D	324.72M	314.794M
6.425-6.525GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	21.615M	19.113M	19M1D1D	21.065M	18.934M
802.11be EHT40_Nss1,(MCS0)_2TX	40.04M	37.856M	37M9D1D	39.38M	37.525M
802.11be EHT80_Nss1,(MCS0)_2TX	81.18M	77.39M	77M4D1D	80.52M	76.952M
802.11be EHT160_Nss1,(MCS0)_2TX	161.92M	156.827M	157MD1D	161.92M	156.607M
802.11be EHT320_Nss1,(MCS0)_2TX	325.6M	314.854M	315MD1D	323.84M	314.345M
6.525-6.875GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	21.065M	19.164M	19M2D1D	20.405M	18.951M
802.11be EHT40_Nss1,(MCS0)_2TX	39.49M	37.949M	37M9D1D	39.16M	37.488M
802.11be EHT80_Nss1,(MCS0)_2TX	82.06M	77.627M	77M6D1D	80.08M	76.913M
802.11be EHT160_Nss1,(MCS0)_2TX	162.8M	156.138M	156MD1D	161.92M	155.607M
802.11be EHT320_Nss1,(MCS0)_2TX	326.48M	315.616M	316MD1D	324.72M	314.965M
6.875-7.125GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	21.395M	19.025M	19M0D1D	20.68M	18.95M
802.11be EHT40_Nss1,(MCS0)_2TX	40.15M	37.85M	37M9D1D	39.49M	37.612M
802.11be EHT80_Nss1,(MCS0)_2TX	81.62M	77.422M	77M4D1D	80.08M	76.879M
802.11be EHT160_Nss1,(MCS0)_2TX	162.8M	156.092M	156MD1D	162.36M	155.22M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5955MHz	Pass	Inf	20.735M	18.901M	20.955M	18.928M
6195MHz	Pass	Inf	21.175M	19.039M	21.56M	18.937M
6415MHz	Pass	Inf	20.57M	18.994M	21.065M	18.952M
6435MHz	Pass	Inf	21.12M	19.003M	21.065M	18.934M
6475MHz	Pass	Inf	21.615M	19.113M	21.12M	19.023M
6515MHz	Pass	Inf	21.285M	19.012M	21.065M	18.979M
6535MHz	Pass	Inf	21.065M	18.981M	20.405M	18.986M
6695MHz	Pass	Inf	20.845M	19.164M	20.68M	18.951M
6875MHz	Pass	Inf	20.68M	18.967M	21.01M	18.987M
6895MHz	Pass	Inf	20.68M	19.006M	21.395M	19M
6995MHz	Pass	Inf	21.175M	18.95M	20.845M	19.02M
7095MHz	Pass	Inf	20.955M	19.025M	20.955M	18.97M
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5965MHz	Pass	Inf	39.6M	37.605M	39.93M	37.812M
6205MHz	Pass	Inf	39.82M	37.855M	39.38M	37.671M
6405MHz	Pass	Inf	40.48M	37.779M	40.26M	37.778M
6445MHz	Pass	Inf	40.04M	37.525M	40.04M	37.693M
6485MHz	Pass	Inf	39.71M	37.824M	39.6M	37.574M
6525MHz	Pass	Inf	39.49M	37.629M	39.38M	37.856M
6565MHz	Pass	Inf	39.27M	37.739M	39.49M	37.488M
6685MHz	Pass	Inf	39.27M	37.829M	39.16M	37.75M
6885MHz	Pass	Inf	39.27M	37.625M	39.38M	37.949M
6925MHz	Pass	Inf	39.82M	37.717M	39.6M	37.701M
7005MHz	Pass	Inf	39.49M	37.85M	39.49M	37.799M
7085MHz	Pass	Inf	40.04M	37.831M	40.15M	37.612M
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5985MHz	Pass	Inf	81.4M	76.931M	80.52M	77.017M
6225MHz	Pass	Inf	80.08M	76.889M	80.96M	77.268M
6385MHz	Pass	Inf	80.52M	77.274M	80.52M	76.971M
6465MHz	Pass	Inf	81.18M	77.004M	80.52M	76.992M
6545MHz	Pass	Inf	80.96M	76.952M	80.96M	77.39M
6625MHz	Pass	Inf	80.3M	77.204M	81.62M	76.913M
6705MHz	Pass	Inf	80.08M	77.312M	82.06M	77.042M
6785MHz	Pass	Inf	81.4M	77.627M	80.52M	77.071M
6865MHz	Pass	Inf	80.52M	77.172M	80.96M	77.166M
6945MHz	Pass	Inf	80.96M	77.422M	81.62M	77.298M
7025MHz	Pass	Inf	80.08M	77.277M	80.74M	76.879M
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6025MHz	Pass	Inf	162.36M	156.061M	162.8M	156.566M
6185MHz	Pass	Inf	163.68M	155.808M	161.92M	155.889M
6345MHz	Pass	Inf	164.12M	156.394M	161.92M	156.008M
6505MHz	Pass	Inf	161.92M	156.827M	161.92M	156.607M
6665MHz	Pass	Inf	162.36M	155.607M	161.92M	156.138M
6825MHz	Pass	Inf	161.92M	156.09M	162.8M	155.795M
6985MHz	Pass	Inf	162.36M	155.22M	162.8M	156.092M
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6105MHz	Pass	Inf	324.72M	315.659M	324.72M	315.443M
6265MHz	Pass	Inf	325.6M	315.228M	324.72M	315.435M
6425MHz	Pass	Inf	325.6M	314.794M	324.72M	314.963M
6585MHz	Pass	Inf	325.6M	314.854M	323.84M	314.345M
6745MHz	Pass	Inf	325.6M	315.397M	326.48M	315.209M
6905MHz	Pass	Inf	324.72M	314.965M	325.6M	315.616M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
5955MHz

14/11/2024



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
6195MHz

14/11/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
6415MHz

14/11/2024



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
6435MHz

14/11/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
6475MHz

14/11/2024



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
6515MHz

14/11/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
6535MHz

14/11/2024



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
6695MHz

14/11/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
6875MHz

14/11/2024



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
6895MHz

14/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
6995MHz

14/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
7095MHz

14/11/2024





5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
5965MHz

14/11/2024



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
6205MHz

14/11/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
6405MHz

14/11/2024



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
6445MHz

14/11/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
6485MHz

14/11/2024



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
6525MHz

14/11/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
6565MHz

14/11/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
6685MHz

14/11/2024





6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
6885MHz

14/11/2024


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX
EBW
6925MHz

14/11/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

7005MHz

14/11/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW


7085MHz

14/11/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
5985MHz

14/11/2024



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
6225MHz

14/11/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
6385MHz

14/11/2024


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
6465MHz

14/11/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

6545MHz

14/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW


6625MHz

14/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
6705MHz

14/11/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
6785MHz

14/11/2024





6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
6865MHz

14/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
6945MHz

14/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX
EBW
7025MHz

14/11/2024


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX
EBW
6025MHz

14/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

6185MHz

14/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW



6345MHz

14/11/2024





6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX
EBW
6505MHz

14/11/2024


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX
EBW
6665MHz

14/11/2024





6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

6825MHz

14/11/2024





6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

6985MHz

14/11/2024





5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW

6105MHz

14/11/2024





5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW

6265MHz

14/11/2024





5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW

6425MHz

22/11/2024





6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW

6585MHz

14/11/2024





6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW

6745MHz

14/11/2024





6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW

6905MHz

14/11/2024





Average Power

Appendix C.1

Test Mode: Mode 1
Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	11.02	0.01265	15.65	0.03673
802.11be EHT20-BF_Nss1,(MCS0)_4TX	11.02	0.01265	18.67	0.07362
802.11be EHT40_Nss1,(MCS0)_4TX	13.98	0.02500	18.61	0.07261
802.11be EHT40-BF_Nss1,(MCS0)_4TX	13.98	0.02500	21.63	0.14555
802.11be EHT80_Nss1,(MCS0)_4TX	16.67	0.04645	21.30	0.13490
802.11be EHT80-BF_Nss1,(MCS0)_4TX	16.67	0.04645	24.32	0.27040
802.11be EHT160_Nss1,(MCS0)_4TX	19.40	0.08710	24.03	0.25293
802.11be EHT160-BF_Nss1,(MCS0)_4TX	19.40	0.08710	27.05	0.50699
802.11be EHT320_Nss1,(MCS0)_4TX	21.85	0.15311	26.48	0.44463
802.11be EHT320-BF_Nss1,(MCS0)_4TX	21.85	0.15311	29.50	0.89125
6.425-6.525GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	11.94	0.01563	15.91	0.03899
802.11be EHT20-BF_Nss1,(MCS0)_4TX	11.94	0.01563	18.95	0.07852
802.11be EHT40_Nss1,(MCS0)_4TX	14.88	0.03076	18.85	0.07674
802.11be EHT40-BF_Nss1,(MCS0)_4TX	14.88	0.03076	21.89	0.15453
802.11be EHT80_Nss1,(MCS0)_4TX	17.67	0.05848	21.64	0.14588
802.11be EHT80-BF_Nss1,(MCS0)_4TX	17.67	0.05848	24.68	0.29376
802.11be EHT160_Nss1,(MCS0)_4TX	20.60	0.11482	24.57	0.28642
802.11be EHT160-BF_Nss1,(MCS0)_4TX	20.60	0.11482	27.61	0.57677
802.11be EHT320_Nss1,(MCS0)_4TX	23.24	0.21086	27.21	0.52602
802.11be EHT320-BF_Nss1,(MCS0)_4TX	22.97	0.19815	29.98	0.99541
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	12.44	0.01754	16.01	0.03990
802.11be EHT20-BF_Nss1,(MCS0)_4TX	12.44	0.01754	18.86	0.07691
802.11be EHT40_Nss1,(MCS0)_4TX	15.52	0.03565	19.09	0.08110
802.11be EHT40-BF_Nss1,(MCS0)_4TX	15.52	0.03565	21.94	0.15631
802.11be EHT80_Nss1,(MCS0)_4TX	18.31	0.06776	21.88	0.15417
802.11be EHT80-BF_Nss1,(MCS0)_4TX	18.31	0.06776	24.73	0.29717
802.11be EHT160_Nss1,(MCS0)_4TX	20.98	0.12531	24.55	0.28510
802.11be EHT160-BF_Nss1,(MCS0)_4TX	20.98	0.12531	27.40	0.54954
802.11be EHT320_Nss1,(MCS0)_4TX	23.25	0.21135	26.82	0.48084
802.11be EHT320-BF_Nss1,(MCS0)_4TX	23.25	0.21135	29.67	0.92683
6.875-7.125GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	11.73	0.01489	16.82	0.04808
802.11be EHT20-BF_Nss1,(MCS0)_4TX	11.73	0.01489	19.27	0.08453
802.11be EHT40_Nss1,(MCS0)_4TX	14.83	0.03041	19.92	0.09817
802.11be EHT40-BF_Nss1,(MCS0)_4TX	14.83	0.03041	22.37	0.17258
802.11be EHT80_Nss1,(MCS0)_4TX	17.20	0.05248	22.29	0.16943
802.11be EHT80-BF_Nss1,(MCS0)_4TX	17.20	0.05248	24.74	0.29785
802.11be EHT160_Nss1,(MCS0)_4TX	19.83	0.09616	24.92	0.31046
802.11be EHT160-BF_Nss1,(MCS0)_4TX	19.83	0.09616	27.37	0.54576

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	4.63	4.55	4.28	4.07	5.14	10.55	15.18	30.00
6195MHz	Pass	4.63	5.15	4.54	5.3	4.99	11.02	15.65	30.00
6415MHz	Pass	4.63	4.84	5.12	4.48	5.32	10.97	15.60	30.00
6435MHz	Pass	3.97	5.26	5.58	6.11	5.85	11.73	15.70	30.00
6475MHz	Pass	3.97	5.23	6	6.06	6.14	11.89	15.86	30.00
6515MHz	Pass	3.97	5.46	5.72	6.21	6.24	11.94	15.91	30.00
6535MHz	Pass	3.57	5.77	6.21	6.46	7.05	12.42	15.99	30.00
6695MHz	Pass	3.57	6.05	6.16	6.34	6.54	12.30	15.87	30.00
6875MHz	Pass	3.57	6.11	6.4	6.37	6.79	12.44	16.01	30.00
6895MHz	Pass	5.09	4.77	5.41	4.94	5.77	11.26	16.35	30.00
6995MHz	Pass	5.09	5.03	5.59	4.95	6.1	11.46	16.55	30.00
7095MHz	Pass	5.09	5.13	5.58	5.06	6.84	11.73	16.82	30.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	4.63	6.85	7.14	7.04	6.29	12.86	17.49	30.00
6205MHz	Pass	4.63	7.78	7.75	8.03	8.27	13.98	18.61	30.00
6405MHz	Pass	4.63	7.54	7.57	7.53	8.39	13.79	18.42	30.00
6445MHz	Pass	3.97	8.62	9.02	8.81	8.8	14.84	18.81	30.00
6485MHz	Pass	3.97	8.48	8.72	8.48	8.96	14.69	18.66	30.00
6525MHz	Pass	3.97	8.74	8.62	8.87	9.17	14.88	18.85	30.00
6565MHz	Pass	3.57	9.37	9.8	9.19	9.61	15.52	19.09	30.00
6685MHz	Pass	3.57	9	9.38	8.98	10.12	15.42	18.99	30.00
6885MHz	Pass	3.57	9.3	9.59	9.29	9.78	15.52	19.09	30.00
6925MHz	Pass	5.09	7.65	8.67	8.16	8.59	14.31	19.40	30.00
7005MHz	Pass	5.09	8.08	9.06	7.86	8.67	14.46	19.55	30.00
7085MHz	Pass	5.09	8.21	9.08	8.53	9.33	14.83	19.92	30.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	4.63	9.62	9.94	10.25	10.1	16.00	20.63	30.00
6225MHz	Pass	4.63	10.31	10.45	11.09	10.69	16.67	21.30	30.00
6385MHz	Pass	4.63	10.31	10.5	10.85	10.67	16.61	21.24	30.00
6465MHz	Pass	3.97	11.56	11.45	11.8	11.79	17.67	21.64	30.00
6545MHz	Pass	3.97	11.53	11.25	11.5	11.95	17.59	21.56	30.00
6625MHz	Pass	3.57	12.1	12.37	12.16	12.52	18.31	21.88	30.00
6705MHz	Pass	3.57	11.86	12.52	12.02	12.2	18.18	21.75	30.00
6785MHz	Pass	3.57	11.61	12.25	11.6	12.53	18.04	21.61	30.00
6865MHz	Pass	3.57	11.81	12.21	11.71	12.48	18.08	21.65	30.00
6945MHz	Pass	5.09	10.78	11.33	11.01	11.16	17.10	22.19	30.00
7025MHz	Pass	5.09	11.14	11.29	10.81	11.44	17.20	22.29	30.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	4.63	12.14	12.03	12.92	13.16	18.61	23.24	30.00
6185MHz	Pass	4.63	13.04	13.02	13.61	13.58	19.34	23.97	30.00
6345MHz	Pass	4.63	13.33	13.54	13.08	13.54	19.40	24.03	30.00
6505MHz	Pass	3.97	14.47	14.41	14.84	14.58	20.60	24.57	30.00
6665MHz	Pass	3.57	14.77	14.71	15.06	15.29	20.98	24.55	30.00
6825MHz	Pass	3.57	13.87	14.11	14.34	14.58	20.25	23.82	30.00
6985MHz	Pass	5.09	13.69	14	13.68	13.85	19.83	24.92	30.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	4.63	15.42	15.46	15.9	15.74	21.66	26.29	30.00
6265MHz	Pass	4.63	15.66	15.55	16.17	15.9	21.85	26.48	30.00
6585MHz	Pass	3.97	17.05	17.13	16.85	17.79	23.24	27.21	30.00
6745MHz	Pass	3.57	17.33	17.35	16.78	17.42	23.25	26.82	30.00
6905MHz	Pass	3.57	16.29	16.5	16.71	16.66	22.56	26.13	30.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.65	4.55	4.28	4.07	5.14	10.55	18.20	30.00
6195MHz	Pass	7.65	5.15	4.54	5.3	4.99	11.02	18.67	30.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6415MHz	Pass	7.65	4.84	5.12	4.48	5.32	10.97	18.62	30.00
6435MHz	Pass	7.01	5.26	5.58	6.11	5.85	11.73	18.74	30.00
6475MHz	Pass	7.01	5.23	6	6.06	6.14	11.89	18.90	30.00
6515MHz	Pass	7.01	5.46	5.72	6.21	6.24	11.94	18.95	30.00
6535MHz	Pass	6.42	5.77	6.21	6.46	7.05	12.42	18.84	30.00
6695MHz	Pass	6.42	6.05	6.16	6.34	6.54	12.30	18.72	30.00
6875MHz	Pass	6.42	6.11	6.4	6.37	6.79	12.44	18.86	30.00
6895MHz	Pass	7.54	4.77	5.41	4.94	5.77	11.26	18.80	30.00
6995MHz	Pass	7.54	5.03	5.59	4.95	6.1	11.46	19.00	30.00
7095MHz	Pass	7.54	5.13	5.58	5.06	6.84	11.73	19.27	30.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.65	6.85	7.14	7.04	6.29	12.86	20.51	30.00
6205MHz	Pass	7.65	7.78	7.75	8.03	8.27	13.98	21.63	30.00
6405MHz	Pass	7.65	7.54	7.57	7.53	8.39	13.79	21.44	30.00
6445MHz	Pass	7.01	8.62	9.02	8.81	8.8	14.84	21.85	30.00
6485MHz	Pass	7.01	8.48	8.72	8.48	8.96	14.69	21.70	30.00
6525MHz	Pass	7.01	8.74	8.62	8.87	9.17	14.88	21.89	30.00
6565MHz	Pass	6.42	9.37	9.8	9.19	9.61	15.52	21.94	30.00
6685MHz	Pass	6.42	9	9.38	8.98	10.12	15.42	21.84	30.00
6885MHz	Pass	6.42	9.3	9.59	9.29	9.78	15.52	21.94	30.00
6925MHz	Pass	7.54	7.65	8.67	8.16	8.59	14.31	21.85	30.00
7005MHz	Pass	7.54	8.08	9.06	7.86	8.67	14.46	22.00	30.00
7085MHz	Pass	7.54	8.21	9.08	8.53	9.33	14.83	22.37	30.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.65	9.62	9.94	10.25	10.1	16.00	23.65	30.00
6225MHz	Pass	7.65	10.31	10.45	11.09	10.69	16.67	24.32	30.00
6385MHz	Pass	7.65	10.31	10.5	10.85	10.67	16.61	24.26	30.00
6465MHz	Pass	7.01	11.56	11.45	11.8	11.79	17.67	24.68	30.00
6545MHz	Pass	7.01	11.53	11.25	11.5	11.95	17.59	24.60	30.00
6625MHz	Pass	6.42	12.1	12.37	12.16	12.52	18.31	24.73	30.00
6705MHz	Pass	6.42	11.86	12.52	12.02	12.2	18.18	24.60	30.00
6785MHz	Pass	6.42	11.61	12.25	11.6	12.53	18.04	24.46	30.00
6865MHz	Pass	6.42	11.81	12.21	11.71	12.48	18.08	24.50	30.00
6945MHz	Pass	7.54	10.78	11.33	11.01	11.16	17.10	24.64	30.00
7025MHz	Pass	7.54	11.14	11.29	10.81	11.44	17.20	24.74	30.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.65	12.14	12.03	12.92	13.16	18.61	26.26	30.00
6185MHz	Pass	7.65	13.04	13.02	13.61	13.58	19.34	26.99	30.00
6345MHz	Pass	7.65	13.33	13.54	13.08	13.54	19.40	27.05	30.00
6505MHz	Pass	7.01	14.47	14.41	14.84	14.58	20.60	27.61	30.00
6665MHz	Pass	6.42	14.77	14.71	15.06	15.29	20.98	27.40	30.00
6825MHz	Pass	6.42	13.87	14.11	14.34	14.58	20.25	26.67	30.00
6985MHz	Pass	7.54	13.69	14	13.68	13.85	19.83	27.37	30.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.65	15.42	15.46	15.9	15.74	21.66	29.31	30.00
6265MHz	Pass	7.65	15.66	15.55	16.17	15.9	21.85	29.50	30.00
6585MHz	Pass	7.01	16.64	16.83	16.71	17.56	22.97	29.98	30.00
6745MHz	Pass	6.42	17.33	17.35	16.78	17.42	23.25	29.67	30.00
6905MHz	Pass	6.42	16.29	16.5	16.71	16.66	22.56	28.98	30.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.



Test Mode: Mode 2

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	10.41	0.01099	15.14	0.03266
802.11be EHT20-BF_Nss1,(MCS0)_4TX	10.41	0.01099	19.25	0.08414
802.11be EHT40_Nss1,(MCS0)_4TX	13.44	0.02208	18.17	0.06561
802.11be EHT40-BF_Nss1,(MCS0)_4TX	13.44	0.02208	22.28	0.16904
802.11be EHT80_Nss1,(MCS0)_4TX	16.54	0.04508	21.27	0.13397
802.11be EHT80-BF_Nss1,(MCS0)_4TX	16.54	0.04508	25.38	0.34514
802.11be EHT160_Nss1,(MCS0)_4TX	18.94	0.07834	23.67	0.23281
802.11be EHT160-BF_Nss1,(MCS0)_4TX	18.94	0.07834	27.78	0.59979
802.11be EHT320_Nss1,(MCS0)_4TX	22.05	0.16032	26.78	0.47643
802.11be EHT320-BF_Nss1,(MCS0)_4TX	21.14	0.13002	29.98	0.99541
6.875-7.125GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	10.24	0.01057	15.09	0.03228
802.11be EHT20-BF_Nss1,(MCS0)_4TX	10.24	0.01057	19.33	0.08570
802.11be EHT40_Nss1,(MCS0)_4TX	13.11	0.02046	17.96	0.06252
802.11be EHT40-BF_Nss1,(MCS0)_4TX	13.11	0.02046	22.20	0.16596
802.11be EHT80_Nss1,(MCS0)_4TX	15.90	0.03890	20.75	0.11885
802.11be EHT80-BF_Nss1,(MCS0)_4TX	15.90	0.03890	24.99	0.31550
802.11be EHT160_Nss1,(MCS0)_4TX	18.84	0.07656	23.69	0.23388
802.11be EHT160-BF_Nss1,(MCS0)_4TX	18.84	0.07656	27.93	0.62087

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6535MHz	Pass	4.73	4.00	4.25	4.42	4.45	10.30	15.03	30.00
6695MHz	Pass	4.73	3.70	4.32	3.97	4.41	10.13	14.86	30.00
6875MHz	Pass	4.73	4.15	4.65	4.43	4.30	10.41	15.14	30.00
6895MHz	Pass	4.85	3.76	4.20	4.44	4.44	10.24	15.09	30.00
6995MHz	Pass	4.85	3.88	3.63	4.64	4.11	10.10	14.95	30.00
7095MHz	Pass	4.85	3.45	3.61	4.64	4.62	10.14	14.99	30.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6565MHz	Pass	4.73	6.62	7.32	7.46	7.32	13.21	17.94	30.00
6685MHz	Pass	4.73	6.61	7.45	7.75	7.26	13.31	18.04	30.00
6885MHz	Pass	4.73	7.20	7.24	7.49	7.73	13.44	18.17	30.00
6925MHz	Pass	4.85	6.93	7.44	7.08	6.89	13.11	17.96	30.00
7005MHz	Pass	4.85	7.18	7.03	6.97	6.45	12.94	17.79	30.00
7085MHz	Pass	4.85	6.79	6.66	7.09	7.12	12.94	17.79	30.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.73	9.34	10.06	9.84	9.82	15.79	20.52	30.00
6705MHz	Pass	4.73	9.44	10.51	10.65	9.98	16.19	20.92	30.00
6785MHz	Pass	4.73	9.37	9.99	10.47	9.99	15.99	20.72	30.00
6865MHz	Pass	4.73	10.27	10.57	10.62	10.62	16.54	21.27	30.00
6945MHz	Pass	4.85	9.67	9.89	10.25	9.68	15.90	20.75	30.00
7025MHz	Pass	4.85	9.43	9.81	10.00	9.67	15.75	20.60	30.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.73	12.84	12.90	12.97	12.57	18.84	23.57	30.00
6825MHz	Pass	4.73	12.71	12.94	13.01	13.03	18.94	23.67	30.00
6985MHz	Pass	4.85	12.58	12.86	12.71	13.12	18.84	23.69	30.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6745MHz	Pass	4.73	15.61	15.73	15.44	15.52	21.60	26.33	30.00
6905MHz	Pass	4.73	15.95	16.08	15.56	16.49	22.05	26.78	30.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6535MHz	Pass	8.84	4.00	4.25	4.42	4.45	10.30	19.14	30.00
6695MHz	Pass	8.84	3.70	4.32	3.97	4.41	10.13	18.97	30.00
6875MHz	Pass	8.84	4.15	4.65	4.43	4.30	10.41	19.25	30.00
6895MHz	Pass	9.09	3.76	4.20	4.44	4.44	10.24	19.33	30.00
6995MHz	Pass	9.09	3.88	3.63	4.64	4.11	10.10	19.19	30.00
7095MHz	Pass	9.09	3.45	3.61	4.64	4.62	10.14	19.23	30.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6565MHz	Pass	8.84	6.62	7.32	7.46	7.32	13.21	22.05	30.00
6685MHz	Pass	8.84	6.61	7.45	7.75	7.26	13.31	22.15	30.00
6885MHz	Pass	8.84	7.20	7.24	7.49	7.73	13.44	22.28	30.00
6925MHz	Pass	9.09	6.93	7.44	7.08	6.89	13.11	22.20	30.00
7005MHz	Pass	9.09	7.18	7.03	6.97	6.45	12.94	22.03	30.00
7085MHz	Pass	9.09	6.79	6.66	7.09	7.12	12.94	22.03	30.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	8.84	9.34	10.06	9.84	9.82	15.79	24.63	30.00
6705MHz	Pass	8.84	9.44	10.51	10.65	9.98	16.19	25.03	30.00
6785MHz	Pass	8.84	9.37	9.99	10.47	9.99	15.99	24.83	30.00
6865MHz	Pass	8.84	10.27	10.57	10.62	10.62	16.54	25.38	30.00
6945MHz	Pass	9.09	9.67	9.89	10.25	9.68	15.90	24.99	30.00
7025MHz	Pass	9.09	9.43	9.81	10.00	9.67	15.75	24.84	30.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	8.84	12.84	12.90	12.97	12.57	18.84	27.68	30.00
6825MHz	Pass	8.84	12.71	12.94	13.01	13.03	18.94	27.78	30.00
6985MHz	Pass	9.09	12.58	12.86	12.71	13.12	18.84	27.93	30.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6745MHz	Pass	8.84	14.96	15.13	14.75	14.92	20.96	29.80	30.00



Average Power

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6905MHz	Pass	8.84	15.13	15.05	14.81	15.47	21.14	29.98	30.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 3

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	12.69	0.01858	17.59	0.05741
802.11be EHT40_Nss1,(MCS0)_2TX	15.57	0.03606	20.47	0.11143
802.11be EHT80_Nss1,(MCS0)_2TX	18.67	0.07362	23.57	0.22751
802.11be EHT160_Nss1,(MCS0)_2TX	21.18	0.13122	26.08	0.40551
802.11be EHT320_Nss1,(MCS0)_2TX	23.93	0.24717	28.83	0.76384
6.425-6.525GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	13.74	0.02366	18.46	0.07015
802.11be EHT40_Nss1,(MCS0)_2TX	16.60	0.04571	21.32	0.13552
802.11be EHT80_Nss1,(MCS0)_2TX	19.22	0.08356	23.94	0.24774
802.11be EHT160_Nss1,(MCS0)_2TX	21.59	0.14421	26.31	0.42756
802.11be EHT320_Nss1,(MCS0)_2TX	24.14	0.25942	28.86	0.76913
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	14.04	0.02535	18.77	0.07534
802.11be EHT40_Nss1,(MCS0)_2TX	16.93	0.04932	21.66	0.14655
802.11be EHT80_Nss1,(MCS0)_2TX	19.67	0.09268	24.40	0.27542
802.11be EHT160_Nss1,(MCS0)_2TX	21.87	0.15382	26.60	0.45709
802.11be EHT320_Nss1,(MCS0)_2TX	24.38	0.27416	29.11	0.81470
6.875-7.125GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	14.08	0.02559	18.70	0.07413
802.11be EHT40_Nss1,(MCS0)_2TX	16.99	0.05000	21.61	0.14488
802.11be EHT80_Nss1,(MCS0)_2TX	19.79	0.09528	24.41	0.27606
802.11be EHT160_Nss1,(MCS0)_2TX	22.24	0.16749	26.86	0.48529

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	4.90	9.34	9.95	12.67	17.57	30.00
6195MHz	Pass	4.90	9.30	9.79	12.56	17.46	30.00
6415MHz	Pass	4.90	9.88	9.47	12.69	17.59	30.00
6435MHz	Pass	4.72	10.39	10.61	13.51	18.23	30.00
6475MHz	Pass	4.72	10.72	10.73	13.74	18.46	30.00
6515MHz	Pass	4.72	10.52	10.74	13.64	18.36	30.00
6535MHz	Pass	4.73	11.00	11.06	14.04	18.77	30.00
6695MHz	Pass	4.73	10.80	10.93	13.88	18.61	30.00
6875MHz	Pass	4.73	10.89	10.93	13.92	18.65	30.00
6895MHz	Pass	4.62	10.86	11.09	13.99	18.61	30.00
6995MHz	Pass	4.62	10.85	11.07	13.97	18.59	30.00
7095MHz	Pass	4.62	10.75	11.37	14.08	18.70	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	4.90	12.17	12.85	15.53	20.43	30.00
6205MHz	Pass	4.90	12.49	12.63	15.57	20.47	30.00
6405MHz	Pass	4.90	12.59	12.46	15.54	20.44	30.00
6445MHz	Pass	4.72	13.37	13.25	16.32	21.04	30.00
6485MHz	Pass	4.72	13.66	13.52	16.60	21.32	30.00
6525MHz	Pass	4.72	13.39	13.22	16.32	21.04	30.00
6565MHz	Pass	4.73	13.79	13.85	16.83	21.56	30.00
6685MHz	Pass	4.73	13.70	13.82	16.77	21.50	30.00
6885MHz	Pass	4.73	13.67	14.15	16.93	21.66	30.00
6925MHz	Pass	4.62	13.94	14.01	16.99	21.61	30.00
7005MHz	Pass	4.62	13.80	13.71	16.77	21.39	30.00
7085MHz	Pass	4.62	13.87	13.85	16.87	21.49	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	4.90	14.75	15.58	18.20	23.10	30.00
6225MHz	Pass	4.90	15.41	15.76	18.60	23.50	30.00
6385MHz	Pass	4.90	15.41	15.90	18.67	23.57	30.00
6465MHz	Pass	4.72	16.04	16.11	19.09	23.81	30.00
6545MHz	Pass	4.72	16.29	16.13	19.22	23.94	30.00
6625MHz	Pass	4.73	16.57	16.60	19.60	24.33	30.00
6705MHz	Pass	4.73	16.61	16.60	19.62	24.35	30.00
6785MHz	Pass	4.73	16.57	16.34	19.47	24.20	30.00
6865MHz	Pass	4.73	16.52	16.80	19.67	24.40	30.00
6945MHz	Pass	4.62	16.62	16.93	19.79	24.41	30.00
7025MHz	Pass	4.62	16.72	16.78	19.76	24.38	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	4.90	17.95	18.34	21.16	26.06	30.00
6185MHz	Pass	4.90	17.57	18.13	20.87	25.77	30.00
6345MHz	Pass	4.90	18.05	18.28	21.18	26.08	30.00
6505MHz	Pass	4.72	18.57	18.59	21.59	26.31	30.00
6665MHz	Pass	4.73	19.05	18.67	21.87	26.60	30.00
6825MHz	Pass	4.73	18.69	19.02	21.87	26.60	30.00
6985MHz	Pass	4.62	19.01	19.43	22.24	26.86	30.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	4.90	20.53	21.08	23.82	28.72	30.00
6265MHz	Pass	4.90	20.72	21.11	23.93	28.83	30.00
6425MHz	Pass	4.90	20.59	20.87	23.74	28.64	30.00
6585MHz	Pass	4.72	21.19	21.06	24.14	28.86	30.00
6745MHz	Pass	4.73	20.96	21.74	24.38	29.11	30.00
6905MHz	Pass	4.73	20.98	21.62	24.32	29.05	30.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

**Test Mode: Mode 4
Summary**

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	9.04	0.00802	16.90	0.04898
802.11be EHT20-BF_Nss1,(MCS0)_4TX	9.04	0.00802	19.18	0.08279
802.11be EHT40_Nss1,(MCS0)_4TX	11.65	0.01462	19.51	0.08933
802.11be EHT40-BF_Nss1,(MCS0)_4TX	11.65	0.01462	21.79	0.15101
802.11be EHT80_Nss1,(MCS0)_4TX	14.58	0.02871	22.44	0.17539
802.11be EHT80-BF_Nss1,(MCS0)_4TX	14.58	0.02871	24.72	0.29648
802.11be EHT160_Nss1,(MCS0)_4TX	17.45	0.05559	25.31	0.33963
802.11be EHT160-BF_Nss1,(MCS0)_4TX	17.45	0.05559	27.59	0.57412
802.11be EHT320_Nss1,(MCS0)_4TX	20.15	0.10351	28.01	0.63241
802.11be EHT320-BF_Nss1,(MCS0)_4TX	19.80	0.09550	29.94	0.98628
6.425-6.525GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	8.66	0.00735	16.65	0.04624
802.11be EHT20-BF_Nss1,(MCS0)_4TX	8.66	0.00735	19.08	0.08091
802.11be EHT40_Nss1,(MCS0)_4TX	11.63	0.01455	19.62	0.09162
802.11be EHT40-BF_Nss1,(MCS0)_4TX	11.63	0.01455	22.05	0.16032
802.11be EHT80_Nss1,(MCS0)_4TX	14.53	0.02838	22.52	0.17865
802.11be EHT80-BF_Nss1,(MCS0)_4TX	14.53	0.02838	24.95	0.31261
802.11be EHT160_Nss1,(MCS0)_4TX	17.38	0.05470	25.37	0.34435
802.11be EHT160-BF_Nss1,(MCS0)_4TX	17.38	0.05470	27.80	0.60256
802.11be EHT320_Nss1,(MCS0)_4TX	20.23	0.10544	28.22	0.66374
802.11be EHT320-BF_Nss1,(MCS0)_4TX	19.40	0.08710	29.82	0.95940
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	9.49	0.00889	16.53	0.04498
802.11be EHT20-BF_Nss1,(MCS0)_4TX	9.49	0.00889	19.21	0.08337
802.11be EHT40_Nss1,(MCS0)_4TX	12.47	0.01766	19.51	0.08933
802.11be EHT40-BF_Nss1,(MCS0)_4TX	12.47	0.01766	22.19	0.16558
802.11be EHT80_Nss1,(MCS0)_4TX	15.41	0.03475	22.45	0.17579
802.11be EHT80-BF_Nss1,(MCS0)_4TX	15.41	0.03475	25.13	0.32584
802.11be EHT160_Nss1,(MCS0)_4TX	18.10	0.06457	25.14	0.32659
802.11be EHT160-BF_Nss1,(MCS0)_4TX	18.10	0.06457	27.82	0.60534
802.11be EHT320_Nss1,(MCS0)_4TX	20.22	0.10520	27.26	0.53211
802.11be EHT320-BF_Nss1,(MCS0)_4TX	20.22	0.10520	29.94	0.98628
6.875-7.125GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	8.43	0.00697	16.72	0.04699
802.11be EHT20-BF_Nss1,(MCS0)_4TX	8.43	0.00697	19.19	0.08299
802.11be EHT40_Nss1,(MCS0)_4TX	11.48	0.01406	19.77	0.09484
802.11be EHT40-BF_Nss1,(MCS0)_4TX	11.48	0.01406	22.24	0.16749
802.11be EHT80_Nss1,(MCS0)_4TX	14.22	0.02642	22.51	0.17824
802.11be EHT80-BF_Nss1,(MCS0)_4TX	14.22	0.02642	24.98	0.31477
802.11be EHT160_Nss1,(MCS0)_4TX	17.17	0.05212	25.46	0.35156
802.11be EHT160-BF_Nss1,(MCS0)_4TX	17.17	0.05212	27.93	0.62087

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.86	2.05	1.97	1.60	2.09	7.95	15.81	30.00
6195MHz	Pass	7.86	3.10	2.77	3.29	2.90	9.04	16.90	30.00
6415MHz	Pass	7.86	3.38	2.02	2.43	2.54	8.64	16.50	30.00
6435MHz	Pass	7.99	2.53	2.86	2.53	2.63	8.66	16.65	30.00
6475MHz	Pass	7.99	2.46	2.77	2.42	2.18	8.48	16.47	30.00
6515MHz	Pass	7.99	2.32	2.88	2.63	2.63	8.64	16.63	30.00
6535MHz	Pass	7.04	2.81	3.78	3.52	3.05	9.33	16.37	30.00
6695MHz	Pass	7.04	3.02	3.28	3.63	3.77	9.46	16.50	30.00
6875MHz	Pass	7.04	2.96	3.80	3.61	3.48	9.49	16.53	30.00
6895MHz	Pass	8.29	2.00	3.10	2.33	2.13	8.43	16.72	30.00
6995MHz	Pass	8.29	1.99	2.72	1.74	3.01	8.42	16.71	30.00
7095MHz	Pass	8.29	1.71	2.55	1.98	2.58	8.24	16.53	30.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.86	4.55	4.94	4.74	4.56	10.72	18.58	30.00
6205MHz	Pass	7.86	5.70	5.04	5.92	5.68	11.62	19.48	30.00
6405MHz	Pass	7.86	5.90	6.06	5.12	5.39	11.65	19.51	30.00
6445MHz	Pass	7.99	5.18	5.67	5.49	5.04	11.37	19.36	30.00
6485MHz	Pass	7.99	5.47	5.57	5.91	5.48	11.63	19.62	30.00
6525MHz	Pass	7.99	5.26	5.65	5.75	5.19	11.49	19.48	30.00
6565MHz	Pass	7.04	5.95	6.33	6.40	5.94	12.18	19.22	30.00
6685MHz	Pass	7.04	5.63	6.40	5.99	6.50	12.16	19.20	30.00
6885MHz	Pass	7.04	6.16	6.72	6.72	6.16	12.47	19.51	30.00
6925MHz	Pass	8.29	4.60	5.51	5.21	5.73	11.30	19.59	30.00
7005MHz	Pass	8.29	4.52	5.63	4.89	5.29	11.12	19.41	30.00
7085MHz	Pass	8.29	5.11	5.59	5.48	5.62	11.48	19.77	30.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.86	8.59	7.42	8.28	7.24	13.94	21.80	30.00
6225MHz	Pass	7.86	8.69	7.85	9.30	8.19	14.56	22.42	30.00
6385MHz	Pass	7.86	8.69	8.16	8.89	8.46	14.58	22.44	30.00
6465MHz	Pass	7.99	7.66	8.20	8.62	8.22	14.21	22.20	30.00
6545MHz	Pass	7.99	8.35	8.35	8.87	8.45	14.53	22.52	30.00
6625MHz	Pass	7.04	8.40	9.42	9.05	8.99	15.00	22.04	30.00
6705MHz	Pass	7.04	8.42	9.45	8.92	8.68	14.90	21.94	30.00
6785MHz	Pass	7.04	8.75	9.42	9.30	9.11	15.17	22.21	30.00
6865MHz	Pass	7.04	8.32	9.96	9.56	9.56	15.41	22.45	30.00
6945MHz	Pass	8.29	8.15	8.30	7.96	8.37	14.22	22.51	30.00
7025MHz	Pass	8.29	7.76	8.04	8.06	8.07	14.00	22.29	30.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.86	10.22	10.18	10.52	10.71	16.43	24.29	30.00
6185MHz	Pass	7.86	11.66	10.96	11.74	11.28	17.44	25.30	30.00
6345MHz	Pass	7.86	11.75	11.37	11.35	11.25	17.45	25.31	30.00
6505MHz	Pass	7.99	11.11	11.38	11.80	11.13	17.38	25.37	30.00
6665MHz	Pass	7.04	11.69	12.19	12.18	12.25	18.10	25.14	30.00
6825MHz	Pass	7.04	10.73	11.29	11.62	11.12	17.22	24.26	30.00
6985MHz	Pass	8.29	10.52	11.55	11.32	11.16	17.17	25.46	30.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.86	14.18	13.00	14.00	13.74	19.77	27.63	30.00
6265MHz	Pass	7.86	14.21	13.74	14.42	14.10	20.15	28.01	30.00
6585MHz	Pass	7.99	13.97	13.94	14.40	14.50	20.23	28.22	30.00
6745MHz	Pass	7.04	14.04	14.20	14.33	14.21	20.22	27.26	30.00
6905MHz	Pass	7.04	13.38	13.67	13.95	13.94	19.76	26.80	30.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	10.14	2.05	1.97	1.60	2.09	7.95	18.09	30.00
6195MHz	Pass	10.14	3.10	2.77	3.29	2.90	9.04	19.18	30.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6415MHz	Pass	10.14	3.38	2.02	2.43	2.54	8.64	18.78	30.00
6435MHz	Pass	10.42	2.53	2.86	2.53	2.63	8.66	19.08	30.00
6475MHz	Pass	10.42	2.46	2.77	2.42	2.18	8.48	18.90	30.00
6515MHz	Pass	10.42	2.32	2.88	2.63	2.63	8.64	19.06	30.00
6535MHz	Pass	9.72	2.81	3.78	3.52	3.05	9.33	19.05	30.00
6695MHz	Pass	9.72	3.02	3.28	3.63	3.77	9.46	19.18	30.00
6875MHz	Pass	9.72	2.96	3.80	3.61	3.48	9.49	19.21	30.00
6895MHz	Pass	10.76	2.00	3.10	2.33	2.13	8.43	19.19	30.00
6995MHz	Pass	10.76	1.99	2.72	1.74	3.01	8.42	19.18	30.00
7095MHz	Pass	10.76	1.71	2.55	1.98	2.58	8.24	19.00	30.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	10.14	4.55	4.94	4.74	4.56	10.72	20.86	30.00
6205MHz	Pass	10.14	5.70	5.04	5.92	5.68	11.62	21.76	30.00
6405MHz	Pass	10.14	5.90	6.06	5.12	5.39	11.65	21.79	30.00
6445MHz	Pass	10.42	5.18	5.67	5.49	5.04	11.37	21.79	30.00
6485MHz	Pass	10.42	5.47	5.57	5.91	5.48	11.63	22.05	30.00
6525MHz	Pass	10.42	5.26	5.65	5.75	5.19	11.49	21.91	30.00
6565MHz	Pass	9.72	5.95	6.33	6.40	5.94	12.18	21.90	30.00
6685MHz	Pass	9.72	5.63	6.40	5.99	6.50	12.16	21.88	30.00
6885MHz	Pass	9.72	6.16	6.72	6.72	6.16	12.47	22.19	30.00
6925MHz	Pass	10.76	4.60	5.51	5.21	5.73	11.30	22.06	30.00
7005MHz	Pass	10.76	4.52	5.63	4.89	5.29	11.12	21.88	30.00
7085MHz	Pass	10.76	5.11	5.59	5.48	5.62	11.48	22.24	30.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	10.14	8.59	7.42	8.28	7.24	13.94	24.08	30.00
6225MHz	Pass	10.14	8.69	7.85	9.30	8.19	14.56	24.70	30.00
6385MHz	Pass	10.14	8.69	8.16	8.89	8.46	14.58	24.72	30.00
6465MHz	Pass	10.42	7.66	8.20	8.62	8.22	14.21	24.63	30.00
6545MHz	Pass	10.42	8.35	8.35	8.87	8.45	14.53	24.95	30.00
6625MHz	Pass	9.72	8.40	9.42	9.05	8.99	15.00	24.72	30.00
6705MHz	Pass	9.72	8.42	9.45	8.92	8.68	14.90	24.62	30.00
6785MHz	Pass	9.72	8.75	9.42	9.30	9.11	15.17	24.89	30.00
6865MHz	Pass	9.72	8.32	9.96	9.56	9.56	15.41	25.13	30.00
6945MHz	Pass	10.76	8.15	8.30	7.96	8.37	14.22	24.98	30.00
7025MHz	Pass	10.76	7.76	8.04	8.06	8.07	14.00	24.76	30.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	10.14	10.22	10.18	10.52	10.71	16.43	26.57	30.00
6185MHz	Pass	10.14	11.66	10.96	11.74	11.28	17.44	27.58	30.00
6345MHz	Pass	10.14	11.75	11.37	11.35	11.25	17.45	27.59	30.00
6505MHz	Pass	10.42	11.11	11.38	11.80	11.13	17.38	27.80	30.00
6665MHz	Pass	9.72	11.69	12.19	12.18	12.25	18.10	27.82	30.00
6825MHz	Pass	9.72	10.73	11.29	11.62	11.12	17.22	26.94	30.00
6985MHz	Pass	10.76	10.52	11.55	11.32	11.16	17.17	27.93	30.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	10.14	14.18	13.00	14.00	13.74	19.77	29.91	30.00
6265MHz	Pass	10.14	13.25	14.02	14.07	13.72	19.80	29.94	30.00
6585MHz	Pass	10.42	12.80	13.39	13.62	13.67	19.40	29.82	30.00
6745MHz	Pass	9.72	14.04	14.20	14.33	14.21	20.22	29.94	30.00
6905MHz	Pass	9.72	13.38	13.67	13.95	13.94	19.76	29.48	30.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.



Test Mode: Mode 5

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	7.92	0.00619	15.67	0.03690
802.11be EHT20-BF_Nss1,(MCS0)_4TX	7.92	0.00619	18.54	0.07145
802.11be EHT40_Nss1,(MCS0)_4TX	10.75	0.01189	18.50	0.07079
802.11be EHT40-BF_Nss1,(MCS0)_4TX	10.75	0.01189	21.37	0.13709
802.11be EHT80_Nss1,(MCS0)_4TX	13.74	0.02366	21.49	0.14093
802.11be EHT80-BF_Nss1,(MCS0)_4TX	13.74	0.02366	24.36	0.27290
802.11be EHT160_Nss1,(MCS0)_4TX	16.30	0.04266	24.05	0.25410
802.11be EHT160-BF_Nss1,(MCS0)_4TX	16.30	0.04266	26.92	0.49204
802.11be EHT320_Nss1,(MCS0)_4TX	19.20	0.08318	26.95	0.49545
802.11be EHT320-BF_Nss1,(MCS0)_4TX	19.20	0.08318	29.82	0.95940
6.875-7.125GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	7.74	0.00594	16.10	0.04074
802.11be EHT20-BF_Nss1,(MCS0)_4TX	7.74	0.00594	18.54	0.07145
802.11be EHT40_Nss1,(MCS0)_4TX	10.43	0.01104	18.79	0.07568
802.11be EHT40-BF_Nss1,(MCS0)_4TX	10.43	0.01104	21.23	0.13274
802.11be EHT80_Nss1,(MCS0)_4TX	13.49	0.02234	21.85	0.15311
802.11be EHT80-BF_Nss1,(MCS0)_4TX	13.49	0.02234	24.29	0.26853
802.11be EHT160_Nss1,(MCS0)_4TX	16.03	0.04009	24.39	0.27479
802.11be EHT160-BF_Nss1,(MCS0)_4TX	16.03	0.04009	26.83	0.48195

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6535MHz	Pass	7.75	1.86	1.26	2.28	1.19	7.69	15.44	30.00
6695MHz	Pass	7.75	1.68	2.07	1.89	1.59	7.83	15.58	30.00
6875MHz	Pass	7.75	1.56	1.99	1.69	2.33	7.92	15.67	30.00
6895MHz	Pass	8.36	1.42	1.91	1.56	1.95	7.74	16.10	30.00
6995MHz	Pass	8.36	1.26	1.80	1.73	1.07	7.50	15.86	30.00
7095MHz	Pass	8.36	1.26	1.45	1.68	2.08	7.65	16.01	30.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6565MHz	Pass	7.75	4.43	4.29	4.78	4.30	10.48	18.23	30.00
6685MHz	Pass	7.75	4.21	4.41	4.81	4.85	10.60	18.35	30.00
6885MHz	Pass	7.75	4.37	4.84	4.78	4.90	10.75	18.50	30.00
6925MHz	Pass	8.36	4.65	4.38	4.19	4.40	10.43	18.79	30.00
7005MHz	Pass	8.36	4.55	4.18	4.51	4.28	10.40	18.76	30.00
7085MHz	Pass	8.36	4.07	4.18	4.53	4.80	10.43	18.79	30.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.75	7.31	7.11	8.08	7.57	13.55	21.30	30.00
6705MHz	Pass	7.75	7.56	7.51	7.94	7.42	13.63	21.38	30.00
6785MHz	Pass	7.75	7.52	7.38	7.84	7.19	13.51	21.26	30.00
6865MHz	Pass	7.75	7.45	7.69	7.98	7.75	13.74	21.49	30.00
6945MHz	Pass	8.36	7.45	7.32	7.49	7.62	13.49	21.85	30.00
7025MHz	Pass	8.36	7.38	6.96	7.35	7.06	13.21	21.57	30.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.75	10.42	10.06	10.60	10.00	16.30	24.05	30.00
6825MHz	Pass	7.75	10.04	9.75	10.58	10.50	16.25	24.00	30.00
6985MHz	Pass	8.36	9.62	9.43	10.80	10.07	16.03	24.39	30.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6745MHz	Pass	7.75	12.62	12.59	13.01	13.04	18.84	26.59	30.00
6905MHz	Pass	7.75	12.81	12.74	13.49	13.59	19.20	26.95	30.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6535MHz	Pass	10.62	1.86	1.26	2.28	1.19	7.69	18.31	30.00
6695MHz	Pass	10.62	1.68	2.07	1.89	1.59	7.83	18.45	30.00
6875MHz	Pass	10.62	1.56	1.99	1.69	2.33	7.92	18.54	30.00
6895MHz	Pass	10.80	1.42	1.91	1.56	1.95	7.74	18.54	30.00
6995MHz	Pass	10.80	1.26	1.80	1.73	1.07	7.50	18.30	30.00
7095MHz	Pass	10.80	1.26	1.45	1.68	2.08	7.65	18.45	30.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6565MHz	Pass	10.62	4.43	4.29	4.78	4.30	10.48	21.10	30.00
6685MHz	Pass	10.62	4.21	4.41	4.81	4.85	10.60	21.22	30.00
6885MHz	Pass	10.62	4.37	4.84	4.78	4.90	10.75	21.37	30.00
6925MHz	Pass	10.80	4.65	4.38	4.19	4.40	10.43	21.23	30.00
7005MHz	Pass	10.80	4.55	4.18	4.51	4.28	10.40	21.20	30.00
7085MHz	Pass	10.80	4.07	4.18	4.53	4.80	10.43	21.23	30.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	10.62	7.31	7.11	8.08	7.57	13.55	24.17	30.00
6705MHz	Pass	10.62	7.56	7.51	7.94	7.42	13.63	24.25	30.00
6785MHz	Pass	10.62	7.52	7.38	7.84	7.19	13.51	24.13	30.00
6865MHz	Pass	10.62	7.45	7.69	7.98	7.75	13.74	24.36	30.00
6945MHz	Pass	10.80	7.45	7.32	7.49	7.62	13.49	24.29	30.00
7025MHz	Pass	10.80	7.38	6.96	7.35	7.06	13.21	24.01	30.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	10.62	10.42	10.06	10.60	10.00	16.30	26.92	30.00
6825MHz	Pass	10.62	10.04	9.75	10.58	10.50	16.25	26.87	30.00
6985MHz	Pass	10.80	9.62	9.43	10.80	10.07	16.03	26.83	30.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6745MHz	Pass	10.62	12.62	12.59	13.01	13.04	18.84	29.46	30.00



Average Power

Appendix C.5

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6905MHz	Pass	10.62	12.81	12.74	13.49	13.59	19.20	29.82	30.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 6

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	8.82	0.00762	15.90	0.03890
802.11be EHT40_Nss1,(MCS0)_2TX	11.62	0.01452	18.70	0.07413
802.11be EHT80_Nss1,(MCS0)_2TX	14.49	0.02812	21.57	0.14355
802.11be EHT160_Nss1,(MCS0)_2TX	17.23	0.05284	24.31	0.26977
802.11be EHT320_Nss1,(MCS0)_2TX	19.89	0.09750	26.97	0.49774
6.425-6.525GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	9.02	0.00798	15.70	0.03715
802.11be EHT40_Nss1,(MCS0)_2TX	11.89	0.01545	18.57	0.07194
802.11be EHT80_Nss1,(MCS0)_2TX	14.64	0.02911	21.32	0.13552
802.11be EHT160_Nss1,(MCS0)_2TX	17.51	0.05636	24.19	0.26242
802.11be EHT320_Nss1,(MCS0)_2TX	19.76	0.09462	26.44	0.44055
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	9.31	0.00853	16.28	0.04246
802.11be EHT40_Nss1,(MCS0)_2TX	12.06	0.01607	19.03	0.07998
802.11be EHT80_Nss1,(MCS0)_2TX	14.92	0.03105	21.89	0.15453
802.11be EHT160_Nss1,(MCS0)_2TX	17.37	0.05458	24.34	0.27164
802.11be EHT320_Nss1,(MCS0)_2TX	20.00	0.10000	26.97	0.49774
6.875-7.125GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	7.31	0.00538	15.48	0.03532
802.11be EHT40_Nss1,(MCS0)_2TX	10.32	0.01076	18.49	0.07063
802.11be EHT80_Nss1,(MCS0)_2TX	13.12	0.02051	21.29	0.13459
802.11be EHT160_Nss1,(MCS0)_2TX	15.72	0.03733	23.89	0.24491

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	7.08	5.29	6.27	8.82	15.90	30.00
6195MHz	Pass	7.08	5.36	5.81	8.60	15.68	30.00
6415MHz	Pass	7.08	5.77	5.50	8.65	15.73	30.00
6435MHz	Pass	6.68	5.28	6.34	8.85	15.53	30.00
6475MHz	Pass	6.68	5.27	6.54	8.96	15.64	30.00
6515MHz	Pass	6.68	5.74	6.26	9.02	15.70	30.00
6535MHz	Pass	6.97	5.71	6.69	9.24	16.21	30.00
6695MHz	Pass	6.97	6.11	6.49	9.31	16.28	30.00
6875MHz	Pass	6.97	5.68	6.43	9.08	16.05	30.00
6895MHz	Pass	8.17	3.87	4.69	7.31	15.48	30.00
6995MHz	Pass	8.17	3.64	4.87	7.31	15.48	30.00
7095MHz	Pass	8.17	3.34	5.09	7.31	15.48	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	7.08	8.39	8.36	11.39	18.47	30.00
6205MHz	Pass	7.08	8.31	8.89	11.62	18.70	30.00
6405MHz	Pass	7.08	8.47	8.69	11.59	18.67	30.00
6445MHz	Pass	6.68	8.52	9.21	11.89	18.57	30.00
6485MHz	Pass	6.68	8.36	9.35	11.89	18.57	30.00
6525MHz	Pass	6.68	8.30	9.22	11.79	18.47	30.00
6565MHz	Pass	6.97	8.52	9.39	11.99	18.96	30.00
6685MHz	Pass	6.97	8.70	9.38	12.06	19.03	30.00
6885MHz	Pass	6.97	8.74	9.18	11.98	18.95	30.00
6925MHz	Pass	8.17	6.79	7.77	10.32	18.49	30.00
7005MHz	Pass	8.17	6.83	7.43	10.15	18.32	30.00
7085MHz	Pass	8.17	6.59	7.65	10.16	18.33	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	7.08	10.94	11.96	14.49	21.57	30.00
6225MHz	Pass	7.08	11.03	11.80	14.44	21.52	30.00
6385MHz	Pass	7.08	11.04	11.81	14.45	21.53	30.00
6465MHz	Pass	6.68	11.26	11.81	14.55	21.23	30.00
6545MHz	Pass	6.68	11.43	11.83	14.64	21.32	30.00
6625MHz	Pass	6.97	11.85	11.40	14.64	21.61	30.00
6705MHz	Pass	6.97	12.13	11.55	14.86	21.83	30.00
6785MHz	Pass	6.97	11.82	11.99	14.92	21.89	30.00
6865MHz	Pass	6.97	11.69	12.04	14.88	21.85	30.00
6945MHz	Pass	8.17	9.44	10.02	12.75	20.92	30.00
7025MHz	Pass	8.17	9.94	10.28	13.12	21.29	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	7.08	13.73	14.28	17.02	24.10	30.00
6185MHz	Pass	7.08	13.85	14.05	16.96	24.04	30.00
6345MHz	Pass	7.08	13.75	14.64	17.23	24.31	30.00
6505MHz	Pass	6.68	14.39	14.60	17.51	24.19	30.00
6665MHz	Pass	6.97	14.38	14.14	17.27	24.24	30.00
6825MHz	Pass	6.97	14.05	14.64	17.37	24.34	30.00
6985MHz	Pass	8.17	12.51	12.91	15.72	23.89	30.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	7.08	16.58	16.87	19.74	26.82	30.00
6265MHz	Pass	7.08	16.79	16.82	19.82	26.90	30.00
6425MHz	Pass	7.08	16.64	17.11	19.89	26.97	30.00
6585MHz	Pass	6.68	16.92	16.58	19.76	26.44	30.00
6745MHz	Pass	6.97	16.34	16.88	19.63	26.60	30.00
6905MHz	Pass	6.97	16.80	17.18	20.00	26.97	30.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Test Mode: Mode 1

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-2.70	4.95
802.11be EHT40_Nss1,(MCS0)_4TX	-2.71	4.94
802.11be EHT80_Nss1,(MCS0)_4TX	-2.77	4.88
802.11be EHT160_Nss1,(MCS0)_4TX	-2.67	4.98
802.11be EHT320_Nss1,(MCS0)_4TX	-2.83	4.82
6.425-6.525GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-2.08	4.93
802.11be EHT40_Nss1,(MCS0)_4TX	-2.03	4.98
802.11be EHT80_Nss1,(MCS0)_4TX	-2.15	4.86
802.11be EHT160_Nss1,(MCS0)_4TX	-2.03	4.98
802.11be EHT320_Nss1,(MCS0)_4TX	-2.21	4.80
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-1.48	4.94
802.11be EHT40_Nss1,(MCS0)_4TX	-1.44	4.98
802.11be EHT80_Nss1,(MCS0)_4TX	-1.49	4.93
802.11be EHT160_Nss1,(MCS0)_4TX	-1.44	4.98
802.11be EHT320_Nss1,(MCS0)_4TX	-1.56	4.86
6.875-7.125GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-2.63	4.91
802.11be EHT40_Nss1,(MCS0)_4TX	-2.57	4.97
802.11be EHT80_Nss1,(MCS0)_4TX	-2.65	4.89
802.11be EHT160_Nss1,(MCS0)_4TX	-2.73	4.81

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.65	-8.50	-8.86	-9.19	-8.14	-2.70	4.95	5.00
6195MHz	Pass	7.65	-8.44	-9.17	-8.27	-8.82	-2.83	4.82	5.00
6415MHz	Pass	7.65	-8.82	-8.48	-9.15	-8.11	-2.75	4.90	5.00
6435MHz	Pass	7.01	-8.47	-8.09	-7.65	-7.87	-2.15	4.86	5.00
6475MHz	Pass	7.01	-8.50	-7.71	-7.70	-7.67	-2.08	4.93	5.00
6515MHz	Pass	7.01	-8.41	-8.10	-7.76	-7.66	-2.15	4.86	5.00
6535MHz	Pass	6.42	-8.04	-7.46	-7.31	-6.69	-1.59	4.83	5.00
6695MHz	Pass	6.42	-7.61	-7.55	-7.42	-7.15	-1.48	4.94	5.00
6875MHz	Pass	6.42	-7.64	-7.43	-7.32	-7.07	-1.48	4.94	5.00
6895MHz	Pass	7.54	-8.91	-8.41	-8.67	-8.10	-2.63	4.91	5.00
6995MHz	Pass	7.54	-8.89	-8.29	-9.11	-7.85	-2.64	4.90	5.00
7095MHz	Pass	7.54	-9.20	-8.78	-9.20	-7.53	-2.73	4.81	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.65	-8.87	-8.40	-8.54	-9.50	-2.87	4.78	5.00
6205MHz	Pass	7.65	-8.81	-8.72	-8.47	-8.45	-2.81	4.84	5.00
6405MHz	Pass	7.65	-8.86	-8.48	-8.68	-8.15	-2.71	4.94	5.00
6445MHz	Pass	7.01	-8.02	-7.63	-7.92	-7.97	-2.03	4.98	5.00
6485MHz	Pass	7.01	-8.31	-7.92	-8.53	-7.63	-2.23	4.78	5.00
6525MHz	Pass	7.01	-8.02	-8.20	-7.98	-7.76	-2.10	4.91	5.00
6565MHz	Pass	6.42	-7.55	-7.04	-7.93	-6.99	-1.46	4.96	5.00
6685MHz	Pass	6.42	-7.74	-7.40	-7.77	-6.66	-1.44	4.98	5.00
6885MHz	Pass	6.42	-7.60	-7.46	-7.34	-7.27	-1.53	4.89	5.00
6925MHz	Pass	7.54	-9.18	-8.11	-8.59	-8.27	-2.62	4.92	5.00
7005MHz	Pass	7.54	-8.71	-7.79	-8.87	-8.34	-2.57	4.97	5.00
7085MHz	Pass	7.54	-9.25	-8.27	-8.80	-8.06	-2.62	4.92	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.65	-9.03	-8.75	-8.55	-8.57	-2.77	4.88	5.00
6225MHz	Pass	7.65	-9.16	-8.96	-7.87	-8.40	-2.77	4.88	5.00
6385MHz	Pass	7.65	-8.80	-8.77	-8.56	-8.62	-2.77	4.88	5.00
6465MHz	Pass	7.01	-8.08	-8.07	-7.73	-8.00	-2.15	4.86	5.00
6545MHz	Pass	7.01	-8.12	-8.41	-8.15	-7.88	-2.22	4.79	5.00
6625MHz	Pass	6.42	-7.63	-7.17	-7.62	-7.33	-1.56	4.86	5.00
6705MHz	Pass	6.42	-7.72	-7.07	-7.58	-7.33	-1.49	4.93	5.00
6785MHz	Pass	6.42	-7.83	-7.28	-8.00	-6.94	-1.54	4.88	5.00
6865MHz	Pass	6.42	-7.77	-7.46	-7.70	-7.05	-1.62	4.80	5.00
6945MHz	Pass	7.54	-8.85	-8.65	-8.62	-8.62	-2.76	4.78	5.00
7025MHz	Pass	7.54	-8.81	-8.27	-8.93	-8.33	-2.65	4.89	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.65	-9.02	-9.07	-8.42	-7.94	-2.67	4.98	5.00
6185MHz	Pass	7.65	-9.25	-8.91	-8.48	-8.28	-2.77	4.88	5.00
6345MHz	Pass	7.65	-8.42	-8.59	-8.86	-8.53	-2.81	4.84	5.00
6505MHz	Pass	7.01	-7.85	-7.98	-7.65	-7.90	-2.03	4.98	5.00
6665MHz	Pass	6.42	-7.63	-7.72	-7.39	-7.04	-1.58	4.84	5.00
6825MHz	Pass	6.42	-7.74	-7.66	-7.20	-7.08	-1.44	4.98	5.00
6985MHz	Pass	7.54	-8.84	-8.20	-8.75	-8.93	-2.73	4.81	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.65	-8.92	-8.73	-8.91	-8.49	-2.83	4.82	5.00
6265MHz	Pass	7.65	-8.84	-9.09	-8.50	-8.78	-2.84	4.81	5.00
6585MHz	Pass	7.01	-8.02	-8.20	-8.59	-7.39	-2.21	4.80	5.00
6745MHz	Pass	6.42	-7.55	-7.36	-7.91	-7.07	-1.62	4.80	5.00
6905MHz	Pass	6.42	-7.70	-7.80	-7.06	-7.75	-1.56	4.86	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5955MHz

23/10/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6195MHz

23/10/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6415MHz

23/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6435MHz

23/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6475MHz

23/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6515MHz

23/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6535MHz

23/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

23/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6875MHz

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6895MHz

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6995MHz

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

7095MHz

23/10/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5965MHz

23/10/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6205MHz

23/10/2024



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6405MHz

23/10/2024

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.71	-2.71	-8.86	-8.48	-8.68	-8.15

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6445MHz

23/10/2024

CF (Hz)
6.445G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.03	-2.03	-8.02	-7.63	-7.92	-7.97

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6485MHz

23/10/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6525MHz

23/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6565MHz

24/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

24/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6885MHz

24/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6925MHz

24/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

7005MHz

24/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

7085MHz

24/10/2024



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5985MHz

23/10/2024

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.77	-2.77	-9.03	-8.75	-8.55	-8.57

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6225MHz

23/10/2024

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.77	-2.77	-9.16	-8.96	-7.87	-8.40

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6385MHz

23/10/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.77	-2.77	-8.80	-8.77	-8.56	-8.62

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6465MHz

24/10/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.15	-2.15	-8.08	-8.07	-7.73	-8.00

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6545MHz

24/10/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.22	-2.22	-8.12	-8.41	-8.15	-7.88

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

24/10/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.56	-1.56	-7.63	-7.17	-7.62	-7.33

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

24/10/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.49	-1.49	-7.72	-7.07	-7.58	-7.33

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

24/10/2024



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.54	-1.54	-7.83	-7.28	-8.00	-6.94

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6865MHz

24/10/2024

CF (Hz)
6.865G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.62	-1.62	-7.77	-7.46	-7.70	-7.05

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6945MHz

24/10/2024

CF (Hz)
6.945G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.76	-2.76	-8.85	-8.65	-8.62	-8.62

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

7025MHz

24/10/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6025MHz

23/10/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6185MHz

23/10/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6345MHz

23/10/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6505MHz

24/10/2024

CF (Hz)
6.505G
Span (Hz)
260M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.03	-2.03	-7.85	-7.98	-7.65	-7.90


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

24/10/2024

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.58	-1.58	-7.63	-7.72	-7.39	-7.04


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6825MHz

24/10/2024

CF (Hz)
6.825G
Span (Hz)
260M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.44	-1.44	-7.74	-7.66	-7.20	-7.08


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6985MHz

24/10/2024

CF (Hz)
6.985G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.73	-2.73	-8.84	-8.20	-8.75	-8.93


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6105MHz

23/10/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.83	-2.83	-8.92	-8.73	-8.91	-8.49


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6265MHz

23/10/2024

CF (Hz)
6.265G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.84	-2.84	-8.84	-9.09	-8.50	-8.78


6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6585MHz

23/10/2024

CF (Hz)
6.585G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.21	-2.21	-8.02	-8.20	-8.59	-7.39


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6745MHz

23/10/2024

CF (Hz)
6.745G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.62	-1.62	-7.55	-7.36	-7.91	-7.07

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6905MHz

23/10/2024



Test Mode: Mode 2

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-3.88	4.96
802.11be EHT40_Nss1,(MCS0)_4TX	-3.89	4.95
802.11be EHT80_Nss1,(MCS0)_4TX	-3.86	4.98
802.11be EHT160_Nss1,(MCS0)_4TX	-3.97	4.87
802.11be EHT320_Nss1,(MCS0)_4TX	-3.91	4.93
6.875-7.125GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-4.11	4.98
802.11be EHT40_Nss1,(MCS0)_4TX	-4.16	4.93
802.11be EHT80_Nss1,(MCS0)_4TX	-4.23	4.86
802.11be EHT160_Nss1,(MCS0)_4TX	-4.21	4.88

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6535MHz	Pass	8.84	-10.09	-9.78	-9.69	-9.66	4.96	5.00
6695MHz	Pass	8.84	-10.37	-9.70	-10.02	-9.70	4.82	5.00
6875MHz	Pass	8.84	-10.26	-9.65	-10.07	-10.14	4.75	5.00
6895MHz	Pass	9.09	-10.63	-10.17	-10.04	-9.91	4.83	5.00
6995MHz	Pass	9.09	-10.26	-10.52	-9.62	-10.02	4.97	5.00
7095MHz	Pass	9.09	-10.77	-10.62	-9.63	-9.46	4.98	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6565MHz	Pass	8.84	-10.45	-9.82	-9.66	-9.67	4.90	5.00
6685MHz	Pass	8.84	-10.59	-9.69	-9.34	-9.94	4.95	5.00
6885MHz	Pass	8.84	-10.04	-10.10	-9.86	-9.56	4.95	5.00
6925MHz	Pass	9.09	-10.29	-9.80	-10.15	-10.22	4.93	5.00
7005MHz	Pass	9.09	-9.94	-10.11	-10.22	-10.75	4.82	5.00
7085MHz	Pass	9.09	-10.54	-10.24	-10.24	-10.00	4.82	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	8.84	-10.53	-9.94	-10.12	-10.02	4.62	5.00
6705MHz	Pass	8.84	-10.51	-9.47	-9.29	-10.03	4.98	5.00
6785MHz	Pass	8.84	-10.58	-10.04	-9.35	-10.13	4.84	5.00
6865MHz	Pass	8.84	-10.15	-9.75	-9.60	-9.70	4.97	5.00
6945MHz	Pass	9.09	-10.49	-10.18	-9.91	-10.17	4.86	5.00
7025MHz	Pass	9.09	-10.59	-10.24	-10.05	-10.27	4.81	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	8.84	-10.16	-10.05	-9.66	-10.02	4.87	5.00
6825MHz	Pass	8.84	-10.17	-10.11	-9.77	-9.81	4.80	5.00
6985MHz	Pass	9.09	-10.54	-10.35	-10.27	-8.78	4.88	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6745MHz	Pass	8.84	-9.89	-9.94	-9.99	-10.14	4.82	5.00
6905MHz	Pass	8.84	-9.85	-9.57	-10.17	-8.41	4.93	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6535MHz

27/11/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

27/11/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6875MHz

27/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6895MHz

27/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6995MHz

27/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

7095MHz

27/11/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6565MHz

27/11/2024

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.94	-3.94	-10.45	-9.82	-9.66	-9.67


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

27/11/2024

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.89	-3.89	-10.59	-9.69	-9.34	-9.94

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6885MHz

27/11/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6925MHz

27/11/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

7005MHz

27/11/2024

CF (Hz)
7.005G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.27	-4.27	-9.94	-10.11	-10.22	-10.75


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

7085MHz

27/11/2024

CF (Hz)
7.085G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.27	-4.27	-10.54	-10.24	-10.24	-10.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

27/11/2024

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.272

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.22	-4.22	-10.53	-9.94	-10.12	-10.02

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

27/11/2024

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.272

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.86	-3.86	-10.51	-9.47	-9.29	-10.03

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

27/11/2024

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.272

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.00	-4.00	-10.58	-10.04	-9.35	-10.13

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6865MHz

27/11/2024

CF (Hz)
6.865G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.272

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.87	-3.87	-10.15	-9.75	-9.60	-9.70


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6945MHz

27/11/2024

CF (Hz)
6.945G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.23	-4.23	-10.49	-10.18	-9.91	-10.17


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

7025MHz

27/11/2024

CF (Hz)
7.025G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.28	-4.28	-10.59	-10.24	-10.05	-10.27

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

27/11/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6825MHz

27/11/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6985MHz

27/11/2024

CF (Hz)
6.985G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.234
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.21	-4.21	-10.54	-10.35	-10.27	-8.78

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6745MHz

27/11/2024

CF (Hz)
6.745G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.228
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.02	-4.02	-9.89	-9.94	-9.99	-10.14


Sum
Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6905MHz

27/11/2024



Test Mode: Mode 3

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	-1.04	4.86
802.11be EHT40_Nss1,(MCS0)_2TX	-0.95	4.95
802.11be EHT80_Nss1,(MCS0)_2TX	-0.92	4.98
802.11be EHT160_Nss1,(MCS0)_2TX	-1.04	4.86
802.11be EHT320_Nss1,(MCS0)_2TX	-0.95	4.95
6.425-6.525GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	-0.12	4.97
802.11be EHT40_Nss1,(MCS0)_2TX	-0.12	4.97
802.11be EHT80_Nss1,(MCS0)_2TX	-0.25	4.84
802.11be EHT160_Nss1,(MCS0)_2TX	-0.47	4.62
802.11be EHT320_Nss1,(MCS0)_2TX	-0.35	4.74
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	0.24	4.97
802.11be EHT40_Nss1,(MCS0)_2TX	0.23	4.96
802.11be EHT80_Nss1,(MCS0)_2TX	0.26	4.99
802.11be EHT160_Nss1,(MCS0)_2TX	0.16	4.89
802.11be EHT320_Nss1,(MCS0)_2TX	0.14	4.87
6.875-7.125GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	0.32	4.94
802.11be EHT40_Nss1,(MCS0)_2TX	0.21	4.83
802.11be EHT80_Nss1,(MCS0)_2TX	0.20	4.82
802.11be EHT160_Nss1,(MCS0)_2TX	0.17	4.79

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.90	-4.33	-3.69	-1.04	4.86	5.00
6195MHz	Pass	5.90	-4.44	-3.80	-1.14	4.76	5.00
6415MHz	Pass	5.90	-3.74	-4.22	-1.04	4.86	5.00
6435MHz	Pass	5.09	-3.33	-3.11	-0.27	4.82	5.00
6475MHz	Pass	5.09	-3.17	-2.98	-0.12	4.97	5.00
6515MHz	Pass	5.09	-3.34	-3.00	-0.19	4.90	5.00
6535MHz	Pass	4.73	-2.84	-2.65	0.24	4.97	5.00
6695MHz	Pass	4.73	-2.89	-2.99	0.06	4.79	5.00
6875MHz	Pass	4.73	-2.88	-2.79	0.16	4.89	5.00
6895MHz	Pass	4.62	-2.87	-2.64	0.23	4.85	5.00
6995MHz	Pass	4.62	-2.97	-2.61	0.19	4.81	5.00
7095MHz	Pass	4.62	-2.84	-2.47	0.32	4.94	5.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.90	-4.36	-3.53	-0.95	4.95	5.00
6205MHz	Pass	5.90	-4.15	-3.88	-1.00	4.90	5.00
6405MHz	Pass	5.90	-4.07	-4.10	-1.09	4.81	5.00
6445MHz	Pass	5.09	-3.21	-3.08	-0.15	4.94	5.00
6485MHz	Pass	5.09	-3.02	-3.21	-0.12	4.97	5.00
6525MHz	Pass	5.09	-3.26	-3.33	-0.31	4.78	5.00
6565MHz	Pass	4.73	-2.73	-2.77	0.23	4.96	5.00
6685MHz	Pass	4.73	-2.83	-2.86	0.15	4.88	5.00
6885MHz	Pass	4.73	-3.02	-2.51	0.23	4.96	5.00
6925MHz	Pass	4.62	-2.87	-2.71	0.21	4.83	5.00
7005MHz	Pass	4.62	-2.82	-2.70	0.20	4.82	5.00
7085MHz	Pass	4.62	-2.85	-2.78	0.18	4.80	5.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.90	-4.69	-3.64	-1.14	4.76	5.00
6225MHz	Pass	5.90	-4.23	-3.73	-0.97	4.93	5.00
6385MHz	Pass	5.90	-4.18	-3.63	-0.92	4.98	5.00
6465MHz	Pass	5.09	-3.28	-3.38	-0.34	4.75	5.00
6545MHz	Pass	5.09	-3.17	-3.30	-0.25	4.84	5.00
6625MHz	Pass	4.73	-2.85	-2.88	0.15	4.88	5.00
6705MHz	Pass	4.73	-2.72	-2.80	0.25	4.98	5.00
6785MHz	Pass	4.73	-2.84	-2.77	0.18	4.91	5.00
6865MHz	Pass	4.73	-2.89	-2.60	0.26	4.99	5.00
6945MHz	Pass	4.62	-2.83	-2.64	0.20	4.82	5.00
7025MHz	Pass	4.62	-2.88	-2.76	0.19	4.81	5.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.90	-4.37	-3.74	-1.04	4.86	5.00
6185MHz	Pass	5.90	-4.50	-3.78	-1.11	4.79	5.00
6345MHz	Pass	5.90	-4.10	-4.07	-1.09	4.81	5.00
6505MHz	Pass	5.09	-3.55	-3.26	-0.47	4.62	5.00
6665MHz	Pass	4.73	-2.75	-2.86	0.16	4.89	5.00
6825MHz	Pass	4.73	-3.07	-2.76	0.10	4.83	5.00
6985MHz	Pass	4.62	-2.88	-2.80	0.17	4.79	5.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.90	-4.48	-3.70	-1.07	4.83	5.00
6265MHz	Pass	5.90	-4.30	-3.56	-0.95	4.95	5.00
6425MHz	Pass	5.90	-4.28	-4.00	-1.16	4.74	5.00
6585MHz	Pass	5.09	-3.33	-3.27	-0.35	4.74	5.00
6745MHz	Pass	4.73	-3.12	-2.60	0.14	4.87	5.00
6905MHz	Pass	4.73	-3.21	-2.75	0.04	4.77	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5955MHz

14/11/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6195MHz

14/11/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6415MHz

14/11/2024

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.04	-1.04	-3.74	-4.22

Sum
Port 1
Port 2


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6435MHz

14/11/2024

CF (Hz)
6.435G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.27	-0.27	-3.33	-3.11

Sum
Port 1
Port 2


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6475MHz

14/11/2024

CF (Hz)
6.475G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.12	-0.12	-3.17	-2.98


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6515MHz

14/11/2024

CF (Hz)
6.515G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.19	-0.19	-3.34	-3.00


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6535MHz

14/11/2024

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.24	0.24	-2.84	-2.65

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6695MHz

02/12/2024

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.06	0.06	-2.89	-2.99

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6875MHz

14/11/2024

CF (Hz)
6.875G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.16	0.16	-2.88	-2.79

Sum
Port 1
Port 2


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6895MHz

02/12/2024

CF (Hz)
6.895G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.23	0.23	-2.87	-2.64

Sum
Port 1
Port 2


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6995MHz

02/12/2024

CF (Hz)
6.995G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.19	0.19	-2.97	-2.61


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

7095MHz

02/12/2024

CF (Hz)
7.095G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.32	0.32	-2.84	-2.47

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5965MHz

15/11/2024

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.37

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.95	-0.95	-4.36	-3.53

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6205MHz

15/11/2024

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.37

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.00	-1.00	-4.15	-3.88


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6405MHz

15/11/2024

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.09	-1.09	-4.07	-4.10


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6445MHz

15/11/2024

CF (Hz)
6.445G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.15	-0.15	-3.21	-3.08

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6485MHz

15/11/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6525MHz

15/11/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6565MHz

15/11/2024

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
0.23	0.23	-2.73	-2.77

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6685MHz

15/11/2024

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
0.15	0.15	-2.83	-2.86

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6885MHz

15/11/2024

CF (Hz)
6.885G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.23	0.23	-3.02	-2.51


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6925MHz

02/12/2024

CF (Hz)
6.925G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS




Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.21	0.21	-2.87	-2.71

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

7005MHz

02/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

7085MHz

02/12/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5985MHz

15/11/2024

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.14	-1.14	-4.69	-3.64

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6225MHz

15/11/2024

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.97	-0.97	-4.23	-3.73

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6385MHz

15/11/2024

CF (Hz)
6.385G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.92	-0.92	-4.18	-3.63


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6465MHz

15/11/2024

CF (Hz)
6.465G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.34	-0.34	-3.28	-3.38


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6545MHz

15/11/2024

CF (Hz)
6.545G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.25	-0.25	-3.17	-3.30

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6625MHz

02/12/2024

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.15	0.15	-2.85	-2.88

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6705MHz

15/11/2024

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
0.25	0.25	-2.72	-2.80

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6785MHz

15/11/2024

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
0.18	0.18	-2.84	-2.77

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6865MHz

15/11/2024

CF (Hz)
6.865G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.26	0.26	-2.89	-2.60

Sum
Port 1
Port 2


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6945MHz

02/12/2024

CF (Hz)
6.945G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.20	0.20	-2.83	-2.64

Sum
Port 1
Port 2


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

7025MHz

02/12/2024

CF (Hz)
7.025G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.19	0.19	-2.88	-2.76

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6025MHz

15/11/2024

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.232
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.04	-1.04	-4.37	-3.74

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6185MHz

15/11/2024

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.232
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.11	-1.11	-4.50	-3.78

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6345MHz

15/11/2024

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.232
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.09	-1.09	-4.10	-4.07


Sum
Port 1
Port 2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6505MHz

15/11/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.47	-0.47	-3.55	-3.26

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6665MHz

02/12/2024



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.16	0.16	-2.75	-2.86


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6825MHz

02/12/2024

CF (Hz)
6.825G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.232
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
0.10	0.10	-3.07	-2.76


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6985MHz

02/12/2024

CF (Hz)
6.985G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.232
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
0.17	0.17	-2.88	-2.80


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6105MHz

15/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.228
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.07	-1.07	-4.48	-3.70


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6265MHz

15/11/2024

CF (Hz)
6.265G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.228
Detector Type
RMS




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.95	-0.95	-4.30	-3.56

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6425MHz

15/11/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.16	-1.16	-4.28	-4.00

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6585MHz

15/11/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.35	-0.35	-3.33	-3.27

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6745MHz

15/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6905MHz

15/11/2024



Test Mode: Mode 4

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-5.16	4.98
802.11be EHT40_Nss1,(MCS0)_4TX	-5.16	4.98
802.11be EHT80_Nss1,(MCS0)_4TX	-5.25	4.89
802.11be EHT160_Nss1,(MCS0)_4TX	-5.16	4.98
802.11be EHT320_Nss1,(MCS0)_4TX	-5.19	4.95
6.425-6.525GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-5.48	4.94
802.11be EHT40_Nss1,(MCS0)_4TX	-5.47	4.95
802.11be EHT80_Nss1,(MCS0)_4TX	-5.54	4.88
802.11be EHT160_Nss1,(MCS0)_4TX	-5.64	4.78
802.11be EHT320_Nss1,(MCS0)_4TX	-5.55	4.87
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-4.75	4.97
802.11be EHT40_Nss1,(MCS0)_4TX	-4.75	4.97
802.11be EHT80_Nss1,(MCS0)_4TX	-4.80	4.92
802.11be EHT160_Nss1,(MCS0)_4TX	-4.94	4.78
802.11be EHT320_Nss1,(MCS0)_4TX	-4.96	4.76
6.875-7.125GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-5.82	4.94
802.11be EHT40_Nss1,(MCS0)_4TX	-5.78	4.98
802.11be EHT80_Nss1,(MCS0)_4TX	-5.78	4.98
802.11be EHT160_Nss1,(MCS0)_4TX	-5.99	4.77

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	10.14	-11.14	-11.21	-11.57	-11.26	-5.31	Inf	4.83	5.00
6195MHz	Pass	10.14	-10.89	-11.35	-10.82	-11.23	-5.16	Inf	4.98	5.00
6415MHz	Pass	10.14	-10.36	-11.71	-11.26	-11.24	-5.16	Inf	4.98	5.00
6435MHz	Pass	10.42	-11.59	-11.17	-11.54	-11.57	-5.54	Inf	4.88	5.00
6475MHz	Pass	10.42	-11.49	-11.34	-11.71	-11.68	-5.62	Inf	4.80	5.00
6515MHz	Pass	10.42	-11.54	-11.13	-11.44	-11.47	-5.48	Inf	4.94	5.00
6535MHz	Pass	9.72	-11.30	-10.34	-10.67	-11.16	-4.92	Inf	4.80	5.00
6695MHz	Pass	9.72	-11.08	-10.79	-10.47	-10.32	-4.75	Inf	4.97	5.00
6875MHz	Pass	9.72	-11.35	-10.59	-10.70	-10.85	-4.92	Inf	4.80	5.00
6895MHz	Pass	10.76	-12.29	-11.17	-11.94	-12.11	-5.92	Inf	4.84	5.00
6995MHz	Pass	10.76	-12.20	-11.47	-12.43	-11.21	-5.88	Inf	4.88	5.00
7095MHz	Pass	10.76	-12.17	-11.44	-12.03	-11.42	-5.82	Inf	4.94	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	10.14	-11.30	-10.89	-11.03	-11.55	-5.16	Inf	4.98	5.00
6205MHz	Pass	10.14	-11.23	-11.91	-10.99	-11.26	-5.37	Inf	4.77	5.00
6405MHz	Pass	10.14	-11.01	-10.74	-11.83	-11.54	-5.29	Inf	4.85	5.00
6445MHz	Pass	10.42	-11.77	-11.09	-11.42	-11.83	-5.55	Inf	4.87	5.00
6485MHz	Pass	10.42	-11.63	-11.43	-11.13	-11.61	-5.47	Inf	4.95	5.00
6525MHz	Pass	10.42	-11.79	-11.36	-11.27	-11.74	-5.54	Inf	4.88	5.00
6565MHz	Pass	9.72	-11.08	-10.59	-10.65	-11.18	-4.88	Inf	4.84	5.00
6685MHz	Pass	9.72	-11.16	-10.43	-10.96	-10.51	-4.75	Inf	4.97	5.00
6885MHz	Pass	9.72	-11.15	-10.50	-10.59	-11.12	-4.86	Inf	4.86	5.00
6925MHz	Pass	10.76	-12.41	-11.39	-11.80	-11.40	-5.78	Inf	4.98	5.00
7005MHz	Pass	10.76	-12.46	-11.50	-12.15	-11.77	-5.98	Inf	4.78	5.00
7085MHz	Pass	10.76	-12.06	-11.64	-11.71	-11.63	-5.79	Inf	4.97	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	10.14	-10.57	-11.90	-10.94	-12.10	-5.33	Inf	4.81	5.00
6225MHz	Pass	10.14	-11.05	-12.00	-10.48	-11.56	-5.26	Inf	4.88	5.00
6385MHz	Pass	10.14	-11.13	-11.62	-10.92	-11.36	-5.25	Inf	4.89	5.00
6465MHz	Pass	10.42	-12.07	-11.65	-11.16	-11.57	-5.59	Inf	4.83	5.00
6545MHz	Pass	10.42	-11.69	-11.58	-11.20	-11.63	-5.54	Inf	4.88	5.00
6625MHz	Pass	9.72	-11.43	-10.44	-10.91	-10.88	-4.94	Inf	4.78	5.00
6705MHz	Pass	9.72	-11.12	-10.24	-10.81	-11.10	-4.81	Inf	4.91	5.00
6785MHz	Pass	9.72	-11.14	-10.54	-10.62	-10.87	-4.80	Inf	4.92	5.00
6865MHz	Pass	9.72	-11.73	-10.26	-10.69	-10.66	-4.80	Inf	4.92	5.00
6945MHz	Pass	10.76	-11.76	-11.71	-12.04	-11.56	-5.78	Inf	4.98	5.00
7025MHz	Pass	10.76	-12.16	-11.71	-11.89	-11.86	-5.89	Inf	4.87	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	10.14	-11.62	-11.62	-11.10	-11.19	-5.37	Inf	4.77	5.00
6185MHz	Pass	10.14	-10.91	-11.66	-10.87	-11.23	-5.16	Inf	4.98	5.00
6345MHz	Pass	10.14	-10.90	-11.41	-11.24	-11.37	-5.25	Inf	4.89	5.00
6505MHz	Pass	10.42	-11.71	-11.49	-11.24	-11.70	-5.64	Inf	4.78	5.00
6665MHz	Pass	9.72	-11.38	-10.76	-10.75	-10.69	-4.94	Inf	4.78	5.00
6825MHz	Pass	9.72	-11.21	-11.03	-10.50	-11.23	-4.96	Inf	4.76	5.00
6985MHz	Pass	10.76	-12.62	-11.52	-11.88	-11.87	-5.99	Inf	4.77	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	10.14	-10.88	-12.12	-11.07	-11.39	-5.34	Inf	4.80	5.00
6265MHz	Pass	10.14	-11.10	-11.65	-10.98	-11.04	-5.19	Inf	4.95	5.00
6585MHz	Pass	10.42	-11.79	-11.92	-11.32	-11.27	-5.55	Inf	4.87	5.00
6745MHz	Pass	9.72	-11.04	-10.96	-10.72	-11.03	-4.96	Inf	4.76	5.00
6905MHz	Pass	9.72	-11.25	-11.14	-10.53	-11.03	-4.97	Inf	4.75	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5955MHz

23/10/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6195MHz

22/10/2024



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6415MHz

22/10/2024

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.551

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.16	-5.16	-10.36	-11.71	-11.26	-11.24

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6435MHz

23/10/2024

CF (Hz)
6.435G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.551

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.54	-5.54	-11.59	-11.17	-11.54	-11.57


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6475MHz

23/10/2024

CF (Hz)
6.475G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.551
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.62	-5.62	-11.49	-11.34	-11.71	-11.68


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6515MHz

23/10/2024

CF (Hz)
6.515G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.551
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.48	-5.48	-11.54	-11.13	-11.44	-11.47

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6535MHz

23/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

23/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6875MHz

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6895MHz

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6995MHz

23/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

7095MHz

23/10/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5965MHz

23/10/2024

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.16	-5.16	-11.30	-10.89	-11.03	-11.55


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6205MHz

22/10/2024

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.37	-5.37	-11.23	-11.91	-10.99	-11.26


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6405MHz

23/10/2024

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.29	-5.29	-11.01	-10.74	-11.83	-11.54


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6445MHz

24/10/2024

CF (Hz)
6.445G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.55	-5.55	-11.77	-11.09	-11.42	-11.83


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6485MHz

24/10/2024

CF (Hz)
6.485G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.47	-5.47	-11.63	-11.43	-11.13	-11.61


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6525MHz

24/10/2024

CF (Hz)
6.525G
Span (Hz)
80M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.37
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.54	-5.54	-11.79	-11.36	-11.27	-11.74

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6565MHz

24/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

24/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6885MHz

24/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6925MHz

24/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

7005MHz

24/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

7085MHz

24/10/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5985MHz

22/10/2024

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.024
Detector Type
RMS



Sum	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.33	-5.33	-10.57	-11.90	-10.94


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6225MHz

22/10/2024

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.024
Detector Type
RMS



Sum	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.26	-5.26	-11.05	-12.00	-10.48

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6385MHz

22/10/2024

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.024

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.25	-5.25	-11.13	-11.62	-10.92	-11.36

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6465MHz

24/10/2024

CF (Hz)
6.465G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.024

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.59	-5.59	-12.07	-11.65	-11.16	-11.57


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6545MHz

24/10/2024

CF (Hz)
6.545G
Span (Hz)
140M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.024
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.54	-5.54	-11.69	-11.58	-11.20	-11.63


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

24/10/2024

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.024
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.94	-4.94	-11.43	-10.44	-10.91	-10.88


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

24/10/2024

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.024
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.81	-4.81	-11.12	-10.24	-10.81	-11.10


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

24/10/2024

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.024
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.80	-4.80	-11.14	-10.54	-10.62	-10.87

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6865MHz

24/10/2024

CF (Hz)
6.865G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.024

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.80	-4.80	-11.73	-10.26	-10.69	-10.66

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6945MHz

24/10/2024

CF (Hz)
6.945G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.024

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.78	-5.78	-11.76	-11.71	-12.04	-11.56

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

7025MHz

24/10/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6025MHz

22/10/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6185MHz

22/10/2024

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.232
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.16	-5.16	-10.91	-11.66	-10.87	-11.23


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6345MHz

22/10/2024

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.232
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.25	-5.25	-10.90	-11.41	-11.24	-11.37

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6505MHz

24/10/2024

CF (Hz)
6.505G


Span (Hz)
260M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.232

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.64	-5.64	-11.71	-11.49	-11.24	-11.70

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

24/10/2024

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.232

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.94	-4.94	-11.38	-10.76	-10.75	-10.69

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6825MHz

24/10/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6985MHz

24/10/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6105MHz

22/10/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.229
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.34	-5.34	-10.88	-12.12	-11.07	-11.39


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6265MHz

22/10/2024

CF (Hz)
6.265G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.229
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.19	-5.19	-11.10	-11.65	-10.98	-11.04

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6585MHz

24/10/2024

CF (Hz)
6.585G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.229

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.55	-5.55	-11.79	-11.92	-11.32	-11.27

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6745MHz

24/10/2024

CF (Hz)
6.745G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.229

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.96	-4.96	-11.04	-10.96	-10.72	-11.03

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6905MHz

24/10/2024



Test Mode: Mode 5

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-5.65	4.97
802.11be EHT40_Nss1,(MCS0)_4TX	-5.74	4.88
802.11be EHT80_Nss1,(MCS0)_4TX	-5.73	4.89
802.11be EHT160_Nss1,(MCS0)_4TX	-5.66	4.96
802.11be EHT320_Nss1,(MCS0)_4TX	-5.70	4.92
6.875-7.125GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	-5.83	4.97
802.11be EHT40_Nss1,(MCS0)_4TX	-5.96	4.84
802.11be EHT80_Nss1,(MCS0)_4TX	-5.85	4.95
802.11be EHT160_Nss1,(MCS0)_4TX	-5.97	4.83

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6535MHz	Pass	10.62	-11.44	-12.04	-11.12	-12.09	-5.72	4.90	5.00
6695MHz	Pass	10.62	-11.73	-11.66	-11.89	-11.74	-5.82	4.80	5.00
6875MHz	Pass	10.62	-11.94	-11.53	-11.85	-11.15	-5.65	4.97	5.00
6895MHz	Pass	10.80	-12.03	-11.55	-11.98	-11.43	-5.83	4.97	5.00
6995MHz	Pass	10.80	-12.29	-11.72	-11.89	-11.80	-5.91	4.89	5.00
7095MHz	Pass	10.80	-12.37	-12.16	-11.95	-11.21	-5.92	4.88	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6565MHz	Pass	10.62	-11.89	-11.86	-11.55	-11.93	-5.84	4.78	5.00
6685MHz	Pass	10.62	-12.11	-11.76	-11.44	-11.56	-5.74	4.88	5.00
6885MHz	Pass	10.62	-12.15	-11.65	-11.67	-11.57	-5.80	4.82	5.00
6925MHz	Pass	10.80	-11.73	-11.91	-12.13	-11.91	-5.96	4.84	5.00
7005MHz	Pass	10.80	-11.86	-12.29	-11.86	-12.14	-6.04	4.76	5.00
7085MHz	Pass	10.80	-12.39	-12.32	-11.90	-11.30	-6.02	4.78	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	10.62	-12.05	-12.05	-11.19	-11.62	-5.73	4.89	5.00
6705MHz	Pass	10.62	-11.67	-11.78	-11.34	-11.88	-5.74	4.88	5.00
6785MHz	Pass	10.62	-11.62	-12.00	-11.39	-12.32	-5.82	4.80	5.00
6865MHz	Pass	10.62	-11.99	-11.53	-11.51	-11.54	-5.74	4.88	5.00
6945MHz	Pass	10.80	-11.78	-11.84	-11.83	-11.51	-5.85	4.95	5.00
7025MHz	Pass	10.80	-11.71	-12.20	-11.69	-12.20	-5.94	4.86	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	10.62	-11.73	-11.77	-11.28	-11.99	-5.68	4.94	5.00
6825MHz	Pass	10.62	-11.59	-12.24	-11.26	-11.54	-5.66	4.96	5.00
6985MHz	Pass	10.80	-12.40	-12.47	-11.16	-10.90	-5.97	4.83	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6745MHz	Pass	10.62	-12.00	-12.03	-11.62	-11.67	-5.84	4.78	5.00
6905MHz	Pass	10.62	-12.04	-11.93	-11.18	-10.39	-5.70	4.92	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6535MHz

13/11/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

13/11/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6875MHz

13/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6895MHz

13/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6995MHz

13/11/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

7095MHz

13/11/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6565MHz

13/11/2024

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.378
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.84	-5.84	-11.89	-11.86	-11.55	-11.93


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

13/11/2024

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.378
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.74	-5.74	-12.11	-11.76	-11.44	-11.56


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6885MHz

13/11/2024

CF (Hz)
6.885G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.378
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.80	-5.80	-12.15	-11.65	-11.67	-11.57

Sum
Port 1
Port 2
Port 3
Port 4


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6925MHz

13/11/2024

CF (Hz)
6.925G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.378
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.96	-5.96	-11.73	-11.91	-12.13	-11.91


Sum
Port 1
Port 2
Port 3
Port 4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

7005MHz

13/11/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

7085MHz

13/11/2024



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

13/11/2024

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.278

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.73	-5.73	-12.05	-12.05	-11.19	-11.62

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

13/11/2024

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.278

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.74	-5.74	-11.67	-11.78	-11.34	-11.88


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

13/11/2024

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.278
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.82	-5.82	-11.62	-12.00	-11.39	-12.32


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6865MHz

13/11/2024

CF (Hz)
6.865G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.278
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.74	-5.74	-11.99	-11.53	-11.51	-11.54


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6945MHz

13/11/2024

CF (Hz)
6.945G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.278
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.85	-5.85	-11.78	-11.84	-11.83	-11.51

Sum
Port 1
Port 2
Port 3
Port 4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

7025MHz

13/11/2024

CF (Hz)
7.025G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.278
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.94	-5.94	-11.71	-12.20	-11.69	-12.20

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

13/11/2024

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.253
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.68	-5.68	-11.73	-11.77	-11.28	-11.99


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6825MHz

13/11/2024

CF (Hz)
6.825G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.253
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.66	-5.66	-11.59	-12.24	-11.26	-11.54


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6985MHz

13/11/2024

CF (Hz)
6.985G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.253
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.97	-5.97	-12.40	-12.47	-11.16	-10.90

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6745MHz

13/11/2024

CF (Hz)
6.745G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.253
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.84	-5.84	-12.00	-12.03	-11.62	-11.67


Sum
Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6905MHz

13/11/2024



Test Mode: Mode 6

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	-4.48	4.96
802.11be EHT40_Nss1,(MCS0)_2TX	-4.49	4.95
802.11be EHT80_Nss1,(MCS0)_2TX	-4.47	4.97
802.11be EHT160_Nss1,(MCS0)_2TX	-4.59	4.85
802.11be EHT320_Nss1,(MCS0)_2TX	-4.58	4.86
6.425-6.525GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	-4.30	4.86
802.11be EHT40_Nss1,(MCS0)_2TX	-4.33	4.83
802.11be EHT80_Nss1,(MCS0)_2TX	-4.23	4.93
802.11be EHT160_Nss1,(MCS0)_2TX	-4.25	4.91
802.11be EHT320_Nss1,(MCS0)_2TX	-4.32	4.84
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	-4.04	4.98
802.11be EHT40_Nss1,(MCS0)_2TX	-4.09	4.93
802.11be EHT80_Nss1,(MCS0)_2TX	-4.11	4.91
802.11be EHT160_Nss1,(MCS0)_2TX	-4.11	4.91
802.11be EHT320_Nss1,(MCS0)_2TX	-4.08	4.94
6.875-7.125GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	-5.93	4.87
802.11be EHT40_Nss1,(MCS0)_2TX	-5.97	4.83
802.11be EHT80_Nss1,(MCS0)_2TX	-5.88	4.92
802.11be EHT160_Nss1,(MCS0)_2TX	-5.95	4.85

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	9.44	-7.98	-6.96	-4.48	4.96	5.00
6195MHz	Pass	9.44	-7.84	-7.31	-4.59	4.85	5.00
6415MHz	Pass	9.44	-7.51	-7.75	-4.66	4.78	5.00
6435MHz	Pass	9.16	-7.99	-6.87	-4.45	4.71	5.00
6475MHz	Pass	9.16	-7.96	-6.62	-4.30	4.86	5.00
6515MHz	Pass	9.16	-7.53	-6.98	-4.32	4.84	5.00
6535MHz	Pass	9.02	-7.57	-6.56	-4.10	4.92	5.00
6695MHz	Pass	9.02	-7.25	-6.84	-4.04	4.98	5.00
6875MHz	Pass	9.02	-7.53	-6.79	-4.15	4.87	5.00
6895MHz	Pass	10.80	-9.46	-8.63	-6.03	4.77	5.00
6995MHz	Pass	10.80	-9.59	-8.38	-5.93	4.87	5.00
7095MHz	Pass	10.80	-9.97	-8.19	-6.00	4.80	5.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	9.44	-7.81	-7.57	-4.68	4.76	5.00
6205MHz	Pass	9.44	-7.72	-7.29	-4.49	4.95	5.00
6405MHz	Pass	9.44	-7.45	-7.57	-4.52	4.92	5.00
6445MHz	Pass	9.16	-7.61	-7.02	-4.33	4.83	5.00
6485MHz	Pass	9.16	-7.77	-6.87	-4.33	4.83	5.00
6525MHz	Pass	9.16	-7.79	-6.97	-4.38	4.78	5.00
6565MHz	Pass	9.02	-7.60	-6.75	-4.15	4.87	5.00
6685MHz	Pass	9.02	-7.41	-6.81	-4.09	4.93	5.00
6885MHz	Pass	9.02	-7.43	-6.94	-4.24	4.78	5.00
6925MHz	Pass	10.80	-9.46	-8.48	-5.97	4.83	5.00
7005MHz	Pass	10.80	-9.30	-8.78	-6.05	4.75	5.00
7085MHz	Pass	10.80	-9.67	-8.43	-6.00	4.80	5.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	9.44	-7.96	-6.96	-4.47	4.97	5.00
6225MHz	Pass	9.44	-7.90	-7.23	-4.56	4.88	5.00
6385MHz	Pass	9.44	-7.91	-7.21	-4.57	4.87	5.00
6465MHz	Pass	9.16	-7.61	-6.85	-4.23	4.93	5.00
6545MHz	Pass	9.16	-7.61	-7.09	-4.35	4.81	5.00
6625MHz	Pass	9.02	-7.08	-7.39	-4.24	4.78	5.00
6705MHz	Pass	9.02	-6.86	-7.44	-4.14	4.88	5.00
6785MHz	Pass	9.02	-7.18	-7.03	-4.12	4.90	5.00
6865MHz	Pass	9.02	-7.23	-6.95	-4.11	4.91	5.00
6945MHz	Pass	10.80	-9.46	-8.92	-6.21	4.59	5.00
7025MHz	Pass	10.80	-9.05	-8.72	-5.88	4.92	5.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	9.44	-8.04	-7.38	-4.69	4.75	5.00
6185MHz	Pass	9.44	-7.72	-7.53	-4.61	4.83	5.00
6345MHz	Pass	9.44	-7.95	-7.23	-4.59	4.85	5.00
6505MHz	Pass	9.16	-7.36	-7.00	-4.25	4.91	5.00
6665MHz	Pass	9.02	-7.08	-7.33	-4.21	4.81	5.00
6825MHz	Pass	9.02	-7.29	-6.90	-4.11	4.91	5.00
6985MHz	Pass	10.80	-9.06	-8.87	-5.95	4.85	5.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	9.44	-7.79	-7.25	-4.63	4.81	5.00
6265MHz	Pass	9.44	-7.57	-7.58	-4.63	4.81	5.00
6425MHz	Pass	9.44	-7.79	-7.33	-4.58	4.86	5.00
6585MHz	Pass	9.16	-7.21	-7.39	-4.32	4.84	5.00
6745MHz	Pass	9.02	-7.43	-6.86	-4.13	4.89	5.00
6905MHz	Pass	9.02	-7.20	-6.98	-4.08	4.94	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5955MHz

14/11/2024

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-4.48	-4.48	-7.98	-6.96


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6195MHz

14/11/2024

CF (Hz)
6.195G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-4.59	-4.59	-7.84	-7.31


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6415MHz

14/11/2024

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.66	-4.66	-7.51	-7.75

Sum
Port 1
Port 2


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6435MHz

14/11/2024

CF (Hz)
6.435G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.45	-4.45	-7.99	-6.87

Sum
Port 1
Port 2


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6475MHz

14/11/2024

CF (Hz)
6.475G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.30	-4.30	-7.96	-6.62

Sum
Port 1
Port 2


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6515MHz

14/11/2024

CF (Hz)
6.515G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.32	-4.32	-7.53	-6.98

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6535MHz

14/11/2024

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.10	-4.10	-7.57	-6.56

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6695MHz

14/11/2024

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.04	-4.04	-7.25	-6.84

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6875MHz

14/11/2024

CF (Hz)
6.875G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-4.15	-4.15	-7.53	-6.79

Sum
Port 1
Port 2


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6895MHz

14/11/2024

CF (Hz)
6.895G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.553
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-6.03	-6.03	-9.46	-8.63

Sum
Port 1
Port 2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6995MHz

14/11/2024

CF (Hz)
6.995G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.553

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.93	-5.93	-9.59	-8.38

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

7095MHz

14/11/2024

CF (Hz)
7.095G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.553

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.00	-6.00	-9.97	-8.19


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5965MHz

14/11/2024

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.68	-4.68	-7.81	-7.57

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6205MHz

14/11/2024

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.49	-4.49	-7.72	-7.29

Sum
Port 1
Port 2