


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 79
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40402G	56.93	68.20	-11.27	40.76	3	Horizontal	230	1.06	-	39.61	11.04	34.48			
PK	15.60255G	60.42	74.00	-13.58	43.45	3	Horizontal	290	2.86	-	37.97	13.14	34.14			
AV	15.59535G	49.68	54.00	-4.32	32.66	3	Horizontal	290	2.86	-	38.02	13.14	34.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 95
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	64.21	74.00	-9.79	70.30	3	Vertical	0	1.96	-	32.10	5.53	43.72			
AV	5.15G	50.88	54.00	-3.12	56.97	3	Vertical	0	1.96	-	32.10	5.53	43.72			
PK	5.246G	120.29	Inf	-Inf	126.92	3	Vertical	0	1.96	-	31.43	5.54	43.60			
AV	5.2457G	112.65	Inf	-Inf	119.28	3	Vertical	0	1.96	-	31.43	5.54	43.60			
PK	5.3537G	59.42	74.00	-14.58	65.93	3	Vertical	0	1.96	-	31.41	5.56	43.48			
AV	5.3531G	49.76	54.00	-4.24	56.27	3	Vertical	0	1.96	-	31.41	5.56	43.48			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 95
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	70.32	74.00	-3.68	76.41	3	Horizontal	4	1.80	-	32.10	5.53	43.72			
AV	5.1449G	53.76	54.00	-0.24	59.87	3	Horizontal	4	1.80	-	32.08	5.53	43.72			
PK	5.2364G	120.27	Inf	-Inf	126.84	3	Horizontal	4	1.80	-	31.51	5.54	43.62			
AV	5.2475G	112.35	Inf	-Inf	118.99	3	Horizontal	4	1.80	-	31.42	5.54	43.60			
PK	5.3591G	64.54	74.00	-9.46	71.03	3	Horizontal	4	1.80	-	31.42	5.56	43.47			
AV	5.3519G	53.16	54.00	-0.84	59.68	3	Horizontal	4	1.80	-	31.40	5.56	43.48			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 95
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49176G	57.09	68.20	-11.11	40.79	3	Vertical	194	1.80	-	39.70	11.10	34.50			
PK	15.71568G	60.37	74.00	-13.63	43.59	3	Vertical	245	2.15	-	37.73	13.22	34.17			
AV	15.71535G	49.54	54.00	-4.46	32.76	3	Vertical	245	2.15	-	37.73	13.22	34.17			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 95
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46713G	57.34	68.20	-10.86	41.05	3	Horizontal	37	1.80	-	39.70	11.08	34.49			
PK	15.72394G	60.06	74.00	-13.94	43.25	3	Horizontal	87	1.87	-	37.75	13.23	34.17			
AV	15.71988G	49.50	54.00	-4.50	32.71	3	Horizontal	87	1.87	-	37.74	13.22	34.17			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
Setting 95
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	60.93	74.00	-13.07	67.02	3	Vertical	0	2.12	-	32.10	5.53	43.72			
AV	5.1493G	48.75	54.00	-5.25	54.84	3	Vertical	0	2.12	-	32.10	5.53	43.72			
PK	5.2552G	119.88	Inf	-Inf	126.53	3	Vertical	0	2.12	-	31.39	5.55	43.59			
AV	5.2549G	112.06	Inf	-Inf	118.71	3	Vertical	0	2.12	-	31.39	5.55	43.59			
PK	5.3608G	63.61	74.00	-10.39	70.10	3	Vertical	0	2.12	-	31.42	5.56	43.47			
AV	5.3524G	52.43	54.00	-1.57	58.95	3	Vertical	0	2.12	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 95
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1493G	61.46	74.00	-12.54	67.55	3	Horizontal	354	1.80	-	32.10	5.53	43.72			
AV	5.1499G	49.22	54.00	-4.78	55.31	3	Horizontal	354	1.80	-	32.10	5.53	43.72			
PK	5.2675G	120.13	Inf	-Inf	126.80	3	Horizontal	354	1.80	-	31.36	5.55	43.58			
AV	5.266G	111.78	Inf	-Inf	118.44	3	Horizontal	354	1.80	-	31.37	5.55	43.58			
PK	5.35G	64.82	74.00	-9.18	71.35	3	Horizontal	354	1.80	-	31.40	5.55	43.48			
AV	5.3512G	53.55	54.00	-0.45	60.07	3	Horizontal	354	1.80	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 95
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52672G	57.33	68.20	-10.87	40.99	3	Vertical	41	2.68	-	39.70	11.12	34.48			
PK	15.77127G	60.80	74.00	-13.20	44.02	3	Vertical	340	1.80	-	37.71	13.26	34.19			
AV	15.76794G	49.86	54.00	-4.14	33.06	3	Vertical	340	1.80	-	37.73	13.26	34.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 95
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52G	57.54	68.20	-10.66	41.21	3	Horizontal	332	1.50	-	39.70	11.12	34.49			
PK	15.77511G	60.45	74.00	-13.55	43.68	3	Horizontal	357	1.71	-	37.70	13.26	34.19			
AV	15.78156G	49.65	54.00	-4.35	32.90	3	Horizontal	357	1.71	-	37.67	13.27	34.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 78
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3042G	117.06	Inf	-Inf	123.74	3	Vertical	0	2.15	-	31.31	5.55	43.54			
AV	5.3052G	109.23	Inf	-Inf	115.91	3	Vertical	0	2.15	-	31.31	5.55	43.54			
PK	5.3512G	64.25	74.00	-9.75	70.77	3	Vertical	0	2.15	-	31.40	5.56	43.48			
AV	5.3508G	53.59	54.00	-0.41	60.11	3	Vertical	0	2.15	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 78
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2986G	117.83	Inf	-Inf	124.52	3	Horizontal	5	1.71	-	31.30	5.55	43.54			
AV	5.2924G	109.15	Inf	-Inf	115.83	3	Horizontal	5	1.71	-	31.32	5.55	43.55			
PK	5.3548G	64.15	74.00	-9.85	70.66	3	Horizontal	5	1.71	-	31.41	5.56	43.48			
AV	5.351G	52.22	54.00	-1.78	58.74	3	Horizontal	5	1.71	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 78
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60037G	57.19	74.00	-16.81	40.66	3	Vertical	314	2.13	-	39.80	11.17	34.44			
AV	10.6129G	46.04	54.00	-7.96	29.49	3	Vertical	314	2.13	-	39.80	11.18	34.43			
PK	15.88887G	59.53	74.00	-14.47	42.73	3	Vertical	136	1.97	-	37.68	13.34	34.22			
AV	15.90078G	48.65	54.00	-5.35	31.82	3	Vertical	136	1.97	-	37.70	13.35	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 78
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60366G	56.80	74.00	-17.20	40.27	3	Horizontal	85	2.11	-	39.80	11.17	34.44			
AV	10.61407G	46.23	54.00	-7.77	29.68	3	Horizontal	85	2.11	-	39.80	11.18	34.43			
PK	15.88869G	59.26	74.00	-14.74	42.46	3	Horizontal	356	1.61	-	37.68	13.34	34.22			
AV	15.90771G	48.80	54.00	-5.20	31.99	3	Horizontal	356	1.61	-	37.67	13.36	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 66
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3242G	115.49	Inf	-Inf	122.10	3	Vertical	0	2.02	-	31.35	5.55	43.51			
AV	5.3252G	107.51	Inf	-Inf	114.12	3	Vertical	0	2.02	-	31.35	5.55	43.51			
PK	5.3501G	67.66	74.00	-6.34	74.18	3	Vertical	0	2.02	-	31.40	5.56	43.48			
AV	5.35G	53.93	54.00	-0.07	60.45	3	Vertical	0	2.02	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 66
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3186G	114.53	Inf	-Inf	121.16	3	Horizontal	3	1.80	-	31.34	5.55	43.52			
AV	5.3177G	105.49	Inf	-Inf	112.12	3	Horizontal	3	1.80	-	31.34	5.55	43.52			
PK	5.3514G	68.14	74.00	-5.86	74.66	3	Horizontal	3	1.80	-	31.40	5.56	43.48			
AV	5.3512G	53.32	54.00	-0.68	59.84	3	Horizontal	3	1.80	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 66
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64858G	56.54	74.00	-17.46	39.95	3	Vertical	226	1.50	-	39.80	11.20	34.41			
AV	10.6365G	46.10	54.00	-7.90	29.53	3	Vertical	226	1.50	-	39.80	11.19	34.42			
PK	15.95286G	58.50	74.00	-15.50	41.86	3	Vertical	45	1.41	-	37.49	13.39	34.24			
AV	15.96501G	48.01	54.00	-5.99	31.41	3	Vertical	45	1.41	-	37.44	13.40	34.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 66
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64468G	56.74	74.00	-17.26	40.16	3	Horizontal	255	1.48	-	39.80	11.20	34.42			
AV	10.6415G	46.12	54.00	-7.88	29.54	3	Horizontal	255	1.48	-	39.80	11.20	34.42			
PK	15.94557G	59.23	74.00	-14.77	42.56	3	Horizontal	314	2.94	-	37.52	13.38	34.23			
AV	15.94737G	47.95	54.00	-6.05	31.30	3	Horizontal	314	2.94	-	37.51	13.38	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 55
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4566G	56.05	74.00	-17.95	62.12	3	Vertical	0	1.99	-	31.73	5.56	43.36			
AV	5.4553G	47.13	54.00	-6.87	53.21	3	Vertical	0	1.99	-	31.72	5.56	43.36			
PK	5.468G	59.80	68.20	-8.40	65.82	3	Vertical	0	1.99	-	31.77	5.56	43.35			
PK	5.504G	113.99	Inf	-Inf	119.86	3	Vertical	0	1.99	-	31.89	5.55	43.31			
AV	5.5016G	105.40	Inf	-Inf	111.26	3	Vertical	0	1.99	-	31.90	5.55	43.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 55
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4568G	62.73	74.00	-11.27	68.80	3	Horizontal	0	1.86	-	31.73	5.56	43.36			
AV	5.459G	49.08	54.00	-4.92	55.14	3	Horizontal	0	1.86	-	31.74	5.56	43.36			
PK	5.4695G	67.82	68.20	-0.38	73.83	3	Horizontal	0	1.86	-	31.78	5.56	43.35			
PK	5.4974G	112.91	Inf	-Inf	118.77	3	Horizontal	0	1.86	-	31.89	5.56	43.31			
AV	5.497G	103.88	Inf	-Inf	109.74	3	Horizontal	0	1.86	-	31.89	5.56	43.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUTY_2TX
Setting 55
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00951G	58.16	74.00	-15.84	40.78	3	Vertical	139	2.72	-	40.16	11.44	34.22			
AV	11.00774G	47.57	54.00	-6.43	30.18	3	Vertical	139	2.72	-	40.17	11.44	34.22			
PK	16.51065G	61.05	68.20	-7.15	42.04	3	Vertical	49	2.15	-	39.70	13.59	34.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUTY_2TX
Setting 55
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00966G	58.05	74.00	-15.95	40.68	3	Horizontal	251	2.11	-	40.16	11.44	34.23			
AV	10.99178G	47.23	54.00	-6.77	29.80	3	Horizontal	251	2.11	-	40.22	11.42	34.21			
PK	16.48719G	61.37	68.20	-6.83	42.49	3	Horizontal	301	2.46	-	39.57	13.59	34.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 80
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4192G	61.14	74.00	-12.86	67.40	3	Vertical	0	1.90	-	31.58	5.56	43.40			
AV	5.42G	53.89	54.00	-0.11	60.15	3	Vertical	0	1.90	-	31.58	5.56	43.40			
PK	5.4624G	56.54	68.20	-11.66	62.58	3	Vertical	0	1.90	-	31.75	5.56	43.35			
PK	5.5872G	118.86	Inf	-Inf	124.84	3	Vertical	0	1.90	-	31.73	5.55	43.26			
AV	5.5852G	111.00	Inf	-Inf	116.98	3	Vertical	0	1.90	-	31.73	5.55	43.26			
PK	5.742G	60.99	68.20	-7.21	66.52	3	Vertical	0	1.90	-	32.08	5.56	43.17			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 80
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	57.13	74.00	-16.87	63.19	3	Horizontal	360	1.74	-	31.74	5.56	43.36			
AV	5.4496G	48.30	54.00	-5.70	54.41	3	Horizontal	360	1.74	-	31.70	5.56	43.37			
PK	5.4648G	58.18	68.20	-10.02	64.21	3	Horizontal	360	1.74	-	31.76	5.56	43.35			
PK	5.5784G	118.01	Inf	-Inf	123.99	3	Horizontal	360	1.74	-	31.74	5.55	43.27			
AV	5.5784G	109.18	Inf	-Inf	115.16	3	Horizontal	360	1.74	-	31.74	5.55	43.27			
PK	5.764G	58.24	68.20	-9.96	63.71	3	Horizontal	360	1.74	-	32.13	5.56	43.16			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 80
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16018G	57.28	74.00	-16.72	40.73	3	Vertical	0	1.57	-	39.48	11.53	34.46			
AV	11.15709G	46.53	54.00	-7.47	29.97	3	Vertical	0	1.57	-	39.49	11.53	34.46			
PK	16.7493G	62.00	68.20	-6.20	42.60	3	Vertical	194	1.11	-	40.00	13.67	34.27			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 80
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14941G	57.38	74.00	-16.62	40.79	3	Horizontal	182	1.80	-	39.50	11.53	34.44			
AV	11.15157G	46.62	54.00	-7.38	30.04	3	Horizontal	182	1.80	-	39.50	11.53	34.45			
PK	16.7466G	61.80	68.20	-6.40	42.42	3	Horizontal	46	1.80	-	39.98	13.67	34.27			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 58
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7038G	113.55	Inf	-Inf	119.18	3	Vertical	0	2.06	-	32.01	5.56	43.20			
AV	5.694G	105.84	Inf	-Inf	111.51	3	Vertical	0	2.06	-	31.98	5.55	43.20			
PK	5.725G	67.41	68.20	-0.79	72.98	3	Vertical	0	2.06	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 58
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7043G	113.52	Inf	-Inf	119.15	3	Horizontal	355	1.80	-	32.01	5.56	43.20			
AV	5.7066G	104.09	Inf	-Inf	109.71	3	Horizontal	355	1.80	-	32.01	5.56	43.19			
PK	5.726G	62.45	68.20	-5.75	68.02	3	Horizontal	355	1.80	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 58
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40213G	57.11	74.00	-16.89	40.46	3	Vertical	277	2.74	-	39.80	11.69	34.84			
AV	11.3901G	47.10	54.00	-6.90	30.46	3	Vertical	277	2.74	-	39.78	11.68	34.82			
PK	17.10039G	62.72	68.20	-5.48	42.77	3	Vertical	164	2.64	-	40.40	13.79	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 58
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39385G	57.04	74.00	-16.96	40.38	3	Horizontal	54	1.79	-	39.79	11.69	34.82			
AV	11.38878G	46.85	54.00	-7.15	30.21	3	Horizontal	54	1.79	-	39.78	11.68	34.82			
PK	17.10942G	61.99	68.20	-6.21	42.01	3	Horizontal	158	1.62	-	40.42	13.80	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 93
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7148G	122.39	Inf	-Inf	127.99	3	Vertical	358	1.94	-	32.03	5.56	43.19			
AV	5.7176G	112.54	Inf	-Inf	118.13	3	Vertical	358	1.94	-	32.04	5.56	43.19			
PK	5.85G	66.51	68.20	-1.69	71.83	3	Vertical	358	1.94	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 93
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7232G	123.40	Inf	-Inf	128.98	3	Horizontal	354	1.89	-	32.05	5.56	43.19			
AV	5.726G	113.89	Inf	-Inf	119.46	3	Horizontal	354	1.89	-	32.05	5.56	43.18			
PK	5.8692G	63.07	68.20	-5.13	68.29	3	Horizontal	354	1.89	-	32.28	5.60	43.10			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 93
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44558G	57.52	74.00	-16.48	40.91	3	Vertical	301	1.67	-	39.80	11.72	34.91			
AV	11.44696G	46.85	54.00	-7.15	30.24	3	Vertical	301	1.67	-	39.80	11.72	34.91			
PK	17.1741G	62.50	68.20	-5.70	42.26	3	Vertical	360	2.35	-	40.64	13.82	34.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 93
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44507G	57.26	74.00	-16.74	40.64	3	Horizontal	245	1.77	-	39.80	11.72	34.90			
AV	11.44144G	46.83	54.00	-7.17	30.21	3	Horizontal	245	1.77	-	39.80	11.72	34.90			
PK	17.1489G	62.17	68.20	-6.03	42.09	3	Horizontal	100	2.69	-	40.50	13.81	34.23			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	67.62	68.20	-0.58	73.50	3	Vertical	0	1.92	-	31.80	5.55	43.23			
PK	5.7485G	122.75	Inf	-Inf	128.26	3	Vertical	0	1.92	-	32.10	5.56	43.17			
AV	5.7525G	113.01	Inf	-Inf	118.51	3	Vertical	0	1.92	-	32.11	5.56	43.17			
PK	5.926G	60.01	68.20	-8.19	65.04	3	Vertical	0	1.92	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	67.95	68.20	-0.25	73.83	3	Horizontal	357	1.80	-	31.80	5.55	43.23			
PK	5.7375G	121.42	Inf	-Inf	126.96	3	Horizontal	357	1.80	-	32.08	5.56	43.18			
AV	5.7385G	111.47	Inf	-Inf	117.01	3	Horizontal	357	1.80	-	32.08	5.56	43.18			
PK	5.925G	57.53	68.20	-10.67	62.56	3	Horizontal	357	1.80	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48349G	57.46	74.00	-16.54	40.81	3	Vertical	134	1.27	-	39.87	11.74	34.96			
AV	11.49114G	47.32	54.00	-6.68	30.67	3	Vertical	134	1.27	-	39.88	11.75	34.98			
PK	17.24844G	63.59	68.20	-4.61	42.97	3	Vertical	73	1.79	-	40.99	13.84	34.21			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49771G	58.77	74.00	-15.23	42.11	3	Horizontal	14	1.56	-	39.90	11.75	34.99			
AV	11.49618G	46.72	54.00	-7.28	30.06	3	Horizontal	14	1.56	-	39.89	11.75	34.98			
PK	17.23521G	62.98	68.20	-5.22	42.41	3	Horizontal	39	2.30	-	40.94	13.84	34.21			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 94
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6465G	67.50	68.20	-0.70	73.39	3	Vertical	360	2.00	-	31.79	5.55	43.23			
PK	5.7805G	123.03	Inf	-Inf	128.46	3	Vertical	360	2.00	-	32.16	5.56	43.15			
AV	5.7825G	114.00	Inf	-Inf	119.43	3	Vertical	360	2.00	-	32.16	5.56	43.15			
PK	5.948G	67.93	68.20	-0.27	72.93	3	Vertical	360	2.00	-	32.40	5.66	43.06			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
Setting 94
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.646G	67.59	68.20	-0.61	73.48	3	Horizontal	356	1.80	-	31.79	5.55	43.23			
PK	5.7845G	122.97	Inf	-Inf	128.39	3	Horizontal	356	1.80	-	32.17	5.56	43.15			
AV	5.791G	113.19	Inf	-Inf	118.60	3	Horizontal	356	1.80	-	32.18	5.56	43.15			
PK	5.9255G	64.53	68.20	-3.67	69.56	3	Horizontal	356	1.80	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 94
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55839G	57.84	74.00	-16.16	41.12	3	Vertical	118	1.80	-	39.87	11.79	34.94			
AV	11.56508G	47.04	54.00	-6.96	30.33	3	Vertical	118	1.80	-	39.84	11.80	34.93			
PK	17.35593G	65.24	68.20	-2.96	43.88	3	Vertical	61	1.22	-	41.66	13.88	34.18			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 94
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56022G	57.34	74.00	-16.66	40.63	3	Horizontal	307	1.43	-	39.86	11.79	34.94			
AV	11.5715G	46.62	54.00	-7.38	29.94	3	Horizontal	307	1.43	-	39.81	11.80	34.93			
PK	17.36001G	64.94	68.20	-3.26	43.54	3	Horizontal	225	1.74	-	41.70	13.88	34.18			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 84
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6155G	58.75	68.20	-9.45	64.72	3	Vertical	360	1.97	-	31.73	5.55	43.25			
PK	5.832G	121.84	Inf	-Inf	127.18	3	Vertical	360	1.97	-	32.20	5.58	43.12			
AV	5.8335G	112.39	Inf	-Inf	117.73	3	Vertical	360	1.97	-	32.20	5.58	43.12			
PK	5.925G	66.43	68.20	-1.77	71.46	3	Vertical	360	1.97	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 84
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.639G	57.15	68.20	-11.05	63.05	3	Horizontal	351	1.80	-	31.78	5.55	43.23			
PK	5.8185G	121.87	Inf	-Inf	127.23	3	Horizontal	351	1.80	-	32.20	5.57	43.13			
AV	5.83G	111.47	Inf	-Inf	116.82	3	Horizontal	351	1.80	-	32.20	5.58	43.13			
PK	5.927G	65.13	68.20	-3.07	70.16	3	Horizontal	351	1.80	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 84
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64889G	56.58	74.00	-17.42	40.18	3	Vertical	318	1.61	-	39.41	11.85	34.86			
AV	11.64319G	46.92	54.00	-7.08	30.49	3	Vertical	318	1.61	-	39.44	11.85	34.86			
PK	17.46858G	65.04	68.20	-3.16	42.83	3	Vertical	28	2.03	-	42.45	13.92	34.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 84
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65129G	57.62	74.00	-16.38	41.24	3	Horizontal	145	2.80	-	39.39	11.85	34.86			
AV	11.64418G	46.43	54.00	-7.57	30.01	3	Horizontal	145	2.80	-	39.43	11.85	34.86			
PK	17.47479G	65.13	68.20	-3.07	42.87	3	Horizontal	111	2.34	-	42.50	13.92	34.16			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 58
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	66.58	74.00	-7.42	72.67	3	Vertical	0	2.20	-	32.10	5.53	43.72			
AV	5.1493G	53.54	54.00	-0.46	59.63	3	Vertical	0	2.20	-	32.10	5.53	43.72			
PK	5.1771G	114.96	Inf	-Inf	121.17	3	Vertical	0	2.20	-	31.94	5.53	43.68			
AV	5.1748G	104.23	Inf	-Inf	110.44	3	Vertical	0	2.20	-	31.95	5.53	43.69			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 58
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	67.85	74.00	-6.15	73.94	3	Horizontal	0	1.77	-	32.10	5.53	43.72			
AV	5.1496G	53.59	54.00	-0.41	59.68	3	Horizontal	0	1.77	-	32.10	5.53	43.72			
PK	5.1851G	116.82	Inf	-Inf	123.07	3	Horizontal	0	1.77	-	31.89	5.54	43.68			
AV	5.1862G	105.83	Inf	-Inf	112.08	3	Horizontal	0	1.77	-	31.88	5.54	43.67			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 58
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34614G	56.83	68.20	-11.37	40.73	3	Vertical	185	2.46	-	39.57	11.00	34.47			
PK	15.52701G	60.53	74.00	-13.47	43.27	3	Vertical	204	1.32	-	38.29	13.09	34.12			
AV	15.53583G	49.55	54.00	-4.45	32.31	3	Vertical	204	1.32	-	38.26	13.10	34.12			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 58
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35202G	56.91	68.20	-11.29	40.77	3	Horizontal	312	2.85	-	39.60	11.01	34.47			
PK	15.54567G	60.26	74.00	-13.74	43.06	3	Horizontal	194	2.49	-	38.22	13.10	34.12			
AV	15.54021G	49.67	54.00	-4.33	32.45	3	Horizontal	194	2.49	-	38.24	13.10	34.12			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 72
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	68.60	74.00	-5.40	74.69	3	Vertical	0	2.10	-	32.10	5.53	43.72			
AV	5.1494G	53.97	54.00	-0.03	60.06	3	Vertical	0	2.10	-	32.10	5.53	43.72			
PK	5.2048G	117.71	Inf	-Inf	124.06	3	Vertical	0	2.10	-	31.76	5.54	43.65			
AV	5.208G	106.88	Inf	-Inf	113.25	3	Vertical	0	2.10	-	31.74	5.54	43.65			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
Setting 72
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1466G	68.96	74.00	-5.04	75.06	3	Horizontal	4	1.83	-	32.09	5.53	43.72			
AV	5.1466G	53.69	54.00	-0.31	59.79	3	Horizontal	4	1.83	-	32.09	5.53	43.72			
PK	5.1958G	119.62	Inf	-Inf	125.91	3	Horizontal	4	1.83	-	31.83	5.54	43.66			
AV	5.1988G	108.31	Inf	-Inf	114.62	3	Horizontal	4	1.83	-	31.81	5.54	43.66			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 72
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40711G	57.11	68.20	-11.09	40.94	3	Vertical	113	1.44	-	39.61	11.04	34.48			
PK	15.59991G	60.15	74.00	-13.85	43.15	3	Vertical	64	2.86	-	38.00	13.14	34.14			
AV	15.59901G	49.53	54.00	-4.47	32.53	3	Vertical	64	2.86	-	38.00	13.14	34.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 72
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39328G	56.90	68.20	-11.30	40.74	3	Horizontal	38	1.72	-	39.60	11.04	34.48			
PK	15.60483G	60.15	74.00	-13.85	43.20	3	Horizontal	187	1.38	-	37.95	13.14	34.14			
AV	15.60657G	49.34	54.00	-4.66	32.41	3	Horizontal	187	1.38	-	37.93	13.14	34.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 85
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1467G	70.79	74.00	-3.21	76.89	3	Vertical	3	2.02	-	32.09	5.53	43.72			
AV	5.15G	53.73	54.00	-0.27	59.82	3	Vertical	3	2.02	-	32.10	5.53	43.72			
PK	5.2451G	121.68	Inf	-Inf	128.31	3	Vertical	3	2.02	-	31.44	5.54	43.61			
AV	5.2478G	111.98	Inf	-Inf	118.62	3	Vertical	3	2.02	-	31.42	5.54	43.60			
PK	5.3519G	63.50	74.00	-10.50	70.02	3	Vertical	3	2.02	-	31.40	5.56	43.48			
AV	5.3507G	50.99	54.00	-3.01	57.51	3	Vertical	3	2.02	-	31.40	5.56	43.48			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 85
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1416G	63.36	74.00	-10.64	69.49	3	Horizontal	7	1.80	-	32.07	5.53	43.73			
AV	5.1482G	50.76	54.00	-3.24	56.86	3	Horizontal	7	1.80	-	32.09	5.53	43.72			
PK	5.246G	121.25	Inf	-Inf	127.88	3	Horizontal	7	1.80	-	31.43	5.54	43.60			
AV	5.2484G	109.98	Inf	-Inf	116.63	3	Horizontal	7	1.80	-	31.41	5.54	43.60			
PK	5.3528G	62.77	74.00	-11.23	69.28	3	Horizontal	7	1.80	-	31.41	5.56	43.48			
AV	5.3546G	49.77	54.00	-4.23	56.28	3	Horizontal	7	1.80	-	31.41	5.56	43.48			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 85
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46758G	57.00	68.20	-11.20	40.71	3	Vertical	268	3.00	-	39.70	11.08	34.49			
PK	15.70563G	60.67	74.00	-13.33	43.92	3	Vertical	290	1.52	-	37.71	13.21	34.17			
AV	15.71694G	49.33	54.00	-4.67	32.55	3	Vertical	290	1.52	-	37.73	13.22	34.17			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 85
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47298G	56.79	68.20	-11.41	40.50	3	Horizontal	50	2.65	-	39.70	11.09	34.50			
PK	15.72168G	59.90	74.00	-14.10	43.10	3	Horizontal	90	1.83	-	37.74	13.23	34.17			
AV	15.72825G	49.15	54.00	-4.85	32.33	3	Horizontal	90	1.83	-	37.76	13.23	34.17			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 87
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1421G	60.21	74.00	-13.79	66.34	3	Vertical	0	2.12	-	32.07	5.53	43.73			
AV	5.1496G	49.18	54.00	-4.82	55.27	3	Vertical	0	2.12	-	32.10	5.53	43.72			
PK	5.2552G	121.32	Inf	-Inf	127.97	3	Vertical	0	2.12	-	31.39	5.55	43.59			
AV	5.2549G	111.44	Inf	-Inf	118.09	3	Vertical	0	2.12	-	31.39	5.55	43.59			
PK	5.3503G	67.95	74.00	-6.05	74.47	3	Vertical	0	2.12	-	31.40	5.56	43.48			
AV	5.3503G	53.15	54.00	-0.85	59.67	3	Vertical	0	2.12	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 87
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	61.08	74.00	-12.92	67.17	3	Horizontal	0	1.65	-	32.10	5.53	43.72			
AV	5.143G	48.83	54.00	-5.17	54.95	3	Horizontal	0	1.65	-	32.07	5.53	43.72			
PK	5.2651G	120.91	Inf	-Inf	127.57	3	Horizontal	0	1.65	-	31.37	5.55	43.58			
AV	5.2624G	110.71	Inf	-Inf	117.37	3	Horizontal	0	1.65	-	31.38	5.55	43.59			
PK	5.3602G	68.26	74.00	-5.74	74.75	3	Horizontal	0	1.65	-	31.42	5.56	43.47			
AV	5.3521G	53.77	54.00	-0.23	60.29	3	Horizontal	0	1.65	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 87
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53317G	57.67	68.20	-10.53	41.32	3	Vertical	305	2.25	-	39.70	11.13	34.48			
PK	15.76581G	60.68	74.00	-13.32	43.86	3	Vertical	120	1.80	-	37.74	13.26	34.18			
AV	15.76677G	49.79	54.00	-4.21	32.98	3	Vertical	120	1.80	-	37.73	13.26	34.18			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 87
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51076G	57.19	68.20	-11.01	40.87	3	Horizontal	214	2.14	-	39.70	11.11	34.49			
PK	15.76698G	60.50	74.00	-13.50	43.69	3	Horizontal	182	2.69	-	37.73	13.26	34.18			
AV	15.77379G	49.26	54.00	-4.74	32.49	3	Horizontal	182	2.69	-	37.70	13.26	34.19			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 70
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3082G	117.42	Inf	-Inf	124.08	3	Vertical	4	2.13	-	31.32	5.55	43.53			
AV	5.3076G	107.83	Inf	-Inf	114.49	3	Vertical	4	2.13	-	31.32	5.55	43.53			
PK	5.3502G	69.97	74.00	-4.03	76.49	3	Vertical	4	2.13	-	31.40	5.56	43.48			
AV	5.3502G	53.55	54.00	-0.45	60.07	3	Vertical	4	2.13	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 70
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2926G	117.11	Inf	-Inf	123.80	3	Horizontal	5	1.71	-	31.31	5.55	43.55			
AV	5.2938G	106.85	Inf	-Inf	113.54	3	Horizontal	5	1.71	-	31.31	5.55	43.55			
PK	5.3534G	66.36	74.00	-7.64	72.87	3	Horizontal	5	1.71	-	31.41	5.56	43.48			
AV	5.3538G	52.01	54.00	-1.99	58.52	3	Horizontal	5	1.71	-	31.41	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 70
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58818G	57.28	68.20	-10.92	40.80	3	Vertical	265	1.43	-	39.77	11.16	34.45			
PK	15.88818G	59.41	74.00	-14.59	42.61	3	Vertical	245	1.15	-	37.68	13.34	34.22			
AV	15.90066G	48.93	54.00	-5.07	32.10	3	Vertical	245	1.15	-	37.70	13.35	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 70
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59058G	56.75	68.20	-11.45	40.26	3	Horizontal	78	2.44	-	39.78	11.16	34.45			
PK	15.90027G	59.44	74.00	-14.56	42.61	3	Horizontal	25	2.90	-	37.70	13.35	34.22			
AV	15.90426G	48.94	54.00	-5.06	32.13	3	Horizontal	25	2.90	-	37.68	13.35	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 58
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3248G	116.01	Inf	-Inf	122.62	3	Vertical	3	2.03	-	31.35	5.55	43.51			
AV	5.3278G	105.25	Inf	-Inf	111.85	3	Vertical	3	2.03	-	31.36	5.55	43.51			
PK	5.351G	67.91	74.00	-6.09	74.43	3	Vertical	3	2.03	-	31.40	5.56	43.48			
AV	5.3508G	52.35	54.00	-1.65	58.87	3	Vertical	3	2.03	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 58
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3159G	113.84	Inf	-Inf	120.48	3	Horizontal	5	1.80	-	31.33	5.55	43.52			
AV	5.3238G	103.24	Inf	-Inf	109.85	3	Horizontal	5	1.80	-	31.35	5.55	43.51			
PK	5.3502G	69.95	74.00	-4.05	76.47	3	Horizontal	5	1.80	-	31.40	5.56	43.48			
AV	5.3503G	52.55	54.00	-1.45	59.07	3	Horizontal	5	1.80	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 58
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65488G	59.09	74.00	-14.91	42.50	3	Vertical	272	1.80	-	39.79	11.21	34.41			
AV	10.64546G	46.16	54.00	-7.84	29.58	3	Vertical	272	1.80	-	39.80	11.20	34.42			
PK	15.9735G	58.56	74.00	-15.44	41.99	3	Vertical	38	2.75	-	37.41	13.40	34.24			
AV	15.97221G	48.99	54.00	-5.01	32.42	3	Vertical	38	2.75	-	37.41	13.40	34.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 58
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63958G	57.06	74.00	-16.94	40.48	3	Horizontal	157	1.57	-	39.80	11.20	34.42			
AV	10.64291G	46.64	54.00	-7.36	30.06	3	Horizontal	157	1.57	-	39.80	11.20	34.42			
PK	15.97122G	58.70	74.00	-15.30	42.12	3	Horizontal	327	2.55	-	37.42	13.40	34.24			
AV	15.94551G	47.82	54.00	-6.18	31.15	3	Horizontal	327	2.55	-	37.52	13.38	34.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 50
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4556G	56.26	74.00	-17.74	62.34	3	Vertical	1	2.07	-	31.72	5.56	43.36			
AV	5.4582G	47.14	54.00	-6.86	53.21	3	Vertical	1	2.07	-	31.73	5.56	43.36			
PK	5.469G	63.40	68.20	-4.80	69.41	3	Vertical	1	2.07	-	31.78	5.56	43.35			
PK	5.5023G	114.74	Inf	-Inf	120.60	3	Vertical	1	2.07	-	31.90	5.55	43.31			
AV	5.4978G	104.01	Inf	-Inf	109.87	3	Vertical	1	2.07	-	31.89	5.56	43.31			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 50
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	63.61	74.00	-10.39	69.67	3	Horizontal	0	1.86	-	31.74	5.56	43.36			
AV	5.4573G	48.83	54.00	-5.17	54.90	3	Horizontal	0	1.86	-	31.73	5.56	43.36			
PK	5.4679G	67.42	68.20	-0.78	73.44	3	Horizontal	0	1.86	-	31.77	5.56	43.35			
PK	5.497G	113.48	Inf	-Inf	119.34	3	Horizontal	0	1.86	-	31.89	5.56	43.31			
AV	5.4988G	102.41	Inf	-Inf	108.26	3	Horizontal	0	1.86	-	31.90	5.56	43.31			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 50
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9895G	58.87	74.00	-15.13	41.45	3	Vertical	169	1.68	-	40.22	11.42	34.22			
AV	11.00402G	47.68	54.00	-6.32	30.29	3	Vertical	169	1.68	-	40.18	11.43	34.22			
PK	16.49658G	61.16	68.20	-7.04	42.18	3	Vertical	282	2.57	-	39.67	13.59	34.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 50
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00048G	58.01	74.00	-15.99	40.59	3	Horizontal	165	2.27	-	40.20	11.43	34.21			
AV	11.00225G	47.55	54.00	-6.45	30.14	3	Horizontal	165	2.27	-	40.19	11.43	34.21			
PK	16.51332G	61.45	68.20	-6.75	42.44	3	Horizontal	143	2.09	-	39.70	13.59	34.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 83
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4216G	63.06	74.00	-10.94	69.31	3	Vertical	0	2.08	-	31.59	5.56	43.40			
AV	5.42G	53.98	54.00	-0.02	60.24	3	Vertical	0	2.08	-	31.58	5.56	43.40			
PK	5.4636G	64.14	68.20	-4.06	70.18	3	Vertical	0	2.08	-	31.75	5.56	43.35			
PK	5.5848G	121.68	Inf	-Inf	127.66	3	Vertical	0	2.08	-	31.73	5.55	43.26			
AV	5.588G	111.74	Inf	-Inf	117.73	3	Vertical	0	2.08	-	31.72	5.55	43.26			
PK	5.748G	63.50	68.20	-4.70	69.01	3	Vertical	0	2.08	-	32.10	5.56	43.17			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 83
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	63.99	74.00	-10.01	70.06	3	Horizontal	2	2.01	-	31.73	5.56	43.36			
AV	5.42G	53.82	54.00	-0.18	60.08	3	Horizontal	2	2.01	-	31.58	5.56	43.40			
PK	5.4644G	65.39	68.20	-2.81	71.42	3	Horizontal	2	2.01	-	31.76	5.56	43.35			
PK	5.5828G	121.37	Inf	-Inf	127.35	3	Horizontal	2	2.01	-	31.73	5.55	43.26			
AV	5.588G	111.58	Inf	-Inf	117.57	3	Horizontal	2	2.01	-	31.72	5.55	43.26			
PK	5.7468G	62.83	68.20	-5.37	68.35	3	Horizontal	2	2.01	-	32.09	5.56	43.17			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 83
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17248G	57.34	74.00	-16.66	40.82	3	Vertical	0	1.80	-	39.46	11.54	34.48			
AV	11.16018G	46.91	54.00	-7.09	30.36	3	Vertical	0	1.80	-	39.48	11.53	34.46			
PK	16.7466G	61.64	68.20	-6.56	42.26	3	Vertical	50	2.51	-	39.98	13.67	34.27			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 83
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.165G	56.79	74.00	-17.21	40.25	3	Horizontal	121	2.02	-	39.47	11.54	34.47			
AV	11.1744G	46.38	54.00	-7.62	29.87	3	Horizontal	121	2.02	-	39.45	11.54	34.48			
PK	16.74792G	62.02	68.20	-6.18	42.63	3	Horizontal	97	2.73	-	39.99	13.67	34.27			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 54
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6959G	114.47	Inf	-Inf	120.14	3	Vertical	0	2.04	-	31.98	5.55	43.20			
AV	5.6924G	103.86	Inf	-Inf	109.54	3	Vertical	0	2.04	-	31.97	5.55	43.20			
PK	5.726G	67.86	68.20	-0.34	73.43	3	Vertical	0	2.04	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 54
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.705G	113.39	Inf	-Inf	119.02	3	Horizontal	354	1.80	-	32.01	5.56	43.20			
AV	5.7063G	102.63	Inf	-Inf	108.25	3	Horizontal	354	1.80	-	32.01	5.56	43.19			
PK	5.7253G	64.85	68.20	-3.35	70.42	3	Horizontal	354	1.80	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 54
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39337G	57.69	74.00	-16.31	41.03	3	Vertical	247	2.28	-	39.79	11.69	34.82			
AV	11.38632G	46.57	54.00	-7.43	29.93	3	Vertical	247	2.28	-	39.77	11.68	34.81			
PK	17.09268G	62.10	68.20	-6.10	42.14	3	Vertical	278	2.23	-	40.41	13.79	34.24			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 54
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40687G	57.10	74.00	-16.90	40.45	3	Horizontal	44	2.65	-	39.80	11.69	34.84			
AV	11.39815G	46.53	54.00	-7.47	29.87	3	Horizontal	44	2.65	-	39.80	11.69	34.83			
PK	17.10954G	62.25	68.20	-5.95	42.27	3	Horizontal	161	1.96	-	40.42	13.80	34.24			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 95
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7156G	123.37	Inf	-Inf	128.97	3	Vertical	360	1.94	-	32.03	5.56	43.19			
AV	5.716G	113.63	Inf	-Inf	119.23	3	Vertical	360	1.94	-	32.03	5.56	43.19			
PK	5.8588G	68.12	68.20	-0.08	73.39	3	Vertical	360	1.94	-	32.24	5.60	43.11			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 95
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7264G	124.14	Inf	-Inf	129.71	3	Horizontal	352	1.99	-	32.05	5.56	43.18			
AV	5.7136G	113.51	Inf	-Inf	119.11	3	Horizontal	352	1.99	-	32.03	5.56	43.19			
PK	5.8556G	65.37	68.20	-2.83	70.66	3	Horizontal	352	1.99	-	32.22	5.60	43.11			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 95
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44636G	57.31	74.00	-16.69	40.70	3	Vertical	359	1.83	-	39.80	11.72	34.91			
AV	11.44045G	47.05	54.00	-6.95	30.43	3	Vertical	359	1.83	-	39.80	11.72	34.90			
PK	17.1621G	62.67	68.20	-5.53	42.50	3	Vertical	243	1.80	-	40.57	13.82	34.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 95
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4466G	57.74	74.00	-16.26	41.13	3	Horizontal	90	1.74	-	39.80	11.72	34.91			
AV	11.44096G	46.58	54.00	-7.42	29.96	3	Horizontal	90	1.74	-	39.80	11.72	34.90			
PK	17.16396G	62.14	68.20	-6.06	41.96	3	Horizontal	360	1.80	-	40.58	13.82	34.22			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6385G	67.89	68.20	-0.31	73.79	3	Vertical	360	2.17	-	31.78	5.55	43.23			
PK	5.7495G	123.01	Inf	-Inf	128.52	3	Vertical	360	2.17	-	32.10	5.56	43.17			
AV	5.753G	113.11	Inf	-Inf	118.61	3	Vertical	360	2.17	-	32.11	5.56	43.17			
PK	5.9375G	60.05	68.20	-8.15	65.06	3	Vertical	360	2.17	-	32.40	5.65	43.06			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	67.98	68.20	-0.22	73.87	3	Horizontal	355	1.80	-	31.79	5.55	43.23			
PK	5.7405G	121.17	Inf	-Inf	126.71	3	Horizontal	355	1.80	-	32.08	5.56	43.18			
AV	5.7385G	111.81	Inf	-Inf	117.35	3	Horizontal	355	1.80	-	32.08	5.56	43.18			
PK	5.975G	57.68	68.20	-10.52	62.60	3	Horizontal	355	1.80	-	32.45	5.67	43.04			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50461G	57.75	74.00	-16.25	41.08	3	Vertical	159	1.32	-	39.90	11.76	34.99			
AV	11.49441G	46.67	54.00	-7.33	30.01	3	Vertical	159	1.32	-	39.89	11.75	34.98			
PK	17.22795G	62.73	68.20	-5.47	42.19	3	Vertical	122	2.68	-	40.91	13.84	34.21			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 84
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49702G	57.89	74.00	-16.11	41.24	3	Horizontal	107	2.10	-	39.89	11.75	34.99			
AV	11.48535G	46.72	54.00	-7.28	30.07	3	Horizontal	107	2.10	-	39.87	11.75	34.97			
PK	17.24559G	63.26	68.20	-4.94	42.65	3	Horizontal	53	2.02	-	40.98	13.84	34.21			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 92
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.646G	66.76	68.20	-1.44	72.65	3	Vertical	359	2.08	-	31.79	5.55	43.23			
PK	5.7805G	122.88	Inf	-Inf	128.31	3	Vertical	359	2.08	-	32.16	5.56	43.15			
AV	5.778G	113.75	Inf	-Inf	119.18	3	Vertical	359	2.08	-	32.16	5.56	43.15			
PK	5.926G	67.74	68.20	-0.46	72.77	3	Vertical	359	2.08	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 92
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6445G	65.56	68.20	-2.64	71.45	3	Horizontal	353	2.03	-	31.79	5.55	43.23			
PK	5.7915G	122.70	Inf	-Inf	128.11	3	Horizontal	353	2.03	-	32.18	5.56	43.15			
AV	5.7925G	113.10	Inf	-Inf	118.50	3	Horizontal	353	2.03	-	32.19	5.56	43.15			
PK	5.926G	65.20	68.20	-3.00	70.23	3	Horizontal	353	2.03	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 92
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56124G	57.52	74.00	-16.48	40.81	3	Vertical	355	1.02	-	39.86	11.79	34.94			
AV	11.55638G	46.72	54.00	-7.28	30.00	3	Vertical	355	1.02	-	39.87	11.79	34.94			
PK	17.35653G	65.18	68.20	-3.02	43.81	3	Vertical	61	1.80	-	41.67	13.88	34.18			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 92
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57981G	57.79	74.00	-16.21	41.12	3	Horizontal	53	2.76	-	39.78	11.81	34.92			
AV	11.5583G	46.76	54.00	-7.24	30.04	3	Horizontal	53	2.76	-	39.87	11.79	34.94			
PK	17.34354G	63.89	68.20	-4.31	42.64	3	Horizontal	121	1.71	-	41.55	13.88	34.18			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 86
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.593G	58.90	68.20	-9.30	64.90	3	Vertical	360	2.03	-	31.71	5.55	43.26			
PK	5.831G	124.12	Inf	-Inf	129.46	3	Vertical	360	2.03	-	32.20	5.58	43.12			
AV	5.833G	113.29	Inf	-Inf	118.63	3	Vertical	360	2.03	-	32.20	5.58	43.12			
PK	5.925G	67.74	68.20	-0.46	72.77	3	Vertical	360	2.03	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 86
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	57.74	68.20	-10.46	63.62	3	Horizontal	354	1.96	-	31.80	5.55	43.23			
PK	5.821G	123.02	Inf	-Inf	128.38	3	Horizontal	354	1.96	-	32.20	5.57	43.13			
AV	5.8225G	112.09	Inf	-Inf	117.45	3	Horizontal	354	1.96	-	32.20	5.57	43.13			
PK	5.9225G	68.36	70.05	-1.69	73.39	3	Horizontal	354	1.96	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 86
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64916G	57.37	74.00	-16.63	40.97	3	Vertical	353	2.60	-	39.41	11.85	34.86			
AV	11.63944G	46.58	54.00	-7.42	30.14	3	Vertical	353	2.60	-	39.46	11.85	34.87			
PK	17.4852G	64.92	68.20	-3.28	42.57	3	Vertical	188	1.39	-	42.58	13.92	34.15			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 86
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.63887G	57.37	74.00	-16.63	40.92	3	Horizontal	263	1.16	-	39.47	11.85	34.87			
AV	11.64001G	46.43	54.00	-7.57	29.99	3	Horizontal	263	1.16	-	39.46	11.85	34.87			
PK	17.46993G	64.56	68.20	-3.64	42.34	3	Horizontal	303	2.49	-	42.46	13.92	34.16			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 53
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	67.15	74.00	-6.85	73.26	3	Vertical	358	2.29	-	32.08	5.53	43.72			
AV	5.1496G	53.56	54.00	-0.44	59.65	3	Vertical	358	2.29	-	32.10	5.53	43.72			
PK	5.2066G	109.86	Inf	-Inf	116.22	3	Vertical	358	2.29	-	31.75	5.54	43.65			
AV	5.2074G	99.07	Inf	-Inf	105.44	3	Vertical	358	2.29	-	31.74	5.54	43.65			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 53
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	69.76	74.00	-4.24	75.85	3	Horizontal	356	1.80	-	32.10	5.53	43.72			
AV	5.1492G	53.18	54.00	-0.82	59.27	3	Horizontal	356	1.80	-	32.10	5.53	43.72			
PK	5.1876G	112.50	Inf	-Inf	118.76	3	Horizontal	356	1.80	-	31.87	5.54	43.67			
AV	5.1822G	101.68	Inf	-Inf	107.91	3	Horizontal	356	1.80	-	31.91	5.54	43.68			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 53
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38069G	57.11	68.20	-11.09	40.96	3	Vertical	20	2.25	-	39.60	11.03	34.48			
PK	15.56265G	59.39	74.00	-14.61	42.26	3	Vertical	339	2.38	-	38.15	13.11	34.13			
AV	15.5634G	49.24	54.00	-4.76	32.11	3	Vertical	339	2.38	-	38.15	13.11	34.13			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 53
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38258G	56.70	68.20	-11.50	40.55	3	Horizontal	166	2.21	-	39.60	11.03	34.48			
PK	15.55974G	60.06	74.00	-13.94	42.92	3	Horizontal	306	1.06	-	38.16	13.11	34.13			
AV	15.5604G	49.29	54.00	-4.71	32.15	3	Horizontal	306	1.06	-	38.16	13.11	34.13			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 69
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	68.45	74.00	-5.55	74.56	3	Vertical	0	1.98	-	32.08	5.53	43.72			
AV	5.1484G	53.59	54.00	-0.41	59.69	3	Vertical	0	1.98	-	32.09	5.53	43.72			
PK	5.2388G	116.35	Inf	-Inf	122.93	3	Vertical	0	1.98	-	31.49	5.54	43.61			
AV	5.246G	105.57	Inf	-Inf	112.20	3	Vertical	0	1.98	-	31.43	5.54	43.60			
PK	5.4016G	61.47	74.00	-12.53	67.82	3	Vertical	0	1.98	-	31.51	5.56	43.42			
AV	5.39G	52.68	54.00	-1.32	59.08	3	Vertical	0	1.98	-	31.48	5.56	43.44			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 69
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	67.62	74.00	-6.38	73.71	3	Horizontal	0	1.73	-	32.10	5.53	43.72			
AV	5.1484G	52.97	54.00	-1.03	59.07	3	Horizontal	0	1.73	-	32.09	5.53	43.72			
PK	5.2464G	114.34	Inf	-Inf	120.97	3	Horizontal	0	1.73	-	31.43	5.54	43.60			
AV	5.244G	103.65	Inf	-Inf	110.27	3	Horizontal	0	1.73	-	31.45	5.54	43.61			
PK	5.3512G	60.67	74.00	-13.33	67.19	3	Horizontal	0	1.73	-	31.40	5.56	43.48			
AV	5.3508G	49.10	54.00	-4.90	55.62	3	Horizontal	0	1.73	-	31.40	5.56	43.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 69
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.44797G	56.88	68.20	-11.32	40.60	3	Vertical	103	2.30	-	39.70	11.07	34.49			
PK	15.67962G	60.28	74.00	-13.72	43.62	3	Vertical	273	1.26	-	37.62	13.20	34.16			
AV	15.69042G	49.65	54.00	-4.35	32.95	3	Vertical	273	1.26	-	37.66	13.20	34.16			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 69
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47206G	57.05	68.20	-11.15	40.75	3	Horizontal	16	1.02	-	39.70	11.09	34.49			
PK	15.67524G	60.07	74.00	-13.93	43.44	3	Horizontal	259	2.93	-	37.60	13.19	34.16			
AV	15.70209G	49.56	54.00	-4.44	32.82	3	Horizontal	259	2.93	-	37.70	13.21	34.17			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 71
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	58.75	74.00	-15.25	64.84	3	Vertical	360	2.16	-	32.10	5.53	43.72			
AV	5.15G	48.39	54.00	-5.61	54.48	3	Vertical	360	2.16	-	32.10	5.53	43.72			
PK	5.2628G	115.39	Inf	-Inf	122.06	3	Vertical	360	2.16	-	31.37	5.55	43.59			
AV	5.2524G	104.64	Inf	-Inf	111.29	3	Vertical	360	2.16	-	31.40	5.55	43.60			
PK	5.3512G	66.10	74.00	-7.90	72.62	3	Vertical	360	2.16	-	31.40	5.56	43.48			
AV	5.3504G	53.56	54.00	-0.44	60.08	3	Vertical	360	2.16	-	31.40	5.56	43.48			
PK	5.4688G	57.60	68.20	-10.60	63.61	3	Vertical	360	2.16	-	31.78	5.56	43.35			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 71
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	58.35	74.00	-15.65	64.45	3	Horizontal	360	1.67	-	32.09	5.53	43.72			
AV	5.15G	48.31	54.00	-5.69	54.40	3	Horizontal	360	1.67	-	32.10	5.53	43.72			
PK	5.2628G	115.50	Inf	-Inf	122.17	3	Horizontal	360	1.67	-	31.37	5.55	43.59			
AV	5.2752G	104.90	Inf	-Inf	111.57	3	Horizontal	360	1.67	-	31.35	5.55	43.57			
PK	5.3512G	69.11	74.00	-4.89	75.63	3	Horizontal	360	1.67	-	31.40	5.56	43.48			
AV	5.3508G	53.43	54.00	-0.57	59.95	3	Horizontal	360	1.67	-	31.40	5.56	43.48			
PK	5.462G	56.07	68.20	-12.13	62.11	3	Horizontal	360	1.67	-	31.75	5.56	43.35			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 71
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54324G	57.02	68.20	-11.18	40.66	3	Vertical	121	1.44	-	39.70	11.13	34.47			
PK	15.80097G	59.62	74.00	-14.38	42.93	3	Vertical	217	2.17	-	37.60	13.28	34.19			
AV	15.8049G	48.65	54.00	-5.35	31.97	3	Vertical	217	2.17	-	37.60	13.28	34.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 71
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53478G	57.40	68.20	-10.80	41.05	3	Horizontal	232	2.66	-	39.70	11.13	34.48			
PK	15.82356G	59.19	74.00	-14.81	42.49	3	Horizontal	348	2.79	-	37.60	13.30	34.20			
AV	15.79569G	48.90	54.00	-5.10	32.19	3	Horizontal	348	2.79	-	37.62	13.28	34.19			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 56
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3276G	111.01	Inf	-Inf	117.61	3	Vertical	9	2.14	-	31.36	5.55	43.51			
AV	5.3198G	100.53	Inf	-Inf	107.16	3	Vertical	9	2.14	-	31.34	5.55	43.52			
PK	5.3514G	69.06	74.00	-4.94	75.58	3	Vertical	9	2.14	-	31.40	5.56	43.48			
AV	5.35G	53.98	54.00	-0.02	60.50	3	Vertical	9	2.14	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 56
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3076G	109.87	Inf	-Inf	116.53	3	Horizontal	6	1.80	-	31.32	5.55	43.53			
AV	5.2964G	99.36	Inf	-Inf	106.05	3	Horizontal	6	1.80	-	31.31	5.55	43.55			
PK	5.3504G	67.49	74.00	-6.51	74.01	3	Horizontal	6	1.80	-	31.40	5.56	43.48			
AV	5.3502G	51.93	54.00	-2.07	58.45	3	Horizontal	6	1.80	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 56
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60515G	56.89	74.00	-17.11	40.36	3	Vertical	135	1.18	-	39.80	11.17	34.44			
AV	10.6257G	46.11	54.00	-7.89	29.55	3	Vertical	135	1.18	-	39.80	11.19	34.43			
PK	15.92415G	58.98	74.00	-15.02	42.24	3	Vertical	35	2.69	-	37.60	13.37	34.23			
AV	15.92406G	48.27	54.00	-5.73	31.53	3	Vertical	35	2.69	-	37.60	13.37	34.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 56
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61082G	56.71	74.00	-17.29	40.17	3	Horizontal	198	2.71	-	39.80	11.18	34.44			
AV	10.62729G	46.31	54.00	-7.69	29.75	3	Horizontal	198	2.71	-	39.80	11.19	34.43			
PK	15.92544G	59.33	74.00	-14.67	42.59	3	Horizontal	294	1.74	-	37.60	13.37	34.23			
AV	15.92001G	48.96	54.00	-5.04	32.21	3	Horizontal	294	1.74	-	37.62	13.36	34.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 52
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	63.97	74.00	-10.03	70.03	3	Vertical	8	2.11	-	31.74	5.56	43.36			
AV	5.4542G	48.03	54.00	-5.97	54.11	3	Vertical	8	2.11	-	31.72	5.56	43.36			
PK	5.465G	67.96	68.20	-0.24	73.99	3	Vertical	8	2.11	-	31.76	5.56	43.35			
PK	5.512G	111.10	Inf	-Inf	116.97	3	Vertical	8	2.11	-	31.88	5.55	43.30			
AV	5.5022G	100.73	Inf	-Inf	106.59	3	Vertical	8	2.11	-	31.90	5.55	43.31			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 52
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	65.94	74.00	-8.06	72.00	3	Horizontal	357	1.80	-	31.74	5.56	43.36			
AV	5.4594G	49.00	54.00	-5.00	55.06	3	Horizontal	357	1.80	-	31.74	5.56	43.36			
PK	5.4666G	68.17	68.20	-0.03	74.19	3	Horizontal	357	1.80	-	31.77	5.56	43.35			
PK	5.5076G	109.33	Inf	-Inf	115.21	3	Horizontal	357	1.80	-	31.88	5.55	43.31			
AV	5.5274G	98.72	Inf	-Inf	104.61	3	Horizontal	357	1.80	-	31.85	5.55	43.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 52
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.03353G	58.41	74.00	-15.59	41.15	3	Vertical	234	2.98	-	40.07	11.45	34.26			
AV	11.03191G	47.21	54.00	-6.79	29.95	3	Vertical	234	2.98	-	40.07	11.45	34.26			
PK	16.52106G	62.56	68.20	-5.64	43.54	3	Vertical	80	1.57	-	39.70	13.60	34.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 52
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02048G	58.34	74.00	-15.66	41.02	3	Horizontal	68	1.16	-	40.12	11.44	34.24			
AV	11.03464G	47.64	54.00	-6.36	30.39	3	Horizontal	68	1.16	-	40.06	11.45	34.26			
PK	16.54161G	62.03	68.20	-6.17	43.01	3	Horizontal	46	2.95	-	39.70	13.60	34.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 63
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	65.37	74.00	-8.63	71.44	3	Vertical	4	2.05	-	31.73	5.56	43.36			
AV	5.4588G	51.07	54.00	-2.93	57.13	3	Vertical	4	2.05	-	31.74	5.56	43.36			
PK	5.4639G	67.82	68.20	-0.38	73.85	3	Vertical	4	2.05	-	31.76	5.56	43.35			
PK	5.5596G	112.35	Inf	-Inf	118.30	3	Vertical	4	2.05	-	31.78	5.55	43.28			
AV	5.5647G	101.71	Inf	-Inf	107.66	3	Vertical	4	2.05	-	31.77	5.55	43.27			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 63
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	66.09	74.00	-7.91	72.16	3	Horizontal	360	1.74	-	31.73	5.56	43.36			
AV	5.4594G	51.82	54.00	-2.18	57.88	3	Horizontal	360	1.74	-	31.74	5.56	43.36			
PK	5.4627G	67.93	68.20	-0.27	73.97	3	Horizontal	360	1.74	-	31.75	5.56	43.35			
PK	5.5476G	115.05	Inf	-Inf	120.98	3	Horizontal	360	1.74	-	31.80	5.55	43.28			
AV	5.541G	103.76	Inf	-Inf	109.68	3	Horizontal	360	1.74	-	31.82	5.55	43.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 63
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10459G	57.45	74.00	-16.55	40.55	3	Vertical	15	1.38	-	39.77	11.50	34.37			
AV	11.11368G	46.94	54.00	-7.06	30.11	3	Vertical	15	1.38	-	39.72	11.50	34.39			
PK	16.66347G	61.86	68.20	-6.34	42.78	3	Vertical	185	1.97	-	39.70	13.65	34.27			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 63
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10765G	57.30	74.00	-16.70	40.43	3	Horizontal	320	1.99	-	39.75	11.50	34.38			
AV	11.09913G	46.62	54.00	-7.38	29.69	3	Horizontal	320	1.99	-	39.80	11.49	34.36			
PK	16.64124G	61.58	68.20	-6.62	42.55	3	Horizontal	257	1.33	-	39.66	13.64	34.27			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 62
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6804G	113.49	Inf	-Inf	119.23	3	Vertical	6	2.05	-	31.92	5.55	43.21			
AV	5.6738G	103.58	Inf	-Inf	109.34	3	Vertical	6	2.05	-	31.90	5.55	43.21			
PK	5.7264G	67.80	68.20	-0.40	73.37	3	Vertical	6	2.05	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 62
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6766G	111.10	Inf	-Inf	116.85	3	Horizontal	0	1.74	-	31.91	5.55	43.21			
AV	5.6874G	100.03	Inf	-Inf	105.74	3	Horizontal	0	1.74	-	31.95	5.55	43.21			
PK	5.7272G	67.87	68.20	-0.33	73.44	3	Horizontal	0	1.74	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 62
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33874G	57.01	74.00	-16.99	40.45	3	Vertical	113	1.66	-	39.65	11.65	34.74			
AV	11.33551G	46.70	54.00	-7.30	30.14	3	Vertical	113	1.66	-	39.64	11.65	34.73			
PK	17.00376G	62.25	68.20	-5.95	42.43	3	Vertical	204	1.22	-	40.32	13.76	34.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 62
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34381G	57.46	74.00	-16.54	40.88	3	Horizontal	111	1.82	-	39.68	11.65	34.75			
AV	11.3496G	46.59	54.00	-7.41	29.99	3	Horizontal	111	1.82	-	39.70	11.66	34.76			
PK	17.01054G	62.20	68.20	-6.00	42.36	3	Horizontal	286	1.61	-	40.34	13.76	34.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 84
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7268G	116.57	Inf	-Inf	122.14	3	Vertical	2	2.15	-	32.05	5.56	43.18			
AV	5.692G	107.10	Inf	-Inf	112.78	3	Vertical	2	2.15	-	31.97	5.55	43.20			
PK	5.8504G	67.82	68.20	-0.38	73.14	3	Vertical	2	2.15	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 84
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.712G	117.87	Inf	-Inf	123.48	3	Horizontal	357	1.70	-	32.02	5.56	43.19			
AV	5.7164G	107.09	Inf	-Inf	112.69	3	Horizontal	357	1.70	-	32.03	5.56	43.19			
PK	5.852G	63.48	68.20	-4.72	68.79	3	Horizontal	357	1.70	-	32.21	5.59	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 84
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.426G	57.83	74.00	-16.17	41.19	3	Vertical	22	2.22	-	39.80	11.71	34.87			
AV	11.41613G	47.06	54.00	-6.94	30.42	3	Vertical	22	2.22	-	39.80	11.70	34.86			
PK	17.1417G	62.13	68.20	-6.07	42.07	3	Vertical	335	1.80	-	40.48	13.81	34.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 84
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42867G	57.49	74.00	-16.51	40.86	3	Horizontal	352	2.61	-	39.80	11.71	34.88			
AV	11.42216G	46.19	54.00	-7.81	29.56	3	Horizontal	352	2.61	-	39.80	11.70	34.87			
PK	17.13558G	61.98	68.20	-6.22	41.93	3	Horizontal	113	2.84	-	40.47	13.81	34.23			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 78
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64G	67.71	68.20	-0.49	73.61	3	Vertical	0	2.01	-	31.78	5.55	43.23			
PK	5.757G	118.07	Inf	-Inf	123.57	3	Vertical	0	2.01	-	32.11	5.56	43.17			
AV	5.7625G	107.64	Inf	-Inf	113.12	3	Vertical	0	2.01	-	32.12	5.56	43.16			
PK	5.9275G	61.85	68.20	-6.35	66.88	3	Vertical	0	2.01	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 78
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64G	68.09	68.20	-0.11	73.99	3	Horizontal	360	1.90	-	31.78	5.55	43.23			
PK	5.7525G	115.37	Inf	-Inf	120.87	3	Horizontal	360	1.90	-	32.11	5.56	43.17			
AV	5.7375G	104.92	Inf	-Inf	110.46	3	Horizontal	360	1.90	-	32.08	5.56	43.18			
PK	5.925G	57.84	68.20	-10.36	62.87	3	Horizontal	360	1.90	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 78
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5001G	57.39	74.00	-16.61	40.72	3	Vertical	252	1.29	-	39.90	11.76	34.99			
AV	11.5178G	46.92	54.00	-7.08	30.22	3	Vertical	252	1.29	-	39.90	11.77	34.97			
PK	17.26584G	63.25	68.20	-4.95	42.54	3	Vertical	172	1.99	-	41.06	13.85	34.20			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 78
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50124G	57.94	74.00	-16.06	41.27	3	Horizontal	91	2.09	-	39.90	11.76	34.99			
AV	11.5016G	47.35	54.00	-6.65	30.68	3	Horizontal	91	2.09	-	39.90	11.76	34.99			
PK	17.26242G	62.93	68.20	-5.27	42.23	3	Horizontal	106	2.50	-	41.05	13.85	34.20			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 82
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	65.46	68.20	-2.74	71.35	3	Vertical	3	1.94	-	31.79	5.55	43.23			
PK	5.8005G	118.17	Inf	-Inf	123.55	3	Vertical	3	1.94	-	32.20	5.56	43.14			
AV	5.783G	107.49	Inf	-Inf	112.91	3	Vertical	3	1.94	-	32.17	5.56	43.15			
PK	5.9255G	68.02	68.20	-0.18	73.05	3	Vertical	3	1.94	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 82
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63G	64.14	68.20	-4.06	70.07	3	Horizontal	0	1.70	-	31.76	5.55	43.24			
PK	5.8045G	118.29	Inf	-Inf	123.67	3	Horizontal	0	1.70	-	32.20	5.56	43.14			
AV	5.8035G	107.18	Inf	-Inf	112.56	3	Horizontal	0	1.70	-	32.20	5.56	43.14			
PK	5.9285G	66.16	68.20	-2.04	71.19	3	Horizontal	0	1.70	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 82
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57794G	57.80	74.00	-16.20	41.12	3	Vertical	142	2.09	-	39.79	11.81	34.92			
AV	11.59204G	46.70	54.00	-7.30	30.07	3	Vertical	142	2.09	-	39.73	11.81	34.91			
PK	17.3916G	65.14	68.20	-3.06	43.40	3	Vertical	44	2.64	-	42.02	13.89	34.17			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 82
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59567G	57.54	74.00	-16.46	40.91	3	Horizontal	240	2.42	-	39.72	11.82	34.91			
AV	11.60461G	47.18	54.00	-6.82	30.59	3	Horizontal	240	2.42	-	39.67	11.82	34.90			
PK	17.38896G	64.81	68.20	-3.39	43.10	3	Horizontal	147	1.64	-	41.99	13.89	34.17			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 54
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.13	74.00	-5.87	74.22	3	Vertical	7	1.93	-	32.10	5.53	43.72			
AV	5.1485G	53.55	54.00	-0.45	59.65	3	Vertical	7	1.93	-	32.09	5.53	43.72			
PK	5.2295G	106.76	Inf	-Inf	113.28	3	Vertical	7	1.93	-	31.56	5.54	43.62			
AV	5.238G	96.98	Inf	-Inf	103.55	3	Vertical	7	1.93	-	31.50	5.54	43.61			
PK	5.3505G	57.04	74.00	-16.96	63.56	3	Vertical	7	1.93	-	31.40	5.56	43.48			
AV	5.4035G	48.02	54.00	-5.98	54.37	3	Vertical	7	1.93	-	31.51	5.56	43.42			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 54
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	67.30	74.00	-6.70	73.39	3	Horizontal	6	1.80	-	32.10	5.53	43.72			
AV	5.136G	53.42	54.00	-0.58	59.59	3	Horizontal	6	1.80	-	32.04	5.52	43.73			
PK	5.185G	106.01	Inf	-Inf	112.26	3	Horizontal	6	1.80	-	31.89	5.54	43.68			
AV	5.184G	96.26	Inf	-Inf	102.50	3	Horizontal	6	1.80	-	31.90	5.54	43.68			
PK	5.3695G	55.30	74.00	-18.70	61.76	3	Horizontal	6	1.80	-	31.44	5.56	43.46			
AV	5.3665G	46.11	54.00	-7.89	52.58	3	Horizontal	6	1.80	-	31.43	5.56	43.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 54
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42702G	56.93	68.20	-11.27	40.71	3	Vertical	290	2.72	-	39.65	11.06	34.49			
PK	15.61881G	59.84	74.00	-14.16	43.02	3	Vertical	144	1.26	-	37.81	13.15	34.14			
AV	15.64458G	48.96	54.00	-5.04	32.39	3	Vertical	144	1.26	-	37.55	13.17	34.15			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 54
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41163G	57.15	68.20	-11.05	40.96	3	Horizontal	270	2.18	-	39.62	11.05	34.48			
PK	15.62247G	59.91	74.00	-14.09	43.11	3	Horizontal	26	2.73	-	37.78	13.16	34.14			
AV	15.62409G	49.01	54.00	-4.99	32.23	3	Horizontal	26	2.73	-	37.76	13.16	34.14			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 54
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	55.75	74.00	-18.25	61.89	3	Vertical	5	2.14	-	32.06	5.53	43.73			
AV	5.1485G	45.66	54.00	-8.34	51.76	3	Vertical	5	2.14	-	32.09	5.53	43.72			
PK	5.305G	106.48	Inf	-Inf	113.16	3	Vertical	5	2.14	-	31.31	5.55	43.54			
AV	5.32G	97.00	Inf	-Inf	103.63	3	Vertical	5	2.14	-	31.34	5.55	43.52			
PK	5.36G	65.36	74.00	-8.64	71.85	3	Vertical	5	2.14	-	31.42	5.56	43.47			
AV	5.3505G	50.64	54.00	-3.36	57.16	3	Vertical	5	2.14	-	31.40	5.56	43.48			
PK	5.481G	55.56	68.20	-12.64	61.51	3	Vertical	5	2.14	-	31.82	5.56	43.33			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 54
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	56.94	74.00	-17.06	63.05	3	Horizontal	3	1.72	-	32.08	5.53	43.72			
AV	5.145G	45.06	54.00	-8.94	51.17	3	Horizontal	3	1.72	-	32.08	5.53	43.72			
PK	5.279G	107.06	Inf	-Inf	113.74	3	Horizontal	3	1.72	-	31.34	5.55	43.57			
AV	5.279G	96.26	Inf	-Inf	102.94	3	Horizontal	3	1.72	-	31.34	5.55	43.57			
PK	5.356G	68.46	74.00	-5.54	74.97	3	Horizontal	3	1.72	-	31.41	5.56	43.48			
AV	5.355G	53.75	54.00	-0.25	60.26	3	Horizontal	3	1.72	-	31.41	5.56	43.48			
PK	5.4625G	54.64	68.20	-13.56	60.68	3	Horizontal	3	1.72	-	31.75	5.56	43.35			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 54
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5749G	57.52	68.20	-10.68	41.08	3	Vertical	288	1.70	-	39.75	11.15	34.46			
PK	15.87681G	59.67	74.00	-14.33	42.91	3	Vertical	108	2.55	-	37.65	13.33	34.22			
AV	15.85656G	48.85	54.00	-5.15	32.13	3	Vertical	108	2.55	-	37.61	13.32	34.21			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 54
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58102G	57.67	68.20	-10.53	41.20	3	Horizontal	54	2.09	-	39.76	11.16	34.45			
PK	15.85503G	60.16	74.00	-13.84	43.44	3	Horizontal	235	1.39	-	37.61	13.32	34.21			
AV	15.85518G	48.66	54.00	-5.34	31.94	3	Horizontal	235	1.39	-	37.61	13.32	34.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 48
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.455G	63.82	74.00	-10.18	69.90	3	Vertical	5	2.03	-	31.72	5.56	43.36			
AV	5.4545G	47.77	54.00	-6.23	53.85	3	Vertical	5	2.03	-	31.72	5.56	43.36			
PK	5.47G	65.80	68.20	-2.40	71.80	3	Vertical	5	2.03	-	31.78	5.56	43.34			
PK	5.4985G	105.24	Inf	-Inf	111.10	3	Vertical	5	2.03	-	31.89	5.56	43.31			
AV	5.5G	96.20	Inf	-Inf	102.06	3	Vertical	5	2.03	-	31.90	5.55	43.31			
PK	5.7605G	54.82	68.20	-13.38	60.30	3	Vertical	5	2.03	-	32.12	5.56	43.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 48
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4555G	66.58	74.00	-7.42	72.66	3	Horizontal	0	1.67	-	31.72	5.56	43.36			
AV	5.457G	51.61	54.00	-2.39	57.68	3	Horizontal	0	1.67	-	31.73	5.56	43.36			
PK	5.4695G	67.92	68.20	-0.28	73.93	3	Horizontal	0	1.67	-	31.78	5.56	43.35			
PK	5.541G	106.08	Inf	-Inf	112.00	3	Horizontal	0	1.67	-	31.82	5.55	43.29			
AV	5.5445G	96.00	Inf	-Inf	101.93	3	Horizontal	0	1.67	-	31.81	5.55	43.29			
PK	5.764G	54.60	68.20	-13.60	60.07	3	Horizontal	0	1.67	-	32.13	5.56	43.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 48
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07077G	57.48	74.00	-16.52	40.40	3	Vertical	141	1.57	-	39.92	11.48	34.32			
AV	11.05256G	47.29	54.00	-6.71	30.13	3	Vertical	141	1.57	-	39.99	11.46	34.29			
PK	16.59639G	61.13	68.20	-7.07	42.28	3	Vertical	340	2.40	-	39.51	13.62	34.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 48
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05814G	57.51	74.00	-16.49	40.37	3	Horizontal	248	2.53	-	39.97	11.47	34.30			
AV	11.05067G	47.26	54.00	-6.74	30.09	3	Horizontal	248	2.53	-	40.00	11.46	34.29			
PK	16.58355G	61.13	68.20	-7.07	42.22	3	Horizontal	245	1.11	-	39.57	13.62	34.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 60
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.441G	67.66	74.00	-6.34	73.82	3	Vertical	5	2.01	-	31.66	5.56	43.38			
AV	5.438G	53.73	54.00	-0.27	59.90	3	Vertical	5	2.01	-	31.65	5.56	43.38			
PK	5.466G	65.83	68.20	-2.37	71.86	3	Vertical	5	2.01	-	31.76	5.56	43.35			
PK	5.5925G	111.22	Inf	-Inf	117.22	3	Vertical	5	2.01	-	31.71	5.55	43.26			
AV	5.595G	100.44	Inf	-Inf	106.44	3	Vertical	5	2.01	-	31.71	5.55	43.26			
PK	5.7485G	66.62	68.20	-1.58	72.13	3	Vertical	5	2.01	-	32.10	5.56	43.17			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 60
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	66.57	74.00	-7.43	72.63	3	Horizontal	0	1.60	-	31.74	5.56	43.36			
AV	5.4485G	53.31	54.00	-0.69	59.43	3	Horizontal	0	1.60	-	31.69	5.56	43.37			
PK	5.469G	65.21	68.20	-2.99	71.22	3	Horizontal	0	1.60	-	31.78	5.56	43.35			
PK	5.6255G	110.33	Inf	-Inf	116.27	3	Horizontal	0	1.60	-	31.75	5.55	43.24			
AV	5.624G	100.44	Inf	-Inf	106.38	3	Horizontal	0	1.60	-	31.75	5.55	43.24			
PK	5.7295G	68.15	68.20	-0.05	73.71	3	Horizontal	0	1.60	-	32.06	5.56	43.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 60
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22915G	57.02	74.00	-16.98	40.55	3	Vertical	284	2.45	-	39.46	11.58	34.57			
AV	11.21295G	46.33	54.00	-7.67	29.87	3	Vertical	284	2.45	-	39.43	11.57	34.54			
PK	16.83684G	62.94	68.20	-5.26	42.72	3	Vertical	150	1.00	-	40.79	13.70	34.27			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 60
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20632G	57.65	74.00	-16.35	41.21	3	Horizontal	157	1.29	-	39.41	11.56	34.53			
AV	11.20656G	46.68	54.00	-7.32	30.24	3	Horizontal	157	1.29	-	39.41	11.56	34.53			
PK	16.81674G	63.21	68.20	-4.99	43.15	3	Horizontal	257	2.05	-	40.63	13.70	34.27			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 70
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	63.45	74.00	-10.55	69.52	3	Vertical	6	2.06	-	31.73	5.56	43.36			
AV	5.46G	51.40	54.00	-2.60	57.46	3	Vertical	6	2.06	-	31.74	5.56	43.36			
PK	5.466G	65.13	68.20	-3.07	71.16	3	Vertical	6	2.06	-	31.76	5.56	43.35			
PK	5.681G	113.53	Inf	-Inf	119.27	3	Vertical	6	2.06	-	31.92	5.55	43.21			
AV	5.6775G	103.27	Inf	-Inf	109.02	3	Vertical	6	2.06	-	31.91	5.55	43.21			
PK	5.8595G	68.04	68.20	-0.16	73.31	3	Vertical	6	2.06	-	32.24	5.60	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 70
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4595G	63.26	74.00	-10.74	69.32	3	Horizontal	0	1.68	-	31.74	5.56	43.36			
AV	5.46G	50.99	54.00	-3.01	57.05	3	Horizontal	0	1.68	-	31.74	5.56	43.36			
PK	5.463G	63.93	68.20	-4.27	69.97	3	Horizontal	0	1.68	-	31.75	5.56	43.35			
PK	5.716G	111.08	Inf	-Inf	116.68	3	Horizontal	0	1.68	-	32.03	5.56	43.19			
AV	5.721G	101.06	Inf	-Inf	106.65	3	Horizontal	0	1.68	-	32.04	5.56	43.19			
PK	5.851G	66.10	68.20	-2.10	71.42	3	Horizontal	0	1.68	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 70
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39284G	58.07	74.00	-15.93	41.41	3	Vertical	94	1.12	-	39.79	11.69	34.82			
AV	11.37253G	46.92	54.00	-7.08	30.29	3	Vertical	94	1.12	-	39.75	11.67	34.79			
PK	17.08092G	62.76	68.20	-5.44	42.77	3	Vertical	23	1.80	-	40.44	13.79	34.24			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 70
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37958G	57.60	74.00	-16.40	40.96	3	Horizontal	256	2.14	-	39.76	11.68	34.80			
AV	11.38003G	47.03	54.00	-6.97	30.39	3	Horizontal	256	2.14	-	39.76	11.68	34.80			
PK	17.08065G	61.46	68.20	-6.74	41.47	3	Horizontal	81	1.66	-	40.44	13.79	34.24			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 63
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6045G	67.82	68.20	-0.38	73.81	3	Vertical	6	2.08	-	31.71	5.55	43.25			
PK	5.769G	111.49	Inf	-Inf	116.95	3	Vertical	6	2.08	-	32.14	5.56	43.16			
AV	5.7625G	101.48	Inf	-Inf	106.96	3	Vertical	6	2.08	-	32.12	5.56	43.16			
PK	5.925G	64.36	68.20	-3.84	69.39	3	Vertical	6	2.08	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 63
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6315G	67.37	68.20	-0.83	73.30	3	Horizontal	0	1.67	-	31.76	5.55	43.24			
PK	5.806G	110.07	Inf	-Inf	115.45	3	Horizontal	0	1.67	-	32.20	5.56	43.14			
AV	5.8035G	100.00	Inf	-Inf	105.38	3	Horizontal	0	1.67	-	32.20	5.56	43.14			
PK	5.9585G	61.03	68.20	-7.17	66.00	3	Horizontal	0	1.67	-	32.42	5.66	43.05			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 63
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54562G	57.29	74.00	-16.71	40.56	3	Vertical	249	2.51	-	39.90	11.78	34.95			
AV	11.53824G	46.80	54.00	-7.20	30.08	3	Vertical	249	2.51	-	39.90	11.78	34.96			
PK	17.32275G	63.97	68.20	-4.23	42.91	3	Vertical	320	1.89	-	41.38	13.87	34.19			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 63
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54301G	57.52	74.00	-16.48	40.79	3	Horizontal	53	1.97	-	39.90	11.78	34.95			
AV	11.55726G	46.63	54.00	-7.37	29.91	3	Horizontal	53	1.97	-	39.87	11.79	34.94			
PK	17.33133G	63.84	68.20	-4.36	42.71	3	Horizontal	76	2.22	-	41.45	13.87	34.19			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 57
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.63	74.00	-10.37	69.72	3	Vertical	4	2.09	-	32.10	5.53	43.72			
AV	5.1484G	51.68	54.00	-2.32	57.78	3	Vertical	4	2.09	-	32.09	5.53	43.72			
PK	5.3276G	106.70	Inf	-Inf	113.30	3	Vertical	4	2.09	-	31.36	5.55	43.51			
AV	5.3276G	96.30	Inf	-Inf	102.90	3	Vertical	4	2.09	-	31.36	5.55	43.51			
PK	5.35G	68.99	74.00	-5.01	75.51	3	Vertical	4	2.09	-	31.40	5.56	43.48			
AV	5.35G	53.76	54.00	-0.24	60.28	3	Vertical	4	2.09	-	31.40	5.56	43.48			
PK	5.4924G	60.04	68.20	-8.16	65.93	3	Vertical	4	2.09	-	31.87	5.56	43.32			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 57
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.98	74.00	-7.02	73.07	3	Horizontal	3	1.71	-	32.10	5.53	43.72			
AV	5.15G	53.68	54.00	-0.32	59.77	3	Horizontal	3	1.71	-	32.10	5.53	43.72			
PK	5.2652G	104.58	Inf	-Inf	111.24	3	Horizontal	3	1.71	-	31.37	5.55	43.58			
AV	5.2764G	94.49	Inf	-Inf	101.16	3	Horizontal	3	1.71	-	31.35	5.55	43.57			
PK	5.3724G	66.60	74.00	-7.40	73.06	3	Horizontal	3	1.71	-	31.44	5.56	43.46			
AV	5.3716G	52.68	54.00	-1.32	59.14	3	Horizontal	3	1.71	-	31.44	5.56	43.46			
PK	5.4924G	57.21	68.20	-10.99	63.10	3	Horizontal	3	1.71	-	31.87	5.56	43.32			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 57
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51329G	56.97	68.20	-11.23	40.65	3	Vertical	75	2.21	-	39.70	11.11	34.49			
PK	15.7476G	60.35	74.00	-13.65	43.49	3	Vertical	303	2.55	-	37.80	13.24	34.18			
AV	15.75468G	49.76	54.00	-4.24	32.91	3	Vertical	303	2.55	-	37.78	13.25	34.18			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 57
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48791G	57.01	68.20	-11.19	40.71	3	Horizontal	204	2.81	-	39.70	11.10	34.50			
PK	15.74769G	59.85	74.00	-14.15	42.99	3	Horizontal	298	1.17	-	37.80	13.24	34.18			
AV	15.76278G	49.02	54.00	-4.98	32.20	3	Horizontal	298	1.17	-	37.75	13.25	34.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 55
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4564G	66.42	74.00	-7.58	72.49	3	Vertical	6	2.08	-	31.73	5.56	43.36			
AV	5.4564G	50.39	54.00	-3.61	56.46	3	Vertical	6	2.08	-	31.73	5.56	43.36			
PK	5.47G	68.17	68.20	-0.03	74.17	3	Vertical	6	2.08	-	31.78	5.56	43.34			
PK	5.5068G	105.90	Inf	-Inf	111.77	3	Vertical	6	2.08	-	31.89	5.55	43.31			
AV	5.5924G	95.62	Inf	-Inf	101.61	3	Vertical	6	2.08	-	31.72	5.55	43.26			
PK	5.7436G	62.66	68.20	-5.54	68.18	3	Vertical	6	2.08	-	32.09	5.56	43.17			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 55
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	67.09	74.00	-6.91	73.15	3	Horizontal	0	1.74	-	31.74	5.56	43.36			
AV	5.4572G	51.70	54.00	-2.30	57.77	3	Horizontal	0	1.74	-	31.73	5.56	43.36			
PK	5.4692G	67.86	68.20	-0.34	73.87	3	Horizontal	0	1.74	-	31.78	5.56	43.35			
PK	5.55G	105.20	Inf	-Inf	111.13	3	Horizontal	0	1.74	-	31.80	5.55	43.28			
AV	5.5412G	94.44	Inf	-Inf	100.36	3	Horizontal	0	1.74	-	31.82	5.55	43.29			
PK	5.7252G	62.64	68.20	-5.56	68.21	3	Horizontal	0	1.74	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 55
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13787G	56.96	74.00	-17.04	40.30	3	Vertical	110	1.20	-	39.57	11.52	34.43			
AV	11.12953G	46.65	54.00	-7.35	29.93	3	Vertical	110	1.20	-	39.62	11.51	34.41			
PK	16.69776G	61.59	68.20	-6.61	42.50	3	Vertical	288	1.39	-	39.70	13.66	34.27			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
Setting 55
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14447G	57.42	74.00	-16.58	40.81	3	Horizontal	91	1.48	-	39.53	11.52	34.44			
AV	11.12695G	46.88	54.00	-7.12	30.14	3	Horizontal	91	1.48	-	39.64	11.51	34.41			
PK	16.71027G	61.40	68.20	-6.80	42.25	3	Horizontal	233	1.58	-	39.76	13.66	34.27			




Test Mode: Mode 10

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.4695G	67.99	68.20	-0.21	3	Horizontal	271	2.31	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Z_4TX
Setting 55
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	62.22	74.00	-11.78	67.29	3	Vertical	126	3.00	-	33.14	5.52	43.73			
AV	5.143G	44.18	54.00	-9.82	49.20	3	Vertical	126	3.00	-	33.17	5.53	43.72			
PK	5.238G	100.93	Inf	-Inf	105.98	3	Vertical	126	3.00	-	33.02	5.54	43.61			
AV	5.238G	89.34	Inf	-Inf	94.39	3	Vertical	126	3.00	-	33.02	5.54	43.61			
PK	5.372G	52.81	74.00	-21.19	57.91	3	Vertical	126	3.00	-	32.80	5.56	43.46			
AV	5.394G	40.93	54.00	-13.07	46.00	3	Vertical	126	3.00	-	32.80	5.56	43.43			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Z_4TX
Setting 55
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	72.33	74.00	-1.67	77.34	3	Horizontal	219	2.56	-	33.18	5.53	43.72			
AV	5.147G	51.16	54.00	-2.84	56.16	3	Horizontal	219	2.56	-	33.19	5.53	43.72			
PK	5.242G	111.16	Inf	-Inf	116.21	3	Horizontal	219	2.56	-	33.02	5.54	43.61			
AV	5.237G	99.22	Inf	-Inf	104.27	3	Horizontal	219	2.56	-	33.03	5.54	43.62			
PK	5.3625G	55.72	74.00	-18.28	60.83	3	Horizontal	219	2.56	-	32.80	5.56	43.47			
AV	5.366G	42.96	54.00	-11.04	48.07	3	Horizontal	219	2.56	-	32.80	5.56	43.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT Y_4TX
Setting 55
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40986G	54.47	68.20	-13.73	49.18	3	Vertical	322	2.21	-	38.50	9.63	42.84			
PK	15.6106G	60.52	74.00	-13.48	48.92	3	Vertical	14	2.27	-	37.84	15.31	41.55			
AV	15.6029G	47.06	54.00	-6.94	35.41	3	Vertical	14	2.27	-	37.88	15.30	41.53			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT Y_4TX
Setting 55
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3912G	53.91	68.20	-14.29	48.62	3	Horizontal	321	1.36	-	38.50	9.62	42.83			
PK	15.6083G	59.81	74.00	-14.19	48.19	3	Horizontal	89	1.80	-	37.85	15.31	41.54			
AV	15.6061G	47.05	54.00	-6.95	35.42	3	Horizontal	89	1.80	-	37.86	15.31	41.54			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5290MHz_TX

EUT_Z_4TX
Setting 60
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	53.15	74.00	-20.85	58.21	3	Vertical	148	3.00	-	33.15	5.52	43.73			
AV	5.1485G	40.90	54.00	-13.10	45.90	3	Vertical	148	3.00	-	33.19	5.53	43.72			
PK	5.299G	101.73	Inf	-Inf	106.82	3	Vertical	148	3.00	-	32.90	5.55	43.54			
AV	5.304G	89.28	Inf	-Inf	94.38	3	Vertical	148	3.00	-	32.89	5.55	43.54			
PK	5.3675G	62.04	74.00	-11.96	67.14	3	Vertical	148	3.00	-	32.80	5.56	43.46			
AV	5.3545G	43.66	54.00	-10.34	48.78	3	Vertical	148	3.00	-	32.80	5.56	43.48			
PK	5.5355G	52.83	68.20	-15.37	57.74	3	Vertical	148	3.00	-	32.83	5.55	43.29			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5290MHz_TX

EUT_Z_4TX
Setting 60
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	55.44	74.00	-18.56	60.44	3	Horizontal	223	2.73	-	33.19	5.53	43.72			
AV	5.149G	42.80	54.00	-11.20	47.79	3	Horizontal	223	2.73	-	33.20	5.53	43.72			
PK	5.3165G	112.16	Inf	-Inf	117.26	3	Horizontal	223	2.73	-	32.87	5.55	43.52			
AV	5.3015G	100.07	Inf	-Inf	105.16	3	Horizontal	223	2.73	-	32.90	5.55	43.54			
PK	5.362G	73.60	74.00	-0.40	78.71	3	Horizontal	223	2.73	-	32.80	5.56	43.47			
AV	5.3565G	51.60	54.00	-2.40	56.72	3	Horizontal	223	2.73	-	32.80	5.56	43.48			
PK	5.4985G	52.93	68.20	-15.27	57.79	3	Horizontal	223	2.73	-	32.89	5.56	43.31			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5290MHz_TX

EUT Y_4TX
Setting 60
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5728G	54.30	68.20	-13.90	48.54	3	Vertical	348	1.17	-	38.78	9.76	42.78			
PK	15.8949G	58.66	74.00	-15.34	47.46	3	Vertical	89	1.24	-	37.58	15.73	42.11			
AV	15.8995G	46.07	54.00	-7.93	34.85	3	Vertical	89	1.24	-	37.60	15.74	42.12			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5290MHz_TX

EUT Y_4TX
Setting 60
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5763G	54.40	68.20	-13.80	48.61	3	Horizontal	304	1.80	-	38.81	9.76	42.78			
PK	15.8852G	59.18	74.00	-14.82	48.01	3	Horizontal	300	1.41	-	37.54	15.72	42.09			
AV	15.9G	46.05	54.00	-7.95	34.83	3	Horizontal	300	1.41	-	37.60	15.74	42.12			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Z_4TX
Setting 52
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2945G	52.65	68.20	-15.55	57.74	3	Vertical	139	2.82	-	32.91	5.55	43.55			
PK	5.4595G	58.31	74.00	-15.69	63.37	3	Vertical	139	2.82	-	32.74	5.56	43.36			
AV	5.4555G	40.71	54.00	-13.29	45.79	3	Vertical	139	2.82	-	32.72	5.56	43.36			
PK	5.468G	58.65	68.20	-9.55	63.67	3	Vertical	139	2.82	-	32.77	5.56	43.35			
PK	5.551G	99.39	Inf	-Inf	104.32	3	Vertical	139	2.82	-	32.80	5.55	43.28			
AV	5.556G	87.14	Inf	-Inf	92.07	3	Vertical	139	2.82	-	32.80	5.55	43.28			
PK	5.768G	54.14	68.20	-14.06	58.13	3	Vertical	139	2.82	-	33.61	5.56	43.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Z_4TX
Setting 52
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.28G	53.07	68.20	-15.13	58.15	3	Horizontal	271	2.31	-	32.94	5.55	43.57			
PK	5.4505G	67.32	74.00	-6.68	72.43	3	Horizontal	271	2.31	-	32.70	5.56	43.37			
AV	5.46G	45.23	54.00	-8.77	50.29	3	Horizontal	271	2.31	-	32.74	5.56	43.36			
PK	5.4695G	67.99	68.20	-0.21	73.00	3	Horizontal	271	2.31	-	32.78	5.56	43.35			
PK	5.525G	110.80	Inf	-Inf	115.70	3	Horizontal	271	2.31	-	32.85	5.55	43.30			
AV	5.56G	99.14	Inf	-Inf	104.07	3	Horizontal	271	2.31	-	32.80	5.55	43.28			
PK	5.764G	55.49	68.20	-12.71	59.51	3	Horizontal	271	2.31	-	33.58	5.56	43.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT Y_4TX
Setting 52
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0477G	54.63	74.00	-19.37	48.12	3	Vertical	166	2.21	-	38.70	10.12	42.31			
AV	11.0116G	42.09	54.00	-11.91	35.54	3	Vertical	166	2.21	-	38.70	10.09	42.24			
PK	16.5892G	59.74	68.20	-8.46	46.94	3	Vertical	159	1.47	-	38.12	16.12	41.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT Y_4TX
Setting 52
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0632G	54.20	74.00	-19.80	47.68	3	Horizontal	5	2.13	-	38.73	10.13	42.34			
AV	11.0197G	42.28	54.00	-11.72	35.74	3	Horizontal	5	2.13	-	38.70	10.10	42.26			
PK	16.5839G	59.39	68.20	-8.81	46.57	3	Horizontal	70	2.17	-	38.13	16.12	41.43			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Z_4TX
Setting 68
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4045G	52.70	74.00	-21.30	57.77	3	Vertical	136	3.00	-	32.79	5.56	43.42			
PK	5.4695G	52.20	68.20	-16.00	57.21	3	Vertical	136	3.00	-	32.78	5.56	43.35			
AV	5.446G	40.67	54.00	-13.33	45.77	3	Vertical	136	3.00	-	32.71	5.56	43.37			
PK	5.6015G	102.22	Inf	-Inf	107.11	3	Vertical	136	3.00	-	32.81	5.55	43.25			
AV	5.601G	91.04	Inf	-Inf	95.94	3	Vertical	136	3.00	-	32.80	5.55	43.25			
PK	5.7625G	54.30	68.20	-13.90	58.32	3	Vertical	136	3.00	-	33.58	5.56	43.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Z_4TX
Setting 68
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.442G	60.34	74.00	-13.66	65.44	3	Horizontal	331	3.00	-	32.72	5.56	43.38			
PK	5.462G	56.99	68.20	-11.21	62.03	3	Horizontal	331	3.00	-	32.75	5.56	43.35			
AV	5.4565G	42.67	54.00	-11.33	47.74	3	Horizontal	331	3.00	-	32.73	5.56	43.36			
PK	5.6005G	114.10	Inf	-Inf	119.00	3	Horizontal	331	3.00	-	32.80	5.55	43.25			
AV	5.6405G	101.30	Inf	-Inf	106.02	3	Horizontal	331	3.00	-	32.96	5.55	43.23			
PK	5.7305G	67.40	68.20	-0.80	71.60	3	Horizontal	331	3.00	-	33.42	5.56	43.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT Y_4TX
Setting 68
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22069G	55.71	74.00	-18.29	49.03	3	Vertical	358	1.11	-	39.08	10.25	42.65			
AV	11.21936G	42.07	54.00	-11.93	35.39	3	Vertical	358	1.11	-	39.08	10.25	42.65			
PK	16.83049G	60.43	68.20	-7.77	47.79	3	Vertical	211	1.02	-	38.36	16.22	41.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT Y_4TX
Setting 68
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21959G	55.50	74.00	-18.50	48.82	3	Horizontal	330	1.48	-	39.08	10.25	42.65			
AV	11.2208G	42.13	54.00	-11.87	35.45	3	Horizontal	330	1.48	-	39.08	10.25	42.65			
PK	16.83059G	60.48	68.20	-7.72	47.84	3	Horizontal	213	2.96	-	38.36	16.22	41.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 82
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4495G	51.90	74.00	-22.10	57.01	3	Vertical	92	2.97	-	32.70	5.56	43.37			
AV	5.454G	40.73	54.00	-13.27	45.81	3	Vertical	92	2.97	-	32.72	5.56	43.36			
PK	5.47G	52.61	68.20	-15.59	57.61	3	Vertical	92	2.97	-	32.78	5.56	43.34			
PK	5.719G	104.33	Inf	-Inf	108.58	3	Vertical	92	2.97	-	33.38	5.56	43.19			
AV	5.7195G	92.68	Inf	-Inf	96.93	3	Vertical	92	2.97	-	33.38	5.56	43.19			
PK	5.856G	55.79	68.20	-12.41	59.38	3	Vertical	92	2.97	-	33.92	5.60	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 82
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	57.01	74.00	-16.99	62.07	3	Horizontal	239	2.69	-	32.74	5.56	43.36			
AV	5.459G	43.75	54.00	-10.25	48.81	3	Horizontal	239	2.69	-	32.74	5.56	43.36			
PK	5.469G	58.31	68.20	-9.89	63.32	3	Horizontal	239	2.69	-	32.78	5.56	43.35			
PK	5.694G	117.81	Inf	-Inf	122.20	3	Horizontal	239	2.69	-	33.26	5.55	43.20			
AV	5.7035G	105.63	Inf	-Inf	109.96	3	Horizontal	239	2.69	-	33.31	5.56	43.20			
PK	5.8565G	66.38	68.20	-1.82	69.96	3	Horizontal	239	2.69	-	33.93	5.60	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_4TX
Setting 82
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37942G	55.40	74.00	-18.60	48.84	3	Vertical	11	1.29	-	39.14	10.38	42.96			
AV	11.38049G	42.34	54.00	-11.66	35.79	3	Vertical	11	1.29	-	39.14	10.38	42.97			
PK	17.07G	58.90	68.20	-9.30	46.47	3	Vertical	318	1.14	-	38.40	16.31	42.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_4TX
Setting 82
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38096G	55.49	74.00	-18.51	48.94	3	Horizontal	228	1.23	-	39.14	10.38	42.97			
AV	11.37982G	42.32	54.00	-11.68	35.76	3	Horizontal	228	1.23	-	39.14	10.38	42.96			
PK	17.06994G	59.84	68.20	-8.36	47.41	3	Horizontal	335	2.81	-	38.40	16.31	42.28			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Z_4TX
Setting 70
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	55.91	68.20	-12.29	60.59	3	Vertical	94	2.81	-	33.00	5.55	43.23			
PK	5.7645G	100.90	Inf	-Inf	104.91	3	Vertical	94	2.81	-	33.59	5.56	43.16			
AV	5.7395G	89.23	Inf	-Inf	93.39	3	Vertical	94	2.81	-	33.46	5.56	43.18			
PK	6.017G	54.98	68.20	-13.22	58.16	3	Vertical	94	2.81	-	34.13	5.71	43.02			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Z_4TX
Setting 70
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.605G	67.36	68.20	-0.84	72.23	3	Horizontal	216	2.88	-	32.83	5.55	43.25			
PK	5.756G	114.61	Inf	-Inf	118.68	3	Horizontal	216	2.88	-	33.54	5.56	43.17			
AV	5.761G	103.28	Inf	-Inf	107.31	3	Horizontal	216	2.88	-	33.57	5.56	43.16			
PK	5.9785G	54.61	68.20	-13.59	57.87	3	Horizontal	216	2.88	-	34.10	5.68	43.04			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT Y_4TX
Setting 70
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55007G	54.60	74.00	-19.40	48.36	3	Vertical	331	1.10	-	38.90	10.51	43.17			
AV	11.5493G	41.27	54.00	-12.73	35.03	3	Vertical	331	1.10	-	38.90	10.51	43.17			
PK	17.32567G	59.55	68.20	-8.65	46.35	3	Vertical	240	2.87	-	39.05	16.41	42.26			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT Y_4TX
Setting 70
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55067G	54.70	74.00	-19.30	48.46	3	Horizontal	59	1.79	-	38.90	10.51	43.17			
AV	11.54902G	41.20	54.00	-12.80	34.96	3	Horizontal	59	1.79	-	38.90	10.51	43.17			
PK	17.32426G	59.35	68.20	-8.85	46.15	3	Horizontal	295	1.69	-	39.05	16.41	42.26			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 60
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	56.45	74.00	-17.55	61.54	3	Vertical	129	2.88	-	33.13	5.52	43.74			
AV	5.138G	44.34	54.00	-9.66	49.40	3	Vertical	129	2.88	-	33.15	5.52	43.73			
PK	5.2284G	98.20	Inf	-Inf	103.25	3	Vertical	129	2.88	-	33.04	5.54	43.63			
AV	5.2332G	87.52	Inf	-Inf	92.57	3	Vertical	129	2.88	-	33.03	5.54	43.62			
PK	5.3628G	54.55	74.00	-19.45	59.66	3	Vertical	129	2.88	-	32.80	5.56	43.47			
AV	5.3532G	42.20	54.00	-11.80	47.32	3	Vertical	129	2.88	-	32.80	5.56	43.48			
PK	5.4948G	53.83	68.20	-14.37	58.71	3	Vertical	129	2.88	-	32.88	5.56	43.32			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 60
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	66.57	74.00	-7.43	71.57	3	Horizontal	220	2.69	-	33.19	5.53	43.72			
AV	5.142G	53.49	54.00	-0.51	58.52	3	Horizontal	220	2.69	-	33.17	5.53	43.73			
PK	5.3068G	109.94	Inf	-Inf	115.03	3	Horizontal	220	2.69	-	32.89	5.55	43.53			
AV	5.3068G	97.54	Inf	-Inf	102.63	3	Horizontal	220	2.69	-	32.89	5.55	43.53			
PK	5.382G	60.89	74.00	-13.11	65.98	3	Horizontal	220	2.69	-	32.80	5.56	43.45			
AV	5.3516G	47.37	54.00	-6.63	52.49	3	Horizontal	220	2.69	-	32.80	5.56	43.48			
PK	5.5356G	53.95	68.20	-14.25	58.86	3	Horizontal	220	2.69	-	32.83	5.55	43.29			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 60
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49561G	53.49	68.20	-14.71	48.17	3	Vertical	171	1.84	-	38.50	9.70	42.88			
PK	15.75318G	58.63	74.00	-15.37	47.16	3	Vertical	344	2.97	-	37.78	15.52	41.83			
AV	15.75354G	45.53	54.00	-8.47	34.06	3	Vertical	344	2.97	-	37.78	15.52	41.83			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_4TX
Setting 60
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5408G	53.91	68.20	-14.29	48.43	3	Horizontal	24	2.49	-	38.58	9.73	42.83			
PK	15.74991G	58.26	74.00	-15.74	46.76	3	Horizontal	27	1.71	-	37.80	15.52	41.82			
AV	15.75442G	45.58	54.00	-8.42	34.11	3	Horizontal	27	1.71	-	37.77	15.53	41.83			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 58
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	55.70	74.00	-18.30	60.70	3	Vertical	127	3.00	-	33.19	5.53	43.72			
AV	5.138G	44.87	54.00	-9.13	49.93	3	Vertical	127	3.00	-	33.15	5.52	43.73			
PK	5.2628G	99.15	Inf	-Inf	104.22	3	Vertical	127	3.00	-	32.97	5.55	43.59			
AV	5.218G	87.43	Inf	-Inf	92.47	3	Vertical	127	3.00	-	33.06	5.54	43.64			
PK	5.3828G	54.01	74.00	-19.99	59.10	3	Vertical	127	3.00	-	32.80	5.56	43.45			
AV	5.378G	41.58	54.00	-12.42	46.67	3	Vertical	127	3.00	-	32.80	5.56	43.45			
PK	5.5604G	54.69	68.20	-13.51	59.62	3	Vertical	127	3.00	-	32.80	5.55	43.28			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 58
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	66.63	74.00	-7.37	71.64	3	Horizontal	252	2.34	-	33.18	5.53	43.72			
AV	5.1452G	53.66	54.00	-0.34	58.67	3	Horizontal	252	2.34	-	33.18	5.53	43.72			
PK	5.2348G	109.15	Inf	-Inf	114.20	3	Horizontal	252	2.34	-	33.03	5.54	43.62			
AV	5.23G	97.03	Inf	-Inf	102.07	3	Horizontal	252	2.34	-	33.04	5.54	43.62			
PK	5.3596G	56.17	74.00	-17.83	61.28	3	Horizontal	252	2.34	-	32.80	5.56	43.47			
AV	5.35G	45.60	54.00	-8.40	50.72	3	Horizontal	252	2.34	-	32.80	5.56	43.48			
PK	5.5588G	55.04	68.20	-13.16	59.97	3	Horizontal	252	2.34	-	32.80	5.55	43.28			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_4TX
Setting 58
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51458G	53.68	68.20	-14.52	48.30	3	Vertical	197	2.52	-	38.53	9.71	42.86			
PK	15.75477G	58.12	74.00	-15.88	46.65	3	Vertical	165	2.67	-	37.77	15.53	41.83			
AV	15.76446G	45.74	54.00	-8.26	34.34	3	Vertical	165	2.67	-	37.71	15.54	41.85			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_4TX
Setting 58
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50413G	54.12	68.20	-14.08	48.77	3	Horizontal	86	1.80	-	38.51	9.71	42.87			
PK	15.76164G	58.61	74.00	-15.39	47.19	3	Horizontal	254	1.52	-	37.73	15.54	41.85			
AV	15.76104G	45.81	54.00	-8.19	34.39	3	Horizontal	254	1.52	-	37.73	15.54	41.85			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


5570MHz_TX

EUT_Z_4TX
Setting 62
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2828G	53.73	68.20	-14.47	58.81	3	Vertical	133	2.89	-	32.93	5.55	43.56			
PK	5.4452G	54.02	74.00	-19.98	59.12	3	Vertical	133	2.89	-	32.71	5.56	43.37			
AV	5.4564G	43.19	54.00	-10.81	48.26	3	Vertical	133	2.89	-	32.73	5.56	43.36			
PK	5.4676G	55.90	68.20	-12.30	60.92	3	Vertical	133	2.89	-	32.77	5.56	43.35			
PK	5.5508G	98.49	Inf	-Inf	103.42	3	Vertical	133	2.89	-	32.80	5.55	43.28			
AV	5.546G	87.66	Inf	-Inf	92.58	3	Vertical	133	2.89	-	32.81	5.55	43.28			
PK	5.7268G	56.67	68.20	-11.53	60.88	3	Vertical	133	2.89	-	33.41	5.56	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


5570MHz_TX

EUT_Z_4TX
Setting 62
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2348G	53.95	68.20	-14.25	59.00	3	Horizontal	268	2.39	-	33.03	5.54	43.62				
PK	5.4556G	64.61	74.00	-9.39	69.69	3	Horizontal	268	2.39	-	32.72	5.56	43.36				
AV	5.4548G	49.69	54.00	-4.31	54.77	3	Horizontal	268	2.39	-	32.72	5.56	43.36				
PK	5.4652G	64.71	68.20	-3.49	69.74	3	Horizontal	268	2.39	-	32.76	5.56	43.35				
PK	5.5548G	111.01	Inf	-Inf	115.94	3	Horizontal	268	2.39	-	32.80	5.55	43.28				
AV	5.5948G	99.98	Inf	-Inf	104.89	3	Horizontal	268	2.39	-	32.80	5.55	43.26				
PK	5.7396G	66.86	68.20	-1.34	71.02	3	Horizontal	268	2.39	-	33.46	5.56	43.18				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


5570MHz_TX

EUT Y_4TX
Setting 62
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14051G	54.38	74.00	-19.62	47.81	3	Vertical	41	1.90	-	38.88	10.19	42.50			
AV	11.14014G	42.17	54.00	-11.83	35.59	3	Vertical	41	1.90	-	38.88	10.19	42.49			
PK	16.70963G	59.64	68.20	-8.56	46.96	3	Vertical	321	2.60	-	38.20	16.17	41.69			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


5570MHz_TX

EUT Y_4TX
Setting 62
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13976G	55.00	74.00	-19.00	48.42	3	Horizontal	311	1.39	-	38.88	10.19	42.49			
AV	11.13995G	42.56	54.00	-11.44	35.98	3	Horizontal	311	1.39	-	38.88	10.19	42.49			
PK	16.70901G	58.98	68.20	-9.22	46.30	3	Horizontal	230	1.08	-	38.20	16.17	41.69			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5570MHz_TX

EUT_Z_4TX
Setting 60
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1868G	53.68	68.20	-14.52	58.68	3	Vertical	135	3.00	-	33.13	5.54	43.67			
PK	5.4428G	54.85	74.00	-19.15	59.96	3	Vertical	135	3.00	-	32.71	5.56	43.38			
AV	5.4516G	41.91	54.00	-12.09	47.01	3	Vertical	135	3.00	-	32.71	5.56	43.37			
PK	5.4612G	53.66	68.20	-14.54	58.72	3	Vertical	135	3.00	-	32.74	5.56	43.36			
PK	5.5556G	99.25	Inf	-Inf	104.18	3	Vertical	135	3.00	-	32.80	5.55	43.28			
AV	5.5508G	87.38	Inf	-Inf	92.31	3	Vertical	135	3.00	-	32.80	5.55	43.28			
PK	5.7316G	55.30	68.20	-12.90	59.49	3	Vertical	135	3.00	-	33.43	5.56	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5570MHz_TX

EUT_Z_4TX
Setting 60
04-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1932G	54.80	68.20	-13.40	59.82	3	Horizontal	263	2.96	-	33.11	5.54	43.67			
PK	5.4404G	61.23	74.00	-12.77	66.33	3	Horizontal	263	2.96	-	32.72	5.56	43.38			
PK	5.4652G	62.73	68.20	-5.47	67.76	3	Horizontal	263	2.96	-	32.76	5.56	43.35			
AV	5.4556G	48.37	54.00	-5.63	53.45	3	Horizontal	263	2.96	-	32.72	5.56	43.36			
PK	5.5508G	110.12	Inf	-Inf	115.05	3	Horizontal	263	2.96	-	32.80	5.55	43.28			
AV	5.6252G	99.04	Inf	-Inf	103.83	3	Horizontal	263	2.96	-	32.90	5.55	43.24			
PK	5.7404G	67.42	68.20	-0.78	71.58	3	Horizontal	263	2.96	-	33.46	5.56	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5570MHz_TX

EUT Y_4TX
Setting 60
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13972G	55.15	74.00	-18.85	48.57	3	Vertical	212	2.54	-	38.88	10.19	42.49			
AV	11.14064G	41.45	54.00	-12.55	34.88	3	Vertical	212	2.54	-	38.88	10.19	42.50			
PK	16.70983G	59.27	68.20	-8.93	46.59	3	Vertical	190	2.28	-	38.20	16.17	41.69			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX

EUT Y_4TX
Setting 60
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14069G	54.85	74.00	-19.15	48.28	3	Horizontal	345	1.17	-	38.88	10.19	42.50			
AV	11.14019G	41.42	54.00	-12.58	34.84	3	Horizontal	345	1.17	-	38.88	10.19	42.49			
PK	16.70914G	59.21	68.20	-8.99	46.53	3	Horizontal	269	1.72	-	38.20	16.17	41.69			




Test Mode: Mode 11

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	Pass	AV	5.146G	53.86	54.00	-0.14	3	Horizontal	303	2.21	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 49
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	73.74	74.00	-0.26	78.74	3	Vertical	0	1.23	-	33.19	5.53	43.72
AV	5.149G	53.66	54.00	-0.34	58.65	3	Vertical	0	1.23	-	33.20	5.53	43.72
PK	5.199G	108.97	Inf	-Inf	113.99	3	Vertical	0	1.23	-	33.10	5.54	43.66
AV	5.239G	98.64	Inf	-Inf	103.69	3	Vertical	0	1.23	-	33.02	5.54	43.61
PK	5.376G	57.71	74.00	-16.29	62.80	3	Vertical	0	1.23	-	32.80	5.56	43.45
AV	5.354G	43.52	54.00	-10.48	48.64	3	Vertical	0	1.23	-	32.80	5.56	43.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 49
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	73.35	74.00	-0.65	78.38	3	Horizontal	304	2.27	-	33.17	5.53	43.73
AV	5.1465G	53.60	54.00	-0.40	58.60	3	Horizontal	304	2.27	-	33.19	5.53	43.72
PK	5.2315G	110.55	Inf	-Inf	115.59	3	Horizontal	304	2.27	-	33.04	5.54	43.62
AV	5.201G	98.01	Inf	-Inf	103.03	3	Horizontal	304	2.27	-	33.10	5.54	43.66
PK	5.373G	59.30	74.00	-14.70	64.40	3	Horizontal	304	2.27	-	32.80	5.56	43.46
AV	5.358G	42.71	54.00	-11.29	47.82	3	Horizontal	304	2.27	-	32.80	5.56	43.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 49
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42049G	53.88	68.20	-14.32	48.59	3	Vertical	203	2.66	-	38.50	9.64	42.85			
PK	15.62952G	59.22	74.00	-14.78	47.75	3	Vertical	231	2.56	-	37.72	15.34	41.59			
AV	15.62909G	46.21	54.00	-7.79	34.73	3	Vertical	231	2.56	-	37.73	15.34	41.59			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 49
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41982G	53.71	68.20	-14.49	48.41	3	Horizontal	277	2.33	-	38.50	9.64	42.84			
PK	15.63003G	59.47	74.00	-14.53	48.00	3	Horizontal	20	2.38	-	37.72	15.34	41.59			
AV	15.62995G	46.23	54.00	-7.77	34.76	3	Horizontal	20	2.38	-	37.72	15.34	41.59			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 51
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1275G	62.75	74.00	-11.25	67.86	3	Vertical	2	1.04	-	33.11	5.52	43.74
AV	5.139G	44.43	54.00	-9.57	49.48	3	Vertical	2	1.04	-	33.16	5.52	43.73
PK	5.3195G	109.29	Inf	-Inf	114.40	3	Vertical	2	1.04	-	32.86	5.55	43.52
AV	5.279G	97.51	Inf	-Inf	102.59	3	Vertical	2	1.04	-	32.94	5.55	43.57
PK	5.365G	73.44	74.00	-0.56	78.55	3	Vertical	2	1.04	-	32.80	5.56	43.47
AV	5.354G	48.83	54.00	-5.17	53.95	3	Vertical	2	1.04	-	32.80	5.56	43.48
PK	5.4955G	53.55	68.20	-14.65	58.43	3	Vertical	2	1.04	-	32.88	5.56	43.32

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 51
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1215G	60.84	74.00	-13.16	65.98	3	Horizontal	305	1.07	-	33.09	5.52	43.75			
AV	5.141G	44.39	54.00	-9.61	49.43	3	Horizontal	305	1.07	-	33.16	5.53	43.73			
PK	5.2755G	110.89	Inf	-Inf	115.96	3	Horizontal	305	1.07	-	32.95	5.55	43.57			
PK	5.3535G	73.19	74.00	-0.81	78.31	3	Horizontal	305	1.07	-	32.80	5.56	43.48			
AV	5.3205G	98.02	Inf	-Inf	103.13	3	Horizontal	305	1.07	-	32.86	5.55	43.52			
AV	5.3555G	48.08	54.00	-5.92	53.20	3	Horizontal	305	1.07	-	32.80	5.56	43.48			
PK	5.5G	53.61	68.20	-14.59	58.47	3	Horizontal	305	1.07	-	32.90	5.55	43.31			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 51
04-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.57921G	55.11	68.20	-13.09	49.30	3	Vertical	90	2.55	-	38.83	9.76	42.78				
PK	15.86901G	58.83	74.00	-15.17	47.71	3	Vertical	212	2.73	-	37.48	15.70	42.06				
AV	15.87G	45.71	54.00	-8.29	34.59	3	Vertical	212	2.73	-	37.48	15.70	42.06				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 51
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57944G	54.75	68.20	-13.45	48.93	3	Horizontal	198	1.12	-	38.84	9.76	42.78			
PK	15.86951G	58.34	74.00	-15.66	47.22	3	Horizontal	87	2.29	-	37.48	15.70	42.06			
AV	15.87028G	45.65	54.00	-8.35	34.53	3	Horizontal	87	2.29	-	37.48	15.70	42.06			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 53
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	65.27	74.00	-8.73	70.34	3	Vertical	0	1.00	-	33.14	5.52	43.73
AV	5.1492G	52.41	54.00	-1.59	57.40	3	Vertical	0	1.00	-	33.20	5.53	43.72
AV	5.2196G	94.91	Inf	-Inf	99.95	3	Vertical	0	1.00	-	33.06	5.54	43.64
PK	5.3044G	106.14	Inf	-Inf	111.24	3	Vertical	0	1.00	-	32.89	5.55	43.54
PK	5.354G	65.78	74.00	-8.22	70.90	3	Vertical	0	1.00	-	32.80	5.56	43.48
AV	5.354G	53.72	54.00	-0.28	58.84	3	Vertical	0	1.00	-	32.80	5.56	43.48
PK	5.5036G	53.87	68.20	-14.33	58.74	3	Vertical	0	1.00	-	32.89	5.55	43.31

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 53
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.87	74.00	-7.13	71.88	3	Horizontal	304	2.28	-	33.18	5.53	43.72
AV	5.146G	52.26	54.00	-1.74	57.27	3	Horizontal	304	2.28	-	33.18	5.53	43.72
PK	5.221G	107.42	Inf	-Inf	112.45	3	Horizontal	304	2.28	-	33.06	5.54	43.63
AV	5.226G	94.82	Inf	-Inf	99.86	3	Horizontal	304	2.28	-	33.05	5.54	43.63
PK	5.3556G	64.98	74.00	-9.02	70.10	3	Horizontal	304	2.28	-	32.80	5.56	43.48
AV	5.3564G	52.62	54.00	-1.38	57.74	3	Horizontal	304	2.28	-	32.80	5.56	43.48
PK	5.5876G	54.17	68.20	-14.03	59.08	3	Horizontal	304	2.28	-	32.80	5.55	43.26

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 53
04-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49993G	54.37	68.20	-13.83	49.05	3	Vertical	35	1.34	-	38.50	9.70	42.88			
PK	15.75058G	58.30	74.00	-15.70	46.81	3	Vertical	50	1.28	-	37.80	15.52	41.83			
AV	15.75096G	45.43	54.00	-8.57	33.95	3	Vertical	50	1.28	-	37.79	15.52	41.83			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 53
04-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.50046G	54.12	68.20	-14.08	48.80	3	Horizontal	2	2.87	-	38.50	9.70	42.88			
PK	15.75096G	58.48	74.00	-15.52	47.00	3	Horizontal	126	1.62	-	37.79	15.52	41.83			
AV	15.751G	45.56	54.00	-8.44	34.08	3	Horizontal	126	1.62	-	37.79	15.52	41.83			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 40
03-R-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1468G	64.60	74.00	-9.40	58.44	3	Vertical	4	1.00	-	33.98	7.48	35.30					
AV	5.1468G	53.71	54.00	-0.29	47.55	3	Vertical	4	1.00	-	33.98	7.48	35.30					
PK	5.2716G	106.68	Inf	-Inf	100.07	3	Vertical	4	1.00	-	34.19	7.70	35.28					
AV	5.2716G	96.07	Inf	-Inf	89.46	3	Vertical	4	1.00	-	34.19	7.70	35.28					
PK	5.366G	62.04	74.00	-11.96	55.05	3	Vertical	4	1.00	-	34.43	7.82	35.26					
AV	5.3564G	51.31	54.00	-2.69	44.36	3	Vertical	4	1.00	-	34.41	7.81	35.27					
PK	5.466G	62.08	68.20	-6.12	55.02	3	Vertical	4	1.00	-	34.53	7.78	35.25					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 40
03-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1412G	64.45	74.00	-9.55	58.33	3	Horizontal	303	2.21	-	33.95	7.47	35.30				
AV	5.146G	53.86	54.00	-0.14	47.70	3	Horizontal	303	2.21	-	33.98	7.48	35.30				
PK	5.266G	108.08	Inf	-Inf	101.51	3	Horizontal	303	2.21	-	34.16	7.69	35.28				
AV	5.226G	97.72	Inf	-Inf	91.32	3	Horizontal	303	2.21	-	34.05	7.64	35.29				
PK	5.382G	61.66	74.00	-12.34	54.62	3	Horizontal	303	2.21	-	34.46	7.84	35.26				
AV	5.3556G	51.14	54.00	-2.86	44.20	3	Horizontal	303	2.21	-	34.41	7.80	35.27				
PK	5.5156G	62.43	68.20	-5.77	55.41	3	Horizontal	303	2.21	-	34.54	7.72	35.24				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 40
03-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5117G	53.82	68.20	-14.38	39.08	3	Vertical	0	1.52	-	38.00	11.23	34.49			
PK	15.74409G	57.71	74.00	-16.29	41.76	3	Vertical	121	1.97	-	37.91	13.07	35.03			
AV	15.75699G	45.20	54.00	-8.80	29.29	3	Vertical	121	1.97	-	37.86	13.08	35.03			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_4TX
Setting 40
03-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49268G	53.63	68.20	-14.57	38.92	3	Horizontal	248	1.24	-	37.99	11.22	34.50			
PK	15.73599G	57.00	74.00	-17.00	41.03	3	Horizontal	41	2.43	-	37.93	13.06	35.02			
AV	15.74115G	45.16	54.00	-8.84	29.21	3	Horizontal	41	2.43	-	37.92	13.06	35.03			




Test Mode: Mode 12

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.3525G	53.92	54.00	-0.08	3	Horizontal	4	2.39	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT Y_4TX
Setting 51
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1445G	65.83	74.00	-8.17	56.19	3	Vertical	4	2.92	-	33.60	6.97	30.93			
AV	5.142G	50.23	54.00	-3.77	40.59	3	Vertical	4	2.92	-	33.60	6.97	30.93			
PK	5.1865G	111.92	Inf	-Inf	102.16	3	Vertical	4	2.92	-	33.67	7.00	30.91			
AV	5.202G	100.58	Inf	-Inf	90.77	3	Vertical	4	2.92	-	33.70	7.01	30.90			
PK	5.366G	62.44	74.00	-11.56	52.35	3	Vertical	4	2.92	-	33.93	6.97	30.81			
AV	5.3605G	50.74	54.00	-3.26	40.66	3	Vertical	4	2.92	-	33.92	6.97	30.81			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 51
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.16	74.00	-3.84	60.51	3	Horizontal	7	2.21	-	33.60	6.98	30.93
AV	5.1385G	53.51	54.00	-0.49	43.87	3	Horizontal	7	2.21	-	33.60	6.97	30.93
PK	5.1935G	110.72	Inf	-Inf	100.92	3	Horizontal	7	2.21	-	33.69	7.01	30.90
AV	5.1985G	101.08	Inf	-Inf	91.27	3	Horizontal	7	2.21	-	33.70	7.01	30.90
PK	5.395G	62.04	74.00	-11.96	51.88	3	Horizontal	7	2.21	-	33.99	6.96	30.79
AV	5.354G	51.19	54.00	-2.81	41.12	3	Horizontal	7	2.21	-	33.91	6.97	30.81

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 51
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41889G	58.77	68.20	-9.43	39.74	3	Vertical	100	2.56	-	38.46	11.08	30.51			
PK	15.63168G	59.59	74.00	-14.41	41.96	3	Vertical	230	2.87	-	37.77	11.85	31.99			
AV	15.63618G	48.37	54.00	-5.63	30.76	3	Vertical	230	2.87	-	37.76	11.85	32.00			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 51
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41394G	58.42	68.20	-9.78	39.39	3	Horizontal	230	2.69	-	38.47	11.07	30.51			
PK	15.62748G	60.27	74.00	-13.73	42.62	3	Horizontal	177	3.00	-	37.79	11.85	31.99			
AV	15.62478G	48.38	54.00	-5.62	30.72	3	Horizontal	177	3.00	-	37.80	11.85	31.99			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5250MHz_TX




EUT_Y_4TX
Setting 59
02-V-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1332G	65.14	74.00	-8.86	55.51	3	Vertical	10	2.18	-	33.60	6.97	30.94			
AV	5.142G	53.09	54.00	-0.91	43.45	3	Vertical	10	2.18	-	33.60	6.97	30.93			
PK	5.3276G	110.34	Inf	-Inf	100.29	3	Vertical	10	2.18	-	33.90	6.98	30.83			
AV	5.3124G	99.27	Inf	-Inf	89.23	3	Vertical	10	2.18	-	33.90	6.98	30.84			
PK	5.3628G	63.96	74.00	-10.04	53.87	3	Vertical	10	2.18	-	33.93	6.97	30.81			
AV	5.3524G	52.90	54.00	-1.10	42.84	3	Vertical	10	2.18	-	33.90	6.97	30.81			
PK	5.6196G	62.55	68.20	-5.65	51.61	3	Vertical	10	2.18	-	34.00	7.64	30.70			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5250MHz_TX




EUT_Y_4TX
Setting 59
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.11G	65.03	74.00	-8.97	55.43	3	Horizontal	5	2.50	-	33.60	6.95	30.95			
AV	5.13G	53.50	54.00	-0.50	43.88	3	Horizontal	5	2.50	-	33.60	6.96	30.94			
PK	5.3204G	110.44	Inf	-Inf	100.39	3	Horizontal	5	2.50	-	33.90	6.98	30.83			
AV	5.2764G	99.89	Inf	-Inf	89.91	3	Horizontal	5	2.50	-	33.85	6.99	30.86			
PK	5.3572G	66.21	74.00	-7.79	56.14	3	Horizontal	5	2.50	-	33.91	6.97	30.81			
AV	5.3508G	52.63	54.00	-1.37	42.57	3	Horizontal	5	2.50	-	33.90	6.97	30.81			
PK	5.5892G	62.19	68.20	-6.01	51.32	3	Horizontal	5	2.50	-	34.00	7.58	30.71			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


5250MHz_TX

EUT_Y_4TX
Setting 59
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51191G	59.08	68.20	-9.12	39.91	3	Vertical	89	1.28	-	38.52	11.14	30.49			
PK	15.76242G	59.91	74.00	-14.09	42.65	3	Vertical	275	1.65	-	37.48	11.86	32.08			
AV	15.75909G	48.22	54.00	-5.78	30.96	3	Vertical	275	1.65	-	37.48	11.86	32.08			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5250MHz_TX




EUT_Y_4TX
Setting 59
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48968G	58.54	68.20	-9.66	39.43	3	Horizontal	174	2.38	-	38.48	11.12	30.49			
PK	15.5155G	59.69	74.00	-14.31	41.69	3	Horizontal	301	2.64	-	38.07	11.85	31.92			
AV	15.591G	48.54	54.00	-5.46	30.74	3	Horizontal	301	2.64	-	37.92	11.85	31.97			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


5250MHz_TX

EUT_Y_4TX
Setting 56
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.126G	62.18	74.00	-11.82	52.56	3	Vertical	-0	2.72	-	33.60	6.96	30.94				
AV	5.1412G	52.71	54.00	-1.29	43.07	3	Vertical	-0	2.72	-	33.60	6.97	30.93				
PK	5.2764G	109.43	Inf	-Inf	99.45	3	Vertical	-0	2.72	-	33.85	6.99	30.86				
AV	5.2764G	99.25	Inf	-Inf	89.27	3	Vertical	-0	2.72	-	33.85	6.99	30.86				
PK	5.3644G	62.22	74.00	-11.78	52.13	3	Vertical	-0	2.72	-	33.93	6.97	30.81				
AV	5.3924G	51.24	54.00	-2.76	41.09	3	Vertical	-0	2.72	-	33.98	6.96	30.79				
PK	5.6108G	62.30	68.20	-5.90	51.37	3	Vertical	-0	2.72	-	34.00	7.63	30.70				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


5250MHz_TX

EUT_Y_4TX
Setting 56
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1292G	63.93	74.00	-10.07	54.31	3	Horizontal	3	2.39	-	33.60	6.96	30.94				
AV	5.1412G	53.70	54.00	-0.30	44.06	3	Horizontal	3	2.39	-	33.60	6.97	30.93				
PK	5.2852G	111.15	Inf	-Inf	101.14	3	Horizontal	3	2.39	-	33.87	6.99	30.85				
AV	5.2756G	99.85	Inf	-Inf	89.87	3	Horizontal	3	2.39	-	33.85	6.99	30.86				
PK	5.406G	62.11	74.00	-11.89	51.91	3	Horizontal	3	2.39	-	34.00	6.98	30.78				
AV	5.3716G	51.32	54.00	-2.68	41.21	3	Horizontal	3	2.39	-	33.94	6.97	30.80				
PK	5.5052G	62.08	68.20	-6.12	51.41	3	Horizontal	3	2.39	-	34.09	7.31	30.73				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


5250MHz_TX

EUT_Y_4TX
Setting 56
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49175G	58.51	68.20	-9.69	39.40	3	Vertical	333	2.36	-	38.48	11.12	30.49			
PK	15.74067G	60.54	74.00	-13.46	43.22	3	Vertical	294	1.33	-	37.52	11.86	32.06			
AV	15.74547G	48.03	54.00	-5.97	30.73	3	Vertical	294	1.33	-	37.51	11.86	32.07			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


5250MHz_TX

EUT_Y_4TX
Setting 56
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.51308G	57.89	68.20	-10.31	38.71	3	Horizontal	30	2.11	-	38.53	11.14	30.49				
PK	15.74187G	60.86	74.00	-13.14	43.54	3	Horizontal	292	2.06	-	37.52	11.86	32.06				
AV	15.7356G	48.04	54.00	-5.96	30.71	3	Horizontal	292	2.06	-	37.53	11.86	32.06				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 62
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.123G	61.80	74.00	-12.20	52.18	3	Vertical	7	2.13	-	33.60	6.96	30.94			
AV	5.134G	49.66	54.00	-4.34	40.02	3	Vertical	7	2.13	-	33.60	6.97	30.93			
PK	5.2775G	114.70	Inf	-Inf	104.71	3	Vertical	7	2.13	-	33.85	6.99	30.85			
AV	5.2775G	103.39	Inf	-Inf	93.40	3	Vertical	7	2.13	-	33.85	6.99	30.85			
PK	5.356G	70.28	74.00	-3.72	60.21	3	Vertical	7	2.13	-	33.91	6.97	30.81			
AV	5.352G	53.42	54.00	-0.58	43.36	3	Vertical	7	2.13	-	33.90	6.97	30.81			
PK	5.5155G	61.50	68.20	-6.70	50.82	3	Vertical	7	2.13	-	34.07	7.34	30.73			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 62
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0995G	60.92	74.00	-13.08	51.33	3	Horizontal	360	2.40	-	33.60	6.94	30.95			
AV	5.141G	49.62	54.00	-4.38	39.98	3	Horizontal	360	2.40	-	33.60	6.97	30.93			
PK	5.2955G	115.01	Inf	-Inf	104.97	3	Horizontal	360	2.40	-	33.89	6.99	30.84			
AV	5.296G	102.80	Inf	-Inf	92.76	3	Horizontal	360	2.40	-	33.89	6.99	30.84			
PK	5.362G	71.51	74.00	-2.49	61.43	3	Horizontal	360	2.40	-	33.92	6.97	30.81			
AV	5.351G	53.73	54.00	-0.27	43.67	3	Horizontal	360	2.40	-	33.90	6.97	30.81			
PK	5.4875G	61.17	68.20	-7.03	50.58	3	Horizontal	360	2.40	-	34.08	7.25	30.74			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX




EUT_Y_4TX
Setting 62
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.7565G	59.01	74.00	-14.99	39.80	3	Vertical	272	1.82	-	38.40	11.29	30.48			
PK	15.6825G	60.11	74.00	-13.89	42.64	3	Vertical	338	2.74	-	37.64	11.86	32.03			
AV	15.6715G	48.42	54.00	-5.58	30.92	3	Vertical	338	2.74	-	37.66	11.86	32.02			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 62
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.612G	58.44	74.00	-15.56	39.15	3	Horizontal	256	2.30	-	38.58	11.20	30.49			
PK	15.8105G	60.86	74.00	-13.14	43.69	3	Horizontal	6	2.22	-	37.42	11.86	32.11			
AV	15.6305G	48.31	54.00	-5.69	30.67	3	Horizontal	6	2.22	-	37.78	11.85	31.99			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 48
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3285G	60.80	68.20	-7.40	50.75	3	Vertical	13	2.17	-	33.90	6.98	30.83			
PK	5.456G	61.90	74.00	-12.10	51.50	3	Vertical	13	2.17	-	34.01	7.14	30.75			
AV	5.4565G	50.45	54.00	-3.55	40.04	3	Vertical	13	2.17	-	34.01	7.15	30.75			
PK	5.465G	64.98	68.20	-3.22	54.53	3	Vertical	13	2.17	-	34.03	7.17	30.75			
PK	5.5025G	111.71	Inf	-Inf	101.05	3	Vertical	13	2.17	-	34.09	7.30	30.73			
AV	5.5225G	101.26	Inf	-Inf	90.57	3	Vertical	13	2.17	-	34.05	7.36	30.72			
PK	5.755G	62.59	68.20	-5.61	51.49	3	Vertical	13	2.17	-	34.01	7.76	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 48
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2875G	60.79	68.20	-7.41	50.78	3	Horizontal	354	1.80	-	33.87	6.99	30.85				
PK	5.4595G	67.13	74.00	-6.87	56.70	3	Horizontal	354	1.80	-	34.02	7.16	30.75				
AV	5.4585G	50.93	54.00	-3.07	40.51	3	Horizontal	354	1.80	-	34.02	7.15	30.75				
PK	5.462G	67.30	68.20	-0.90	56.87	3	Horizontal	354	1.80	-	34.02	7.16	30.75				
PK	5.5655G	111.57	Inf	-Inf	100.77	3	Horizontal	354	1.80	-	34.00	7.51	30.71				
AV	5.5205G	100.93	Inf	-Inf	90.24	3	Horizontal	354	1.80	-	34.06	7.36	30.73				
PK	5.766G	62.20	68.20	-6.00	51.07	3	Horizontal	354	1.80	-	34.03	7.77	30.67				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 48
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06669G	59.59	74.00	-14.41	40.01	3	Vertical	2	2.63	-	38.60	11.49	30.51			
AV	11.05244G	47.42	54.00	-6.58	27.84	3	Vertical	2	2.63	-	38.60	11.48	30.50			
PK	16.58235G	61.25	68.20	-6.95	41.70	3	Vertical	194	1.16	-	39.46	12.15	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 48
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06621G	59.45	74.00	-14.55	39.87	3	Horizontal	179	2.74	-	38.60	11.49	30.51			
AV	11.04962G	47.66	54.00	-6.34	28.08	3	Horizontal	179	2.74	-	38.60	11.48	30.50			
PK	16.58847G	62.21	68.20	-5.99	42.61	3	Horizontal	120	1.98	-	39.51	12.15	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 64
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3815G	61.12	74.00	-12.88	51.00	3	Vertical	354	2.27	-	33.96	6.96	30.80			
PK	5.4605G	61.12	68.20	-7.08	50.69	3	Vertical	354	2.27	-	34.02	7.16	30.75			
AV	5.4515G	50.58	54.00	-3.42	40.21	3	Vertical	354	2.27	-	34.00	7.13	30.76			
PK	5.632G	116.68	Inf	-Inf	105.73	3	Vertical	354	2.27	-	34.00	7.65	30.70			
AV	5.597G	105.37	Inf	-Inf	94.47	3	Vertical	354	2.27	-	34.00	7.61	30.71			
PK	5.737G	66.73	68.20	-1.47	55.66	3	Vertical	354	2.27	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 64
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.429G	61.34	74.00	-12.66	51.05	3	Horizontal	358	1.93	-	34.00	7.06	30.77			
PK	5.465G	60.97	68.20	-7.23	50.52	3	Horizontal	358	1.93	-	34.03	7.17	30.75			
AV	5.459G	50.62	54.00	-3.38	40.20	3	Horizontal	358	1.93	-	34.02	7.15	30.75			
PK	5.6455G	116.16	Inf	-Inf	105.20	3	Horizontal	358	1.93	-	34.00	7.66	30.70			
AV	5.6005G	105.59	Inf	-Inf	94.68	3	Horizontal	358	1.93	-	34.00	7.62	30.71			
PK	5.7315G	67.53	68.20	-0.67	56.46	3	Horizontal	358	1.93	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 64
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23383G	59.59	74.00	-14.41	39.92	3	Vertical	-0	1.80	-	38.67	11.59	30.59			
AV	11.20728G	47.43	54.00	-6.57	27.82	3	Vertical	-0	1.80	-	38.61	11.58	30.58			
PK	16.83099G	64.50	68.20	-3.70	43.85	3	Vertical	74	1.03	-	40.49	12.26	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 64
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2122G	59.02	74.00	-14.98	39.40	3	Horizontal	297	1.97	-	38.62	11.58	30.58			
AV	11.20584G	47.38	54.00	-6.62	27.76	3	Horizontal	297	1.97	-	38.61	11.58	30.57			
PK	16.81698G	63.89	68.20	-4.31	43.32	3	Horizontal	115	1.55	-	40.40	12.26	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5690MHz_TX




EUT_Y_4TX
Setting 78
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4465G	60.52	74.00	-13.48	50.17	3	Vertical	13	1.80	-	34.00	7.11	30.76			
PK	5.4655G	60.69	68.20	-7.51	50.23	3	Vertical	13	1.80	-	34.03	7.18	30.75			
AV	5.46G	49.74	54.00	-4.26	39.31	3	Vertical	13	1.80	-	34.02	7.16	30.75			
PK	5.7G	119.15	Inf	-Inf	108.12	3	Vertical	13	1.80	-	34.00	7.71	30.68			
AV	5.7005G	107.92	Inf	-Inf	96.89	3	Vertical	13	1.80	-	34.00	7.71	30.68			
PK	5.853G	67.88	68.20	-0.32	56.69	3	Vertical	13	1.80	-	34.01	7.83	30.65			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5690MHz_TX




EUT_Y_4TX
Setting 78
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4415G	60.53	74.00	-13.47	50.19	3	Horizontal	0	1.97	-	34.00	7.10	30.76			
PK	5.4635G	60.97	68.20	-7.23	50.52	3	Horizontal	0	1.97	-	34.03	7.17	30.75			
AV	5.4565G	49.41	54.00	-4.59	39.00	3	Horizontal	0	1.97	-	34.01	7.15	30.75			
PK	5.66G	119.00	Inf	-Inf	108.02	3	Horizontal	0	1.97	-	34.00	7.67	30.69			
AV	5.7055G	107.51	Inf	-Inf	96.48	3	Horizontal	0	1.97	-	34.00	7.71	30.68			
PK	5.851G	68.06	68.20	-0.14	56.88	3	Horizontal	0	1.97	-	34.00	7.83	30.65			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5690MHz_TX




EUT_Y_4TX
Setting 78
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.37372G	59.53	74.00	-14.47	39.75	3	Vertical	346	1.43	-	38.75	11.68	30.65				
AV	11.37312G	47.06	54.00	-6.94	27.28	3	Vertical	346	1.43	-	38.75	11.68	30.65				
PK	17.07404G	62.31	68.20	-5.89	40.63	3	Vertical	346	2.48	-	41.45	12.38	32.15				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5690MHz_TX




EUT_Y_4TX
Setting 78
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37666G	59.28	74.00	-14.72	39.50	3	Horizontal	180	1.18	-	38.75	11.68	30.65			
AV	11.3816G	46.54	54.00	-7.46	26.75	3	Horizontal	180	1.18	-	38.76	11.69	30.66			
PK	17.06724G	63.12	68.20	-5.08	41.45	3	Horizontal	254	2.44	-	41.43	12.38	32.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX


5570MHz_TX

EUT_Y_4TX
Setting 68
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2908G	60.71	68.20	-7.49	50.69	3	Vertical	14	1.21	-	33.88	6.99	30.85
PK	5.4564G	65.48	74.00	-8.52	55.07	3	Vertical	14	1.21	-	34.01	7.15	30.75
AV	5.4564G	52.43	54.00	-1.57	42.02	3	Vertical	14	1.21	-	34.01	7.15	30.75
PK	5.462G	68.06	68.20	-0.14	57.63	3	Vertical	14	1.21	-	34.02	7.16	30.75
PK	5.6324G	112.47	Inf	-Inf	101.52	3	Vertical	14	1.21	-	34.00	7.65	30.70
AV	5.6324G	101.19	Inf	-Inf	90.24	3	Vertical	14	1.21	-	34.00	7.65	30.70
PK	5.8588G	62.97	68.20	-5.23	51.73	3	Vertical	14	1.21	-	34.04	7.84	30.64

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

5570MHz_TX




EUT_Y_4TX
Setting 68
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.278G	60.90	68.20	-7.30	50.90	3	Horizontal	8	2.00	-	33.86	6.99	30.85
PK	5.4524G	68.11	74.00	-5.89	57.74	3	Horizontal	8	2.00	-	34.00	7.13	30.76
PK	5.4628G	67.81	68.20	-0.39	57.36	3	Horizontal	8	2.00	-	34.03	7.17	30.75
AV	5.458G	53.85	54.00	-0.15	43.43	3	Horizontal	8	2.00	-	34.02	7.15	30.75
PK	5.6196G	113.09	Inf	-Inf	102.15	3	Horizontal	8	2.00	-	34.00	7.64	30.70
AV	5.6332G	101.82	Inf	-Inf	90.87	3	Horizontal	8	2.00	-	34.00	7.65	30.70
PK	5.85G	63.24	68.20	-4.96	52.06	3	Horizontal	8	2.00	-	34.00	7.83	30.65

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX


5570MHz_TX

EUT_Y_4TX
Setting 68
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13128G	57.75	74.00	-16.25	38.16	3	Vertical	310	2.62	-	38.60	11.53	30.54			
AV	11.1454G	45.85	54.00	-8.15	26.26	3	Vertical	310	2.62	-	38.60	11.54	30.55			
PK	16.71816G	61.85	68.20	-6.35	41.78	3	Vertical	308	1.80	-	39.94	12.21	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX


5570MHz_TX

EUT_Y_4TX
Setting 68
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13754G	58.19	74.00	-15.81	38.60	3	Horizontal	36	2.07	-	38.60	11.53	30.54			
AV	11.13258G	45.99	54.00	-8.01	26.40	3	Horizontal	36	2.07	-	38.60	11.53	30.54			
PK	16.70016G	61.11	68.20	-7.09	41.09	3	Horizontal	134	1.92	-	39.90	12.20	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_Y_4TX
Setting 65
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2588G	60.15	68.20	-8.05	50.20	3	Vertical	356	2.37	-	33.82	7.00	30.87
PK	5.4572G	62.15	74.00	-11.85	51.74	3	Vertical	356	2.37	-	34.01	7.15	30.75
PK	5.4612G	63.81	68.20	-4.39	53.38	3	Vertical	356	2.37	-	34.02	7.16	30.75
AV	5.4596G	50.98	54.00	-3.02	40.55	3	Vertical	356	2.37	-	34.02	7.16	30.75
PK	5.5924G	112.02	Inf	-Inf	101.14	3	Vertical	356	2.37	-	34.00	7.59	30.71
AV	5.6324G	101.22	Inf	-Inf	90.27	3	Vertical	356	2.37	-	34.00	7.65	30.70
PK	5.9084G	62.75	68.20	-5.45	51.31	3	Vertical	356	2.37	-	34.20	7.87	30.63

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 65
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.254G	60.28	68.20	-7.92	50.34	3	Horizontal	7	2.29	-	33.81	7.00	30.87
PK	5.4588G	67.95	74.00	-6.05	57.53	3	Horizontal	7	2.29	-	34.02	7.15	30.75
AV	5.4508G	51.80	54.00	-2.20	41.43	3	Horizontal	7	2.29	-	34.00	7.13	30.76
PK	5.47G	68.02	68.20	-0.18	57.54	3	Horizontal	7	2.29	-	34.04	7.19	30.75
PK	5.6252G	113.17	Inf	-Inf	102.23	3	Horizontal	7	2.29	-	34.00	7.64	30.70
AV	5.6452G	101.44	Inf	-Inf	90.48	3	Horizontal	7	2.29	-	34.00	7.66	30.70
PK	5.8748G	64.59	68.20	-3.61	53.28	3	Horizontal	7	2.29	-	34.10	7.85	30.64

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 65
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14012G	57.95	74.00	-16.05	38.36	3	Vertical	199	1.62	-	38.60	11.53	30.54			
AV	11.14676G	45.88	54.00	-8.12	26.29	3	Vertical	199	1.62	-	38.60	11.54	30.55			
PK	16.70966G	62.06	68.20	-6.14	42.01	3	Vertical	105	1.77	-	39.92	12.21	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 65
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.134G	58.18	74.00	-15.82	38.59	3	Horizontal	113	1.27	-	38.60	11.53	30.54			
AV	11.14198G	45.71	54.00	-8.29	26.12	3	Horizontal	113	1.27	-	38.60	11.54	30.55			
PK	16.70986G	61.03	68.20	-7.17	40.98	3	Horizontal	169	1.30	-	39.92	12.21	32.08			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5775MHz_TX




EUT_Y_4TX
Setting 66
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6525G	68.05	70.05	-2.00	57.07	3	Vertical	357	1.94	-	34.00	7.67	30.69				
PK	5.789G	116.27	Inf	-Inf	105.06	3	Vertical	357	1.94	-	34.08	7.79	30.66				
AV	5.7895G	104.79	Inf	-Inf	93.58	3	Vertical	357	1.94	-	34.08	7.79	30.66				
PK	5.985G	62.82	68.20	-5.38	51.20	3	Vertical	357	1.94	-	34.30	7.93	30.61				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5775MHz_TX

EUT_Y_4TX
Setting 66
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	66.87	68.20	-1.33	55.90	3	Horizontal	7	2.08	-	34.00	7.66	30.69			
PK	5.785G	116.86	Inf	-Inf	105.66	3	Horizontal	7	2.08	-	34.07	7.79	30.66			
AV	5.7845G	104.64	Inf	-Inf	93.44	3	Horizontal	7	2.08	-	34.07	7.79	30.66			
PK	5.9655G	61.96	68.20	-6.24	50.44	3	Horizontal	7	2.08	-	34.23	7.91	30.62			