


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 65
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	65.27	74.00	-8.73	59.44	3	Vertical	8	1.80	-	33.00	8.26	35.43			
AV	5.4556G	51.34	54.00	-2.66	45.51	3	Vertical	8	1.80	-	33.00	8.26	35.43			
PK	5.4628G	65.97	68.20	-2.23	60.13	3	Vertical	8	1.80	-	33.00	8.27	35.43			
PK	5.6084G	108.92	Inf	-Inf	103.06	3	Vertical	8	1.80	-	32.93	8.39	35.46			
AV	5.6076G	98.89	Inf	-Inf	93.03	3	Vertical	8	1.80	-	32.93	8.39	35.46			
PK	5.7324G	66.19	68.20	-2.01	59.71	3	Vertical	8	1.80	-	33.56	8.43	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 65
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	65.70	74.00	-8.30	59.87	3	Horizontal	2	1.80	-	33.00	8.26	35.43			
AV	5.462G	51.72	54.00	-2.28	45.90	3	Horizontal	2	1.80	-	33.00	8.25	35.43			
PK	5.462G	66.68	68.20	-1.52	60.84	3	Horizontal	2	1.80	-	33.00	8.27	35.43			
PK	5.5988G	110.02	Inf	-Inf	104.19	3	Horizontal	2	1.80	-	32.90	8.39	35.46			
AV	5.6076G	100.36	Inf	-Inf	94.50	3	Horizontal	2	1.80	-	32.93	8.39	35.46			
PK	5.7324G	67.31	68.20	-0.89	60.83	3	Horizontal	2	1.80	-	33.56	8.43	35.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 65
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21998G	57.18	74.00	-16.82	39.78	3	Vertical	55	2.02	-	38.94	11.72	33.26			
AV	11.22042G	48.02	54.00	-5.98	30.62	3	Vertical	55	2.02	-	38.94	11.72	33.26			
PK	16.82976G	59.79	68.20	-8.41	39.88	3	Vertical	243	2.05	-	38.10	14.69	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 65
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22015G	57.46	74.00	-16.54	40.06	3	Horizontal	87	2.50	-	38.94	11.72	33.26			
AV	11.21987G	47.83	54.00	-6.17	30.43	3	Horizontal	87	2.50	-	38.94	11.72	33.26			
PK	16.82954G	59.36	68.20	-8.84	39.45	3	Horizontal	70	2.15	-	38.10	14.69	32.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 77
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	66.39	74.00	-7.61	60.56	3	Vertical	29	1.80	-	33.00	8.26	35.43			
AV	5.4212G	51.56	54.00	-2.44	45.77	3	Vertical	29	1.80	-	33.00	8.23	35.44			
PK	5.462G	67.73	68.20	-0.47	61.89	3	Vertical	29	1.80	-	33.00	8.27	35.43			
PK	5.6936G	112.21	Inf	-Inf	105.83	3	Vertical	29	1.80	-	33.45	8.42	35.49			
AV	5.6876G	102.62	Inf	-Inf	96.29	3	Vertical	29	1.80	-	33.40	8.42	35.49			
PK	5.8664G	66.88	68.20	-1.32	59.79	3	Vertical	29	1.80	-	34.17	8.48	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 77
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	66.23	74.00	-7.77	60.40	3	Horizontal	4	1.80	-	33.00	8.26	35.43			
AV	5.4464G	53.73	54.00	-0.27	47.92	3	Horizontal	4	1.80	-	33.00	8.25	35.44			
PK	5.462G	67.82	68.20	-0.38	61.98	3	Horizontal	4	1.80	-	33.00	8.27	35.43			
PK	5.6936G	114.25	Inf	-Inf	107.87	3	Horizontal	4	1.80	-	33.45	8.42	35.49			
AV	5.696G	103.57	Inf	-Inf	97.17	3	Horizontal	4	1.80	-	33.47	8.42	35.49			
PK	5.8592G	67.56	68.20	-0.64	60.50	3	Horizontal	4	1.80	-	34.14	8.48	35.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 77
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3782G	57.38	74.00	-16.62	39.50	3	Vertical	296	2.64	-	39.20	11.80	33.12			
AV	11.38952G	48.57	54.00	-5.43	30.67	3	Vertical	296	2.64	-	39.20	11.81	33.11			
PK	17.06588G	58.98	68.20	-9.22	38.61	3	Vertical	313	1.67	-	38.37	14.81	32.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 77
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38396G	57.85	74.00	-16.15	39.96	3	Horizontal	152	1.80	-	39.20	11.80	33.11			
AV	11.3802G	48.23	54.00	-5.77	30.35	3	Horizontal	152	1.80	-	39.20	11.80	33.12			
PK	17.06172G	59.74	68.20	-8.46	39.35	3	Horizontal	121.1	1.82	-	38.38	14.81	32.80			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 69
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.627G	67.09	68.20	-1.11	61.15	3	Vertical	24	1.80	-	33.01	8.40	35.47			
PK	5.784G	110.89	Inf	-Inf	104.17	3	Vertical	24	1.80	-	33.80	8.45	35.53			
AV	5.789G	100.39	Inf	-Inf	93.64	3	Vertical	24	1.80	-	33.83	8.45	35.53			
PK	5.932G	64.39	68.20	-3.81	57.16	3	Vertical	24	1.80	-	34.30	8.51	35.58			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 69
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.627G	68.01	68.20	-0.19	62.07	3	Horizontal	359.9	1.80	-	33.01	8.40	35.47			
PK	5.791G	111.78	Inf	-Inf	105.01	3	Horizontal	359.9	1.80	-	33.85	8.45	35.53			
AV	5.781G	101.42	Inf	-Inf	94.72	3	Horizontal	359.9	1.80	-	33.79	8.44	35.53			
PK	5.928G	64.75	68.20	-3.45	57.52	3	Horizontal	359.9	1.80	-	34.30	8.51	35.58			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 69
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54953G	57.58	74.00	-16.42	39.94	3	Vertical	307	1.50	-	38.80	11.89	33.05			
AV	11.55074G	47.53	54.00	-6.47	29.89	3	Vertical	307	1.50	-	38.80	11.89	33.05			
PK	17.32596G	59.44	68.20	-8.76	38.67	3	Vertical	347	1.63	-	38.90	14.95	33.08			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 69
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55384G	57.51	74.00	-16.49	39.81	3	Horizontal	128	1.80	-	38.86	11.88	33.04			
AV	11.55324G	47.87	54.00	-6.13	30.25	3	Horizontal	128	1.80	-	38.79	11.89	33.06			
PK	17.32908G	60.43	68.20	-7.77	39.64	3	Horizontal	130.1	1.81	-	38.92	14.95	33.08			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 55
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	61.27	74.00	-12.73	55.44	3	Vertical	12	1.80	-	33.28	8.07	35.52			
AV	5.1492G	51.74	54.00	-2.26	45.89	3	Vertical	12	1.80	-	33.30	8.07	35.52			
PK	5.218G	104.38	Inf	-Inf	98.67	3	Vertical	12	1.80	-	33.10	8.11	35.50			
AV	5.274G	94.32	Inf	-Inf	88.61	3	Vertical	12	1.80	-	33.05	8.14	35.48			
PK	5.434G	61.79	74.00	-12.21	55.99	3	Vertical	12	1.80	-	33.00	8.24	35.44			
AV	5.3588G	53.11	54.00	-0.89	47.38	3	Vertical	12	1.80	-	33.00	8.19	35.46			
PK	5.474G	60.46	68.20	-7.74	54.61	3	Vertical	12	1.80	-	33.00	8.28	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 55
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	62.55	74.00	-11.45	56.73	3	Horizontal	12	1.80	-	33.27	8.07	35.52			
AV	5.146G	52.12	54.00	-1.88	46.29	3	Horizontal	12	1.80	-	33.28	8.07	35.52			
PK	5.2612G	105.21	Inf	-Inf	99.49	3	Horizontal	12	1.80	-	33.08	8.13	35.49			
AV	5.2708G	95.29	Inf	-Inf	89.57	3	Horizontal	12	1.80	-	33.06	8.14	35.48			
PK	5.3892G	64.55	74.00	-9.45	58.80	3	Horizontal	12	1.80	-	33.00	8.20	35.45			
AV	5.3508G	53.30	54.00	-0.70	47.58	3	Horizontal	12	1.80	-	33.00	8.18	35.46			
PK	5.6244G	60.44	68.20	-7.76	54.51	3	Horizontal	12	1.80	-	33.00	8.40	35.47			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 55
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49783G	56.32	68.20	-11.88	40.04	3	Vertical	54	2.77	-	38.80	11.33	33.85			
PK	15.75082G	59.56	74.00	-14.44	40.32	3	Vertical	53	2.53	-	38.20	14.25	33.21			
AV	15.74985G	50.40	54.00	-3.60	31.17	3	Vertical	53	2.53	-	38.20	14.24	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 55
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50112G	56.57	68.20	-11.63	40.28	3	Horizontal	144	1.01	-	38.80	11.34	33.85			
PK	15.74802G	59.59	74.00	-14.41	40.36	3	Horizontal	312	1.48	-	38.20	14.24	33.21			
AV	15.74793G	50.27	54.00	-3.73	31.04	3	Horizontal	312	1.48	-	38.20	14.24	33.21			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 60
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3476G	61.19	68.20	-7.01	55.47	3	Vertical	44	1.80	-	33.00	8.18	35.46			
PK	5.4564G	65.51	74.00	-8.49	59.68	3	Vertical	44	1.80	-	33.00	8.26	35.43			
AV	5.458G	53.05	54.00	-0.95	47.22	3	Vertical	44	1.80	-	33.00	8.26	35.43			
PK	5.466G	66.16	68.20	-2.04	60.32	3	Vertical	44	1.80	-	33.00	8.27	35.43			
PK	5.4932G	104.64	Inf	-Inf	98.77	3	Vertical	44	1.80	-	33.00	8.29	35.42			
AV	5.4932G	95.19	Inf	-Inf	89.32	3	Vertical	44	1.80	-	33.00	8.29	35.42			
PK	5.8436G	63.12	68.20	-5.08	56.13	3	Vertical	44	1.80	-	34.07	8.47	35.55			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 60
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	61.67	68.20	-6.53	55.95	3	Horizontal	4	1.80	-	33.00	8.18	35.46			
PK	5.4564G	66.15	74.00	-7.85	60.32	3	Horizontal	4	1.80	-	33.00	8.26	35.43			
AV	5.4516G	53.65	54.00	-0.35	47.82	3	Horizontal	4	1.80	-	33.00	8.26	35.43			
PK	5.4612G	66.05	68.20	-2.15	60.21	3	Horizontal	4	1.80	-	33.00	8.27	35.43			
PK	5.4964G	106.99	Inf	-Inf	101.11	3	Horizontal	4	1.80	-	33.00	8.30	35.42			
AV	5.4932G	96.66	Inf	-Inf	90.79	3	Horizontal	4	1.80	-	33.00	8.29	35.42			
PK	5.8436G	63.43	68.20	-4.77	56.44	3	Horizontal	4	1.80	-	34.07	8.47	35.55			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 60
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14466G	57.29	74.00	-16.71	40.03	3	Vertical	241	2.88	-	38.91	11.68	33.33			
AV	11.14208G	47.75	54.00	-6.25	30.48	3	Vertical	241	2.88	-	38.92	11.68	33.33			
PK	16.70902G	60.54	68.20	-7.66	40.54	3	Vertical	189	2.65	-	38.36	14.62	32.98			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
Setting 60
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13986G	57.59	74.00	-16.41	40.33	3	Horizontal	98	1.35	-	38.92	11.67	33.33			
AV	11.1449G	47.56	54.00	-6.44	30.30	3	Horizontal	98	1.35	-	38.91	11.68	33.33			
PK	16.71004G	60.67	68.20	-7.53	40.67	3	Horizontal	313	2.58	-	38.36	14.62	32.98			




Test Mode: Mode 7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.396G	53.98	54.00	-0.02	3	Vertical	8	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 47
05-V-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	62.39	74.00	-11.61	56.56	3	Vertical	355	1.80	-	33.28	8.07	35.52			
AV	5.1472G	53.80	54.00	-0.20	47.96	3	Vertical	355	1.80	-	33.29	8.07	35.52			
PK	5.184G	119.95	Inf	-Inf	114.21	3	Vertical	355	1.80	-	33.16	8.09	35.51			
AV	5.184G	113.48	Inf	-Inf	107.74	3	Vertical	355	1.80	-	33.16	8.09	35.51			
PK	5.3624G	60.88	74.00	-13.12	55.15	3	Vertical	355	1.80	-	33.00	8.19	35.46			
AV	5.3712G	51.40	54.00	-2.60	45.67	3	Vertical	355	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 47
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	62.21	74.00	-11.79	56.36	3	Horizontal	357	1.32	-	33.30	8.07	35.52			
AV	5.148G	53.80	54.00	-0.20	47.96	3	Horizontal	357	1.32	-	33.29	8.07	35.52			
PK	5.1784G	119.63	Inf	-Inf	113.86	3	Horizontal	357	1.32	-	33.19	8.09	35.51			
AV	5.1784G	112.82	Inf	-Inf	107.05	3	Horizontal	357	1.32	-	33.19	8.09	35.51			
PK	5.3768G	60.00	74.00	-14.00	54.25	3	Horizontal	357	1.32	-	33.00	8.20	35.45			
AV	5.3608G	50.99	54.00	-3.01	45.26	3	Horizontal	357	1.32	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX

EUT_Z_4TX
Setting 47
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.53854G	59.37	74.00	-14.63	40.21	3	Vertical	61	2.72	-	38.45	14.24	33.53			
AV	15.54422G	48.99	54.00	-5.01	29.85	3	Vertical	61	2.72	-	38.42	14.24	33.52			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX

EUT_Z_4TX
Setting 47
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.54154G	59.05	74.00	-14.95	39.91	3	Horizontal	157	2.29	-	38.43	14.24	33.53			
AV	15.53742G	48.99	54.00	-5.01	29.83	3	Horizontal	157	2.29	-	38.45	14.24	33.53			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 41
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	60.79	74.00	-13.21	54.94	3	Vertical	354	1.80	-	33.30	8.07	35.52			
AV	5.1496G	51.35	54.00	-2.65	45.50	3	Vertical	354	1.80	-	33.30	8.07	35.52			
PK	5.204G	118.56	Inf	-Inf	112.86	3	Vertical	354	1.80	-	33.10	8.10	35.50			
AV	5.2032G	111.01	Inf	-Inf	105.31	3	Vertical	354	1.80	-	33.10	8.10	35.50			
PK	5.3584G	62.99	74.00	-11.01	57.26	3	Vertical	354	1.80	-	33.00	8.19	35.46			
AV	5.3584G	53.96	54.00	-0.04	48.23	3	Vertical	354	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 41
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	60.43	74.00	-13.57	54.58	3	Horizontal	356	1.22	-	33.30	8.07	35.52			
AV	5.1488G	51.87	54.00	-2.13	46.02	3	Horizontal	356	1.22	-	33.30	8.07	35.52			
PK	5.1984G	118.73	Inf	-Inf	113.02	3	Horizontal	356	1.22	-	33.11	8.10	35.50			
AV	5.1992G	110.71	Inf	-Inf	105.01	3	Horizontal	356	1.22	-	33.10	8.10	35.50			
PK	5.3688G	60.59	74.00	-13.41	54.86	3	Horizontal	356	1.22	-	33.00	8.19	35.46			
AV	5.3664G	51.71	54.00	-2.29	45.98	3	Horizontal	356	1.22	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX

EUT_Z_4TX
Setting 41
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.59628G	58.53	74.00	-15.47	39.52	3	Vertical	217	2.76	-	38.21	14.24	33.44			
AV	15.5962G	48.44	54.00	-5.56	29.42	3	Vertical	217	2.76	-	38.22	14.24	33.44			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX

EUT_Z_4TX
Setting 41
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.60286G	58.33	74.00	-15.67	39.34	3	Horizontal	286	2.93	-	38.18	14.24	33.43			
AV	15.60328G	48.70	54.00	-5.30	29.71	3	Horizontal	286	2.93	-	38.18	14.24	33.43			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 42
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1304G	60.08	74.00	-13.92	54.32	3	Vertical	356	1.80	-	33.22	8.06	35.52			
AV	5.1368G	50.84	54.00	-3.16	45.05	3	Vertical	356	1.80	-	33.25	8.06	35.52			
PK	5.2448G	117.96	Inf	-Inf	112.23	3	Vertical	356	1.80	-	33.10	8.12	35.49			
AV	5.244G	111.15	Inf	-Inf	105.42	3	Vertical	356	1.80	-	33.10	8.12	35.49			
PK	5.3992G	62.56	74.00	-11.44	56.80	3	Vertical	356	1.80	-	33.00	8.21	35.45			
AV	5.3984G	53.80	54.00	-0.20	48.04	3	Vertical	356	1.80	-	33.00	8.21	35.45			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 42
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	59.68	74.00	-14.32	53.86	3	Horizontal	349.9	1.11	-	33.27	8.07	35.52			
AV	5.1496G	51.33	54.00	-2.67	45.48	3	Horizontal	349.9	1.11	-	33.30	8.07	35.52			
PK	5.2376G	118.84	Inf	-Inf	113.11	3	Horizontal	349.9	1.11	-	33.10	8.12	35.49			
AV	5.2392G	110.67	Inf	-Inf	104.94	3	Horizontal	349.9	1.11	-	33.10	8.12	35.49			
PK	5.4064G	60.74	74.00	-13.26	54.97	3	Horizontal	349.9	1.11	-	33.00	8.22	35.45			
AV	5.3944G	50.93	54.00	-3.07	45.17	3	Horizontal	349.9	1.11	-	33.00	8.21	35.45			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 42
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.71548G	58.45	74.00	-15.55	39.34	3	Vertical	127	2.14	-	38.13	14.24	33.26			
AV	15.7246G	48.78	54.00	-5.22	29.64	3	Vertical	127	2.14	-	38.15	14.24	33.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX

EUT_Z_4TX
Setting 42
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.72266G	58.25	74.00	-15.75	39.11	3	Horizontal	119	2.38	-	38.15	14.24	33.25			
AV	15.722G	48.69	54.00	-5.31	29.56	3	Horizontal	119	2.38	-	38.14	14.24	33.25			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 55
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1064G	62.52	74.00	-11.48	56.88	3	Vertical	354	1.80	-	33.13	8.04	35.53			
AV	5.0984G	53.80	54.00	-0.20	48.19	3	Vertical	354	1.80	-	33.10	8.04	35.53			
PK	5.264G	121.19	Inf	-Inf	115.47	3	Vertical	354	1.80	-	33.07	8.14	35.49			
AV	5.264G	113.92	Inf	-Inf	108.20	3	Vertical	354	1.80	-	33.07	8.14	35.49			
PK	5.352G	61.71	74.00	-12.29	55.99	3	Vertical	354	1.80	-	33.00	8.18	35.46			
AV	5.35G	52.59	54.00	-1.41	46.87	3	Vertical	354	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 55
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1344G	60.57	74.00	-13.43	54.79	3	Horizontal	1.9	1.80	-	33.24	8.06	35.52			
AV	5.1472G	51.52	54.00	-2.48	45.68	3	Horizontal	1.9	1.80	-	33.29	8.07	35.52			
PK	5.2608G	121.04	Inf	-Inf	115.32	3	Horizontal	1.9	1.80	-	33.08	8.13	35.49			
AV	5.2608G	113.22	Inf	-Inf	107.50	3	Horizontal	1.9	1.80	-	33.08	8.13	35.49			
PK	5.368G	60.74	74.00	-13.26	55.01	3	Horizontal	1.9	1.80	-	33.00	8.19	35.46			
AV	5.3536G	51.86	54.00	-2.14	46.14	3	Horizontal	1.9	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 55
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51168G	61.20	68.20	-7.00	44.88	3	Vertical	0	1.80	-	38.82	11.34	33.84			
PK	15.78292G	58.27	74.00	-15.73	39.18	3	Vertical	134	2.18	-	38.00	14.25	33.16			
AV	15.7808G	48.14	54.00	-5.86	29.03	3	Vertical	134	2.18	-	38.02	14.25	33.16			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 55
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5182G	57.55	68.20	-10.65	41.21	3	Horizontal	201	1.86	-	38.84	11.34	33.84			
PK	15.77128G	57.69	74.00	-16.31	38.55	3	Horizontal	60	1.94	-	38.07	14.25	33.18			
AV	15.77352G	48.34	54.00	-5.66	29.20	3	Horizontal	60	1.94	-	38.06	14.25	33.17			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 45
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1368G	63.63	74.00	-10.37	57.84	3	Vertical	0	1.80	-	33.25	8.06	35.52			
AV	5.1366G	53.77	54.00	-0.23	48.00	3	Vertical	0	1.80	-	33.23	8.06	35.52			
PK	5.2944G	120.13	Inf	-Inf	114.45	3	Vertical	0	1.80	-	33.01	8.15	35.48			
AV	5.2944G	112.29	Inf	-Inf	106.61	3	Vertical	0	1.80	-	33.01	8.15	35.48			
PK	5.3544G	61.60	74.00	-12.40	55.88	3	Vertical	0	1.80	-	33.00	8.18	35.46			
AV	5.3728G	52.55	54.00	-1.45	46.81	3	Vertical	0	1.80	-	33.00	8.20	35.46			
PK	5.488G	60.04	68.20	-8.16	54.17	3	Vertical	0	1.80	-	33.00	8.29	35.42			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 45
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1408G	60.94	74.00	-13.06	55.14	3	Horizontal	348	1.80	-	33.26	8.06	35.52			
AV	5.1408G	51.90	54.00	-2.10	46.10	3	Horizontal	348	1.80	-	33.26	8.06	35.52			
PK	5.2976G	120.73	Inf	-Inf	115.06	3	Horizontal	348	1.80	-	33.00	8.15	35.48			
AV	5.2976G	112.19	Inf	-Inf	106.52	3	Horizontal	348	1.80	-	33.00	8.15	35.48			
PK	5.3912G	61.29	74.00	-12.71	55.53	3	Horizontal	348	1.80	-	33.00	8.21	35.45			
AV	5.35G	52.40	54.00	-1.60	46.68	3	Horizontal	348	1.80	-	33.00	8.18	35.46			
PK	5.4992G	59.22	68.20	-8.98	53.34	3	Horizontal	348	1.80	-	33.00	8.30	35.42			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 45
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.89706G	59.23	74.00	-14.77	39.98	3	Vertical	300	1.01	-	37.99	14.25	32.99			
AV	15.90034G	49.41	54.00	-4.59	30.14	3	Vertical	300	1.01	-	38.00	14.25	32.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 45
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.8998G	59.18	74.00	-14.82	39.91	3	Horizontal	50	2.39	-	38.00	14.25	32.98			
AV	15.90196G	49.46	54.00	-4.54	30.20	3	Horizontal	50	2.39	-	37.99	14.25	32.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 48
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	59.85	74.00	-14.15	54.02	3	Vertical	0	1.80	-	33.28	8.07	35.52			
AV	5.1272G	50.75	54.00	-3.25	45.00	3	Vertical	0	1.80	-	33.21	8.06	35.52			
PK	5.3152G	119.88	Inf	-Inf	114.19	3	Vertical	0	1.80	-	33.00	8.16	35.47			
AV	5.3144G	112.60	Inf	-Inf	106.91	3	Vertical	0	1.80	-	33.00	8.16	35.47			
PK	5.3728G	62.98	74.00	-11.02	57.24	3	Vertical	0	1.80	-	33.00	8.20	35.46			
AV	5.35G	53.77	54.00	-0.23	48.05	3	Vertical	0	1.80	-	33.00	8.18	35.46			
PK	5.5024G	59.20	68.20	-9.00	53.32	3	Vertical	0	1.80	-	33.00	8.30	35.42			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 48
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1232G	60.23	74.00	-13.77	54.52	3	Horizontal	348	1.80	-	33.19	8.05	35.53			
AV	5.1296G	50.20	54.00	-3.80	44.44	3	Horizontal	348	1.80	-	33.22	8.06	35.52			
PK	5.3176G	119.48	Inf	-Inf	113.79	3	Horizontal	348	1.80	-	33.00	8.16	35.47			
AV	5.3192G	111.98	Inf	-Inf	106.28	3	Horizontal	348	1.80	-	33.00	8.17	35.47			
PK	5.35G	63.61	74.00	-10.39	57.89	3	Horizontal	348	1.80	-	33.00	8.18	35.46			
AV	5.35G	53.68	54.00	-0.32	47.96	3	Horizontal	348	1.80	-	33.00	8.18	35.46			
PK	5.4816G	59.23	68.20	-8.97	53.38	3	Horizontal	348	1.80	-	33.00	8.28	35.43			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 48
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.95804G	59.35	74.00	-14.65	40.21	3	Vertical	190	1.34	-	37.78	14.25	32.89			
AV	15.9558G	49.52	54.00	-4.48	30.38	3	Vertical	190	1.34	-	37.79	14.25	32.90			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 48
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.95588G	59.76	74.00	-14.24	40.62	3	Horizontal	75	2.24	-	37.79	14.25	32.90			
AV	15.95658G	49.26	54.00	-4.74	30.12	3	Horizontal	75	2.24	-	37.79	14.25	32.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 51
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	59.28	74.00	-14.72	65.34	3	Vertical	360	1.91	-	31.74	5.56	43.36			
AV	5.4593G	49.48	54.00	-4.52	55.54	3	Vertical	360	1.91	-	31.74	5.56	43.36			
PK	5.4638G	65.98	68.20	-2.22	72.01	3	Vertical	360	1.91	-	31.76	5.56	43.35			
PK	5.4944G	119.00	Inf	-Inf	124.88	3	Vertical	360	1.91	-	31.88	5.56	43.32			
AV	5.4942G	111.70	Inf	-Inf	117.58	3	Vertical	360	1.91	-	31.88	5.56	43.32			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 51
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	59.37	74.00	-14.63	65.44	3	Horizontal	350	1.53	-	31.73	5.56	43.36			
AV	5.4594G	49.44	54.00	-4.56	55.50	3	Horizontal	350	1.53	-	31.74	5.56	43.36			
PK	5.47G	67.16	68.20	-1.04	73.16	3	Horizontal	350	1.53	-	31.78	5.56	43.34			
PK	5.4987G	119.51	Inf	-Inf	125.37	3	Horizontal	350	1.53	-	31.89	5.56	43.31			
AV	5.4991G	111.85	Inf	-Inf	117.70	3	Horizontal	350	1.53	-	31.90	5.56	43.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 51
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99976G	54.65	74.00	-19.35	46.79	3	Vertical	320	2.61	-	40.00	10.08	42.22			
AV	10.99938G	44.95	54.00	-9.05	37.09	3	Vertical	320	2.61	-	40.00	10.08	42.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 51
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00088G	54.58	74.00	-19.42	46.71	3	Horizontal	160	1.72	-	40.00	10.09	42.22			
AV	11.00024G	44.60	54.00	-9.40	36.73	3	Horizontal	160	1.72	-	40.00	10.09	42.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 69
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4272G	57.15	74.00	-16.85	63.37	3	Vertical	360	2.25	-	31.61	5.56	43.39			
AV	5.4268G	48.79	54.00	-5.21	55.01	3	Vertical	360	2.25	-	31.61	5.56	43.39			
PK	5.4676G	57.55	68.20	-10.65	63.57	3	Vertical	360	2.25	-	31.77	5.56	43.35			
PK	5.574G	122.66	Inf	-Inf	128.63	3	Vertical	360	2.25	-	31.75	5.55	43.27			
AV	5.5728G	115.77	Inf	-Inf	121.74	3	Vertical	360	2.25	-	31.75	5.55	43.27			
PK	5.7372G	68.17	68.20	-0.03	73.72	3	Vertical	360	2.25	-	32.07	5.56	43.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 69
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	56.76	74.00	-17.24	62.87	3	Horizontal	360	1.80	-	31.70	5.56	43.37			
AV	5.458G	46.75	54.00	-7.25	52.82	3	Horizontal	360	1.80	-	31.73	5.56	43.36			
PK	5.4652G	56.96	68.20	-11.24	62.99	3	Horizontal	360	1.80	-	31.76	5.56	43.35			
PK	5.5728G	122.55	Inf	-Inf	128.52	3	Horizontal	360	1.80	-	31.75	5.55	43.27			
AV	5.5724G	116.07	Inf	-Inf	122.03	3	Horizontal	360	1.80	-	31.76	5.55	43.27			
PK	5.7384G	63.31	68.20	-4.89	68.85	3	Horizontal	360	1.80	-	32.08	5.56	43.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 69
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16052G	53.42	74.00	-20.58	46.14	3	Vertical	182	1.65	-	39.60	10.21	42.53			
AV	11.16092G	44.04	54.00	-9.96	36.77	3	Vertical	182	1.65	-	39.60	10.21	42.54			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 69
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15989G	53.11	74.00	-20.89	45.83	3	Horizontal	95	1.46	-	39.60	10.21	42.53			
AV	11.16058G	43.87	54.00	-10.13	36.59	3	Horizontal	95	1.46	-	39.60	10.21	42.53			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 50
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.694G	116.72	Inf	-Inf	122.39	3	Vertical	357	1.80	-	31.98	5.55	43.20			
AV	5.6927G	110.05	Inf	-Inf	115.73	3	Vertical	357	1.80	-	31.97	5.55	43.20			
PK	5.7253G	64.71	68.20	-3.49	70.28	3	Vertical	357	1.80	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 50
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6935G	118.59	Inf	-Inf	124.27	3	Horizontal	358	1.83	-	31.97	5.55	43.20			
AV	5.6925G	111.68	Inf	-Inf	117.36	3	Horizontal	358	1.83	-	31.97	5.55	43.20			
PK	5.7251G	67.67	68.20	-0.53	73.24	3	Horizontal	358	1.83	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 50
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40082G	54.37	74.00	-19.63	46.99	3	Vertical	266	1.16	-	40.00	10.39	43.01			
AV	11.39937G	45.00	54.00	-9.00	37.61	3	Vertical	266	1.16	-	40.00	10.39	43.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 50
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39928G	54.11	74.00	-19.89	46.72	3	Horizontal	210	2.16	-	40.00	10.39	43.00			
AV	11.40068G	44.29	54.00	-9.71	36.91	3	Horizontal	210	2.16	-	40.00	10.39	43.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 84
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4512G	55.01	74.00	-18.99	61.12	3	Vertical	6	2.13	-	31.70	5.56	43.37			
AV	5.46G	46.02	54.00	-7.98	52.08	3	Vertical	6	2.13	-	31.74	5.56	43.36			
PK	5.4692G	56.01	68.20	-12.19	62.02	3	Vertical	6	2.13	-	31.78	5.56	43.35			
PK	5.7248G	124.26	Inf	-Inf	129.83	3	Vertical	6	2.13	-	32.05	5.56	43.18			
AV	5.7254G	117.15	Inf	-Inf	122.72	3	Vertical	6	2.13	-	32.05	5.56	43.18			
PK	5.879G	68.16	68.20	-0.04	73.33	3	Vertical	6	2.13	-	32.32	5.61	43.10			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 84
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4524G	54.44	74.00	-19.56	60.54	3	Horizontal	349	1.80	-	31.71	5.56	43.37			
AV	5.4476G	45.27	54.00	-8.73	51.39	3	Horizontal	349	1.80	-	31.69	5.56	43.37			
PK	5.468G	55.02	68.20	-13.18	61.04	3	Horizontal	349	1.80	-	31.77	5.56	43.35			
PK	5.7206G	124.25	Inf	-Inf	129.84	3	Horizontal	349	1.80	-	32.04	5.56	43.19			
AV	5.7206G	116.98	Inf	-Inf	122.57	3	Horizontal	349	1.80	-	32.04	5.56	43.19			
PK	5.8772G	62.86	68.20	-5.34	68.04	3	Horizontal	349	1.80	-	32.31	5.61	43.10			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 84
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4395G	56.74	74.00	-17.26	49.48	3	Vertical	354	1.85	-	39.92	10.42	43.08			
AV	11.4407G	47.73	54.00	-6.27	40.47	3	Vertical	354	1.85	-	39.92	10.42	43.08			
PK	17.15298G	61.65	68.20	-6.55	47.17	3	Vertical	359	2.10	-	40.41	16.35	42.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 84
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44076G	57.92	74.00	-16.08	50.66	3	Horizontal	353	1.80	-	39.92	10.42	43.08			
AV	11.44072G	49.20	54.00	-4.80	41.94	3	Horizontal	353	1.80	-	39.92	10.42	43.08			
PK	17.15762G	62.50	68.20	-5.70	48.01	3	Horizontal	352	2.02	-	40.42	16.35	42.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 76
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.583G	68.11	68.20	-0.09	74.09	3	Vertical	3	2.14	-	31.73	5.55	43.26			
PK	5.749G	123.31	Inf	-Inf	128.82	3	Vertical	3	2.14	-	32.10	5.56	43.17			
AV	5.749G	116.26	Inf	-Inf	121.77	3	Vertical	3	2.14	-	32.10	5.56	43.17			
PK	5.9895G	54.46	68.20	-13.74	59.34	3	Vertical	3	2.14	-	32.48	5.68	43.04			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 76
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5815G	63.00	68.20	-5.20	68.97	3	Horizontal	360	1.80	-	31.74	5.55	43.26			
PK	5.738G	124.02	Inf	-Inf	129.56	3	Horizontal	360	1.80	-	32.08	5.56	43.18			
AV	5.7385G	116.53	Inf	-Inf	122.07	3	Horizontal	360	1.80	-	32.08	5.56	43.18			
PK	5.9275G	54.27	68.20	-13.93	59.30	3	Horizontal	360	1.80	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX

EUT_Z_4TX
Setting 76
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48318G	52.56	74.00	-21.44	45.25	3	Vertical	170	2.33	-	40.03	10.45	43.17			
AV	11.48372G	43.43	54.00	-10.57	36.11	3	Vertical	170	2.33	-	40.03	10.46	43.17			
PK	17.23512G	61.08	68.20	-7.12	46.40	3	Vertical	355	2.19	-	40.57	16.38	42.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX

EUT_Z_4TX
Setting 76
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4865G	54.60	74.00	-19.40	47.26	3	Horizontal	360	1.80	-	40.05	10.46	43.17			
AV	11.48576G	44.92	54.00	-9.08	37.59	3	Horizontal	360	1.80	-	40.04	10.46	43.17			
PK	17.2281G	63.08	68.20	-5.12	48.41	3	Horizontal	360	1.80	-	40.56	16.38	42.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 80
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6225G	67.98	68.20	-0.22	73.93	3	Vertical	358	1.92	-	31.74	5.55	43.24			
PK	5.7775G	123.21	Inf	-Inf	128.64	3	Vertical	358	1.92	-	32.16	5.56	43.15			
AV	5.778G	116.37	Inf	-Inf	121.80	3	Vertical	358	1.92	-	32.16	5.56	43.15			
PK	5.939G	55.16	68.20	-13.04	60.17	3	Vertical	358	1.92	-	32.40	5.65	43.06			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 80
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6205G	63.45	68.20	-4.75	69.40	3	Horizontal	356	1.80	-	31.74	5.55	43.24			
PK	5.7775G	123.84	Inf	-Inf	129.27	3	Horizontal	356	1.80	-	32.16	5.56	43.15			
AV	5.7775G	116.97	Inf	-Inf	122.40	3	Horizontal	356	1.80	-	32.16	5.56	43.15			
PK	6.021G	55.09	68.20	-13.11	59.86	3	Horizontal	356	1.80	-	32.54	5.71	43.02			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 80
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56905G	53.06	74.00	-20.94	45.74	3	Vertical	74	2.34	-	39.96	10.52	43.16			
AV	11.56918G	43.53	54.00	-10.47	36.21	3	Vertical	74	2.34	-	39.96	10.52	43.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 80
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56933G	53.12	74.00	-20.88	45.80	3	Horizontal	20	1.66	-	39.96	10.52	43.16			
AV	11.56923G	43.53	54.00	-10.47	36.21	3	Horizontal	20	1.66	-	39.96	10.52	43.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 80
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	63.99	68.20	-4.21	69.87	3	Vertical	0	2.02	-	31.80	5.55	43.23			
PK	5.828G	124.64	Inf	-Inf	129.99	3	Vertical	0	2.02	-	32.20	5.58	43.13			
AV	5.8175G	117.69	Inf	-Inf	123.05	3	Vertical	0	2.02	-	32.20	5.57	43.13			
PK	5.9795G	57.35	68.20	-10.85	62.25	3	Vertical	0	2.02	-	32.46	5.68	43.04			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 80
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	65.76	68.20	-2.44	71.65	3	Horizontal	360	1.80	-	31.79	5.55	43.23			
PK	5.8195G	126.60	Inf	-Inf	131.96	3	Horizontal	360	1.80	-	32.20	5.57	43.13			
AV	5.819G	118.98	Inf	-Inf	124.34	3	Horizontal	360	1.80	-	32.20	5.57	43.13			
PK	5.9325G	59.55	68.20	-8.65	64.57	3	Horizontal	360	1.80	-	32.40	5.65	43.07			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 80
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6492G	59.81	74.00	-14.19	52.64	3	Vertical	350	1.80	-	39.70	10.58	43.11			
AV	11.65076G	51.04	54.00	-2.96	43.87	3	Vertical	350	1.80	-	39.70	10.58	43.11			
PK	17.4776G	64.24	68.20	-3.96	47.70	3	Vertical	1	1.80	-	42.32	16.47	42.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 80
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65302G	58.94	74.00	-15.06	51.78	3	Horizontal	356	1.80	-	39.69	10.58	43.11			
AV	11.6545G	48.87	54.00	-5.13	41.69	3	Horizontal	356	1.80	-	39.69	10.59	43.10			
PK	17.4794G	65.68	68.20	-2.52	49.12	3	Horizontal	186	2.53	-	42.34	16.47	42.25			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 34
05-V-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1376G	60.80	74.00	-13.20	55.01	3	Vertical	352.9	1.80	-	33.25	8.06	35.52			
AV	5.1496G	51.72	54.00	-2.28	45.87	3	Vertical	352.9	1.80	-	33.30	8.07	35.52			
PK	5.1864G	117.97	Inf	-Inf	112.24	3	Vertical	352.9	1.80	-	33.15	8.09	35.51			
AV	5.1872G	108.44	Inf	-Inf	102.71	3	Vertical	352.9	1.80	-	33.15	8.09	35.51			
PK	5.35G	60.96	74.00	-13.04	55.24	3	Vertical	352.9	1.80	-	33.00	8.18	35.46			
AV	5.35G	52.11	54.00	-1.89	46.39	3	Vertical	352.9	1.80	-	33.00	8.18	35.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 34
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	62.31	74.00	-11.69	56.46	3	Horizontal	360	1.24	-	33.30	8.07	35.52			
AV	5.1496G	53.90	54.00	-0.10	48.05	3	Horizontal	360	1.24	-	33.30	8.07	35.52			
PK	5.1744G	118.84	Inf	-Inf	113.07	3	Horizontal	360	1.24	-	33.20	8.08	35.51			
AV	5.1752G	108.69	Inf	-Inf	102.91	3	Horizontal	360	1.24	-	33.20	8.09	35.51			
PK	5.356G	59.76	74.00	-14.24	54.03	3	Horizontal	360	1.24	-	33.00	8.19	35.46			
AV	5.35G	51.04	54.00	-2.96	45.32	3	Horizontal	360	1.24	-	33.00	8.18	35.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 34
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.54304G	58.81	74.00	-15.19	39.66	3	Vertical	223	1.73	-	38.43	14.24	33.52			
AV	15.5371G	49.61	54.00	-4.39	30.45	3	Vertical	223	1.73	-	38.45	14.24	33.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 34
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.5385G	59.03	74.00	-14.97	39.87	3	Horizontal	149	1.32	-	38.45	14.24	33.53			
AV	15.54244G	49.06	54.00	-4.94	29.92	3	Horizontal	149	1.32	-	38.43	14.24	33.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 36
05-V-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1128G	60.09	74.00	-13.91	54.42	3	Vertical	359	1.80	-	33.15	8.05	35.53			
AV	5.1496G	51.13	54.00	-2.87	45.28	3	Vertical	359	1.80	-	33.30	8.07	35.52			
PK	5.1968G	120.59	Inf	-Inf	114.88	3	Vertical	359	1.80	-	33.11	8.10	35.50			
AV	5.1976G	109.45	Inf	-Inf	103.74	3	Vertical	359	1.80	-	33.11	8.10	35.50			
PK	5.36G	63.56	74.00	-10.44	57.83	3	Vertical	359	1.80	-	33.00	8.19	35.46			
AV	5.3656G	53.87	54.00	-0.13	48.14	3	Vertical	359	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 36
05-V-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	60.23	74.00	-13.77	54.39	3	Horizontal	356	1.80	-	33.29	8.07	35.52			
AV	5.1448G	50.77	54.00	-3.23	44.94	3	Horizontal	356	1.80	-	33.28	8.07	35.52			
PK	5.1952G	118.19	Inf	-Inf	112.48	3	Horizontal	356	1.80	-	33.12	8.10	35.51			
AV	5.204G	108.05	Inf	-Inf	102.35	3	Horizontal	356	1.80	-	33.10	8.10	35.50			
PK	5.3536G	61.00	74.00	-13.00	55.28	3	Horizontal	356	1.80	-	33.00	8.18	35.46			
AV	5.368G	51.25	54.00	-2.75	45.52	3	Horizontal	356	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 36
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.59914G	58.45	74.00	-15.55	39.45	3	Vertical	4	1.16	-	38.20	14.24	33.44			
AV	15.59642G	48.38	54.00	-5.62	29.37	3	Vertical	4	1.16	-	38.21	14.24	33.44			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 36
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.59724G	58.44	74.00	-15.56	39.43	3	Horizontal	335	1.48	-	38.21	14.24	33.44			
AV	15.6019G	48.73	54.00	-5.27	29.74	3	Horizontal	335	1.48	-	38.19	14.24	33.44			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 37
05-V-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0856G	60.40	74.00	-13.60	54.78	3	Vertical	8	1.80	-	33.13	8.03	35.54			
AV	5.1432G	50.74	54.00	-3.26	44.92	3	Vertical	8	1.80	-	33.27	8.07	35.52			
PK	5.248G	119.81	Inf	-Inf	114.07	3	Vertical	8	1.80	-	33.10	8.13	35.49			
AV	5.2384G	109.50	Inf	-Inf	103.77	3	Vertical	8	1.80	-	33.10	8.12	35.49			
PK	5.3952G	63.45	74.00	-10.55	57.69	3	Vertical	8	1.80	-	33.00	8.21	35.45			
AV	5.396G	53.98	54.00	-0.02	48.22	3	Vertical	8	1.80	-	33.00	8.21	35.45			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 37
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1312G	59.91	74.00	-14.09	54.15	3	Horizontal	352	1.28	-	33.22	8.06	35.52			
AV	5.1424G	50.66	54.00	-3.34	44.84	3	Horizontal	352	1.28	-	33.27	8.07	35.52			
PK	5.2488G	118.97	Inf	-Inf	113.23	3	Horizontal	352	1.28	-	33.10	8.13	35.49			
AV	5.2384G	109.27	Inf	-Inf	103.54	3	Horizontal	352	1.28	-	33.10	8.12	35.49			
PK	5.4032G	60.92	74.00	-13.08	55.16	3	Horizontal	352	1.28	-	33.00	8.21	35.45			
AV	5.3984G	50.85	54.00	-3.15	45.09	3	Horizontal	352	1.28	-	33.00	8.21	35.45			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 37
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.72254G	58.50	74.00	-15.50	39.36	3	Vertical	222	2.80	-	38.15	14.24	33.25			
AV	15.72218G	48.08	54.00	-5.92	28.95	3	Vertical	222	2.80	-	38.14	14.24	33.25			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 37
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.71954G	58.79	74.00	-15.21	39.67	3	Horizontal	360	1.73	-	38.14	14.24	33.26			
AV	15.71748G	48.50	54.00	-5.50	29.39	3	Horizontal	360	1.73	-	38.13	14.24	33.26			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 53
05-V-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.108G	62.33	74.00	-11.67	56.69	3	Vertical	352	1.80	-	33.13	8.04	35.53			
AV	5.1088G	53.90	54.00	-0.10	48.24	3	Vertical	352	1.80	-	33.14	8.05	35.53			
PK	5.2576G	122.20	Inf	-Inf	116.48	3	Vertical	352	1.80	-	33.08	8.13	35.49			
AV	5.2664G	113.27	Inf	-Inf	107.55	3	Vertical	352	1.80	-	33.07	8.14	35.49			
PK	5.392G	61.74	74.00	-12.26	55.98	3	Vertical	352	1.80	-	33.00	8.21	35.45			
AV	5.3552G	52.30	54.00	-1.70	46.57	3	Vertical	352	1.80	-	33.00	8.19	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 53
05-V-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	60.86	74.00	-13.14	55.02	3	Horizontal	4	1.80	-	33.29	8.07	35.52			
AV	5.1416G	51.05	54.00	-2.95	45.24	3	Horizontal	4	1.80	-	33.27	8.06	35.52			
PK	5.26G	123.14	Inf	-Inf	117.42	3	Horizontal	4	1.80	-	33.08	8.13	35.49			
AV	5.256G	112.91	Inf	-Inf	107.18	3	Horizontal	4	1.80	-	33.09	8.13	35.49			
PK	5.3544G	61.67	74.00	-12.33	55.95	3	Horizontal	4	1.80	-	33.00	8.18	35.46			
AV	5.3664G	52.03	54.00	-1.97	46.30	3	Horizontal	4	1.80	-	33.00	8.19	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX

EUT_Z_4TX
Setting 53
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51548G	60.96	68.20	-7.24	44.63	3	Vertical	0	1.80	-	38.83	11.34	33.84			
PK	15.77G	57.93	74.00	-16.07	38.78	3	Vertical	329	2.61	-	38.08	14.25	33.18			
AV	15.78372G	48.11	54.00	-5.89	29.02	3	Vertical	329	2.61	-	38.00	14.25	33.16			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 53
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52756G	57.30	68.20	-10.90	40.92	3	Horizontal	228	1.24	-	38.86	11.35	33.83			
PK	15.77392G	57.45	74.00	-16.55	38.31	3	Horizontal	343	2.33	-	38.06	14.25	33.17			
AV	15.77192G	48.60	54.00	-5.40	29.46	3	Horizontal	343	2.33	-	38.07	14.25	33.18			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 42
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	63.92	74.00	-10.08	58.12	3	Vertical	0	1.80	-	33.26	8.06	35.52			
AV	5.1448G	53.90	54.00	-0.10	48.07	3	Vertical	0	1.80	-	33.28	8.07	35.52			
PK	5.2968G	121.82	Inf	-Inf	116.14	3	Vertical	0	1.80	-	33.01	8.15	35.48			
AV	5.3024G	110.93	Inf	-Inf	105.25	3	Vertical	0	1.80	-	33.00	8.16	35.48			
PK	5.3512G	61.18	74.00	-12.82	55.46	3	Vertical	0	1.80	-	33.00	8.18	35.46			
AV	5.35G	52.11	54.00	-1.89	46.39	3	Vertical	0	1.80	-	33.00	8.18	35.46			
PK	5.4736G	59.59	68.20	-8.61	53.74	3	Vertical	0	1.80	-	33.00	8.28	35.43			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 42
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1344G	60.43	74.00	-13.57	54.65	3	Horizontal	351	1.80	-	33.24	8.06	35.52			
AV	5.1456G	51.06	54.00	-2.94	45.23	3	Horizontal	351	1.80	-	33.28	8.07	35.52			
PK	5.2944G	119.98	Inf	-Inf	114.30	3	Horizontal	351	1.80	-	33.01	8.15	35.48			
AV	5.3048G	110.09	Inf	-Inf	104.40	3	Horizontal	351	1.80	-	33.00	8.16	35.47			
PK	5.3656G	60.76	74.00	-13.24	55.03	3	Horizontal	351	1.80	-	33.00	8.19	35.46			
AV	5.3504G	51.72	54.00	-2.28	46.00	3	Horizontal	351	1.80	-	33.00	8.18	35.46			
PK	5.4712G	59.87	68.20	-8.33	54.03	3	Horizontal	351	1.80	-	33.00	8.27	35.43			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 42
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.90114G	59.17	74.00	-14.83	39.90	3	Vertical	83	2.62	-	38.00	14.25	32.98			
AV	15.90358G	49.21	54.00	-4.79	29.95	3	Vertical	83	2.62	-	37.99	14.25	32.98			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 42
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.90112G	58.92	74.00	-15.08	39.65	3	Horizontal	146	2.87	-	38.00	14.25	32.98			
AV	15.89982G	49.56	54.00	-4.44	30.29	3	Horizontal	146	2.87	-	38.00	14.25	32.98			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 34
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1304G	59.28	74.00	-14.72	53.52	3	Vertical	1.9	1.80	-	33.22	8.06	35.52			
AV	5.1496G	50.40	54.00	-3.60	44.55	3	Vertical	1.9	1.80	-	33.30	8.07	35.52			
PK	5.312G	119.02	Inf	-Inf	113.33	3	Vertical	1.9	1.80	-	33.00	8.16	35.47			
AV	5.312G	107.86	Inf	-Inf	102.17	3	Vertical	1.9	1.80	-	33.00	8.16	35.47			
PK	5.3504G	61.62	74.00	-12.38	55.90	3	Vertical	1.9	1.80	-	33.00	8.18	35.46			
AV	5.3512G	51.57	54.00	-2.43	45.85	3	Vertical	1.9	1.80	-	33.00	8.18	35.46			
PK	5.5136G	59.58	68.20	-8.62	53.70	3	Vertical	1.9	1.80	-	33.00	8.31	35.43			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 34
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	60.22	74.00	-13.78	54.38	3	Horizontal	352	1.36	-	33.29	8.07	35.52			
AV	5.14G	50.11	54.00	-3.89	44.31	3	Horizontal	352	1.36	-	33.26	8.06	35.52			
PK	5.3152G	118.95	Inf	-Inf	113.26	3	Horizontal	352	1.36	-	33.00	8.16	35.47			
AV	5.3248G	108.69	Inf	-Inf	102.99	3	Horizontal	352	1.36	-	33.00	8.17	35.47			
PK	5.3504G	62.26	74.00	-11.74	56.54	3	Horizontal	352	1.36	-	33.00	8.18	35.46			
AV	5.3504G	53.68	54.00	-0.32	47.96	3	Horizontal	352	1.36	-	33.00	8.18	35.46			
PK	5.48G	59.27	68.20	-8.93	53.42	3	Horizontal	352	1.36	-	33.00	8.28	35.43			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 34
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.96308G	59.04	74.00	-14.96	39.91	3	Vertical	133	2.75	-	37.77	14.25	32.89			
AV	15.96084G	49.16	54.00	-4.84	30.02	3	Vertical	133	2.75	-	37.78	14.25	32.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 34
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.95682G	60.03	74.00	-13.97	40.89	3	Horizontal	146	2.00	-	37.79	14.25	32.90			
AV	15.95546G	48.97	54.00	-5.03	29.83	3	Horizontal	146	2.00	-	37.79	14.25	32.90			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 45
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4573G	60.81	74.00	-13.19	66.88	3	Vertical	360	1.92	-	31.73	5.56	43.36			
AV	5.4565G	48.25	54.00	-5.75	54.32	3	Vertical	360	1.92	-	31.73	5.56	43.36			
PK	5.4698G	66.55	68.20	-1.65	72.56	3	Vertical	360	1.92	-	31.78	5.56	43.35			
PK	5.4966G	120.59	Inf	-Inf	126.45	3	Vertical	360	1.92	-	31.89	5.56	43.31			
AV	5.5068G	109.88	Inf	-Inf	115.75	3	Vertical	360	1.92	-	31.89	5.55	43.31			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 45
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.68	74.00	-12.32	67.74	3	Horizontal	358	1.94	-	31.74	5.56	43.36			
AV	5.4561G	48.78	54.00	-5.22	54.86	3	Horizontal	358	1.94	-	31.72	5.56	43.36			
PK	5.4693G	68.15	68.20	-0.05	74.16	3	Horizontal	358	1.94	-	31.78	5.56	43.35			
PK	5.4959G	120.83	Inf	-Inf	126.70	3	Horizontal	358	1.94	-	31.88	5.56	43.31			
AV	5.506G	109.99	Inf	-Inf	115.86	3	Horizontal	358	1.94	-	31.89	5.55	43.31			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 45
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00006G	54.65	74.00	-19.35	46.78	3	Vertical	268	2.17	-	40.00	10.09	42.22			
AV	10.99913G	44.78	54.00	-9.22	36.92	3	Vertical	268	2.17	-	40.00	10.08	42.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 45
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00061G	54.83	74.00	-19.17	46.96	3	Horizontal	241	2.40	-	40.00	10.09	42.22			
AV	10.99988G	44.79	54.00	-9.21	36.93	3	Horizontal	241	2.40	-	40.00	10.08	42.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 57
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	56.55	74.00	-17.45	62.61	3	Vertical	3	2.08	-	31.74	5.56	43.36			
AV	5.4272G	47.86	54.00	-6.14	54.08	3	Vertical	3	2.08	-	31.61	5.56	43.39			
PK	5.4608G	56.83	68.20	-11.37	62.89	3	Vertical	3	2.08	-	31.74	5.56	43.36			
PK	5.5872G	123.03	Inf	-Inf	129.01	3	Vertical	3	2.08	-	31.73	5.55	43.26			
AV	5.582G	113.77	Inf	-Inf	119.74	3	Vertical	3	2.08	-	31.74	5.55	43.26			
PK	5.7448G	67.94	68.20	-0.26	73.46	3	Vertical	3	2.08	-	32.09	5.56	43.17			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 57
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	55.96	74.00	-18.04	62.03	3	Horizontal	360	1.92	-	31.73	5.56	43.36			
AV	5.46G	46.23	54.00	-7.77	52.29	3	Horizontal	360	1.92	-	31.74	5.56	43.36			
PK	5.47G	56.27	68.20	-11.93	62.27	3	Horizontal	360	1.92	-	31.78	5.56	43.34			
PK	5.5756G	123.92	Inf	-Inf	129.89	3	Horizontal	360	1.92	-	31.75	5.55	43.27			
AV	5.5764G	113.35	Inf	-Inf	119.32	3	Horizontal	360	1.92	-	31.75	5.55	43.27			
PK	5.7396G	62.11	68.20	-6.09	67.65	3	Horizontal	360	1.92	-	32.08	5.56	43.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 57
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15905G	53.41	74.00	-20.59	46.13	3	Vertical	286	2.76	-	39.60	10.21	42.53			
AV	11.16026G	43.84	54.00	-10.16	36.56	3	Vertical	286	2.76	-	39.60	10.21	42.53			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 57
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16004G	53.43	74.00	-20.57	46.15	3	Horizontal	279	2.19	-	39.60	10.21	42.53			
AV	11.16029G	43.61	54.00	-10.39	36.33	3	Horizontal	279	2.19	-	39.60	10.21	42.53			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 39
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6969G	118.43	Inf	-Inf	124.09	3	Vertical	2	1.96	-	31.99	5.55	43.20			
AV	5.6918G	107.61	Inf	-Inf	113.29	3	Vertical	2	1.96	-	31.97	5.55	43.20			
PK	5.7263G	67.28	68.20	-0.92	72.85	3	Vertical	2	1.96	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 39
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6971G	117.75	Inf	-Inf	123.41	3	Horizontal	0	1.82	-	31.99	5.55	43.20			
AV	5.692G	107.04	Inf	-Inf	112.72	3	Horizontal	0	1.82	-	31.97	5.55	43.20			
PK	5.725G	66.78	68.20	-1.42	72.35	3	Horizontal	0	1.82	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 39
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40072G	54.62	74.00	-19.38	47.24	3	Vertical	100	1.70	-	40.00	10.39	43.01			
AV	11.40014G	44.44	54.00	-9.56	37.05	3	Vertical	100	1.70	-	40.00	10.39	43.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 39
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39976G	54.93	74.00	-19.07	47.54	3	Horizontal	294	1.50	-	40.00	10.39	43.00			
AV	11.39955G	44.40	54.00	-9.60	37.01	3	Horizontal	294	1.50	-	40.00	10.39	43.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 74
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	55.87	74.00	-18.13	61.94	3	Vertical	5	2.14	-	31.73	5.56	43.36			
AV	5.46G	46.29	54.00	-7.71	52.35	3	Vertical	5	2.14	-	31.74	5.56	43.36			
PK	5.4668G	56.30	68.20	-11.90	62.32	3	Vertical	5	2.14	-	31.77	5.56	43.35			
PK	5.7128G	124.66	Inf	-Inf	130.26	3	Vertical	5	2.14	-	32.03	5.56	43.19			
AV	5.7272G	115.59	Inf	-Inf	121.16	3	Vertical	5	2.14	-	32.05	5.56	43.18			
PK	5.8754G	68.14	68.20	-0.06	73.33	3	Vertical	5	2.14	-	32.30	5.61	43.10			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 74
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	54.56	74.00	-19.44	60.64	3	Horizontal	6	2.13	-	31.72	5.56	43.36			
AV	5.4584G	45.83	54.00	-8.17	51.90	3	Horizontal	6	2.13	-	31.73	5.56	43.36			
PK	5.4674G	56.20	68.20	-12.00	62.22	3	Horizontal	6	2.13	-	31.77	5.56	43.35			
PK	5.7278G	124.08	Inf	-Inf	129.64	3	Horizontal	6	2.13	-	32.06	5.56	43.18			
AV	5.7278G	115.32	Inf	-Inf	120.88	3	Horizontal	6	2.13	-	32.06	5.56	43.18			
PK	5.8748G	66.64	68.20	-1.56	71.83	3	Horizontal	6	2.13	-	32.30	5.61	43.10			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 74
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43954G	54.98	74.00	-19.02	47.72	3	Vertical	350	1.80	-	39.92	10.42	43.08			
AV	11.44444G	44.42	54.00	-9.58	37.18	3	Vertical	350	1.80	-	39.91	10.42	43.09			
PK	17.15508G	61.60	68.20	-6.60	47.12	3	Vertical	279	1.80	-	40.41	16.35	42.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 74
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4408G	55.48	74.00	-18.52	48.22	3	Horizontal	356	1.80	-	39.92	10.42	43.08			
AV	11.44036G	45.79	54.00	-8.21	38.53	3	Horizontal	356	1.80	-	39.92	10.42	43.08			
PK	17.15388G	61.67	68.20	-6.53	47.19	3	Horizontal	185	1.44	-	40.41	16.35	42.28			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 71
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.583G	68.16	68.20	-0.04	74.14	3	Vertical	0	1.94	-	31.73	5.55	43.26			
PK	5.7465G	124.44	Inf	-Inf	129.96	3	Vertical	0	1.94	-	32.09	5.56	43.17			
AV	5.7465G	115.37	Inf	-Inf	120.89	3	Vertical	0	1.94	-	32.09	5.56	43.17			
PK	5.914G	65.15	76.34	-11.19	70.20	3	Vertical	0	1.94	-	32.40	5.63	43.08			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 71
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5815G	62.66	68.20	-5.54	68.63	3	Horizontal	360	1.80	-	31.74	5.55	43.26			
PK	5.7415G	124.45	Inf	-Inf	129.98	3	Horizontal	360	1.80	-	32.08	5.56	43.17			
AV	5.752G	115.61	Inf	-Inf	121.12	3	Horizontal	360	1.80	-	32.10	5.56	43.17			
PK	5.9475G	54.91	68.20	-13.29	59.91	3	Horizontal	360	1.80	-	32.40	5.66	43.06			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Z_4TX
Setting 71
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48934G	52.82	74.00	-21.18	45.48	3	Vertical	148	2.39	-	40.06	10.46	43.18			
AV	11.48921G	43.08	54.00	-10.92	35.74	3	Vertical	148	2.39	-	40.06	10.46	43.18			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Z_4TX
Setting 71
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48908G	53.23	74.00	-20.77	45.89	3	Horizontal	260	1.82	-	40.06	10.46	43.18			
AV	11.48927G	43.04	54.00	-10.96	35.70	3	Horizontal	260	1.82	-	40.06	10.46	43.18			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 70
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6245G	68.16	68.20	-0.04	74.10	3	Vertical	360	2.04	-	31.75	5.55	43.24			
PK	5.7765G	123.26	Inf	-Inf	128.71	3	Vertical	360	2.04	-	32.15	5.56	43.16			
AV	5.7765G	114.53	Inf	-Inf	119.98	3	Vertical	360	2.04	-	32.15	5.56	43.16			
PK	5.9305G	54.92	68.20	-13.28	59.95	3	Vertical	360	2.04	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 70
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.629G	61.92	68.20	-6.28	67.85	3	Horizontal	360	1.77	-	31.76	5.55	43.24			
PK	5.7765G	125.04	Inf	-Inf	130.49	3	Horizontal	360	1.77	-	32.15	5.56	43.16			
AV	5.7765G	115.53	Inf	-Inf	120.98	3	Horizontal	360	1.77	-	32.15	5.56	43.16			
PK	6.033G	54.95	68.20	-13.25	59.68	3	Horizontal	360	1.77	-	32.57	5.72	43.02			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 70
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57081G	53.09	74.00	-20.91	45.77	3	Vertical	112	2.13	-	39.96	10.52	43.16			
AV	11.57018G	43.81	54.00	-10.19	36.49	3	Vertical	112	2.13	-	39.96	10.52	43.16			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 70
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56984G	53.72	74.00	-20.28	46.40	3	Horizontal	26	1.07	-	39.96	10.52	43.16			
AV	11.569G	43.38	54.00	-10.62	36.06	3	Horizontal	26	1.07	-	39.96	10.52	43.16			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 72
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6575G	68.76	73.75	-4.99	74.60	3	Vertical	360	1.88	-	31.83	5.55	43.22			
PK	5.832G	125.20	Inf	-Inf	130.54	3	Vertical	360	1.88	-	32.20	5.58	43.12			
AV	5.8315G	116.84	Inf	-Inf	122.18	3	Vertical	360	1.88	-	32.20	5.58	43.12			
PK	5.986G	56.08	68.20	-12.12	60.97	3	Vertical	360	1.88	-	32.47	5.68	43.04			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 72
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6475G	61.01	68.20	-7.19	66.90	3	Horizontal	357	1.83	-	31.79	5.55	43.23			
PK	5.8315G	125.45	Inf	-Inf	130.79	3	Horizontal	357	1.83	-	32.20	5.58	43.12			
AV	5.831G	116.70	Inf	-Inf	122.04	3	Horizontal	357	1.83	-	32.20	5.58	43.12			
PK	5.9785G	55.15	68.20	-13.05	60.05	3	Horizontal	357	1.83	-	32.46	5.68	43.04			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 72
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6564G	59.17	74.00	-14.83	51.99	3	Vertical	355	1.96	-	39.69	10.59	43.10			
AV	11.6513G	50.35	54.00	-3.65	43.18	3	Vertical	355	1.96	-	39.70	10.58	43.11			
PK	17.48468G	64.43	68.20	-3.77	47.82	3	Vertical	181	1.72	-	42.38	16.48	42.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Z_4TX
Setting 72
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6512G	57.21	74.00	-16.79	50.04	3	Horizontal	352	1.80	-	39.70	10.58	43.11			
AV	11.65156G	47.24	54.00	-6.76	40.07	3	Horizontal	352	1.80	-	39.70	10.58	43.11			
PK	17.48402G	64.07	68.20	-4.13	47.47	3	Horizontal	300	2.12	-	42.37	16.48	42.25			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 36
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	63.70	74.00	-10.30	57.86	3	Vertical	360	1.80	-	33.29	8.07	35.52			
AV	5.147G	53.77	54.00	-0.23	47.93	3	Vertical	360	1.80	-	33.29	8.07	35.52			
PK	5.193G	116.57	Inf	-Inf	110.85	3	Vertical	360	1.80	-	33.13	8.10	35.51			
AV	5.203G	106.54	Inf	-Inf	100.84	3	Vertical	360	1.80	-	33.10	8.10	35.50			
PK	5.352G	61.39	74.00	-12.61	55.67	3	Vertical	360	1.80	-	33.00	8.18	35.46			
AV	5.356G	52.74	54.00	-1.26	47.01	3	Vertical	360	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 36
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	63.05	74.00	-10.95	57.22	3	Horizontal	354	1.80	-	33.28	8.07	35.52			
AV	5.15G	53.89	54.00	-0.11	48.04	3	Horizontal	354	1.80	-	33.30	8.07	35.52			
PK	5.204G	115.50	Inf	-Inf	109.80	3	Horizontal	354	1.80	-	33.10	8.10	35.50			
AV	5.199G	105.26	Inf	-Inf	99.56	3	Horizontal	354	1.80	-	33.10	8.10	35.50			
PK	5.363G	60.95	74.00	-13.05	55.22	3	Horizontal	354	1.80	-	33.00	8.19	35.46			
AV	5.354G	51.14	54.00	-2.86	45.42	3	Horizontal	354	1.80	-	33.00	8.18	35.46			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 36
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.57242G	58.38	74.00	-15.62	39.31	3	Vertical	128	1.41	-	38.31	14.24	33.48			
AV	15.57058G	48.35	54.00	-5.65	29.27	3	Vertical	128	1.41	-	38.32	14.24	33.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 36
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.56574G	58.39	74.00	-15.61	39.30	3	Horizontal	248	2.31	-	38.34	14.24	33.49			
AV	15.57276G	48.80	54.00	-5.20	29.73	3	Horizontal	248	2.31	-	38.31	14.24	33.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 40
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.139G	61.70	74.00	-12.30	55.90	3	Vertical	7	1.80	-	33.26	8.06	35.52			
AV	5.13G	51.85	54.00	-2.15	46.09	3	Vertical	7	1.80	-	33.22	8.06	35.52			
PK	5.233G	117.93	Inf	-Inf	112.20	3	Vertical	7	1.80	-	33.10	8.12	35.49			
AV	5.229G	107.85	Inf	-Inf	102.13	3	Vertical	7	1.80	-	33.10	8.12	35.50			
PK	5.376G	62.89	74.00	-11.11	57.14	3	Vertical	7	1.80	-	33.00	8.20	35.45			
AV	5.375G	53.88	54.00	-0.12	48.13	3	Vertical	7	1.80	-	33.00	8.20	35.45			
PK	5.467G	59.16	68.20	-9.04	53.32	3	Vertical	7	1.80	-	33.00	8.27	35.43			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 40
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	60.74	74.00	-13.26	54.94	3	Horizontal	360	1.80	-	33.26	8.06	35.52			
AV	5.149G	51.78	54.00	-2.22	45.93	3	Horizontal	360	1.80	-	33.30	8.07	35.52			
PK	5.245G	116.91	Inf	-Inf	111.18	3	Horizontal	360	1.80	-	33.10	8.12	35.49			
AV	5.241G	106.67	Inf	-Inf	100.94	3	Horizontal	360	1.80	-	33.10	8.12	35.49			
PK	5.362G	60.34	74.00	-13.66	54.61	3	Horizontal	360	1.80	-	33.00	8.19	35.46			
AV	5.379G	51.28	54.00	-2.72	45.53	3	Horizontal	360	1.80	-	33.00	8.20	35.45			
PK	5.472G	58.77	68.20	-9.43	52.93	3	Horizontal	360	1.80	-	33.00	8.27	35.43			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 40
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.68876G	57.38	74.00	-16.62	38.38	3	Vertical	20	1.69	-	38.06	14.24	33.30			
AV	15.685G	48.74	54.00	-5.26	29.77	3	Vertical	20	1.69	-	38.04	14.24	33.31			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 40
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.6887G	57.83	74.00	-16.17	38.84	3	Horizontal	337	2.77	-	38.05	14.24	33.30			
AV	15.69092G	47.89	54.00	-6.11	28.89	3	Horizontal	337	2.77	-	38.06	14.24	33.30			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 50
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.12G	63.39	74.00	-10.61	57.69	3	Vertical	0	1.80	-	33.18	8.05	35.53			
AV	5.125G	53.64	54.00	-0.36	47.92	3	Vertical	0	1.80	-	33.20	8.05	35.53			
PK	5.288G	119.53	Inf	-Inf	113.84	3	Vertical	0	1.80	-	33.02	8.15	35.48			
AV	5.282G	109.90	Inf	-Inf	104.19	3	Vertical	0	1.80	-	33.04	8.15	35.48			
PK	5.354G	62.84	74.00	-11.16	57.12	3	Vertical	0	1.80	-	33.00	8.18	35.46			
AV	5.35G	53.51	54.00	-0.49	47.79	3	Vertical	0	1.80	-	33.00	8.18	35.46			
PK	5.514G	59.58	68.20	-8.62	53.70	3	Vertical	0	1.80	-	33.00	8.31	35.43			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 50
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	61.40	74.00	-12.60	55.55	3	Horizontal	356	1.41	-	33.30	8.07	35.52			
AV	5.149G	52.12	54.00	-1.88	46.27	3	Horizontal	356	1.41	-	33.30	8.07	35.52			
PK	5.275G	121.96	Inf	-Inf	116.25	3	Horizontal	356	1.41	-	33.05	8.14	35.48			
AV	5.28G	110.23	Inf	-Inf	104.53	3	Horizontal	356	1.41	-	33.04	8.14	35.48			
PK	5.359G	62.90	74.00	-11.10	57.17	3	Horizontal	356	1.41	-	33.00	8.19	35.46			
AV	5.361G	53.69	54.00	-0.31	47.96	3	Horizontal	356	1.41	-	33.00	8.19	35.46			
PK	5.5G	60.28	68.20	-7.92	54.40	3	Horizontal	356	1.41	-	33.00	8.30	35.42			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 50
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.81208G	58.24	74.00	-15.76	39.23	3	Vertical	105	2.38	-	37.88	14.25	33.12			
AV	15.81074G	48.45	54.00	-5.55	29.44	3	Vertical	105	2.38	-	37.88	14.25	33.12			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 50
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.81214G	58.36	74.00	-15.64	39.35	3	Horizontal	124	1.76	-	37.88	14.25	33.12			
AV	15.80774G	49.04	54.00	-4.96	30.03	3	Horizontal	124	1.76	-	37.88	14.25	33.12			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 29
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.133G	59.73	74.00	-14.27	53.96	3	Vertical	2.9	1.80	-	33.23	8.06	35.52			
AV	5.149G	51.15	54.00	-2.85	45.30	3	Vertical	2.9	1.80	-	33.30	8.07	35.52			
PK	5.308G	114.03	Inf	-Inf	108.34	3	Vertical	2.9	1.80	-	33.00	8.16	35.47			
AV	5.307G	104.12	Inf	-Inf	98.43	3	Vertical	2.9	1.80	-	33.00	8.16	35.47			
PK	5.356G	61.21	74.00	-12.79	55.48	3	Vertical	2.9	1.80	-	33.00	8.19	35.46			
AV	5.35G	51.74	54.00	-2.26	46.02	3	Vertical	2.9	1.80	-	33.00	8.18	35.46			
PK	5.505G	59.50	68.20	-8.70	53.62	3	Vertical	2.9	1.80	-	33.00	8.30	35.42			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 29
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	59.57	74.00	-14.43	53.79	3	Horizontal	358	1.39	-	33.24	8.06	35.52			
AV	5.142G	50.20	54.00	-3.80	44.38	3	Horizontal	358	1.39	-	33.27	8.07	35.52			
PK	5.316G	115.19	Inf	-Inf	109.50	3	Horizontal	358	1.39	-	33.00	8.16	35.47			
AV	5.3G	104.88	Inf	-Inf	99.20	3	Horizontal	358	1.39	-	33.00	8.16	35.48			
PK	5.35G	64.37	74.00	-9.63	58.65	3	Horizontal	358	1.39	-	33.00	8.18	35.46			
AV	5.35G	53.88	54.00	-0.12	48.16	3	Horizontal	358	1.39	-	33.00	8.18	35.46			
PK	5.503G	59.94	68.20	-8.26	54.06	3	Horizontal	358	1.39	-	33.00	8.30	35.42			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 29
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.9269G	59.54	74.00	-14.46	40.34	3	Vertical	350	2.05	-	37.89	14.25	32.94			
AV	15.92784G	49.76	54.00	-4.24	30.56	3	Vertical	350	2.05	-	37.89	14.25	32.94			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 29
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.92616G	59.40	74.00	-14.60	40.19	3	Horizontal	322	1.05	-	37.90	14.25	32.94			
AV	15.92612G	49.06	54.00	-4.94	29.85	3	Horizontal	322	1.05	-	37.90	14.25	32.94			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 39
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4568G	61.04	74.00	-12.96	67.11	3	Vertical	-0	1.90	-	31.73	5.56	43.36			
AV	5.456G	49.52	54.00	-4.48	55.60	3	Vertical	-0	1.90	-	31.72	5.56	43.36			
PK	5.467G	67.60	68.20	-0.60	73.62	3	Vertical	-0	1.90	-	31.77	5.56	43.35			
PK	5.512G	115.97	Inf	-Inf	121.84	3	Vertical	-0	1.90	-	31.88	5.55	43.30			
AV	5.5122G	105.66	Inf	-Inf	111.53	3	Vertical	-0	1.90	-	31.88	5.55	43.30			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 39
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.65	74.00	-12.35	67.71	3	Horizontal	358	1.94	-	31.74	5.56	43.36			
AV	5.4598G	49.00	54.00	-5.00	55.06	3	Horizontal	358	1.94	-	31.74	5.56	43.36			
PK	5.4698G	65.71	68.20	-2.49	71.72	3	Horizontal	358	1.94	-	31.78	5.56	43.35			
PK	5.515G	116.44	Inf	-Inf	122.32	3	Horizontal	358	1.94	-	31.87	5.55	43.30			
AV	5.5158G	105.33	Inf	-Inf	111.21	3	Horizontal	358	1.94	-	31.87	5.55	43.30			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 39
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01966G	55.06	74.00	-18.94	47.26	3	Vertical	246	2.00	-	39.96	10.10	42.26			
AV	11.01911G	44.57	54.00	-9.43	36.77	3	Vertical	246	2.00	-	39.96	10.10	42.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 39
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02084G	54.81	74.00	-19.19	47.01	3	Horizontal	59	2.08	-	39.96	10.10	42.26			
AV	11.02092G	44.51	54.00	-9.49	36.71	3	Horizontal	59	2.08	-	39.96	10.10	42.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 58
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4543G	63.45	74.00	-10.55	69.53	3	Vertical	0	2.14	-	31.72	5.56	43.36			
AV	5.4546G	51.82	54.00	-2.18	57.90	3	Vertical	0	2.14	-	31.72	5.56	43.36			
PK	5.4636G	67.10	68.20	-1.10	73.14	3	Vertical	0	2.14	-	31.75	5.56	43.35			
PK	5.5623G	121.05	Inf	-Inf	127.00	3	Vertical	0	2.14	-	31.78	5.55	43.28			
AV	5.5665G	111.76	Inf	-Inf	117.71	3	Vertical	0	2.14	-	31.77	5.55	43.27			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 58
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	64.28	74.00	-9.72	70.34	3	Horizontal	357	1.92	-	31.74	5.56	43.36			
AV	5.46G	52.55	54.00	-1.45	58.61	3	Horizontal	357	1.92	-	31.74	5.56	43.36			
PK	5.4699G	67.93	68.20	-0.27	73.93	3	Horizontal	357	1.92	-	31.78	5.56	43.34			
PK	5.5655G	121.29	Inf	-Inf	127.24	3	Horizontal	357	1.92	-	31.77	5.55	43.27			
AV	5.5611G	111.14	Inf	-Inf	117.09	3	Horizontal	357	1.92	-	31.78	5.55	43.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 58
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09981G	54.52	74.00	-19.48	46.98	3	Vertical	139	1.24	-	39.80	10.16	42.42			
AV	11.10047G	45.04	54.00	-8.96	37.50	3	Vertical	139	1.24	-	39.80	10.16	42.42			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 58
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10071G	54.48	74.00	-19.52	46.94	3	Horizontal	253	2.61	-	39.80	10.16	42.42			
AV	11.09986G	44.91	54.00	-9.09	37.37	3	Horizontal	253	2.61	-	39.80	10.16	42.42			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 48
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6824G	118.36	Inf	-Inf	124.09	3	Vertical	1.4	1.80	-	31.93	5.55	43.21			
AV	5.677G	107.77	Inf	-Inf	113.52	3	Vertical	1.4	1.80	-	31.91	5.55	43.21			
PK	5.7264G	67.37	68.20	-0.83	72.94	3	Vertical	1.4	1.80	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 48
04-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6866G	118.02	Inf	-Inf	123.73	3	Horizontal	357	2.02	-	31.95	5.55	43.21			
AV	5.6812G	107.67	Inf	-Inf	113.41	3	Horizontal	357	2.02	-	31.92	5.55	43.21			
PK	5.727G	67.54	68.20	-0.66	73.11	3	Horizontal	357	2.02	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 48
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3408G	54.07	74.00	-19.93	46.75	3	Vertical	206	2.78	-	39.86	10.35	42.89			
AV	11.33912G	44.33	54.00	-9.67	37.01	3	Vertical	206	2.78	-	39.86	10.34	42.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 48
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33931G	54.13	74.00	-19.87	46.82	3	Horizontal	217	1.97	-	39.86	10.34	42.89			
AV	11.33917G	44.12	54.00	-9.88	36.80	3	Horizontal	217	1.97	-	39.86	10.34	42.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 78
04-H-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4587G	56.15	74.00	-17.85	62.22	3	Vertical	2	2.09	-	31.73	5.56	43.36			
AV	5.4503G	46.45	54.00	-7.55	52.56	3	Vertical	2	2.09	-	31.70	5.56	43.37			
PK	5.465G	58.54	68.20	-9.66	64.57	3	Vertical	2	2.09	-	31.76	5.56	43.35			
PK	5.7121G	122.49	Inf	-Inf	128.10	3	Vertical	2	2.09	-	32.02	5.56	43.19			
AV	5.7268G	113.82	Inf	-Inf	119.39	3	Vertical	2	2.09	-	32.05	5.56	43.18			
PK	5.8598G	67.96	68.20	-0.24	73.23	3	Vertical	2	2.09	-	32.24	5.60	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 78
04-H-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.451G	55.75	74.00	-18.25	61.86	3	Horizontal	360	1.80	-	31.70	5.56	43.37			
PK	5.465G	56.23	68.20	-11.97	62.26	3	Horizontal	360	1.80	-	31.76	5.56	43.35			
AV	5.4594G	46.18	54.00	-7.82	52.24	3	Horizontal	360	1.80	-	31.74	5.56	43.36			
PK	5.7268G	122.98	Inf	-Inf	128.55	3	Horizontal	360	1.80	-	32.05	5.56	43.18			
AV	5.7219G	114.24	Inf	-Inf	119.83	3	Horizontal	360	1.80	-	32.04	5.56	43.19			
PK	5.85G	66.81	68.20	-1.39	72.13	3	Horizontal	360	1.80	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 78
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42018G	53.79	74.00	-20.21	46.46	3	Vertical	341	2.66	-	39.96	10.41	43.04			
AV	11.42082G	44.04	54.00	-9.96	36.71	3	Vertical	341	2.66	-	39.96	10.41	43.04			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 78
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42016G	53.75	74.00	-20.25	46.42	3	Horizontal	41	1.30	-	39.96	10.41	43.04			
AV	11.41908G	44.08	54.00	-9.92	36.75	3	Horizontal	41	1.30	-	39.96	10.41	43.04			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 69
04-H-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	67.29	68.20	-0.91	73.18	3	Vertical	-0	1.95	-	31.79	5.55	43.23			
PK	5.7465G	122.32	Inf	-Inf	127.84	3	Vertical	-0	1.95	-	32.09	5.56	43.17			
AV	5.7465G	112.87	Inf	-Inf	118.39	3	Vertical	-0	1.95	-	32.09	5.56	43.17			
PK	5.9225G	59.46	70.05	-10.59	64.49	3	Vertical	-0	1.95	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 69
04-H-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	68.79	68.94	-0.15	74.67	3	Horizontal	360	1.95	-	31.80	5.55	43.23			
PK	5.752G	121.78	Inf	-Inf	127.29	3	Horizontal	360	1.95	-	32.10	5.56	43.17			
AV	5.7615G	113.11	Inf	-Inf	118.59	3	Horizontal	360	1.95	-	32.12	5.56	43.16			
PK	5.949G	54.56	68.20	-13.64	59.56	3	Horizontal	360	1.95	-	32.40	5.66	43.06			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 69
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51095G	52.53	74.00	-21.47	45.16	3	Vertical	14	2.47	-	40.08	10.48	43.19			
AV	11.50902G	42.93	54.00	-11.07	35.57	3	Vertical	14	2.47	-	40.08	10.47	43.19			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 69
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50914G	52.63	74.00	-21.37	45.27	3	Horizontal	315	2.74	-	40.08	10.47	43.19			
AV	11.50923G	43.03	54.00	-10.97	35.67	3	Horizontal	315	2.74	-	40.08	10.47	43.19			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 77
04-H-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6385G	68.09	68.20	-0.11	73.99	3	Vertical	-0	2.00	-	31.78	5.55	43.23			
PK	5.777G	122.52	Inf	-Inf	127.96	3	Vertical	-0	2.00	-	32.15	5.56	43.15			
AV	5.777G	113.18	Inf	-Inf	118.62	3	Vertical	-0	2.00	-	32.15	5.56	43.15			
PK	5.9265G	56.53	68.20	-11.67	61.56	3	Vertical	-0	2.00	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 77
04-H-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6515G	64.53	69.31	-4.78	70.40	3	Horizontal	360	1.79	-	31.81	5.55	43.23			
PK	5.792G	123.41	Inf	-Inf	128.82	3	Horizontal	360	1.79	-	32.18	5.56	43.15			
AV	5.7815G	113.55	Inf	-Inf	118.98	3	Horizontal	360	1.79	-	32.16	5.56	43.15			
PK	5.923G	59.27	69.68	-10.41	64.30	3	Horizontal	360	1.79	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Z_4TX
Setting 77
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59012G	53.26	74.00	-20.74	45.94	3	Vertical	352	1.03	-	39.92	10.54	43.14			
AV	11.58951G	43.13	54.00	-10.87	35.81	3	Vertical	352	1.03	-	39.92	10.54	43.14			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Z_4TX
Setting 77
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59002G	53.55	74.00	-20.45	46.23	3	Horizontal	267	2.93	-	39.92	10.54	43.14			
AV	11.58963G	43.38	54.00	-10.62	36.06	3	Horizontal	267	2.93	-	39.92	10.54	43.14			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 36
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	63.88	74.00	-10.12	58.06	3	Vertical	360	1.80	-	33.27	8.07	35.52			
AV	5.118G	52.82	54.00	-1.18	47.13	3	Vertical	360	1.80	-	33.17	8.05	35.53			
PK	5.202G	114.12	Inf	-Inf	108.42	3	Vertical	360	1.80	-	33.10	8.10	35.50			
AV	5.198G	102.73	Inf	-Inf	97.02	3	Vertical	360	1.80	-	33.11	8.10	35.50			
PK	5.361G	61.81	74.00	-12.19	56.08	3	Vertical	360	1.80	-	33.00	8.19	35.46			
AV	5.356G	51.95	54.00	-2.05	46.22	3	Vertical	360	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 36
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	66.20	74.00	-7.80	60.35	3	Horizontal	357	1.80	-	33.30	8.07	35.52			
AV	5.149G	53.77	54.00	-0.23	47.92	3	Horizontal	357	1.80	-	33.30	8.07	35.52			
PK	5.225G	113.17	Inf	-Inf	107.46	3	Horizontal	357	1.80	-	33.10	8.11	35.50			
AV	5.204G	102.89	Inf	-Inf	97.19	3	Horizontal	357	1.80	-	33.10	8.10	35.50			
PK	5.353G	61.31	74.00	-12.69	55.59	3	Horizontal	357	1.80	-	33.00	8.18	35.46			
AV	5.352G	51.48	54.00	-2.52	45.76	3	Horizontal	357	1.80	-	33.00	8.18	35.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 36
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.62548G	59.25	74.00	-14.75	40.36	3	Vertical	59	1.05	-	38.05	14.24	33.40			
AV	15.62632G	48.52	54.00	-5.48	29.64	3	Vertical	59	1.05	-	38.04	14.24	33.40			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 36
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.62554G	58.28	74.00	-15.72	39.39	3	Horizontal	37	1.71	-	38.05	14.24	33.40			
AV	15.62786G	48.68	54.00	-5.32	29.81	3	Horizontal	37	1.71	-	38.03	14.24	33.40			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 28
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	60.08	74.00	-13.92	54.23	3	Vertical	-0.1	1.80	-	33.30	8.07	35.52			
AV	5.144G	50.97	54.00	-3.03	45.14	3	Vertical	-0.1	1.80	-	33.28	8.07	35.52			
PK	5.302G	111.65	Inf	-Inf	105.97	3	Vertical	-0.1	1.80	-	33.00	8.16	35.48			
AV	5.297G	101.14	Inf	-Inf	95.46	3	Vertical	-0.1	1.80	-	33.01	8.15	35.48			
PK	5.372G	62.07	74.00	-11.93	56.34	3	Vertical	-0.1	1.80	-	33.00	8.19	35.46			
AV	5.352G	52.22	54.00	-1.78	46.50	3	Vertical	-0.1	1.80	-	33.00	8.18	35.46			
PK	5.54G	59.66	68.20	-8.54	53.76	3	Vertical	-0.1	1.80	-	33.00	8.34	35.44			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 28
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.131G	60.09	74.00	-13.91	54.33	3	Horizontal	358	1.41	-	33.22	8.06	35.52			
AV	5.15G	50.57	54.00	-3.43	44.72	3	Horizontal	358	1.41	-	33.30	8.07	35.52			
PK	5.295G	111.78	Inf	-Inf	106.10	3	Horizontal	358	1.41	-	33.01	8.15	35.48			
AV	5.28G	101.62	Inf	-Inf	95.92	3	Horizontal	358	1.41	-	33.04	8.14	35.48			
PK	5.35G	64.10	74.00	-9.90	58.38	3	Horizontal	358	1.41	-	33.00	8.18	35.46			
AV	5.35G	53.77	54.00	-0.23	48.05	3	Horizontal	358	1.41	-	33.00	8.18	35.46			
PK	5.505G	59.63	68.20	-8.57	53.75	3	Horizontal	358	1.41	-	33.00	8.30	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 28
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.87242G	59.65	74.00	-14.35	40.53	3	Vertical	214	1.92	-	37.89	14.25	33.02			
AV	15.87414G	49.08	54.00	-4.92	29.95	3	Vertical	214	1.92	-	37.90	14.25	33.02			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 28
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.87296G	59.21	74.00	-14.79	40.09	3	Horizontal	285	2.64	-	37.89	14.25	33.02			
AV	15.86714G	49.02	54.00	-4.98	29.93	3	Horizontal	285	2.64	-	37.87	14.25	33.03			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 39
04-H-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2846G	53.41	68.20	-14.79	60.09	3	Vertical	-0	2.15	-	31.33	5.55	43.56			
PK	5.455G	65.78	74.00	-8.22	71.86	3	Vertical	-0	2.15	-	31.72	5.56	43.36			
AV	5.4544G	51.73	54.00	-2.27	57.81	3	Vertical	-0	2.15	-	31.72	5.56	43.36			
PK	5.464G	68.07	68.20	-0.13	74.10	3	Vertical	-0	2.15	-	31.76	5.56	43.35			
PK	5.557G	112.12	Inf	-Inf	118.06	3	Vertical	-0	2.15	-	31.79	5.55	43.28			
AV	5.5618G	102.67	Inf	-Inf	108.62	3	Vertical	-0	2.15	-	31.78	5.55	43.28			
PK	5.725G	58.81	68.20	-9.39	64.38	3	Vertical	-0	2.15	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 39
04-H-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	53.50	68.20	-14.70	60.03	3	Horizontal	358	1.90	-	31.40	5.55	43.48			
PK	5.4598G	65.76	74.00	-8.24	71.82	3	Horizontal	358	1.90	-	31.74	5.56	43.36			
AV	5.4598G	51.31	54.00	-2.69	57.37	3	Horizontal	358	1.90	-	31.74	5.56	43.36			
PK	5.47G	67.88	68.20	-0.32	73.88	3	Horizontal	358	1.90	-	31.78	5.56	43.34			
PK	5.5156G	111.69	Inf	-Inf	117.57	3	Horizontal	358	1.90	-	31.87	5.55	43.30			
AV	5.5504G	102.00	Inf	-Inf	107.93	3	Horizontal	358	1.90	-	31.80	5.55	43.28			
PK	5.7592G	57.85	68.20	-10.35	63.33	3	Horizontal	358	1.90	-	32.12	5.56	43.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 39
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05931G	53.95	74.00	-20.05	46.28	3	Vertical	43	1.37	-	39.88	10.13	42.34			
AV	11.05919G	44.16	54.00	-9.84	36.49	3	Vertical	43	1.37	-	39.88	10.13	42.34			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 39
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05958G	53.45	74.00	-20.55	45.78	3	Horizontal	289	2.49	-	39.88	10.13	42.34			
AV	11.05993G	43.98	54.00	-10.02	36.31	3	Horizontal	289	2.49	-	39.88	10.13	42.34			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 55
04-H-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4565G	60.61	74.00	-13.39	66.68	3	Vertical	2	1.94	-	31.73	5.56	43.36			
AV	5.459G	50.55	54.00	-3.45	56.61	3	Vertical	2	1.94	-	31.74	5.56	43.36			
PK	5.465G	61.42	68.20	-6.78	67.45	3	Vertical	2	1.94	-	31.76	5.56	43.35			
PK	5.6375G	115.84	Inf	-Inf	121.75	3	Vertical	2	1.94	-	31.77	5.55	43.23			
AV	5.6025G	106.82	Inf	-Inf	112.81	3	Vertical	2	1.94	-	31.71	5.55	43.25			
PK	5.7325G	67.96	68.20	-0.24	73.52	3	Vertical	2	1.94	-	32.06	5.56	43.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 55
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21959G	53.51	74.00	-20.49	46.27	3	Vertical	124	2.95	-	39.64	10.25	42.65			
AV	11.22066G	43.79	54.00	-10.21	36.55	3	Vertical	124	2.95	-	39.64	10.25	42.65			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 55
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21914G	53.79	74.00	-20.21	46.55	3	Horizontal	210	1.89	-	39.64	10.25	42.65			
AV	11.21988G	43.86	54.00	-10.14	36.62	3	Horizontal	210	1.89	-	39.64	10.25	42.65			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 67
04-H-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4595G	58.03	74.00	-15.97	64.09	3	Vertical	360	1.92	-	31.74	5.56	43.36			
AV	5.4555G	47.84	54.00	-6.16	53.92	3	Vertical	360	1.92	-	31.72	5.56	43.36			
PK	5.464G	60.92	68.20	-7.28	66.95	3	Vertical	360	1.92	-	31.76	5.56	43.35			
PK	5.681G	118.38	Inf	-Inf	124.12	3	Vertical	360	1.92	-	31.92	5.55	43.21			
AV	5.6815G	109.00	Inf	-Inf	114.73	3	Vertical	360	1.92	-	31.93	5.55	43.21			
PK	5.857G	67.97	68.20	-0.23	73.25	3	Vertical	360	1.92	-	32.23	5.60	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 67
04-H-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	59.09	74.00	-14.91	65.15	3	Horizontal	360	1.89	-	31.74	5.56	43.36			
AV	5.46G	48.13	54.00	-5.87	54.19	3	Horizontal	360	1.89	-	31.74	5.56	43.36			
PK	5.463G	60.65	68.20	-7.55	66.69	3	Horizontal	360	1.89	-	31.75	5.56	43.35			
PK	5.6765G	119.36	Inf	-Inf	125.11	3	Horizontal	360	1.89	-	31.91	5.55	43.21			
AV	5.6765G	109.10	Inf	-Inf	114.85	3	Horizontal	360	1.89	-	31.91	5.55	43.21			
PK	5.852G	67.53	68.20	-0.67	72.84	3	Horizontal	360	1.89	-	32.21	5.59	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 67
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38033G	53.82	74.00	-20.18	46.45	3	Vertical	68	1.07	-	39.96	10.38	42.97			
AV	11.37984G	44.41	54.00	-9.59	37.03	3	Vertical	68	1.07	-	39.96	10.38	42.96			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 67
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38079G	54.08	74.00	-19.92	46.71	3	Horizontal	258	2.20	-	39.96	10.38	42.97			
AV	11.3796G	44.24	54.00	-9.76	36.86	3	Horizontal	258	2.20	-	39.96	10.38	42.96			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Z_4TX
Setting 54
04-H-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6285G	67.11	68.20	-1.09	73.04	3	Vertical	360	2.03	-	31.76	5.55	43.24			
PK	5.7715G	117.38	Inf	-Inf	122.84	3	Vertical	360	2.03	-	32.14	5.56	43.16			
AV	5.7665G	106.50	Inf	-Inf	111.97	3	Vertical	360	2.03	-	32.13	5.56	43.16			
PK	5.9215G	58.65	70.79	-12.14	63.68	3	Vertical	360	2.03	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Z_4TX
Setting 54
04-H-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6255G	68.02	68.20	-0.18	73.96	3	Horizontal	355	1.80	-	31.75	5.55	43.24			
PK	5.766G	117.71	Inf	-Inf	123.18	3	Horizontal	355	1.80	-	32.13	5.56	43.16			
AV	5.761G	107.34	Inf	-Inf	112.82	3	Horizontal	355	1.80	-	32.12	5.56	43.16			
PK	6.0235G	54.86	68.20	-13.34	59.62	3	Horizontal	355	1.80	-	32.55	5.71	43.02			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Z_4TX
Setting 54
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55038G	53.50	74.00	-20.50	46.16	3	Vertical	52	3.00	-	40.00	10.51	43.17			
AV	11.55029G	43.76	54.00	-10.24	36.42	3	Vertical	52	3.00	-	40.00	10.51	43.17			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Z_4TX
Setting 54
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54945G	53.84	74.00	-20.16	46.50	3	Horizontal	198	1.60	-	40.00	10.51	43.17			
AV	11.55078G	43.70	54.00	-10.30	36.36	3	Horizontal	198	1.60	-	40.00	10.51	43.17			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 34
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	60.80	74.00	-13.20	55.09	3	Vertical	1.9	1.80	-	33.19	8.05	35.53			
AV	5.1428G	52.26	54.00	-1.74	46.44	3	Vertical	1.9	1.80	-	33.27	8.07	35.52			
PK	5.3028G	109.67	Inf	-Inf	103.99	3	Vertical	1.9	1.80	-	33.00	8.16	35.48			
AV	5.3076G	99.88	Inf	-Inf	94.19	3	Vertical	1.9	1.80	-	33.00	8.16	35.47			
PK	5.35G	61.42	74.00	-12.58	55.70	3	Vertical	1.9	1.80	-	33.00	8.18	35.46			
AV	5.354G	52.42	54.00	-1.58	46.70	3	Vertical	1.9	1.80	-	33.00	8.18	35.46			
PK	5.5652G	59.37	68.20	-8.83	53.48	3	Vertical	1.9	1.80	-	32.97	8.36	35.44			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 34
05-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1348G	61.11	74.00	-12.89	55.33	3	Horizontal	354	1.41	-	33.24	8.06	35.52			
AV	5.1396G	52.64	54.00	-1.36	46.84	3	Horizontal	354	1.41	-	33.26	8.06	35.52			
PK	5.306G	110.43	Inf	-Inf	104.74	3	Horizontal	354	1.41	-	33.00	8.16	35.47			
AV	5.2788G	100.49	Inf	-Inf	94.79	3	Horizontal	354	1.41	-	33.04	8.14	35.48			
PK	5.35G	63.31	74.00	-10.69	57.59	3	Horizontal	354	1.41	-	33.00	8.18	35.46			
AV	5.35G	53.79	54.00	-0.21	48.07	3	Horizontal	354	1.41	-	33.00	8.18	35.46			
PK	5.4676G	59.23	68.20	-8.97	53.39	3	Horizontal	354	1.41	-	33.00	8.27	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 34
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.74696G	58.40	74.00	-15.60	39.18	3	Vertical	94	1.30	-	38.19	14.24	33.21			
AV	15.75008G	49.45	54.00	-4.55	30.21	3	Vertical	94	1.30	-	38.20	14.25	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 34
05-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.75464G	59.50	74.00	-14.50	40.28	3	Horizontal	222	1.30	-	38.17	14.25	33.20			
AV	15.75004G	48.58	54.00	-5.42	29.34	3	Horizontal	222	1.30	-	38.20	14.25	33.21			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 43
04-H-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2396G	53.08	68.20	-15.12	59.67	3	Vertical	-0	2.02	-	31.48	5.54	43.61			
PK	5.454G	61.91	74.00	-12.09	67.99	3	Vertical	-0	2.02	-	31.72	5.56	43.36			
AV	5.454G	51.82	54.00	-2.18	57.90	3	Vertical	-0	2.02	-	31.72	5.56	43.36			
PK	5.4644G	64.90	68.20	-3.30	70.93	3	Vertical	-0	2.02	-	31.76	5.56	43.35			
PK	5.6468G	112.20	Inf	-Inf	118.09	3	Vertical	-0	2.02	-	31.79	5.55	43.23			
AV	5.5916G	100.80	Inf	-Inf	106.79	3	Vertical	-0	2.02	-	31.72	5.55	43.26			
PK	5.7364G	67.03	68.20	-1.17	72.58	3	Vertical	-0	2.02	-	32.07	5.56	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 43
04-H-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1964G	53.88	68.20	-14.32	60.18	3	Horizontal	358	1.86	-	31.82	5.54	43.66			
PK	5.4596G	64.81	74.00	-9.19	70.87	3	Horizontal	358	1.86	-	31.74	5.56	43.36			
AV	5.4596G	53.47	54.00	-0.53	59.53	3	Horizontal	358	1.86	-	31.74	5.56	43.36			
PK	5.47G	66.25	68.20	-1.95	72.25	3	Horizontal	358	1.86	-	31.78	5.56	43.34			
PK	5.5812G	110.78	Inf	-Inf	116.75	3	Horizontal	358	1.86	-	31.74	5.55	43.26			
AV	5.5508G	100.62	Inf	-Inf	106.55	3	Horizontal	358	1.86	-	31.80	5.55	43.28			
PK	5.7364G	61.08	68.20	-7.12	66.63	3	Horizontal	358	1.86	-	32.07	5.56	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 43
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13955G	52.95	74.00	-21.05	45.61	3	Vertical	231	2.73	-	39.64	10.19	42.49			
AV	11.14063G	42.94	54.00	-11.06	35.61	3	Vertical	231	2.73	-	39.64	10.19	42.50			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX


EUT_Z_4TX
Setting 43
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14042G	52.74	74.00	-21.26	45.41	3	Horizontal	178	2.25	-	39.64	10.19	42.50			
AV	11.13973G	43.20	54.00	-10.80	35.86	3	Horizontal	178	2.25	-	39.64	10.19	42.49			




Test Mode: Mode 8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_4TX	Pass	AV	5.1492G	53.96	54.00	-0.04	3	Horizontal	7	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 39
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1424G	61.29	74.00	-12.71	55.47	3	Vertical	0	1.80	-	33.27	8.07	35.52			
AV	5.1322G	51.28	54.00	-2.72	45.51	3	Vertical	0	1.80	-	33.23	8.06	35.52			
PK	5.1742G	113.08	Inf	-Inf	107.31	3	Vertical	0	1.80	-	33.20	8.08	35.51			
AV	5.1728G	106.09	Inf	-Inf	100.31	3	Vertical	0	1.80	-	33.21	8.08	35.51			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 39
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	67.65	74.00	-6.35	61.81	3	Horizontal	3	1.80	-	33.29	8.07	35.52			
AV	5.149G	53.89	54.00	-0.11	48.04	3	Horizontal	3	1.80	-	33.30	8.07	35.52			
PK	5.1862G	117.09	Inf	-Inf	111.35	3	Horizontal	3	1.80	-	33.16	8.09	35.51			
AV	5.1874G	107.96	Inf	-Inf	102.23	3	Horizontal	3	1.80	-	33.15	8.09	35.51			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 39
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.359G	57.02	68.20	-11.18	40.38	3	Vertical	342	1.79	-	38.98	11.26	33.60			
PK	15.53944G	60.21	74.00	-13.79	41.06	3	Vertical	346	2.65	-	38.44	14.24	33.53			
AV	15.54266G	50.55	54.00	-3.45	31.41	3	Vertical	346	2.65	-	38.43	14.24	33.53			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 39
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35884G	56.77	68.20	-11.43	40.13	3	Horizontal	69	2.30	-	38.98	11.26	33.60			
PK	15.53442G	59.99	74.00	-14.01	40.83	3	Horizontal	233	1.04	-	38.46	14.24	33.54			
AV	15.54326G	50.55	54.00	-3.45	31.40	3	Horizontal	233	1.04	-	38.43	14.24	33.52			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 56
05-L-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	61.87	74.00	-12.13	56.03	3	Vertical	5	1.80	-	33.29	8.07	35.52			
AV	5.1464G	51.33	54.00	-2.67	45.49	3	Vertical	5	1.80	-	33.29	8.07	35.52			
PK	5.1956G	117.73	Inf	-Inf	112.02	3	Vertical	5	1.80	-	33.12	8.10	35.51			
AV	5.1956G	109.36	Inf	-Inf	103.65	3	Vertical	5	1.80	-	33.12	8.10	35.51			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 56
05-L-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	70.60	74.00	-3.40	64.76	3	Horizontal	7	1.80	-	33.29	8.07	35.52			
AV	5.1492G	53.96	54.00	-0.04	48.11	3	Horizontal	7	1.80	-	33.30	8.07	35.52			
PK	5.2076G	119.41	Inf	-Inf	113.71	3	Horizontal	7	1.80	-	33.10	8.10	35.50			
AV	5.2076G	109.37	Inf	-Inf	103.67	3	Horizontal	7	1.80	-	33.10	8.10	35.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 56
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40086G	57.91	68.20	-10.29	41.41	3	Vertical	63	1.84	-	38.90	11.28	33.68			
PK	15.59874G	60.09	74.00	-13.91	41.08	3	Vertical	306	3.00	-	38.21	14.24	33.44			
AV	15.59856G	50.75	54.00	-3.25	31.74	3	Vertical	306	3.00	-	38.21	14.24	33.44			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 56
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39898G	56.88	68.20	-11.32	40.37	3	Horizontal	270	2.60	-	38.90	11.28	33.67			
PK	15.59923G	59.87	74.00	-14.13	40.87	3	Horizontal	182	1.56	-	38.20	14.24	33.44			
AV	15.5994G	50.29	54.00	-3.71	31.29	3	Horizontal	182	1.56	-	38.20	14.24	33.44			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 68
05-L-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	66.89	74.00	-7.11	61.05	3	Vertical	358	1.80	-	33.29	8.07	35.52			
AV	5.15G	52.52	54.00	-1.48	46.67	3	Vertical	358	1.80	-	33.30	8.07	35.52			
PK	5.2394G	122.20	Inf	-Inf	116.47	3	Vertical	358	1.80	-	33.10	8.12	35.49			
AV	5.2388G	112.92	Inf	-Inf	107.19	3	Vertical	358	1.80	-	33.10	8.12	35.49			
PK	5.3726G	60.19	74.00	-13.81	54.46	3	Vertical	358	1.80	-	33.00	8.19	35.46			
AV	5.351G	50.96	54.00	-3.04	45.24	3	Vertical	358	1.80	-	33.00	8.18	35.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 68
05-L-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1416G	68.70	74.00	-5.30	62.89	3	Horizontal	0	1.80	-	33.27	8.06	35.52			
AV	5.15G	53.57	54.00	-0.43	47.72	3	Horizontal	0	1.80	-	33.30	8.07	35.52			
PK	5.2424G	124.42	Inf	-Inf	118.69	3	Horizontal	0	1.80	-	33.10	8.12	35.49			
AV	5.2334G	113.90	Inf	-Inf	108.17	3	Horizontal	0	1.80	-	33.10	8.12	35.49			
PK	5.3522G	61.65	74.00	-12.35	55.93	3	Horizontal	0	1.80	-	33.00	8.18	35.46			
AV	5.36G	51.09	54.00	-2.91	45.36	3	Horizontal	0	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 68
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47852G	57.74	68.20	-10.46	41.39	3	Vertical	302	1.80	-	38.84	11.32	33.81			
PK	15.71612G	60.45	74.00	-13.55	41.34	3	Vertical	358	1.56	-	38.13	14.24	33.26			
AV	15.72216G	51.23	54.00	-2.77	32.10	3	Vertical	358	1.56	-	38.14	14.24	33.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT Z_4TX
Setting 68
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.48416G	56.68	68.20	-11.52	40.34	3	Horizontal	344	2.95	-	38.83	11.33	33.82			
PK	15.72752G	61.97	74.00	-12.03	42.81	3	Horizontal	320	1.80	-	38.16	14.24	33.24			
AV	15.71744G	51.89	54.00	-2.11	32.78	3	Horizontal	320	1.80	-	38.13	14.24	33.26			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 71
05-L-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	63.01	74.00	-10.99	57.16	3	Vertical	0	1.80	-	33.30	8.07	35.52			
AV	5.146G	52.17	54.00	-1.83	46.34	3	Vertical	0	1.80	-	33.28	8.07	35.52			
PK	5.2522G	122.77	Inf	-Inf	117.03	3	Vertical	0	1.80	-	33.10	8.13	35.49			
AV	5.2528G	115.82	Inf	-Inf	110.09	3	Vertical	0	1.80	-	33.09	8.13	35.49			
PK	5.3542G	64.90	74.00	-9.10	59.18	3	Vertical	0	1.80	-	33.00	8.18	35.46			
AV	5.3578G	53.37	54.00	-0.63	47.64	3	Vertical	0	1.80	-	33.00	8.19	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 71
05-L-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.20	74.00	-8.80	59.35	3	Horizontal	359	1.80	-	33.30	8.07	35.52			
AV	5.15G	53.17	54.00	-0.83	47.32	3	Horizontal	359	1.80	-	33.30	8.07	35.52			
PK	5.2624G	122.79	Inf	-Inf	117.07	3	Horizontal	359	1.80	-	33.08	8.13	35.49			
AV	5.2528G	115.44	Inf	-Inf	109.71	3	Horizontal	359	1.80	-	33.09	8.13	35.49			
PK	5.3518G	66.51	74.00	-7.49	60.79	3	Horizontal	359	1.80	-	33.00	8.18	35.46			
AV	5.3536G	53.94	54.00	-0.06	48.22	3	Horizontal	359	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 71
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52336G	57.10	68.20	-11.10	40.73	3	Vertical	176	1.78	-	38.85	11.35	33.83			
PK	15.77472G	60.12	74.00	-13.88	40.99	3	Vertical	360	1.80	-	38.05	14.25	33.17			
AV	15.7935G	50.94	54.00	-3.06	31.89	3	Vertical	360	1.80	-	37.94	14.25	33.14			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 71
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52008G	57.44	68.20	-10.76	41.08	3	Horizontal	104	2.11	-	38.84	11.35	33.83			
PK	15.77384G	62.02	74.00	-11.98	42.88	3	Horizontal	327	1.80	-	38.06	14.25	33.17			
AV	15.7748G	52.41	54.00	-1.59	33.28	3	Horizontal	327	1.80	-	38.05	14.25	33.17			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 56
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2976G	119.47	Inf	-Inf	113.80	3	Vertical	357	1.80	-	33.00	8.15	35.48			
AV	5.2984G	112.37	Inf	-Inf	106.70	3	Vertical	357	1.80	-	33.00	8.15	35.48			
PK	5.35G	65.50	74.00	-8.50	59.78	3	Vertical	357	1.80	-	33.00	8.18	35.46			
AV	5.3508G	53.04	54.00	-0.96	47.32	3	Vertical	357	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 56
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3064G	121.29	Inf	-Inf	115.60	3	Horizontal	3	1.80	-	33.00	8.16	35.47			
AV	5.3076G	112.67	Inf	-Inf	106.98	3	Horizontal	3	1.80	-	33.00	8.16	35.47			
PK	5.35G	68.35	74.00	-5.65	62.63	3	Horizontal	3	1.80	-	33.00	8.18	35.46			
AV	5.3504G	53.88	54.00	-0.12	48.16	3	Horizontal	3	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 56
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60002G	57.70	74.00	-16.30	40.88	3	Vertical	199	2.79	-	39.20	11.39	33.77			
AV	10.60003G	47.97	54.00	-6.03	31.15	3	Vertical	199	2.79	-	39.20	11.39	33.77			
PK	15.89981G	59.89	74.00	-14.11	40.62	3	Vertical	51	2.62	-	38.00	14.25	32.98			
AV	15.89918G	51.02	54.00	-2.98	31.75	3	Vertical	51	2.62	-	38.00	14.25	32.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 56
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60012G	57.78	74.00	-16.22	40.96	3	Horizontal	192	1.02	-	39.20	11.39	33.77			
AV	10.60001G	47.88	54.00	-6.12	31.06	3	Horizontal	192	1.02	-	39.20	11.39	33.77			
PK	15.89905G	60.14	74.00	-13.86	40.87	3	Horizontal	211	2.13	-	38.00	14.25	32.98			
AV	15.89993G	50.84	54.00	-3.16	31.57	3	Horizontal	211	2.13	-	38.00	14.25	32.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 45
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3126G	115.79	Inf	-Inf	110.10	3	Vertical	2	1.80	-	33.00	8.16	35.47			
AV	5.3126G	108.82	Inf	-Inf	103.13	3	Vertical	2	1.80	-	33.00	8.16	35.47			
PK	5.3508G	67.88	74.00	-6.12	62.16	3	Vertical	2	1.80	-	33.00	8.18	35.46			
AV	5.3512G	53.68	54.00	-0.32	47.96	3	Vertical	2	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 45
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3262G	118.14	Inf	-Inf	112.44	3	Horizontal	0	1.80	-	33.00	8.17	35.47			
AV	5.3148G	109.68	Inf	-Inf	103.99	3	Horizontal	0	1.80	-	33.00	8.16	35.47			
PK	5.352G	66.35	74.00	-7.65	60.63	3	Horizontal	0	1.80	-	33.00	8.18	35.46			
AV	5.3528G	52.59	54.00	-1.41	46.87	3	Horizontal	0	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 45
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6405G	57.91	74.00	-16.09	40.88	3	Vertical	245	1.58	-	39.36	11.41	33.74			
AV	10.63928G	48.43	54.00	-5.57	31.40	3	Vertical	245	1.58	-	39.36	11.41	33.74			
PK	15.96083G	60.60	74.00	-13.40	41.46	3	Vertical	37	1.48	-	37.78	14.25	32.89			
AV	15.96041G	50.89	54.00	-3.11	31.75	3	Vertical	37	1.48	-	37.78	14.25	32.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 45
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6391G	58.18	74.00	-15.82	41.15	3	Horizontal	358	2.07	-	39.36	11.41	33.74			
AV	10.63933G	48.26	54.00	-5.74	31.23	3	Horizontal	358	2.07	-	39.36	11.41	33.74			
PK	15.95993G	60.13	74.00	-13.87	40.99	3	Horizontal	285	2.67	-	37.78	14.25	32.89			
AV	15.9602G	50.71	54.00	-3.29	31.57	3	Horizontal	285	2.67	-	37.78	14.25	32.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 33
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	61.01	74.00	-12.99	55.16	3	Vertical	357	1.80	-	33.30	8.07	35.52			
AV	5.1492G	52.93	54.00	-1.07	47.08	3	Vertical	357	1.80	-	33.30	8.07	35.52			
PK	5.179G	113.75	Inf	-Inf	107.99	3	Vertical	357	1.80	-	33.18	8.09	35.51			
AV	5.179G	103.90	Inf	-Inf	98.14	3	Vertical	357	1.80	-	33.18	8.09	35.51			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 33
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	67.21	74.00	-6.79	61.36	3	Horizontal	5	1.80	-	33.30	8.07	35.52			
AV	5.1478G	53.79	54.00	-0.21	47.95	3	Horizontal	5	1.80	-	33.29	8.07	35.52			
PK	5.1792G	116.24	Inf	-Inf	110.48	3	Horizontal	5	1.80	-	33.18	8.09	35.51			
AV	5.1786G	106.07	Inf	-Inf	100.30	3	Horizontal	5	1.80	-	33.19	8.09	35.51			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 33
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35983G	56.90	68.20	-11.30	40.26	3	Vertical	255	1.76	-	38.98	11.26	33.60			
PK	15.53983G	61.16	74.00	-12.84	42.01	3	Vertical	10	2.28	-	38.44	14.24	33.53			
AV	15.53971G	50.66	54.00	-3.34	31.51	3	Vertical	10	2.28	-	38.44	14.24	33.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 33
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35963G	57.73	68.20	-10.47	41.09	3	Horizontal	152	1.83	-	38.98	11.26	33.60			
PK	15.54084G	59.83	74.00	-14.17	40.68	3	Horizontal	207	1.86	-	38.44	14.24	33.53			
AV	15.54017G	50.29	54.00	-3.71	31.14	3	Horizontal	207	1.86	-	38.44	14.24	33.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 43
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	61.26	74.00	-12.74	55.44	3	Vertical	357	1.80	-	33.27	8.07	35.52			
AV	5.1492G	51.73	54.00	-2.27	45.88	3	Vertical	357	1.80	-	33.30	8.07	35.52			
PK	5.1988G	117.32	Inf	-Inf	111.62	3	Vertical	357	1.80	-	33.10	8.10	35.50			
AV	5.204G	107.78	Inf	-Inf	102.08	3	Vertical	357	1.80	-	33.10	8.10	35.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 43
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	68.73	74.00	-5.27	62.89	3	Horizontal	3	1.80	-	33.29	8.07	35.52			
AV	5.1488G	53.69	54.00	-0.31	47.84	3	Horizontal	3	1.80	-	33.30	8.07	35.52			
PK	5.2036G	119.72	Inf	-Inf	114.02	3	Horizontal	3	1.80	-	33.10	8.10	35.50			
AV	5.2084G	109.99	Inf	-Inf	104.29	3	Horizontal	3	1.80	-	33.10	8.10	35.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 43
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40061G	57.18	68.20	-11.02	40.68	3	Vertical	311	2.06	-	38.90	11.28	33.68			
PK	15.60099G	60.46	74.00	-13.54	41.47	3	Vertical	267	2.97	-	38.19	14.24	33.44			
AV	15.5994G	50.57	54.00	-3.43	31.57	3	Vertical	267	2.97	-	38.20	14.24	33.44			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 43
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39912G	57.22	68.20	-10.98	40.71	3	Horizontal	148	1.86	-	38.90	11.28	33.67			
PK	15.601G	60.25	74.00	-13.75	41.26	3	Horizontal	57	1.24	-	38.19	14.24	33.44			
AV	15.60064G	50.57	54.00	-3.43	31.57	3	Horizontal	57	1.24	-	38.20	14.24	33.44			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 55
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	61.94	74.00	-12.06	56.09	3	Vertical	358	1.80	-	33.30	8.07	35.52			
AV	5.1434G	51.31	54.00	-2.69	45.49	3	Vertical	358	1.80	-	33.27	8.07	35.52			
PK	5.2388G	121.88	Inf	-Inf	116.15	3	Vertical	358	1.80	-	33.10	8.12	35.49			
AV	5.234G	111.80	Inf	-Inf	106.07	3	Vertical	358	1.80	-	33.10	8.12	35.49			
PK	5.381G	61.18	74.00	-12.82	55.43	3	Vertical	358	1.80	-	33.00	8.20	35.45			
AV	5.3504G	51.74	54.00	-2.26	46.02	3	Vertical	358	1.80	-	33.00	8.18	35.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 55
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	65.40	74.00	-8.60	59.56	3	Horizontal	3	1.80	-	33.29	8.07	35.52			
AV	5.1476G	53.58	54.00	-0.42	47.74	3	Horizontal	3	1.80	-	33.29	8.07	35.52			
PK	5.243G	123.32	Inf	-Inf	117.59	3	Horizontal	3	1.80	-	33.10	8.12	35.49			
AV	5.2382G	114.04	Inf	-Inf	108.31	3	Horizontal	3	1.80	-	33.10	8.12	35.49			
PK	5.351G	60.67	74.00	-13.33	54.95	3	Horizontal	3	1.80	-	33.00	8.18	35.46			
AV	5.354G	51.99	54.00	-2.01	46.27	3	Horizontal	3	1.80	-	33.00	8.18	35.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 55
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48084G	57.03	68.20	-11.17	40.69	3	Vertical	332	1.09	-	38.84	11.32	33.82			
PK	15.71956G	61.28	74.00	-12.72	42.16	3	Vertical	49	2.25	-	38.14	14.24	33.26			
AV	15.72001G	51.56	54.00	-2.44	32.44	3	Vertical	49	2.25	-	38.14	14.24	33.26			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Z_4TX
Setting 55
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.47966G	57.53	68.20	-10.67	41.18	3	Horizontal	220	2.95	-	38.84	11.32	33.81				
PK	15.71947G	61.25	74.00	-12.75	42.13	3	Horizontal	195	1.55	-	38.14	14.24	33.26				
AV	15.7193G	51.98	54.00	-2.02	32.86	3	Horizontal	195	1.55	-	38.14	14.24	33.26				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 63
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	62.62	74.00	-11.38	56.77	3	Vertical	2	1.80	-	33.30	8.07	35.52			
AV	5.146G	51.71	54.00	-2.29	45.88	3	Vertical	2	1.80	-	33.28	8.07	35.52			
PK	5.2618G	122.78	Inf	-Inf	117.06	3	Vertical	2	1.80	-	33.08	8.13	35.49			
AV	5.251G	113.48	Inf	-Inf	107.74	3	Vertical	2	1.80	-	33.10	8.13	35.49			
PK	5.3518G	65.18	74.00	-8.82	59.46	3	Vertical	2	1.80	-	33.00	8.18	35.46			
AV	5.35G	52.71	54.00	-1.29	46.99	3	Vertical	2	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 63
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.83	74.00	-10.17	57.98	3	Horizontal	357	1.80	-	33.30	8.07	35.52			
AV	5.146G	52.09	54.00	-1.91	46.26	3	Horizontal	357	1.80	-	33.28	8.07	35.52			
PK	5.251G	123.64	Inf	-Inf	117.90	3	Horizontal	357	1.80	-	33.10	8.13	35.49			
AV	5.2516G	113.75	Inf	-Inf	108.01	3	Horizontal	357	1.80	-	33.10	8.13	35.49			
PK	5.3662G	65.59	74.00	-8.41	59.86	3	Horizontal	357	1.80	-	33.00	8.19	35.46			
AV	5.3518G	53.58	54.00	-0.42	47.86	3	Horizontal	357	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 63
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5194G	56.20	68.20	-12.00	39.84	3	Vertical	103	2.75	-	38.84	11.35	33.83			
PK	15.77906G	60.38	74.00	-13.62	41.27	3	Vertical	266	1.41	-	38.03	14.25	33.17			
AV	15.78009G	50.46	54.00	-3.54	31.35	3	Vertical	266	1.41	-	38.02	14.25	33.16			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 63
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51964G	56.38	68.20	-11.82	40.02	3	Horizontal	145	2.04	-	38.84	11.35	33.83			
PK	15.78006G	60.21	74.00	-13.79	41.10	3	Horizontal	74	1.74	-	38.02	14.25	33.16			
AV	15.78082G	50.73	54.00	-3.27	31.62	3	Horizontal	74	1.74	-	38.02	14.25	33.16			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 52
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3064G	121.15	Inf	-Inf	115.46	3	Vertical	2	1.80	-	33.00	8.16	35.47			
AV	5.306G	111.01	Inf	-Inf	105.32	3	Vertical	2	1.80	-	33.00	8.16	35.47			
PK	5.3504G	66.83	74.00	-7.17	61.11	3	Vertical	2	1.80	-	33.00	8.18	35.46			
AV	5.3512G	52.36	54.00	-1.64	46.64	3	Vertical	2	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 52
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.302G	121.71	Inf	-Inf	116.03	3	Horizontal	358	1.80	-	33.00	8.16	35.48			
AV	5.3068G	111.41	Inf	-Inf	105.72	3	Horizontal	358	1.80	-	33.00	8.16	35.47			
PK	5.3524G	65.71	74.00	-8.29	59.99	3	Horizontal	358	1.80	-	33.00	8.18	35.46			
AV	5.3508G	53.68	54.00	-0.32	47.96	3	Horizontal	358	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 52
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60091G	57.62	74.00	-16.38	40.80	3	Vertical	71	1.70	-	39.20	11.39	33.77			
AV	10.60028G	48.05	54.00	-5.95	31.23	3	Vertical	71	1.70	-	39.20	11.39	33.77			
PK	15.89925G	61.12	74.00	-12.88	41.85	3	Vertical	18	1.96	-	38.00	14.25	32.98			
AV	15.89937G	50.75	54.00	-3.25	31.48	3	Vertical	18	1.96	-	38.00	14.25	32.98			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 52
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60065G	57.51	74.00	-16.49	40.69	3	Horizontal	230	2.65	-	39.20	11.39	33.77			
AV	10.60007G	48.21	54.00	-5.79	31.39	3	Horizontal	230	2.65	-	39.20	11.39	33.77			
PK	15.89902G	60.32	74.00	-13.68	41.05	3	Horizontal	159	2.02	-	38.00	14.25	32.98			
AV	15.89933G	51.10	54.00	-2.90	31.83	3	Horizontal	159	2.02	-	38.00	14.25	32.98			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 39
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3268G	116.32	Inf	-Inf	110.62	3	Vertical	4	1.80	-	33.00	8.17	35.47			
AV	5.3266G	106.61	Inf	-Inf	100.91	3	Vertical	4	1.80	-	33.00	8.17	35.47			
PK	5.352G	64.71	74.00	-9.29	58.99	3	Vertical	4	1.80	-	33.00	8.18	35.46			
AV	5.3508G	52.48	54.00	-1.52	46.76	3	Vertical	4	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 39
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3264G	118.28	Inf	-Inf	112.58	3	Horizontal	357	1.80	-	33.00	8.17	35.47			
AV	5.3262G	107.58	Inf	-Inf	101.88	3	Horizontal	357	1.80	-	33.00	8.17	35.47			
PK	5.351G	64.30	74.00	-9.70	58.58	3	Horizontal	357	1.80	-	33.00	8.18	35.46			
AV	5.351G	53.88	54.00	-0.12	48.16	3	Horizontal	357	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 39
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63956G	57.92	74.00	-16.08	40.89	3	Vertical	82	2.84	-	39.36	11.41	33.74			
AV	10.639G	48.18	54.00	-5.82	31.15	3	Vertical	82	2.84	-	39.36	11.41	33.74			
PK	15.95952G	60.94	74.00	-13.06	41.80	3	Vertical	271	1.40	-	37.78	14.25	32.89			
AV	15.96036G	50.71	54.00	-3.29	31.57	3	Vertical	271	1.40	-	37.78	14.25	32.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 39
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63997G	58.31	74.00	-15.69	41.28	3	Horizontal	7	1.52	-	39.36	11.41	33.74			
AV	10.63975G	48.18	54.00	-5.82	31.15	3	Horizontal	7	1.52	-	39.36	11.41	33.74			
PK	15.95953G	60.13	74.00	-13.87	40.99	3	Horizontal	262	1.89	-	37.78	14.25	32.89			
AV	15.96086G	50.89	54.00	-3.11	31.75	3	Horizontal	262	1.89	-	37.78	14.25	32.89			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 28
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	61.31	74.00	-12.69	55.47	3	Vertical	2	1.80	-	33.29	8.07	35.52			
AV	5.1456G	51.97	54.00	-2.03	46.14	3	Vertical	2	1.80	-	33.28	8.07	35.52			
PK	5.2012G	110.33	Inf	-Inf	104.63	3	Vertical	2	1.80	-	33.10	8.10	35.50			
AV	5.2064G	100.74	Inf	-Inf	95.04	3	Vertical	2	1.80	-	33.10	8.10	35.50			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 28
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	66.36	74.00	-7.64	60.53	3	Horizontal	360	1.80	-	33.28	8.07	35.52			
AV	5.1476G	53.15	54.00	-0.85	47.31	3	Horizontal	360	1.80	-	33.29	8.07	35.52			
PK	5.1976G	111.13	Inf	-Inf	105.42	3	Horizontal	360	1.80	-	33.11	8.10	35.50			
AV	5.2072G	102.32	Inf	-Inf	96.62	3	Horizontal	360	1.80	-	33.10	8.10	35.50			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 28
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37915G	57.39	68.20	-10.81	40.82	3	Vertical	6	2.99	-	38.94	11.27	33.64			
PK	15.56965G	60.06	74.00	-13.94	40.98	3	Vertical	231	1.25	-	38.32	14.24	33.48			
AV	15.5705G	51.04	54.00	-2.96	31.96	3	Vertical	231	1.25	-	38.32	14.24	33.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 28
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37947G	57.47	68.20	-10.73	40.90	3	Horizontal	178	2.11	-	38.94	11.27	33.64			
PK	15.56977G	60.47	74.00	-13.53	41.39	3	Horizontal	72	2.14	-	38.32	14.24	33.48			
AV	15.57004G	51.08	54.00	-2.92	32.00	3	Horizontal	72	2.14	-	38.32	14.24	33.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 38
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	60.87	74.00	-13.13	55.03	3	Vertical	357	1.80	-	33.29	8.07	35.52			
AV	5.1466G	51.98	54.00	-2.02	46.14	3	Vertical	357	1.80	-	33.29	8.07	35.52			
PK	5.224G	114.60	Inf	-Inf	108.89	3	Vertical	357	1.80	-	33.10	8.11	35.50			
AV	5.239G	104.70	Inf	-Inf	98.97	3	Vertical	357	1.80	-	33.10	8.12	35.49			
PK	5.3518G	60.40	74.00	-13.60	54.68	3	Vertical	357	1.80	-	33.00	8.18	35.46			
AV	5.3554G	51.49	54.00	-2.51	45.76	3	Vertical	357	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 38
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	64.28	74.00	-9.72	58.46	3	Horizontal	3	1.80	-	33.27	8.07	35.52			
AV	5.1478G	53.78	54.00	-0.22	47.94	3	Horizontal	3	1.80	-	33.29	8.07	35.52			
PK	5.2282G	115.75	Inf	-Inf	110.03	3	Horizontal	3	1.80	-	33.10	8.12	35.50			
AV	5.2384G	106.06	Inf	-Inf	100.33	3	Horizontal	3	1.80	-	33.10	8.12	35.49			
PK	5.3782G	60.32	74.00	-13.68	54.57	3	Horizontal	3	1.80	-	33.00	8.20	35.45			
AV	5.3548G	51.22	54.00	-2.78	45.49	3	Horizontal	3	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 38
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46035G	56.85	68.20	-11.35	40.44	3	Vertical	101	1.60	-	38.88	11.31	33.78			
PK	15.68991G	60.55	74.00	-13.45	41.55	3	Vertical	203	2.99	-	38.06	14.24	33.30			
AV	15.69045G	51.07	54.00	-2.93	32.07	3	Vertical	203	2.99	-	38.06	14.24	33.30			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Z_4TX
Setting 38
05-L-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.45947G	57.28	68.20	-10.92	40.87	3	Horizontal	250	2.40	-	38.88	11.31	33.78			
PK	15.69048G	60.46	74.00	-13.54	41.46	3	Horizontal	126	2.36	-	38.06	14.24	33.30			
AV	15.69004G	51.07	54.00	-2.93	32.07	3	Horizontal	126	2.36	-	38.06	14.24	33.30			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 43
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	60.97	74.00	-13.03	55.14	3	Vertical	357	1.80	-	33.28	8.07	35.52			
AV	5.1248G	51.56	54.00	-2.44	45.84	3	Vertical	357	1.80	-	33.20	8.05	35.53			
PK	5.2538G	114.93	Inf	-Inf	109.20	3	Vertical	357	1.80	-	33.09	8.13	35.49			
AV	5.2586G	105.30	Inf	-Inf	99.58	3	Vertical	357	1.80	-	33.08	8.13	35.49			
PK	5.35G	64.62	74.00	-9.38	58.90	3	Vertical	357	1.80	-	33.00	8.18	35.46			
AV	5.3576G	52.56	54.00	-1.44	46.83	3	Vertical	357	1.80	-	33.00	8.19	35.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 43
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	60.61	74.00	-13.39	54.77	3	Horizontal	0	1.80	-	33.29	8.07	35.52			
AV	5.1398G	51.36	54.00	-2.64	45.56	3	Horizontal	0	1.80	-	33.26	8.06	35.52			
PK	5.2622G	116.69	Inf	-Inf	110.97	3	Horizontal	0	1.80	-	33.08	8.13	35.49			
AV	5.2526G	105.76	Inf	-Inf	100.03	3	Horizontal	0	1.80	-	33.09	8.13	35.49			
PK	5.3534G	65.35	74.00	-8.65	59.63	3	Horizontal	0	1.80	-	33.00	8.18	35.46			
AV	5.354G	53.87	54.00	-0.13	48.15	3	Horizontal	0	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 43
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53907G	56.51	68.20	-11.69	40.09	3	Vertical	170	1.87	-	38.88	11.36	33.82			
PK	15.80952G	60.61	74.00	-13.39	41.60	3	Vertical	116	1.24	-	37.88	14.25	33.12			
AV	15.81011G	50.93	54.00	-3.07	31.92	3	Vertical	116	1.24	-	37.88	14.25	33.12			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 43
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53985G	56.75	68.20	-11.45	40.33	3	Horizontal	160	1.33	-	38.88	11.36	33.82			
PK	15.81007G	60.04	74.00	-13.96	41.03	3	Horizontal	72	2.47	-	37.88	14.25	33.12			
AV	15.80952G	50.76	54.00	-3.24	31.75	3	Horizontal	72	2.47	-	37.88	14.25	33.12			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 32
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3148G	112.71	Inf	-Inf	107.02	3	Vertical	360	1.80	-	33.00	8.16	35.47			
AV	5.3152G	102.56	Inf	-Inf	96.87	3	Vertical	360	1.80	-	33.00	8.16	35.47			
PK	5.3508G	65.38	74.00	-8.62	59.66	3	Vertical	360	1.80	-	33.00	8.18	35.46			
AV	5.3504G	52.07	54.00	-1.93	46.35	3	Vertical	360	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 32
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3084G	114.79	Inf	-Inf	109.10	3	Horizontal	2	1.80	-	33.00	8.16	35.47			
AV	5.3136G	103.88	Inf	-Inf	98.19	3	Horizontal	2	1.80	-	33.00	8.16	35.47			
PK	5.3568G	66.60	74.00	-7.40	60.87	3	Horizontal	2	1.80	-	33.00	8.19	35.46			
AV	5.3556G	53.57	54.00	-0.43	47.84	3	Horizontal	2	1.80	-	33.00	8.19	35.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 32
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62043G	57.57	74.00	-16.43	40.65	3	Vertical	348	1.48	-	39.28	11.40	33.76			
AV	10.6198G	48.11	54.00	-5.89	31.19	3	Vertical	348	1.48	-	39.28	11.40	33.76			
PK	15.92989G	60.66	74.00	-13.34	41.47	3	Vertical	107	2.23	-	37.88	14.25	32.94			
AV	15.93081G	50.83	54.00	-3.17	31.64	3	Vertical	107	2.23	-	37.88	14.25	32.94			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 32
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61984G	57.90	74.00	-16.10	40.98	3	Horizontal	91	2.92	-	39.28	11.40	33.76			
AV	10.62081G	48.11	54.00	-5.89	31.19	3	Horizontal	91	2.92	-	39.28	11.40	33.76			
PK	15.93083G	60.92	74.00	-13.08	41.73	3	Horizontal	81	2.66	-	37.88	14.25	32.94			
AV	15.93097G	50.57	54.00	-3.43	31.37	3	Horizontal	81	2.66	-	37.88	14.25	32.93			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 26
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.117G	61.23	74.00	-12.77	55.54	3	Vertical	358	1.80	-	33.17	8.05	35.53			
AV	5.149G	52.55	54.00	-1.45	46.70	3	Vertical	358	1.80	-	33.30	8.07	35.52			
PK	5.219G	109.12	Inf	-Inf	103.41	3	Vertical	358	1.80	-	33.10	8.11	35.50			
AV	5.239G	99.36	Inf	-Inf	93.63	3	Vertical	358	1.80	-	33.10	8.12	35.49			
PK	5.438G	60.55	74.00	-13.45	54.75	3	Vertical	358	1.80	-	33.00	8.24	35.44			
AV	5.377G	51.30	54.00	-2.70	45.55	3	Vertical	358	1.80	-	33.00	8.20	35.45			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 26
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.127G	64.82	74.00	-9.18	59.07	3	Horizontal	4	1.80	-	33.21	8.06	35.52			
AV	5.147G	53.46	54.00	-0.54	47.62	3	Horizontal	4	1.80	-	33.29	8.07	35.52			
PK	5.244G	111.06	Inf	-Inf	105.33	3	Horizontal	4	1.80	-	33.10	8.12	35.49			
AV	5.239G	100.55	Inf	-Inf	94.82	3	Horizontal	4	1.80	-	33.10	8.12	35.49			
PK	5.363G	60.48	74.00	-13.52	54.75	3	Horizontal	4	1.80	-	33.00	8.19	35.46			
AV	5.381G	51.13	54.00	-2.87	45.38	3	Horizontal	4	1.80	-	33.00	8.20	35.45			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 26
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41981G	57.13	68.20	-11.07	40.65	3	Vertical	73	1.40	-	38.90	11.29	33.71			
PK	15.62993G	60.46	74.00	-13.54	41.59	3	Vertical	223	2.58	-	38.02	14.24	33.39			
AV	15.63026G	50.01	54.00	-3.99	31.14	3	Vertical	223	2.58	-	38.02	14.24	33.39			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 26
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41921G	57.08	68.20	-11.12	40.60	3	Horizontal	270	2.20	-	38.90	11.29	33.71			
PK	15.62999G	59.49	74.00	-14.51	40.62	3	Horizontal	311	1.64	-	38.02	14.24	33.39			
AV	15.62903G	50.39	54.00	-3.61	31.51	3	Horizontal	311	1.64	-	38.03	14.24	33.39			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 29
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1156G	60.59	74.00	-13.41	54.91	3	Vertical	4	1.80	-	33.16	8.05	35.53			
AV	5.1228G	51.30	54.00	-2.70	45.59	3	Vertical	4	1.80	-	33.19	8.05	35.53			
PK	5.3212G	109.04	Inf	-Inf	103.34	3	Vertical	4	1.80	-	33.00	8.17	35.47			
AV	5.3068G	98.87	Inf	-Inf	93.18	3	Vertical	4	1.80	-	33.00	8.16	35.47			
PK	5.382G	61.24	74.00	-12.76	55.49	3	Vertical	4	1.80	-	33.00	8.20	35.45			
AV	5.3748G	51.96	54.00	-2.04	46.22	3	Vertical	4	1.80	-	33.00	8.20	35.46			
PK	5.466G	60.30	68.20	-7.90	54.46	3	Vertical	4	1.80	-	33.00	8.27	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 29
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1276G	60.49	74.00	-13.51	54.74	3	Horizontal	4	1.80	-	33.21	8.06	35.52			
AV	5.0988G	51.48	54.00	-2.52	45.87	3	Horizontal	4	1.80	-	33.10	8.04	35.53			
PK	5.314G	111.09	Inf	-Inf	105.40	3	Horizontal	4	1.80	-	33.00	8.16	35.47			
AV	5.3188G	100.93	Inf	-Inf	95.23	3	Horizontal	4	1.80	-	33.00	8.17	35.47			
PK	5.3588G	66.71	74.00	-7.29	60.98	3	Horizontal	4	1.80	-	33.00	8.19	35.46			
AV	5.3564G	53.78	54.00	-0.22	48.05	3	Horizontal	4	1.80	-	33.00	8.19	35.46			
PK	5.4836G	60.48	68.20	-7.72	54.61	3	Horizontal	4	1.80	-	33.00	8.29	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 29
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58037G	57.05	68.20	-11.15	40.38	3	Vertical	221	2.19	-	39.08	11.38	33.79			
PK	15.86969G	60.52	74.00	-13.48	41.42	3	Vertical	172	2.99	-	37.88	14.25	33.03			
AV	15.86907G	50.77	54.00	-3.23	31.67	3	Vertical	172	2.99	-	37.88	14.25	33.03			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 29
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58042G	57.31	68.20	-10.89	40.64	3	Horizontal	345	2.12	-	39.08	11.38	33.79			
PK	15.86933G	60.72	74.00	-13.28	41.62	3	Horizontal	295	2.86	-	37.88	14.25	33.03			
AV	15.86907G	50.86	54.00	-3.14	31.76	3	Horizontal	295	2.86	-	37.88	14.25	33.03			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 30
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	61.64	74.00	-12.36	55.88	3	Vertical	2	1.80	-	33.22	8.06	35.52			
AV	5.1444G	52.54	54.00	-1.46	46.71	3	Vertical	2	1.80	-	33.28	8.07	35.52			
PK	5.3268G	108.74	Inf	-Inf	103.04	3	Vertical	2	1.80	-	33.00	8.17	35.47			
AV	5.3268G	97.56	Inf	-Inf	91.86	3	Vertical	2	1.80	-	33.00	8.17	35.47			
PK	5.3508G	61.98	74.00	-12.02	56.26	3	Vertical	2	1.80	-	33.00	8.18	35.46			
AV	5.3572G	52.32	54.00	-1.68	46.59	3	Vertical	2	1.80	-	33.00	8.19	35.46			
PK	5.522G	60.72	68.20	-7.48	54.83	3	Vertical	2	1.80	-	33.00	8.32	35.43			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 30
05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	61.12	74.00	-12.88	55.27	3	Horizontal	357	1.80	-	33.30	8.07	35.52			
AV	5.146G	52.89	54.00	-1.11	47.06	3	Horizontal	357	1.80	-	33.28	8.07	35.52			
PK	5.242G	107.58	Inf	-Inf	101.85	3	Horizontal	357	1.80	-	33.10	8.12	35.49			
AV	5.3124G	98.41	Inf	-Inf	92.72	3	Horizontal	357	1.80	-	33.00	8.16	35.47			
PK	5.354G	63.10	74.00	-10.90	57.38	3	Horizontal	357	1.80	-	33.00	8.18	35.46			
AV	5.3572G	53.78	54.00	-0.22	48.05	3	Horizontal	357	1.80	-	33.00	8.19	35.46			
PK	5.5092G	60.67	68.20	-7.53	54.78	3	Horizontal	357	1.80	-	33.00	8.31	35.42			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 30
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49973G	56.60	68.20	-11.60	40.32	3	Vertical	112	2.83	-	38.80	11.33	33.85			
PK	15.74876G	60.18	74.00	-13.82	40.95	3	Vertical	3	2.88	-	38.20	14.24	33.21			
AV	15.74992G	50.73	54.00	-3.27	31.50	3	Vertical	3	2.88	-	38.20	14.24	33.21			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Z_4TX
Setting 30
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49897G	56.51	68.20	-11.69	40.23	3	Horizontal	349	1.90	-	38.80	11.33	33.85			
PK	15.75237G	60.56	74.00	-13.44	41.33	3	Horizontal	86	2.04	-	38.19	14.25	33.21			
AV	15.75097G	50.99	54.00	-3.01	31.76	3	Horizontal	86	2.04	-	38.19	14.25	33.21			




Test Mode: Mode 9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1.(MCS0)_2TX	Pass	AV	5.35G	53.98	54.00	-0.02	3	Vertical	9	2.14	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
Setting 65
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1493G	65.49	74.00	-8.51	71.58	3	Vertical	3	1.94	-	32.10	5.53	43.72			
AV	5.1498G	53.09	54.00	-0.91	59.18	3	Vertical	3	1.94	-	32.10	5.53	43.72			
PK	5.1778G	113.00	Inf	-Inf	119.22	3	Vertical	3	1.94	-	31.93	5.53	43.68			
AV	5.177G	105.67	Inf	-Inf	111.88	3	Vertical	3	1.94	-	31.94	5.53	43.68			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 65
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	69.42	74.00	-4.58	75.51	3	Horizontal	4	1.80	-	32.10	5.53	43.72			
AV	5.1495G	53.97	54.00	-0.03	60.06	3	Horizontal	4	1.80	-	32.10	5.53	43.72			
PK	5.1843G	116.75	Inf	-Inf	123.00	3	Horizontal	4	1.80	-	31.89	5.54	43.68			
AV	5.1826G	107.24	Inf	-Inf	113.48	3	Horizontal	4	1.80	-	31.90	5.54	43.68			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 65
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34659G	56.92	68.20	-11.28	40.81	3	Vertical	3	1.04	-	39.57	11.01	34.47			
PK	15.54576G	60.19	74.00	-13.81	42.99	3	Vertical	121	2.83	-	38.22	13.10	34.12			
AV	15.5413G	49.73	54.00	-4.27	32.52	3	Vertical	121	2.83	-	38.23	13.10	34.12			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 65
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35361G	56.44	68.20	-11.76	40.30	3	Horizontal	267	2.86	-	39.60	11.01	34.47			
PK	15.53625G	60.25	74.00	-13.75	43.02	3	Horizontal	301	1.71	-	38.25	13.10	34.12			
AV	15.53048G	49.85	54.00	-4.15	32.60	3	Horizontal	301	1.71	-	38.28	13.09	34.12			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 79
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	67.13	74.00	-6.87	73.23	3	Vertical	0	1.96	-	32.09	5.53	43.72			
AV	5.1484G	53.80	54.00	-0.20	59.90	3	Vertical	0	1.96	-	32.09	5.53	43.72			
PK	5.207G	116.14	Inf	-Inf	122.51	3	Vertical	0	1.96	-	31.74	5.54	43.65			
AV	5.196G	108.52	Inf	-Inf	114.82	3	Vertical	0	1.96	-	31.82	5.54	43.66			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
Setting 79
04-H-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	65.30	74.00	-8.70	71.40	3	Horizontal	3	1.82	-	32.09	5.53	43.72			
AV	5.148G	52.38	54.00	-1.62	58.48	3	Horizontal	3	1.82	-	32.09	5.53	43.72			
PK	5.1968G	118.04	Inf	-Inf	124.34	3	Horizontal	3	1.82	-	31.82	5.54	43.66			
AV	5.198G	109.87	Inf	-Inf	116.18	3	Horizontal	3	1.82	-	31.81	5.54	43.66			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX



EUT_Y_2TX
Setting 79
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39493G	57.10	68.20	-11.10	40.94	3	Vertical	156	1.42	-	39.60	11.04	34.48			
PK	15.58701G	60.28	74.00	-13.72	43.23	3	Vertical	184	2.12	-	38.05	13.13	34.13			
AV	15.58881G	49.46	54.00	-4.54	32.42	3	Vertical	184	2.12	-	38.04	13.13	34.13			