


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 98
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.411G	60.15	74.00	-13.85	52.80	3	Vertical	349	1.26	-	39.98	10.40	43.03			
AV	11.41595G	50.13	54.00	-3.87	42.80	3	Vertical	349	1.26	-	39.97	10.40	43.04			
PK	17.1429G	62.01	68.20	-6.19	47.56	3	Vertical	51	1.80	-	40.39	16.34	42.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 98
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41645G	61.28	74.00	-12.72	53.95	3	Horizontal	17	2.16	-	39.97	10.40	43.04			
AV	11.41495G	52.12	54.00	-1.88	44.78	3	Horizontal	17	2.16	-	39.97	10.40	43.03			
PK	17.11455G	63.48	68.20	-4.72	49.10	3	Horizontal	353	1.80	-	40.33	16.33	42.28			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 88
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6425G	67.89	68.20	-0.31	73.78	3	Vertical	10	2.28	-	31.79	5.55	43.23			
PK	5.7375G	122.19	Inf	-Inf	127.73	3	Vertical	10	2.28	-	32.08	5.56	43.18			
AV	5.7525G	112.07	Inf	-Inf	117.57	3	Vertical	10	2.28	-	32.11	5.56	43.17			
PK	5.972G	60.49	68.20	-7.71	65.43	3	Vertical	10	2.28	-	32.44	5.67	43.05			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 88
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	67.57	68.20	-0.63	73.45	3	Horizontal	-0	2.90	-	31.80	5.55	43.23			
PK	5.759G	122.64	Inf	-Inf	128.12	3	Horizontal	-0	2.90	-	32.12	5.56	43.16			
AV	5.769G	112.54	Inf	-Inf	118.00	3	Horizontal	-0	2.90	-	32.14	5.56	43.16			
PK	5.9925G	61.27	68.20	-6.93	66.13	3	Horizontal	-0	2.90	-	32.48	5.69	43.03			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Y_4TX
Setting 88
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5092G	59.72	74.00	-14.28	52.36	3	Vertical	347	1.00	-	40.08	10.47	43.19			
AV	11.51375G	50.30	54.00	-3.70	42.94	3	Vertical	347	1.00	-	40.07	10.48	43.19			
PK	17.2832G	61.88	68.20	-6.32	47.08	3	Vertical	226	1.80	-	40.67	16.40	42.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 88
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5148G	60.45	74.00	-13.55	53.09	3	Horizontal	14	2.14	-	40.07	10.48	43.19			
AV	11.5086G	50.61	54.00	-3.39	43.25	3	Horizontal	14	2.14	-	40.08	10.47	43.19			
PK	17.2631G	61.62	68.20	-6.58	46.87	3	Horizontal	360	1.92	-	40.63	16.39	42.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 94
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.632G	67.86	68.20	-0.34	73.79	3	Vertical	13	2.38	-	31.76	5.55	43.24			
PK	5.788G	122.45	Inf	-Inf	127.86	3	Vertical	13	2.38	-	32.18	5.56	43.15			
AV	5.8025G	113.25	Inf	-Inf	118.63	3	Vertical	13	2.38	-	32.20	5.56	43.14			
PK	6.0285G	61.46	68.20	-6.74	66.20	3	Vertical	13	2.38	-	32.56	5.72	43.02			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 94
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6185G	67.36	68.20	-0.84	73.31	3	Horizontal	358	2.87	-	31.74	5.55	43.24			
PK	5.799G	124.04	Inf	-Inf	129.42	3	Horizontal	358	2.87	-	32.20	5.56	43.14			
AV	5.804G	113.81	Inf	-Inf	119.19	3	Horizontal	358	2.87	-	32.20	5.56	43.14			
PK	6.0275G	61.58	68.20	-6.62	66.33	3	Horizontal	358	2.87	-	32.55	5.72	43.02			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 94
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5968G	62.16	74.00	-11.84	54.85	3	Vertical	349	1.33	-	39.91	10.54	43.14			
AV	11.59624G	53.93	54.00	-0.07	46.62	3	Vertical	349	1.33	-	39.91	10.54	43.14			
PK	17.3791G	64.27	68.20	-3.93	48.61	3	Vertical	167	1.80	-	41.49	16.43	42.26			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
Setting 94
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5966G	62.73	74.00	-11.27	55.42	3	Horizontal	17	1.92	-	39.91	10.54	43.14			
AV	11.59155G	53.75	54.00	-0.25	46.43	3	Horizontal	17	1.92	-	39.92	10.54	43.14			
PK	17.38465G	64.84	68.20	-3.36	49.11	3	Horizontal	46	1.80	-	41.55	16.44	42.26			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 50
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1405G	62.57	74.00	-11.43	68.71	3	Vertical	6	2.11	-	32.06	5.53	43.73			
AV	5.1415G	51.25	54.00	-2.75	57.38	3	Vertical	6	2.11	-	32.07	5.53	43.73			
PK	5.211G	108.89	Inf	-Inf	115.29	3	Vertical	6	2.11	-	31.71	5.54	43.65			
AV	5.2215G	98.54	Inf	-Inf	105.00	3	Vertical	6	2.11	-	31.63	5.54	43.63			
PK	5.4345G	59.59	74.00	-14.41	65.78	3	Vertical	6	2.11	-	31.64	5.56	43.39			
AV	5.37G	50.11	54.00	-3.89	56.57	3	Vertical	6	2.11	-	31.44	5.56	43.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 50
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	66.12	74.00	-7.88	72.28	3	Horizontal	356	1.00	-	32.05	5.52	43.73			
AV	5.1475G	53.59	54.00	-0.41	59.69	3	Horizontal	356	1.00	-	32.09	5.53	43.72			
PK	5.2245G	109.91	Inf	-Inf	116.40	3	Horizontal	356	1.00	-	31.60	5.54	43.63			
AV	5.219G	99.77	Inf	-Inf	106.22	3	Horizontal	356	1.00	-	31.65	5.54	43.64			
PK	5.3525G	59.66	74.00	-14.34	66.17	3	Horizontal	356	1.00	-	31.41	5.56	43.48			
AV	5.3715G	50.45	54.00	-3.55	56.91	3	Horizontal	356	1.00	-	31.44	5.56	43.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 50
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41511G	56.66	68.20	-11.54	50.53	3	Vertical	151	1.10	-	39.33	9.64	42.84			
PK	15.6192G	59.66	74.00	-14.34	48.33	3	Vertical	208	1.49	-	37.58	15.32	41.57			
AV	15.62196G	50.43	54.00	-3.57	39.10	3	Vertical	208	1.49	-	37.57	15.33	41.57			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 50
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41115G	55.68	68.20	-12.52	49.57	3	Horizontal	12	1.65	-	39.32	9.63	42.84			
PK	15.62982G	60.32	74.00	-13.68	49.05	3	Horizontal	75	2.27	-	37.52	15.34	41.59			
AV	15.62385G	50.18	54.00	-3.82	38.87	3	Horizontal	75	2.27	-	37.56	15.33	41.58			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 57
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	59.87	74.00	-14.13	65.97	3	Vertical	6	2.29	-	32.09	5.53	43.72			
AV	5.1375G	50.51	54.00	-3.49	56.67	3	Vertical	6	2.29	-	32.05	5.52	43.73			
PK	5.2725G	109.98	Inf	-Inf	116.64	3	Vertical	6	2.29	-	31.36	5.55	43.57			
AV	5.302G	100.09	Inf	-Inf	106.78	3	Vertical	6	2.29	-	31.30	5.55	43.54			
PK	5.353G	66.09	74.00	-7.91	72.60	3	Vertical	6	2.29	-	31.41	5.56	43.48			
AV	5.354G	52.45	54.00	-1.55	58.96	3	Vertical	6	2.29	-	31.41	5.56	43.48			
PK	5.473G	59.41	68.20	-8.79	65.40	3	Vertical	6	2.29	-	31.79	5.56	43.34			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 57
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1245G	59.63	74.00	-14.37	65.86	3	Horizontal	360	1.00	-	32.00	5.52	43.75			
AV	5.124G	50.22	54.00	-3.78	56.45	3	Horizontal	360	1.00	-	32.00	5.52	43.75			
PK	5.2945G	110.60	Inf	-Inf	117.29	3	Horizontal	360	1.00	-	31.31	5.55	43.55			
AV	5.3035G	100.82	Inf	-Inf	107.50	3	Horizontal	360	1.00	-	31.31	5.55	43.54			
PK	5.368G	66.78	74.00	-7.22	73.24	3	Horizontal	360	1.00	-	31.44	5.56	43.46			
AV	5.3675G	53.61	54.00	-0.39	60.08	3	Horizontal	360	1.00	-	31.43	5.56	43.46			
PK	5.495G	59.30	68.20	-8.90	65.18	3	Horizontal	360	1.00	-	31.88	5.56	43.32			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 57
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56914G	56.16	68.20	-12.04	49.65	3	Vertical	55	1.80	-	39.54	9.76	42.79			
PK	15.88284G	59.30	74.00	-14.70	48.27	3	Vertical	46	1.66	-	37.40	15.72	42.09			
AV	15.87975G	50.00	54.00	-4.00	38.97	3	Vertical	46	1.66	-	37.40	15.71	42.08			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 57
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5893G	56.22	68.20	-11.98	49.63	3	Horizontal	101	1.62	-	39.58	9.77	42.76			
PK	15.88416G	60.04	74.00	-13.96	49.01	3	Horizontal	287	2.59	-	37.40	15.72	42.09			
AV	15.87987G	50.20	54.00	-3.80	39.17	3	Horizontal	287	2.59	-	37.40	15.71	42.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 50
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.308G	59.79	68.20	-8.41	66.45	3	Vertical	360	2.40	-	31.32	5.55	43.53			
AV	5.4595G	51.41	54.00	-2.59	57.47	3	Vertical	360	2.40	-	31.74	5.56	43.36			
PK	5.46G	63.08	74.00	-10.92	69.14	3	Vertical	360	2.40	-	31.74	5.56	43.36			
PK	5.467G	63.82	68.20	-4.38	69.84	3	Vertical	360	2.40	-	31.77	5.56	43.35			
AV	5.54G	99.87	Inf	-Inf	105.79	3	Vertical	360	2.40	-	31.82	5.55	43.29			
PK	5.5445G	110.48	Inf	-Inf	116.41	3	Vertical	360	2.40	-	31.81	5.55	43.29			
PK	5.7605G	64.39	68.20	-3.81	69.87	3	Vertical	360	2.40	-	32.12	5.56	43.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 50
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3225G	59.89	68.20	-8.31	66.52	3	Horizontal	360	1.00	-	31.34	5.55	43.52			
PK	5.459G	66.10	74.00	-7.90	72.16	3	Horizontal	360	1.00	-	31.74	5.56	43.36			
AV	5.46G	52.71	54.00	-1.29	58.77	3	Horizontal	360	1.00	-	31.74	5.56	43.36			
PK	5.4675G	67.94	68.20	-0.26	73.96	3	Horizontal	360	1.00	-	31.77	5.56	43.35			
PK	5.544G	112.22	Inf	-Inf	118.15	3	Horizontal	360	1.00	-	31.81	5.55	43.29			
AV	5.544G	101.18	Inf	-Inf	107.11	3	Horizontal	360	1.00	-	31.81	5.55	43.29			
PK	5.725G	60.79	68.20	-7.41	66.36	3	Horizontal	360	1.00	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 50
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05163G	57.51	74.00	-16.49	49.81	3	Vertical	177	1.18	-	39.90	10.12	42.32			
AV	11.05556G	47.88	54.00	-6.12	40.19	3	Vertical	177	1.18	-	39.89	10.13	42.33			
PK	16.58916G	61.69	68.20	-6.51	48.17	3	Vertical	141	2.44	-	38.84	16.12	41.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 50
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05337G	58.16	74.00	-15.84	50.46	3	Horizontal	214	1.45	-	39.89	10.13	42.32			
AV	11.07335G	48.09	54.00	-5.91	40.46	3	Horizontal	214	1.45	-	39.85	10.14	42.36			
PK	16.57734G	61.36	68.20	-6.84	47.77	3	Horizontal	33	2.35	-	38.89	16.12	41.42			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 65
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	61.17	74.00	-12.83	67.24	3	Vertical	360	2.25	-	31.73	5.56	43.36			
AV	5.459G	50.98	54.00	-3.02	57.04	3	Vertical	360	2.25	-	31.74	5.56	43.36			
PK	5.4615G	60.58	68.20	-7.62	66.62	3	Vertical	360	2.25	-	31.75	5.56	43.35			
PK	5.6245G	115.37	Inf	-Inf	121.31	3	Vertical	360	2.25	-	31.75	5.55	43.24			
AV	5.6245G	104.65	Inf	-Inf	110.59	3	Vertical	360	2.25	-	31.75	5.55	43.24			
PK	5.7295G	67.78	68.20	-0.42	73.34	3	Vertical	360	2.25	-	32.06	5.56	43.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 65
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.99	74.00	-12.01	68.05	3	Horizontal	360	1.23	-	31.74	5.56	43.36			
AV	5.46G	52.34	54.00	-1.66	58.40	3	Horizontal	360	1.23	-	31.74	5.56	43.36			
PK	5.4605G	62.65	68.20	-5.55	68.71	3	Horizontal	360	1.23	-	31.74	5.56	43.36			
PK	5.625G	115.36	Inf	-Inf	121.30	3	Horizontal	360	1.23	-	31.75	5.55	43.24			
AV	5.621G	104.56	Inf	-Inf	110.51	3	Horizontal	360	1.23	-	31.74	5.55	43.24			
PK	5.731G	68.09	68.20	-0.11	73.65	3	Horizontal	360	1.23	-	32.06	5.56	43.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 65
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21604G	56.83	74.00	-17.17	49.59	3	Vertical	259	2.98	-	39.63	10.25	42.64			
AV	11.21988G	46.87	54.00	-7.13	39.63	3	Vertical	259	2.98	-	39.64	10.25	42.65			
PK	16.83012G	62.25	68.20	-5.95	47.65	3	Vertical	103	1.40	-	40.32	16.22	41.94			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 65
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21973G	56.64	74.00	-17.36	49.40	3	Horizontal	115	2.88	-	39.64	10.25	42.65			
AV	11.22939G	46.96	54.00	-7.04	39.71	3	Horizontal	115	2.88	-	39.66	10.26	42.67			
PK	16.82535G	62.95	68.20	-5.25	48.36	3	Horizontal	270	1.04	-	40.30	16.22	41.93			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 82
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	61.64	74.00	-12.36	67.70	3	Vertical	360	2.36	-	31.74	5.56	43.36			
AV	5.46G	51.42	54.00	-2.58	57.48	3	Vertical	360	2.36	-	31.74	5.56	43.36			
PK	5.4668G	61.17	68.20	-7.03	67.19	3	Vertical	360	2.36	-	31.77	5.56	43.35			
PK	5.6996G	118.33	Inf	-Inf	123.98	3	Vertical	360	2.36	-	32.00	5.55	43.20			
AV	5.6798G	108.05	Inf	-Inf	113.79	3	Vertical	360	2.36	-	31.92	5.55	43.21			
PK	5.85G	67.54	68.20	-0.66	72.86	3	Vertical	360	2.36	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 82
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	62.06	74.00	-11.94	68.12	3	Horizontal	352	1.02	-	31.74	5.56	43.36			
AV	5.46G	51.36	54.00	-2.64	57.42	3	Horizontal	352	1.02	-	31.74	5.56	43.36			
PK	5.4626G	63.38	68.20	-4.82	69.42	3	Horizontal	352	1.02	-	31.75	5.56	43.35			
PK	5.6762G	118.25	Inf	-Inf	124.01	3	Horizontal	352	1.02	-	31.90	5.55	43.21			
AV	5.6762G	108.19	Inf	-Inf	113.95	3	Horizontal	352	1.02	-	31.90	5.55	43.21			
PK	5.8514G	68.19	68.20	-0.01	73.50	3	Horizontal	352	1.02	-	32.21	5.59	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 82
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37982G	58.12	74.00	-15.88	50.74	3	Vertical	229	1.41	-	39.96	10.38	42.96			
AV	11.39446G	47.86	54.00	-6.14	40.47	3	Vertical	229	1.41	-	39.99	10.39	42.99			
PK	17.06607G	62.48	68.20	-5.72	48.08	3	Vertical	17	1.30	-	40.37	16.31	42.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 82
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37472G	58.28	74.00	-15.72	50.91	3	Horizontal	326	2.06	-	39.95	10.37	42.95			
AV	11.39266G	48.45	54.00	-5.55	41.06	3	Horizontal	326	2.06	-	39.99	10.39	42.99			
PK	17.07588G	62.66	68.20	-5.54	48.28	3	Horizontal	51	1.10	-	40.35	16.31	42.28			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 70
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6305G	65.99	68.20	-2.21	71.92	3	Vertical	-0	2.24	-	31.76	5.55	43.24			
PK	5.7795G	115.61	Inf	-Inf	121.04	3	Vertical	-0	2.24	-	32.16	5.56	43.15			
AV	5.7645G	105.10	Inf	-Inf	110.57	3	Vertical	-0	2.24	-	32.13	5.56	43.16			
PK	5.926G	60.83	68.20	-7.37	65.86	3	Vertical	-0	2.24	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 70
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6315G	68.13	68.20	-0.07	74.06	3	Horizontal	8	2.25	-	31.76	5.55	43.24			
PK	5.7435G	116.20	Inf	-Inf	121.72	3	Horizontal	8	2.25	-	32.09	5.56	43.17			
AV	5.7635G	106.00	Inf	-Inf	111.47	3	Horizontal	8	2.25	-	32.13	5.56	43.16			
PK	6.016G	60.97	68.20	-7.23	65.75	3	Horizontal	8	2.25	-	32.53	5.71	43.02			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 70
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55666G	57.46	74.00	-16.54	50.12	3	Vertical	73	2.82	-	39.99	10.51	43.16			
AV	11.56467G	47.91	54.00	-6.09	40.58	3	Vertical	73	2.82	-	39.97	10.52	43.16			
PK	17.32218G	62.47	68.20	-5.73	47.40	3	Vertical	149	1.99	-	40.92	16.41	42.26			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Y_4TX
Setting 70
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55432G	56.98	74.00	-17.02	49.65	3	Horizontal	255	1.93	-	39.99	10.51	43.17			
AV	11.54355G	47.81	54.00	-6.19	40.47	3	Horizontal	255	1.93	-	40.01	10.50	43.17			
PK	17.32959G	61.82	68.20	-6.38	46.66	3	Horizontal	236	1.08	-	41.00	16.42	42.26			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 57
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	61.90	74.00	-12.10	68.02	3	Vertical	6	2.43	-	32.07	5.53	43.72			
AV	5.1332G	52.27	54.00	-1.73	58.46	3	Vertical	6	2.43	-	32.03	5.52	43.74			
PK	5.2476G	107.37	Inf	-Inf	114.01	3	Vertical	6	2.43	-	31.42	5.54	43.60			
AV	5.3084G	97.10	Inf	-Inf	103.76	3	Vertical	6	2.43	-	31.32	5.55	43.53			
PK	5.3964G	60.25	74.00	-13.75	66.63	3	Vertical	6	2.43	-	31.49	5.56	43.43			
AV	5.3524G	51.05	54.00	-2.95	57.57	3	Vertical	6	2.43	-	31.40	5.56	43.48			
PK	5.6172G	59.93	68.20	-8.27	65.89	3	Vertical	6	2.43	-	31.73	5.55	43.24			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 57
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	64.34	74.00	-9.66	70.50	3	Horizontal	360	1.00	-	32.05	5.52	43.73			
AV	5.1372G	53.94	54.00	-0.06	60.10	3	Horizontal	360	1.00	-	32.05	5.52	43.73			
PK	5.2836G	109.06	Inf	-Inf	115.74	3	Horizontal	360	1.00	-	31.33	5.55	43.56			
AV	5.3092G	97.94	Inf	-Inf	104.60	3	Horizontal	360	1.00	-	31.32	5.55	43.53			
PK	5.3692G	61.50	74.00	-12.50	67.96	3	Horizontal	360	1.00	-	31.44	5.56	43.46			
AV	5.3684G	51.60	54.00	-2.40	58.06	3	Horizontal	360	1.00	-	31.44	5.56	43.46			
PK	5.5548G	59.47	68.20	-8.73	65.41	3	Horizontal	360	1.00	-	31.79	5.55	43.28			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 57
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49454G	55.87	68.20	-12.33	49.56	3	Vertical	208	2.32	-	39.49	9.70	42.88			
PK	15.76734G	59.73	74.00	-14.27	48.25	3	Vertical	253	2.45	-	37.80	15.54	41.86			
AV	15.77778G	50.42	54.00	-3.58	39.01	3	Vertical	253	2.45	-	37.73	15.56	41.88			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 57
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48746G	55.85	68.20	-12.35	49.56	3	Horizontal	184	2.62	-	39.47	9.69	42.87			
PK	15.74616G	59.54	74.00	-14.46	47.95	3	Horizontal	94	2.67	-	37.90	15.51	41.82			
AV	15.77232G	50.51	54.00	-3.49	39.06	3	Horizontal	94	2.67	-	37.77	15.55	41.87			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_V_4TX
Setting 60
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.218G	60.24	68.20	-7.96	66.68	3	Vertical	-0	2.36	-	31.66	5.54	43.64			
PK	5.458G	62.38	74.00	-11.62	68.45	3	Vertical	-0	2.36	-	31.73	5.56	43.36			
AV	5.35G	49.09	54.00	-4.91	55.62	3	Vertical	-0	2.36	-	31.40	5.55	43.48			
AV	5.458G	52.10	54.00	-1.90	58.17	3	Vertical	-0	2.36	-	31.73	5.56	43.36			
PK	5.4644G	63.36	68.20	-4.84	69.39	3	Vertical	-0	2.36	-	31.76	5.56	43.35			
PK	5.6252G	110.18	Inf	-Inf	116.12	3	Vertical	-0	2.36	-	31.75	5.55	43.24			
AV	5.6292G	99.79	Inf	-Inf	105.72	3	Vertical	-0	2.36	-	31.76	5.55	43.24			
PK	5.73G	63.42	68.20	-4.78	68.98	3	Vertical	-0	2.36	-	32.06	5.56	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 60
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.342G	59.05	68.20	-9.15	65.61	3	Horizontal	-0	1.00	-	31.38	5.55	43.49			
AV	5.35G	49.09	54.00	-4.91	55.62	3	Horizontal	-0	1.00	-	31.40	5.55	43.48			
PK	5.4572G	64.46	74.00	-9.54	70.53	3	Horizontal	-0	1.00	-	31.73	5.56	43.36			
AV	5.4572G	53.55	54.00	-0.45	59.62	3	Horizontal	-0	1.00	-	31.73	5.56	43.36			
PK	5.47G	65.33	68.20	-2.87	71.33	3	Horizontal	-0	1.00	-	31.78	5.56	43.34			
PK	5.6188G	110.46	Inf	-Inf	116.41	3	Horizontal	-0	1.00	-	31.74	5.55	43.24			
AV	5.6292G	100.56	Inf	-Inf	106.49	3	Horizontal	-0	1.00	-	31.76	5.55	43.24			
PK	5.7276G	64.56	68.20	-3.64	70.12	3	Horizontal	-0	1.00	-	32.06	5.56	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 60
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08715G	57.73	74.00	-16.27	50.14	3	Vertical	130	2.04	-	39.83	10.15	42.39			
AV	11.08395G	48.18	54.00	-5.82	40.58	3	Vertical	130	2.04	-	39.83	10.15	42.38			
PK	16.71753G	61.83	68.20	-6.37	47.73	3	Vertical	139	2.70	-	39.64	16.17	41.71			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
Setting 60
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13349G	56.77	74.00	-17.23	49.39	3	Horizontal	32	1.33	-	39.67	10.19	42.48			
AV	11.12677G	47.18	54.00	-6.82	39.78	3	Horizontal	32	1.33	-	39.69	10.18	42.47			
PK	16.7016G	62.07	68.20	-6.13	48.07	3	Horizontal	189	1.76	-	39.51	16.17	41.68			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1.(MCS0)_4TX	Pass	AV	5.1478G	53.96	54.00	-0.04	3	Vertical	17	1.72	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 66
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	73.86	74.00	-0.14	69.15	3	Vertical	15	1.80	-	31.98	6.77	34.04			
AV	5.145G	53.19	54.00	-0.81	48.48	3	Vertical	15	1.80	-	31.98	6.77	34.04			
PK	5.185G	116.45	Inf	-Inf	111.88	3	Vertical	15	1.80	-	31.79	6.83	34.05			
AV	5.1852G	107.59	Inf	-Inf	103.02	3	Vertical	15	1.80	-	31.79	6.83	34.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 66
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	69.76	74.00	-4.24	65.06	3	Horizontal	12	1.38	-	31.97	6.77	34.04			
AV	5.142G	51.74	54.00	-2.26	47.04	3	Horizontal	12	1.38	-	31.97	6.77	34.04			
PK	5.1814G	115.57	Inf	-Inf	110.99	3	Horizontal	12	1.38	-	31.81	6.82	34.05			
AV	5.181G	106.99	Inf	-Inf	102.41	3	Horizontal	12	1.38	-	31.81	6.82	34.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 66
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36996G	56.15	68.20	-12.05	40.01	3	Vertical	180	2.47	-	39.60	11.02	34.48			
PK	15.53832G	60.49	74.00	-13.51	43.26	3	Vertical	88	1.17	-	38.25	13.10	34.12			
AV	15.53082G	49.33	54.00	-4.67	32.08	3	Vertical	88	1.17	-	38.28	13.09	34.12			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 66
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35634G	56.52	68.20	-11.68	40.38	3	Horizontal	254	2.78	-	39.60	11.01	34.47			
PK	15.55164G	60.28	74.00	-13.72	43.10	3	Horizontal	272	2.84	-	38.19	13.11	34.12			
AV	15.54252G	49.16	54.00	-4.84	31.95	3	Horizontal	272	2.84	-	38.23	13.10	34.12			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 82
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	69.25	74.00	-4.75	64.54	3	Vertical	16	1.80	-	31.98	6.77	34.04			
AV	5.1468G	53.70	54.00	-0.30	48.98	3	Vertical	16	1.80	-	31.99	6.77	34.04			
PK	5.2048G	120.07	Inf	-Inf	115.61	3	Vertical	16	1.80	-	31.67	6.85	34.06			
AV	5.2044G	111.77	Inf	-Inf	107.31	3	Vertical	16	1.80	-	31.67	6.85	34.06			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 82
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	67.55	74.00	-6.45	62.87	3	Horizontal	13	1.28	-	31.96	6.76	34.04			
AV	5.1412G	52.58	54.00	-1.42	47.90	3	Horizontal	13	1.28	-	31.96	6.76	34.04			
PK	5.2012G	119.37	Inf	-Inf	114.88	3	Horizontal	13	1.28	-	31.69	6.85	34.05			
AV	5.2016G	111.19	Inf	-Inf	106.70	3	Horizontal	13	1.28	-	31.69	6.85	34.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 82
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40336G	56.47	68.20	-11.73	40.30	3	Vertical	151	2.42	-	39.61	11.04	34.48			
PK	15.59292G	60.07	74.00	-13.93	43.04	3	Vertical	163	2.62	-	38.03	13.14	34.14			
AV	15.6069G	49.12	54.00	-4.88	32.19	3	Vertical	163	2.62	-	37.93	13.14	34.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 82
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40054G	56.88	68.20	-11.32	40.72	3	Horizontal	339	1.12	-	39.60	11.04	34.48			
PK	15.60114G	60.38	74.00	-13.62	43.39	3	Horizontal	69	2.61	-	37.99	13.14	34.14			
AV	15.60342G	49.31	54.00	-4.69	32.34	3	Horizontal	69	2.61	-	37.97	13.14	34.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1362G	65.65	74.00	-8.35	60.98	3	Vertical	6	1.33	-	31.94	6.76	34.03			
AV	5.15G	53.22	54.00	-0.78	48.48	3	Vertical	6	1.33	-	32.00	6.78	34.04			
PK	5.2328G	123.43	Inf	-Inf	119.14	3	Vertical	6	1.33	-	31.50	6.85	34.06			
AV	5.2328G	114.68	Inf	-Inf	110.39	3	Vertical	6	1.33	-	31.50	6.85	34.06			
PK	5.3522G	63.18	74.00	-10.82	59.01	3	Vertical	6	1.33	-	31.40	6.87	34.10			
AV	5.3522G	51.26	54.00	-2.74	47.09	3	Vertical	6	1.33	-	31.40	6.87	34.10			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	65.14	74.00	-8.86	60.43	3	Horizontal	11	1.29	-	31.98	6.77	34.04			
AV	5.1434G	52.88	54.00	-1.12	48.18	3	Horizontal	11	1.29	-	31.97	6.77	34.04			
PK	5.2412G	121.68	Inf	-Inf	117.44	3	Horizontal	11	1.29	-	31.45	6.86	34.07			
AV	5.2412G	112.54	Inf	-Inf	108.30	3	Horizontal	11	1.29	-	31.45	6.86	34.07			
PK	5.3522G	58.63	74.00	-15.37	54.46	3	Horizontal	11	1.29	-	31.40	6.87	34.10			
AV	5.36G	48.07	54.00	-5.93	43.89	3	Horizontal	11	1.29	-	31.42	6.87	34.11			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47754G	56.61	68.20	-11.59	40.32	3	Vertical	355	2.99	-	39.70	11.09	34.50			
PK	15.70998G	60.09	74.00	-13.91	43.32	3	Vertical	43	1.78	-	37.72	13.22	34.17			
AV	15.70572G	49.45	54.00	-4.55	32.70	3	Vertical	43	1.78	-	37.71	13.21	34.17			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47616G	56.33	68.20	-11.87	40.04	3	Horizontal	322	1.70	-	39.70	11.09	34.50			
PK	15.70956G	60.26	74.00	-13.74	43.49	3	Horizontal	360	1.80	-	37.72	13.22	34.17			
AV	15.72126G	49.56	54.00	-4.44	32.77	3	Horizontal	360	1.80	-	37.74	13.22	34.17			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 60
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1466G	73.59	74.00	-0.41	68.87	3	Vertical	10	1.23	-	31.99	6.77	34.04			
AV	5.146G	53.43	54.00	-0.57	48.72	3	Vertical	10	1.23	-	31.98	6.77	34.04			
PK	5.1714G	117.26	Inf	-Inf	112.62	3	Vertical	10	1.23	-	31.87	6.81	34.04			
AV	5.1862G	106.42	Inf	-Inf	101.86	3	Vertical	10	1.23	-	31.78	6.83	34.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 60
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	73.67	74.00	-0.33	68.93	3	Horizontal	13	1.32	-	32.00	6.78	34.04			
AV	5.1496G	53.56	54.00	-0.44	48.82	3	Horizontal	13	1.32	-	32.00	6.78	34.04			
PK	5.185G	115.85	Inf	-Inf	111.28	3	Horizontal	13	1.32	-	31.79	6.83	34.05			
AV	5.1854G	104.51	Inf	-Inf	99.94	3	Horizontal	13	1.32	-	31.79	6.83	34.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 60
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3594G	56.81	68.20	-11.39	40.67	3	Vertical	0	1.63	-	39.60	11.01	34.47			
PK	15.52632G	60.33	74.00	-13.67	43.07	3	Vertical	305	2.70	-	38.29	13.09	34.12			
AV	15.54828G	49.57	54.00	-4.43	32.38	3	Vertical	305	2.70	-	38.21	13.10	34.12			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 60
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3528G	56.26	68.20	-11.94	40.12	3	Horizontal	249	2.83	-	39.60	11.01	34.47			
PK	15.53856G	60.11	74.00	-13.89	42.88	3	Horizontal	184	2.14	-	38.25	13.10	34.12			
AV	15.54432G	49.43	54.00	-4.57	32.23	3	Horizontal	184	2.14	-	38.22	13.10	34.12			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 74
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	69.15	74.00	-4.85	64.45	3	Vertical	16	1.79	-	31.97	6.77	34.04			
AV	5.1476G	53.58	54.00	-0.42	48.86	3	Vertical	16	1.79	-	31.99	6.77	34.04			
PK	5.2032G	119.56	Inf	-Inf	115.09	3	Vertical	16	1.79	-	31.68	6.85	34.06			
AV	5.208G	109.34	Inf	-Inf	104.90	3	Vertical	16	1.79	-	31.65	6.85	34.06			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 74
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1408G	71.24	74.00	-2.76	66.56	3	Horizontal	13	2.36	-	31.96	6.76	34.04			
AV	5.15G	53.51	54.00	-0.49	48.77	3	Horizontal	13	2.36	-	32.00	6.78	34.04			
PK	5.1956G	117.58	Inf	-Inf	113.06	3	Horizontal	13	2.36	-	31.73	6.84	34.05			
AV	5.2052G	107.96	Inf	-Inf	103.50	3	Horizontal	13	2.36	-	31.67	6.85	34.06			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 74
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38698G	56.67	68.20	-11.53	40.52	3	Vertical	71	2.97	-	39.60	11.03	34.48			
PK	15.60762G	59.42	74.00	-14.58	42.49	3	Vertical	21	1.99	-	37.92	13.15	34.14			
AV	15.59292G	49.30	54.00	-4.70	32.27	3	Vertical	21	1.99	-	38.03	13.14	34.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 74
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40432G	56.61	68.20	-11.59	40.44	3	Horizontal	195	2.54	-	39.61	11.04	34.48			
PK	15.59136G	61.03	74.00	-12.97	44.01	3	Horizontal	46	2.33	-	38.03	13.13	34.14			
AV	15.60264G	49.85	54.00	-4.15	32.88	3	Horizontal	46	2.33	-	37.97	13.14	34.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
Setting 81
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	66.96	74.00	-7.04	62.24	3	Vertical	11	1.24	-	31.99	6.77	34.04			
AV	5.1476G	52.67	54.00	-1.33	47.95	3	Vertical	11	1.24	-	31.99	6.77	34.04			
PK	5.2418G	121.86	Inf	-Inf	117.62	3	Vertical	11	1.24	-	31.45	6.86	34.07			
AV	5.2364G	112.01	Inf	-Inf	107.74	3	Vertical	11	1.24	-	31.48	6.86	34.07			
PK	5.3516G	60.82	74.00	-13.18	56.65	3	Vertical	11	1.24	-	31.40	6.87	34.10			
AV	5.3516G	48.61	54.00	-5.39	44.44	3	Vertical	11	1.24	-	31.40	6.87	34.10			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 81
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	66.05	74.00	-7.95	61.31	3	Horizontal	9	1.00	-	32.00	6.78	34.04			
AV	5.1482G	52.60	54.00	-1.40	47.88	3	Horizontal	9	1.00	-	31.99	6.77	34.04			
PK	5.234G	120.50	Inf	-Inf	116.20	3	Horizontal	9	1.00	-	31.50	6.86	34.06			
AV	5.234G	110.77	Inf	-Inf	106.47	3	Horizontal	9	1.00	-	31.50	6.86	34.06			
PK	5.35G	60.08	74.00	-13.92	55.91	3	Horizontal	9	1.00	-	31.40	6.87	34.10			
AV	5.3504G	48.55	54.00	-5.45	44.38	3	Horizontal	9	1.00	-	31.40	6.87	34.10			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 81
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48882G	56.92	68.20	-11.28	40.62	3	Vertical	344	1.80	-	39.70	11.10	34.50			
PK	15.71352G	59.92	74.00	-14.08	43.14	3	Vertical	99	1.80	-	37.73	13.22	34.17			
AV	15.70548G	49.33	54.00	-4.67	32.58	3	Vertical	99	1.80	-	37.71	13.21	34.17			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 81
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4743G	56.39	68.20	-11.81	40.10	3	Horizontal	317	1.52	-	39.70	11.09	34.50			
PK	15.73158G	59.78	74.00	-14.22	42.96	3	Horizontal	241	1.03	-	37.76	13.23	34.17			
AV	15.70626G	48.75	54.00	-5.25	32.00	3	Horizontal	241	1.03	-	37.71	13.21	34.17			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 52
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	71.03	74.00	-2.97	66.30	3	Vertical	17	1.80	-	31.99	6.78	34.04			
AV	5.148G	53.62	54.00	-0.38	48.90	3	Vertical	17	1.80	-	31.99	6.77	34.04			
PK	5.1972G	112.36	Inf	-Inf	107.84	3	Vertical	17	1.80	-	31.72	6.85	34.05			
AV	5.2076G	101.80	Inf	-Inf	97.36	3	Vertical	17	1.80	-	31.65	6.85	34.06			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
Setting 52
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	71.64	74.00	-2.36	66.95	3	Horizontal	5	1.00	-	31.96	6.76	34.03			
AV	5.14G	53.65	54.00	-0.35	48.96	3	Horizontal	5	1.00	-	31.96	6.76	34.03			
PK	5.2036G	112.05	Inf	-Inf	107.58	3	Horizontal	5	1.00	-	31.68	6.85	34.06			
AV	5.204G	101.81	Inf	-Inf	97.34	3	Horizontal	5	1.00	-	31.68	6.85	34.06			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 52
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38756G	56.73	68.20	-11.47	40.58	3	Vertical	206	1.80	-	39.60	11.03	34.48			
PK	15.56952G	59.58	74.00	-14.42	42.47	3	Vertical	355	2.36	-	38.12	13.12	34.13			
AV	15.5808G	49.61	54.00	-4.39	32.53	3	Vertical	355	2.36	-	38.08	13.13	34.13			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 52
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.365G	56.42	68.20	-11.78	40.28	3	Horizontal	90	1.95	-	39.60	11.02	34.48			
PK	15.56508G	59.64	74.00	-14.36	42.51	3	Horizontal	73	1.28	-	38.14	13.12	34.13			
AV	15.58134G	49.22	54.00	-4.78	32.15	3	Horizontal	73	1.28	-	38.07	13.13	34.13			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 64
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	69.29	74.00	-4.71	64.56	3	Vertical	17	1.72	-	31.99	6.78	34.04			
AV	5.1478G	53.96	54.00	-0.04	49.24	3	Vertical	17	1.72	-	31.99	6.77	34.04			
PK	5.233G	116.35	Inf	-Inf	112.06	3	Vertical	17	1.72	-	31.50	6.85	34.06			
AV	5.233G	105.01	Inf	-Inf	100.72	3	Vertical	17	1.72	-	31.50	6.85	34.06			
PK	5.356G	59.20	74.00	-14.80	55.02	3	Vertical	17	1.72	-	31.41	6.87	34.10			
AV	5.353G	46.95	54.00	-7.05	42.77	3	Vertical	17	1.72	-	31.41	6.87	34.10			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 64
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	68.66	74.00	-5.34	63.93	3	Horizontal	4	1.01	-	31.99	6.78	34.04			
AV	5.1382G	53.11	54.00	-0.89	48.43	3	Horizontal	4	1.01	-	31.95	6.76	34.03			
PK	5.2336G	115.88	Inf	-Inf	111.58	3	Horizontal	4	1.01	-	31.50	6.86	34.06			
AV	5.2192G	105.20	Inf	-Inf	100.83	3	Horizontal	4	1.01	-	31.58	6.85	34.06			
PK	5.3548G	60.56	74.00	-13.44	56.38	3	Horizontal	4	1.01	-	31.41	6.87	34.10			
AV	5.3794G	47.71	54.00	-6.29	43.48	3	Horizontal	4	1.01	-	31.46	6.88	34.11			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 64
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4456G	57.02	68.20	-11.18	40.75	3	Vertical	179	1.09	-	39.69	11.07	34.49			
PK	15.684G	59.97	74.00	-14.03	43.29	3	Vertical	268	2.59	-	37.64	13.20	34.16			
AV	15.6945G	49.13	54.00	-4.87	32.40	3	Vertical	268	2.59	-	37.68	13.21	34.16			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 64
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4492G	56.34	68.20	-11.86	40.06	3	Horizontal	130	1.50	-	39.70	11.07	34.49			
PK	15.68964G	60.14	74.00	-13.86	43.44	3	Horizontal	328	2.39	-	37.66	13.20	34.16			
AV	15.69744G	49.59	54.00	-4.41	32.86	3	Horizontal	328	2.39	-	37.69	13.21	34.17			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 49
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	68.58	74.00	-5.42	63.86	3	Vertical	17	1.68	-	31.99	6.77	34.04			
AV	5.148G	52.89	54.00	-1.11	48.17	3	Vertical	17	1.68	-	31.99	6.77	34.04			
PK	5.248G	108.13	Inf	-Inf	103.93	3	Vertical	17	1.68	-	31.41	6.86	34.07			
AV	5.238G	97.54	Inf	-Inf	93.28	3	Vertical	17	1.68	-	31.47	6.86	34.07			
PK	5.38G	56.10	74.00	-17.90	51.87	3	Vertical	17	1.68	-	31.46	6.88	34.11			
AV	5.352G	46.36	54.00	-7.64	42.19	3	Vertical	17	1.68	-	31.40	6.87	34.10			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 49
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.139G	68.23	74.00	-5.77	63.54	3	Horizontal	5	1.00	-	31.96	6.76	34.03			
AV	5.134G	53.85	54.00	-0.15	49.19	3	Horizontal	5	1.00	-	31.94	6.75	34.03			
PK	5.209G	108.13	Inf	-Inf	103.69	3	Horizontal	5	1.00	-	31.65	6.85	34.06			
AV	5.224G	98.37	Inf	-Inf	94.02	3	Horizontal	5	1.00	-	31.56	6.85	34.06			
PK	5.37G	56.38	74.00	-17.62	52.17	3	Horizontal	5	1.00	-	31.44	6.88	34.11			
AV	5.393G	46.61	54.00	-7.39	42.36	3	Horizontal	5	1.00	-	31.49	6.88	34.12			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 49
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4188G	57.08	68.20	-11.12	40.88	3	Vertical	4	1.80	-	39.64	11.05	34.49			
PK	15.62088G	59.74	74.00	-14.26	42.94	3	Vertical	279	1.80	-	37.79	13.15	34.14			
AV	15.62022G	49.18	54.00	-4.82	32.37	3	Vertical	279	1.80	-	37.80	13.15	34.14			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 49
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41952G	56.49	68.20	-11.71	40.29	3	Horizontal	328	1.80	-	39.64	11.05	34.49			
PK	15.61968G	60.14	74.00	-13.86	43.33	3	Horizontal	193	1.80	-	37.80	13.15	34.14			
AV	15.61512G	49.43	54.00	-4.57	32.57	3	Horizontal	193	1.80	-	37.85	13.15	34.14			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 48
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	62.64	74.00	-11.36	57.96	3	Vertical	13	1.24	-	31.96	6.76	34.04			
AV	5.146G	53.31	54.00	-0.69	48.60	3	Vertical	13	1.24	-	31.98	6.77	34.04			
PK	5.266G	105.75	Inf	-Inf	101.60	3	Vertical	13	1.24	-	31.37	6.86	34.08			
AV	5.2212G	95.75	Inf	-Inf	91.39	3	Vertical	13	1.24	-	31.57	6.85	34.06			
PK	5.3604G	64.11	74.00	-9.89	59.93	3	Vertical	13	1.24	-	31.42	6.87	34.11			
AV	5.3508G	51.37	54.00	-2.63	47.20	3	Vertical	13	1.24	-	31.40	6.87	34.10			
PK	5.6452G	56.31	68.20	-11.89	51.76	3	Vertical	13	1.24	-	31.88	6.97	34.30			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 48
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	60.88	74.00	-13.12	56.20	3	Horizontal	11	1.88	-	31.95	6.76	34.03			
AV	5.1492G	50.83	54.00	-3.17	46.09	3	Horizontal	11	1.88	-	32.00	6.78	34.04			
PK	5.218G	104.55	Inf	-Inf	100.17	3	Horizontal	11	1.88	-	31.59	6.85	34.06			
AV	5.2292G	93.39	Inf	-Inf	89.08	3	Horizontal	11	1.88	-	31.52	6.85	34.06			
PK	5.3908G	60.62	74.00	-13.38	56.38	3	Horizontal	11	1.88	-	31.48	6.88	34.12			
AV	5.3556G	49.04	54.00	-4.96	44.86	3	Horizontal	11	1.88	-	31.41	6.87	34.10			
PK	5.61G	56.39	68.20	-11.81	52.00	3	Horizontal	11	1.88	-	31.74	6.92	34.27			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 48
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50414G	56.15	68.20	-12.05	39.84	3	Vertical	78	2.49	-	39.70	11.11	34.50			
PK	15.73524G	59.72	74.00	-14.28	42.90	3	Vertical	227	2.22	-	37.77	13.23	34.18			
AV	15.76062G	48.95	54.00	-5.05	32.12	3	Vertical	227	2.22	-	37.76	13.25	34.18			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 48
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48734G	56.12	68.20	-12.08	39.82	3	Horizontal	358	2.99	-	39.70	11.10	34.50			
PK	15.75126G	60.15	74.00	-13.85	43.29	3	Horizontal	26	1.56	-	37.79	13.25	34.18			
AV	15.73974G	49.15	54.00	-4.85	32.31	3	Horizontal	26	1.56	-	37.78	13.24	34.18			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 96
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1346G	64.14	74.00	-9.86	59.47	3	Vertical	12	1.17	-	31.94	6.76	34.03			
AV	5.1442G	49.59	54.00	-4.41	44.88	3	Vertical	12	1.17	-	31.98	6.77	34.04			
PK	5.2534G	121.97	Inf	-Inf	117.79	3	Vertical	12	1.17	-	31.39	6.86	34.07			
AV	5.2522G	114.22	Inf	-Inf	110.03	3	Vertical	12	1.17	-	31.40	6.86	34.07			
PK	5.35G	68.38	74.00	-5.62	64.21	3	Vertical	12	1.17	-	31.40	6.87	34.10			
AV	5.3506G	53.65	54.00	-0.35	49.48	3	Vertical	12	1.17	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 96
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1448G	62.14	74.00	-11.86	57.43	3	Horizontal	10	1.29	-	31.98	6.77	34.04				
AV	5.1442G	48.64	54.00	-5.36	43.93	3	Horizontal	10	1.29	-	31.98	6.77	34.04				
PK	5.2618G	121.19	Inf	-Inf	117.02	3	Horizontal	10	1.29	-	31.38	6.86	34.07				
AV	5.2618G	112.40	Inf	-Inf	108.23	3	Horizontal	10	1.29	-	31.38	6.86	34.07				
PK	5.359G	64.16	74.00	-9.84	59.97	3	Horizontal	10	1.29	-	31.42	6.87	34.10				
AV	5.3512G	50.12	54.00	-3.88	45.95	3	Horizontal	10	1.29	-	31.40	6.87	34.10				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 96
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51994G	57.02	68.20	-11.18	40.69	3	Vertical	29	1.28	-	39.70	11.12	34.49			
PK	15.7704G	60.42	74.00	-13.58	43.63	3	Vertical	93	2.88	-	37.72	13.26	34.19			
AV	15.77556G	49.36	54.00	-4.64	32.59	3	Vertical	93	2.88	-	37.70	13.26	34.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 96
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51964G	56.56	68.20	-11.64	40.23	3	Horizontal	69	1.28	-	39.70	11.12	34.49			
PK	15.77412G	59.68	74.00	-14.32	42.91	3	Horizontal	10	2.32	-	37.70	13.26	34.19			
AV	15.78918G	49.28	54.00	-4.72	32.56	3	Horizontal	10	2.32	-	37.64	13.27	34.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2988G	123.19	Inf	-Inf	119.12	3	Vertical	0	1.01	-	31.30	6.86	34.09			
AV	5.2992G	113.90	Inf	-Inf	109.83	3	Vertical	0	1.01	-	31.30	6.86	34.09			
PK	5.354G	70.28	74.00	-3.72	66.10	3	Vertical	0	1.01	-	31.41	6.87	34.10			
AV	5.3564G	53.87	54.00	-0.13	49.69	3	Vertical	0	1.01	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3032G	119.68	Inf	-Inf	115.59	3	Horizontal	7	1.29	-	31.31	6.87	34.09			
AV	5.3016G	111.22	Inf	-Inf	107.14	3	Horizontal	7	1.29	-	31.30	6.87	34.09			
PK	5.3628G	65.85	74.00	-8.15	61.66	3	Horizontal	7	1.29	-	31.43	6.87	34.11			
AV	5.35G	51.66	54.00	-2.34	47.49	3	Horizontal	7	1.29	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58908G	57.16	68.20	-11.04	40.67	3	Vertical	89	1.03	-	39.78	11.16	34.45			
PK	15.9111G	59.98	74.00	-14.02	43.19	3	Vertical	284	2.60	-	37.66	13.36	34.23			
AV	15.89748G	49.26	54.00	-4.74	32.44	3	Vertical	284	2.60	-	37.69	13.35	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58752G	56.57	68.20	-11.63	40.08	3	Horizontal	179	1.62	-	39.78	11.16	34.45			
PK	15.91476G	59.20	74.00	-14.80	42.43	3	Horizontal	101	2.06	-	37.64	13.36	34.23			
AV	15.89016G	49.14	54.00	-4.86	32.34	3	Horizontal	101	2.06	-	37.68	13.34	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 69
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3188G	119.02	Inf	-Inf	114.90	3	Vertical	360	1.00	-	31.34	6.87	34.09			
AV	5.3194G	110.55	Inf	-Inf	106.43	3	Vertical	360	1.00	-	31.34	6.87	34.09			
PK	5.3502G	67.15	74.00	-6.85	62.98	3	Vertical	360	1.00	-	31.40	6.87	34.10			
AV	5.35G	51.20	54.00	-2.80	47.03	3	Vertical	360	1.00	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 69
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3126G	115.74	Inf	-Inf	111.63	3	Horizontal	345	1.00	-	31.33	6.87	34.09			
AV	5.3122G	107.35	Inf	-Inf	103.25	3	Horizontal	345	1.00	-	31.32	6.87	34.09			
PK	5.3512G	71.48	74.00	-2.52	67.31	3	Horizontal	345	1.00	-	31.40	6.87	34.10			
AV	5.3524G	53.53	54.00	-0.47	49.36	3	Horizontal	345	1.00	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 69
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64792G	56.81	74.00	-17.19	40.22	3	Vertical	243	1.77	-	39.80	11.20	34.41			
AV	10.65386G	45.79	54.00	-8.21	29.20	3	Vertical	243	1.77	-	39.79	11.21	34.41			
PK	15.94548G	58.86	74.00	-15.14	42.19	3	Vertical	216	2.49	-	37.52	13.38	34.23			
AV	15.95424G	47.55	54.00	-6.45	30.92	3	Vertical	216	2.49	-	37.48	13.39	34.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 69
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65182G	56.62	74.00	-17.38	40.03	3	Horizontal	171	1.82	-	39.80	11.20	34.41			
AV	10.64642G	46.03	54.00	-7.97	29.45	3	Horizontal	171	1.82	-	39.80	11.20	34.42			
PK	15.9582G	59.31	74.00	-14.69	42.69	3	Horizontal	241	2.90	-	37.47	13.39	34.24			
AV	15.97344G	48.31	54.00	-5.69	31.74	3	Horizontal	241	2.90	-	37.41	13.40	34.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 90
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	63.40	74.00	-10.60	58.67	3	Vertical	8	1.24	-	31.99	6.78	34.04			
AV	5.1484G	51.17	54.00	-2.83	46.44	3	Vertical	8	1.24	-	31.99	6.78	34.04			
PK	5.2516G	123.49	Inf	-Inf	119.30	3	Vertical	8	1.24	-	31.40	6.86	34.07			
AV	5.2666G	113.38	Inf	-Inf	109.23	3	Vertical	8	1.24	-	31.37	6.86	34.08			
PK	5.3518G	68.58	74.00	-5.42	64.41	3	Vertical	8	1.24	-	31.40	6.87	34.10			
AV	5.35G	53.73	54.00	-0.27	49.56	3	Vertical	8	1.24	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 90
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1442G	63.52	74.00	-10.48	58.81	3	Horizontal	2	1.00	-	31.98	6.77	34.04			
AV	5.1496G	50.77	54.00	-3.23	46.03	3	Horizontal	2	1.00	-	32.00	6.78	34.04			
PK	5.2588G	122.27	Inf	-Inf	118.10	3	Horizontal	2	1.00	-	31.38	6.86	34.07			
AV	5.2594G	111.64	Inf	-Inf	107.47	3	Horizontal	2	1.00	-	31.38	6.86	34.07			
PK	5.3512G	66.78	74.00	-7.22	62.61	3	Horizontal	2	1.00	-	31.40	6.87	34.10			
AV	5.35G	53.18	54.00	-0.82	49.01	3	Horizontal	2	1.00	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 90
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52942G	56.68	68.20	-11.52	40.34	3	Vertical	72	2.44	-	39.70	11.12	34.48			
PK	15.7752G	59.66	74.00	-14.34	42.89	3	Vertical	296	1.68	-	37.70	13.26	34.19			
AV	15.7854G	49.20	54.00	-4.80	32.46	3	Vertical	296	1.68	-	37.66	13.27	34.19			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 90
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5209G	56.91	68.20	-11.29	40.58	3	Horizontal	325	1.26	-	39.70	11.12	34.49			
PK	15.76602G	59.85	74.00	-14.15	43.03	3	Horizontal	43	1.14	-	37.74	13.26	34.18			
AV	15.77058G	49.49	54.00	-4.51	32.70	3	Horizontal	43	1.14	-	37.72	13.26	34.19			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 75
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2948G	121.44	Inf	-Inf	117.35	3	Vertical	0	1.00	-	31.31	6.86	34.08			
AV	5.3052G	110.60	Inf	-Inf	106.51	3	Vertical	0	1.00	-	31.31	6.87	34.09			
PK	5.3508G	71.93	74.00	-2.07	67.76	3	Vertical	0	1.00	-	31.40	6.87	34.10			
AV	5.35G	53.18	54.00	-0.82	49.01	3	Vertical	0	1.00	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
Setting 75
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2992G	118.76	Inf	-Inf	114.69	3	Horizontal	8	2.70	-	31.30	6.86	34.09			
AV	5.3088G	108.10	Inf	-Inf	104.00	3	Horizontal	8	2.70	-	31.32	6.87	34.09			
PK	5.354G	65.31	74.00	-8.69	61.13	3	Horizontal	8	2.70	-	31.41	6.87	34.10			
AV	5.354G	50.75	54.00	-3.25	46.57	3	Horizontal	8	2.70	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 75
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58566G	55.95	68.20	-12.25	39.47	3	Vertical	227	1.63	-	39.77	11.16	34.45			
PK	15.89088G	59.83	74.00	-14.17	43.03	3	Vertical	157	1.37	-	37.68	13.34	34.22			
AV	15.89748G	48.90	54.00	-5.10	32.08	3	Vertical	157	1.37	-	37.69	13.35	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 75
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60792G	56.61	74.00	-17.39	40.07	3	Horizontal	0	1.56	-	39.80	11.18	34.44			
PK	15.91386G	59.77	74.00	-14.23	43.00	3	Horizontal	101	2.24	-	37.64	13.36	34.23			
AV	15.8952G	48.58	54.00	-5.42	31.76	3	Horizontal	101	2.24	-	37.69	13.35	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 62
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3152G	118.66	Inf	-Inf	114.55	3	Vertical	360	1.00	-	31.33	6.87	34.09			
AV	5.315G	107.91	Inf	-Inf	103.80	3	Vertical	360	1.00	-	31.33	6.87	34.09			
PK	5.3548G	73.52	74.00	-0.48	69.34	3	Vertical	360	1.00	-	31.41	6.87	34.10			
AV	5.3504G	52.99	54.00	-1.01	48.82	3	Vertical	360	1.00	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 62
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.319G	116.54	Inf	-Inf	112.42	3	Horizontal	0	1.00	-	31.34	6.87	34.09			
AV	5.319G	105.40	Inf	-Inf	101.28	3	Horizontal	0	1.00	-	31.34	6.87	34.09			
PK	5.3532G	68.96	74.00	-5.04	64.78	3	Horizontal	0	1.00	-	31.41	6.87	34.10			
AV	5.3524G	50.72	54.00	-3.28	46.55	3	Horizontal	0	1.00	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 62
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63274G	56.03	74.00	-17.97	39.46	3	Vertical	36	2.14	-	39.80	11.19	34.42			
AV	10.65146G	45.88	54.00	-8.12	29.29	3	Vertical	36	2.14	-	39.80	11.20	34.41			
PK	15.9465G	58.35	74.00	-15.65	41.70	3	Vertical	347	1.14	-	37.51	13.38	34.24			
AV	15.9471G	47.99	54.00	-6.01	31.34	3	Vertical	347	1.14	-	37.51	13.38	34.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 62
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63658G	56.73	74.00	-17.27	40.16	3	Horizontal	45	1.57	-	39.80	11.19	34.42			
AV	10.64822G	45.48	54.00	-8.52	28.89	3	Horizontal	45	1.57	-	39.80	11.20	34.41			
PK	15.9519G	58.16	74.00	-15.84	41.52	3	Horizontal	312	2.16	-	37.49	13.39	34.24			
AV	15.95364G	48.01	54.00	-5.99	31.37	3	Horizontal	312	2.16	-	37.49	13.39	34.24			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 67
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1356G	62.77	74.00	-11.23	58.10	3	Vertical	10	1.21	-	31.94	6.76	34.03			
AV	5.144G	48.04	54.00	-5.96	43.33	3	Vertical	10	1.21	-	31.98	6.77	34.04			
PK	5.2712G	116.28	Inf	-Inf	112.14	3	Vertical	10	1.21	-	31.36	6.86	34.08			
AV	5.2814G	105.40	Inf	-Inf	101.28	3	Vertical	10	1.21	-	31.34	6.86	34.08			
PK	5.3606G	66.51	74.00	-7.49	62.33	3	Vertical	10	1.21	-	31.42	6.87	34.11			
AV	5.3618G	52.74	54.00	-1.26	48.56	3	Vertical	10	1.21	-	31.42	6.87	34.11			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 67
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1392G	60.52	74.00	-13.48	55.83	3	Horizontal	7	2.83	-	31.96	6.76	34.03			
AV	5.132G	47.71	54.00	-6.29	43.06	3	Horizontal	7	2.83	-	31.93	6.75	34.03			
PK	5.2844G	114.42	Inf	-Inf	110.31	3	Horizontal	7	2.83	-	31.33	6.86	34.08			
AV	5.279G	103.18	Inf	-Inf	99.06	3	Horizontal	7	2.83	-	31.34	6.86	34.08			
PK	5.3696G	64.14	74.00	-9.86	59.93	3	Horizontal	7	2.83	-	31.44	6.88	34.11			
AV	5.354G	49.27	54.00	-4.73	45.09	3	Horizontal	7	2.83	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 67
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5358G	56.49	68.20	-11.71	40.14	3	Vertical	71	1.67	-	39.70	11.13	34.48			
PK	15.82434G	59.57	74.00	-14.43	42.87	3	Vertical	307	2.66	-	37.60	13.30	34.20			
AV	15.82068G	49.30	54.00	-4.70	32.61	3	Vertical	307	2.66	-	37.60	13.29	34.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 67
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52944G	56.50	68.20	-11.70	40.16	3	Horizontal	233	2.60	-	39.70	11.12	34.48			
PK	15.8022G	59.97	74.00	-14.03	43.28	3	Horizontal	235	1.70	-	37.60	13.28	34.19			
AV	15.82206G	49.21	54.00	-4.79	32.51	3	Horizontal	235	1.70	-	37.60	13.30	34.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 55
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3248G	113.72	Inf	-Inf	109.59	3	Vertical	1	1.00	-	31.35	6.87	34.09			
AV	5.3048G	102.76	Inf	-Inf	98.67	3	Vertical	1	1.00	-	31.31	6.87	34.09			
PK	5.35G	73.57	74.00	-0.43	69.40	3	Vertical	1	1.00	-	31.40	6.87	34.10			
AV	5.3512G	53.48	54.00	-0.52	49.31	3	Vertical	1	1.00	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 55
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.314G	111.34	Inf	-Inf	107.23	3	Horizontal	0	1.00	-	31.33	6.87	34.09			
AV	5.304G	100.83	Inf	-Inf	96.74	3	Horizontal	0	1.00	-	31.31	6.87	34.09			
PK	5.3532G	68.47	74.00	-5.53	64.29	3	Horizontal	0	1.00	-	31.41	6.87	34.10			
AV	5.3584G	51.26	54.00	-2.74	47.07	3	Horizontal	0	1.00	-	31.42	6.87	34.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 55
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62132G	56.37	74.00	-17.63	39.82	3	Vertical	36	1.18	-	39.80	11.18	34.43			
AV	10.62246G	45.74	54.00	-8.26	29.19	3	Vertical	36	1.18	-	39.80	11.18	34.43			
PK	15.91932G	59.37	74.00	-14.63	42.62	3	Vertical	222	2.80	-	37.62	13.36	34.23			
AV	15.92478G	48.41	54.00	-5.59	31.67	3	Vertical	222	2.80	-	37.60	13.37	34.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 55
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60638G	56.99	74.00	-17.01	40.46	3	Horizontal	51	1.50	-	39.80	11.17	34.44			
AV	10.61208G	46.02	54.00	-7.98	29.47	3	Horizontal	51	1.50	-	39.80	11.18	34.43			
PK	15.91716G	59.39	74.00	-14.61	42.63	3	Horizontal	84	1.12	-	37.63	13.36	34.23			
AV	15.93024G	48.77	54.00	-5.23	32.05	3	Horizontal	84	1.12	-	37.58	13.37	34.23			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
Setting 54
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	62.02	74.00	-11.98	57.31	3	Vertical	10	1.21	-	31.98	6.77	34.04			
AV	5.144G	47.97	54.00	-6.03	43.26	3	Vertical	10	1.21	-	31.98	6.77	34.04			
PK	5.291G	110.13	Inf	-Inf	106.03	3	Vertical	10	1.21	-	31.32	6.86	34.08			
AV	5.307G	100.01	Inf	-Inf	95.92	3	Vertical	10	1.21	-	31.31	6.87	34.09			
PK	5.361G	72.67	74.00	-1.33	68.49	3	Vertical	10	1.21	-	31.42	6.87	34.11			
AV	5.361G	53.66	54.00	-0.34	49.48	3	Vertical	10	1.21	-	31.42	6.87	34.11			
PK	5.505G	56.48	68.20	-11.72	51.94	3	Vertical	10	1.21	-	31.80	6.90	34.16			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 54
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.139G	62.44	74.00	-11.56	57.75	3	Horizontal	2	1.00	-	31.96	6.76	34.03			
AV	5.139G	47.42	54.00	-6.58	42.73	3	Horizontal	2	1.00	-	31.96	6.76	34.03			
PK	5.304G	110.24	Inf	-Inf	106.15	3	Horizontal	2	1.00	-	31.31	6.87	34.09			
AV	5.299G	97.96	Inf	-Inf	93.89	3	Horizontal	2	1.00	-	31.30	6.86	34.09			
PK	5.355G	70.24	74.00	-3.76	66.06	3	Horizontal	2	1.00	-	31.41	6.87	34.10			
AV	5.359G	51.03	54.00	-2.97	46.84	3	Horizontal	2	1.00	-	31.42	6.87	34.10			
PK	5.336G	56.06	68.20	-12.14	51.55	3	Horizontal	2	1.00	-	31.80	6.90	34.19			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 54
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5737G	56.18	68.20	-12.02	39.74	3	Vertical	158	2.93	-	39.75	11.15	34.46			
PK	15.86064G	59.20	74.00	-14.80	42.47	3	Vertical	284	2.76	-	37.62	13.32	34.21			
AV	15.864G	48.46	54.00	-5.54	31.72	3	Vertical	284	2.76	-	37.63	13.32	34.21			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX



EUT_Y_4TX
Setting 54
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56542G	56.77	68.20	-11.43	40.35	3	Horizontal	0	3.00	-	39.73	11.15	34.46			
PK	15.86766G	59.52	74.00	-14.48	42.76	3	Horizontal	7	2.85	-	37.64	13.33	34.21			
AV	15.8589G	48.72	54.00	-5.28	31.99	3	Horizontal	7	2.85	-	37.62	13.32	34.21			




Test Mode: Mode 6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1.(MCS0)_2TX	Pass	AV	5.1488G	53.99	54.00	-0.01	3	Horizontal	15	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 71
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	69.54	74.00	-4.46	63.70	3	Vertical	24	2.08	-	33.29	8.07	35.52			
AV	5.1484G	53.53	54.00	-0.47	47.69	3	Vertical	24	2.08	-	33.29	8.07	35.52			
PK	5.1808G	115.38	Inf	-Inf	109.62	3	Vertical	24	2.08	-	33.18	8.09	35.51			
AV	5.1812G	107.83	Inf	-Inf	102.07	3	Vertical	24	2.08	-	33.18	8.09	35.51			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
Setting 71
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	69.60	74.00	-4.40	63.76	3	Horizontal	360	1.80	-	33.29	8.07	35.52			
AV	5.1494G	52.71	54.00	-1.29	46.86	3	Horizontal	360	1.80	-	33.30	8.07	35.52			
PK	5.1774G	114.97	Inf	-Inf	109.20	3	Horizontal	360	1.80	-	33.19	8.09	35.51			
AV	5.182G	107.06	Inf	-Inf	101.31	3	Horizontal	360	1.80	-	33.17	8.09	35.51			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 71
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35196G	56.60	68.20	-11.60	39.93	3	Vertical	35	2.89	-	39.00	11.26	33.59			
PK	15.53172G	61.14	74.00	-12.86	41.97	3	Vertical	7	1.22	-	38.47	14.24	33.54			
AV	15.53058G	49.85	54.00	-4.15	30.67	3	Vertical	7	1.22	-	38.48	14.24	33.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 71
05-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35454G	57.10	68.20	-11.10	40.44	3	Horizontal	226	2.54	-	38.99	11.26	33.59			
PK	15.55344G	60.39	74.00	-13.61	41.27	3	Horizontal	176	2.79	-	38.39	14.24	33.51			
AV	15.5334G	49.83	54.00	-4.17	30.66	3	Horizontal	176	2.79	-	38.47	14.24	33.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 81
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	68.65	74.00	-5.35	62.80	3	Vertical	11.9	1.80	-	33.30	8.07	35.52			
AV	5.148G	52.75	54.00	-1.25	46.91	3	Vertical	11.9	1.80	-	33.29	8.07	35.52			
PK	5.2064G	117.15	Inf	-Inf	111.45	3	Vertical	11.9	1.80	-	33.10	8.10	35.50			
AV	5.1964G	108.89	Inf	-Inf	103.19	3	Vertical	11.9	1.80	-	33.11	8.10	35.51			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
Setting 81
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	68.51	74.00	-5.49	62.66	3	Horizontal	15	1.80	-	33.30	8.07	35.52			
AV	5.15G	53.51	54.00	-0.49	47.66	3	Horizontal	15	1.80	-	33.30	8.07	35.52			
PK	5.2072G	117.67	Inf	-Inf	111.97	3	Horizontal	15	1.80	-	33.10	8.10	35.50			
AV	5.2024G	110.34	Inf	-Inf	104.64	3	Horizontal	15	1.80	-	33.10	8.10	35.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 81
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39616G	58.38	68.20	-9.82	41.86	3	Vertical	70	2.26	-	38.91	11.28	33.67			
PK	15.61368G	60.73	74.00	-13.27	41.79	3	Vertical	48	1.88	-	38.12	14.24	33.42			
AV	15.58986G	50.02	54.00	-3.98	30.99	3	Vertical	48	1.88	-	38.24	14.24	33.45			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 81
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38602G	56.37	68.20	-11.83	39.82	3	Horizontal	147	1.56	-	38.93	11.27	33.65			
PK	15.58998G	60.92	74.00	-13.08	41.89	3	Horizontal	31	2.25	-	38.24	14.24	33.45			
AV	15.59166G	49.88	54.00	-4.12	30.86	3	Horizontal	31	2.25	-	38.23	14.24	33.45			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 95
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	67.13	74.00	-6.87	61.29	3	Vertical	12	1.80	-	33.29	8.07	35.52			
AV	5.147G	53.87	54.00	-0.13	48.03	3	Vertical	12	1.80	-	33.29	8.07	35.52			
PK	5.2418G	120.52	Inf	-Inf	114.79	3	Vertical	12	1.80	-	33.10	8.12	35.49			
AV	5.2412G	112.29	Inf	-Inf	106.56	3	Vertical	12	1.80	-	33.10	8.12	35.49			
PK	5.3522G	63.90	74.00	-10.10	58.18	3	Vertical	12	1.80	-	33.00	8.18	35.46			
AV	5.3654G	50.75	54.00	-3.25	45.02	3	Vertical	12	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 95
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	67.26	74.00	-6.74	61.46	3	Horizontal	9.9	2.02	-	33.26	8.06	35.52			
AV	5.1464G	53.15	54.00	-0.85	47.31	3	Horizontal	9.9	2.02	-	33.29	8.07	35.52			
PK	5.2364G	121.18	Inf	-Inf	115.45	3	Horizontal	9.9	2.02	-	33.10	8.12	35.49			
AV	5.2364G	113.65	Inf	-Inf	107.92	3	Horizontal	9.9	2.02	-	33.10	8.12	35.49			
PK	5.3516G	63.02	74.00	-10.98	57.30	3	Horizontal	9.9	2.02	-	33.00	8.18	35.46			
AV	5.3654G	51.11	54.00	-2.89	45.38	3	Horizontal	9.9	2.02	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 95
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.495G	56.53	68.20	-11.67	40.23	3	Vertical	243	1.39	-	38.81	11.33	33.84			
PK	15.73284G	60.52	74.00	-13.48	41.35	3	Vertical	300	2.27	-	38.17	14.24	33.24			
AV	15.73032G	49.42	54.00	-4.58	30.26	3	Vertical	300	2.27	-	38.16	14.24	33.24			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 95
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49332G	57.31	68.20	-10.89	41.01	3	Horizontal	215	1.98	-	38.81	11.33	33.84			
PK	15.71748G	60.35	74.00	-13.65	41.24	3	Horizontal	274	1.40	-	38.13	14.24	33.26			
AV	15.72798G	50.02	54.00	-3.98	30.86	3	Horizontal	274	1.40	-	38.16	14.24	33.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 97
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	65.38	74.00	-8.62	59.53	3	Vertical	16	1.80	-	33.30	8.07	35.52			
AV	5.1478G	51.75	54.00	-2.25	45.91	3	Vertical	16	1.80	-	33.29	8.07	35.52			
PK	5.257G	121.53	Inf	-Inf	115.80	3	Vertical	16	1.80	-	33.09	8.13	35.49			
AV	5.2666G	113.08	Inf	-Inf	107.36	3	Vertical	16	1.80	-	33.07	8.14	35.49			
PK	5.3542G	67.10	74.00	-6.90	61.38	3	Vertical	16	1.80	-	33.00	8.18	35.46			
AV	5.3536G	53.34	54.00	-0.66	47.62	3	Vertical	16	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 97
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	67.31	74.00	-6.69	61.46	3	Horizontal	360	1.80	-	33.30	8.07	35.52			
AV	5.149G	52.98	54.00	-1.02	47.13	3	Horizontal	360	1.80	-	33.30	8.07	35.52			
PK	5.257G	122.05	Inf	-Inf	116.32	3	Horizontal	360	1.80	-	33.09	8.13	35.49			
AV	5.2612G	114.38	Inf	-Inf	108.66	3	Horizontal	360	1.80	-	33.08	8.13	35.49			
PK	5.3596G	67.43	74.00	-6.57	61.70	3	Horizontal	360	1.80	-	33.00	8.19	35.46			
AV	5.3506G	53.89	54.00	-0.11	48.17	3	Horizontal	360	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 97
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50932G	56.36	68.20	-11.84	40.04	3	Vertical	155	2.33	-	38.82	11.34	33.84			
PK	15.76878G	59.66	74.00	-14.34	40.50	3	Vertical	148	1.13	-	38.09	14.25	33.18			
AV	15.7671G	48.71	54.00	-5.29	29.54	3	Vertical	148	1.13	-	38.10	14.25	33.18			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 97
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5089G	57.65	68.20	-10.55	41.33	3	Horizontal	249	1.38	-	38.82	11.34	33.84			
PK	15.77622G	59.34	74.00	-14.66	40.22	3	Horizontal	97	2.49	-	38.04	14.25	33.17			
AV	15.79044G	48.67	54.00	-5.33	29.61	3	Horizontal	97	2.49	-	37.96	14.25	33.15			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 82
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.302G	117.57	Inf	-Inf	111.89	3	Vertical	33	1.80	-	33.00	8.16	35.48			
AV	5.302G	109.78	Inf	-Inf	104.10	3	Vertical	33	1.80	-	33.00	8.16	35.48			
PK	5.35G	67.48	74.00	-6.52	61.76	3	Vertical	33	1.80	-	33.00	8.18	35.46			
AV	5.35G	53.97	54.00	-0.03	48.25	3	Vertical	33	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 82
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3016G	117.82	Inf	-Inf	112.14	3	Horizontal	0	1.80	-	33.00	8.16	35.48			
AV	5.3016G	110.13	Inf	-Inf	104.45	3	Horizontal	0	1.80	-	33.00	8.16	35.48			
PK	5.35G	68.14	74.00	-5.86	62.42	3	Horizontal	0	1.80	-	33.00	8.18	35.46			
AV	5.35G	53.97	54.00	-0.03	48.25	3	Horizontal	0	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 82
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61224G	57.45	74.00	-16.55	40.57	3	Vertical	121	2.41	-	39.25	11.39	33.76			
AV	10.6066G	47.38	54.00	-6.62	30.53	3	Vertical	121	2.41	-	39.23	11.39	33.77			
PK	15.89988G	59.53	74.00	-14.47	40.26	3	Vertical	304	2.04	-	38.00	14.25	32.98			
AV	15.90072G	48.77	54.00	-5.23	29.50	3	Vertical	304	2.04	-	38.00	14.25	32.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 82
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60184G	57.06	74.00	-16.94	40.23	3	Horizontal	336	1.01	-	39.21	11.39	33.77			
AV	10.6009G	47.25	54.00	-6.75	30.43	3	Horizontal	336	1.01	-	39.20	11.39	33.77			
PK	15.9029G	59.38	74.00	-14.62	40.12	3	Horizontal	348	2.62	-	37.99	14.25	32.98			
AV	15.89826G	49.17	54.00	-4.83	29.91	3	Horizontal	348	2.62	-	37.99	14.25	32.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
Setting 72
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3264G	115.07	Inf	-Inf	109.37	3	Vertical	10	1.80	-	33.00	8.17	35.47				
AV	5.3168G	106.81	Inf	-Inf	101.12	3	Vertical	10	1.80	-	33.00	8.16	35.47				
PK	5.3514G	69.94	74.00	-4.06	64.22	3	Vertical	10	1.80	-	33.00	8.18	35.46				
AV	5.3518G	53.52	54.00	-0.48	47.80	3	Vertical	10	1.80	-	33.00	8.18	35.46				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 72
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3264G	115.81	Inf	-Inf	110.11	3	Horizontal	8	1.80	-	33.00	8.17	35.47			
AV	5.3168G	107.65	Inf	-Inf	101.96	3	Horizontal	8	1.80	-	33.00	8.16	35.47			
PK	5.3522G	70.21	74.00	-3.79	64.49	3	Horizontal	8	1.80	-	33.00	8.18	35.46			
AV	5.3518G	53.49	54.00	-0.51	47.77	3	Horizontal	8	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 72
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6288G	56.73	74.00	-17.27	39.76	3	Vertical	307	1.84	-	39.32	11.40	33.75			
AV	10.648G	46.36	54.00	-7.64	29.29	3	Vertical	307	1.84	-	39.39	11.41	33.73			
PK	15.9554G	60.29	74.00	-13.71	41.15	3	Vertical	221	1.56	-	37.79	14.25	32.90			
AV	15.96085G	49.08	54.00	-4.92	29.94	3	Vertical	221	1.56	-	37.78	14.25	32.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 72
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63565G	57.35	74.00	-16.65	40.34	3	Horizontal	115	2.51	-	39.34	11.41	33.74			
AV	10.6332G	45.95	54.00	-8.05	28.96	3	Horizontal	115	2.51	-	39.33	11.41	33.75			
PK	15.95525G	60.12	74.00	-13.88	40.98	3	Horizontal	117	1.51	-	37.79	14.25	32.90			
AV	15.9565G	49.11	54.00	-4.89	29.97	3	Horizontal	117	1.51	-	37.79	14.25	32.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 69
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4574G	61.64	74.00	-12.36	55.81	3	Vertical	32	1.80	-	33.00	8.26	35.43			
AV	5.453G	50.68	54.00	-3.32	44.85	3	Vertical	32	1.80	-	33.00	8.26	35.43			
PK	5.4666G	64.82	68.20	-3.38	58.98	3	Vertical	32	1.80	-	33.00	8.27	35.43			
PK	5.4974G	113.75	Inf	-Inf	107.87	3	Vertical	32	1.80	-	33.00	8.30	35.42			
AV	5.497G	105.82	Inf	-Inf	99.94	3	Vertical	32	1.80	-	33.00	8.30	35.42			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 69
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4578G	62.32	74.00	-11.68	56.49	3	Horizontal	5	1.80	-	33.00	8.26	35.43			
AV	5.451G	51.42	54.00	-2.58	45.59	3	Horizontal	5	1.80	-	33.00	8.26	35.43			
PK	5.4672G	66.62	68.20	-1.58	60.78	3	Horizontal	5	1.80	-	33.00	8.27	35.43			
PK	5.4974G	115.24	Inf	-Inf	109.36	3	Horizontal	5	1.80	-	33.00	8.30	35.42			
AV	5.4974G	106.65	Inf	-Inf	100.77	3	Horizontal	5	1.80	-	33.00	8.30	35.42			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 69
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9892G	57.89	74.00	-16.11	40.85	3	Vertical	181	2.66	-	38.92	11.59	33.47			
AV	10.99305G	47.69	54.00	-6.31	30.65	3	Vertical	181	2.66	-	38.91	11.60	33.47			
PK	16.5048G	61.00	68.20	-7.20	41.06	3	Vertical	176	2.82	-	38.57	14.52	33.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 69
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98805G	57.96	74.00	-16.04	40.92	3	Horizontal	122	1.10	-	38.92	11.59	33.47			
AV	11.00455G	46.71	54.00	-7.29	29.66	3	Horizontal	122	1.10	-	38.91	11.60	33.46			
PK	16.49575G	60.64	68.20	-7.56	40.69	3	Horizontal	325	2.95	-	38.59	14.51	33.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.452G	67.37	74.00	-6.63	61.54	3	Vertical	32	1.80	-	33.00	8.26	35.43			
AV	5.4568G	53.75	54.00	-0.25	47.92	3	Vertical	32	1.80	-	33.00	8.26	35.43			
PK	5.4672G	66.84	68.20	-1.36	61.00	3	Vertical	32	1.80	-	33.00	8.27	35.43			
PK	5.5872G	122.61	Inf	-Inf	116.75	3	Vertical	32	1.80	-	32.93	8.38	35.45			
AV	5.5824G	115.17	Inf	-Inf	109.31	3	Vertical	32	1.80	-	32.94	8.37	35.45			
PK	5.7376G	64.18	68.20	-4.02	57.68	3	Vertical	32	1.80	-	33.58	8.43	35.51			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4568G	66.26	74.00	-7.74	60.43	3	Horizontal	360	1.80	-	33.00	8.26	35.43			
AV	5.4552G	52.69	54.00	-1.31	46.86	3	Horizontal	360	1.80	-	33.00	8.26	35.43			
PK	5.4672G	66.86	68.20	-1.34	61.02	3	Horizontal	360	1.80	-	33.00	8.27	35.43			
PK	5.5872G	123.16	Inf	-Inf	117.30	3	Horizontal	360	1.80	-	32.93	8.38	35.45			
AV	5.572G	114.39	Inf	-Inf	108.52	3	Horizontal	360	1.80	-	32.96	8.36	35.45			
PK	5.7328G	64.99	68.20	-3.21	58.50	3	Horizontal	360	1.80	-	33.57	8.43	35.51			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1633G	58.74	74.00	-15.26	41.46	3	Vertical	173	1.07	-	38.90	11.69	33.31			
AV	11.15675G	47.08	54.00	-6.92	29.82	3	Vertical	173	1.07	-	38.90	11.68	33.32			
PK	16.7328G	60.82	68.20	-7.38	40.88	3	Vertical	80	1.42	-	38.27	14.63	32.96			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16875G	58.12	74.00	-15.88	40.84	3	Horizontal	199	1.24	-	38.90	11.69	33.31			
AV	11.163G	47.07	54.00	-6.93	29.79	3	Horizontal	199	1.24	-	38.90	11.69	33.31			
PK	16.73075G	61.93	68.20	-6.27	41.98	3	Horizontal	207	1.63	-	38.28	14.63	32.96			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 71
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7064G	115.10	Inf	-Inf	108.67	3	Vertical	28.7	2.07	-	33.51	8.42	35.50			
AV	5.7012G	107.44	Inf	-Inf	101.02	3	Vertical	28.7	2.07	-	33.50	8.42	35.50			
PK	5.727G	67.16	68.20	-1.04	60.69	3	Vertical	28.7	2.07	-	33.55	8.43	35.51			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 71
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6974G	115.58	Inf	-Inf	109.18	3	Horizontal	360	1.80	-	33.48	8.42	35.50			
AV	5.6974G	107.95	Inf	-Inf	101.55	3	Horizontal	360	1.80	-	33.48	8.42	35.50			
PK	5.7282G	66.53	68.20	-1.67	60.05	3	Horizontal	360	1.80	-	33.56	8.43	35.51			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 71
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40865G	58.66	74.00	-15.34	40.75	3	Vertical	181	2.36	-	39.18	11.82	33.09			
AV	11.4006G	47.42	54.00	-6.58	29.51	3	Vertical	181	2.36	-	39.20	11.81	33.10			
PK	17.09685G	59.73	68.20	-8.47	39.43	3	Vertical	350	2.27	-	38.31	14.83	32.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 71
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4042G	58.89	74.00	-15.11	40.99	3	Horizontal	47	1.64	-	39.19	11.81	33.10			
AV	11.40165G	47.24	54.00	-6.76	29.33	3	Horizontal	47	1.64	-	39.20	11.81	33.10			
PK	17.10425G	59.51	68.20	-8.69	39.22	3	Horizontal	240	1.20	-	38.31	14.83	32.85			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7168G	123.04	Inf	-Inf	116.58	3	Vertical	25	1.80	-	33.53	8.43	35.50			
AV	5.7224G	114.14	Inf	-Inf	107.67	3	Vertical	25	1.80	-	33.54	8.43	35.50			
PK	5.8768G	66.07	68.20	-2.13	58.94	3	Vertical	25	1.80	-	34.21	8.48	35.56			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7224G	123.98	Inf	-Inf	117.51	3	Horizontal	0	1.80	-	33.54	8.43	35.50			
AV	5.7224G	115.83	Inf	-Inf	109.36	3	Horizontal	0	1.80	-	33.54	8.43	35.50			
PK	5.8816G	66.43	68.20	-1.77	59.28	3	Horizontal	0	1.80	-	34.23	8.49	35.57			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4363G	57.87	74.00	-16.13	39.98	3	Vertical	201	2.11	-	39.13	11.83	33.07			
AV	11.42885G	46.85	54.00	-7.15	28.95	3	Vertical	201	2.11	-	39.14	11.83	33.07			
PK	17.15865G	60.10	68.20	-8.10	39.71	3	Vertical	68	2.53	-	38.43	14.86	32.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4422G	58.52	74.00	-15.48	40.63	3	Horizontal	339	1.87	-	39.12	11.83	33.06			
AV	11.4331G	47.54	54.00	-6.46	29.65	3	Horizontal	339	1.87	-	39.13	11.83	33.07			
PK	17.153G	60.23	68.20	-7.97	39.86	3	Horizontal	198	1.55	-	38.41	14.86	32.90			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 101
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.641G	67.74	68.20	-0.46	61.75	3	Vertical	24	2.06	-	33.06	8.40	35.47			
PK	5.746G	122.75	Inf	-Inf	116.24	3	Vertical	24	2.06	-	33.59	8.43	35.51			
AV	5.747G	114.25	Inf	-Inf	107.74	3	Vertical	24	2.06	-	33.59	8.43	35.51			
PK	5.952G	63.17	68.20	-5.03	55.94	3	Vertical	24	2.06	-	34.30	8.52	35.59			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 101
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	67.63	68.20	-0.57	61.61	3	Horizontal	0	1.80	-	33.10	8.40	35.48			
PK	5.752G	123.32	Inf	-Inf	116.79	3	Horizontal	0	1.80	-	33.61	8.44	35.52			
AV	5.748G	114.68	Inf	-Inf	108.16	3	Horizontal	0	1.80	-	33.60	8.43	35.51			
PK	5.933G	63.93	68.20	-4.27	56.70	3	Horizontal	0	1.80	-	34.30	8.51	35.58			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 101
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4832G	57.90	74.00	-16.10	40.04	3	Vertical	157	1.80	-	39.03	11.86	33.03			
AV	11.48265G	47.16	54.00	-6.84	29.30	3	Vertical	157	1.80	-	39.03	11.86	33.03			
PK	17.23125G	60.64	68.20	-7.56	39.99	3	Vertical	48	2.63	-	38.73	14.90	32.98			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 101
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4906G	57.52	74.00	-16.48	39.66	3	Horizontal	253	2.28	-	39.02	11.86	33.02			
AV	11.4775G	46.67	54.00	-7.33	28.80	3	Horizontal	253	2.28	-	39.05	11.85	33.03			
PK	17.22325G	60.85	68.20	-7.35	40.24	3	Horizontal	30	1.47	-	38.69	14.89	32.97			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.626G	64.67	68.20	-3.53	58.74	3	Vertical	26	2.02	-	33.00	8.40	35.47			
PK	5.782G	124.27	Inf	-Inf	117.57	3	Vertical	26	2.02	-	33.79	8.44	35.53			
AV	5.786G	115.89	Inf	-Inf	109.15	3	Vertical	26	2.02	-	33.82	8.45	35.53			
PK	5.941G	65.88	68.20	-2.32	58.66	3	Vertical	26	2.02	-	34.30	8.51	35.59			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.628G	65.05	68.20	-3.15	59.11	3	Horizontal	18.4	1.80	-	33.01	8.40	35.47			
PK	5.783G	124.00	Inf	-Inf	117.29	3	Horizontal	18.4	1.80	-	33.80	8.44	35.53			
AV	5.787G	115.77	Inf	-Inf	109.03	3	Horizontal	18.4	1.80	-	33.82	8.45	35.53			
PK	5.946G	66.39	68.20	-1.81	59.16	3	Horizontal	18.4	1.80	-	34.30	8.52	35.59			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5803G	58.73	74.00	-15.27	41.22	3	Vertical	206	1.33	-	38.68	11.91	33.08			
AV	11.568G	46.91	54.00	-7.09	29.35	3	Vertical	206	1.33	-	38.73	11.90	33.07			
PK	17.3568G	61.15	68.20	-7.05	40.29	3	Vertical	291	2.23	-	39.01	14.96	33.11			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56465G	58.17	74.00	-15.83	40.60	3	Horizontal	134	2.86	-	38.74	11.90	33.07			
AV	11.5756G	47.19	54.00	-6.81	29.66	3	Horizontal	134	2.86	-	38.70	11.91	33.08			
PK	17.3464G	60.51	68.20	-7.69	39.66	3	Horizontal	255	2.96	-	38.99	14.96	33.10			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 100
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.638G	61.04	68.20	-7.16	55.06	3	Vertical	16	1.80	-	33.05	8.40	35.47			
PK	5.827G	123.24	Inf	-Inf	116.31	3	Vertical	16	1.80	-	34.01	8.46	35.54			
AV	5.821G	115.44	Inf	-Inf	108.54	3	Vertical	16	1.80	-	33.98	8.46	35.54			
PK	5.925G	67.27	68.20	-0.93	60.04	3	Vertical	16	1.80	-	34.30	8.51	35.58			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 100
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.597G	61.19	68.20	-7.01	55.35	3	Horizontal	0	1.80	-	32.91	8.39	35.46				
PK	5.832G	123.81	Inf	-Inf	116.87	3	Horizontal	0	1.80	-	34.03	8.46	35.55				
AV	5.832G	115.90	Inf	-Inf	108.96	3	Horizontal	0	1.80	-	34.03	8.46	35.55				
PK	5.923G	69.37	69.68	-0.31	62.14	3	Horizontal	0	1.80	-	34.30	8.51	35.58				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 100
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6545G	57.48	74.00	-16.52	40.18	3	Vertical	76	1.97	-	38.50	11.95	33.15			
AV	11.6609G	46.20	54.00	-7.80	28.90	3	Vertical	76	1.97	-	38.50	11.95	33.15			
PK	17.4829G	60.47	68.20	-7.73	39.58	3	Vertical	254	2.73	-	39.10	15.03	33.24			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 100
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6386G	57.52	74.00	-16.48	40.19	3	Horizontal	249	1.09	-	38.52	11.94	33.13			
AV	11.642G	46.34	54.00	-7.66	29.01	3	Horizontal	249	1.09	-	38.52	11.94	33.13			
PK	17.4642G	60.67	68.20	-7.53	39.77	3	Horizontal	223	2.09	-	39.10	15.02	33.22			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 66
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	71.20	74.00	-2.80	65.36	3	Vertical	37	1.80	-	33.29	8.07	35.52			
AV	5.1492G	52.78	54.00	-1.22	46.93	3	Vertical	37	1.80	-	33.30	8.07	35.52			
PK	5.181G	116.11	Inf	-Inf	110.35	3	Vertical	37	1.80	-	33.18	8.09	35.51			
AV	5.1812G	105.57	Inf	-Inf	99.81	3	Vertical	37	1.80	-	33.18	8.09	35.51			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 66
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	72.73	74.00	-1.27	66.88	3	Horizontal	15	1.80	-	33.30	8.07	35.52			
AV	5.1488G	53.99	54.00	-0.01	48.14	3	Horizontal	15	1.80	-	33.30	8.07	35.52			
PK	5.1784G	117.19	Inf	-Inf	111.42	3	Horizontal	15	1.80	-	33.19	8.09	35.51			
AV	5.1814G	106.29	Inf	-Inf	100.54	3	Horizontal	15	1.80	-	33.17	8.09	35.51			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 66
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35675G	57.69	68.20	-10.51	41.04	3	Vertical	102	2.30	-	38.99	11.26	33.60			
PK	15.53405G	60.30	74.00	-13.70	41.14	3	Vertical	121	1.65	-	38.46	14.24	33.54			
AV	15.5493G	49.75	54.00	-4.25	30.63	3	Vertical	121	1.65	-	38.40	14.24	33.52			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 66
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34755G	57.21	68.20	-10.99	40.54	3	Horizontal	126	2.30	-	39.00	11.25	33.58			
PK	15.53255G	60.55	74.00	-13.45	41.38	3	Horizontal	32	1.24	-	38.47	14.24	33.54			
AV	15.5402G	49.66	54.00	-4.34	30.51	3	Horizontal	32	1.24	-	38.44	14.24	33.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 75
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	67.88	74.00	-6.12	62.05	3	Vertical	23	1.80	-	33.28	8.07	35.52			
AV	5.15G	52.90	54.00	-1.10	47.05	3	Vertical	23	1.80	-	33.30	8.07	35.52			
PK	5.206G	118.89	Inf	-Inf	113.19	3	Vertical	23	1.80	-	33.10	8.10	35.50			
AV	5.2072G	108.47	Inf	-Inf	102.77	3	Vertical	23	1.80	-	33.10	8.10	35.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
Setting 75
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	69.05	74.00	-4.95	63.22	3	Horizontal	12	1.80	-	33.28	8.07	35.52			
AV	5.1492G	53.89	54.00	-0.11	48.04	3	Horizontal	12	1.80	-	33.30	8.07	35.52			
PK	5.1932G	119.71	Inf	-Inf	113.99	3	Horizontal	12	1.80	-	33.13	8.10	35.51			
AV	5.2072G	109.12	Inf	-Inf	103.42	3	Horizontal	12	1.80	-	33.10	8.10	35.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 75
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39518G	56.82	68.20	-11.38	40.30	3	Vertical	23	2.12	-	38.91	11.28	33.67			
PK	15.59886G	60.29	74.00	-13.71	41.29	3	Vertical	215	2.21	-	38.20	14.24	33.44			
AV	15.60362G	50.32	54.00	-3.68	31.33	3	Vertical	215	2.21	-	38.18	14.24	33.43			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 75
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39962G	56.82	68.20	-11.38	40.31	3	Horizontal	105	1.70	-	38.90	11.28	33.67			
PK	15.60202G	60.28	74.00	-13.72	41.28	3	Horizontal	200	2.42	-	38.19	14.24	33.43			
AV	15.59846G	49.58	54.00	-4.42	30.57	3	Horizontal	200	2.42	-	38.21	14.24	33.44			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 87
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	67.56	74.00	-6.44	61.73	3	Vertical	16	1.80	-	33.28	8.07	35.52			
AV	5.15G	52.59	54.00	-1.41	46.74	3	Vertical	16	1.80	-	33.30	8.07	35.52			
PK	5.2334G	121.57	Inf	-Inf	115.84	3	Vertical	16	1.80	-	33.10	8.12	35.49			
AV	5.2472G	111.42	Inf	-Inf	105.68	3	Vertical	16	1.80	-	33.10	8.13	35.49			
PK	5.351G	62.37	74.00	-11.63	56.65	3	Vertical	16	1.80	-	33.00	8.18	35.46			
AV	5.3636G	51.51	54.00	-2.49	45.78	3	Vertical	16	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 87
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	67.85	74.00	-6.15	62.00	3	Horizontal	16	1.80	-	33.30	8.07	35.52			
AV	5.1482G	53.56	54.00	-0.44	47.72	3	Horizontal	16	1.80	-	33.29	8.07	35.52			
PK	5.246G	122.56	Inf	-Inf	116.82	3	Horizontal	16	1.80	-	33.10	8.13	35.49			
AV	5.2472G	111.73	Inf	-Inf	105.99	3	Horizontal	16	1.80	-	33.10	8.13	35.49			
PK	5.351G	63.39	74.00	-10.61	57.67	3	Horizontal	16	1.80	-	33.00	8.18	35.46			
AV	5.3648G	51.22	54.00	-2.78	45.49	3	Horizontal	16	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 87
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47838G	56.92	68.20	-11.28	40.57	3	Vertical	92	1.56	-	38.84	11.32	33.81			
PK	15.72294G	60.11	74.00	-13.89	40.97	3	Vertical	313	2.84	-	38.15	14.24	33.25			
AV	15.72438G	49.39	54.00	-4.61	30.25	3	Vertical	313	2.84	-	38.15	14.24	33.25			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 87
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47552G	57.66	68.20	-10.54	41.30	3	Horizontal	109	1.90	-	38.85	11.32	33.81			
PK	15.7223G	59.87	74.00	-14.13	40.74	3	Horizontal	21	2.49	-	38.14	14.24	33.25			
AV	15.72158G	49.83	54.00	-4.17	30.70	3	Horizontal	21	2.49	-	38.14	14.24	33.25			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 89
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.27	74.00	-8.73	59.42	3	Vertical	55	1.80	-	33.30	8.07	35.52			
AV	5.1496G	51.24	54.00	-2.76	45.39	3	Vertical	55	1.80	-	33.30	8.07	35.52			
PK	5.266G	121.07	Inf	-Inf	115.35	3	Vertical	55	1.80	-	33.07	8.14	35.49			
AV	5.2672G	111.54	Inf	-Inf	105.82	3	Vertical	55	1.80	-	33.07	8.14	35.49			
PK	5.3518G	65.48	74.00	-8.52	59.76	3	Vertical	55	1.80	-	33.00	8.18	35.46			
AV	5.35G	52.38	54.00	-1.62	46.66	3	Vertical	55	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 89
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	65.09	74.00	-8.91	59.24	3	Horizontal	12	1.80	-	33.30	8.07	35.52			
AV	5.1496G	52.43	54.00	-1.57	46.58	3	Horizontal	12	1.80	-	33.30	8.07	35.52			
PK	5.266G	122.98	Inf	-Inf	117.26	3	Horizontal	12	1.80	-	33.07	8.14	35.49			
AV	5.2612G	113.21	Inf	-Inf	107.49	3	Horizontal	12	1.80	-	33.08	8.13	35.49			
PK	5.3524G	68.38	74.00	-5.62	62.66	3	Horizontal	12	1.80	-	33.00	8.18	35.46			
AV	5.3518G	53.53	54.00	-0.47	47.81	3	Horizontal	12	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 89
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51566G	56.90	68.20	-11.30	40.57	3	Vertical	326	2.94	-	38.83	11.34	33.84			
PK	15.77546G	59.43	74.00	-14.57	40.30	3	Vertical	352	2.91	-	38.05	14.25	33.17			
AV	15.77704G	48.28	54.00	-5.72	29.16	3	Vertical	352	2.91	-	38.04	14.25	33.17			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 89
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52306G	56.97	68.20	-11.23	40.60	3	Horizontal	86	1.52	-	38.85	11.35	33.83			
PK	15.7811G	59.26	74.00	-14.74	40.16	3	Horizontal	303	2.33	-	38.01	14.25	33.16			
AV	15.78222G	48.44	54.00	-5.56	29.34	3	Horizontal	303	2.33	-	38.01	14.25	33.16			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 76
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.296G	118.77	Inf	-Inf	113.09	3	Vertical	47	1.80	-	33.01	8.15	35.48			
AV	5.3016G	107.75	Inf	-Inf	102.07	3	Vertical	47	1.80	-	33.00	8.16	35.48			
PK	5.35G	69.38	74.00	-4.62	63.66	3	Vertical	47	1.80	-	33.00	8.18	35.46			
AV	5.3512G	53.27	54.00	-0.73	47.55	3	Vertical	47	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 76
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.306G	120.14	Inf	-Inf	114.45	3	Horizontal	11	1.80	-	33.00	8.16	35.47			
AV	5.3012G	109.37	Inf	-Inf	103.69	3	Horizontal	11	1.80	-	33.00	8.16	35.48			
PK	5.35G	69.80	74.00	-4.20	64.08	3	Horizontal	11	1.80	-	33.00	8.18	35.46			
AV	5.35G	53.82	54.00	-0.18	48.10	3	Horizontal	11	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 76
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59514G	57.21	68.20	-10.99	40.43	3	Vertical	330	1.39	-	39.17	11.39	33.78			
PK	15.89576G	59.86	74.00	-14.14	40.62	3	Vertical	301	2.67	-	37.98	14.25	32.99			
AV	15.90282G	49.02	54.00	-4.98	29.76	3	Vertical	301	2.67	-	37.99	14.25	32.98			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 76
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59792G	58.04	68.20	-10.16	41.23	3	Horizontal	330	2.37	-	39.19	11.39	33.77			
PK	15.9009G	59.98	74.00	-14.02	40.71	3	Horizontal	289	1.19	-	38.00	14.25	32.98			
AV	15.90228G	49.06	54.00	-4.94	29.80	3	Horizontal	289	1.19	-	37.99	14.25	32.98			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 66
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3206G	116.40	Inf	-Inf	110.70	3	Vertical	46	2.12	-	33.00	8.17	35.47				
AV	5.3214G	106.08	Inf	-Inf	100.38	3	Vertical	46	2.12	-	33.00	8.17	35.47				
PK	5.3506G	71.07	74.00	-2.93	65.35	3	Vertical	46	2.12	-	33.00	8.18	35.46				
AV	5.3508G	53.82	54.00	-0.18	48.10	3	Vertical	46	2.12	-	33.00	8.18	35.46				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 66
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3182G	116.42	Inf	-Inf	110.72	3	Horizontal	8	1.80	-	33.00	8.17	35.47			
AV	5.3258G	106.08	Inf	-Inf	100.38	3	Horizontal	8	1.80	-	33.00	8.17	35.47			
PK	5.3506G	70.87	74.00	-3.13	65.15	3	Horizontal	8	1.80	-	33.00	8.18	35.46			
AV	5.3508G	53.46	54.00	-0.54	47.74	3	Horizontal	8	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 66
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63746G	57.36	74.00	-16.64	40.34	3	Vertical	92	2.52	-	39.35	11.41	33.74			
AV	10.63644G	46.43	54.00	-7.57	29.41	3	Vertical	92	2.52	-	39.35	11.41	33.74			
PK	15.9584G	59.74	74.00	-14.26	40.60	3	Vertical	99	1.02	-	37.78	14.25	32.89			
AV	15.95578G	50.20	54.00	-3.80	31.06	3	Vertical	99	1.02	-	37.79	14.25	32.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 66
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6398G	57.61	74.00	-16.39	40.58	3	Horizontal	327	1.66	-	39.36	11.41	33.74			
AV	10.645G	46.06	54.00	-7.94	29.01	3	Horizontal	327	1.66	-	39.38	11.41	33.74			
PK	15.96198G	60.13	74.00	-13.87	40.99	3	Horizontal	159	2.04	-	37.78	14.25	32.89			
AV	15.957G	49.05	54.00	-4.95	29.91	3	Horizontal	159	2.04	-	37.79	14.25	32.90			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 63
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4536G	61.08	74.00	-12.92	55.25	3	Vertical	42	1.80	-	33.00	8.26	35.43			
AV	5.4534G	51.54	54.00	-2.46	45.71	3	Vertical	42	1.80	-	33.00	8.26	35.43			
PK	5.4688G	65.96	68.20	-2.24	60.12	3	Vertical	42	1.80	-	33.00	8.27	35.43			
PK	5.4964G	115.55	Inf	-Inf	109.67	3	Vertical	42	1.80	-	33.00	8.30	35.42			
AV	5.4976G	105.02	Inf	-Inf	99.14	3	Vertical	42	1.80	-	33.00	8.30	35.42			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 63
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	61.20	74.00	-12.80	55.37	3	Horizontal	10	1.80	-	33.00	8.26	35.43			
AV	5.457G	50.67	54.00	-3.33	44.84	3	Horizontal	10	1.80	-	33.00	8.26	35.43			
PK	5.4688G	66.67	68.20	-1.53	60.83	3	Horizontal	10	1.80	-	33.00	8.27	35.43			
PK	5.4936G	115.70	Inf	-Inf	109.83	3	Horizontal	10	1.80	-	33.00	8.29	35.42			
AV	5.4922G	105.11	Inf	-Inf	99.24	3	Horizontal	10	1.80	-	33.00	8.29	35.42			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 63
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99604G	57.67	74.00	-16.33	40.62	3	Vertical	99	2.21	-	38.91	11.60	33.46			
AV	10.99778G	47.07	54.00	-6.93	30.03	3	Vertical	99	2.21	-	38.90	11.60	33.46			
PK	16.4977G	60.36	68.20	-7.84	40.40	3	Vertical	187	1.51	-	38.60	14.51	33.15			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 63
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00244G	57.64	74.00	-16.36	40.60	3	Horizontal	284	2.53	-	38.90	11.60	33.46			
AV	11.00236G	47.04	54.00	-6.96	30.00	3	Horizontal	284	2.53	-	38.90	11.60	33.46			
PK	16.495G	60.22	68.20	-7.98	40.27	3	Horizontal	168	2.92	-	38.59	14.51	33.15			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 98
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	65.98	74.00	-8.02	60.15	3	Vertical	37	1.80	-	33.00	8.26	35.43			
AV	5.4592G	53.10	54.00	-0.90	47.27	3	Vertical	37	1.80	-	33.00	8.26	35.43			
PK	5.468G	67.09	68.20	-1.11	61.25	3	Vertical	37	1.80	-	33.00	8.27	35.43			
PK	5.5864G	122.65	Inf	-Inf	116.79	3	Vertical	37	1.80	-	32.93	8.38	35.45			
AV	5.584G	112.45	Inf	-Inf	106.59	3	Vertical	37	1.80	-	32.93	8.38	35.45			
PK	5.728G	63.77	68.20	-4.43	57.29	3	Vertical	37	1.80	-	33.56	8.43	35.51			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 98
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	66.69	74.00	-7.31	60.86	3	Horizontal	360	1.80	-	33.00	8.26	35.43			
AV	5.4568G	53.26	54.00	-0.74	47.43	3	Horizontal	360	1.80	-	33.00	8.26	35.43			
PK	5.4672G	68.14	68.20	-0.06	62.30	3	Horizontal	360	1.80	-	33.00	8.27	35.43			
PK	5.5816G	123.54	Inf	-Inf	117.68	3	Horizontal	360	1.80	-	32.94	8.37	35.45			
AV	5.572G	113.59	Inf	-Inf	107.72	3	Horizontal	360	1.80	-	32.96	8.36	35.45			
PK	5.7328G	64.57	68.20	-3.63	58.08	3	Horizontal	360	1.80	-	33.57	8.43	35.51			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 98
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15934G	58.05	74.00	-15.95	40.79	3	Vertical	96	2.48	-	38.90	11.68	33.32			
AV	11.1637G	47.98	54.00	-6.02	30.70	3	Vertical	96	2.48	-	38.90	11.69	33.31			
PK	16.7352G	60.56	68.20	-7.64	40.62	3	Vertical	175	2.14	-	38.26	14.64	32.96			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 98
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15976G	57.75	74.00	-16.25	40.49	3	Horizontal	197	1.08	-	38.90	11.68	33.32			
AV	11.15522G	47.58	54.00	-6.42	30.32	3	Horizontal	197	1.08	-	38.90	11.68	33.32			
PK	16.73536G	60.38	68.20	-7.82	40.44	3	Horizontal	188	2.09	-	38.26	14.64	32.96			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 62
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6962G	114.59	Inf	-Inf	108.19	3	Vertical	32	1.80	-	33.47	8.42	35.49			
AV	5.6962G	103.52	Inf	-Inf	97.12	3	Vertical	32	1.80	-	33.47	8.42	35.49			
PK	5.726G	64.15	68.20	-4.05	57.68	3	Vertical	32	1.80	-	33.55	8.43	35.51			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 62
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6936G	115.77	Inf	-Inf	109.39	3	Horizontal	0	1.80	-	33.45	8.42	35.49			
AV	5.6976G	105.00	Inf	-Inf	98.60	3	Horizontal	0	1.80	-	33.48	8.42	35.50			
PK	5.726G	66.57	68.20	-1.63	60.10	3	Horizontal	0	1.80	-	33.55	8.43	35.51			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 62
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40038G	58.31	74.00	-15.69	40.40	3	Vertical	208	1.33	-	39.20	11.81	33.10			
AV	11.39582G	47.73	54.00	-6.27	29.82	3	Vertical	208	1.33	-	39.20	11.81	33.10			
PK	17.10258G	59.54	68.20	-8.66	39.25	3	Vertical	206	1.03	-	38.31	14.83	32.85			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 62
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4013G	58.23	74.00	-15.77	40.32	3	Horizontal	190	1.30	-	39.20	11.81	33.10			
AV	11.40072G	47.40	54.00	-6.60	29.49	3	Horizontal	190	1.30	-	39.20	11.81	33.10			
PK	17.1006G	59.24	68.20	-8.96	38.95	3	Horizontal	336	1.82	-	38.30	14.83	32.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7216G	123.06	Inf	-Inf	116.59	3	Vertical	26	1.80	-	33.54	8.43	35.50			
AV	5.7176G	113.08	Inf	-Inf	106.61	3	Vertical	26	1.80	-	33.54	8.43	35.50			
PK	5.8864G	64.99	68.20	-3.21	57.82	3	Vertical	26	1.80	-	34.25	8.49	35.57			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7288G	123.22	Inf	-Inf	116.74	3	Horizontal	360	1.80	-	33.56	8.43	35.51			
AV	5.7136G	113.96	Inf	-Inf	107.51	3	Horizontal	360	1.80	-	33.53	8.42	35.50			
PK	5.8832G	66.74	68.20	-1.46	59.59	3	Horizontal	360	1.80	-	34.23	8.49	35.57			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44464G	57.90	74.00	-16.10	40.01	3	Vertical	11	1.04	-	39.11	11.84	33.06			
AV	11.44482G	46.88	54.00	-7.12	28.99	3	Vertical	11	1.04	-	39.11	11.84	33.06			
PK	17.16454G	59.96	68.20	-8.24	39.55	3	Vertical	352	2.95	-	38.46	14.86	32.91			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44362G	58.31	74.00	-15.69	40.42	3	Horizontal	229	2.68	-	39.11	11.84	33.06			
AV	11.43622G	47.26	54.00	-6.74	29.37	3	Horizontal	229	2.68	-	39.13	11.83	33.07			
PK	17.15952G	59.97	68.20	-8.23	39.58	3	Horizontal	303	2.23	-	38.44	14.86	32.91			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 94
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	66.39	68.20	-1.81	60.36	3	Vertical	30	2.00	-	33.10	8.41	35.48			
PK	5.753G	122.22	Inf	-Inf	115.68	3	Vertical	30	2.00	-	33.62	8.44	35.52			
AV	5.747G	112.04	Inf	-Inf	105.53	3	Vertical	30	2.00	-	33.59	8.43	35.51			
PK	5.966G	63.04	68.20	-5.16	55.85	3	Vertical	30	2.00	-	34.27	8.52	35.60			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 94
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	67.80	68.20	-0.40	61.79	3	Horizontal	360	1.80	-	33.09	8.40	35.48			
PK	5.751G	123.41	Inf	-Inf	116.88	3	Horizontal	360	1.80	-	33.61	8.44	35.52			
AV	5.737G	113.49	Inf	-Inf	107.00	3	Horizontal	360	1.80	-	33.57	8.43	35.51			
PK	5.966G	62.98	68.20	-5.22	55.79	3	Horizontal	360	1.80	-	34.27	8.52	35.60			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 94
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48594G	57.78	74.00	-16.22	39.91	3	Vertical	81	2.93	-	39.03	11.86	33.02			
AV	11.48884G	46.34	54.00	-7.66	28.48	3	Vertical	81	2.93	-	39.02	11.86	33.02			
PK	17.23414G	60.21	68.20	-7.99	39.55	3	Vertical	342	1.75	-	38.74	14.90	32.98			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 94
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49074G	57.18	74.00	-16.82	39.32	3	Horizontal	56	1.82	-	39.02	11.86	33.02			
AV	11.48606G	46.33	54.00	-7.67	28.46	3	Horizontal	56	1.82	-	39.03	11.86	33.02			
PK	17.2327G	60.87	68.20	-7.33	40.22	3	Horizontal	117	2.58	-	38.73	14.90	32.98			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.631G	63.91	68.20	-4.29	57.96	3	Vertical	20	1.80	-	33.02	8.40	35.47			
PK	5.779G	122.91	Inf	-Inf	116.23	3	Vertical	20	1.80	-	33.77	8.44	35.53			
AV	5.791G	112.91	Inf	-Inf	106.14	3	Vertical	20	1.80	-	33.85	8.45	35.53			
PK	5.928G	65.41	68.20	-2.79	58.18	3	Vertical	20	1.80	-	34.30	8.51	35.58			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.634G	64.50	68.20	-3.70	58.53	3	Horizontal	0	1.80	-	33.04	8.40	35.47			
PK	5.788G	124.06	Inf	-Inf	117.31	3	Horizontal	0	1.80	-	33.83	8.45	35.53			
AV	5.778G	114.47	Inf	-Inf	107.79	3	Horizontal	0	1.80	-	33.77	8.44	35.53			
PK	5.948G	66.31	68.20	-1.89	59.08	3	Horizontal	0	1.80	-	34.30	8.52	35.59			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57016G	58.32	74.00	-15.68	40.77	3	Vertical	185	1.16	-	38.72	11.90	33.07			
AV	11.57334G	46.78	54.00	-7.22	29.24	3	Vertical	185	1.16	-	38.71	11.90	33.07			
PK	17.3557G	60.86	68.20	-7.34	40.00	3	Vertical	175	2.85	-	39.01	14.96	33.11			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56964G	57.64	74.00	-16.36	40.09	3	Horizontal	191	1.91	-	38.72	11.90	33.07			
AV	11.56744G	47.38	54.00	-6.62	29.82	3	Horizontal	191	1.91	-	38.73	11.90	33.07			
PK	17.35692G	60.58	68.20	-7.62	39.72	3	Horizontal	212	2.89	-	39.01	14.96	33.11			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 93
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	60.68	68.20	-7.52	54.67	3	Vertical	21	1.80	-	33.08	8.40	35.47			
PK	5.831G	123.40	Inf	-Inf	116.47	3	Vertical	21	1.80	-	34.02	8.46	35.55			
AV	5.823G	112.94	Inf	-Inf	106.03	3	Vertical	21	1.80	-	33.99	8.46	35.54			
PK	5.927G	67.03	68.20	-1.17	59.80	3	Vertical	21	1.80	-	34.30	8.51	35.58			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 93
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.625G	61.96	68.20	-6.24	56.03	3	Horizontal	0	1.80	-	33.00	8.40	35.47			
PK	5.831G	125.07	Inf	-Inf	118.14	3	Horizontal	0	1.80	-	34.02	8.46	35.55			
AV	5.823G	114.92	Inf	-Inf	108.01	3	Horizontal	0	1.80	-	33.99	8.46	35.54			
PK	5.927G	67.60	68.20	-0.60	60.37	3	Horizontal	0	1.80	-	34.30	8.51	35.58			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 93
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65154G	57.45	74.00	-16.55	40.14	3	Vertical	143	1.01	-	38.50	11.95	33.14			
AV	11.64702G	46.67	54.00	-7.33	29.36	3	Vertical	143	1.01	-	38.51	11.94	33.14			
PK	17.47556G	60.96	68.20	-7.24	40.07	3	Vertical	318	1.74	-	39.10	15.02	33.23			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 93
05-P-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6469G	57.33	74.00	-16.67	40.02	3	Horizontal	211	1.68	-	38.51	11.94	33.14			
AV	11.65136G	46.55	54.00	-7.45	29.24	3	Horizontal	211	1.68	-	38.50	11.95	33.14			
PK	17.47252G	60.69	68.20	-7.51	39.80	3	Horizontal	264	2.07	-	39.10	15.02	33.23			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 63
05-P-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	70.23	74.00	-3.77	64.39	3	Vertical	25	1.80	-	33.29	8.07	35.52			
AV	5.148G	53.25	54.00	-0.75	47.41	3	Vertical	25	1.80	-	33.29	8.07	35.52			
PK	5.1988G	111.83	Inf	-Inf	106.13	3	Vertical	25	1.80	-	33.10	8.10	35.50			
AV	5.1872G	101.80	Inf	-Inf	96.07	3	Vertical	25	1.80	-	33.15	8.09	35.51			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 63
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	72.49	74.00	-1.51	66.65	3	Horizontal	13	1.80	-	33.29	8.07	35.52			
AV	5.1484G	53.94	54.00	-0.06	48.10	3	Horizontal	13	1.80	-	33.29	8.07	35.52			
PK	5.1884G	112.61	Inf	-Inf	106.88	3	Horizontal	13	1.80	-	33.15	8.09	35.51			
AV	5.1924G	102.16	Inf	-Inf	96.44	3	Horizontal	13	1.80	-	33.13	8.10	35.51			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 63
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37894G	55.78	68.20	-12.42	39.21	3	Vertical	49	2.52	-	38.94	11.27	33.64			
PK	15.57128G	60.32	74.00	-13.68	41.25	3	Vertical	157	2.07	-	38.31	14.24	33.48			
AV	15.57094G	50.50	54.00	-3.50	31.42	3	Vertical	157	2.07	-	38.32	14.24	33.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 63
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38004G	55.98	68.20	-12.22	39.41	3	Horizontal	301	2.75	-	38.94	11.27	33.64			
PK	15.57144G	60.13	74.00	-13.87	41.06	3	Horizontal	75	1.71	-	38.31	14.24	33.48			
AV	15.5706G	50.44	54.00	-3.56	31.36	3	Horizontal	75	1.71	-	38.32	14.24	33.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 75
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	69.00	74.00	-5.00	63.16	3	Vertical	20	1.80	-	33.29	8.07	35.52			
AV	5.15G	53.09	54.00	-0.91	47.24	3	Vertical	20	1.80	-	33.30	8.07	35.52			
PK	5.2414G	114.37	Inf	-Inf	108.64	3	Vertical	20	1.80	-	33.10	8.12	35.49			
AV	5.2276G	104.72	Inf	-Inf	99.00	3	Vertical	20	1.80	-	33.10	8.12	35.50			
PK	5.3512G	62.95	74.00	-11.05	57.23	3	Vertical	20	1.80	-	33.00	8.18	35.46			
AV	5.3512G	51.01	54.00	-2.99	45.29	3	Vertical	20	1.80	-	33.00	8.18	35.46			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 75
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.45	74.00	-5.55	62.60	3	Horizontal	360	1.80	-	33.30	8.07	35.52			
AV	5.1484G	53.56	54.00	-0.44	47.72	3	Horizontal	360	1.80	-	33.29	8.07	35.52			
PK	5.2432G	115.32	Inf	-Inf	109.59	3	Horizontal	360	1.80	-	33.10	8.12	35.49			
AV	5.2474G	105.01	Inf	-Inf	99.27	3	Horizontal	360	1.80	-	33.10	8.13	35.49			
PK	5.3512G	63.95	74.00	-10.05	58.23	3	Horizontal	360	1.80	-	33.00	8.18	35.46			
AV	5.3662G	50.50	54.00	-3.50	44.77	3	Horizontal	360	1.80	-	33.00	8.19	35.46			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 75
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45989G	56.34	68.20	-11.86	39.93	3	Vertical	218	1.23	-	38.88	11.31	33.78			
PK	15.69095G	58.99	74.00	-15.01	39.99	3	Vertical	112	1.52	-	38.06	14.24	33.30			
AV	15.69105G	49.70	54.00	-4.30	30.70	3	Vertical	112	1.52	-	38.06	14.24	33.30			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 75
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4604G	56.31	68.20	-11.89	39.90	3	Horizontal	299	2.15	-	38.88	11.31	33.78			
PK	15.68868G	59.22	74.00	-14.78	40.23	3	Horizontal	104	2.55	-	38.05	14.24	33.30			
AV	15.68978G	50.03	54.00	-3.97	31.03	3	Horizontal	104	2.55	-	38.06	14.24	33.30			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 74
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1338G	62.56	74.00	-11.44	56.78	3	Vertical	12	1.80	-	33.24	8.06	35.52			
AV	5.1464G	50.13	54.00	-3.87	44.29	3	Vertical	12	1.80	-	33.29	8.07	35.52			
PK	5.2658G	115.46	Inf	-Inf	109.74	3	Vertical	12	1.80	-	33.07	8.14	35.49			
AV	5.2724G	104.11	Inf	-Inf	98.39	3	Vertical	12	1.80	-	33.06	8.14	35.48			
PK	5.3534G	67.24	74.00	-6.76	61.52	3	Vertical	12	1.80	-	33.00	8.18	35.46			
AV	5.3516G	52.19	54.00	-1.81	46.47	3	Vertical	12	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 74
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.23	74.00	-10.77	57.38	3	Horizontal	9	1.80	-	33.30	8.07	35.52			
AV	5.1488G	51.48	54.00	-2.52	45.63	3	Horizontal	9	1.80	-	33.30	8.07	35.52			
PK	5.2712G	115.88	Inf	-Inf	110.16	3	Horizontal	9	1.80	-	33.06	8.14	35.48			
AV	5.2874G	105.51	Inf	-Inf	99.81	3	Horizontal	9	1.80	-	33.03	8.15	35.48			
PK	5.351G	67.72	74.00	-6.28	62.00	3	Horizontal	9	1.80	-	33.00	8.18	35.46			
AV	5.3516G	53.52	54.00	-0.48	47.80	3	Horizontal	9	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 74
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54133G	55.45	68.20	-12.75	39.03	3	Vertical	286	1.52	-	38.88	11.36	33.82			
PK	15.81056G	58.79	74.00	-15.21	39.78	3	Vertical	88	1.29	-	37.88	14.25	33.12			
AV	15.81043G	49.24	54.00	-4.76	30.23	3	Vertical	88	1.29	-	37.88	14.25	33.12			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 74
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54101G	55.62	68.20	-12.58	39.20	3	Horizontal	354	1.59	-	38.88	11.36	33.82			
PK	15.81022G	58.51	74.00	-15.49	39.50	3	Horizontal	297	2.65	-	37.88	14.25	33.12			
AV	15.80927G	48.90	54.00	-5.10	29.89	3	Horizontal	297	2.65	-	37.88	14.25	33.12			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 64
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3084G	111.59	Inf	-Inf	105.90	3	Vertical	39	1.80	-	33.00	8.16	35.47			
AV	5.316G	100.88	Inf	-Inf	95.19	3	Vertical	39	1.80	-	33.00	8.16	35.47			
PK	5.3508G	71.51	74.00	-2.49	65.79	3	Vertical	39	1.80	-	33.00	8.18	35.46			
AV	5.3516G	53.35	54.00	-0.65	47.63	3	Vertical	39	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 64
05-P-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3084G	112.37	Inf	-Inf	106.68	3	Horizontal	3	1.80	-	33.00	8.16	35.47			
AV	5.3072G	101.56	Inf	-Inf	95.87	3	Horizontal	3	1.80	-	33.00	8.16	35.47			
PK	5.3516G	71.89	74.00	-2.11	66.17	3	Horizontal	3	1.80	-	33.00	8.18	35.46			
AV	5.3508G	53.94	54.00	-0.06	48.22	3	Horizontal	3	1.80	-	33.00	8.18	35.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 64
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61851G	57.07	74.00	-16.93	40.16	3	Vertical	48	1.20	-	39.27	11.40	33.76			
AV	10.62G	47.55	54.00	-6.45	30.63	3	Vertical	48	1.20	-	39.28	11.40	33.76			
PK	15.93107G	59.44	74.00	-14.56	40.24	3	Vertical	243	2.51	-	37.88	14.25	32.93			
AV	15.92943G	49.78	54.00	-4.22	30.59	3	Vertical	243	2.51	-	37.88	14.25	32.94			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 64
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61989G	57.66	74.00	-16.34	40.74	3	Horizontal	179	2.34	-	39.28	11.40	33.76			
AV	10.61882G	47.14	54.00	-6.86	30.22	3	Horizontal	179	2.34	-	39.28	11.40	33.76			
PK	15.93122G	59.80	74.00	-14.20	40.60	3	Horizontal	149	1.63	-	37.88	14.25	32.93			
AV	15.92883G	49.84	54.00	-4.16	30.65	3	Horizontal	149	1.63	-	37.88	14.25	32.94			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 60
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	65.30	74.00	-8.70	59.47	3	Vertical	44	1.80	-	33.00	8.26	35.43			
AV	5.4576G	50.81	54.00	-3.19	44.98	3	Vertical	44	1.80	-	33.00	8.26	35.43			
PK	5.47G	67.33	68.20	-0.87	61.49	3	Vertical	44	1.80	-	33.00	8.27	35.43			
PK	5.514G	111.13	Inf	-Inf	105.25	3	Vertical	44	1.80	-	33.00	8.31	35.43			
AV	5.5072G	100.48	Inf	-Inf	94.59	3	Vertical	44	1.80	-	33.00	8.31	35.42			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 60
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4516G	67.04	74.00	-6.96	61.21	3	Horizontal	7.9	1.80	-	33.00	8.26	35.43			
AV	5.4488G	50.59	54.00	-3.41	44.77	3	Horizontal	7.9	1.80	-	33.00	8.25	35.43			
PK	5.4688G	67.94	68.20	-0.26	62.10	3	Horizontal	7.9	1.80	-	33.00	8.27	35.43			
PK	5.514G	111.50	Inf	-Inf	105.62	3	Horizontal	7.9	1.80	-	33.00	8.31	35.43			
AV	5.5072G	100.65	Inf	-Inf	94.76	3	Horizontal	7.9	1.80	-	33.00	8.31	35.42			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 60
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01942G	57.04	74.00	-16.96	39.93	3	Vertical	155	1.68	-	38.94	11.61	33.44			
AV	11.0151G	47.64	54.00	-6.36	30.55	3	Vertical	155	1.68	-	38.93	11.61	33.45			
PK	16.52924G	59.62	68.20	-8.58	39.80	3	Vertical	348	1.40	-	38.42	14.53	33.13			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 60
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01544G	56.91	74.00	-17.09	39.82	3	Horizontal	144	2.36	-	38.93	11.61	33.45			
AV	11.01722G	47.71	54.00	-6.29	30.61	3	Horizontal	144	2.36	-	38.93	11.61	33.44			
PK	16.53232G	60.74	68.20	-7.46	40.92	3	Horizontal	80	2.13	-	38.41	14.53	33.12			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 73
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4558G	66.33	74.00	-7.67	60.50	3	Vertical	31	1.80	-	33.00	8.26	35.43			
AV	5.457G	51.88	54.00	-2.12	46.05	3	Vertical	31	1.80	-	33.00	8.26	35.43			
PK	5.469G	67.70	68.20	-0.50	61.86	3	Vertical	31	1.80	-	33.00	8.27	35.43			
PK	5.5536G	113.74	Inf	-Inf	107.84	3	Vertical	31	1.80	-	32.99	8.35	35.44			
AV	5.5476G	103.36	Inf	-Inf	97.46	3	Vertical	31	1.80	-	33.00	8.34	35.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 73
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4564G	66.20	74.00	-7.80	60.37	3	Horizontal	0	1.80	-	33.00	8.26	35.43			
AV	5.4564G	52.30	54.00	-1.70	46.47	3	Horizontal	0	1.80	-	33.00	8.26	35.43			
PK	5.4684G	68.07	68.20	-0.13	62.23	3	Horizontal	0	1.80	-	33.00	8.27	35.43			
PK	5.5512G	114.75	Inf	-Inf	108.84	3	Horizontal	0	1.80	-	33.00	8.35	35.44			
AV	5.5524G	104.64	Inf	-Inf	98.73	3	Horizontal	0	1.80	-	33.00	8.35	35.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 73
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10302G	57.09	74.00	-16.91	39.82	3	Vertical	192	1.12	-	38.99	11.65	33.37			
AV	11.10482G	47.14	54.00	-6.86	29.86	3	Vertical	192	1.12	-	38.99	11.66	33.37			
PK	16.64682G	59.78	68.20	-8.42	39.74	3	Vertical	169	2.48	-	38.48	14.59	33.03			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 73
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10456G	57.63	74.00	-16.37	40.35	3	Horizontal	213	1.87	-	38.99	11.66	33.37			
AV	11.10472G	47.20	54.00	-6.80	29.92	3	Horizontal	213	1.87	-	38.99	11.66	33.37			
PK	16.64686G	59.63	68.20	-8.57	39.59	3	Horizontal	110	2.41	-	38.48	14.59	33.03			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 68
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6838G	111.94	Inf	-Inf	105.64	3	Vertical	27	1.80	-	33.37	8.42	35.49			
AV	5.6874G	102.24	Inf	-Inf	95.91	3	Vertical	27	1.80	-	33.40	8.42	35.49			
PK	5.7282G	65.16	68.20	-3.04	58.68	3	Vertical	27	1.80	-	33.56	8.43	35.51			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 68
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6736G	114.12	Inf	-Inf	107.91	3	Horizontal	359.9	1.80	-	33.29	8.41	35.49			
AV	5.6874G	103.78	Inf	-Inf	97.45	3	Horizontal	359.9	1.80	-	33.40	8.42	35.49			
PK	5.7264G	67.70	68.20	-0.50	61.23	3	Horizontal	359.9	1.80	-	33.55	8.43	35.51			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 68
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34177G	57.25	74.00	-16.75	39.44	3	Vertical	345	1.73	-	39.18	11.78	33.15			
AV	11.34226G	47.84	54.00	-6.16	30.03	3	Vertical	345	1.73	-	39.18	11.78	33.15			
PK	17.01156G	60.32	68.20	-7.88	40.04	3	Vertical	91	1.14	-	38.25	14.78	32.75			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 68
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34249G	57.68	74.00	-16.32	39.87	3	Horizontal	113	1.32	-	39.18	11.78	33.15			
AV	11.33992G	47.49	54.00	-6.51	29.68	3	Horizontal	113	1.32	-	39.18	11.78	33.15			
PK	17.00766G	60.47	68.20	-7.73	40.21	3	Horizontal	330	2.95	-	38.23	14.78	32.75			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 93
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.446G	61.10	74.00	-12.90	55.29	3	Vertical	26	1.80	-	33.00	8.25	35.44			
PK	5.4688G	61.26	68.20	-6.94	55.42	3	Vertical	26	1.80	-	33.00	8.27	35.43			
AV	5.458G	51.43	54.00	-2.57	45.60	3	Vertical	26	1.80	-	33.00	8.26	35.43			
PK	5.7244G	117.85	Inf	-Inf	111.38	3	Vertical	26	1.80	-	33.55	8.43	35.51			
AV	5.7076G	108.50	Inf	-Inf	102.06	3	Vertical	26	1.80	-	33.52	8.42	35.50			
PK	5.8516G	68.03	68.20	-0.17	61.00	3	Vertical	26	1.80	-	34.11	8.47	35.55			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 93
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	61.48	74.00	-12.52	55.65	3	Horizontal	359.1	1.80	-	33.00	8.26	35.43			
AV	5.44G	51.08	54.00	-2.92	45.27	3	Horizontal	359.1	1.80	-	33.00	8.25	35.44			
PK	5.4616G	61.39	68.20	-6.81	55.55	3	Horizontal	359.1	1.80	-	33.00	8.27	35.43			
PK	5.7184G	119.85	Inf	-Inf	113.38	3	Horizontal	359.1	1.80	-	33.54	8.43	35.50			
AV	5.692G	109.66	Inf	-Inf	103.29	3	Horizontal	359.1	1.80	-	33.44	8.42	35.49			
PK	5.8516G	68.17	68.20	-0.03	61.14	3	Horizontal	359.1	1.80	-	34.11	8.47	35.55			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 93
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4207G	58.24	74.00	-15.76	40.34	3	Vertical	118	1.54	-	39.16	11.82	33.08			
AV	11.42061G	47.47	54.00	-6.53	29.57	3	Vertical	118	1.54	-	39.16	11.82	33.08			
PK	17.12908G	59.55	68.20	-8.65	39.22	3	Vertical	311	1.08	-	38.36	14.84	32.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 93
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42192G	57.86	74.00	-16.14	39.96	3	Horizontal	209.1	1.80	-	39.16	11.82	33.08			
AV	11.41352G	48.38	54.00	-5.62	30.48	3	Horizontal	209.1	1.80	-	39.17	11.82	33.09			
PK	17.12952G	59.78	68.20	-8.42	39.45	3	Horizontal	58	2.80	-	38.36	14.84	32.87			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 82
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.652G	68.60	69.68	-1.08	62.55	3	Vertical	26	1.80	-	33.12	8.41	35.48			
PK	5.769G	115.70	Inf	-Inf	109.07	3	Vertical	26	1.80	-	33.71	8.44	35.52			
AV	5.772G	106.80	Inf	-Inf	100.15	3	Vertical	26	1.80	-	33.73	8.44	35.52			
PK	5.931G	62.93	68.20	-5.27	55.70	3	Vertical	26	1.80	-	34.30	8.51	35.58			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 82
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.652G	69.46	69.68	-0.22	63.41	3	Horizontal	0	1.80	-	33.12	8.41	35.48			
PK	5.759G	117.05	Inf	-Inf	110.48	3	Horizontal	0	1.80	-	33.65	8.44	35.52			
AV	5.752G	107.50	Inf	-Inf	100.97	3	Horizontal	0	1.80	-	33.61	8.44	35.52			
PK	5.933G	63.32	68.20	-4.88	56.09	3	Horizontal	0	1.80	-	34.30	8.51	35.58			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 82
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51964G	56.76	74.00	-17.24	38.99	3	Vertical	50	1.95	-	38.92	11.88	33.03			
AV	11.5114G	47.27	54.00	-6.73	29.47	3	Vertical	50	1.95	-	38.95	11.87	33.02			
PK	17.26244G	59.64	68.20	-8.56	38.94	3	Vertical	317	1.97	-	38.80	14.91	33.01			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 82
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51334G	56.87	74.00	-17.13	39.07	3	Horizontal	249	1.80	-	38.95	11.87	33.02			
AV	11.5093G	47.20	54.00	-6.80	29.39	3	Horizontal	249	1.80	-	38.96	11.87	33.02			
PK	17.26836G	60.91	68.20	-7.29	40.21	3	Horizontal	286	1.81	-	38.80	14.92	33.02			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 85
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.641G	63.08	68.20	-5.12	57.09	3	Vertical	0	1.80	-	33.06	8.40	35.47				
PK	5.793G	116.92	Inf	-Inf	110.14	3	Vertical	0	1.80	-	33.86	8.45	35.53				
AV	5.792G	106.89	Inf	-Inf	100.12	3	Vertical	0	1.80	-	33.85	8.45	35.53				
PK	5.924G	68.80	68.94	-0.14	61.57	3	Vertical	0	1.80	-	34.30	8.51	35.58				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 85
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.626G	64.25	68.20	-3.95	58.32	3	Horizontal	359.9	1.80	-	33.00	8.40	35.47			
PK	5.804G	119.31	Inf	-Inf	112.48	3	Horizontal	359.9	1.80	-	33.92	8.45	35.54			
AV	5.797G	108.90	Inf	-Inf	102.10	3	Horizontal	359.9	1.80	-	33.88	8.45	35.53			
PK	5.926G	67.36	68.20	-0.84	60.13	3	Horizontal	359.9	1.80	-	34.30	8.51	35.58			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 85
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59099G	57.49	74.00	-16.51	40.03	3	Vertical	64	1.86	-	38.64	11.91	33.09			
AV	11.58932G	47.61	54.00	-6.39	30.15	3	Vertical	64	1.86	-	38.64	11.91	33.09			
PK	17.38527G	59.90	68.20	-8.30	38.99	3	Vertical	73	3.00	-	39.07	14.98	33.14			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 85
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58124G	57.65	74.00	-16.35	40.14	3	Horizontal	263	1.12	-	38.68	11.91	33.08			
AV	11.586G	47.70	54.00	-6.30	30.22	3	Horizontal	263	1.12	-	38.66	11.91	33.09			
PK	17.38596G	59.00	68.20	-9.20	38.09	3	Horizontal	125	1.61	-	39.07	14.98	33.14			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 61
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	72.92	74.00	-1.08	67.08	3	Vertical	17	1.80	-	33.29	8.07	35.52			
AV	5.147G	53.97	54.00	-0.03	48.13	3	Vertical	17	1.80	-	33.29	8.07	35.52			
PK	5.219G	107.41	Inf	-Inf	101.70	3	Vertical	17	1.80	-	33.10	8.11	35.50			
AV	5.207G	98.42	Inf	-Inf	92.72	3	Vertical	17	1.80	-	33.10	8.10	35.50			
PK	5.439G	60.84	74.00	-13.16	55.03	3	Vertical	17	1.80	-	33.00	8.25	35.44			
AV	5.386G	50.29	54.00	-3.71	44.54	3	Vertical	17	1.80	-	33.00	8.20	35.45			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 61
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	73.50	74.00	-0.50	67.66	3	Horizontal	5	1.80	-	33.29	8.07	35.52			
AV	5.148G	53.68	54.00	-0.32	47.84	3	Horizontal	5	1.80	-	33.29	8.07	35.52			
PK	5.229G	107.89	Inf	-Inf	102.17	3	Horizontal	5	1.80	-	33.10	8.12	35.50			
AV	5.241G	98.32	Inf	-Inf	92.59	3	Horizontal	5	1.80	-	33.10	8.12	35.49			
PK	5.443G	59.99	74.00	-14.01	54.18	3	Horizontal	5	1.80	-	33.00	8.25	35.44			
AV	5.391G	49.56	54.00	-4.44	43.80	3	Horizontal	5	1.80	-	33.00	8.21	35.45			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 61
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42008G	55.98	68.20	-12.22	39.50	3	Vertical	127	1.21	-	38.90	11.29	33.71			
PK	15.63023G	59.61	74.00	-14.39	40.74	3	Vertical	230	2.52	-	38.02	14.24	33.39			
AV	15.63021G	50.76	54.00	-3.24	31.89	3	Vertical	230	2.52	-	38.02	14.24	33.39			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 61
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41556G	56.73	68.20	-11.47	40.24	3	Horizontal	58	1.31	-	38.90	11.29	33.70			
PK	15.62516G	60.74	74.00	-13.26	41.85	3	Horizontal	291	1.80	-	38.05	14.24	33.40			
AV	15.63274G	50.86	54.00	-3.14	32.01	3	Horizontal	291	1.80	-	38.00	14.24	33.39			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 62
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	63.05	74.00	-10.95	57.25	3	Vertical	7	1.80	-	33.26	8.06	35.52			
AV	5.1348G	49.44	54.00	-4.56	43.66	3	Vertical	7	1.80	-	33.24	8.06	35.52			
PK	5.2956G	107.68	Inf	-Inf	102.00	3	Vertical	7	1.80	-	33.01	8.15	35.48			
AV	5.2812G	98.68	Inf	-Inf	92.98	3	Vertical	7	1.80	-	33.04	8.14	35.48			
PK	5.3516G	72.08	74.00	-1.92	66.36	3	Vertical	7	1.80	-	33.00	8.18	35.46			
AV	5.3508G	53.43	54.00	-0.57	47.71	3	Vertical	7	1.80	-	33.00	8.18	35.46			
PK	5.4892G	61.11	68.20	-7.09	55.24	3	Vertical	7	1.80	-	33.00	8.29	35.42			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 62
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	63.77	74.00	-10.23	57.97	3	Horizontal	357	1.80	-	33.26	8.06	35.52			
AV	5.1228G	49.80	54.00	-4.20	44.09	3	Horizontal	357	1.80	-	33.19	8.05	35.53			
PK	5.2612G	108.43	Inf	-Inf	102.71	3	Horizontal	357	1.80	-	33.08	8.13	35.49			
AV	5.2876G	98.62	Inf	-Inf	92.93	3	Horizontal	357	1.80	-	33.02	8.15	35.48			
PK	5.3516G	72.38	74.00	-1.62	66.66	3	Horizontal	357	1.80	-	33.00	8.18	35.46			
AV	5.354G	53.87	54.00	-0.13	48.15	3	Horizontal	357	1.80	-	33.00	8.18	35.46			
PK	5.4668G	60.09	68.20	-8.11	54.25	3	Horizontal	357	1.80	-	33.00	8.27	35.43			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 62
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58001G	56.75	68.20	-11.45	40.08	3	Vertical	358	2.96	-	39.08	11.38	33.79			
PK	15.87006G	59.58	74.00	-14.42	40.48	3	Vertical	37	1.21	-	37.88	14.25	33.03			
AV	15.86992G	50.29	54.00	-3.71	31.19	3	Vertical	37	1.21	-	37.88	14.25	33.03			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 62
05-P-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.57958G	57.64	68.20	-10.56	40.97	3	Horizontal	335	1.59	-	39.08	11.38	33.79			
PK	15.86956G	60.07	74.00	-13.93	40.97	3	Horizontal	325	1.16	-	37.88	14.25	33.03			
AV	15.86956G	50.00	54.00	-4.00	30.90	3	Horizontal	325	1.16	-	37.88	14.25	33.03			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 57
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.298G	60.22	68.20	-7.98	54.55	3	Vertical	41	1.80	-	33.00	8.15	35.48			
PK	5.452G	66.12	74.00	-7.88	60.29	3	Vertical	41	1.80	-	33.00	8.26	35.43			
AV	5.451G	51.23	54.00	-2.77	45.40	3	Vertical	41	1.80	-	33.00	8.26	35.43			
PK	5.467G	67.16	68.20	-1.04	61.32	3	Vertical	41	1.80	-	33.00	8.27	35.43			
PK	5.498G	106.28	Inf	-Inf	100.40	3	Vertical	41	1.80	-	33.00	8.30	35.42			
AV	5.527G	96.77	Inf	-Inf	90.88	3	Vertical	41	1.80	-	33.00	8.32	35.43			
PK	5.774G	61.61	68.20	-6.59	54.95	3	Vertical	41	1.80	-	33.74	8.44	35.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 57
05-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.341G	60.02	68.20	-8.18	54.30	3	Horizontal	3	1.80	-	33.00	8.18	35.46			
PK	5.452G	67.58	74.00	-6.42	61.75	3	Horizontal	3	1.80	-	33.00	8.26	35.43			
AV	5.438G	51.03	54.00	-2.97	45.23	3	Horizontal	3	1.80	-	33.00	8.24	35.44			
PK	5.467G	67.83	68.20	-0.37	61.99	3	Horizontal	3	1.80	-	33.00	8.27	35.43			
PK	5.519G	108.27	Inf	-Inf	102.38	3	Horizontal	3	1.80	-	33.00	8.32	35.43			
AV	5.547G	98.48	Inf	-Inf	92.58	3	Horizontal	3	1.80	-	33.00	8.34	35.44			
PK	5.769G	61.72	68.20	-6.48	55.09	3	Horizontal	3	1.80	-	33.71	8.44	35.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 57
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05968G	56.22	74.00	-17.78	39.00	3	Vertical	108	1.63	-	39.00	11.63	33.41			
AV	11.06002G	47.41	54.00	-6.59	30.19	3	Vertical	108	1.63	-	39.00	11.63	33.41			
PK	16.59005G	60.81	68.20	-7.39	41.11	3	Vertical	64	1.84	-	38.22	14.56	33.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX



EUT_Y_2TX
Setting 57
05-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05951G	57.02	74.00	-16.98	39.80	3	Horizontal	287	2.87	-	39.00	11.63	33.41			
AV	11.06002G	47.16	54.00	-6.84	29.94	3	Horizontal	287	2.87	-	39.00	11.63	33.41			
PK	16.5896G	60.37	68.20	-7.83	40.67	3	Horizontal	272	2.15	-	38.22	14.56	33.08			