


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 64
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40018G	59.27	74.00	-14.73	39.43	3	Horizontal	163	1.91	-	38.80	11.70	30.66			
AV	11.40023G	48.22	54.00	-5.78	28.38	3	Horizontal	163	1.91	-	38.80	11.70	30.66			
PK	17.09966G	63.59	68.20	-4.61	41.86	3	Horizontal	139	2.00	-	41.50	12.39	32.16			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7252G	121.01	Inf	-Inf	109.96	3	Vertical	15	2.95	-	34.00	7.73	30.68			
AV	5.7252G	112.75	Inf	-Inf	101.70	3	Vertical	15	2.95	-	34.00	7.73	30.68			
PK	5.8736G	64.60	68.20	-3.60	53.30	3	Vertical	15	2.95	-	34.09	7.85	30.64			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7132G	114.05	Inf	-Inf	103.01	3	Horizontal	2	2.54	-	34.00	7.72	30.68			
AV	5.7124G	105.20	Inf	-Inf	94.16	3	Horizontal	2	2.54	-	34.00	7.72	30.68			
PK	5.8648G	62.53	68.20	-5.67	51.27	3	Horizontal	2	2.54	-	34.06	7.84	30.64			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43959G	59.80	74.00	-14.20	39.88	3	Vertical	70	1.17	-	38.88	11.72	30.68			
AV	11.44051G	48.30	54.00	-5.70	28.38	3	Vertical	70	1.17	-	38.88	11.72	30.68			
PK	17.16022G	63.48	68.20	-4.72	41.40	3	Vertical	342	2.87	-	41.84	12.42	32.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43935G	58.75	74.00	-15.25	38.83	3	Horizontal	267	2.51	-	38.88	11.72	30.68			
AV	11.43978G	48.20	54.00	-5.80	28.28	3	Horizontal	267	2.51	-	38.88	11.72	30.68			
PK	17.16098G	63.29	68.20	-4.91	41.21	3	Horizontal	110	1.40	-	41.84	12.42	32.18			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.632G	64.94	68.20	-3.26	53.99	3	Vertical	28	2.39	-	34.00	7.65	30.70			
PK	5.7425G	120.84	Inf	-Inf	109.76	3	Vertical	28	2.39	-	34.00	7.75	30.67			
AV	5.753G	112.03	Inf	-Inf	100.93	3	Vertical	28	2.39	-	34.01	7.76	30.67			
PK	5.9355G	62.88	68.20	-5.32	51.42	3	Vertical	28	2.39	-	34.20	7.89	30.63			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	63.40	68.20	-4.80	52.42	3	Horizontal	0	2.44	-	34.00	7.67	30.69			
PK	5.748G	112.40	Inf	-Inf	101.32	3	Horizontal	0	2.44	-	34.00	7.75	30.67			
AV	5.742G	102.70	Inf	-Inf	91.62	3	Horizontal	0	2.44	-	34.00	7.75	30.67			
PK	5.9395G	62.70	68.20	-5.50	51.23	3	Horizontal	0	2.44	-	34.20	7.89	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49029G	59.07	74.00	-14.93	39.04	3	Vertical	213	1.03	-	38.98	11.76	30.71			
AV	11.48932G	48.14	54.00	-5.86	28.11	3	Vertical	213	1.03	-	38.98	11.76	30.71			
PK	17.23581G	63.17	68.20	-5.03	40.70	3	Vertical	256	2.47	-	42.21	12.46	32.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49053G	59.03	74.00	-14.97	39.00	3	Horizontal	16	2.06	-	38.98	11.76	30.71			
AV	11.49087G	48.39	54.00	-5.61	28.36	3	Horizontal	16	2.06	-	38.98	11.76	30.71			
PK	17.23491G	63.72	68.20	-4.48	41.25	3	Horizontal	90	1.29	-	42.21	12.46	32.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.621G	63.86	68.20	-4.34	52.92	3	Vertical	19	2.94	-	34.00	7.64	30.70			
PK	5.791G	121.35	Inf	-Inf	110.14	3	Vertical	19	2.94	-	34.08	7.79	30.66			
AV	5.786G	111.87	Inf	-Inf	100.67	3	Vertical	19	2.94	-	34.07	7.79	30.66			
PK	5.944G	64.90	68.20	-3.30	53.43	3	Vertical	19	2.94	-	34.20	7.89	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5645G	63.14	68.20	-5.06	52.35	3	Horizontal	4	2.37	-	34.00	7.50	30.71			
PK	5.7825G	114.16	Inf	-Inf	102.98	3	Horizontal	4	2.37	-	34.06	7.78	30.66			
AV	5.788G	105.16	Inf	-Inf	93.95	3	Horizontal	4	2.37	-	34.08	7.79	30.66			
PK	6.002G	63.28	68.20	-4.92	51.66	3	Horizontal	4	2.37	-	34.30	7.93	30.61			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57054G	59.66	74.00	-14.34	39.44	3	Vertical	185	1.44	-	39.18	11.81	30.77			
AV	11.56905G	48.37	54.00	-5.63	28.15	3	Vertical	185	1.44	-	39.18	11.81	30.77			
PK	17.35433G	63.80	68.20	-4.40	40.51	3	Vertical	237	1.35	-	43.03	12.51	32.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56913G	58.96	74.00	-15.04	38.74	3	Horizontal	230	1.57	-	39.18	11.81	30.77			
AV	11.56904G	48.60	54.00	-5.40	28.38	3	Horizontal	230	1.57	-	39.18	11.81	30.77			
PK	17.35596G	63.04	68.20	-5.16	39.74	3	Horizontal	63	2.77	-	43.04	12.51	32.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5765G	62.75	68.20	-5.45	51.92	3	Vertical	270	2.50	-	34.00	7.54	30.71			
PK	5.82G	120.51	Inf	-Inf	109.29	3	Vertical	270	2.50	-	34.06	7.81	30.65			
AV	5.8305G	111.84	Inf	-Inf	100.63	3	Vertical	270	2.50	-	34.04	7.82	30.65			
PK	5.926G	64.49	68.20	-3.71	53.04	3	Vertical	270	2.50	-	34.20	7.88	30.63			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.623G	62.61	68.20	-5.59	51.67	3	Horizontal	124	2.37	-	34.00	7.64	30.70			
PK	5.832G	113.23	Inf	-Inf	102.02	3	Horizontal	124	2.37	-	34.04	7.82	30.65			
AV	5.827G	104.50	Inf	-Inf	93.28	3	Horizontal	124	2.37	-	34.05	7.82	30.65			
PK	6.019G	63.30	68.20	-4.90	51.67	3	Horizontal	124	2.37	-	34.30	7.96	30.63			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65095G	59.25	74.00	-14.75	38.93	3	Vertical	175	1.82	-	39.30	11.86	30.84			
AV	11.64997G	48.45	54.00	-5.55	28.13	3	Vertical	175	1.82	-	39.30	11.86	30.84			
PK	17.47412G	63.40	68.20	-4.80	39.18	3	Vertical	4	1.79	-	43.94	12.57	32.29			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65073G	59.71	74.00	-14.29	39.39	3	Horizontal	358	2.68	-	39.30	11.86	30.84			
AV	11.65021G	48.82	54.00	-5.18	28.50	3	Horizontal	358	2.68	-	39.30	11.86	30.84			
PK	17.47537G	63.32	68.20	-4.88	39.09	3	Horizontal	27	2.77	-	43.95	12.57	32.29			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 63
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1489G	68.67	74.00	-5.33	59.02	3	Vertical	349	2.64	-	33.60	6.98	30.93			
AV	5.1494G	53.91	54.00	-0.09	44.26	3	Vertical	349	2.64	-	33.60	6.98	30.93			
PK	5.1813G	114.47	Inf	-Inf	104.72	3	Vertical	349	2.64	-	33.66	7.00	30.91			
AV	5.1839G	102.78	Inf	-Inf	93.02	3	Vertical	349	2.64	-	33.67	7.00	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 63
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	65.45	74.00	-8.55	55.80	3	Horizontal	186	2.44	-	33.60	6.98	30.93			
AV	5.1483G	51.22	54.00	-2.78	41.57	3	Horizontal	186	2.44	-	33.60	6.98	30.93			
PK	5.1785G	108.57	Inf	-Inf	98.82	3	Horizontal	186	2.44	-	33.66	7.00	30.91			
AV	5.1756G	97.37	Inf	-Inf	87.64	3	Horizontal	186	2.44	-	33.65	6.99	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 63
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35968G	58.26	68.20	-9.94	39.16	3	Vertical	39	1.62	-	38.58	11.04	30.52			
PK	15.53915G	62.39	74.00	-11.61	44.46	3	Vertical	205	2.26	-	38.02	11.85	31.94			
AV	15.54051G	48.33	54.00	-5.67	30.40	3	Vertical	205	2.26	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 63
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36049G	58.17	68.20	-10.03	39.07	3	Horizontal	64	1.32	-	38.58	11.04	30.52			
PK	15.54055G	62.38	74.00	-11.62	44.45	3	Horizontal	137	2.29	-	38.02	11.85	31.94			
AV	15.54069G	48.14	54.00	-5.86	30.21	3	Horizontal	137	2.29	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 74
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	68.32	74.00	-5.68	58.67	3	Vertical	347	2.64	-	33.60	6.98	30.93			
AV	5.1482G	53.95	54.00	-0.05	44.30	3	Vertical	347	2.64	-	33.60	6.98	30.93			
PK	5.2012G	115.85	Inf	-Inf	106.04	3	Vertical	347	2.64	-	33.70	7.01	30.90			
AV	5.2014G	105.54	Inf	-Inf	95.73	3	Vertical	347	2.64	-	33.70	7.01	30.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 74
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	63.57	74.00	-10.43	53.93	3	Horizontal	187	2.43	-	33.60	6.97	30.93			
AV	5.15G	51.66	54.00	-2.34	42.01	3	Horizontal	187	2.43	-	33.60	6.98	30.93			
PK	5.2056G	110.51	Inf	-Inf	100.68	3	Horizontal	187	2.43	-	33.71	7.01	30.89			
AV	5.2058G	99.18	Inf	-Inf	89.35	3	Horizontal	187	2.43	-	33.71	7.01	30.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 74
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40067G	57.99	68.20	-10.21	38.94	3	Vertical	345	2.33	-	38.50	11.06	30.51			
PK	15.60013G	61.81	74.00	-12.19	44.03	3	Vertical	108	2.27	-	37.90	11.85	31.97			
AV	15.59916G	48.85	54.00	-5.15	31.07	3	Vertical	108	2.27	-	37.90	11.85	31.97			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 74
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40096G	57.73	68.20	-10.47	38.68	3	Horizontal	90	2.88	-	38.50	11.06	30.51			
PK	15.60083G	61.42	74.00	-12.58	43.64	3	Horizontal	212	1.61	-	37.90	11.85	31.97			
AV	15.60035G	48.20	54.00	-5.80	30.42	3	Horizontal	212	1.61	-	37.90	11.85	31.97			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 91
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	69.51	74.00	-4.49	59.86	3	Vertical	348	2.36	-	33.60	6.98	30.93			
AV	5.1482G	53.56	54.00	-0.44	43.91	3	Vertical	348	2.36	-	33.60	6.98	30.93			
PK	5.2442G	119.07	Inf	-Inf	109.15	3	Vertical	348	2.36	-	33.79	7.00	30.87			
AV	5.2436G	110.05	Inf	-Inf	100.13	3	Vertical	348	2.36	-	33.79	7.00	30.87			
PK	5.3621G	63.95	74.00	-10.05	53.87	3	Vertical	348	2.36	-	33.92	6.97	30.81			
AV	5.3528G	52.83	54.00	-1.17	42.76	3	Vertical	348	2.36	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 91
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	64.63	74.00	-9.37	54.99	3	Horizontal	186	2.37	-	33.60	6.97	30.93			
AV	5.1494G	51.79	54.00	-2.21	42.14	3	Horizontal	186	2.37	-	33.60	6.98	30.93			
PK	5.2436G	113.86	Inf	-Inf	103.94	3	Horizontal	186	2.37	-	33.79	7.00	30.87			
AV	5.246G	103.17	Inf	-Inf	93.25	3	Horizontal	186	2.37	-	33.79	7.00	30.87			
PK	5.3561G	61.52	74.00	-12.48	51.45	3	Horizontal	186	2.37	-	33.91	6.97	30.81			
AV	5.3795G	51.52	54.00	-2.48	41.39	3	Horizontal	186	2.37	-	33.96	6.97	30.80			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 91
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47904G	58.26	68.20	-9.94	39.19	3	Vertical	154	2.18	-	38.46	11.11	30.50			
PK	15.72023G	60.89	74.00	-13.11	43.52	3	Vertical	211	2.86	-	37.56	11.86	32.05			
AV	15.72047G	49.59	54.00	-4.41	32.22	3	Vertical	211	2.86	-	37.56	11.86	32.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 91
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47969G	57.96	68.20	-10.24	38.88	3	Horizontal	116	1.04	-	38.46	11.11	30.49			
PK	15.72021G	60.15	74.00	-13.85	42.78	3	Horizontal	240	1.03	-	37.56	11.86	32.05			
AV	15.72099G	49.64	54.00	-4.36	32.27	3	Horizontal	240	1.03	-	37.56	11.86	32.05			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 87
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.131G	63.48	74.00	-10.52	53.85	3	Vertical	349	2.38	-	33.60	6.97	30.94			
AV	5.1391G	51.50	54.00	-2.50	41.86	3	Vertical	349	2.38	-	33.60	6.97	30.93			
PK	5.251G	120.05	Inf	-Inf	110.12	3	Vertical	349	2.38	-	33.80	7.00	30.87			
AV	5.2636G	110.03	Inf	-Inf	100.07	3	Vertical	349	2.38	-	33.83	6.99	30.86			
PK	5.3512G	66.07	74.00	-7.93	56.01	3	Vertical	349	2.38	-	33.90	6.97	30.81			
AV	5.3539G	53.82	54.00	-0.18	43.75	3	Vertical	349	2.38	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 87
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	60.73	74.00	-13.27	51.08	3	Horizontal	6	2.39	-	33.60	6.98	30.93			
AV	5.1463G	50.60	54.00	-3.40	40.95	3	Horizontal	6	2.39	-	33.60	6.98	30.93			
PK	5.2579G	114.91	Inf	-Inf	104.96	3	Horizontal	6	2.39	-	33.82	7.00	30.87			
AV	5.2558G	102.47	Inf	-Inf	92.53	3	Horizontal	6	2.39	-	33.81	7.00	30.87			
PK	5.3623G	61.93	74.00	-12.07	51.85	3	Horizontal	6	2.39	-	33.92	6.97	30.81			
AV	5.3806G	51.66	54.00	-2.34	41.54	3	Horizontal	6	2.39	-	33.96	6.96	30.80			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 87
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52005G	58.99	68.20	-9.21	39.80	3	Vertical	71	1.20	-	38.54	11.14	30.49			
PK	15.78082G	60.41	74.00	-13.59	43.20	3	Vertical	287	2.11	-	37.44	11.86	32.09			
AV	15.78058G	49.20	54.00	-4.80	31.99	3	Vertical	287	2.11	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 87
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51976G	58.55	68.20	-9.65	39.36	3	Horizontal	195	1.34	-	38.54	11.14	30.49			
PK	15.77909G	59.52	74.00	-14.48	42.31	3	Horizontal	179	1.61	-	37.44	11.86	32.09			
AV	15.77935G	49.35	54.00	-4.65	32.14	3	Horizontal	179	1.61	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 74
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3034G	118.29	Inf	-Inf	108.25	3	Vertical	349	2.53	-	33.90	6.98	30.84			
AV	5.3012G	107.34	Inf	-Inf	97.30	3	Vertical	349	2.53	-	33.90	6.98	30.84			
PK	5.3512G	68.89	74.00	-5.11	58.83	3	Vertical	349	2.53	-	33.90	6.97	30.81			
AV	5.3512G	53.74	54.00	-0.26	43.68	3	Vertical	349	2.53	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 74
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2954G	110.36	Inf	-Inf	100.32	3	Horizontal	5	2.40	-	33.89	6.99	30.84			
AV	5.3082G	99.64	Inf	-Inf	89.60	3	Horizontal	5	2.40	-	33.90	6.98	30.84			
PK	5.353G	62.65	74.00	-11.35	52.58	3	Horizontal	5	2.40	-	33.91	6.97	30.81			
AV	5.3756G	51.68	54.00	-2.32	41.56	3	Horizontal	5	2.40	-	33.95	6.97	30.80			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 74
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60005G	58.92	74.00	-15.08	39.62	3	Vertical	205	2.17	-	38.60	11.19	30.49			
AV	10.60004G	48.02	54.00	-5.98	28.72	3	Vertical	205	2.17	-	38.60	11.19	30.49			
PK	15.90056G	60.51	74.00	-13.49	43.11	3	Vertical	282	2.45	-	37.70	11.87	32.17			
AV	15.90058G	49.88	54.00	-4.12	32.48	3	Vertical	282	2.45	-	37.70	11.87	32.17			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 74
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60035G	58.73	74.00	-15.27	39.43	3	Horizontal	222	1.79	-	38.60	11.19	30.49			
AV	10.60006G	48.21	54.00	-5.79	28.91	3	Horizontal	222	1.79	-	38.60	11.19	30.49			
PK	15.90018G	60.78	74.00	-13.22	43.38	3	Horizontal	291	1.65	-	37.70	11.87	32.17			
AV	15.90025G	49.62	54.00	-4.38	32.22	3	Horizontal	291	1.65	-	37.70	11.87	32.17			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 66
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3136G	116.90	Inf	-Inf	106.85	3	Vertical	348	2.63	-	33.90	6.98	30.83			
AV	5.3263G	105.72	Inf	-Inf	95.67	3	Vertical	348	2.63	-	33.90	6.98	30.83			
PK	5.354G	70.45	74.00	-3.55	60.38	3	Vertical	348	2.63	-	33.91	6.97	30.81			
AV	5.3508G	53.84	54.00	-0.16	43.78	3	Vertical	348	2.63	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 66
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3154G	108.68	Inf	-Inf	98.63	3	Horizontal	7	2.14	-	33.90	6.98	30.83			
AV	5.3155G	96.63	Inf	-Inf	86.58	3	Horizontal	7	2.14	-	33.90	6.98	30.83			
PK	5.3507G	62.25	74.00	-11.75	52.19	3	Horizontal	7	2.14	-	33.90	6.97	30.81			
AV	5.3691G	51.66	54.00	-2.34	41.55	3	Horizontal	7	2.14	-	33.94	6.97	30.80			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 66
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63942G	58.86	74.00	-15.14	39.61	3	Vertical	57	3.00	-	38.52	11.22	30.49			
AV	10.64049G	48.76	54.00	-5.24	29.51	3	Vertical	57	3.00	-	38.52	11.22	30.49			
PK	15.95919G	61.57	74.00	-12.43	44.40	3	Vertical	324	1.05	-	37.50	11.87	32.20			
AV	15.95963G	48.34	54.00	-5.66	31.17	3	Vertical	324	1.05	-	37.50	11.87	32.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 66
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63936G	59.00	74.00	-15.00	39.75	3	Horizontal	336	1.25	-	38.52	11.22	30.49			
AV	10.64092G	48.58	54.00	-5.42	29.33	3	Horizontal	336	1.25	-	38.52	11.22	30.49			
PK	15.9593G	61.41	74.00	-12.59	44.24	3	Horizontal	236	1.75	-	37.50	11.87	32.20			
AV	15.96054G	48.21	54.00	-5.79	31.04	3	Horizontal	236	1.75	-	37.50	11.87	32.20			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 64
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4556G	62.37	74.00	-11.63	51.97	3	Vertical	349	2.62	-	34.01	7.14	30.75			
AV	5.455G	52.19	54.00	-1.81	41.80	3	Vertical	349	2.62	-	34.01	7.14	30.76			
PK	5.47G	67.81	68.20	-0.39	57.33	3	Vertical	349	2.62	-	34.04	7.19	30.75			
PK	5.4957G	116.55	Inf	-Inf	105.91	3	Vertical	349	2.62	-	34.09	7.28	30.73			
AV	5.5009G	104.23	Inf	-Inf	93.57	3	Vertical	349	2.62	-	34.10	7.29	30.73			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 64
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.455G	62.53	74.00	-11.47	52.14	3	Horizontal	6	2.23	-	34.01	7.14	30.76			
AV	5.4565G	52.01	54.00	-1.99	41.60	3	Horizontal	6	2.23	-	34.01	7.15	30.75			
PK	5.4698G	63.41	68.20	-4.79	52.93	3	Horizontal	6	2.23	-	34.04	7.19	30.75			
PK	5.5052G	108.84	Inf	-Inf	98.17	3	Horizontal	6	2.23	-	34.09	7.31	30.73			
AV	5.5026G	97.53	Inf	-Inf	86.87	3	Horizontal	6	2.23	-	34.09	7.30	30.73			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 64
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0007G	58.72	74.00	-15.28	39.15	3	Vertical	157	1.46	-	38.60	11.45	30.48			
AV	11.00044G	47.75	54.00	-6.25	28.18	3	Vertical	157	1.46	-	38.60	11.45	30.48			
PK	16.50009G	63.07	68.20	-5.13	44.21	3	Vertical	234	2.51	-	38.80	12.11	32.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 64
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00063G	57.96	74.00	-16.04	38.39	3	Horizontal	340	1.00	-	38.60	11.45	30.48			
AV	11.00097G	47.55	54.00	-6.45	27.98	3	Horizontal	340	1.00	-	38.60	11.45	30.48			
PK	16.50002G	63.37	68.20	-4.83	44.51	3	Horizontal	284	1.63	-	38.80	12.11	32.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 89
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.412G	62.92	74.00	-11.08	52.70	3	Vertical	24	2.50	-	34.00	7.00	30.78			
AV	5.422G	53.62	54.00	-0.38	43.36	3	Vertical	24	2.50	-	34.00	7.03	30.77			
PK	5.4648G	62.15	68.20	-6.05	51.70	3	Vertical	24	2.50	-	34.03	7.17	30.75			
PK	5.576G	120.13	Inf	-Inf	109.30	3	Vertical	24	2.50	-	34.00	7.54	30.71			
AV	5.5764G	109.19	Inf	-Inf	98.36	3	Vertical	24	2.50	-	34.00	7.54	30.71			
PK	5.7408G	63.57	68.20	-4.63	52.49	3	Vertical	24	2.50	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 89
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4068G	62.32	74.00	-11.68	52.12	3	Horizontal	18	2.49	-	34.00	6.98	30.78			
AV	5.4188G	51.56	54.00	-2.44	41.32	3	Horizontal	18	2.49	-	34.00	7.02	30.78			
PK	5.4632G	62.41	68.20	-5.79	51.96	3	Horizontal	18	2.49	-	34.03	7.17	30.75			
PK	5.5812G	112.54	Inf	-Inf	101.69	3	Horizontal	18	2.49	-	34.00	7.56	30.71			
AV	5.5812G	102.33	Inf	-Inf	91.48	3	Horizontal	18	2.49	-	34.00	7.56	30.71			
PK	5.78G	62.58	68.20	-5.62	51.40	3	Horizontal	18	2.49	-	34.06	7.78	30.66			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 89
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15957G	59.11	74.00	-14.89	39.51	3	Vertical	294	1.18	-	38.60	11.55	30.55			
AV	11.16043G	48.19	54.00	-5.81	28.59	3	Vertical	294	1.18	-	38.60	11.55	30.55			
PK	16.74039G	63.91	68.20	-4.29	43.79	3	Vertical	3	2.39	-	39.98	12.22	32.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 89
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16058G	58.57	74.00	-15.43	38.97	3	Horizontal	48	1.65	-	38.60	11.55	30.55			
AV	11.16012G	48.06	54.00	-5.94	28.46	3	Horizontal	48	1.65	-	38.60	11.55	30.55			
PK	16.74001G	63.53	68.20	-4.67	43.41	3	Horizontal	149	2.41	-	39.98	12.22	32.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 64
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.696G	115.08	Inf	-Inf	104.05	3	Vertical	22	2.43	-	34.00	7.71	30.68			
AV	5.6955G	103.38	Inf	-Inf	92.35	3	Vertical	22	2.43	-	34.00	7.71	30.68			
PK	5.7257G	68.00	68.20	-0.20	56.95	3	Vertical	22	2.43	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 64
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6956G	108.99	Inf	-Inf	97.96	3	Horizontal	16	2.32	-	34.00	7.71	30.68			
AV	5.698G	97.06	Inf	-Inf	86.03	3	Horizontal	16	2.32	-	34.00	7.71	30.68			
PK	5.7254G	63.00	68.20	-5.20	51.95	3	Horizontal	16	2.32	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 64
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39921G	58.98	74.00	-15.02	39.14	3	Vertical	303	1.88	-	38.80	11.70	30.66			
AV	11.39975G	48.41	54.00	-5.59	28.57	3	Vertical	303	1.88	-	38.80	11.70	30.66			
PK	17.10099G	63.11	68.20	-5.09	41.37	3	Vertical	108	2.05	-	41.51	12.39	32.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 64
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40096G	59.33	74.00	-14.67	39.49	3	Horizontal	321	1.22	-	38.80	11.70	30.66			
AV	11.40091G	48.15	54.00	-5.85	28.31	3	Horizontal	321	1.22	-	38.80	11.70	30.66			
PK	17.09917G	63.65	68.20	-4.55	41.92	3	Horizontal	206	2.48	-	41.50	12.39	32.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7128G	123.12	Inf	-Inf	112.08	3	Vertical	350	2.49	-	34.00	7.72	30.68			
AV	5.718G	112.54	Inf	-Inf	101.49	3	Vertical	350	2.49	-	34.00	7.73	30.68			
PK	5.8764G	64.77	68.20	-3.43	53.45	3	Vertical	350	2.49	-	34.11	7.85	30.64			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7116G	116.33	Inf	-Inf	105.29	3	Horizontal	1	2.53	-	34.00	7.72	30.68			
AV	5.714G	104.88	Inf	-Inf	93.84	3	Horizontal	1	2.53	-	34.00	7.72	30.68			
PK	5.8736G	62.82	68.20	-5.38	51.52	3	Horizontal	1	2.53	-	34.09	7.85	30.64			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43999G	59.13	74.00	-14.87	39.21	3	Vertical	104	2.65	-	38.88	11.72	30.68			
AV	11.4406G	48.17	54.00	-5.83	28.25	3	Vertical	104	2.65	-	38.88	11.72	30.68			
PK	17.15911G	63.17	68.20	-5.03	41.09	3	Vertical	88	2.58	-	41.84	12.42	32.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43927G	58.67	74.00	-15.33	38.75	3	Horizontal	300	2.98	-	38.88	11.72	30.68			
AV	11.43952G	48.61	54.00	-5.39	28.69	3	Horizontal	300	2.98	-	38.88	11.72	30.68			
PK	17.15964G	63.91	68.20	-4.29	41.83	3	Horizontal	66	2.25	-	41.84	12.42	32.18			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 97
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6475G	67.87	68.20	-0.33	56.90	3	Vertical	18	2.49	-	34.00	7.66	30.69			
PK	5.737G	122.14	Inf	-Inf	111.07	3	Vertical	18	2.49	-	34.00	7.74	30.67			
AV	5.7475G	111.30	Inf	-Inf	100.22	3	Vertical	18	2.49	-	34.00	7.75	30.67			
PK	5.9625G	63.15	68.20	-5.05	51.63	3	Vertical	18	2.49	-	34.23	7.91	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 97
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.73G	67.38	68.20	-0.82	56.56	3	Horizontal	3	2.48	-	34.00	7.53	30.71			
PK	5.744G	115.07	Inf	-Inf	103.99	3	Horizontal	3	2.48	-	34.00	7.75	30.67			
AV	5.749G	105.56	Inf	-Inf	94.48	3	Horizontal	3	2.48	-	34.00	7.75	30.67			
PK	5.9755G	62.61	68.20	-5.59	51.07	3	Horizontal	3	2.48	-	34.25	7.91	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Z_2TX
Setting 97
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48966G	59.51	74.00	-14.49	39.48	3	Vertical	300	2.33	-	38.98	11.76	30.71			
AV	11.49014G	48.10	54.00	-5.90	28.07	3	Vertical	300	2.33	-	38.98	11.76	30.71			
PK	17.23413G	63.98	68.20	-4.22	41.52	3	Vertical	99	2.09	-	42.20	12.46	32.20			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Z_2TX
Setting 97
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49057G	59.01	74.00	-14.99	38.98	3	Horizontal	187	1.95	-	38.98	11.76	30.71			
AV	11.49026G	47.98	54.00	-6.02	27.95	3	Horizontal	187	1.95	-	38.98	11.76	30.71			
PK	17.23591G	63.36	68.20	-4.84	40.88	3	Horizontal	170	1.29	-	42.22	12.46	32.20			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5755G	66.87	68.20	-1.33	56.04	3	Vertical	20	2.56	-	34.00	7.54	30.71			
PK	5.7805G	122.79	Inf	-Inf	111.61	3	Vertical	20	2.56	-	34.06	7.78	30.66			
AV	5.7875G	112.64	Inf	-Inf	101.43	3	Vertical	20	2.56	-	34.08	7.79	30.66			
PK	5.9405G	65.35	68.20	-2.85	53.88	3	Vertical	20	2.56	-	34.20	7.89	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5665G	65.32	68.20	-2.88	54.52	3	Horizontal	3	2.59	-	34.00	7.51	30.71			
PK	5.7865G	114.16	Inf	-Inf	102.96	3	Horizontal	3	2.59	-	34.07	7.79	30.66			
AV	5.784G	104.61	Inf	-Inf	93.41	3	Horizontal	3	2.59	-	34.07	7.79	30.66			
PK	5.9555G	63.11	68.20	-5.09	51.62	3	Horizontal	3	2.59	-	34.21	7.90	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56902G	59.13	74.00	-14.87	38.91	3	Vertical	287	2.62	-	39.18	11.81	30.77			
AV	11.56901G	48.31	54.00	-5.69	28.09	3	Vertical	287	2.62	-	39.18	11.81	30.77			
PK	17.35526G	63.14	68.20	-5.06	39.85	3	Vertical	238	1.37	-	43.03	12.51	32.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56964G	59.59	74.00	-14.41	39.37	3	Horizontal	216	1.82	-	39.18	11.81	30.77			
AV	11.56907G	48.76	54.00	-5.24	28.54	3	Horizontal	216	1.82	-	39.18	11.81	30.77			
PK	17.35548G	63.00	68.20	-5.20	39.71	3	Horizontal	353	2.18	-	43.03	12.51	32.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5875G	65.81	68.20	-2.39	54.94	3	Vertical	16	2.90	-	34.00	7.58	30.71			
PK	5.8325G	121.66	Inf	-Inf	110.45	3	Vertical	16	2.90	-	34.04	7.82	30.65			
AV	5.8275G	111.70	Inf	-Inf	100.48	3	Vertical	16	2.90	-	34.05	7.82	30.65			
PK	5.9225G	67.74	70.05	-2.31	56.29	3	Vertical	16	2.90	-	34.20	7.88	30.63			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 108
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.586G	64.12	68.20	-4.08	53.26	3	Horizontal	163	2.34	-	34.00	7.57	30.71			
PK	5.8305G	115.10	Inf	-Inf	103.89	3	Horizontal	163	2.34	-	34.04	7.82	30.65			
AV	5.8275G	104.74	Inf	-Inf	93.52	3	Horizontal	163	2.34	-	34.05	7.82	30.65			
PK	6.0165G	63.07	68.20	-5.13	51.44	3	Horizontal	163	2.34	-	34.30	7.96	30.63			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65083G	58.92	74.00	-15.08	38.60	3	Vertical	234	3.00	-	39.30	11.86	30.84			
AV	11.6505G	48.81	54.00	-5.19	28.49	3	Vertical	234	3.00	-	39.30	11.86	30.84			
PK	17.47414G	63.68	68.20	-4.52	39.46	3	Vertical	321	2.68	-	43.94	12.57	32.29			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 108
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65044G	59.48	74.00	-14.52	39.16	3	Horizontal	64	1.80	-	39.30	11.86	30.84			
AV	11.64592G	48.87	54.00	-5.13	28.54	3	Horizontal	64	1.80	-	39.30	11.86	30.83			
PK	17.47058G	64.28	68.20	-3.92	40.09	3	Horizontal	1	1.19	-	43.91	12.57	32.29			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 61
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1414G	69.02	74.00	-4.98	75.15	3	Vertical	351	2.49	-	32.07	5.53	43.73			
AV	5.1464G	53.61	54.00	-0.39	59.71	3	Vertical	351	2.49	-	32.09	5.53	43.72			
PK	5.1988G	112.60	Inf	-Inf	118.91	3	Vertical	351	2.49	-	31.81	5.54	43.66			
AV	5.199G	101.24	Inf	-Inf	107.55	3	Vertical	351	2.49	-	31.81	5.54	43.66			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 61
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	68.10	74.00	-5.90	74.20	3	Horizontal	188	2.54	-	32.09	5.53	43.72			
AV	5.15G	50.59	54.00	-3.41	56.68	3	Horizontal	188	2.54	-	32.10	5.53	43.72			
PK	5.1956G	106.92	Inf	-Inf	113.21	3	Horizontal	188	2.54	-	31.83	5.54	43.66			
AV	5.1954G	95.78	Inf	-Inf	102.07	3	Horizontal	188	2.54	-	31.83	5.54	43.66			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 61
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4138G	55.70	68.20	-12.50	49.57	3	Vertical	236	1.80	-	39.33	9.64	42.84			
PK	15.581G	59.84	74.00	-14.16	48.21	3	Vertical	69	1.72	-	37.85	15.27	41.49			
AV	15.5222G	50.02	54.00	-3.98	37.94	3	Vertical	69	1.72	-	38.27	15.18	41.37			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 61
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3764G	55.69	68.20	-12.51	49.66	3	Horizontal	346	2.66	-	39.25	9.61	42.83			
PK	15.5324G	60.02	74.00	-13.98	48.00	3	Horizontal	86	1.80	-	38.21	15.20	41.39			
AV	15.5228G	50.31	54.00	-3.69	38.25	3	Horizontal	86	1.80	-	38.26	15.18	41.38			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 72
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1481G	67.25	74.00	-6.75	73.35	3	Vertical	351	2.44	-	32.09	5.53	43.72			
AV	5.1478G	53.76	54.00	-0.24	59.86	3	Vertical	351	2.44	-	32.09	5.53	43.72			
PK	5.2411G	114.29	Inf	-Inf	120.89	3	Vertical	351	2.44	-	31.47	5.54	43.61			
AV	5.2462G	104.13	Inf	-Inf	110.76	3	Vertical	351	2.44	-	31.43	5.54	43.60			
PK	5.3518G	60.07	74.00	-13.93	66.59	3	Vertical	351	2.44	-	31.40	5.56	43.48			
AV	5.3509G	49.28	54.00	-4.72	55.80	3	Vertical	351	2.44	-	31.40	5.56	43.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 72
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1439G	61.73	74.00	-12.27	67.84	3	Horizontal	188	2.43	-	32.08	5.53	43.72			
AV	5.1499G	49.04	54.00	-4.96	55.13	3	Horizontal	188	2.43	-	32.10	5.53	43.72			
PK	5.2357G	107.34	Inf	-Inf	113.91	3	Horizontal	188	2.43	-	31.51	5.54	43.62			
AV	5.2456G	97.83	Inf	-Inf	104.46	3	Horizontal	188	2.43	-	31.44	5.54	43.61			
PK	5.3713G	54.78	74.00	-19.22	61.24	3	Horizontal	188	2.43	-	31.44	5.56	43.46			
AV	5.3509G	44.62	54.00	-9.38	51.14	3	Horizontal	188	2.43	-	31.40	5.56	43.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 72
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5073G	55.51	68.20	-12.69	49.17	3	Vertical	313	2.61	-	39.50	9.71	42.87			
PK	15.7264G	58.38	74.00	-15.62	46.78	3	Vertical	67	2.75	-	37.90	15.48	41.78			
AV	15.7205G	48.67	54.00	-5.33	37.07	3	Vertical	67	2.75	-	37.90	15.47	41.77			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 72
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5094G	55.76	68.20	-12.44	49.42	3	Horizontal	244	2.96	-	39.50	9.71	42.87			
PK	15.7369G	58.02	74.00	-15.98	46.42	3	Horizontal	301	2.92	-	37.90	15.50	41.80			
AV	15.7373G	48.75	54.00	-5.25	37.15	3	Horizontal	301	2.92	-	37.90	15.50	41.80			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 71
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	60.40	74.00	-13.60	66.50	3	Vertical	351	2.55	-	32.09	5.53	43.72			
AV	5.1476G	47.46	54.00	-6.54	53.56	3	Vertical	351	2.55	-	32.09	5.53	43.72			
PK	5.2589G	115.61	Inf	-Inf	122.27	3	Vertical	351	2.55	-	31.38	5.55	43.59			
AV	5.2736G	104.75	Inf	-Inf	111.42	3	Vertical	351	2.55	-	31.35	5.55	43.57			
PK	5.3513G	68.76	74.00	-5.24	75.28	3	Vertical	351	2.55	-	31.40	5.56	43.48			
AV	5.3528G	53.64	54.00	-0.36	60.15	3	Vertical	351	2.55	-	31.41	5.56	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 71
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1419G	55.32	74.00	-18.68	61.45	3	Horizontal	6	2.48	-	32.07	5.53	43.73			
AV	5.1479G	44.80	54.00	-9.20	50.90	3	Horizontal	6	2.48	-	32.09	5.53	43.72			
PK	5.2829G	107.81	Inf	-Inf	114.49	3	Horizontal	6	2.48	-	31.33	5.55	43.56			
AV	5.2757G	96.85	Inf	-Inf	103.52	3	Horizontal	6	2.48	-	31.35	5.55	43.57			
PK	5.3606G	58.19	74.00	-15.81	64.68	3	Horizontal	6	2.48	-	31.42	5.56	43.47			
AV	5.351G	46.60	54.00	-7.40	53.12	3	Horizontal	6	2.48	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 71
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5177G	56.16	68.20	-12.04	49.80	3	Vertical	59	2.72	-	39.50	9.72	42.86			
PK	15.8011G	59.07	74.00	-14.93	47.81	3	Vertical	248	1.86	-	37.60	15.59	41.93			
AV	15.8025G	49.57	54.00	-4.43	38.31	3	Vertical	248	1.86	-	37.59	15.60	41.93			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 71
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5077G	55.28	68.20	-12.92	48.94	3	Horizontal	177	1.78	-	39.50	9.71	42.87			
PK	15.7705G	60.18	74.00	-13.82	48.72	3	Horizontal	50	2.48	-	37.78	15.55	41.87			
AV	15.779G	49.60	54.00	-4.40	38.19	3	Horizontal	50	2.48	-	37.73	15.56	41.88			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 60
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3086G	112.56	Inf	-Inf	119.22	3	Vertical	351	2.68	-	31.32	5.55	43.53			
AV	5.3012G	102.28	Inf	-Inf	108.97	3	Vertical	351	2.68	-	31.30	5.55	43.54			
PK	5.3542G	70.24	74.00	-3.76	76.75	3	Vertical	351	2.68	-	31.41	5.56	43.48			
AV	5.3536G	53.71	54.00	-0.29	60.22	3	Vertical	351	2.68	-	31.41	5.56	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 60
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3138G	112.20	Inf	-Inf	118.85	3	Horizontal	353	2.54	-	31.33	5.55	43.53			
AV	5.319G	101.70	Inf	-Inf	108.33	3	Horizontal	353	2.54	-	31.34	5.55	43.52			
PK	5.351G	70.28	74.00	-3.72	76.80	3	Horizontal	353	2.54	-	31.40	5.56	43.48			
AV	5.354G	52.74	54.00	-1.26	59.25	3	Horizontal	353	2.54	-	31.41	5.56	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 60
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6328G	55.22	74.00	-18.78	48.52	3	Vertical	98	1.47	-	39.60	9.80	42.70			
AV	10.6104G	45.68	54.00	-8.32	39.02	3	Vertical	98	1.47	-	39.60	9.79	42.73			
PK	15.8801G	57.62	74.00	-16.38	46.59	3	Vertical	201	1.51	-	37.40	15.71	42.08			
AV	15.8833G	48.89	54.00	-5.11	37.86	3	Vertical	201	1.51	-	37.40	15.72	42.09			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 60
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6339G	55.10	74.00	-18.90	48.40	3	Horizontal	249	2.14	-	39.60	9.80	42.70			
AV	10.6225G	45.65	54.00	-8.35	38.97	3	Horizontal	249	2.14	-	39.60	9.80	42.72			
PK	15.898G	57.94	74.00	-16.06	46.92	3	Horizontal	271	2.77	-	37.40	15.74	42.12			
AV	15.8947G	48.70	54.00	-5.30	37.68	3	Horizontal	271	2.77	-	37.40	15.73	42.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 59
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	65.39	74.00	-8.61	71.46	3	Vertical	352	2.35	-	31.73	5.56	43.36			
AV	5.4482G	49.46	54.00	-4.54	55.58	3	Vertical	352	2.35	-	31.69	5.56	43.37			
PK	5.4634G	67.76	68.20	-0.44	73.80	3	Vertical	352	2.35	-	31.75	5.56	43.35			
PK	5.5154G	111.11	Inf	-Inf	116.99	3	Vertical	352	2.35	-	31.87	5.55	43.30			
AV	5.5034G	100.81	Inf	-Inf	106.68	3	Vertical	352	2.35	-	31.89	5.55	43.31			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 59
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	59.41	74.00	-14.59	65.48	3	Horizontal	6	2.43	-	31.73	5.56	43.36			
AV	5.4532G	45.09	54.00	-8.91	51.18	3	Horizontal	6	2.43	-	31.71	5.56	43.36			
PK	5.4672G	61.55	68.20	-6.65	67.57	3	Horizontal	6	2.43	-	31.77	5.56	43.35			
PK	5.5026G	105.27	Inf	-Inf	111.14	3	Horizontal	6	2.43	-	31.89	5.55	43.31			
AV	5.4974G	94.50	Inf	-Inf	100.36	3	Horizontal	6	2.43	-	31.89	5.56	43.31			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 59
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0046G	56.94	74.00	-17.06	49.09	3	Vertical	360	1.52	-	39.99	10.09	42.23			
AV	11.0171G	47.20	54.00	-6.80	39.38	3	Vertical	360	1.52	-	39.97	10.10	42.25			
PK	16.5135G	60.85	68.20	-7.35	46.90	3	Vertical	356	2.87	-	39.15	16.09	41.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 59
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0183G	56.54	74.00	-17.46	48.74	3	Horizontal	61	2.27	-	39.96	10.10	42.26			
AV	10.9742G	47.18	54.00	-6.82	39.26	3	Horizontal	61	2.27	-	40.10	10.07	42.25			
PK	16.4816G	60.85	68.20	-7.35	46.94	3	Horizontal	30	1.76	-	39.13	16.08	41.30			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 72
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4561G	67.48	74.00	-6.52	73.56	3	Vertical	347	2.86	-	31.72	5.56	43.36			
AV	5.4573G	52.93	54.00	-1.07	59.00	3	Vertical	347	2.86	-	31.73	5.56	43.36			
PK	5.4681G	67.83	68.20	-0.37	73.85	3	Vertical	347	2.86	-	31.77	5.56	43.35			
PK	5.5458G	114.95	Inf	-Inf	120.87	3	Vertical	347	2.86	-	31.81	5.55	43.28			
AV	5.5557G	104.17	Inf	-Inf	110.11	3	Vertical	347	2.86	-	31.79	5.55	43.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 72
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4549G	61.97	74.00	-12.03	68.05	3	Horizontal	4	2.22	-	31.72	5.56	43.36			
AV	5.4546G	49.46	54.00	-4.54	55.54	3	Horizontal	4	2.22	-	31.72	5.56	43.36			
PK	5.4693G	63.09	68.20	-5.11	69.10	3	Horizontal	4	2.22	-	31.78	5.56	43.35			
PK	5.5569G	107.44	Inf	-Inf	113.38	3	Horizontal	4	2.22	-	31.79	5.55	43.28			
AV	5.5545G	97.60	Inf	-Inf	103.54	3	Horizontal	4	2.22	-	31.79	5.55	43.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
Setting 72
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10408G	56.26	74.00	-17.74	48.74	3	Vertical	203	2.65	-	39.78	10.16	42.42			
AV	11.1073G	46.85	54.00	-7.15	39.34	3	Vertical	203	2.65	-	39.77	10.17	42.43			
PK	16.6953G	60.66	68.20	-7.54	46.69	3	Vertical	50	1.52	-	39.47	16.16	41.66			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
Setting 72
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1486G	56.63	74.00	-17.37	49.33	3	Horizontal	80	2.95	-	39.61	10.20	42.51			
AV	11.1479G	47.32	54.00	-6.68	40.02	3	Horizontal	80	2.95	-	39.61	10.20	42.51			
PK	16.6706G	60.89	68.20	-7.31	47.03	3	Horizontal	175	1.30	-	39.32	16.15	41.61			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 68
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6832G	113.74	Inf	-Inf	119.47	3	Vertical	25	2.12	-	31.93	5.55	43.21			
AV	5.6658G	102.53	Inf	-Inf	108.34	3	Vertical	25	2.12	-	31.86	5.55	43.22			
PK	5.7254G	68.18	68.20	-0.02	73.75	3	Vertical	25	2.12	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 68
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.679G	106.38	Inf	-Inf	112.12	3	Horizontal	19	2.50	-	31.92	5.55	43.21			
AV	5.6836G	95.46	Inf	-Inf	101.19	3	Horizontal	19	2.50	-	31.93	5.55	43.21			
PK	5.7264G	60.27	68.20	-7.93	65.84	3	Horizontal	19	2.50	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 68
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33682G	55.64	74.00	-18.36	48.33	3	Vertical	79	2.80	-	39.85	10.34	42.88			
AV	11.33828G	46.57	54.00	-7.43	39.26	3	Vertical	79	2.80	-	39.85	10.34	42.88			
PK	17.01458G	61.01	68.20	-7.19	46.82	3	Vertical	106	1.93	-	40.19	16.29	42.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 68
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33064G	57.33	74.00	-16.67	50.04	3	Horizontal	268	2.61	-	39.82	10.34	42.87			
AV	11.33438G	46.95	54.00	-7.05	39.65	3	Horizontal	268	2.61	-	39.84	10.34	42.88			
PK	17.01724G	60.78	68.20	-7.42	46.58	3	Horizontal	234	1.82	-	40.20	16.29	42.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 94
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7228G	120.08	Inf	-Inf	125.66	3	Vertical	354	3.00	-	32.05	5.56	43.19			
AV	5.7232G	109.67	Inf	-Inf	115.25	3	Vertical	354	3.00	-	32.05	5.56	43.19			
PK	5.8516G	67.82	68.20	-0.38	73.13	3	Vertical	354	3.00	-	32.21	5.59	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 94
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7156G	113.38	Inf	-Inf	118.98	3	Horizontal	17	2.43	-	32.03	5.56	43.19			
AV	5.7208G	102.24	Inf	-Inf	107.83	3	Horizontal	17	2.43	-	32.04	5.56	43.19			
PK	5.8512G	58.74	68.20	-9.46	64.06	3	Horizontal	17	2.43	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 94
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4233G	55.84	74.00	-18.16	48.53	3	Vertical	304	1.53	-	39.95	10.41	43.05			
AV	11.4159G	46.57	54.00	-7.43	39.24	3	Vertical	304	1.53	-	39.97	10.40	43.04			
PK	17.13858G	61.24	68.20	-6.96	46.80	3	Vertical	50	2.74	-	40.38	16.34	42.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 94
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4273G	56.58	74.00	-17.42	49.28	3	Horizontal	221	2.17	-	39.95	10.41	43.06			
AV	11.41462G	47.09	54.00	-6.91	39.75	3	Horizontal	221	2.17	-	39.97	10.40	43.03			
PK	17.12194G	61.33	68.20	-6.87	46.94	3	Horizontal	330	1.93	-	40.34	16.33	42.28			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 83
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	68.11	68.20	-0.09	73.99	3	Vertical	24	2.35	-	31.80	5.55	43.23			
PK	5.761G	116.54	Inf	-Inf	122.02	3	Vertical	24	2.35	-	32.12	5.56	43.16			
AV	5.7405G	106.87	Inf	-Inf	112.41	3	Vertical	24	2.35	-	32.08	5.56	43.18			
PK	5.9305G	58.83	68.20	-9.37	63.86	3	Vertical	24	2.35	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 83
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	62.61	68.20	-5.59	68.49	3	Horizontal	3	2.40	-	31.80	5.55	43.23			
PK	5.7615G	110.19	Inf	-Inf	115.67	3	Horizontal	3	2.40	-	32.12	5.56	43.16			
AV	5.7415G	99.60	Inf	-Inf	105.13	3	Horizontal	3	2.40	-	32.08	5.56	43.17			
PK	5.956G	55.57	68.20	-12.63	60.55	3	Horizontal	3	2.40	-	32.41	5.66	43.05			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 83
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50532G	56.44	74.00	-17.56	49.08	3	Vertical	309	1.62	-	40.09	10.47	43.20			
AV	11.50966G	46.43	54.00	-7.57	39.07	3	Vertical	309	1.62	-	40.08	10.47	43.19			
PK	17.26984G	60.71	68.20	-7.49	45.95	3	Vertical	165	1.20	-	40.64	16.39	42.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 83
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51104G	56.59	74.00	-17.41	49.22	3	Horizontal	66	1.83	-	40.08	10.48	43.19			
AV	11.51534G	46.86	54.00	-7.14	39.50	3	Horizontal	66	1.83	-	40.07	10.48	43.19			
PK	17.26694G	60.87	68.20	-7.33	46.12	3	Horizontal	186	1.97	-	40.63	16.39	42.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 93
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	67.46	68.20	-0.74	73.34	3	Vertical	15	2.57	-	31.80	5.55	43.23			
PK	5.804G	117.88	Inf	-Inf	123.26	3	Vertical	15	2.57	-	32.20	5.56	43.14			
AV	5.797G	108.52	Inf	-Inf	113.91	3	Vertical	15	2.57	-	32.19	5.56	43.14			
PK	5.934G	68.06	68.20	-0.14	73.08	3	Vertical	15	2.57	-	32.40	5.65	43.07			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 93
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	60.98	68.20	-7.22	66.86	3	Horizontal	7	2.15	-	31.80	5.55	43.23			
PK	5.777G	110.00	Inf	-Inf	115.44	3	Horizontal	7	2.15	-	32.15	5.56	43.15			
AV	5.7815G	100.37	Inf	-Inf	105.80	3	Horizontal	7	2.15	-	32.16	5.56	43.15			
PK	5.9265G	59.17	68.20	-9.03	64.20	3	Horizontal	7	2.15	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 93
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59306G	55.51	74.00	-18.49	48.20	3	Vertical	13	2.63	-	39.91	10.54	43.14			
AV	11.5931G	45.93	54.00	-8.07	38.62	3	Vertical	13	2.63	-	39.91	10.54	43.14			
PK	17.38544G	63.03	68.20	-5.17	47.30	3	Vertical	108	1.36	-	41.55	16.44	42.26			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 93
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58894G	55.75	74.00	-18.25	48.43	3	Horizontal	77	1.59	-	39.92	10.54	43.14			
AV	11.59602G	45.50	54.00	-8.50	38.19	3	Horizontal	77	1.59	-	39.91	10.54	43.14			
PK	17.3774G	62.87	68.20	-5.33	47.23	3	Horizontal	190	2.58	-	41.47	16.43	42.26			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 54
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	70.23	74.00	-3.77	76.33	3	Vertical	348	2.45	-	32.09	5.53	43.72			
AV	5.148G	53.84	54.00	-0.16	59.94	3	Vertical	348	2.45	-	32.09	5.53	43.72			
PK	5.2435G	107.21	Inf	-Inf	113.83	3	Vertical	348	2.45	-	31.45	5.54	43.61			
AV	5.241G	96.90	Inf	-Inf	103.50	3	Vertical	348	2.45	-	31.47	5.54	43.61			
PK	5.4185G	56.37	74.00	-17.63	62.64	3	Vertical	348	2.45	-	31.57	5.56	43.40			
AV	5.3755G	46.69	54.00	-7.31	53.13	3	Vertical	348	2.45	-	31.45	5.56	43.45			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 54
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	63.86	74.00	-10.14	69.96	3	Horizontal	9	2.77	-	32.09	5.53	43.72			
AV	5.148G	48.69	54.00	-5.31	54.79	3	Horizontal	9	2.77	-	32.09	5.53	43.72			
PK	5.244G	99.89	Inf	-Inf	106.51	3	Horizontal	9	2.77	-	31.45	5.54	43.61			
AV	5.1965G	89.27	Inf	-Inf	95.57	3	Horizontal	9	2.77	-	31.82	5.54	43.66			
PK	5.41G	54.13	74.00	-19.87	60.44	3	Horizontal	9	2.77	-	31.54	5.56	43.41			
AV	5.4405G	44.35	54.00	-9.65	50.51	3	Horizontal	9	2.77	-	31.66	5.56	43.38			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 54
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41008G	55.90	68.20	-12.30	49.79	3	Vertical	331	1.72	-	39.32	9.63	42.84			
PK	15.63516G	58.46	74.00	-15.54	47.22	3	Vertical	307	2.92	-	37.49	15.35	41.60			
AV	15.63234G	48.25	54.00	-5.75	36.99	3	Vertical	307	2.92	-	37.51	15.34	41.59			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 54
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4259G	55.08	68.20	-13.12	48.93	3	Horizontal	322	1.66	-	39.35	9.65	42.85			
PK	15.62896G	58.05	74.00	-15.95	46.77	3	Horizontal	291	2.68	-	37.53	15.34	41.59			
AV	15.63348G	47.94	54.00	-6.06	36.68	3	Horizontal	291	2.68	-	37.50	15.35	41.59			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 56
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.137G	55.12	74.00	-18.88	61.28	3	Vertical	349	2.39	-	32.05	5.52	43.73			
AV	5.116G	44.96	54.00	-9.04	51.24	3	Vertical	349	2.39	-	31.96	5.52	43.76			
PK	5.291G	107.62	Inf	-Inf	114.30	3	Vertical	349	2.39	-	31.32	5.55	43.55			
AV	5.3035G	98.27	Inf	-Inf	104.95	3	Vertical	349	2.39	-	31.31	5.55	43.54			
PK	5.352G	70.87	74.00	-3.13	77.39	3	Vertical	349	2.39	-	31.40	5.56	43.48			
AV	5.3565G	53.74	54.00	-0.26	60.25	3	Vertical	349	2.39	-	31.41	5.56	43.48			
PK	5.5215G	55.36	68.20	-12.84	61.25	3	Vertical	349	2.39	-	31.86	5.55	43.30			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 56
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	53.83	74.00	-20.17	59.93	3	Horizontal	190	2.45	-	32.09	5.53	43.72			
AV	5.1475G	44.36	54.00	-9.64	50.46	3	Horizontal	190	2.45	-	32.09	5.53	43.72			
PK	5.293G	100.01	Inf	-Inf	106.70	3	Horizontal	190	2.45	-	31.31	5.55	43.55			
AV	5.2955G	89.91	Inf	-Inf	96.60	3	Horizontal	190	2.45	-	31.31	5.55	43.55			
PK	5.3515G	63.36	74.00	-10.64	69.88	3	Horizontal	190	2.45	-	31.40	5.56	43.48			
AV	5.356G	47.40	54.00	-6.60	53.91	3	Horizontal	190	2.45	-	31.41	5.56	43.48			
PK	5.523G	53.62	68.20	-14.58	59.52	3	Horizontal	190	2.45	-	31.85	5.55	43.30			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 56
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57206G	54.85	68.20	-13.35	48.33	3	Vertical	350	2.81	-	39.54	9.76	42.78			
PK	15.8767G	58.33	74.00	-15.67	47.30	3	Vertical	263	1.69	-	37.40	15.71	42.08			
AV	15.87524G	48.87	54.00	-5.13	37.84	3	Vertical	263	1.69	-	37.40	15.70	42.07			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 56
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57616G	55.22	68.20	-12.98	48.69	3	Horizontal	175	2.30	-	39.55	9.76	42.78			
PK	15.87276G	58.47	74.00	-15.53	47.44	3	Horizontal	209	2.18	-	37.40	15.70	42.07			
AV	15.87766G	48.61	54.00	-5.39	37.58	3	Horizontal	209	2.18	-	37.40	15.71	42.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 56
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	67.09	74.00	-6.91	73.17	3	Vertical	352	2.36	-	31.72	5.56	43.36			
AV	5.456G	50.89	54.00	-3.11	56.97	3	Vertical	352	2.36	-	31.72	5.56	43.36			
PK	5.4665G	68.18	68.20	-0.02	74.20	3	Vertical	352	2.36	-	31.77	5.56	43.35			
PK	5.508G	107.05	Inf	-Inf	112.93	3	Vertical	352	2.36	-	31.88	5.55	43.31			
AV	5.5005G	96.58	Inf	-Inf	102.44	3	Vertical	352	2.36	-	31.90	5.55	43.31			
PK	5.7685G	56.20	68.20	-12.00	61.66	3	Vertical	352	2.36	-	32.14	5.56	43.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
Setting 56
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	59.85	74.00	-14.15	65.96	3	Horizontal	8	2.34	-	31.70	5.56	43.37			
AV	5.4505G	45.93	54.00	-8.07	52.04	3	Horizontal	8	2.34	-	31.70	5.56	43.37			
PK	5.47G	62.11	68.20	-6.09	68.11	3	Horizontal	8	2.34	-	31.78	5.56	43.34			
PK	5.545G	100.47	Inf	-Inf	106.39	3	Horizontal	8	2.34	-	31.81	5.55	43.28			
AV	5.515G	90.04	Inf	-Inf	95.92	3	Horizontal	8	2.34	-	31.87	5.55	43.30			
PK	5.764G	55.18	68.20	-13.02	60.65	3	Horizontal	8	2.34	-	32.13	5.56	43.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
Setting 56
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05188G	55.95	74.00	-18.05	48.25	3	Vertical	266	2.51	-	39.90	10.12	42.32			
AV	11.06004G	46.59	54.00	-7.41	38.92	3	Vertical	266	2.51	-	39.88	10.13	42.34			
PK	16.58472G	59.88	68.20	-8.32	46.33	3	Vertical	178	2.12	-	38.86	16.12	41.43			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
Setting 56
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05418G	56.14	74.00	-17.86	48.45	3	Horizontal	309	2.40	-	39.89	10.13	42.33			
AV	11.05516G	46.55	54.00	-7.45	38.86	3	Horizontal	309	2.40	-	39.89	10.13	42.33			
PK	16.59502G	59.58	68.20	-8.62	46.09	3	Horizontal	26	2.18	-	38.82	16.13	41.46			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 66
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4425G	65.78	74.00	-8.22	71.93	3	Vertical	352	2.58	-	31.67	5.56	43.38			
PK	5.4665G	68.05	68.20	-0.15	74.07	3	Vertical	352	2.58	-	31.77	5.56	43.35			
AV	5.457G	51.61	54.00	-2.39	57.68	3	Vertical	352	2.58	-	31.73	5.56	43.36			
PK	5.618G	110.46	Inf	-Inf	116.41	3	Vertical	352	2.58	-	31.74	5.55	43.24			
AV	5.598G	99.75	Inf	-Inf	105.76	3	Vertical	352	2.58	-	31.70	5.55	43.26			
PK	5.73G	66.75	68.20	-1.45	72.31	3	Vertical	352	2.58	-	32.06	5.56	43.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 66
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4595G	60.18	74.00	-13.82	66.24	3	Horizontal	5	2.21	-	31.74	5.56	43.36			
AV	5.46G	47.48	54.00	-6.52	53.54	3	Horizontal	5	2.21	-	31.74	5.56	43.36			
PK	5.4645G	61.63	68.20	-6.57	67.66	3	Horizontal	5	2.21	-	31.76	5.56	43.35			
PK	5.619G	103.16	Inf	-Inf	109.11	3	Horizontal	5	2.21	-	31.74	5.55	43.24			
AV	5.6195G	92.39	Inf	-Inf	98.34	3	Horizontal	5	2.21	-	31.74	5.55	43.24			
PK	5.7325G	59.64	68.20	-8.56	65.20	3	Horizontal	5	2.21	-	32.06	5.56	43.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
Setting 66
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22G	55.73	74.00	-18.27	48.49	3	Vertical	165	2.77	-	39.64	10.25	42.65			
AV	11.22762G	46.89	54.00	-7.11	39.64	3	Vertical	165	2.77	-	39.66	10.26	42.67			
PK	16.82758G	62.05	68.20	-6.15	47.45	3	Vertical	6	1.28	-	40.31	16.22	41.93			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
Setting 66
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22042G	56.02	74.00	-17.98	48.78	3	Horizontal	280	1.46	-	39.64	10.25	42.65			
AV	11.21734G	46.54	54.00	-7.46	39.31	3	Horizontal	280	1.46	-	39.63	10.25	42.65			
PK	16.83356G	61.11	68.20	-7.09	46.51	3	Horizontal	313	2.29	-	40.33	16.22	41.95			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 82
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	66.96	74.00	-7.04	73.03	3	Vertical	352	2.62	-	31.73	5.56	43.36			
AV	5.456G	52.97	54.00	-1.03	59.05	3	Vertical	352	2.62	-	31.72	5.56	43.36			
PK	5.4685G	67.83	68.20	-0.37	73.85	3	Vertical	352	2.62	-	31.77	5.56	43.35			
PK	5.6755G	113.63	Inf	-Inf	119.39	3	Vertical	352	2.62	-	31.90	5.55	43.21			
AV	5.6805G	103.81	Inf	-Inf	109.55	3	Vertical	352	2.62	-	31.92	5.55	43.21			
PK	5.8505G	66.68	68.20	-1.52	72.00	3	Vertical	352	2.62	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 82
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	57.64	74.00	-16.36	63.71	3	Horizontal	19	2.41	-	31.73	5.56	43.36			
AV	5.4585G	47.13	54.00	-6.87	53.20	3	Horizontal	19	2.41	-	31.73	5.56	43.36			
PK	5.4675G	59.41	68.20	-8.79	65.43	3	Horizontal	19	2.41	-	31.77	5.56	43.35			
PK	5.681G	106.29	Inf	-Inf	112.03	3	Horizontal	19	2.41	-	31.92	5.55	43.21			
AV	5.681G	96.38	Inf	-Inf	102.12	3	Horizontal	19	2.41	-	31.92	5.55	43.21			
PK	5.8505G	57.83	68.20	-10.37	63.15	3	Horizontal	19	2.41	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 82
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38588G	56.55	74.00	-17.45	49.18	3	Vertical	47	2.10	-	39.97	10.38	42.98			
AV	11.3758G	46.57	54.00	-7.43	39.21	3	Vertical	47	2.10	-	39.95	10.37	42.96			
PK	17.0772G	61.82	68.20	-6.38	47.43	3	Vertical	12	1.52	-	40.35	16.32	42.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 82
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38096G	56.65	74.00	-17.35	49.28	3	Horizontal	190	2.87	-	39.96	10.38	42.97			
AV	11.38538G	46.69	54.00	-7.31	39.32	3	Horizontal	190	2.87	-	39.97	10.38	42.98			
PK	17.06842G	61.94	68.20	-6.26	47.55	3	Horizontal	289	1.45	-	40.36	16.31	42.28			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 70
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.631G	67.86	68.20	-0.34	73.79	3	Vertical	20	2.48	-	31.76	5.55	43.24			
PK	5.7655G	109.98	Inf	-Inf	115.45	3	Vertical	20	2.48	-	32.13	5.56	43.16			
AV	5.76G	99.75	Inf	-Inf	105.23	3	Vertical	20	2.48	-	32.12	5.56	43.16			
PK	5.925G	60.90	68.20	-7.30	65.93	3	Vertical	20	2.48	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
Setting 70
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63G	60.92	68.20	-7.28	66.85	3	Horizontal	305	2.14	-	31.76	5.55	43.24			
PK	5.762G	102.99	Inf	-Inf	108.47	3	Horizontal	305	2.14	-	32.12	5.56	43.16			
AV	5.762G	92.29	Inf	-Inf	97.77	3	Horizontal	305	2.14	-	32.12	5.56	43.16			
PK	5.938G	55.56	68.20	-12.64	60.57	3	Horizontal	305	2.14	-	32.40	5.65	43.06			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
Setting 70
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55448G	55.90	74.00	-18.10	48.57	3	Vertical	251	2.72	-	39.99	10.51	43.17			
AV	11.5422G	46.20	54.00	-7.80	38.85	3	Vertical	251	2.72	-	40.02	10.50	43.17			
PK	17.3212G	60.79	68.20	-7.41	45.73	3	Vertical	135	2.21	-	40.91	16.41	42.26			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
Setting 70
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55362G	56.32	74.00	-17.68	48.99	3	Horizontal	139	2.46	-	39.99	10.51	43.17			
AV	11.54226G	45.85	54.00	-8.15	38.50	3	Horizontal	139	2.46	-	40.02	10.50	43.17			
PK	17.32712G	60.59	68.20	-7.61	45.47	3	Horizontal	84	1.35	-	40.97	16.41	42.26			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 56
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	65.44	74.00	-8.56	71.54	3	Vertical	351	2.52	-	32.09	5.53	43.72			
AV	5.1428G	50.81	54.00	-3.19	56.93	3	Vertical	351	2.52	-	32.07	5.53	43.72			
PK	5.2884G	105.97	Inf	-Inf	112.66	3	Vertical	351	2.52	-	31.32	5.55	43.56			
AV	5.326G	95.90	Inf	-Inf	102.51	3	Vertical	351	2.52	-	31.35	5.55	43.51			
PK	5.3828G	65.92	74.00	-8.08	72.34	3	Vertical	351	2.52	-	31.47	5.56	43.45			
AV	5.3508G	53.68	54.00	-0.32	60.20	3	Vertical	351	2.52	-	31.40	5.56	43.48			
PK	5.4916G	58.01	68.20	-10.19	63.90	3	Vertical	351	2.52	-	31.87	5.56	43.32			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 56
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	58.46	74.00	-15.54	64.60	3	Horizontal	20	2.48	-	32.06	5.53	43.73			
AV	5.15G	46.82	54.00	-7.18	52.91	3	Horizontal	20	2.48	-	32.10	5.53	43.72			
PK	5.3276G	97.81	Inf	-Inf	104.41	3	Horizontal	20	2.48	-	31.36	5.55	43.51			
AV	5.3244G	87.80	Inf	-Inf	94.41	3	Horizontal	20	2.48	-	31.35	5.55	43.51			
PK	5.3596G	57.31	74.00	-16.69	63.80	3	Horizontal	20	2.48	-	31.42	5.56	43.47			
AV	5.3548G	47.12	54.00	-6.88	53.63	3	Horizontal	20	2.48	-	31.41	5.56	43.48			
PK	5.4948G	54.31	68.20	-13.89	60.19	3	Horizontal	20	2.48	-	31.88	5.56	43.32			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 56
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49634G	55.32	68.20	-12.88	49.01	3	Vertical	138	1.40	-	39.49	9.70	42.88			
PK	15.754G	58.64	74.00	-15.36	47.07	3	Vertical	141	1.21	-	37.88	15.52	41.83			
AV	15.75398G	49.07	54.00	-4.93	37.50	3	Vertical	141	1.21	-	37.88	15.52	41.83			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 56
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49948G	55.71	68.20	-12.49	49.39	3	Horizontal	3	1.29	-	39.50	9.70	42.88			
PK	15.75032G	59.22	74.00	-14.78	47.63	3	Horizontal	29	2.35	-	37.90	15.52	41.83			
AV	15.75218G	49.13	54.00	-4.87	37.55	3	Horizontal	29	2.35	-	37.89	15.52	41.83			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Z_2TX
Setting 62
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3428G	59.87	68.20	-8.33	66.42	3	Vertical	27	2.39	-	31.39	5.55	43.49			
AV	5.35G	44.45	54.00	-9.55	50.98	3	Vertical	27	2.39	-	31.40	5.55	43.48			
PK	5.4572G	67.31	74.00	-6.69	73.38	3	Vertical	27	2.39	-	31.73	5.56	43.36			
AV	5.4572G	52.29	54.00	-1.71	58.36	3	Vertical	27	2.39	-	31.73	5.56	43.36			
PK	5.4668G	67.99	68.20	-0.21	74.01	3	Vertical	27	2.39	-	31.77	5.56	43.35			
AV	5.5108G	95.36	Inf	-Inf	101.23	3	Vertical	27	2.39	-	31.88	5.55	43.30			
PK	5.6036G	105.85	Inf	-Inf	111.84	3	Vertical	27	2.39	-	31.71	5.55	43.25			
PK	5.7372G	61.80	68.20	-6.40	67.35	3	Vertical	27	2.39	-	32.07	5.56	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 62
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3452G	55.08	68.20	-13.12	61.63	3	Horizontal	5	2.18	-	31.39	5.55	43.49			
AV	5.35G	44.19	54.00	-9.81	50.72	3	Horizontal	5	2.18	-	31.40	5.55	43.48			
PK	5.454G	61.96	74.00	-12.04	68.04	3	Horizontal	5	2.18	-	31.72	5.56	43.36			
AV	5.454G	49.07	54.00	-4.93	55.15	3	Horizontal	5	2.18	-	31.72	5.56	43.36			
PK	5.4692G	63.97	68.20	-4.23	69.98	3	Horizontal	5	2.18	-	31.78	5.56	43.35			
AV	5.4948G	89.02	Inf	-Inf	94.90	3	Horizontal	5	2.18	-	31.88	5.56	43.32			
PK	5.5524G	98.55	Inf	-Inf	104.48	3	Horizontal	5	2.18	-	31.80	5.55	43.28			
PK	5.7644G	58.29	68.20	-9.91	63.76	3	Horizontal	5	2.18	-	32.13	5.56	43.16			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Z_2TX
Setting 62
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1456G	55.92	74.00	-18.08	48.61	3	Vertical	124	2.99	-	39.62	10.20	42.51			
AV	11.13498G	46.73	54.00	-7.27	39.36	3	Vertical	124	2.99	-	39.66	10.19	42.48			
PK	16.71308G	60.62	68.20	-7.58	46.55	3	Vertical	91	2.33	-	39.60	16.17	41.70			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX

EUT_Z_2TX
Setting 62
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13692G	55.97	74.00	-18.03	48.62	3	Horizontal	292	1.91	-	39.65	10.19	42.49			
AV	11.1393G	46.19	54.00	-7.81	38.85	3	Horizontal	292	1.91	-	39.64	10.19	42.49			
PK	16.70602G	60.36	68.20	-7.84	46.32	3	Horizontal	56	1.60	-	39.55	16.17	41.68			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.8514G	68.19	68.20	-0.01	3	Horizontal	352	1.02	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 69
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1466G	67.43	74.00	-6.57	73.53	3	Vertical	7	2.24	-	32.09	5.53	43.72			
AV	5.1456G	52.77	54.00	-1.23	58.88	3	Vertical	7	2.24	-	32.08	5.53	43.72			
PK	5.1744G	117.99	Inf	-Inf	124.20	3	Vertical	7	2.24	-	31.95	5.53	43.69			
AV	5.1738G	110.38	Inf	-Inf	116.58	3	Vertical	7	2.24	-	31.96	5.53	43.69			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 69
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	70.72	74.00	-3.28	76.82	3	Horizontal	0	1.00	-	32.09	5.53	43.72			
AV	5.1488G	53.87	54.00	-0.13	59.96	3	Horizontal	0	1.00	-	32.10	5.53	43.72			
PK	5.1862G	118.46	Inf	-Inf	124.71	3	Horizontal	0	1.00	-	31.88	5.54	43.67			
AV	5.176G	109.84	Inf	-Inf	116.06	3	Horizontal	0	1.00	-	31.94	5.53	43.69			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 69
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35637G	62.17	68.20	-6.03	56.19	3	Vertical	13	2.91	-	39.21	9.59	42.82			
PK	15.5283G	60.36	74.00	-13.64	48.33	3	Vertical	263	2.93	-	38.23	15.19	41.39			
AV	15.53373G	50.31	54.00	-3.69	38.31	3	Vertical	263	2.93	-	38.20	15.20	41.40			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 69
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35662G	62.52	68.20	-5.68	56.54	3	Horizontal	16	2.05	-	39.21	9.59	42.82			
PK	15.5262G	60.06	74.00	-13.94	48.01	3	Horizontal	264	2.49	-	38.24	15.19	41.38			
AV	15.5514G	50.32	54.00	-3.68	38.44	3	Horizontal	264	2.49	-	38.09	15.22	41.43			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 82
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1474G	63.78	74.00	-10.22	69.88	3	Vertical	11	2.69	-	32.09	5.53	43.72			
AV	5.148G	52.64	54.00	-1.36	58.74	3	Vertical	11	2.69	-	32.09	5.53	43.72			
PK	5.1964G	119.73	Inf	-Inf	126.03	3	Vertical	11	2.69	-	31.82	5.54	43.66			
AV	5.197G	112.70	Inf	-Inf	119.00	3	Vertical	11	2.69	-	31.82	5.54	43.66			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 82
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1462G	68.90	74.00	-5.10	75.01	3	Horizontal	6	2.42	-	32.08	5.53	43.72			
AV	5.147G	53.43	54.00	-0.57	59.53	3	Horizontal	6	2.42	-	32.09	5.53	43.72			
PK	5.2066G	121.09	Inf	-Inf	127.45	3	Horizontal	6	2.42	-	31.75	5.54	43.65			
AV	5.2074G	113.27	Inf	-Inf	119.64	3	Horizontal	6	2.42	-	31.74	5.54	43.65			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 82
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40284G	63.82	68.20	-4.38	57.72	3	Vertical	360	2.52	-	39.31	9.63	42.84			
PK	15.59397G	60.10	74.00	-13.90	48.58	3	Vertical	309	2.75	-	37.75	15.29	41.52			
AV	15.59421G	50.06	54.00	-3.94	38.54	3	Vertical	309	2.75	-	37.75	15.29	41.52			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 82
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40585G	63.37	68.20	-4.83	57.27	3	Horizontal	344	2.02	-	39.31	9.63	42.84			
PK	15.59322G	60.32	74.00	-13.68	48.79	3	Horizontal	71	2.45	-	37.75	15.29	41.51			
AV	15.60804G	50.65	54.00	-3.35	39.23	3	Horizontal	71	2.45	-	37.65	15.31	41.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	65.38	74.00	-8.62	71.48	3	Vertical	0	2.37	-	32.09	5.53	43.72			
AV	5.1497G	51.97	54.00	-2.03	58.06	3	Vertical	0	2.37	-	32.10	5.53	43.72			
PK	5.2475G	123.58	Inf	-Inf	130.22	3	Vertical	0	2.37	-	31.42	5.54	43.60			
AV	5.2475G	116.30	Inf	-Inf	122.94	3	Vertical	0	2.37	-	31.42	5.54	43.60			
PK	5.3561G	60.86	74.00	-13.14	67.37	3	Vertical	0	2.37	-	31.41	5.56	43.48			
AV	5.3525G	50.96	54.00	-3.04	57.47	3	Vertical	0	2.37	-	31.41	5.56	43.48			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	62.55	74.00	-11.45	68.65	3	Horizontal	0	1.00	-	32.09	5.53	43.72			
AV	5.1494G	51.91	54.00	-2.09	58.00	3	Horizontal	0	1.00	-	32.10	5.53	43.72			
PK	5.2463G	124.29	Inf	-Inf	130.92	3	Horizontal	0	1.00	-	31.43	5.54	43.60			
AV	5.2361G	116.83	Inf	-Inf	123.40	3	Horizontal	0	1.00	-	31.51	5.54	43.62			
PK	5.3504G	60.60	74.00	-13.40	67.12	3	Horizontal	0	1.00	-	31.40	5.56	43.48			
AV	5.3558G	51.34	54.00	-2.66	57.85	3	Horizontal	0	1.00	-	31.41	5.56	43.48			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 97
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4792G	67.98	68.20	-0.22	61.70	3	Vertical	357	2.90	-	39.46	9.69	42.87			
PK	15.70986G	61.30	74.00	-12.70	49.69	3	Vertical	133	2.99	-	37.90	15.46	41.75			
AV	15.71139G	50.50	54.00	-3.50	38.89	3	Vertical	133	2.99	-	37.90	15.46	41.75			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 97
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4758G	66.20	68.20	-2.00	59.94	3	Horizontal	22	2.13	-	39.45	9.68	42.87			
PK	15.70794G	59.95	74.00	-14.05	48.33	3	Horizontal	203	1.96	-	37.90	15.46	41.74			
AV	15.70854G	50.59	54.00	-3.41	38.97	3	Horizontal	203	1.96	-	37.90	15.46	41.74			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1367G	61.50	74.00	-12.50	67.66	3	Vertical	0	1.06	-	32.05	5.52	43.73			
AV	5.146G	51.97	54.00	-2.03	58.08	3	Vertical	0	1.06	-	32.08	5.53	43.72			
PK	5.2561G	124.31	Inf	-Inf	130.96	3	Vertical	0	1.06	-	31.39	5.55	43.59			
AV	5.2558G	116.74	Inf	-Inf	123.39	3	Vertical	0	1.06	-	31.39	5.55	43.59			
PK	5.3542G	63.29	74.00	-10.71	69.80	3	Vertical	0	1.06	-	31.41	5.56	43.48			
AV	5.368G	51.84	54.00	-2.16	58.30	3	Vertical	0	1.06	-	31.44	5.56	43.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1355G	61.27	74.00	-12.73	67.44	3	Horizontal	3	1.06	-	32.04	5.52	43.73			
AV	5.1475G	51.17	54.00	-2.83	57.27	3	Horizontal	3	1.06	-	32.09	5.53	43.72			
PK	5.2561G	125.10	Inf	-Inf	131.75	3	Horizontal	3	1.06	-	31.39	5.55	43.59			
AV	5.2561G	117.61	Inf	-Inf	124.26	3	Horizontal	3	1.06	-	31.39	5.55	43.59			
PK	5.3584G	63.72	74.00	-10.28	70.21	3	Horizontal	3	1.06	-	31.42	5.56	43.47			
AV	5.3512G	51.81	54.00	-2.19	58.33	3	Horizontal	3	1.06	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 97
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51643G	67.96	68.20	-0.24	61.60	3	Vertical	360	2.89	-	39.50	9.72	42.86			
PK	15.77973G	60.11	74.00	-13.89	48.71	3	Vertical	50	2.33	-	37.72	15.56	41.88			
AV	15.77061G	50.04	54.00	-3.96	38.58	3	Vertical	50	2.33	-	37.78	15.55	41.87			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 97
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52015G	66.45	68.20	-1.75	60.08	3	Horizontal	19	2.12	-	39.50	9.72	42.85			
PK	15.77292G	59.96	74.00	-14.04	48.52	3	Horizontal	233	2.93	-	37.76	15.55	41.87			
AV	15.78459G	50.75	54.00	-3.25	39.38	3	Horizontal	233	2.93	-	37.69	15.57	41.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 80
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3062G	119.32	Inf	-Inf	125.99	3	Vertical	11	2.64	-	31.31	5.55	43.53			
AV	5.2962G	112.10	Inf	-Inf	118.79	3	Vertical	11	2.64	-	31.31	5.55	43.55			
PK	5.356G	61.95	74.00	-12.05	68.46	3	Vertical	11	2.64	-	31.41	5.56	43.48			
AV	5.3548G	52.64	54.00	-1.36	59.15	3	Vertical	11	2.64	-	31.41	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 80
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2974G	121.43	Inf	-Inf	128.12	3	Horizontal	360	1.00	-	31.31	5.55	43.55			
AV	5.297G	112.93	Inf	-Inf	119.62	3	Horizontal	360	1.00	-	31.31	5.55	43.55			
PK	5.3502G	64.93	74.00	-9.07	71.45	3	Horizontal	360	1.00	-	31.40	5.56	43.48			
AV	5.3512G	53.52	54.00	-0.48	60.04	3	Horizontal	360	1.00	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 80
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60555G	63.26	74.00	-10.74	56.62	3	Vertical	7	2.60	-	39.60	9.78	42.74			
AV	10.60536G	52.16	54.00	-1.84	45.52	3	Vertical	7	2.60	-	39.60	9.78	42.74			
PK	15.88677G	60.16	74.00	-13.84	49.14	3	Vertical	344	1.52	-	37.40	15.72	42.10			
AV	15.88896G	50.14	54.00	-3.86	39.11	3	Vertical	344	1.52	-	37.40	15.73	42.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 80
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60024G	63.80	74.00	-10.20	57.17	3	Horizontal	28	2.00	-	39.60	9.78	42.75			
AV	10.60036G	53.71	54.00	-0.29	47.08	3	Horizontal	28	2.00	-	39.60	9.78	42.75			
PK	15.91143G	59.83	74.00	-14.17	48.86	3	Horizontal	206	2.87	-	37.35	15.76	42.14			
AV	15.88944G	50.53	54.00	-3.47	39.50	3	Horizontal	206	2.87	-	37.40	15.73	42.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3262G	117.39	Inf	-Inf	124.00	3	Vertical	8	2.47	-	31.35	5.55	43.51			
AV	5.3158G	110.02	Inf	-Inf	116.66	3	Vertical	8	2.47	-	31.33	5.55	43.52			
PK	5.3521G	64.20	74.00	-9.80	70.72	3	Vertical	8	2.47	-	31.40	5.56	43.48			
AV	5.3501G	52.85	54.00	-1.15	59.37	3	Vertical	8	2.47	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3176G	119.16	Inf	-Inf	125.79	3	Horizontal	360	1.00	-	31.34	5.55	43.52			
AV	5.3176G	110.65	Inf	-Inf	117.28	3	Horizontal	360	1.00	-	31.34	5.55	43.52			
PK	5.3524G	67.09	74.00	-6.91	73.61	3	Horizontal	360	1.00	-	31.40	5.56	43.48			
AV	5.3513G	53.65	54.00	-0.35	60.17	3	Horizontal	360	1.00	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63994G	62.95	74.00	-11.05	56.24	3	Vertical	7	2.80	-	39.60	9.81	42.70			
AV	10.64078G	51.53	54.00	-2.47	44.81	3	Vertical	7	2.80	-	39.60	9.81	42.69			
PK	15.96186G	59.26	74.00	-14.74	48.49	3	Vertical	305	1.57	-	37.18	15.83	42.24			
AV	15.95565G	50.30	54.00	-3.70	39.52	3	Vertical	305	1.57	-	37.19	15.82	42.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64222G	59.83	74.00	-14.17	53.11	3	Horizontal	22	1.92	-	39.60	9.81	42.69			
AV	10.64012G	49.84	54.00	-4.16	43.13	3	Horizontal	22	1.92	-	39.60	9.81	42.70			
PK	15.95292G	59.57	74.00	-14.43	48.79	3	Horizontal	101	2.22	-	37.19	15.82	42.23			
AV	15.95514G	50.28	54.00	-3.72	39.50	3	Horizontal	101	2.22	-	37.19	15.82	42.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 63
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.454G	60.27	74.00	-13.73	66.35	3	Vertical	10	2.47	-	31.72	5.56	43.36			
AV	5.4579G	50.58	54.00	-3.42	56.65	3	Vertical	10	2.47	-	31.73	5.56	43.36			
PK	5.4683G	63.25	68.20	-4.95	69.27	3	Vertical	10	2.47	-	31.77	5.56	43.35			
PK	5.5062G	115.13	Inf	-Inf	121.00	3	Vertical	10	2.47	-	31.89	5.55	43.31			
AV	5.496G	107.94	Inf	-Inf	113.81	3	Vertical	10	2.47	-	31.88	5.56	43.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 63
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	60.27	74.00	-13.73	66.33	3	Horizontal	360	1.00	-	31.74	5.56	43.36			
AV	5.4589G	50.45	54.00	-3.55	56.51	3	Horizontal	360	1.00	-	31.74	5.56	43.36			
PK	5.4672G	67.98	68.20	-0.22	74.00	3	Horizontal	360	1.00	-	31.77	5.56	43.35			
PK	5.4976G	117.05	Inf	-Inf	122.91	3	Horizontal	360	1.00	-	31.89	5.56	43.31			
AV	5.5076G	108.69	Inf	-Inf	114.57	3	Horizontal	360	1.00	-	31.88	5.55	43.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 63
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0082G	58.23	74.00	-15.77	50.40	3	Vertical	4	1.80	-	39.98	10.09	42.24			
AV	11.0034G	47.88	54.00	-6.12	40.03	3	Vertical	4	1.80	-	39.99	10.09	42.23			
PK	16.5201G	61.74	68.20	-6.46	47.82	3	Vertical	334	1.00	-	39.12	16.10	41.30			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 63
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.977G	56.95	74.00	-17.05	49.04	3	Horizontal	33	1.80	-	40.09	10.07	42.25			
AV	10.98845G	47.91	54.00	-6.09	40.02	3	Horizontal	33	1.80	-	40.05	10.08	42.24			
PK	16.5235G	61.10	68.20	-7.10	47.20	3	Horizontal	280	1.80	-	39.11	16.10	41.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
Setting 97
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.454G	60.89	74.00	-13.11	66.97	3	Vertical	15	1.22	-	31.72	5.56	43.36			
AV	5.4592G	45.67	54.00	-8.33	51.73	3	Vertical	15	1.22	-	31.74	5.56	43.36			
PK	5.4688G	64.39	68.20	-3.81	70.40	3	Vertical	15	1.22	-	31.78	5.56	43.35			
PK	5.5764G	122.51	Inf	-Inf	128.48	3	Vertical	15	1.22	-	31.75	5.55	43.27			
AV	5.5768G	115.15	Inf	-Inf	121.12	3	Vertical	15	1.22	-	31.75	5.55	43.27			
PK	5.7344G	61.02	68.20	-7.18	66.57	3	Vertical	15	1.22	-	32.07	5.56	43.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 97
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	63.72	74.00	-10.28	69.79	3	Horizontal	357	1.15	-	31.73	5.56	43.36			
AV	5.458G	47.41	54.00	-6.59	53.48	3	Horizontal	357	1.15	-	31.73	5.56	43.36			
PK	5.47G	65.36	68.20	-2.84	71.36	3	Horizontal	357	1.15	-	31.78	5.56	43.34			
PK	5.5848G	122.56	Inf	-Inf	128.54	3	Horizontal	357	1.15	-	31.73	5.55	43.26			
AV	5.5856G	115.37	Inf	-Inf	121.35	3	Horizontal	357	1.15	-	31.73	5.55	43.26			
PK	5.7256G	64.52	68.20	-3.68	70.09	3	Horizontal	357	1.15	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 97
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16573G	63.17	74.00	-10.83	47.77	3	Vertical	342	1.10	-	38.33	11.49	34.42			
AV	11.16528G	53.97	54.00	-0.03	38.57	3	Vertical	342	1.10	-	38.33	11.49	34.42			
PK	16.75392G	61.03	68.20	-7.17	42.86	3	Vertical	150	1.80	-	39.12	13.64	34.59			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 97
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16147G	62.03	74.00	-11.97	46.64	3	Horizontal	8	2.16	-	38.32	11.49	34.42			
AV	11.16279G	52.36	54.00	-1.64	36.96	3	Horizontal	8	2.16	-	38.33	11.49	34.42			
PK	16.75485G	61.25	68.20	-6.95	43.06	3	Horizontal	140	1.27	-	39.13	13.64	34.58			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 60
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6972G	115.85	Inf	-Inf	121.51	3	Vertical	0	2.10	-	31.99	5.55	43.20			
AV	5.6971G	108.57	Inf	-Inf	114.23	3	Vertical	0	2.10	-	31.99	5.55	43.20			
PK	5.7266G	68.08	68.20	-0.12	73.65	3	Vertical	0	2.10	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 60
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6934G	116.51	Inf	-Inf	122.19	3	Horizontal	16	2.07	-	31.97	5.55	43.20			
AV	5.6927G	108.58	Inf	-Inf	114.26	3	Horizontal	16	2.07	-	31.97	5.55	43.20			
PK	5.7258G	67.90	68.20	-0.30	73.47	3	Horizontal	16	2.07	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 60
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39955G	56.84	74.00	-17.16	49.45	3	Vertical	312	1.52	-	40.00	10.39	43.00			
AV	11.3978G	47.47	54.00	-6.53	40.08	3	Vertical	312	1.52	-	40.00	10.39	43.00			
PK	17.1077G	62.78	68.20	-5.42	48.41	3	Vertical	116	1.80	-	40.32	16.33	42.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 60
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.386G	57.13	74.00	-16.87	49.76	3	Horizontal	19	2.54	-	39.97	10.38	42.98			
AV	11.39265G	47.27	54.00	-6.73	39.88	3	Horizontal	19	2.54	-	39.99	10.39	42.99			
PK	17.11915G	62.39	68.20	-5.81	48.00	3	Horizontal	165	1.80	-	40.34	16.33	42.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 106
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7156G	126.24	Inf	-Inf	131.84	3	Vertical	6	2.18	-	32.03	5.56	43.19			
AV	5.7152G	118.67	Inf	-Inf	124.27	3	Vertical	6	2.18	-	32.03	5.56	43.19			
PK	5.852G	68.04	68.20	-0.16	73.35	3	Vertical	6	2.18	-	32.21	5.59	43.11			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 106
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7176G	126.36	Inf	-Inf	131.95	3	Horizontal	-0	2.92	-	32.04	5.56	43.19			
AV	5.7276G	118.44	Inf	-Inf	124.00	3	Horizontal	-0	2.92	-	32.06	5.56	43.18			
PK	5.8636G	67.97	68.20	-0.23	73.23	3	Horizontal	-0	2.92	-	32.25	5.60	43.11			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 101
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4456G	64.21	74.00	-9.79	56.96	3	Vertical	350	1.36	-	39.91	10.43	43.09			
AV	11.44535G	53.87	54.00	-0.13	46.62	3	Vertical	350	1.36	-	39.91	10.43	43.09			
PK	17.17385G	62.27	68.20	-5.93	47.75	3	Vertical	23	2.06	-	40.45	16.35	42.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 101
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44155G	62.82	74.00	-11.18	55.57	3	Horizontal	351	2.24	-	39.92	10.42	43.09			
AV	11.44525G	53.54	54.00	-0.46	46.29	3	Horizontal	351	2.24	-	39.91	10.43	43.09			
PK	17.17165G	63.07	68.20	-5.13	48.56	3	Horizontal	356	1.80	-	40.44	16.35	42.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.653G	66.36	70.42	-4.06	72.22	3	Vertical	355	2.39	-	31.81	5.55	43.22			
PK	5.7375G	123.79	Inf	-Inf	129.33	3	Vertical	355	2.39	-	32.08	5.56	43.18			
AV	5.7375G	116.69	Inf	-Inf	122.23	3	Vertical	355	2.39	-	32.08	5.56	43.18			
PK	5.9645G	60.55	68.20	-7.65	65.50	3	Vertical	355	2.39	-	32.43	5.67	43.05			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.615G	67.84	68.20	-0.36	73.81	3	Horizontal	2	2.52	-	31.73	5.55	43.25			
PK	5.748G	124.40	Inf	-Inf	129.91	3	Horizontal	2	2.52	-	32.10	5.56	43.17			
AV	5.7375G	117.01	Inf	-Inf	122.55	3	Horizontal	2	2.52	-	32.08	5.56	43.18			
PK	5.964G	60.34	68.20	-7.86	65.29	3	Horizontal	2	2.52	-	32.43	5.67	43.05			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 97
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4832G	64.24	74.00	-9.76	56.93	3	Vertical	352	1.01	-	40.03	10.45	43.17			
AV	11.4844G	53.47	54.00	-0.53	46.14	3	Vertical	352	1.01	-	40.04	10.46	43.17			
PK	17.21275G	62.67	68.20	-5.53	48.04	3	Vertical	294	1.58	-	40.53	16.37	42.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 97
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48665G	65.24	74.00	-8.76	57.90	3	Horizontal	16	2.17	-	40.05	10.46	43.17			
AV	11.48855G	53.87	54.00	-0.13	46.54	3	Horizontal	16	2.17	-	40.05	10.46	43.18			
PK	17.241G	62.59	68.20	-5.61	47.90	3	Horizontal	-0	2.02	-	40.58	16.38	42.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 95
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.631G	63.61	68.20	-4.59	69.54	3	Vertical	354	2.48	-	31.76	5.55	43.24			
PK	5.7795G	124.27	Inf	-Inf	129.70	3	Vertical	354	2.48	-	32.16	5.56	43.15			
AV	5.779G	116.90	Inf	-Inf	122.33	3	Vertical	354	2.48	-	32.16	5.56	43.15			
PK	6.014G	61.65	68.20	-6.55	66.45	3	Vertical	354	2.48	-	32.53	5.70	43.03			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 95
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6265G	63.34	68.20	-4.86	69.28	3	Horizontal	-0	1.34	-	31.75	5.55	43.24			
PK	5.7775G	123.49	Inf	-Inf	128.92	3	Horizontal	-0	1.34	-	32.16	5.56	43.15			
AV	5.7775G	116.86	Inf	-Inf	122.29	3	Horizontal	-0	1.34	-	32.16	5.56	43.15			
PK	6.0315G	61.11	68.20	-7.09	65.85	3	Horizontal	-0	1.34	-	32.56	5.72	43.02			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 89
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5756G	63.99	74.00	-10.01	56.66	3	Vertical	342	1.03	-	39.95	10.53	43.15			
AV	11.57535G	53.63	54.00	-0.37	46.30	3	Vertical	342	1.03	-	39.95	10.53	43.15			
PK	17.33945G	63.54	68.20	-4.66	48.29	3	Vertical	200	2.50	-	41.09	16.42	42.26			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 89
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56635G	64.41	74.00	-9.59	57.08	3	Horizontal	18	2.13	-	39.97	10.52	43.16			
AV	11.56455G	53.89	54.00	-0.11	46.56	3	Horizontal	18	2.13	-	39.97	10.52	43.16			
PK	17.35645G	62.71	68.20	-5.49	47.28	3	Horizontal	324	1.80	-	41.26	16.43	42.26			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 90
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6505G	64.60	68.57	-3.97	70.48	3	Vertical	358	2.54	-	31.80	5.55	43.23			
AV	5.8175G	116.01	Inf	-Inf	121.37	3	Vertical	358	2.54	-	32.20	5.57	43.13			
PK	5.818G	122.90	Inf	-Inf	128.26	3	Vertical	358	2.54	-	32.20	5.57	43.13			
PK	5.977G	62.09	68.20	-6.11	67.00	3	Vertical	358	2.54	-	32.45	5.68	43.04			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 90
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	61.92	68.20	-6.28	67.81	3	Horizontal	-0	1.35	-	31.79	5.55	43.23			
PK	5.8175G	123.33	Inf	-Inf	128.69	3	Horizontal	-0	1.35	-	32.20	5.57	43.13			
AV	5.8175G	116.48	Inf	-Inf	121.84	3	Horizontal	-0	1.35	-	32.20	5.57	43.13			
PK	6.0355G	61.60	68.20	-6.60	66.32	3	Horizontal	-0	1.35	-	32.57	5.73	43.02			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 71
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.654G	60.50	74.00	-13.50	53.32	3	Vertical	356	1.06	-	39.69	10.59	43.10			
AV	11.65385G	49.93	54.00	-4.07	42.75	3	Vertical	356	1.06	-	39.69	10.59	43.10			
PK	17.47285G	64.87	68.20	-3.33	48.37	3	Vertical	318	2.96	-	42.28	16.47	42.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 71
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65G	63.58	74.00	-10.42	56.41	3	Horizontal	310	2.44	-	39.70	10.58	43.11			
AV	11.64855G	53.64	54.00	-0.36	46.46	3	Horizontal	310	2.44	-	39.71	10.58	43.11			
PK	17.48465G	64.74	68.20	-3.46	48.13	3	Horizontal	334	1.80	-	42.38	16.48	42.25			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 59
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1479G	62.88	74.00	-11.12	68.98	3	Vertical	11	2.43	-	32.09	5.53	43.72			
AV	5.1498G	52.00	54.00	-2.00	58.09	3	Vertical	11	2.43	-	32.10	5.53	43.72			
PK	5.1818G	117.99	Inf	-Inf	124.22	3	Vertical	11	2.43	-	31.91	5.54	43.68			
AV	5.1821G	107.53	Inf	-Inf	113.76	3	Vertical	11	2.43	-	31.91	5.54	43.68			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 59
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	66.13	74.00	-7.87	72.22	3	Horizontal	2	2.35	-	32.10	5.53	43.72			
AV	5.1493G	53.84	54.00	-0.16	59.93	3	Horizontal	2	2.35	-	32.10	5.53	43.72			
PK	5.1841G	117.51	Inf	-Inf	123.75	3	Horizontal	2	2.35	-	31.90	5.54	43.68			
AV	5.1838G	107.51	Inf	-Inf	113.75	3	Horizontal	2	2.35	-	31.90	5.54	43.68			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 59
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3622G	58.67	68.20	-9.53	52.67	3	Vertical	8	1.00	-	39.22	9.60	42.82			
PK	15.52599G	60.52	74.00	-13.48	48.47	3	Vertical	339	1.87	-	38.24	15.19	41.38			
AV	15.55308G	50.40	54.00	-3.60	38.53	3	Vertical	339	1.87	-	38.08	15.23	41.44			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 59
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35613G	57.72	68.20	-10.48	51.74	3	Horizontal	341	1.80	-	39.21	9.59	42.82			
PK	15.53601G	61.37	74.00	-12.63	49.39	3	Horizontal	135	1.75	-	38.18	15.20	41.40			
AV	15.53625G	50.46	54.00	-3.54	38.48	3	Horizontal	135	1.75	-	38.18	15.20	41.40			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 78
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1462G	65.13	74.00	-8.87	71.24	3	Vertical	360	2.04	-	32.08	5.53	43.72			
AV	5.1434G	53.06	54.00	-0.94	59.18	3	Vertical	360	2.04	-	32.07	5.53	43.72			
PK	5.1972G	121.83	Inf	-Inf	128.13	3	Vertical	360	2.04	-	31.82	5.54	43.66			
AV	5.2068G	111.30	Inf	-Inf	117.66	3	Vertical	360	2.04	-	31.75	5.54	43.65			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 78
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	70.16	74.00	-3.84	76.26	3	Horizontal	0	1.18	-	32.09	5.53	43.72			
AV	5.149G	53.88	54.00	-0.12	59.97	3	Horizontal	0	1.18	-	32.10	5.53	43.72			
PK	5.2038G	121.34	Inf	-Inf	127.68	3	Horizontal	0	1.18	-	31.77	5.54	43.65			
AV	5.209G	111.90	Inf	-Inf	118.28	3	Horizontal	0	1.18	-	31.73	5.54	43.65			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 78
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40381G	62.05	68.20	-6.15	55.95	3	Vertical	4	1.00	-	39.31	9.63	42.84			
PK	15.61449G	60.15	74.00	-13.85	48.78	3	Vertical	56	2.47	-	37.61	15.32	41.56			
AV	15.60165G	50.59	54.00	-3.41	39.13	3	Vertical	56	2.47	-	37.69	15.30	41.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 78
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39571G	60.23	68.20	-7.97	54.15	3	Horizontal	249	1.80	-	39.29	9.62	42.83			
PK	15.6009G	59.63	74.00	-14.37	48.17	3	Horizontal	58	1.72	-	37.69	15.30	41.53			
AV	15.60129G	50.80	54.00	-3.20	39.34	3	Horizontal	58	1.72	-	37.69	15.30	41.53			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1473G	68.15	74.00	-5.85	74.25	3	Vertical	360	2.01	-	32.09	5.53	43.72			
AV	5.1461G	52.69	54.00	-1.31	58.80	3	Vertical	360	2.01	-	32.08	5.53	43.72			
PK	5.237G	126.01	Inf	-Inf	132.59	3	Vertical	360	2.01	-	31.50	5.54	43.62			
AV	5.2421G	115.25	Inf	-Inf	121.86	3	Vertical	360	2.01	-	31.46	5.54	43.61			
PK	5.3531G	64.30	74.00	-9.70	70.81	3	Vertical	360	2.01	-	31.41	5.56	43.48			
AV	5.3522G	51.05	54.00	-2.95	57.57	3	Vertical	360	2.01	-	31.40	5.56	43.48			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1491G	65.91	74.00	-8.09	72.00	3	Horizontal	0	1.18	-	32.10	5.53	43.72			
AV	5.1491G	53.57	54.00	-0.43	59.66	3	Horizontal	0	1.18	-	32.10	5.53	43.72			
PK	5.2442G	125.72	Inf	-Inf	132.34	3	Horizontal	0	1.18	-	31.45	5.54	43.61			
AV	5.2442G	116.15	Inf	-Inf	122.77	3	Horizontal	0	1.18	-	31.45	5.54	43.61			
PK	5.3594G	62.55	74.00	-11.45	69.04	3	Horizontal	0	1.18	-	31.42	5.56	43.47			
AV	5.35G	51.84	54.00	-2.16	58.36	3	Horizontal	0	1.18	-	31.40	5.56	43.48			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 101
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47718G	65.96	68.20	-2.24	59.69	3	Vertical	17	2.59	-	39.45	9.69	42.87			
PK	15.70794G	60.10	74.00	-13.90	48.48	3	Vertical	192	2.01	-	37.90	15.46	41.74			
AV	15.70536G	50.34	54.00	-3.66	38.73	3	Vertical	192	2.01	-	37.90	15.45	41.74			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 101
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48462G	68.17	68.20	-0.03	61.88	3	Horizontal	16	2.10	-	39.47	9.69	42.87			
PK	15.70524G	60.08	74.00	-13.92	48.47	3	Horizontal	147	2.43	-	37.90	15.45	41.74			
AV	15.70944G	50.42	54.00	-3.58	38.80	3	Horizontal	147	2.43	-	37.90	15.46	41.74			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	61.27	74.00	-12.73	67.36	3	Vertical	359	2.34	-	32.10	5.53	43.72			
AV	5.1481G	51.69	54.00	-2.31	57.79	3	Vertical	359	2.34	-	32.09	5.53	43.72			
PK	5.2642G	125.01	Inf	-Inf	131.67	3	Vertical	359	2.34	-	31.37	5.55	43.58			
AV	5.2591G	115.71	Inf	-Inf	122.37	3	Vertical	359	2.34	-	31.38	5.55	43.59			
PK	5.3536G	65.86	74.00	-8.14	72.37	3	Vertical	359	2.34	-	31.41	5.56	43.48			
AV	5.35G	53.11	54.00	-0.89	59.63	3	Vertical	359	2.34	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1463G	61.86	74.00	-12.14	67.96	3	Horizontal	357	2.78	-	32.09	5.53	43.72			
AV	5.1442G	51.30	54.00	-2.70	57.41	3	Horizontal	357	2.78	-	32.08	5.53	43.72			
PK	5.266G	125.95	Inf	-Inf	132.61	3	Horizontal	357	2.78	-	31.37	5.55	43.58			
AV	5.2564G	115.58	Inf	-Inf	122.23	3	Horizontal	357	2.78	-	31.39	5.55	43.59			
PK	5.35G	65.05	74.00	-8.95	71.57	3	Horizontal	357	2.78	-	31.40	5.56	43.48			
AV	5.3512G	52.82	54.00	-1.18	59.34	3	Horizontal	357	2.78	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 102
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52186G	66.46	68.20	-1.74	60.09	3	Vertical	11	2.60	-	39.50	9.72	42.85			
PK	15.77013G	60.14	74.00	-13.86	48.67	3	Vertical	204	2.39	-	37.78	15.55	41.86			
AV	15.76827G	50.57	54.00	-3.43	39.09	3	Vertical	204	2.39	-	37.79	15.55	41.86			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 102
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51955G	67.72	68.20	-0.48	61.35	3	Horizontal	16.6	2.08	-	39.50	9.72	42.85			
PK	15.78381G	59.95	74.00	-14.05	48.57	3	Horizontal	94	1.03	-	37.70	15.57	41.89			
AV	15.77949G	51.06	54.00	-2.94	39.66	3	Horizontal	94	1.03	-	37.72	15.56	41.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 80
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3066G	122.10	Inf	-Inf	128.77	3	Vertical	12	2.44	-	31.31	5.55	43.53			
AV	5.2968G	111.60	Inf	-Inf	118.29	3	Vertical	12	2.44	-	31.31	5.55	43.55			
PK	5.3526G	66.21	74.00	-7.79	72.72	3	Vertical	12	2.44	-	31.41	5.56	43.48			
AV	5.3522G	52.98	54.00	-1.02	59.50	3	Vertical	12	2.44	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 80
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2934G	122.22	Inf	-Inf	128.91	3	Horizontal	360	1.00	-	31.31	5.55	43.55			
AV	5.3038G	112.55	Inf	-Inf	119.23	3	Horizontal	360	1.00	-	31.31	5.55	43.54			
PK	5.3504G	66.32	74.00	-7.68	72.84	3	Horizontal	360	1.00	-	31.40	5.56	43.48			
AV	5.3532G	53.90	54.00	-0.10	60.41	3	Horizontal	360	1.00	-	31.41	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 80
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60208G	64.45	74.00	-9.55	57.82	3	Vertical	360	2.73	-	39.60	9.78	42.75			
AV	10.60239G	53.42	54.00	-0.58	46.78	3	Vertical	360	2.73	-	39.60	9.78	42.74			
PK	15.89922G	59.67	74.00	-14.33	48.65	3	Vertical	322	2.35	-	37.40	15.74	42.12			
AV	15.91317G	50.10	54.00	-3.90	39.14	3	Vertical	322	2.35	-	37.35	15.76	42.15			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 80
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59685G	63.64	68.20	-4.56	57.02	3	Horizontal	24	2.08	-	39.59	9.78	42.75			
AV	10.6023G	53.97	54.00	-0.03	47.33	3	Horizontal	24	2.08	-	39.60	9.78	42.74			
PK	15.88665G	59.57	74.00	-14.43	48.55	3	Horizontal	75	2.36	-	37.40	15.72	42.10			
AV	15.89208G	50.04	54.00	-3.96	39.02	3	Horizontal	75	2.36	-	37.40	15.73	42.11			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 64
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3173G	118.46	Inf	-Inf	125.10	3	Vertical	7	2.38	-	31.33	5.55	43.52			
AV	5.3222G	107.83	Inf	-Inf	114.46	3	Vertical	7	2.38	-	31.34	5.55	43.52			
PK	5.3537G	63.44	74.00	-10.56	69.95	3	Vertical	7	2.38	-	31.41	5.56	43.48			
AV	5.3522G	51.68	54.00	-2.32	58.20	3	Vertical	7	2.38	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 64
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3246G	118.53	Inf	-Inf	125.14	3	Horizontal	360	1.17	-	31.35	5.55	43.51			
AV	5.3242G	108.33	Inf	-Inf	114.94	3	Horizontal	360	1.17	-	31.35	5.55	43.51			
PK	5.3501G	65.13	74.00	-8.87	71.65	3	Horizontal	360	1.17	-	31.40	5.56	43.48			
AV	5.3505G	53.57	54.00	-0.43	60.09	3	Horizontal	360	1.17	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 64
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63763G	61.17	74.00	-12.83	54.46	3	Vertical	9	2.75	-	39.60	9.81	42.70			
AV	10.63799G	50.72	54.00	-3.28	44.01	3	Vertical	9	2.75	-	39.60	9.81	42.70			
PK	15.96894G	59.72	74.00	-14.28	48.98	3	Vertical	102	1.12	-	37.16	15.84	42.26			
AV	15.96282G	50.02	54.00	-3.98	39.27	3	Vertical	102	1.12	-	37.17	15.83	42.25			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 64
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64276G	60.60	74.00	-13.40	53.88	3	Horizontal	23	2.00	-	39.60	9.81	42.69			
AV	10.64216G	50.22	54.00	-3.78	43.50	3	Horizontal	23	2.00	-	39.60	9.81	42.69			
PK	15.95298G	59.49	74.00	-14.51	48.71	3	Horizontal	346	3.00	-	37.19	15.82	42.23			
AV	15.97404G	49.85	54.00	-4.15	39.12	3	Horizontal	346	3.00	-	37.15	15.85	42.27			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 59
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4552G	60.53	74.00	-13.47	66.61	3	Vertical	10	2.39	-	31.72	5.56	43.36			
AV	5.4582G	50.84	54.00	-3.16	56.91	3	Vertical	10	2.39	-	31.73	5.56	43.36			
PK	5.4679G	64.72	68.20	-3.48	70.74	3	Vertical	10	2.39	-	31.77	5.56	43.35			
PK	5.5028G	118.15	Inf	-Inf	124.02	3	Vertical	10	2.39	-	31.89	5.55	43.31			
AV	5.4978G	108.07	Inf	-Inf	113.93	3	Vertical	10	2.39	-	31.89	5.56	43.31			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 59
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	60.94	74.00	-13.06	67.00	3	Horizontal	360	1.01	-	31.74	5.56	43.36			
AV	5.4577G	50.97	54.00	-3.03	57.04	3	Horizontal	360	1.01	-	31.73	5.56	43.36			
PK	5.4691G	67.78	68.20	-0.42	73.79	3	Horizontal	360	1.01	-	31.78	5.56	43.35			
PK	5.5049G	119.11	Inf	-Inf	124.98	3	Horizontal	360	1.01	-	31.89	5.55	43.31			
AV	5.5038G	108.61	Inf	-Inf	114.48	3	Horizontal	360	1.01	-	31.89	5.55	43.31			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 59
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99763G	56.97	74.00	-17.03	49.10	3	Vertical	359	2.28	-	40.01	10.08	42.22			
AV	11.01116G	47.19	54.00	-6.81	39.36	3	Vertical	359	2.28	-	39.98	10.09	42.24			
PK	16.50075G	60.61	68.20	-7.59	46.58	3	Vertical	277	1.80	-	39.20	16.09	41.26			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 59
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00147G	57.11	74.00	-16.89	49.24	3	Horizontal	332	1.91	-	40.00	10.09	42.22			
AV	11.00504G	47.16	54.00	-6.84	39.31	3	Horizontal	332	1.91	-	39.99	10.09	42.23			
PK	16.48842G	60.85	68.20	-7.35	46.90	3	Horizontal	235	1.80	-	39.15	16.08	41.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 95
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.452G	61.86	74.00	-12.14	67.96	3	Vertical	354	2.51	-	31.71	5.56	43.37			
PK	5.4616G	62.44	68.20	-5.76	68.48	3	Vertical	354	2.51	-	31.75	5.56	43.35			
AV	5.46G	51.10	54.00	-2.90	57.16	3	Vertical	354	2.51	-	31.74	5.56	43.36			
PK	5.5864G	126.62	Inf	-Inf	132.60	3	Vertical	354	2.51	-	31.73	5.55	43.26			
AV	5.5816G	116.51	Inf	-Inf	122.48	3	Vertical	354	2.51	-	31.74	5.55	43.26			
PK	5.7612G	64.78	68.20	-3.42	70.26	3	Vertical	354	2.51	-	32.12	5.56	43.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 95
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4452G	64.37	74.00	-9.63	70.50	3	Horizontal	-0	1.00	-	31.68	5.56	43.37			
PK	5.4692G	64.01	68.20	-4.19	70.02	3	Horizontal	-0	1.00	-	31.78	5.56	43.35			
AV	5.4596G	51.29	54.00	-2.71	57.35	3	Horizontal	-0	1.00	-	31.74	5.56	43.36			
PK	5.584G	126.78	Inf	-Inf	132.76	3	Horizontal	-0	1.00	-	31.73	5.55	43.26			
AV	5.584G	117.16	Inf	-Inf	123.14	3	Horizontal	-0	1.00	-	31.73	5.55	43.26			
PK	5.7484G	64.21	68.20	-3.99	69.72	3	Horizontal	-0	1.00	-	32.10	5.56	43.17			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 95
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1622G	60.46	74.00	-13.54	53.19	3	Vertical	8	2.18	-	39.60	10.21	42.54			
AV	11.1623G	51.67	54.00	-2.33	44.40	3	Vertical	8	2.18	-	39.60	10.21	42.54			
PK	16.75375G	61.52	68.20	-6.68	47.19	3	Vertical	278	1.80	-	39.92	16.19	41.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 95
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1619G	61.31	74.00	-12.69	54.04	3	Horizontal	15	1.93	-	39.60	10.21	42.54			
AV	11.1622G	52.46	54.00	-1.54	45.19	3	Horizontal	15	1.93	-	39.60	10.21	42.54			
PK	16.74745G	62.24	68.20	-5.96	47.94	3	Horizontal	306	1.44	-	39.88	16.19	41.77			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 54
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.697G	117.73	Inf	-Inf	123.39	3	Vertical	13	2.38	-	31.99	5.55	43.20			
AV	5.6923G	107.44	Inf	-Inf	113.12	3	Vertical	13	2.38	-	31.97	5.55	43.20			
PK	5.7264G	62.07	68.20	-6.13	67.64	3	Vertical	13	2.38	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 54
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6948G	117.97	Inf	-Inf	123.64	3	Horizontal	-0	1.02	-	31.98	5.55	43.20			
AV	5.6942G	107.71	Inf	-Inf	113.38	3	Horizontal	-0	1.02	-	31.98	5.55	43.20			
PK	5.725G	67.72	68.20	-0.48	73.29	3	Horizontal	-0	1.02	-	32.05	5.56	43.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 54
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3917G	56.22	74.00	-17.78	48.85	3	Vertical	310	1.80	-	39.98	10.38	42.99			
AV	11.39165G	46.81	54.00	-7.19	39.44	3	Vertical	310	1.80	-	39.98	10.38	42.99			
PK	17.11685G	61.86	68.20	-6.34	47.48	3	Vertical	210	1.73	-	40.33	16.33	42.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 54
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39135G	56.95	74.00	-17.05	49.58	3	Horizontal	299	1.09	-	39.98	10.38	42.99			
AV	11.39005G	46.62	54.00	-7.38	39.24	3	Horizontal	299	1.09	-	39.98	10.38	42.98			
PK	17.1139G	62.29	68.20	-5.91	47.91	3	Horizontal	247	1.80	-	40.33	16.33	42.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 102
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7216G	127.31	Inf	-Inf	132.90	3	Vertical	357	2.61	-	32.04	5.56	43.19			
AV	5.722G	117.37	Inf	-Inf	122.96	3	Vertical	357	2.61	-	32.04	5.56	43.19			
PK	5.8508G	65.83	68.20	-2.37	71.15	3	Vertical	357	2.61	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 102
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7248G	127.56	Inf	-Inf	133.13	3	Horizontal	360	2.95	-	32.05	5.56	43.18			
AV	5.7192G	117.85	Inf	-Inf	123.44	3	Horizontal	360	2.95	-	32.04	5.56	43.19			
PK	5.8644G	67.07	68.20	-1.13	72.32	3	Horizontal	360	2.95	-	32.26	5.60	43.11			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 102
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44865G	62.49	74.00	-11.51	55.26	3	Vertical	345	1.30	-	39.90	10.43	43.10			
AV	11.43835G	52.76	54.00	-1.24	45.50	3	Vertical	345	1.30	-	39.92	10.42	43.08			
PK	17.1671G	62.24	68.20	-5.96	47.74	3	Vertical	255	1.80	-	40.43	16.35	42.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 102
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44135G	61.81	74.00	-12.19	54.56	3	Horizontal	16	1.90	-	39.92	10.42	43.09			
AV	11.4418G	51.88	54.00	-2.12	44.63	3	Horizontal	16	1.90	-	39.92	10.42	43.09			
PK	17.1665G	63.75	68.20	-4.45	49.25	3	Horizontal	355	1.80	-	40.43	16.35	42.28			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 95
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.551G	67.47	68.20	-0.73	73.40	3	Vertical	8	2.20	-	31.80	5.55	43.28			
PK	5.737G	126.11	Inf	-Inf	131.66	3	Vertical	8	2.20	-	32.07	5.56	43.18			
AV	5.7375G	116.22	Inf	-Inf	121.76	3	Vertical	8	2.20	-	32.08	5.56	43.18			
PK	5.9275G	61.16	68.20	-7.04	66.19	3	Vertical	8	2.20	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 95
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	63.59	68.20	-4.61	69.47	3	Horizontal	360	2.95	-	31.80	5.55	43.23			
PK	5.75G	125.98	Inf	-Inf	131.49	3	Horizontal	360	2.95	-	32.10	5.56	43.17			
AV	5.749G	116.54	Inf	-Inf	122.05	3	Horizontal	360	2.95	-	32.10	5.56	43.17			
PK	5.9505G	61.09	68.20	-7.11	66.09	3	Horizontal	360	2.95	-	32.40	5.66	43.06			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 95
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4916G	60.69	74.00	-13.31	53.34	3	Vertical	350	1.36	-	40.07	10.46	43.18			
AV	11.48845G	51.72	54.00	-2.28	44.39	3	Vertical	350	1.36	-	40.05	10.46	43.18			
PK	17.21425G	60.45	68.20	-7.75	45.82	3	Vertical	53	1.80	-	40.53	16.37	42.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 95
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4912G	60.58	74.00	-13.42	53.24	3	Horizontal	15	2.52	-	40.06	10.46	43.18			
AV	11.48715G	51.50	54.00	-2.50	44.16	3	Horizontal	15	2.52	-	40.05	10.46	43.17			
PK	17.23085G	61.22	68.20	-6.98	46.55	3	Horizontal	319	1.80	-	40.56	16.38	42.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 95
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6235G	63.27	68.20	-4.93	69.21	3	Vertical	13	2.26	-	31.75	5.55	43.24			
PK	5.777G	126.06	Inf	-Inf	131.50	3	Vertical	13	2.26	-	32.15	5.56	43.15			
AV	5.777G	115.63	Inf	-Inf	121.07	3	Vertical	13	2.26	-	32.15	5.56	43.15			
PK	6.0225G	61.01	68.20	-7.19	65.77	3	Vertical	13	2.26	-	32.55	5.71	43.02			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 95
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.618G	63.24	68.20	-4.96	69.19	3	Horizontal	-0	2.93	-	31.74	5.55	43.24			
PK	5.7785G	125.95	Inf	-Inf	131.38	3	Horizontal	-0	2.93	-	32.16	5.56	43.15			
AV	5.779G	116.34	Inf	-Inf	121.77	3	Horizontal	-0	2.93	-	32.16	5.56	43.15			
PK	6.032G	60.74	68.20	-7.46	65.48	3	Horizontal	-0	2.93	-	32.56	5.72	43.02			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 95
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5684G	62.59	74.00	-11.41	55.27	3	Vertical	353	1.09	-	39.96	10.52	43.16			
AV	11.5686G	53.62	54.00	-0.38	46.30	3	Vertical	353	1.09	-	39.96	10.52	43.16			
PK	17.37325G	62.17	68.20	-6.03	46.57	3	Vertical	16	2.08	-	41.43	16.43	42.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 95
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56755G	63.49	74.00	-10.51	56.17	3	Horizontal	20	1.86	-	39.96	10.52	43.16			
AV	11.5692G	53.84	54.00	-0.16	46.52	3	Horizontal	20	1.86	-	39.96	10.52	43.16			
PK	17.36405G	64.55	68.20	-3.65	49.04	3	Horizontal	355	1.72	-	41.34	16.43	42.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 90
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6185G	66.04	68.20	-2.16	71.99	3	Vertical	-0	2.33	-	31.74	5.55	43.24			
PK	5.8195G	124.63	Inf	-Inf	129.99	3	Vertical	-0	2.33	-	32.20	5.57	43.13			
AV	5.8295G	115.68	Inf	-Inf	121.03	3	Vertical	-0	2.33	-	32.20	5.58	43.13			
PK	6.071G	61.28	68.20	-6.92	65.97	3	Vertical	-0	2.33	-	32.56	5.76	43.01			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 90
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5905G	61.31	68.20	-6.89	67.30	3	Horizontal	360	2.84	-	31.72	5.55	43.26			
PK	5.8285G	125.83	Inf	-Inf	131.18	3	Horizontal	360	2.84	-	32.20	5.58	43.13			
AV	5.819G	115.87	Inf	-Inf	121.23	3	Horizontal	360	2.84	-	32.20	5.57	43.13			
PK	6.046G	61.62	68.20	-6.58	66.30	3	Horizontal	360	2.84	-	32.59	5.74	43.01			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 90
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66725G	55.57	74.00	-18.43	48.40	3	Vertical	272	3.00	-	39.67	10.60	43.10			
AV	11.65955G	45.56	54.00	-8.44	38.39	3	Vertical	272	3.00	-	39.68	10.59	43.10			
PK	17.47415G	63.90	68.20	-4.30	47.39	3	Vertical	247	3.00	-	42.29	16.47	42.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 90
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6665G	55.60	74.00	-18.40	48.44	3	Horizontal	287	1.80	-	39.67	10.59	43.10			
AV	11.66635G	45.45	54.00	-8.55	38.29	3	Horizontal	287	1.80	-	39.67	10.59	43.10			
PK	17.4545G	64.38	68.20	-3.82	48.03	3	Horizontal	3	1.80	-	42.14	16.46	42.25			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 57
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	65.56	74.00	-8.44	71.66	3	Vertical	9	2.37	-	32.09	5.53	43.72			
AV	5.15G	53.05	54.00	-0.95	59.14	3	Vertical	9	2.37	-	32.10	5.53	43.72			
PK	5.1816G	114.43	Inf	-Inf	120.66	3	Vertical	9	2.37	-	31.91	5.54	43.68			
AV	5.182G	103.80	Inf	-Inf	110.03	3	Vertical	9	2.37	-	31.91	5.54	43.68			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 57
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1394G	66.62	74.00	-7.38	72.77	3	Horizontal	2	2.42	-	32.06	5.52	43.73			
AV	5.1498G	53.71	54.00	-0.29	59.80	3	Horizontal	2	2.42	-	32.10	5.53	43.72			
PK	5.1788G	114.21	Inf	-Inf	120.43	3	Horizontal	2	2.42	-	31.93	5.53	43.68			
AV	5.1986G	104.26	Inf	-Inf	110.57	3	Horizontal	2	2.42	-	31.81	5.54	43.66			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 57
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.395G	55.92	68.20	-12.28	49.84	3	Vertical	86	2.91	-	39.29	9.62	42.83			
PK	15.57G	60.32	74.00	-13.68	48.60	3	Vertical	183	1.05	-	37.94	15.25	41.47			
AV	15.55692G	50.04	54.00	-3.96	38.21	3	Vertical	183	1.05	-	38.04	15.23	41.44			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
Setting 57
04-H-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.3578G	56.71	68.20	-11.49	50.72	3	Horizontal	221	2.46	-	39.22	9.59	42.82			
PK	15.55599G	60.42	74.00	-13.58	48.58	3	Horizontal	119	2.44	-	38.05	15.23	41.44			
AV	15.55806G	50.17	54.00	-3.83	38.34	3	Horizontal	119	2.44	-	38.04	15.23	41.44			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 72
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1457G	63.52	74.00	-10.48	69.63	3	Vertical	8	2.33	-	32.08	5.53	43.72			
AV	5.1454G	52.38	54.00	-1.62	58.49	3	Vertical	8	2.33	-	32.08	5.53	43.72			
PK	5.2468G	118.64	Inf	-Inf	125.27	3	Vertical	8	2.33	-	31.43	5.54	43.60			
AV	5.2471G	107.56	Inf	-Inf	114.20	3	Vertical	8	2.33	-	31.42	5.54	43.60			
PK	5.3578G	61.03	74.00	-12.97	67.52	3	Vertical	8	2.33	-	31.42	5.56	43.47			
AV	5.3554G	51.49	54.00	-2.51	58.00	3	Vertical	8	2.33	-	31.41	5.56	43.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 72
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	66.63	74.00	-7.37	72.73	3	Horizontal	0	1.19	-	32.09	5.53	43.72			
AV	5.1478G	53.95	54.00	-0.05	60.05	3	Horizontal	0	1.19	-	32.09	5.53	43.72			
PK	5.2141G	119.10	Inf	-Inf	125.51	3	Horizontal	0	1.19	-	31.69	5.54	43.64			
AV	5.2189G	107.91	Inf	-Inf	114.36	3	Horizontal	0	1.19	-	31.65	5.54	43.64			
PK	5.362G	61.40	74.00	-12.60	67.89	3	Horizontal	0	1.19	-	31.42	5.56	43.47			
AV	5.3554G	51.31	54.00	-2.69	57.82	3	Horizontal	0	1.19	-	31.41	5.56	43.48			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 72
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4747G	60.78	68.20	-7.42	54.52	3	Vertical	-0	2.56	-	39.45	9.68	42.87			
PK	15.6861G	60.34	74.00	-13.66	48.86	3	Vertical	191	2.38	-	37.76	15.42	41.70			
AV	15.70272G	50.36	54.00	-3.64	38.74	3	Vertical	191	2.38	-	37.90	15.45	41.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 72
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47675G	61.08	68.20	-7.12	54.82	3	Horizontal	21	2.01	-	39.45	9.68	42.87			
PK	15.70353G	60.12	74.00	-13.88	48.50	3	Horizontal	272	2.75	-	37.90	15.45	41.73			
AV	15.69975G	50.05	54.00	-3.95	38.44	3	Horizontal	272	2.75	-	37.90	15.44	41.73			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 75
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	60.57	74.00	-13.43	66.68	3	Vertical	10	2.44	-	32.08	5.53	43.72			
AV	5.1455G	50.94	54.00	-3.06	57.05	3	Vertical	10	2.44	-	32.08	5.53	43.72			
PK	5.2622G	118.12	Inf	-Inf	124.78	3	Vertical	10	2.44	-	31.38	5.55	43.59			
AV	5.267G	107.76	Inf	-Inf	114.42	3	Vertical	10	2.44	-	31.37	5.55	43.58			
PK	5.3519G	64.07	74.00	-9.93	70.59	3	Vertical	10	2.44	-	31.40	5.56	43.48			
AV	5.354G	53.64	54.00	-0.36	60.15	3	Vertical	10	2.44	-	31.41	5.56	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 75
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1284G	60.96	74.00	-13.04	67.17	3	Horizontal	5	2.40	-	32.01	5.52	43.74			
AV	5.1311G	51.09	54.00	-2.91	57.29	3	Horizontal	5	2.40	-	32.02	5.52	43.74			
PK	5.2835G	117.98	Inf	-Inf	124.66	3	Horizontal	5	2.40	-	31.33	5.55	43.56			
AV	5.2787G	107.71	Inf	-Inf	114.39	3	Horizontal	5	2.40	-	31.34	5.55	43.57			
PK	5.3543G	67.67	74.00	-6.33	74.18	3	Horizontal	5	2.40	-	31.41	5.56	43.48			
AV	5.35G	53.96	54.00	-0.04	60.48	3	Horizontal	5	2.40	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 75
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54033G	60.11	68.20	-8.09	53.71	3	Vertical	214	2.94	-	39.50	9.73	42.83			
PK	15.81234G	59.96	74.00	-14.04	48.75	3	Vertical	292	1.48	-	37.55	15.61	41.95			
AV	15.81642G	50.42	54.00	-3.58	39.23	3	Vertical	292	1.48	-	37.53	15.62	41.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 75
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54042G	61.57	68.20	-6.63	55.17	3	Horizontal	58	1.25	-	39.50	9.73	42.83			
PK	15.81201G	60.21	74.00	-13.79	49.00	3	Horizontal	85	1.56	-	37.55	15.61	41.95			
AV	15.7986G	50.54	54.00	-3.46	39.26	3	Horizontal	85	1.56	-	37.61	15.59	41.92			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 61
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3193G	114.63	Inf	-Inf	121.26	3	Vertical	6	2.60	-	31.34	5.55	43.52			
AV	5.3088G	104.03	Inf	-Inf	110.69	3	Vertical	6	2.60	-	31.32	5.55	43.53			
PK	5.3547G	69.31	74.00	-4.69	75.82	3	Vertical	6	2.60	-	31.41	5.56	43.48			
AV	5.3508G	52.68	54.00	-1.32	59.20	3	Vertical	6	2.60	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 61
04-H-M-2-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3085G	115.17	Inf	-Inf	121.83	3	Horizontal	360	1.01	-	31.32	5.55	43.53			
AV	5.3037G	104.97	Inf	-Inf	111.65	3	Horizontal	360	1.01	-	31.31	5.55	43.54			
PK	5.355G	71.00	74.00	-3.00	77.51	3	Horizontal	360	1.01	-	31.41	5.56	43.48			
AV	5.35G	53.74	54.00	-0.26	60.26	3	Horizontal	360	1.01	-	31.40	5.56	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 61
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62018G	58.26	74.00	-15.74	51.59	3	Vertical	172	2.95	-	39.60	9.79	42.72			
AV	10.61949G	48.75	54.00	-5.25	42.08	3	Vertical	172	2.95	-	39.60	9.79	42.72			
PK	15.93363G	59.67	74.00	-14.33	48.80	3	Vertical	112	1.09	-	37.27	15.79	42.19			
AV	15.91923G	49.49	54.00	-4.51	38.56	3	Vertical	112	1.09	-	37.32	15.77	42.16			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 61
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61943G	58.24	74.00	-15.76	51.57	3	Horizontal	179	2.68	-	39.60	9.79	42.72			
AV	10.62111G	48.88	54.00	-5.12	42.20	3	Horizontal	179	2.68	-	39.60	9.80	42.72			
PK	15.91926G	59.23	74.00	-14.77	48.30	3	Horizontal	250	2.35	-	37.32	15.77	42.16			
AV	15.9441G	49.74	54.00	-4.26	38.92	3	Horizontal	250	2.35	-	37.22	15.81	42.21			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 54
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	61.69	74.00	-12.31	67.75	3	Vertical	8	2.65	-	31.74	5.56	43.36			
AV	5.4544G	51.52	54.00	-2.48	57.60	3	Vertical	8	2.65	-	31.72	5.56	43.36			
PK	5.4688G	65.71	68.20	-2.49	71.72	3	Vertical	8	2.65	-	31.78	5.56	43.35			
PK	5.5142G	114.34	Inf	-Inf	120.22	3	Vertical	8	2.65	-	31.87	5.55	43.30			
AV	5.5194G	104.11	Inf	-Inf	110.00	3	Vertical	8	2.65	-	31.86	5.55	43.30			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 54
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	65.23	74.00	-8.77	71.29	3	Horizontal	360	1.00	-	31.74	5.56	43.36			
AV	5.4592G	52.00	54.00	-2.00	58.06	3	Horizontal	360	1.00	-	31.74	5.56	43.36			
PK	5.4674G	67.11	68.20	-1.09	73.13	3	Horizontal	360	1.00	-	31.77	5.56	43.35			
PK	5.4988G	115.28	Inf	-Inf	121.13	3	Horizontal	360	1.00	-	31.90	5.56	43.31			
AV	5.519G	105.09	Inf	-Inf	110.98	3	Horizontal	360	1.00	-	31.86	5.55	43.30			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 54
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01215G	57.10	74.00	-16.90	49.27	3	Vertical	349	1.80	-	39.98	10.09	42.24			
AV	11.0031G	46.95	54.00	-7.05	39.10	3	Vertical	349	1.80	-	39.99	10.09	42.23			
PK	16.51575G	61.06	68.20	-7.14	47.12	3	Vertical	356	1.80	-	39.14	16.09	41.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 54
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0156G	57.12	74.00	-16.88	49.30	3	Horizontal	191	1.80	-	39.97	10.10	42.25			
AV	10.99795G	47.12	54.00	-6.88	39.25	3	Horizontal	191	1.80	-	40.01	10.08	42.22			
PK	16.5444G	61.25	68.20	-6.95	47.47	3	Horizontal	133	2.62	-	39.02	16.11	41.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 74
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	64.40	74.00	-9.60	70.47	3	Vertical	1	2.27	-	31.73	5.56	43.36			
AV	5.4591G	52.06	54.00	-1.94	58.12	3	Vertical	1	2.27	-	31.74	5.56	43.36			
PK	5.4642G	66.91	68.20	-1.29	72.94	3	Vertical	1	2.27	-	31.76	5.56	43.35			
PK	5.5539G	119.70	Inf	-Inf	125.64	3	Vertical	1	2.27	-	31.79	5.55	43.28			
AV	5.5539G	109.43	Inf	-Inf	115.37	3	Vertical	1	2.27	-	31.79	5.55	43.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 74
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	65.83	74.00	-8.17	71.90	3	Horizontal	1	1.04	-	31.73	5.56	43.36			
AV	5.4585G	53.26	54.00	-0.74	59.33	3	Horizontal	1	1.04	-	31.73	5.56	43.36			
PK	5.4687G	67.15	68.20	-1.05	73.17	3	Horizontal	1	1.04	-	31.77	5.56	43.35			
PK	5.5389G	121.14	Inf	-Inf	127.06	3	Horizontal	1	1.04	-	31.82	5.55	43.29			
AV	5.5437G	110.11	Inf	-Inf	116.04	3	Horizontal	1	1.04	-	31.81	5.55	43.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 74
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10875G	56.16	74.00	-17.84	48.66	3	Vertical	2	1.80	-	39.76	10.17	42.43			
AV	11.0989G	46.53	54.00	-7.47	38.98	3	Vertical	2	1.80	-	39.80	10.16	42.41			
PK	16.6558G	60.80	68.20	-7.40	47.00	3	Vertical	193	1.72	-	39.23	16.15	41.58			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 74
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09615G	56.81	74.00	-17.19	49.25	3	Horizontal	19	1.80	-	39.81	10.16	42.41			
AV	11.0924G	47.94	54.00	-6.06	40.36	3	Horizontal	19	1.80	-	39.82	10.16	42.40			
PK	16.6698G	60.79	68.20	-7.41	46.93	3	Horizontal	127	1.80	-	39.32	16.15	41.61			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 62
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.47G	59.16	68.20	-9.04	65.16	3	Vertical	359	2.24	-	31.78	5.56	43.34			
PK	5.6844G	116.41	Inf	-Inf	122.13	3	Vertical	359	2.24	-	31.94	5.55	43.21			
AV	5.6796G	106.24	Inf	-Inf	111.98	3	Vertical	359	2.24	-	31.92	5.55	43.21			
PK	5.7276G	66.94	68.20	-1.26	72.50	3	Vertical	359	2.24	-	32.06	5.56	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 62
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6792G	117.22	Inf	-Inf	122.96	3	Horizontal	359	1.00	-	31.92	5.55	43.21			
AV	5.6644G	106.59	Inf	-Inf	112.40	3	Horizontal	359	1.00	-	31.86	5.55	43.22			
PK	5.7292G	67.54	68.20	-0.66	73.10	3	Horizontal	359	1.00	-	32.06	5.56	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 62
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33965G	56.93	74.00	-17.07	49.62	3	Vertical	83	1.80	-	39.86	10.34	42.89			
AV	11.33735G	47.66	54.00	-6.34	40.35	3	Vertical	83	1.80	-	39.85	10.34	42.88			
PK	17.02215G	62.32	68.20	-5.88	48.09	3	Vertical	322	1.80	-	40.23	16.29	42.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 62
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3433G	57.80	74.00	-16.20	50.47	3	Horizontal	360	1.59	-	39.87	10.35	42.89			
AV	11.32025G	47.25	54.00	-6.75	39.99	3	Horizontal	360	1.59	-	39.78	10.33	42.85			
PK	17.03135G	62.27	68.20	-5.93	47.97	3	Horizontal	41	2.46	-	40.29	16.30	42.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 98
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7248G	124.72	Inf	-Inf	130.29	3	Vertical	360	2.32	-	32.05	5.56	43.18			
AV	5.7196G	114.33	Inf	-Inf	119.92	3	Vertical	360	2.32	-	32.04	5.56	43.19			
PK	5.8544G	68.04	68.20	-0.16	73.33	3	Vertical	360	2.32	-	32.22	5.60	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 98
04-H-B-5-16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.696G	124.49	Inf	-Inf	130.16	3	Horizontal	357	1.22	-	31.98	5.55	43.20			
AV	5.7212G	114.22	Inf	-Inf	119.81	3	Horizontal	357	1.22	-	32.04	5.56	43.19			
PK	5.8524G	67.31	68.20	-0.89	72.62	3	Horizontal	357	1.22	-	32.21	5.59	43.11			