


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1265G	60.81	74.00	-13.19	51.19	3	Horizontal	220	2.33	-	33.60	6.96	30.94				
AV	5.1388G	50.72	54.00	-3.28	41.08	3	Horizontal	220	2.33	-	33.60	6.97	30.93				
PK	5.2543G	124.02	Inf	-Inf	114.08	3	Horizontal	220	2.33	-	33.81	7.00	30.87				
AV	5.254G	115.17	Inf	-Inf	105.23	3	Horizontal	220	2.33	-	33.81	7.00	30.87				
PK	5.3509G	63.28	74.00	-10.72	53.22	3	Horizontal	220	2.33	-	33.90	6.97	30.81				
AV	5.3791G	52.11	54.00	-1.89	41.98	3	Horizontal	220	2.33	-	33.96	6.97	30.80				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5209G	65.75	68.20	-2.45	46.56	3	Vertical	318	2.06	-	38.54	11.14	30.49			
PK	15.77865G	57.00	74.00	-17.00	39.79	3	Vertical	58	1.94	-	37.44	11.86	32.09			
AV	15.77898G	47.14	54.00	-6.86	29.93	3	Vertical	58	1.94	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52015G	62.75	68.20	-5.45	43.56	3	Horizontal	124	2.26	-	38.54	11.14	30.49			
PK	15.75895G	57.40	74.00	-16.60	40.14	3	Horizontal	138	1.86	-	37.48	11.86	32.08			
AV	15.79835G	47.51	54.00	-6.49	30.35	3	Horizontal	138	1.86	-	37.40	11.86	32.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 92
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.298G	110.68	Inf	-Inf	100.63	3	Vertical	93	3.00	-	33.90	6.99	30.84			
AV	5.297G	102.55	Inf	-Inf	92.51	3	Vertical	93	3.00	-	33.89	6.99	30.84			
PK	5.3736G	61.92	74.00	-12.08	51.80	3	Vertical	93	3.00	-	33.95	6.97	30.80			
AV	5.3518G	51.40	54.00	-2.60	41.34	3	Vertical	93	3.00	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 92
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3018G	123.40	Inf	-Inf	113.36	3	Horizontal	249	3.00	-	33.90	6.98	30.84			
AV	5.302G	114.64	Inf	-Inf	104.60	3	Horizontal	249	3.00	-	33.90	6.98	30.84			
PK	5.351G	68.27	74.00	-5.73	58.21	3	Horizontal	249	3.00	-	33.90	6.97	30.81			
AV	5.3526G	53.87	54.00	-0.13	43.80	3	Horizontal	249	3.00	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 92
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59965G	65.99	68.20	-2.21	46.69	3	Vertical	324	2.61	-	38.60	11.19	30.49			
PK	15.89796G	57.93	74.00	-16.07	40.53	3	Vertical	303	1.50	-	37.69	11.87	32.16			
AV	15.89872G	47.97	54.00	-6.03	30.58	3	Vertical	303	1.50	-	37.69	11.87	32.17			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 92
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5936G	61.74	68.20	-6.46	42.44	3	Horizontal	174	2.75	-	38.60	11.19	30.49			
PK	15.89932G	57.85	74.00	-16.15	40.45	3	Horizontal	315	2.39	-	37.70	11.87	32.17			
AV	15.8979G	47.17	54.00	-6.83	29.77	3	Horizontal	315	2.39	-	37.69	11.87	32.16			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 73
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3162G	105.78	Inf	-Inf	95.73	3	Vertical	86	3.00	-	33.90	6.98	30.83			
AV	5.3163G	97.19	Inf	-Inf	87.14	3	Vertical	86	3.00	-	33.90	6.98	30.83			
PK	5.3668G	62.42	74.00	-11.58	52.32	3	Vertical	86	3.00	-	33.93	6.97	30.80			
AV	5.35G	51.44	54.00	-2.56	41.38	3	Vertical	86	3.00	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 73
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3131G	119.10	Inf	-Inf	109.05	3	Horizontal	221	2.49	-	33.90	6.98	30.83			
AV	5.3129G	110.64	Inf	-Inf	100.59	3	Horizontal	221	2.49	-	33.90	6.98	30.83			
PK	5.3519G	71.75	74.00	-2.25	61.69	3	Horizontal	221	2.49	-	33.90	6.97	30.81			
AV	5.3506G	53.85	54.00	-0.15	43.79	3	Horizontal	221	2.49	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 73
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62005G	59.56	74.00	-14.44	40.29	3	Vertical	156	1.80	-	38.56	11.20	30.49			
AV	10.6566G	48.67	54.00	-5.33	29.43	3	Vertical	156	1.80	-	38.50	11.23	30.49			
PK	15.97645G	58.77	74.00	-15.23	41.61	3	Vertical	168	1.79	-	37.50	11.87	32.21			
AV	15.9489G	47.44	54.00	-6.56	30.27	3	Vertical	168	1.79	-	37.50	11.87	32.20			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 73
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6635G	59.37	74.00	-14.63	40.13	3	Horizontal	250	1.20	-	38.50	11.23	30.49			
AV	10.6635G	48.02	54.00	-5.98	28.78	3	Horizontal	250	1.20	-	38.50	11.23	30.49			
PK	15.95415G	58.61	74.00	-15.39	41.44	3	Horizontal	360	1.79	-	37.50	11.87	32.20			
AV	15.94195G	47.65	54.00	-6.35	30.44	3	Horizontal	360	1.79	-	37.53	11.87	32.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 67
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.90	74.00	-12.10	51.47	3	Vertical	94	2.70	-	34.02	7.16	30.75			
AV	5.4592G	51.98	54.00	-2.02	41.55	3	Vertical	94	2.70	-	34.02	7.16	30.75			
PK	5.4613G	61.65	68.20	-6.55	51.22	3	Vertical	94	2.70	-	34.02	7.16	30.75			
PK	5.4975G	107.63	Inf	-Inf	96.99	3	Vertical	94	2.70	-	34.09	7.28	30.73			
AV	5.4963G	97.86	Inf	-Inf	87.22	3	Vertical	94	2.70	-	34.09	7.28	30.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 67
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4521G	62.60	74.00	-11.40	52.23	3	Horizontal	60	2.76	-	34.00	7.13	30.76			
AV	5.4541G	52.26	54.00	-1.74	41.87	3	Horizontal	60	2.76	-	34.01	7.14	30.76			
PK	5.4666G	67.99	68.20	-0.21	57.53	3	Horizontal	60	2.76	-	34.03	7.18	30.75			
PK	5.5063G	119.34	Inf	-Inf	108.67	3	Horizontal	60	2.76	-	34.09	7.31	30.73			
AV	5.5062G	109.86	Inf	-Inf	99.19	3	Horizontal	60	2.76	-	34.09	7.31	30.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 67
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00475G	53.86	74.00	-20.14	49.84	3	Vertical	136	1.80	-	38.60	11.45	46.03			
AV	10.98235G	42.94	54.00	-11.06	38.93	3	Vertical	136	1.80	-	38.60	11.43	46.02			
PK	16.4914G	56.46	68.20	-11.74	51.21	3	Vertical	12	2.55	-	38.75	12.10	45.60			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 67
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98985G	53.14	74.00	-20.86	49.13	3	Horizontal	150	1.46	-	38.60	11.44	46.03			
AV	11.0173G	42.99	54.00	-11.01	38.94	3	Horizontal	150	1.46	-	38.60	11.46	46.01			
PK	16.5216G	55.83	68.20	-12.37	50.35	3	Horizontal	269	1.35	-	38.97	12.12	45.61			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 94
04-H-M-2-10
AP47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4556G	55.23	74.00	-18.77	61.31	3	Vertical	91	2.95	-	31.72	5.56	43.36			
AV	5.4032G	43.88	54.00	-10.12	50.23	3	Vertical	91	2.95	-	31.51	5.56	43.42			
PK	5.47G	57.24	68.20	-10.96	63.24	3	Vertical	91	2.95	-	31.78	5.56	43.34			
PK	5.5792G	112.06	Inf	-Inf	118.04	3	Vertical	91	2.95	-	31.74	5.55	43.27			
AV	5.574G	102.88	Inf	-Inf	108.85	3	Vertical	91	2.95	-	31.75	5.55	43.27			
PK	5.7576G	58.48	68.20	-9.72	63.97	3	Vertical	91	2.95	-	32.12	5.56	43.17			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 94
04-H-M-2-10
AP47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	63.45	74.00	-10.55	69.51	3	Horizontal	140	2.54	-	31.74	5.56	43.36			
AV	5.4488G	50.39	54.00	-3.61	56.50	3	Horizontal	140	2.54	-	31.70	5.56	43.37			
PK	5.4652G	67.03	68.20	-1.17	73.06	3	Horizontal	140	2.54	-	31.76	5.56	43.35			
PK	5.584G	123.34	Inf	-Inf	129.32	3	Horizontal	140	2.54	-	31.73	5.55	43.26			
AV	5.5888G	114.27	Inf	-Inf	120.26	3	Horizontal	140	2.54	-	31.72	5.55	43.26			
PK	5.7464G	60.16	68.20	-8.04	65.68	3	Horizontal	140	2.54	-	32.09	5.56	43.17			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 85
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1624G	62.57	74.00	-11.43	43.31	3	Vertical	316	1.80	-	38.32	11.49	30.55			
AV	11.16126G	53.87	54.00	-0.13	34.61	3	Vertical	316	1.80	-	38.32	11.49	30.55			
PK	16.75371G	63.87	68.20	-4.33	43.20	3	Vertical	338	1.80	-	39.12	13.64	32.09			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 85
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1639G	57.76	74.00	-16.24	42.36	3	Horizontal	5	2.83	-	38.33	11.49	34.42			
AV	11.16267G	48.37	54.00	-5.63	32.97	3	Horizontal	5	2.83	-	38.33	11.49	34.42			
PK	16.73484G	60.74	68.20	-7.46	42.65	3	Horizontal	18	2.24	-	39.07	13.63	34.61			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 54
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6945G	100.79	Inf	-Inf	89.76	3	Vertical	256	2.35	-	34.00	7.71	30.68			
AV	5.695G	92.61	Inf	-Inf	81.58	3	Vertical	256	2.35	-	34.00	7.71	30.68			
PK	5.7415G	63.43	68.20	-4.77	52.35	3	Vertical	256	2.35	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 54
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7063G	116.00	Inf	-Inf	104.96	3	Horizontal	256	2.35	-	34.00	7.72	30.68			
AV	5.7073G	107.09	Inf	-Inf	96.05	3	Horizontal	256	2.35	-	34.00	7.72	30.68			
PK	5.7263G	67.47	68.20	-0.73	56.42	3	Horizontal	240	2.47	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 54
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3892G	55.65	74.00	-18.35	50.60	3	Vertical	312	1.80	-	38.78	11.69	45.42			
AV	11.4058G	44.80	54.00	-9.20	39.68	3	Vertical	312	1.80	-	38.81	11.70	45.39			
PK	17.08915G	59.32	68.20	-8.88	50.80	3	Vertical	195	2.98	-	41.48	12.39	45.35			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 54
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3896G	54.97	74.00	-19.03	49.92	3	Horizontal	334	1.36	-	38.78	11.69	45.42			
AV	11.40615G	44.44	54.00	-9.56	39.32	3	Horizontal	334	1.36	-	38.81	11.70	45.39			
PK	17.0814G	59.47	68.20	-8.73	51.00	3	Horizontal	166	1.22	-	41.46	12.38	45.37			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 108
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7168G	115.81	Inf	-Inf	104.76	3	Vertical	96	2.89	-	34.00	7.73	30.68			
AV	5.7172G	106.15	Inf	-Inf	95.10	3	Vertical	96	2.89	-	34.00	7.73	30.68			
PK	5.8928G	63.16	68.20	-5.04	51.77	3	Vertical	96	2.89	-	34.17	7.86	30.64			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 108
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7224G	127.33	Inf	-Inf	116.28	3	Horizontal	222	3.00	-	34.00	7.73	30.68			
AV	5.7216G	118.81	Inf	-Inf	107.76	3	Horizontal	222	3.00	-	34.00	7.73	30.68			
PK	5.8776G	65.35	68.20	-2.85	54.03	3	Horizontal	222	3.00	-	34.11	7.85	30.64			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 98
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43645G	64.04	74.00	-9.96	58.79	3	Vertical	314	2.39	-	38.87	11.72	45.34			
AV	11.4368G	53.63	54.00	-0.37	48.38	3	Vertical	314	2.39	-	38.87	11.72	45.34			
PK	17.18415G	59.81	68.20	-8.39	50.59	3	Vertical	105	1.00	-	41.94	12.43	45.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 98
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4363G	60.20	74.00	-13.80	54.95	3	Horizontal	17	3.00	-	38.87	11.72	45.34			
AV	11.43665G	48.92	54.00	-5.08	43.67	3	Horizontal	17	3.00	-	38.87	11.72	45.34			
PK	17.16315G	60.94	68.20	-7.26	51.86	3	Horizontal	76	1.89	-	41.85	12.42	45.19			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 105
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6285G	63.10	68.20	-5.10	52.15	3	Vertical	259	2.22	-	34.00	7.65	30.70			
PK	5.7395G	110.16	Inf	-Inf	99.08	3	Vertical	259	2.22	-	34.00	7.75	30.67			
AV	5.739G	101.93	Inf	-Inf	90.85	3	Vertical	259	2.22	-	34.00	7.75	30.67			
PK	5.954G	62.80	68.20	-5.40	51.31	3	Vertical	259	2.22	-	34.21	7.90	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 105
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.591G	64.64	68.20	-3.56	53.76	3	Horizontal	100	2.36	-	34.00	7.59	30.71			
PK	5.7495G	125.33	Inf	-Inf	114.25	3	Horizontal	100	2.36	-	34.00	7.75	30.67			
AV	5.749G	117.08	Inf	-Inf	106.00	3	Horizontal	100	2.36	-	34.00	7.75	30.67			
PK	5.975G	62.57	68.20	-5.63	51.03	3	Horizontal	100	2.36	-	34.25	7.91	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 93
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4926G	65.33	74.00	-8.67	59.83	3	Vertical	36	1.90	-	38.99	11.76	45.25			
AV	11.4916G	53.26	54.00	-0.74	47.77	3	Vertical	36	1.90	-	38.98	11.76	45.25			
PK	17.2531G	60.90	68.20	-7.30	51.11	3	Vertical	72	2.47	-	42.32	12.47	45.00			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 93
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4937G	63.58	74.00	-10.42	58.08	3	Horizontal	322	3.00	-	38.99	11.76	45.25			
AV	11.49515G	52.97	54.00	-1.03	47.47	3	Horizontal	322	3.00	-	38.99	11.76	45.25			
PK	17.2533G	60.88	68.20	-7.32	51.08	3	Horizontal	78	2.91	-	42.33	12.47	45.00			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Z_4TX
Setting 108
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.611G	62.85	68.20	-5.35	51.92	3	Vertical	255	2.44	-	34.00	7.63	30.70			
PK	5.7795G	114.01	Inf	-Inf	102.83	3	Vertical	255	2.44	-	34.06	7.78	30.66			
AV	5.779G	105.54	Inf	-Inf	94.36	3	Vertical	255	2.44	-	34.06	7.78	30.66			
PK	6.0175G	63.41	68.20	-4.79	51.78	3	Vertical	255	2.44	-	34.30	7.96	30.63			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 108
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6465G	67.43	68.20	-0.77	56.46	3	Horizontal	215	2.28	-	34.00	7.66	30.69			
PK	5.7775G	125.59	Inf	-Inf	114.42	3	Horizontal	215	2.28	-	34.05	7.78	30.66			
AV	5.7775G	117.38	Inf	-Inf	106.21	3	Horizontal	215	2.28	-	34.05	7.78	30.66			
PK	5.9285G	62.78	68.20	-5.42	51.33	3	Horizontal	215	2.28	-	34.20	7.88	30.63			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 81
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57115G	63.84	74.00	-10.16	58.11	3	Vertical	36	1.81	-	39.18	11.81	45.26			
AV	11.5716G	53.73	54.00	-0.27	47.99	3	Vertical	36	1.81	-	39.19	11.81	45.26			
PK	17.36395G	62.03	68.20	-6.17	51.19	3	Vertical	166	2.13	-	43.08	12.52	44.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 81
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57245G	61.68	74.00	-12.32	55.94	3	Horizontal	327	3.00	-	39.19	11.81	45.26			
AV	11.5716G	49.89	54.00	-4.11	44.15	3	Horizontal	327	3.00	-	39.19	11.81	45.26			
PK	17.3737G	62.07	68.20	-6.13	51.15	3	Horizontal	38	2.46	-	43.14	12.52	44.74			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 100
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6275G	62.82	68.20	-5.38	51.88	3	Vertical	257	2.54	-	34.00	7.64	30.70			
PK	5.818G	111.98	Inf	-Inf	100.76	3	Vertical	257	2.54	-	34.06	7.81	30.65			
AV	5.818G	104.01	Inf	-Inf	92.79	3	Vertical	257	2.54	-	34.06	7.81	30.65			
PK	6.0425G	63.84	68.20	-4.36	52.20	3	Vertical	257	2.54	-	34.30	8.00	30.66			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 100
02-E-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	67.69	68.20	-0.51	56.72	3	Horizontal	228	2.38	-	34.00	7.66	30.69			
PK	5.822G	128.06	Inf	-Inf	116.84	3	Horizontal	228	2.38	-	34.06	7.81	30.65			
AV	5.8235G	118.80	Inf	-Inf	107.58	3	Horizontal	228	2.38	-	34.05	7.82	30.65			
PK	5.9555G	63.74	68.20	-4.46	52.25	3	Horizontal	228	2.38	-	34.21	7.90	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 70
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6497G	63.88	74.00	-10.12	58.00	3	Vertical	37	1.80	-	39.30	11.86	45.28			
AV	11.64935G	53.90	54.00	-0.10	48.02	3	Vertical	37	1.80	-	39.30	11.86	45.28			
PK	17.49585G	62.63	68.20	-5.57	50.37	3	Vertical	225	1.62	-	44.16	12.58	44.48			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 70
02-E-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65175G	61.99	74.00	-12.01	56.10	3	Horizontal	328	3.00	-	39.31	11.86	45.28			
AV	11.6511G	51.37	54.00	-2.63	45.49	3	Horizontal	328	3.00	-	39.30	11.86	45.28			
PK	17.4647G	62.25	68.20	-5.95	50.38	3	Horizontal	25	2.92	-	43.85	12.57	44.55			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 67
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1372G	61.63	74.00	-12.37	51.99	3	Vertical	101	2.80	-	33.60	6.97	30.93			
AV	5.1487G	50.62	54.00	-3.38	40.97	3	Vertical	101	2.80	-	33.60	6.98	30.93			
PK	5.1732G	109.13	Inf	-Inf	99.40	3	Vertical	101	2.80	-	33.65	6.99	30.91			
AV	5.1785G	98.11	Inf	-Inf	88.36	3	Vertical	101	2.80	-	33.66	7.00	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 67
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1449G	72.00	74.00	-2.00	62.36	3	Horizontal	231	2.30	-	33.60	6.97	30.93			
AV	5.1495G	53.62	54.00	-0.38	43.97	3	Horizontal	231	2.30	-	33.60	6.98	30.93			
PK	5.1856G	119.57	Inf	-Inf	109.81	3	Horizontal	231	2.30	-	33.67	7.00	30.91			
AV	5.1856G	108.23	Inf	-Inf	98.47	3	Horizontal	231	2.30	-	33.67	7.00	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 67
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36102G	59.14	68.20	-9.06	40.04	3	Vertical	317	1.80	-	38.58	11.04	30.52			
PK	15.53481G	61.55	74.00	-12.45	43.60	3	Vertical	114	1.56	-	38.03	11.85	31.93			
AV	15.54135G	50.85	54.00	-3.15	32.92	3	Vertical	114	1.56	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 67
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37239G	58.41	68.20	-9.79	39.32	3	Horizontal	16	1.80	-	38.56	11.05	30.52			
PK	15.53415G	61.18	74.00	-12.82	43.23	3	Horizontal	320	2.63	-	38.03	11.85	31.93			
AV	15.53652G	50.71	54.00	-3.29	32.76	3	Horizontal	320	2.63	-	38.03	11.85	31.93			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 83
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	61.38	74.00	-12.62	51.73	3	Vertical	97	2.94	-	33.60	6.98	30.93			
AV	5.1482G	51.00	54.00	-3.00	41.35	3	Vertical	97	2.94	-	33.60	6.98	30.93			
PK	5.203G	112.69	Inf	-Inf	102.87	3	Vertical	97	2.94	-	33.71	7.01	30.90			
AV	5.198G	101.34	Inf	-Inf	91.53	3	Vertical	97	2.94	-	33.70	7.01	30.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 83
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.84	74.00	-5.16	59.19	3	Horizontal	229	2.27	-	33.60	6.98	30.93			
AV	5.1488G	53.93	54.00	-0.07	44.28	3	Horizontal	229	2.27	-	33.60	6.98	30.93			
PK	5.2064G	122.78	Inf	-Inf	112.95	3	Horizontal	229	2.27	-	33.71	7.01	30.89			
AV	5.2056G	111.94	Inf	-Inf	102.11	3	Horizontal	229	2.27	-	33.71	7.01	30.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 83
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40051G	62.26	68.20	-5.94	43.21	3	Vertical	319	1.80	-	38.50	11.06	30.51			
PK	15.58782G	61.85	74.00	-12.15	44.05	3	Vertical	176	2.08	-	37.92	11.85	31.97			
AV	15.58974G	51.16	54.00	-2.84	33.36	3	Vertical	176	2.08	-	37.92	11.85	31.97			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 83
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38749G	59.60	68.20	-8.60	40.53	3	Horizontal	40	1.79	-	38.53	11.06	30.52			
PK	15.59115G	61.98	74.00	-12.02	44.18	3	Horizontal	231	1.80	-	37.92	11.85	31.97			
AV	15.58914G	50.92	54.00	-3.08	33.12	3	Horizontal	231	1.80	-	37.92	11.85	31.97			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1146G	61.15	74.00	-12.85	51.55	3	Vertical	95	2.90	-	33.60	6.95	30.95				
AV	5.1386G	50.86	54.00	-3.14	41.22	3	Vertical	95	2.90	-	33.60	6.97	30.93				
PK	5.2331G	115.05	Inf	-Inf	105.16	3	Vertical	95	2.90	-	33.77	7.00	30.88				
AV	5.2331G	104.25	Inf	-Inf	94.36	3	Vertical	95	2.90	-	33.77	7.00	30.88				
PK	5.3528G	62.50	74.00	-11.50	52.43	3	Vertical	95	2.90	-	33.91	6.97	30.81				
AV	5.3816G	51.54	54.00	-2.46	41.42	3	Vertical	95	2.90	-	33.96	6.96	30.80				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	62.38	74.00	-11.62	52.73	3	Horizontal	230	2.37	-	33.60	6.98	30.93			
AV	5.1428G	51.75	54.00	-2.25	42.11	3	Horizontal	230	2.37	-	33.60	6.97	30.93			
PK	5.2457G	125.30	Inf	-Inf	115.38	3	Horizontal	230	2.37	-	33.79	7.00	30.87			
AV	5.2457G	114.41	Inf	-Inf	104.49	3	Horizontal	230	2.37	-	33.79	7.00	30.87			
PK	5.3627G	62.41	74.00	-11.59	52.32	3	Horizontal	230	2.37	-	33.93	6.97	30.81			
AV	5.3783G	51.87	54.00	-2.13	41.74	3	Horizontal	230	2.37	-	33.96	6.97	30.80			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 90
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48492G	68.08	68.20	-0.12	48.98	3	Vertical	319	1.89	-	38.47	11.12	30.49			
PK	15.71223G	61.14	74.00	-12.86	43.75	3	Vertical	189	2.17	-	37.58	11.86	32.05			
AV	15.72414G	49.81	54.00	-4.19	32.45	3	Vertical	189	2.17	-	37.55	11.86	32.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 90
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4743G	65.57	68.20	-2.63	46.51	3	Horizontal	12	2.97	-	38.45	11.11	30.50			
PK	15.72585G	60.90	74.00	-13.10	43.54	3	Horizontal	312	1.80	-	37.55	11.86	32.05			
AV	15.72228G	50.43	54.00	-3.57	33.06	3	Horizontal	312	1.80	-	37.56	11.86	32.05			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1442G	61.00	74.00	-13.00	51.36	3	Vertical	97	3.00	-	33.60	6.97	30.93			
AV	5.1328G	50.57	54.00	-3.43	40.94	3	Vertical	97	3.00	-	33.60	6.97	30.94			
PK	5.2681G	113.35	Inf	-Inf	103.38	3	Vertical	97	3.00	-	33.84	6.99	30.86			
AV	5.2633G	103.64	Inf	-Inf	93.68	3	Vertical	97	3.00	-	33.83	6.99	30.86			
PK	5.3938G	62.09	74.00	-11.91	51.93	3	Vertical	97	3.00	-	33.99	6.96	30.79			
AV	5.3542G	51.68	54.00	-2.32	41.61	3	Vertical	97	3.00	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1376G	61.48	74.00	-12.52	51.84	3	Horizontal	222	2.33	-	33.60	6.97	30.93			
AV	5.1445G	50.85	54.00	-3.15	41.21	3	Horizontal	222	2.33	-	33.60	6.97	30.93			
PK	5.2516G	124.32	Inf	-Inf	114.39	3	Horizontal	222	2.33	-	33.80	7.00	30.87			
AV	5.2615G	114.66	Inf	-Inf	104.71	3	Horizontal	222	2.33	-	33.82	6.99	30.86			
PK	5.3563G	64.04	74.00	-9.96	53.97	3	Horizontal	222	2.33	-	33.91	6.97	30.81			
AV	5.3566G	52.13	54.00	-1.87	42.06	3	Horizontal	222	2.33	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51022G	65.32	68.20	-2.88	46.16	3	Vertical	320	1.92	-	38.52	11.13	30.49			
PK	15.76926G	60.87	74.00	-13.13	43.63	3	Vertical	0	1.80	-	37.46	11.86	32.08			
AV	15.77715G	49.63	54.00	-4.37	32.41	3	Vertical	0	1.80	-	37.45	11.86	32.09			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52858G	63.24	68.20	-4.96	44.02	3	Horizontal	10	3.00	-	38.56	11.15	30.49			
PK	15.77853G	60.45	74.00	-13.55	43.24	3	Horizontal	360	1.80	-	37.44	11.86	32.09			
AV	15.77343G	49.57	54.00	-4.43	32.34	3	Horizontal	360	1.80	-	37.45	11.86	32.08			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 82
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3088G	109.95	Inf	-Inf	99.91	3	Vertical	132	2.78	-	33.90	6.98	30.84			
AV	5.304G	99.05	Inf	-Inf	89.01	3	Vertical	132	2.78	-	33.90	6.98	30.84			
PK	5.3578G	62.53	74.00	-11.47	52.45	3	Vertical	132	2.78	-	33.92	6.97	30.81			
AV	5.3556G	51.80	54.00	-2.20	41.73	3	Vertical	132	2.78	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 82
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3016G	122.74	Inf	-Inf	112.70	3	Horizontal	222	2.52	-	33.90	6.98	30.84			
AV	5.3016G	112.05	Inf	-Inf	102.01	3	Horizontal	222	2.52	-	33.90	6.98	30.84			
PK	5.3562G	67.22	74.00	-6.78	57.15	3	Horizontal	222	2.52	-	33.91	6.97	30.81			
AV	5.3508G	53.69	54.00	-0.31	43.63	3	Horizontal	222	2.52	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 82
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60087G	63.97	74.00	-10.03	44.67	3	Vertical	318	1.80	-	38.60	11.19	30.49			
AV	10.60063G	53.69	54.00	-0.31	34.39	3	Vertical	318	1.80	-	38.60	11.19	30.49			
PK	15.90666G	60.89	74.00	-13.11	43.52	3	Vertical	168	1.80	-	37.67	11.87	32.17			
AV	15.90753G	50.01	54.00	-3.99	32.64	3	Vertical	168	1.80	-	37.67	11.87	32.17			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 82
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59886G	62.50	68.20	-5.70	43.20	3	Horizontal	20	2.57	-	38.60	11.19	30.49			
AV	10.6042G	51.03	54.00	-2.97	31.74	3	Horizontal	20	2.57	-	38.59	11.19	30.49			
PK	15.91494G	61.39	74.00	-12.61	44.06	3	Horizontal	227	1.43	-	37.64	11.87	32.18			
AV	15.91116G	49.89	54.00	-4.11	32.53	3	Horizontal	227	1.43	-	37.66	11.87	32.17			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 65
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3187G	107.06	Inf	-Inf	97.01	3	Vertical	134	2.73	-	33.90	6.98	30.83			
AV	5.3186G	96.27	Inf	-Inf	86.22	3	Vertical	134	2.73	-	33.90	6.98	30.83			
PK	5.3634G	61.77	74.00	-12.23	51.68	3	Vertical	134	2.73	-	33.93	6.97	30.81			
AV	5.3684G	51.29	54.00	-2.71	41.18	3	Vertical	134	2.73	-	33.94	6.97	30.80			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 65
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3217G	120.45	Inf	-Inf	110.40	3	Horizontal	220	2.88	-	33.90	6.98	30.83			
AV	5.3216G	108.29	Inf	-Inf	98.24	3	Horizontal	220	2.88	-	33.90	6.98	30.83			
PK	5.3518G	69.41	74.00	-4.59	59.35	3	Horizontal	220	2.88	-	33.90	6.97	30.81			
AV	5.3512G	53.55	54.00	-0.45	43.49	3	Horizontal	220	2.88	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 65
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63955G	62.16	74.00	-11.84	42.91	3	Vertical	321	1.93	-	38.52	11.22	30.49			
AV	10.6397G	51.83	54.00	-2.17	32.58	3	Vertical	321	1.93	-	38.52	11.22	30.49			
PK	15.96717G	61.89	74.00	-12.11	44.73	3	Vertical	68	1.80	-	37.50	11.87	32.21			
AV	15.95274G	50.39	54.00	-3.61	33.22	3	Vertical	68	1.80	-	37.50	11.87	32.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 65
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64537G	59.98	74.00	-14.02	40.74	3	Horizontal	29	2.76	-	38.51	11.22	30.49			
AV	10.6373G	49.38	54.00	-4.62	30.13	3	Horizontal	29	2.76	-	38.53	11.21	30.49			
PK	15.9495G	61.30	74.00	-12.70	44.13	3	Horizontal	314	1.72	-	37.50	11.87	32.20			
AV	15.95127G	50.51	54.00	-3.49	33.34	3	Horizontal	314	1.72	-	37.50	11.87	32.20			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 62
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	62.20	74.00	-11.80	51.78	3	Vertical	126	2.94	-	34.02	7.15	30.75			
AV	5.4553G	51.58	54.00	-2.42	41.19	3	Vertical	126	2.94	-	34.01	7.14	30.76			
PK	5.47G	62.77	68.20	-5.43	52.29	3	Vertical	126	2.94	-	34.04	7.19	30.75			
PK	5.5046G	107.39	Inf	-Inf	96.72	3	Vertical	126	2.94	-	34.09	7.31	30.73			
AV	5.5047G	96.81	Inf	-Inf	86.14	3	Vertical	126	2.94	-	34.09	7.31	30.73			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 62
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4577G	62.84	74.00	-11.16	52.42	3	Horizontal	229	2.36	-	34.02	7.15	30.75			
AV	5.456G	52.38	54.00	-1.62	41.98	3	Horizontal	229	2.36	-	34.01	7.14	30.75			
PK	5.465G	67.59	68.20	-0.61	57.14	3	Horizontal	229	2.36	-	34.03	7.17	30.75			
PK	5.5053G	119.70	Inf	-Inf	109.03	3	Horizontal	229	2.36	-	34.09	7.31	30.73			
AV	5.5055G	108.43	Inf	-Inf	97.76	3	Horizontal	229	2.36	-	34.09	7.31	30.73			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 62
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01305G	58.50	74.00	-15.50	38.94	3	Vertical	35	1.80	-	38.60	11.45	30.49			
AV	11.0003G	47.68	54.00	-6.32	28.11	3	Vertical	35	1.80	-	38.60	11.45	30.48			
PK	16.49958G	63.59	68.20	-4.61	44.73	3	Vertical	352	2.99	-	38.80	12.11	32.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 62
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01371G	58.71	74.00	-15.29	39.15	3	Horizontal	72	2.46	-	38.60	11.45	30.49			
AV	11.01101G	47.51	54.00	-6.49	27.95	3	Horizontal	72	2.46	-	38.60	11.45	30.49			
PK	16.48866G	63.17	68.20	-5.03	44.39	3	Horizontal	249	1.47	-	38.73	12.10	32.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 108
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4492G	62.17	74.00	-11.83	51.81	3	Vertical	95	3.00	-	34.00	7.12	30.76			
AV	5.4328G	51.42	54.00	-2.58	41.12	3	Vertical	95	3.00	-	34.00	7.07	30.77			
PK	5.464G	61.94	68.20	-6.26	51.49	3	Vertical	95	3.00	-	34.03	7.17	30.75			
PK	5.574G	113.40	Inf	-Inf	102.58	3	Vertical	95	3.00	-	34.00	7.53	30.71			
AV	5.5744G	103.96	Inf	-Inf	93.13	3	Vertical	95	3.00	-	34.00	7.54	30.71			
PK	5.7472G	62.94	68.20	-5.26	51.86	3	Vertical	95	3.00	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 108
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4404G	63.82	74.00	-10.18	53.49	3	Horizontal	239	2.18	-	34.00	7.09	30.76			
AV	5.4264G	51.66	54.00	-2.34	41.38	3	Horizontal	239	2.18	-	34.00	7.05	30.77			
PK	5.47G	68.05	68.20	-0.15	57.57	3	Horizontal	239	2.18	-	34.04	7.19	30.75			
PK	5.5888G	126.21	Inf	-Inf	115.34	3	Horizontal	239	2.18	-	34.00	7.58	30.71			
AV	5.5892G	115.58	Inf	-Inf	104.71	3	Horizontal	239	2.18	-	34.00	7.58	30.71			
PK	5.7412G	64.14	68.20	-4.06	53.06	3	Horizontal	239	2.18	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15961G	61.88	74.00	-12.12	42.28	3	Vertical	324	2.39	-	38.60	11.55	30.55			
AV	11.16459G	51.38	54.00	-2.62	31.79	3	Vertical	324	2.39	-	38.60	11.55	30.56			
PK	16.75305G	64.44	68.20	-3.76	44.28	3	Vertical	340	2.86	-	40.02	12.23	32.09			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1612G	60.00	74.00	-14.00	40.40	3	Horizontal	13	3.00	-	38.60	11.55	30.55			
AV	11.1603G	48.93	54.00	-5.07	29.33	3	Horizontal	13	3.00	-	38.60	11.55	30.55			
PK	16.74204G	63.32	68.20	-4.88	43.20	3	Horizontal	206	2.84	-	39.98	12.22	32.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 60
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.704G	106.82	Inf	-Inf	95.79	3	Vertical	94	2.89	-	34.00	7.71	30.68			
AV	5.6992G	95.85	Inf	-Inf	84.82	3	Vertical	94	2.89	-	34.00	7.71	30.68			
PK	5.7402G	62.77	68.20	-5.43	51.69	3	Vertical	94	2.89	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 60
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6988G	118.60	Inf	-Inf	107.57	3	Horizontal	237	2.34	-	34.00	7.71	30.68			
AV	5.6938G	107.91	Inf	-Inf	96.89	3	Horizontal	237	2.34	-	34.00	7.70	30.68			
PK	5.725G	67.94	68.20	-0.26	56.89	3	Horizontal	237	2.34	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 60
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41371G	59.50	74.00	-14.50	39.63	3	Vertical	350	1.80	-	38.83	11.71	30.67			
AV	11.4144G	48.16	54.00	-5.84	28.29	3	Vertical	350	1.80	-	38.83	11.71	30.67			
PK	17.0985G	65.80	68.20	-2.40	44.07	3	Vertical	192	1.74	-	41.50	12.39	32.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 60
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3931G	58.95	74.00	-15.05	39.13	3	Horizontal	249	1.10	-	38.79	11.69	30.66			
AV	11.40777G	48.44	54.00	-5.56	28.59	3	Horizontal	249	1.10	-	38.82	11.70	30.67			
PK	17.115G	65.39	68.20	-2.81	43.56	3	Horizontal	103	1.66	-	41.59	12.40	32.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 108
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7268G	113.32	Inf	-Inf	102.27	3	Vertical	149	2.62	-	34.00	7.73	30.68			
AV	5.722G	104.08	Inf	-Inf	93.03	3	Vertical	149	2.62	-	34.00	7.73	30.68			
PK	5.9168G	63.27	68.20	-4.93	51.82	3	Vertical	149	2.62	-	34.20	7.88	30.63			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 108
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7228G	125.64	Inf	-Inf	114.59	3	Horizontal	97	2.41	-	34.00	7.73	30.68			
AV	5.7224G	116.25	Inf	-Inf	105.20	3	Horizontal	97	2.41	-	34.00	7.73	30.68			
PK	5.8796G	64.84	68.20	-3.36	53.51	3	Horizontal	97	2.41	-	34.12	7.85	30.64			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43826G	66.52	74.00	-7.48	46.60	3	Vertical	313	2.25	-	38.88	11.72	30.68			
AV	11.43814G	53.99	54.00	-0.01	34.07	3	Vertical	313	2.25	-	38.88	11.72	30.68			
PK	17.17413G	66.26	68.20	-1.94	44.11	3	Vertical	153	2.86	-	41.90	12.43	32.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43694G	61.42	74.00	-12.58	41.51	3	Horizontal	15	2.78	-	38.87	11.72	30.68			
AV	11.43655G	51.71	54.00	-2.29	31.80	3	Horizontal	15	2.78	-	38.87	11.72	30.68			
PK	17.14746G	66.76	68.20	-1.44	44.73	3	Horizontal	270	2.89	-	41.78	12.42	32.17			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 93
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5935G	63.14	68.20	-5.06	52.25	3	Vertical	258	2.46	-	34.00	7.60	30.71			
PK	5.747G	112.55	Inf	-Inf	101.47	3	Vertical	258	2.46	-	34.00	7.75	30.67			
AV	5.7515G	102.17	Inf	-Inf	91.08	3	Vertical	258	2.46	-	34.00	7.76	30.67			
PK	5.939G	63.02	68.20	-5.18	51.55	3	Vertical	258	2.46	-	34.20	7.89	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 93
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6375G	65.44	68.20	-2.76	54.49	3	Horizontal	95	2.80	-	34.00	7.65	30.70			
PK	5.7425G	124.24	Inf	-Inf	113.16	3	Horizontal	95	2.80	-	34.00	7.75	30.67			
AV	5.752G	114.91	Inf	-Inf	103.82	3	Horizontal	95	2.80	-	34.00	7.76	30.67			
PK	5.9495G	62.71	68.20	-5.49	51.23	3	Horizontal	95	2.80	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 93
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49432G	63.84	74.00	-10.16	43.80	3	Vertical	24	1.80	-	38.99	11.76	30.71			
AV	11.48967G	53.12	54.00	-0.88	33.09	3	Vertical	24	1.80	-	38.98	11.76	30.71			
PK	17.24151G	65.89	68.20	-2.31	43.39	3	Vertical	157	1.82	-	42.25	12.46	32.21			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 93
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49135G	64.04	74.00	-9.96	44.01	3	Horizontal	323	2.83	-	38.98	11.76	30.71			
AV	11.49183G	52.78	54.00	-1.22	32.75	3	Horizontal	323	2.83	-	38.98	11.76	30.71			
PK	17.24886G	65.80	68.20	-2.40	43.26	3	Horizontal	292	2.99	-	42.29	12.46	32.21			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 96
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.535G	62.73	68.20	-5.47	52.01	3	Vertical	96	3.00	-	34.03	7.41	30.72			
PK	5.789G	113.88	Inf	-Inf	102.67	3	Vertical	96	3.00	-	34.08	7.79	30.66			
AV	5.779G	103.66	Inf	-Inf	92.48	3	Vertical	96	3.00	-	34.06	7.78	30.66			
PK	5.9505G	64.15	68.20	-4.05	52.67	3	Vertical	96	3.00	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
Setting 96
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6295G	67.94	68.20	-0.26	56.99	3	Horizontal	317	3.00	-	34.00	7.65	30.70			
PK	5.788G	125.89	Inf	-Inf	114.68	3	Horizontal	317	3.00	-	34.08	7.79	30.66			
AV	5.783G	115.20	Inf	-Inf	104.01	3	Horizontal	317	3.00	-	34.07	7.78	30.66			
PK	5.9955G	62.79	68.20	-5.41	51.18	3	Horizontal	317	3.00	-	34.29	7.93	30.61			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 80
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56835G	66.15	74.00	-7.85	45.94	3	Vertical	313	2.22	-	39.17	11.81	30.77			
AV	11.56781G	53.83	54.00	-0.17	33.62	3	Vertical	313	2.22	-	39.17	11.81	30.77			
PK	17.36991G	66.43	68.20	-1.77	43.04	3	Vertical	148	2.64	-	43.12	12.52	32.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 80
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58122G	63.47	74.00	-10.53	43.22	3	Horizontal	325	3.00	-	39.22	11.81	30.78			
AV	11.57081G	52.41	54.00	-1.59	32.19	3	Horizontal	325	3.00	-	39.18	11.81	30.77			
PK	17.36493G	66.68	68.20	-1.52	43.32	3	Horizontal	335	1.95	-	43.09	12.52	32.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 108
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.618G	62.15	68.20	-6.05	51.21	3	Vertical	258	2.82	-	34.00	7.64	30.70			
PK	5.8215G	112.98	Inf	-Inf	101.76	3	Vertical	258	2.82	-	34.06	7.81	30.65			
AV	5.8215G	102.89	Inf	-Inf	91.67	3	Vertical	258	2.82	-	34.06	7.81	30.65			
PK	6.0355G	63.40	68.20	-4.80	51.76	3	Vertical	258	2.82	-	34.30	7.99	30.65			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
Setting 108
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6475G	67.98	68.20	-0.22	57.01	3	Horizontal	134	2.68	-	34.00	7.66	30.69			
PK	5.8305G	126.25	Inf	-Inf	115.04	3	Horizontal	134	2.68	-	34.04	7.82	30.65			
AV	5.8205G	115.39	Inf	-Inf	104.17	3	Horizontal	134	2.68	-	34.06	7.81	30.65			
PK	5.9995G	63.04	68.20	-5.16	51.42	3	Horizontal	134	2.68	-	34.30	7.93	30.61			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 69
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65198G	64.23	74.00	-9.77	43.90	3	Vertical	313	2.16	-	39.31	11.86	30.84			
AV	11.64778G	53.48	54.00	-0.52	33.15	3	Vertical	313	2.16	-	39.30	11.86	30.83			
PK	17.47323G	67.86	68.20	-0.34	43.65	3	Vertical	32	2.99	-	43.93	12.57	32.29			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 69
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64946G	62.34	74.00	-11.66	42.02	3	Horizontal	360	2.92	-	39.30	11.86	30.84			
AV	11.65015G	51.78	54.00	-2.22	31.46	3	Horizontal	360	2.92	-	39.30	11.86	30.84			
PK	17.47518G	67.58	68.20	-0.62	43.35	3	Horizontal	141	2.96	-	43.95	12.57	32.29			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 59
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0936G	61.07	74.00	-12.93	51.52	3	Vertical	101	2.94	-	33.57	6.94	30.96			
AV	5.1494G	50.67	54.00	-3.33	41.02	3	Vertical	101	2.94	-	33.60	6.98	30.93			
PK	5.203G	103.25	Inf	-Inf	93.43	3	Vertical	101	2.94	-	33.71	7.01	30.90			
AV	5.1984G	92.64	Inf	-Inf	82.83	3	Vertical	101	2.94	-	33.70	7.01	30.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 59
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	68.11	74.00	-5.89	58.47	3	Horizontal	230	2.29	-	33.60	6.97	30.93			
AV	5.1492G	53.49	54.00	-0.51	43.84	3	Horizontal	230	2.29	-	33.60	6.98	30.93			
PK	5.181G	114.99	Inf	-Inf	105.24	3	Horizontal	230	2.29	-	33.66	7.00	30.91			
AV	5.186G	103.49	Inf	-Inf	93.73	3	Horizontal	230	2.29	-	33.67	7.00	30.91			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 59
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38392G	58.18	68.20	-10.02	39.12	3	Vertical	311	1.80	-	38.53	11.05	30.52			
PK	15.56834G	62.77	74.00	-11.23	44.91	3	Vertical	299	1.00	-	37.96	11.85	31.95			
AV	15.57652G	51.32	54.00	-2.68	33.48	3	Vertical	299	1.00	-	37.95	11.85	31.96			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 59
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37802G	57.97	68.20	-10.23	38.90	3	Horizontal	248	2.69	-	38.54	11.05	30.52			
PK	15.56898G	62.25	74.00	-11.75	44.39	3	Horizontal	279	1.80	-	37.96	11.85	31.95			
AV	15.57968G	51.55	54.00	-2.45	33.72	3	Horizontal	279	1.80	-	37.94	11.85	31.96			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 76
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.095G	60.56	74.00	-13.44	51.00	3	Vertical	95	3.00	-	33.58	6.94	30.96			
AV	5.1463G	50.54	54.00	-3.46	40.89	3	Vertical	95	3.00	-	33.60	6.98	30.93			
PK	5.2435G	106.67	Inf	-Inf	96.75	3	Vertical	95	3.00	-	33.79	7.00	30.87			
AV	5.2381G	96.73	Inf	-Inf	86.83	3	Vertical	95	3.00	-	33.78	7.00	30.88			
PK	5.3524G	61.46	74.00	-12.54	51.40	3	Vertical	95	3.00	-	33.90	6.97	30.81			
AV	5.3692G	51.56	54.00	-2.44	41.45	3	Vertical	95	3.00	-	33.94	6.97	30.80			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 76
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1457G	67.04	74.00	-6.96	57.40	3	Horizontal	224	2.37	-	33.60	6.97	30.93			
AV	5.1499G	53.83	54.00	-0.17	44.18	3	Horizontal	224	2.37	-	33.60	6.98	30.93			
PK	5.2162G	118.40	Inf	-Inf	108.55	3	Horizontal	224	2.37	-	33.73	7.01	30.89			
AV	5.2411G	107.82	Inf	-Inf	97.91	3	Horizontal	224	2.37	-	33.78	7.00	30.87			
PK	5.3518G	63.23	74.00	-10.77	53.17	3	Horizontal	224	2.37	-	33.90	6.97	30.81			
AV	5.3632G	52.31	54.00	-1.69	42.22	3	Horizontal	224	2.37	-	33.93	6.97	30.81			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 76
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47488G	60.74	68.20	-7.46	41.68	3	Vertical	317	2.16	-	38.45	11.11	30.50			
PK	15.68264G	61.55	74.00	-12.45	44.09	3	Vertical	103	1.80	-	37.63	11.86	32.03			
AV	15.6914G	50.81	54.00	-3.19	33.36	3	Vertical	103	1.80	-	37.62	11.86	32.03			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
Setting 76
02-E-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.47544G	59.66	68.20	-8.54	40.60	3	Horizontal	7	2.96	-	38.45	11.11	30.50			
PK	15.68388G	60.67	74.00	-13.33	43.21	3	Horizontal	152	2.33	-	37.63	11.86	32.03			
AV	15.6722G	50.14	54.00	-3.86	32.64	3	Horizontal	152	2.33	-	37.66	11.86	32.02			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 81
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1383G	60.18	74.00	-13.82	50.54	3	Vertical	81	3.00	-	33.60	6.97	30.93			
AV	5.1482G	50.91	54.00	-3.09	41.26	3	Vertical	81	3.00	-	33.60	6.98	30.93			
PK	5.2739G	106.96	Inf	-Inf	96.98	3	Vertical	81	3.00	-	33.85	6.99	30.86			
AV	5.2841G	96.39	Inf	-Inf	86.38	3	Vertical	81	3.00	-	33.87	6.99	30.85			
PK	5.3585G	62.11	74.00	-11.89	52.03	3	Vertical	81	3.00	-	33.92	6.97	30.81			
AV	5.3525G	51.44	54.00	-2.56	41.37	3	Vertical	81	3.00	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 81
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1431G	62.31	74.00	-11.69	52.67	3	Horizontal	222	2.40	-	33.60	6.97	30.93			
AV	5.1443G	51.28	54.00	-2.72	41.64	3	Horizontal	222	2.40	-	33.60	6.97	30.93			
PK	5.2664G	119.05	Inf	-Inf	109.09	3	Horizontal	222	2.40	-	33.83	6.99	30.86			
AV	5.2562G	107.97	Inf	-Inf	98.03	3	Horizontal	222	2.40	-	33.81	7.00	30.87			
PK	5.351G	65.76	74.00	-8.24	55.70	3	Horizontal	222	2.40	-	33.90	6.97	30.81			
AV	5.3528G	53.74	54.00	-0.26	43.67	3	Horizontal	222	2.40	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 81
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53932G	60.03	68.20	-8.17	40.79	3	Vertical	40	1.80	-	38.58	11.15	30.49			
PK	15.81848G	59.69	74.00	-14.31	42.50	3	Vertical	142	1.80	-	37.44	11.86	32.11			
AV	15.8004G	49.48	54.00	-4.52	32.32	3	Vertical	142	1.80	-	37.40	11.86	32.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 81
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55448G	58.75	68.20	-9.45	39.48	3	Horizontal	267	1.80	-	38.60	11.16	30.49			
PK	15.82796G	59.96	74.00	-14.04	42.76	3	Horizontal	6	1.19	-	37.46	11.86	32.12			
AV	15.79616G	49.27	54.00	-4.73	32.10	3	Horizontal	6	1.19	-	37.41	11.86	32.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 57
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3133G	102.24	Inf	-Inf	92.19	3	Vertical	130	2.88	-	33.90	6.98	30.83			
AV	5.3136G	91.21	Inf	-Inf	81.16	3	Vertical	130	2.88	-	33.90	6.98	30.83			
PK	5.3514G	62.24	74.00	-11.76	52.18	3	Vertical	130	2.88	-	33.90	6.97	30.81			
AV	5.3931G	51.70	54.00	-2.30	41.54	3	Vertical	130	2.88	-	33.99	6.96	30.79			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 57
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3067G	113.53	Inf	-Inf	103.49	3	Horizontal	220	2.50	-	33.90	6.98	30.84			
AV	5.3064G	103.37	Inf	-Inf	93.33	3	Horizontal	220	2.50	-	33.90	6.98	30.84			
PK	5.3514G	65.53	74.00	-8.47	55.47	3	Horizontal	220	2.50	-	33.90	6.97	30.81			
AV	5.3511G	53.20	54.00	-0.80	43.14	3	Horizontal	220	2.50	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
Setting 57
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.612G	58.89	74.00	-15.11	39.60	3	Vertical	21	1.00	-	38.58	11.20	30.49				
AV	10.62064G	47.94	54.00	-6.06	28.67	3	Vertical	21	1.00	-	38.56	11.20	30.49				
PK	15.94712G	61.04	74.00	-12.96	43.86	3	Vertical	124	2.97	-	37.51	11.87	32.20				
AV	15.93624G	50.84	54.00	-3.16	33.60	3	Vertical	124	2.97	-	37.56	11.87	32.19				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 57
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60572G	58.91	74.00	-15.09	39.62	3	Horizontal	1	1.21	-	38.59	11.19	30.49			
AV	10.62936G	48.13	54.00	-5.87	28.87	3	Horizontal	1	1.21	-	38.54	11.21	30.49			
PK	15.93788G	62.04	74.00	-11.96	44.81	3	Horizontal	216	1.58	-	37.55	11.87	32.19			
AV	15.9214G	50.53	54.00	-3.47	33.23	3	Horizontal	216	1.58	-	37.61	11.87	32.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 56
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4518G	62.46	74.00	-11.54	52.09	3	Vertical	95	2.89	-	34.00	7.13	30.76			
AV	5.3639G	51.66	54.00	-2.34	41.57	3	Vertical	95	2.89	-	33.93	6.97	30.81			
PK	5.4665G	61.71	68.20	-6.49	51.25	3	Vertical	95	2.89	-	34.03	7.18	30.75			
PK	5.5124G	102.69	Inf	-Inf	92.01	3	Vertical	95	2.89	-	34.08	7.33	30.73			
AV	5.5124G	92.47	Inf	-Inf	81.79	3	Vertical	95	2.89	-	34.08	7.33	30.73			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 56
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4533G	63.90	74.00	-10.10	53.51	3	Horizontal	236	2.41	-	34.01	7.14	30.76			
AV	5.4593G	52.60	54.00	-1.40	42.17	3	Horizontal	236	2.41	-	34.02	7.16	30.75			
PK	5.4686G	68.03	68.20	-0.17	57.55	3	Horizontal	236	2.41	-	34.04	7.19	30.75			
PK	5.519G	113.99	Inf	-Inf	103.31	3	Horizontal	236	2.41	-	34.06	7.35	30.73			
AV	5.5139G	103.96	Inf	-Inf	93.28	3	Horizontal	236	2.41	-	34.07	7.34	30.73			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 56
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.03276G	58.57	74.00	-15.43	39.00	3	Vertical	296	1.08	-	38.60	11.47	30.50			
AV	11.02488G	47.52	54.00	-6.48	27.95	3	Vertical	296	1.08	-	38.60	11.46	30.49			
PK	16.5448G	64.49	68.20	-3.71	45.26	3	Vertical	303	1.49	-	39.16	12.13	32.06			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 56
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00944G	57.39	74.00	-16.61	37.82	3	Horizontal	4	2.98	-	38.60	11.45	30.48			
AV	11.03856G	47.44	54.00	-6.56	27.87	3	Horizontal	4	2.98	-	38.60	11.47	30.50			
PK	16.52928G	64.02	68.20	-4.18	44.92	3	Horizontal	204	2.45	-	39.03	12.12	32.05			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 77
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4312G	62.08	74.00	-11.92	51.79	3	Vertical	93	2.88	-	34.00	7.06	30.77			
AV	5.4327G	51.96	54.00	-2.04	41.66	3	Vertical	93	2.88	-	34.00	7.07	30.77			
PK	5.4624G	61.35	68.20	-6.85	50.91	3	Vertical	93	2.88	-	34.02	7.17	30.75			
PK	5.5446G	108.75	Inf	-Inf	98.02	3	Vertical	93	2.88	-	34.01	7.44	30.72			
AV	5.5446G	97.91	Inf	-Inf	87.18	3	Vertical	93	2.88	-	34.01	7.44	30.72			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 77
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	65.02	74.00	-8.98	54.59	3	Horizontal	219	2.29	-	34.02	7.16	30.75			
AV	5.4579G	53.09	54.00	-0.91	42.67	3	Horizontal	219	2.29	-	34.02	7.15	30.75			
PK	5.4603G	66.04	68.20	-2.16	55.61	3	Horizontal	219	2.29	-	34.02	7.16	30.75			
PK	5.5506G	119.07	Inf	-Inf	108.33	3	Horizontal	219	2.29	-	34.00	7.46	30.72			
AV	5.5458G	108.85	Inf	-Inf	98.12	3	Horizontal	219	2.29	-	34.01	7.44	30.72			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 77
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11296G	58.29	74.00	-15.71	38.70	3	Vertical	185	2.67	-	38.60	11.52	30.53			
AV	11.11652G	47.71	54.00	-6.29	28.12	3	Vertical	185	2.67	-	38.60	11.52	30.53			
PK	16.65296G	64.12	68.20	-4.08	44.20	3	Vertical	272	2.02	-	39.81	12.18	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 77
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08348G	58.56	74.00	-15.44	38.98	3	Horizontal	251	1.74	-	38.60	11.50	30.52			
AV	11.11596G	47.71	54.00	-6.29	28.12	3	Horizontal	251	1.74	-	38.60	11.52	30.53			
PK	16.63296G	64.16	68.20	-4.04	44.33	3	Horizontal	360	2.88	-	39.73	12.17	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 68
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6544G	104.76	Inf	-Inf	93.78	3	Vertical	123	2.81	-	34.00	7.67	30.69			
AV	5.6547G	94.81	Inf	-Inf	83.83	3	Vertical	123	2.81	-	34.00	7.67	30.69			
PK	5.76G	63.56	68.20	-4.64	52.45	3	Vertical	123	2.81	-	34.02	7.76	30.67			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 68
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6538G	117.00	Inf	-Inf	106.02	3	Horizontal	140	2.54	-	34.00	7.67	30.69			
AV	5.6634G	105.96	Inf	-Inf	94.97	3	Horizontal	140	2.54	-	34.00	7.68	30.69			
PK	5.7261G	68.04	68.20	-0.16	56.99	3	Horizontal	140	2.54	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 68
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34928G	59.62	74.00	-14.38	39.89	3	Vertical	340	1.01	-	38.70	11.67	30.64			
AV	11.34844G	48.12	54.00	-5.88	28.39	3	Vertical	340	1.01	-	38.70	11.67	30.64			
PK	17.0286G	64.93	68.20	-3.27	43.30	3	Vertical	23	2.39	-	41.40	12.36	32.13			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 68
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33128G	59.97	74.00	-14.03	40.24	3	Horizontal	42	1.76	-	38.70	11.66	30.63			
AV	11.32064G	48.19	54.00	-5.81	28.47	3	Horizontal	42	1.76	-	38.70	11.65	30.63			
PK	17.01356G	65.01	68.20	-3.19	43.38	3	Horizontal	155	2.59	-	41.40	12.35	32.12			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 101
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	59.66	74.00	-14.34	49.23	3	Vertical	126	2.78	-	34.02	7.16	30.75			
AV	5.46G	50.25	54.00	-3.75	39.82	3	Vertical	126	2.78	-	34.02	7.16	30.75			
PK	5.464G	61.38	68.20	-6.82	50.93	3	Vertical	126	2.78	-	34.03	7.17	30.75			
PK	5.7045G	108.64	Inf	-Inf	97.61	3	Vertical	126	2.78	-	34.00	7.71	30.68			
AV	5.718G	98.57	Inf	-Inf	87.52	3	Vertical	126	2.78	-	34.00	7.73	30.68			
PK	5.8885G	62.64	68.20	-5.56	51.27	3	Vertical	126	2.78	-	34.15	7.86	30.64			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 101
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	60.87	74.00	-13.13	50.44	3	Horizontal	237	2.78	-	34.02	7.16	30.75			
AV	5.46G	51.40	54.00	-2.60	40.97	3	Horizontal	237	2.78	-	34.02	7.16	30.75			
PK	5.4655G	62.15	68.20	-6.05	51.69	3	Horizontal	237	2.78	-	34.03	7.18	30.75			
PK	5.7235G	122.02	Inf	-Inf	110.97	3	Horizontal	237	2.78	-	34.00	7.73	30.68			
AV	5.704G	112.68	Inf	-Inf	101.65	3	Horizontal	237	2.78	-	34.00	7.71	30.68			
PK	5.8575G	68.19	68.20	-0.01	56.96	3	Horizontal	237	2.78	-	34.03	7.84	30.64			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 101
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40096G	59.45	74.00	-14.55	39.61	3	Vertical	250	1.80	-	38.80	11.70	30.66			
AV	11.42828G	48.75	54.00	-5.25	28.85	3	Vertical	250	1.80	-	38.86	11.72	30.68			
PK	17.14792G	66.57	68.20	-1.63	44.53	3	Vertical	95	3.00	-	41.79	12.42	32.17			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 101
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43476G	59.27	74.00	-14.73	39.36	3	Horizontal	120	1.80	-	38.87	11.72	30.68			
AV	11.41532G	48.67	54.00	-5.33	28.80	3	Horizontal	120	1.80	-	38.83	11.71	30.67			
PK	17.12856G	66.58	68.20	-1.62	44.67	3	Horizontal	353	1.00	-	41.67	12.41	32.17			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 86
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6275G	63.59	68.20	-4.61	52.65	3	Vertical	257	2.96	-	34.00	7.64	30.70			
PK	5.7585G	108.87	Inf	-Inf	97.76	3	Vertical	257	2.96	-	34.02	7.76	30.67			
AV	5.754G	97.91	Inf	-Inf	86.81	3	Vertical	257	2.96	-	34.01	7.76	30.67			
PK	5.992G	62.67	68.20	-5.53	51.08	3	Vertical	257	2.96	-	34.28	7.92	30.61			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 86
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	68.15	68.20	-0.05	57.18	3	Horizontal	315	2.97	-	34.00	7.66	30.69			
PK	5.743G	121.75	Inf	-Inf	110.67	3	Horizontal	315	2.97	-	34.00	7.75	30.67			
AV	5.763G	111.46	Inf	-Inf	100.33	3	Horizontal	315	2.97	-	34.03	7.77	30.67			
PK	5.966G	63.12	68.20	-5.08	51.60	3	Horizontal	315	2.97	-	34.23	7.91	30.62			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 86
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52404G	59.70	74.00	-14.30	39.60	3	Vertical	26	2.55	-	39.05	11.78	30.73			
AV	11.5G	48.47	54.00	-5.53	28.42	3	Vertical	26	2.55	-	39.00	11.76	30.71			
PK	17.28436G	65.63	68.20	-2.57	42.80	3	Vertical	189	2.82	-	42.57	12.48	32.22			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 86
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51796G	59.51	74.00	-14.49	39.43	3	Horizontal	58	1.57	-	39.04	11.77	30.73			
AV	11.52548G	48.45	54.00	-5.55	28.35	3	Horizontal	58	1.57	-	39.05	11.78	30.73			
PK	17.2704G	64.83	68.20	-3.37	42.12	3	Horizontal	254	1.47	-	42.46	12.47	32.22			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 99
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5795G	62.45	68.20	-5.75	51.61	3	Vertical	256	2.52	-	34.00	7.55	30.71			
PK	5.786G	110.21	Inf	-Inf	99.01	3	Vertical	256	2.52	-	34.07	7.79	30.66			
AV	5.7915G	99.71	Inf	-Inf	88.50	3	Vertical	256	2.52	-	34.08	7.79	30.66			
PK	5.9845G	62.85	68.20	-5.35	51.27	3	Vertical	256	2.52	-	34.27	7.92	30.61			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 99
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.616G	68.10	68.20	-0.10	57.17	3	Horizontal	131	2.44	-	34.00	7.63	30.70			
PK	5.7855G	123.94	Inf	-Inf	112.74	3	Horizontal	131	2.44	-	34.07	7.79	30.66			
AV	5.7855G	112.57	Inf	-Inf	101.37	3	Horizontal	131	2.44	-	34.07	7.79	30.66			
PK	6.0155G	63.20	68.20	-5.00	51.58	3	Horizontal	131	2.44	-	34.30	7.95	30.63			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 99
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5858G	59.56	74.00	-14.44	39.28	3	Vertical	268	2.16	-	39.24	11.82	30.78			
AV	11.57592G	48.77	54.00	-5.23	28.53	3	Vertical	268	2.16	-	39.20	11.81	30.77			
PK	17.39104G	66.94	68.20	-1.26	43.42	3	Vertical	151	2.69	-	43.25	12.53	32.26			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
Setting 99
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.60372G	59.61	74.00	-14.39	39.28	3	Horizontal	238	2.52	-	39.30	11.83	30.80			
AV	11.59644G	49.04	54.00	-4.96	28.72	3	Horizontal	238	2.52	-	39.29	11.82	30.79			
PK	17.37092G	67.16	68.20	-1.04	43.76	3	Horizontal	196	2.27	-	43.13	12.52	32.25			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 53
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	61.43	74.00	-12.57	51.78	3	Vertical	94	2.94	-	33.60	6.98	30.93			
AV	5.1485G	50.98	54.00	-3.02	41.33	3	Vertical	94	2.94	-	33.60	6.98	30.93			
PK	5.1985G	99.30	Inf	-Inf	89.49	3	Vertical	94	2.94	-	33.70	7.01	30.90			
AV	5.198G	88.38	Inf	-Inf	78.57	3	Vertical	94	2.94	-	33.70	7.01	30.90			
PK	5.4475G	62.25	74.00	-11.75	51.89	3	Vertical	94	2.94	-	34.00	7.12	30.76			
AV	5.3805G	52.08	54.00	-1.92	41.96	3	Vertical	94	2.94	-	33.96	6.96	30.80			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 53
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1425G	69.86	74.00	-4.14	60.22	3	Horizontal	224	2.33	-	33.60	6.97	30.93			
AV	5.141G	53.88	54.00	-0.12	44.24	3	Horizontal	224	2.33	-	33.60	6.97	30.93			
PK	5.2215G	109.72	Inf	-Inf	99.87	3	Horizontal	224	2.33	-	33.74	7.00	30.89			
AV	5.221G	100.19	Inf	-Inf	90.34	3	Horizontal	224	2.33	-	33.74	7.00	30.89			
PK	5.365G	62.71	74.00	-11.29	52.62	3	Horizontal	224	2.33	-	33.93	6.97	30.81			
AV	5.391G	52.18	54.00	-1.82	42.03	3	Horizontal	224	2.33	-	33.98	6.96	30.79			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 53
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41152G	58.23	68.20	-9.97	39.19	3	Vertical	305	1.96	-	38.48	11.07	30.51			
PK	15.62212G	61.01	74.00	-12.99	43.34	3	Vertical	156	1.89	-	37.81	11.85	31.99			
AV	15.61112G	50.56	54.00	-3.44	32.83	3	Vertical	156	1.89	-	37.86	11.85	31.98			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
Setting 53
02-E-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.43376G	57.19	68.20	-11.01	38.18	3	Horizontal	25	1.74	-	38.43	11.09	30.51				
PK	15.619G	61.06	74.00	-12.94	43.38	3	Horizontal	282	2.38	-	37.82	11.85	31.99				
AV	15.62792G	50.63	54.00	-3.37	32.98	3	Horizontal	282	2.38	-	37.79	11.85	31.99				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 58
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0445G	61.30	74.00	-12.70	51.98	3	Vertical	81	2.97	-	33.40	6.91	30.99			
AV	5.1175G	50.88	54.00	-3.12	41.26	3	Vertical	81	2.97	-	33.60	6.96	30.94			
PK	5.304G	99.73	Inf	-Inf	89.69	3	Vertical	81	2.97	-	33.90	6.98	30.84			
AV	5.309G	89.33	Inf	-Inf	79.29	3	Vertical	81	2.97	-	33.90	6.98	30.84			
PK	5.379G	62.67	74.00	-11.33	52.54	3	Vertical	81	2.97	-	33.96	6.97	30.80			
AV	5.3665G	51.63	54.00	-2.37	41.53	3	Vertical	81	2.97	-	33.93	6.97	30.80			
PK	5.534G	62.39	68.20	-5.81	51.68	3	Vertical	81	2.97	-	34.03	7.40	30.72			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 58
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	61.63	74.00	-12.37	51.98	3	Horizontal	218	2.92	-	33.60	6.98	30.93			
AV	5.127G	51.04	54.00	-2.96	41.42	3	Horizontal	218	2.92	-	33.60	6.96	30.94			
PK	5.3265G	110.72	Inf	-Inf	100.67	3	Horizontal	218	2.92	-	33.90	6.98	30.83			
AV	5.3215G	100.33	Inf	-Inf	90.28	3	Horizontal	218	2.92	-	33.90	6.98	30.83			
PK	5.383G	68.64	74.00	-5.36	58.51	3	Horizontal	218	2.92	-	33.97	6.96	30.80			
AV	5.364G	53.85	54.00	-0.15	43.76	3	Horizontal	218	2.92	-	33.93	6.97	30.81			
PK	5.475G	62.47	68.20	-5.73	51.95	3	Horizontal	218	2.92	-	34.05	7.21	30.74			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 58
02-E-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5712G	58.27	68.20	-9.93	38.99	3	Vertical	257	1.29	-	38.60	11.17	30.49			
PK	15.88672G	60.22	74.00	-13.78	42.87	3	Vertical	302	1.74	-	37.65	11.86	32.16			
AV	15.88436G	49.23	54.00	-4.77	31.89	3	Vertical	302	1.74	-	37.64	11.86	32.16			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 58
02-E-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5676G	58.15	68.20	-10.05	38.87	3	Horizontal	15	1.50	-	38.60	11.17	30.49			
PK	15.87108G	60.29	74.00	-13.71	43.00	3	Horizontal	314	2.66	-	37.58	11.86	32.15			
AV	15.86188G	49.34	54.00	-4.66	32.07	3	Horizontal	314	2.66	-	37.55	11.86	32.14			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 52
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.308G	61.52	68.20	-6.68	51.48	3	Vertical	90	2.74	-	33.90	6.98	30.84			
PK	5.394G	61.99	74.00	-12.01	51.83	3	Vertical	90	2.74	-	33.99	6.96	30.79			
AV	5.4035G	52.36	54.00	-1.64	42.17	3	Vertical	90	2.74	-	34.00	6.97	30.78			
PK	5.4615G	62.48	68.20	-5.72	52.05	3	Vertical	90	2.74	-	34.02	7.16	30.75			
PK	5.5345G	98.82	Inf	-Inf	88.11	3	Vertical	90	2.74	-	34.03	7.40	30.72			
AV	5.5445G	88.82	Inf	-Inf	78.09	3	Vertical	90	2.74	-	34.01	7.44	30.72			
PK	5.7475G	62.32	68.20	-5.88	51.24	3	Vertical	90	2.74	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 52
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3275G	62.24	68.20	-5.96	52.19	3	Horizontal	236	2.43	-	33.90	6.98	30.83			
PK	5.4595G	63.79	74.00	-10.21	53.36	3	Horizontal	236	2.43	-	34.02	7.16	30.75			
AV	5.459G	52.03	54.00	-1.97	41.61	3	Horizontal	236	2.43	-	34.02	7.15	30.75			
PK	5.4685G	68.02	68.20	-0.18	57.54	3	Horizontal	236	2.43	-	34.04	7.19	30.75			
PK	5.514G	109.76	Inf	-Inf	99.08	3	Horizontal	236	2.43	-	34.07	7.34	30.73			
AV	5.559G	99.97	Inf	-Inf	89.21	3	Horizontal	236	2.43	-	34.00	7.48	30.72			
PK	5.772G	63.72	68.20	-4.48	52.57	3	Horizontal	236	2.43	-	34.04	7.77	30.66			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 52
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04749G	59.64	74.00	-14.36	40.06	3	Vertical	98	1.80	-	38.60	11.48	30.50			
AV	11.04938G	48.13	54.00	-5.87	28.55	3	Vertical	98	1.80	-	38.60	11.48	30.50			
PK	16.58712G	64.61	68.20	-3.59	45.02	3	Vertical	353	1.99	-	39.50	12.15	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 52
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07248G	58.87	74.00	-15.13	39.29	3	Horizontal	180	1.51	-	38.60	11.49	30.51			
AV	11.06999G	48.45	54.00	-5.55	28.87	3	Horizontal	180	1.51	-	38.60	11.49	30.51			
PK	16.58976G	64.80	68.20	-3.40	45.19	3	Horizontal	286	1.50	-	39.52	12.15	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 69
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	61.71	74.00	-12.29	51.29	3	Vertical	91	2.60	-	34.02	7.15	30.75			
AV	5.438G	51.68	54.00	-2.32	41.35	3	Vertical	91	2.60	-	34.00	7.09	30.76			
PK	5.4685G	61.45	68.20	-6.75	50.97	3	Vertical	91	2.60	-	34.04	7.19	30.75			
PK	5.6G	102.37	Inf	-Inf	91.46	3	Vertical	91	2.60	-	34.00	7.62	30.71			
AV	5.5995G	92.33	Inf	-Inf	81.42	3	Vertical	91	2.60	-	34.00	7.62	30.71			
PK	5.823G	62.81	68.20	-5.39	51.60	3	Vertical	91	2.60	-	34.05	7.81	30.65			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 69
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.414G	61.80	74.00	-12.20	51.57	3	Horizontal	233	2.21	-	34.00	7.01	30.78			
PK	5.4675G	64.41	68.20	-3.79	53.95	3	Horizontal	233	2.21	-	34.03	7.18	30.75			
AV	5.46G	51.85	54.00	-2.15	41.42	3	Horizontal	233	2.21	-	34.02	7.16	30.75			
PK	5.6045G	114.59	Inf	-Inf	103.67	3	Horizontal	233	2.21	-	34.00	7.62	30.70			
AV	5.599G	104.52	Inf	-Inf	93.61	3	Horizontal	233	2.21	-	34.00	7.62	30.71			
PK	5.725G	68.03	68.20	-0.17	56.98	3	Horizontal	233	2.21	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 69
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21066G	59.10	74.00	-14.90	39.48	3	Vertical	204	1.82	-	38.62	11.58	30.58			
AV	11.21936G	48.26	54.00	-5.74	28.62	3	Vertical	204	1.82	-	38.64	11.58	30.58			
PK	16.8215G	64.19	68.20	-4.01	43.60	3	Vertical	10	2.17	-	40.43	12.26	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 69
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2123G	58.84	74.00	-15.16	39.22	3	Horizontal	353	2.77	-	38.62	11.58	30.58			
AV	11.21814G	48.82	54.00	-5.18	29.18	3	Horizontal	353	2.77	-	38.64	11.58	30.58			
PK	16.83106G	64.89	68.20	-3.31	44.24	3	Horizontal	251	2.37	-	40.49	12.26	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 88
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4475G	61.83	74.00	-12.17	51.47	3	Vertical	146	2.79	-	34.00	7.12	30.76			
AV	5.4465G	52.18	54.00	-1.82	41.83	3	Vertical	146	2.79	-	34.00	7.11	30.76			
PK	5.4635G	61.18	68.20	-7.02	50.73	3	Vertical	146	2.79	-	34.03	7.17	30.75			
PK	5.672G	107.57	Inf	-Inf	96.58	3	Vertical	146	2.79	-	34.00	7.68	30.69			
AV	5.677G	95.76	Inf	-Inf	84.76	3	Vertical	146	2.79	-	34.00	7.69	30.69			
PK	5.8655G	63.43	68.20	-4.77	52.17	3	Vertical	146	2.79	-	34.06	7.84	30.64			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 88
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4505G	62.31	74.00	-11.69	51.94	3	Horizontal	140	2.41	-	34.00	7.13	30.76			
AV	5.4565G	52.55	54.00	-1.45	42.14	3	Horizontal	140	2.41	-	34.01	7.15	30.75			
PK	5.4625G	63.40	68.20	-4.80	52.96	3	Horizontal	140	2.41	-	34.02	7.17	30.75			
PK	5.6845G	118.24	Inf	-Inf	107.23	3	Horizontal	140	2.41	-	34.00	7.70	30.69			
AV	5.684G	108.01	Inf	-Inf	97.00	3	Horizontal	140	2.41	-	34.00	7.70	30.69			
PK	5.8585G	68.10	68.20	-0.10	56.87	3	Horizontal	140	2.41	-	34.03	7.84	30.64			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 88
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37627G	60.50	74.00	-13.50	40.72	3	Vertical	318	1.81	-	38.75	11.68	30.65			
AV	11.38454G	49.23	54.00	-4.77	29.43	3	Vertical	318	1.81	-	38.77	11.69	30.66			
PK	17.0664G	64.92	68.20	-3.28	43.25	3	Vertical	318	2.11	-	41.43	12.38	32.14			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 88
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38052G	59.19	74.00	-14.81	39.40	3	Horizontal	21	2.50	-	38.76	11.69	30.66			
AV	11.37906G	49.18	54.00	-4.82	29.38	3	Horizontal	21	2.50	-	38.76	11.69	30.65			
PK	17.06901G	64.83	68.20	-3.37	43.15	3	Horizontal	267	2.06	-	41.44	12.38	32.14			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 77
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.588G	62.90	68.20	-5.30	52.03	3	Vertical	255	2.53	-	34.00	7.58	30.71			
PK	5.752G	103.08	Inf	-Inf	91.99	3	Vertical	255	2.53	-	34.00	7.76	30.67			
AV	5.7915G	92.54	Inf	-Inf	81.33	3	Vertical	255	2.53	-	34.08	7.79	30.66			
PK	5.9245G	63.35	68.57	-5.22	51.90	3	Vertical	255	2.53	-	34.20	7.88	30.63			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 77
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.619G	67.96	68.20	-0.24	57.02	3	Horizontal	315	2.40	-	34.00	7.64	30.70			
PK	5.762G	115.44	Inf	-Inf	104.32	3	Horizontal	315	2.40	-	34.02	7.77	30.67			
AV	5.7625G	105.53	Inf	-Inf	94.41	3	Horizontal	315	2.40	-	34.02	7.77	30.67			
PK	5.9485G	62.98	68.20	-5.22	51.50	3	Horizontal	315	2.40	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 77
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5498G	60.08	74.00	-13.92	39.94	3	Vertical	226	2.18	-	39.10	11.79	30.75			
AV	11.55419G	48.61	54.00	-5.39	28.45	3	Vertical	226	2.18	-	39.12	11.80	30.76			
PK	17.32454G	67.09	68.20	-1.11	43.98	3	Vertical	23	1.33	-	42.85	12.50	32.24			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Y_4TX
Setting 77
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54579G	59.35	74.00	-14.65	39.22	3	Horizontal	129	1.74	-	39.09	11.79	30.75			
AV	11.54943G	48.50	54.00	-5.50	28.36	3	Horizontal	129	1.74	-	39.10	11.79	30.75			
PK	17.32844G	64.74	68.20	-3.46	41.61	3	Horizontal	140	2.79	-	42.87	12.50	32.24			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 57
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0676G	60.56	74.00	-13.44	51.14	3	Vertical	126	2.74	-	33.47	6.92	30.97			
AV	5.038G	51.18	54.00	-2.82	41.87	3	Vertical	126	2.74	-	33.40	6.90	30.99			
PK	5.238G	93.93	Inf	-Inf	84.03	3	Vertical	126	2.74	-	33.78	7.00	30.88			
AV	5.218G	84.08	Inf	-Inf	74.22	3	Vertical	126	2.74	-	33.74	7.01	30.89			
PK	5.4596G	61.69	74.00	-12.31	51.26	3	Vertical	126	2.74	-	34.02	7.16	30.75			
AV	5.358G	51.78	54.00	-2.22	41.70	3	Vertical	126	2.74	-	33.92	6.97	30.81			
PK	5.546G	62.00	68.20	-6.20	51.27	3	Vertical	126	2.74	-	34.01	7.44	30.72			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 57
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	66.50	74.00	-7.50	56.86	3	Horizontal	221	2.36	-	33.60	6.97	30.93			
AV	5.1428G	53.83	54.00	-0.17	44.19	3	Horizontal	221	2.36	-	33.60	6.97	30.93			
PK	5.226G	107.66	Inf	-Inf	97.79	3	Horizontal	221	2.36	-	33.75	7.00	30.88			
PK	5.3628G	66.55	74.00	-7.45	56.46	3	Horizontal	221	2.36	-	33.93	6.97	30.81			
AV	5.326G	97.44	Inf	-Inf	87.39	3	Horizontal	221	2.36	-	33.90	6.98	30.83			
AV	5.3516G	53.39	54.00	-0.61	43.33	3	Horizontal	221	2.36	-	33.90	6.97	30.81			
PK	5.4988G	61.84	68.20	-6.36	51.18	3	Horizontal	221	2.36	-	34.10	7.29	30.73			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 57
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5026G	59.07	68.20	-9.13	39.92	3	Vertical	185	2.24	-	38.51	11.13	30.49			
PK	15.75074G	60.50	74.00	-13.50	43.21	3	Vertical	128	2.70	-	37.50	11.86	32.07			
AV	15.74503G	49.74	54.00	-4.26	32.44	3	Vertical	128	2.70	-	37.51	11.86	32.07			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 57
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50181G	59.02	68.20	-9.18	39.88	3	Horizontal	314	2.78	-	38.50	11.13	30.49			
PK	15.74941G	60.46	74.00	-13.54	43.17	3	Horizontal	297	2.01	-	37.50	11.86	32.07			
AV	15.75043G	49.62	54.00	-4.38	32.33	3	Horizontal	297	2.01	-	37.50	11.86	32.07			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 60
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3324G	61.85	68.20	-6.35	51.79	3	Vertical	93	2.60	-	33.90	6.98	30.82			
PK	5.4332G	61.65	74.00	-12.35	51.35	3	Vertical	93	2.60	-	34.00	7.07	30.77			
AV	5.418G	51.95	54.00	-2.05	41.71	3	Vertical	93	2.60	-	34.00	7.02	30.78			
PK	5.4644G	61.95	68.20	-6.25	51.50	3	Vertical	93	2.60	-	34.03	7.17	30.75			
PK	5.5892G	96.87	Inf	-Inf	86.00	3	Vertical	93	2.60	-	34.00	7.58	30.71			
AV	5.59G	87.54	Inf	-Inf	76.66	3	Vertical	93	2.60	-	34.00	7.59	30.71			
PK	5.8196G	63.04	68.20	-5.16	51.82	3	Vertical	93	2.60	-	34.06	7.81	30.65			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 60
02-E-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.242G	61.69	68.20	-6.51	51.78	3	Horizontal	219	2.84	-	33.78	7.00	30.87			
PK	5.4596G	65.49	74.00	-8.51	55.06	3	Horizontal	219	2.84	-	34.02	7.16	30.75			
AV	5.4596G	53.82	54.00	-0.18	43.39	3	Horizontal	219	2.84	-	34.02	7.16	30.75			
PK	5.4628G	66.81	68.20	-1.39	56.36	3	Horizontal	219	2.84	-	34.03	7.17	30.75			
PK	5.5804G	109.74	Inf	-Inf	98.89	3	Horizontal	219	2.84	-	34.00	7.56	30.71			
AV	5.646G	99.91	Inf	-Inf	88.94	3	Horizontal	219	2.84	-	34.00	7.66	30.69			
PK	5.7556G	66.24	68.20	-1.96	55.14	3	Horizontal	219	2.84	-	34.01	7.76	30.67			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 60
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14397G	59.39	74.00	-14.61	39.80	3	Vertical	224	2.34	-	38.60	11.54	30.55			
AV	11.13729G	48.20	54.00	-5.80	28.61	3	Vertical	224	2.34	-	38.60	11.53	30.54			
PK	16.70512G	63.85	68.20	-4.35	43.82	3	Vertical	145	2.40	-	39.91	12.20	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
Setting 60
02-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13507G	58.89	74.00	-15.11	39.30	3	Horizontal	220	2.82	-	38.60	11.53	30.54			
AV	11.13979G	47.94	54.00	-6.06	28.35	3	Horizontal	220	2.82	-	38.60	11.53	30.54			
PK	16.70515G	63.66	68.20	-4.54	43.63	3	Horizontal	143	1.27	-	39.91	12.20	32.08			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1.(MCS0)_4TX	Pass	AV	5.351G	53.91	54.00	-0.09	3	Horizontal	304	2.10	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 67
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	72.98	74.00	-1.02	68.27	3	Vertical	0	1.57	-	31.98	6.77	34.04			
AV	5.146G	52.89	54.00	-1.11	48.18	3	Vertical	0	1.57	-	31.98	6.77	34.04			
PK	5.1864G	115.69	Inf	-Inf	111.13	3	Vertical	0	1.57	-	31.78	6.83	34.05			
AV	5.1854G	107.08	Inf	-Inf	102.51	3	Vertical	0	1.57	-	31.79	6.83	34.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT Y_4TX
Setting 67
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	70.76	74.00	-3.24	66.06	3	Horizontal	309	2.49	-	31.97	6.77	34.04			
AV	5.1412G	53.63	54.00	-0.37	48.95	3	Horizontal	309	2.49	-	31.96	6.76	34.04			
PK	5.1812G	116.74	Inf	-Inf	112.16	3	Horizontal	309	2.49	-	31.81	6.82	34.05			
AV	5.1812G	108.28	Inf	-Inf	103.70	3	Horizontal	309	2.49	-	31.81	6.82	34.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 67
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35448G	56.95	68.20	-11.25	40.81	3	Vertical	129	1.89	-	39.60	11.01	34.47			
PK	15.53124G	61.05	74.00	-12.95	43.80	3	Vertical	125	2.55	-	38.28	13.09	34.12			
AV	15.5466G	49.84	54.00	-4.16	32.65	3	Vertical	125	2.55	-	38.21	13.10	34.12			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 67
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34788G	57.09	68.20	-11.11	40.97	3	Horizontal	10	1.78	-	39.58	11.01	34.47			
PK	15.54378G	60.91	74.00	-13.09	43.71	3	Horizontal	321	1.48	-	38.22	13.10	34.12			
AV	15.5346G	49.75	54.00	-4.25	32.52	3	Horizontal	321	1.48	-	38.26	13.09	34.12			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 81
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	69.18	74.00	-4.82	64.44	3	Vertical	359	1.00	-	32.00	6.78	34.04			
AV	5.1496G	53.68	54.00	-0.32	48.94	3	Vertical	359	1.00	-	32.00	6.78	34.04			
PK	5.1968G	120.29	Inf	-Inf	115.77	3	Vertical	359	1.00	-	31.72	6.85	34.05			
AV	5.1964G	111.18	Inf	-Inf	106.67	3	Vertical	359	1.00	-	31.72	6.84	34.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 81
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1376G	66.72	74.00	-7.28	62.04	3	Horizontal	289.9	1.80	-	31.95	6.76	34.03			
AV	5.1432G	51.06	54.00	-2.94	46.36	3	Horizontal	289.9	1.80	-	31.97	6.77	34.04			
PK	5.1964G	119.69	Inf	-Inf	115.18	3	Horizontal	289.9	1.80	-	31.72	6.84	34.05			
AV	5.196G	111.29	Inf	-Inf	106.78	3	Horizontal	289.9	1.80	-	31.72	6.84	34.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 81
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40918G	56.95	68.20	-11.25	40.76	3	Vertical	58	2.96	-	39.62	11.05	34.48			
PK	15.59256G	60.54	74.00	-13.46	43.52	3	Vertical	83	1.31	-	38.03	13.13	34.14			
AV	15.60144G	50.43	54.00	-3.57	33.44	3	Vertical	83	1.31	-	37.99	13.14	34.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 81
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3946G	57.69	68.20	-10.51	41.53	3	Horizontal	79	1.95	-	39.60	11.04	34.48			
PK	15.6033G	61.59	74.00	-12.41	44.62	3	Horizontal	111	2.97	-	37.97	13.14	34.14			
AV	15.6042G	49.52	54.00	-4.48	32.56	3	Horizontal	111	2.97	-	37.96	13.14	34.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	65.47	74.00	-8.53	60.75	3	Vertical	359	1.00	-	31.99	6.77	34.04			
AV	5.147G	52.37	54.00	-1.63	47.65	3	Vertical	359	1.00	-	31.99	6.77	34.04			
PK	5.2364G	121.80	Inf	-Inf	117.53	3	Vertical	359	1.00	-	31.48	6.86	34.07			
AV	5.2364G	112.64	Inf	-Inf	108.37	3	Vertical	359	1.00	-	31.48	6.86	34.07			
PK	5.3594G	58.92	74.00	-15.08	54.74	3	Vertical	359	1.00	-	31.42	6.87	34.11			
AV	5.3552G	47.27	54.00	-6.73	43.09	3	Vertical	359	1.00	-	31.41	6.87	34.10			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	65.83	74.00	-8.17	61.09	3	Horizontal	294	2.94	-	32.00	6.78	34.04				
AV	5.1494G	53.41	54.00	-0.59	48.67	3	Horizontal	294	2.94	-	32.00	6.78	34.04				
PK	5.234G	122.96	Inf	-Inf	118.66	3	Horizontal	294	2.94	-	31.50	6.86	34.06				
AV	5.2334G	113.09	Inf	-Inf	108.79	3	Horizontal	294	2.94	-	31.50	6.86	34.06				
PK	5.3528G	61.49	74.00	-12.51	57.31	3	Horizontal	294	2.94	-	31.41	6.87	34.10				
AV	5.3558G	49.40	54.00	-4.60	45.22	3	Horizontal	294	2.94	-	31.41	6.87	34.10				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48552G	57.00	68.20	-11.20	40.70	3	Vertical	243	2.61	-	39.70	11.10	34.50			
PK	15.73182G	60.63	74.00	-13.37	43.81	3	Vertical	326	2.41	-	37.76	13.23	34.17			
AV	15.7281G	49.35	54.00	-4.65	32.53	3	Vertical	326	2.41	-	37.76	13.23	34.17			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48672G	57.60	68.20	-10.60	41.30	3	Horizontal	347	1.44	-	39.70	11.10	34.50			
PK	15.72354G	61.09	74.00	-12.91	44.28	3	Horizontal	112	2.63	-	37.75	13.23	34.17			
AV	15.72798G	49.71	54.00	-4.29	32.89	3	Horizontal	112	2.63	-	37.76	13.23	34.17			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	59.53	74.00	-14.47	54.81	3	Vertical	360	1.00	-	31.99	6.77	34.04			
AV	5.1448G	48.38	54.00	-5.62	43.67	3	Vertical	360	1.00	-	31.98	6.77	34.04			
PK	5.2564G	120.73	Inf	-Inf	116.55	3	Vertical	360	1.00	-	31.39	6.86	34.07			
AV	5.257G	111.42	Inf	-Inf	107.24	3	Vertical	360	1.00	-	31.39	6.86	34.07			
PK	5.3572G	61.51	74.00	-12.49	57.33	3	Vertical	360	1.00	-	31.41	6.87	34.10			
AV	5.3572G	49.40	54.00	-4.60	45.22	3	Vertical	360	1.00	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1418G	62.81	74.00	-11.19	58.11	3	Horizontal	292	1.05	-	31.97	6.77	34.04			
AV	5.143G	49.22	54.00	-4.78	44.52	3	Horizontal	292	1.05	-	31.97	6.77	34.04			
PK	5.2654G	121.07	Inf	-Inf	116.91	3	Horizontal	292	1.05	-	31.37	6.86	34.07			
AV	5.2654G	112.00	Inf	-Inf	107.84	3	Horizontal	292	1.05	-	31.37	6.86	34.07			
PK	5.3638G	62.90	74.00	-11.10	58.71	3	Horizontal	292	1.05	-	31.43	6.87	34.11			
AV	5.3626G	49.73	54.00	-4.27	45.54	3	Horizontal	292	1.05	-	31.43	6.87	34.11			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51886G	57.22	68.20	-10.98	40.89	3	Vertical	152	2.81	-	39.70	11.12	34.49			
PK	15.77376G	60.69	74.00	-13.31	43.92	3	Vertical	327	2.96	-	37.70	13.26	34.19			
AV	15.7656G	49.74	54.00	-4.26	32.92	3	Vertical	327	2.96	-	37.74	13.26	34.18			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52282G	56.97	68.20	-11.23	40.64	3	Horizontal	310	1.78	-	39.70	11.12	34.49			
PK	15.7746G	60.74	74.00	-13.26	43.97	3	Horizontal	95	1.00	-	37.70	13.26	34.19			
AV	15.77898G	49.84	54.00	-4.16	33.08	3	Horizontal	95	1.00	-	37.68	13.27	34.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.296G	119.21	Inf	-Inf	115.12	3	Vertical	360	1.00	-	31.31	6.86	34.08			
AV	5.2964G	110.67	Inf	-Inf	106.58	3	Vertical	360	1.00	-	31.31	6.86	34.08			
PK	5.3564G	68.49	74.00	-5.51	64.31	3	Vertical	360	1.00	-	31.41	6.87	34.10			
AV	5.3552G	52.84	54.00	-1.16	48.66	3	Vertical	360	1.00	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3044G	120.63	Inf	-Inf	116.54	3	Horizontal	301	2.30	-	31.31	6.87	34.09			
AV	5.3036G	112.06	Inf	-Inf	107.97	3	Horizontal	301	2.30	-	31.31	6.87	34.09			
PK	5.3508G	68.88	74.00	-5.12	64.71	3	Horizontal	301	2.30	-	31.40	6.87	34.10			
AV	5.3524G	53.62	54.00	-0.38	49.45	3	Horizontal	301	2.30	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59522G	57.78	68.20	-10.42	41.26	3	Vertical	113	2.19	-	39.79	11.17	34.44			
PK	15.8967G	59.68	74.00	-14.32	42.86	3	Vertical	324	2.81	-	37.69	13.35	34.22			
AV	15.88638G	48.93	54.00	-5.07	32.14	3	Vertical	324	2.81	-	37.67	13.34	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 86
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5913G	57.29	68.20	-10.91	40.80	3	Horizontal	350	2.94	-	39.78	11.16	34.45			
PK	15.89922G	59.82	74.00	-14.18	42.99	3	Horizontal	20	1.81	-	37.70	13.35	34.22			
AV	15.89922G	49.12	54.00	-4.88	32.29	3	Horizontal	20	1.81	-	37.70	13.35	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3142G	116.31	Inf	-Inf	112.20	3	Vertical	345	1.00	-	31.33	6.87	34.09			
AV	5.315G	107.81	Inf	-Inf	103.70	3	Vertical	345	1.00	-	31.33	6.87	34.09			
PK	5.3546G	71.47	74.00	-2.53	67.29	3	Vertical	345	1.00	-	31.41	6.87	34.10			
AV	5.3532G	53.84	54.00	-0.16	49.66	3	Vertical	345	1.00	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3146G	117.00	Inf	-Inf	112.89	3	Horizontal	295	2.81	-	31.33	6.87	34.09			
AV	5.3144G	107.95	Inf	-Inf	103.84	3	Horizontal	295	2.81	-	31.33	6.87	34.09			
PK	5.3544G	72.42	74.00	-1.58	68.24	3	Horizontal	295	2.81	-	31.41	6.87	34.10			
AV	5.353G	53.64	54.00	-0.36	49.46	3	Horizontal	295	2.81	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63748G	57.27	74.00	-16.73	40.70	3	Vertical	291	2.42	-	39.80	11.19	34.42			
AV	10.63466G	46.63	54.00	-7.37	30.06	3	Vertical	291	2.42	-	39.80	11.19	34.42			
PK	15.97254G	59.10	74.00	-14.90	42.53	3	Vertical	247	1.84	-	37.41	13.40	34.24			
AV	15.96318G	48.55	54.00	-5.45	31.95	3	Vertical	247	1.84	-	37.45	13.39	34.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64642G	56.93	74.00	-17.07	40.35	3	Horizontal	160	2.10	-	39.80	11.20	34.42			
AV	10.62506G	46.56	54.00	-7.44	30.00	3	Horizontal	160	2.10	-	39.80	11.19	34.43			
PK	15.9717G	59.89	74.00	-14.11	43.32	3	Horizontal	153	1.17	-	37.41	13.40	34.24			
AV	15.96252G	48.61	54.00	-5.39	32.01	3	Horizontal	153	1.17	-	37.45	13.39	34.24			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 57
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	68.36	74.00	-5.64	63.64	3	Vertical	3.9	1.01	-	31.99	6.77	34.04			
AV	5.147G	49.06	54.00	-4.94	44.34	3	Vertical	3.9	1.01	-	31.99	6.77	34.04			
PK	5.187G	114.12	Inf	-Inf	109.56	3	Vertical	3.9	1.01	-	31.78	6.83	34.05			
AV	5.1868G	103.27	Inf	-Inf	98.71	3	Vertical	3.9	1.01	-	31.78	6.83	34.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 57
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	73.77	74.00	-0.23	69.03	3	Horizontal	310	2.86	-	32.00	6.78	34.04			
AV	5.1492G	53.14	54.00	-0.86	48.40	3	Horizontal	310	2.86	-	32.00	6.78	34.04			
PK	5.1746G	116.46	Inf	-Inf	111.85	3	Horizontal	310	2.86	-	31.85	6.81	34.05			
AV	5.1844G	105.36	Inf	-Inf	100.79	3	Horizontal	310	2.86	-	31.79	6.83	34.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 57
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3817G	57.43	68.20	-10.77	41.28	3	Vertical	175	1.30	-	39.60	11.03	34.48			
PK	15.558G	60.95	74.00	-13.05	43.80	3	Vertical	55	2.05	-	38.17	13.11	34.13			
AV	15.5454G	50.41	54.00	-3.59	33.21	3	Vertical	55	2.05	-	38.22	13.10	34.12			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 57
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3743G	56.92	68.20	-11.28	40.78	3	Horizontal	49	2.67	-	39.60	11.02	34.48			
PK	15.5349G	60.47	74.00	-13.53	43.24	3	Horizontal	153	2.79	-	38.26	13.09	34.12			
AV	15.5378G	49.87	54.00	-4.13	32.64	3	Horizontal	153	2.79	-	38.25	13.10	34.12			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 73
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	68.26	74.00	-5.74	63.54	3	Vertical	3	1.02	-	31.99	6.77	34.04			
AV	5.1472G	53.64	54.00	-0.36	48.92	3	Vertical	3	1.02	-	31.99	6.77	34.04			
PK	5.202G	118.95	Inf	-Inf	114.46	3	Vertical	3	1.02	-	31.69	6.85	34.05			
AV	5.202G	107.91	Inf	-Inf	103.42	3	Vertical	3	1.02	-	31.69	6.85	34.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 73
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	73.45	74.00	-0.55	68.72	3	Horizontal	315	1.00	-	31.99	6.78	34.04			
AV	5.1436G	53.72	54.00	-0.28	49.02	3	Horizontal	315	1.00	-	31.97	6.77	34.04			
PK	5.204G	119.46	Inf	-Inf	114.99	3	Horizontal	315	1.00	-	31.68	6.85	34.06			
AV	5.2084G	109.10	Inf	-Inf	104.66	3	Horizontal	315	1.00	-	31.65	6.85	34.06			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 73
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3853G	57.19	68.20	-11.01	41.04	3	Vertical	135	2.90	-	39.60	11.03	34.48			
PK	15.6124G	60.81	74.00	-13.19	43.92	3	Vertical	150	1.37	-	37.88	13.15	34.14			
AV	15.613G	49.70	54.00	-4.30	32.82	3	Vertical	150	1.37	-	37.87	13.15	34.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 73
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.377G	57.68	68.20	-10.52	41.53	3	Horizontal	77	2.66	-	39.60	11.03	34.48			
PK	15.6122G	60.24	74.00	-13.76	43.35	3	Horizontal	344	1.26	-	37.88	13.15	34.14			
AV	15.5976G	50.44	54.00	-3.56	33.43	3	Horizontal	344	1.26	-	38.01	13.14	34.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 81
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1386G	64.57	74.00	-9.43	59.89	3	Vertical	356	1.28	-	31.95	6.76	34.03			
AV	5.1488G	51.55	54.00	-2.45	46.81	3	Vertical	356	1.28	-	32.00	6.78	34.04			
PK	5.2388G	120.00	Inf	-Inf	115.74	3	Vertical	356	1.28	-	31.47	6.86	34.07			
AV	5.234G	109.19	Inf	-Inf	104.89	3	Vertical	356	1.28	-	31.50	6.86	34.06			
PK	5.3588G	59.29	74.00	-14.71	55.10	3	Vertical	356	1.28	-	31.42	6.87	34.10			
AV	5.3534G	48.04	54.00	-5.96	43.86	3	Vertical	356	1.28	-	31.41	6.87	34.10			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 81
06-D-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	68.20	74.00	-5.80	63.48	3	Horizontal	295	2.82	-	31.99	6.77	34.04			
AV	5.147G	53.67	54.00	-0.33	48.95	3	Horizontal	295	2.82	-	31.99	6.77	34.04			
PK	5.2418G	122.00	Inf	-Inf	117.76	3	Horizontal	295	2.82	-	31.45	6.86	34.07			
AV	5.2376G	111.75	Inf	-Inf	107.49	3	Horizontal	295	2.82	-	31.47	6.86	34.07			
PK	5.3516G	59.82	74.00	-14.18	55.65	3	Horizontal	295	2.82	-	31.40	6.87	34.10			
AV	5.3516G	48.53	54.00	-5.47	44.36	3	Horizontal	295	2.82	-	31.40	6.87	34.10			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 81
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4763G	57.14	68.20	-11.06	40.85	3	Vertical	119	2.68	-	39.70	11.09	34.50			
PK	15.7374G	60.54	74.00	-13.46	43.71	3	Vertical	337	1.72	-	37.77	13.24	34.18			
AV	15.7368G	49.65	54.00	-4.35	32.82	3	Vertical	337	1.72	-	37.77	13.24	34.18			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 81
06-D-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.491G	57.37	68.20	-10.83	41.07	3	Horizontal	319	2.64	-	39.70	11.10	34.50			
PK	15.7185G	60.68	74.00	-13.32	43.89	3	Horizontal	23	1.51	-	37.74	13.22	34.17			
AV	15.7157G	49.56	54.00	-4.44	32.78	3	Horizontal	23	1.51	-	37.73	13.22	34.17			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 89
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.137G	63.00	74.00	-11.00	58.32	3	Vertical	7.9	1.07	-	31.95	6.76	34.03			
AV	5.15G	49.53	54.00	-4.47	44.79	3	Vertical	7.9	1.07	-	32.00	6.78	34.04			
PK	5.2612G	119.88	Inf	-Inf	115.71	3	Vertical	7.9	1.07	-	31.38	6.86	34.07			
AV	5.2612G	110.05	Inf	-Inf	105.88	3	Vertical	7.9	1.07	-	31.38	6.86	34.07			
PK	5.35G	64.94	74.00	-9.06	60.77	3	Vertical	7.9	1.07	-	31.40	6.87	34.10			
AV	5.3506G	52.55	54.00	-1.45	48.38	3	Vertical	7.9	1.07	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 89
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.26	74.00	-7.74	61.52	3	Horizontal	304	2.08	-	32.00	6.78	34.04			
AV	5.15G	51.13	54.00	-2.87	46.39	3	Horizontal	304	2.08	-	32.00	6.78	34.04			
PK	5.2516G	121.92	Inf	-Inf	117.73	3	Horizontal	304	2.08	-	31.40	6.86	34.07			
AV	5.2564G	111.86	Inf	-Inf	107.68	3	Horizontal	304	2.08	-	31.39	6.86	34.07			
PK	5.3512G	67.67	74.00	-6.33	63.50	3	Horizontal	304	2.08	-	31.40	6.87	34.10			
AV	5.3506G	53.62	54.00	-0.38	49.45	3	Horizontal	304	2.08	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 89
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50944G	57.58	68.20	-10.62	41.26	3	Vertical	153	1.21	-	39.70	11.11	34.49			
PK	15.77196G	60.33	74.00	-13.67	43.55	3	Vertical	224	1.22	-	37.71	13.26	34.19			
AV	15.77136G	50.01	54.00	-3.99	33.23	3	Vertical	224	1.22	-	37.71	13.26	34.19			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 89
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52054G	57.63	68.20	-10.57	41.30	3	Horizontal	199	1.86	-	39.70	11.12	34.49			
PK	15.77358G	61.66	74.00	-12.34	44.88	3	Horizontal	137	2.63	-	37.71	13.26	34.19			
AV	15.76548G	50.18	54.00	-3.82	33.36	3	Horizontal	137	2.63	-	37.74	13.26	34.18			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 76
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2976G	119.10	Inf	-Inf	115.03	3	Vertical	0	1.50	-	31.30	6.86	34.09			
AV	5.308G	108.19	Inf	-Inf	104.09	3	Vertical	0	1.50	-	31.32	6.87	34.09			
PK	5.3532G	68.64	74.00	-5.36	64.46	3	Vertical	0	1.50	-	31.41	6.87	34.10			
AV	5.3528G	52.33	54.00	-1.67	48.15	3	Vertical	0	1.50	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 76
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2932G	120.36	Inf	-Inf	116.27	3	Horizontal	318	1.03	-	31.31	6.86	34.08			
AV	5.3036G	109.19	Inf	-Inf	105.10	3	Horizontal	318	1.03	-	31.31	6.87	34.09			
PK	5.3528G	69.14	74.00	-4.86	64.96	3	Horizontal	318	1.03	-	31.41	6.87	34.10			
AV	5.3532G	53.74	54.00	-0.26	49.56	3	Horizontal	318	1.03	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 76
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5936G	57.40	68.20	-10.80	40.89	3	Vertical	25	2.00	-	39.79	11.17	34.45			
PK	15.89664G	60.46	74.00	-13.54	43.64	3	Vertical	143	1.42	-	37.69	13.35	34.22			
AV	15.90882G	49.30	54.00	-4.70	32.50	3	Vertical	143	1.42	-	37.66	13.36	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 76
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59214G	57.61	68.20	-10.59	41.12	3	Horizontal	179	1.85	-	39.78	11.16	34.45			
PK	15.90996G	59.91	74.00	-14.09	43.11	3	Horizontal	149	1.37	-	37.66	13.36	34.22			
AV	15.90132G	49.23	54.00	-4.77	32.41	3	Horizontal	149	1.37	-	37.69	13.35	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 62
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.318G	115.30	Inf	-Inf	111.18	3	Vertical	1	2.38	-	31.34	6.87	34.09			
AV	5.318G	104.69	Inf	-Inf	100.57	3	Vertical	1	2.38	-	31.34	6.87	34.09			
PK	5.3528G	71.35	74.00	-2.65	67.17	3	Vertical	1	2.38	-	31.41	6.87	34.10			
AV	5.3532G	50.53	54.00	-3.47	46.35	3	Vertical	1	2.38	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 62
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.316G	118.30	Inf	-Inf	114.19	3	Horizontal	305	2.09	-	31.33	6.87	34.09			
AV	5.3212G	106.63	Inf	-Inf	102.51	3	Horizontal	305	2.09	-	31.34	6.87	34.09			
PK	5.3512G	73.13	74.00	-0.87	68.96	3	Horizontal	305	2.09	-	31.40	6.87	34.10			
AV	5.3508G	53.71	54.00	-0.29	49.54	3	Horizontal	305	2.09	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 62
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64078G	57.26	74.00	-16.74	40.68	3	Vertical	170	1.84	-	39.80	11.20	34.42			
AV	10.63586G	46.43	54.00	-7.57	29.86	3	Vertical	170	1.84	-	39.80	11.19	34.42			
PK	15.96546G	59.42	74.00	-14.58	42.82	3	Vertical	64	1.18	-	37.44	13.40	34.24			
AV	15.96858G	48.69	54.00	-5.31	32.10	3	Vertical	64	1.18	-	37.43	13.40	34.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 62
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62752G	57.71	74.00	-16.29	41.15	3	Horizontal	239	1.78	-	39.80	11.19	34.43			
AV	10.6499G	46.44	54.00	-7.56	29.85	3	Horizontal	239	1.78	-	39.80	11.20	34.41			
PK	15.95562G	59.78	74.00	-14.22	43.15	3	Horizontal	96	1.58	-	37.48	13.39	34.24			
AV	15.9564G	48.55	54.00	-5.45	31.93	3	Horizontal	96	1.58	-	37.47	13.39	34.24			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 52
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	70.66	74.00	-3.34	65.95	3	Vertical	3	1.00	-	31.98	6.77	34.04			
AV	5.1452G	53.78	54.00	-0.22	49.07	3	Vertical	3	1.00	-	31.98	6.77	34.04			
PK	5.1964G	110.64	Inf	-Inf	106.13	3	Vertical	3	1.00	-	31.72	6.84	34.05			
AV	5.2072G	100.50	Inf	-Inf	96.05	3	Vertical	3	1.00	-	31.66	6.85	34.06			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 52
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	70.57	74.00	-3.43	65.84	3	Horizontal	315	1.01	-	31.99	6.78	34.04			
AV	5.1392G	52.11	54.00	-1.89	47.42	3	Horizontal	315	1.01	-	31.96	6.76	34.03			
PK	5.1988G	111.83	Inf	-Inf	107.32	3	Horizontal	315	1.01	-	31.71	6.85	34.05			
AV	5.1988G	101.91	Inf	-Inf	97.40	3	Horizontal	315	1.01	-	31.71	6.85	34.05			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 52
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.393G	57.24	68.20	-10.96	41.08	3	Vertical	20	1.20	-	39.60	11.04	34.48			
PK	15.5318G	60.88	74.00	-13.12	43.64	3	Vertical	12	2.59	-	38.27	13.09	34.12			
AV	15.5452G	50.10	54.00	-3.90	32.90	3	Vertical	12	2.59	-	38.22	13.10	34.12			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
Setting 52
06-D-J-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.3496G	57.56	68.20	-10.64	41.42	3	Horizontal	165	1.14	-	39.60	11.01	34.47				
PK	15.5342G	60.57	74.00	-13.43	43.34	3	Horizontal	45	2.32	-	38.26	13.09	34.12				
AV	15.6012G	50.17	54.00	-3.83	33.18	3	Horizontal	45	2.32	-	37.99	13.14	34.14				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 65
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	67.33	74.00	-6.67	62.63	3	Vertical	6.9	1.00	-	31.97	6.77	34.04			
AV	5.1418G	51.75	54.00	-2.25	47.05	3	Vertical	6.9	1.00	-	31.97	6.77	34.04			
PK	5.2366G	116.07	Inf	-Inf	111.80	3	Vertical	6.9	1.00	-	31.48	6.86	34.07			
AV	5.2168G	104.07	Inf	-Inf	99.68	3	Vertical	6.9	1.00	-	31.60	6.85	34.06			
PK	5.3614G	59.72	74.00	-14.28	55.54	3	Vertical	6.9	1.00	-	31.42	6.87	34.11			
AV	5.3524G	47.28	54.00	-6.72	43.11	3	Vertical	6.9	1.00	-	31.40	6.87	34.10			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 65
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	69.37	74.00	-4.63	64.65	3	Horizontal	296	2.81	-	31.99	6.77	34.04			
AV	5.1478G	53.63	54.00	-0.37	48.91	3	Horizontal	296	2.81	-	31.99	6.77	34.04			
PK	5.2168G	116.96	Inf	-Inf	112.57	3	Horizontal	296	2.81	-	31.60	6.85	34.06			
AV	5.2222G	106.13	Inf	-Inf	101.77	3	Horizontal	296	2.81	-	31.57	6.85	34.06			
PK	5.3644G	61.94	74.00	-12.06	57.75	3	Horizontal	296	2.81	-	31.43	6.87	34.11			
AV	5.365G	48.12	54.00	-5.88	43.93	3	Horizontal	296	2.81	-	31.43	6.87	34.11			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 65
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.494G	57.94	68.20	-10.26	41.64	3	Vertical	218	1.26	-	39.70	11.10	34.50			
PK	15.7374G	60.79	74.00	-13.21	43.96	3	Vertical	230	1.75	-	37.77	13.24	34.18			
AV	15.6938G	49.66	54.00	-4.34	32.93	3	Vertical	230	1.75	-	37.68	13.21	34.16			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 65
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.466G	57.52	68.20	-10.68	41.23	3	Horizontal	164	2.49	-	39.70	11.08	34.49			
PK	15.7088G	60.48	74.00	-13.52	43.71	3	Horizontal	259	2.71	-	37.72	13.22	34.17			
AV	15.7386G	49.58	54.00	-4.42	32.74	3	Horizontal	259	2.71	-	37.78	13.24	34.18			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 68
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	63.60	74.00	-10.40	58.89	3	Vertical	3.9	1.00	-	31.98	6.77	34.04			
AV	5.144G	49.08	54.00	-4.92	44.37	3	Vertical	3.9	1.00	-	31.98	6.77	34.04			
PK	5.282G	114.11	Inf	-Inf	109.99	3	Vertical	3.9	1.00	-	31.34	6.86	34.08			
AV	5.282G	103.47	Inf	-Inf	99.35	3	Vertical	3.9	1.00	-	31.34	6.86	34.08			
PK	5.3666G	67.39	74.00	-6.61	63.20	3	Vertical	3.9	1.00	-	31.43	6.87	34.11			
AV	5.3642G	52.14	54.00	-1.86	47.95	3	Vertical	3.9	1.00	-	31.43	6.87	34.11			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 68
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	63.10	74.00	-10.90	58.39	3	Horizontal	304	2.10	-	31.98	6.77	34.04			
AV	5.144G	50.40	54.00	-3.60	45.69	3	Horizontal	304	2.10	-	31.98	6.77	34.04			
PK	5.2664G	116.08	Inf	-Inf	111.93	3	Horizontal	304	2.10	-	31.37	6.86	34.08			
AV	5.2664G	104.90	Inf	-Inf	100.75	3	Horizontal	304	2.10	-	31.37	6.86	34.08			
PK	5.3564G	67.99	74.00	-6.01	63.81	3	Horizontal	304	2.10	-	31.41	6.87	34.10			
AV	5.351G	53.91	54.00	-0.09	49.74	3	Horizontal	304	2.10	-	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 68
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5427G	57.12	68.20	-11.08	40.77	3	Vertical	97	1.70	-	39.70	11.13	34.48			
PK	15.8178G	60.56	74.00	-13.44	43.87	3	Vertical	56	2.70	-	37.60	13.29	34.20			
AV	15.8069G	49.43	54.00	-4.57	32.75	3	Vertical	56	2.70	-	37.60	13.28	34.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 68
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5402G	57.07	68.20	-11.13	40.72	3	Horizontal	200	1.22	-	39.70	11.13	34.48			
PK	15.7885G	59.92	74.00	-14.08	43.19	3	Horizontal	338	2.99	-	37.65	13.27	34.19			
AV	15.7964G	49.32	54.00	-4.68	32.62	3	Horizontal	338	2.99	-	37.61	13.28	34.19			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 54
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2914G	109.89	Inf	-Inf	105.79	3	Vertical	3.9	1.00	-	31.32	6.86	34.08			
AV	5.307G	99.72	Inf	-Inf	95.63	3	Vertical	3.9	1.00	-	31.31	6.87	34.09			
PK	5.352G	67.68	74.00	-6.32	63.51	3	Vertical	3.9	1.00	-	31.40	6.87	34.10			
AV	5.3616G	51.14	54.00	-2.86	46.96	3	Vertical	3.9	1.00	-	31.42	6.87	34.11			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 54
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3262G	113.83	Inf	-Inf	109.70	3	Horizontal	306	2.16	-	31.35	6.87	34.09			
AV	5.3058G	101.77	Inf	-Inf	97.68	3	Horizontal	306	2.16	-	31.31	6.87	34.09			
PK	5.352G	71.39	74.00	-2.61	67.22	3	Horizontal	306	2.16	-	31.40	6.87	34.10			
AV	5.3532G	53.62	54.00	-0.38	49.44	3	Horizontal	306	2.16	-	31.41	6.87	34.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 54
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6189G	57.15	74.00	-16.85	40.60	3	Vertical	103	1.60	-	39.80	11.18	34.43			
AV	10.6075G	46.68	54.00	-7.32	30.15	3	Vertical	103	1.60	-	39.80	11.17	34.44			
PK	15.9142G	59.87	74.00	-14.13	43.10	3	Vertical	336	1.53	-	37.64	13.36	34.23			
AV	15.921G	48.95	54.00	-5.05	32.20	3	Vertical	336	1.53	-	37.62	13.36	34.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 54
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6083G	57.63	74.00	-16.37	41.09	3	Horizontal	129	1.82	-	39.80	11.18	34.44			
AV	10.6029G	46.65	54.00	-7.35	30.12	3	Horizontal	129	1.82	-	39.80	11.17	34.44			
PK	15.9159G	59.96	74.00	-14.04	43.19	3	Horizontal	205	1.49	-	37.64	13.36	34.23			
AV	15.9126G	49.26	54.00	-4.74	32.48	3	Horizontal	205	1.49	-	37.65	13.36	34.23			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 50
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	67.83	74.00	-6.17	63.12	3	Vertical	3.9	1.00	-	31.98	6.77	34.04			
AV	5.147G	52.50	54.00	-1.50	47.78	3	Vertical	3.9	1.00	-	31.99	6.77	34.04			
PK	5.222G	107.73	Inf	-Inf	103.37	3	Vertical	3.9	1.00	-	31.57	6.85	34.06			
AV	5.222G	97.04	Inf	-Inf	92.68	3	Vertical	3.9	1.00	-	31.57	6.85	34.06			
PK	5.392G	56.59	74.00	-17.41	52.35	3	Vertical	3.9	1.00	-	31.48	6.88	34.12			
AV	5.382G	46.65	54.00	-7.35	42.42	3	Vertical	3.9	1.00	-	31.46	6.88	34.11			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 50
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	68.35	74.00	-5.65	63.65	3	Horizontal	304	2.13	-	31.97	6.77	34.04			
AV	5.147G	53.53	54.00	-0.47	48.81	3	Horizontal	304	2.13	-	31.99	6.77	34.04			
PK	5.226G	110.28	Inf	-Inf	105.95	3	Horizontal	304	2.13	-	31.54	6.85	34.06			
AV	5.221G	98.73	Inf	-Inf	94.37	3	Horizontal	304	2.13	-	31.57	6.85	34.06			
PK	5.45G	57.01	74.00	-16.99	52.55	3	Horizontal	304	2.13	-	31.70	6.89	34.13			
AV	5.399G	47.08	54.00	-6.92	42.82	3	Horizontal	304	2.13	-	31.50	6.88	34.12			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 50
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.451G	57.69	68.20	-10.51	41.41	3	Vertical	266	2.32	-	39.70	11.07	34.49			
PK	15.6036G	61.06	74.00	-12.94	44.10	3	Vertical	154	1.07	-	37.96	13.14	34.14			
AV	15.68G	49.59	54.00	-4.41	32.93	3	Vertical	154	1.07	-	37.62	13.20	34.16			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 50
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3982G	57.88	68.20	-10.32	41.72	3	Horizontal	272	1.26	-	39.60	11.04	34.48			
PK	15.598G	60.04	74.00	-13.96	43.03	3	Horizontal	115	2.24	-	38.01	13.14	34.14			
AV	15.678G	49.50	54.00	-4.50	32.86	3	Horizontal	115	2.24	-	37.61	13.19	34.16			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 56
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	62.80	74.00	-11.20	58.09	3	Vertical	3.9	1.08	-	31.98	6.77	34.04			
AV	5.146G	47.80	54.00	-6.20	43.09	3	Vertical	3.9	1.08	-	31.98	6.77	34.04			
PK	5.302G	107.97	Inf	-Inf	103.89	3	Vertical	3.9	1.08	-	31.30	6.87	34.09			
AV	5.302G	97.22	Inf	-Inf	93.14	3	Vertical	3.9	1.08	-	31.30	6.87	34.09			
PK	5.357G	70.46	74.00	-3.54	66.28	3	Vertical	3.9	1.08	-	31.41	6.87	34.10			
AV	5.363G	52.40	54.00	-1.60	48.21	3	Vertical	3.9	1.08	-	31.43	6.87	34.11			
PK	5.477G	56.06	68.20	-12.14	51.56	3	Vertical	3.9	1.08	-	31.75	6.89	34.14			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 56
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	63.44	74.00	-10.56	58.73	3	Horizontal	313	3.00	-	31.98	6.77	34.04			
AV	5.148G	48.42	54.00	-5.58	43.70	3	Horizontal	313	3.00	-	31.99	6.77	34.04			
PK	5.324G	110.19	Inf	-Inf	106.06	3	Horizontal	313	3.00	-	31.35	6.87	34.09			
AV	5.304G	98.92	Inf	-Inf	94.83	3	Horizontal	313	3.00	-	31.31	6.87	34.09			
PK	5.358G	71.81	74.00	-2.19	67.62	3	Horizontal	313	3.00	-	31.42	6.87	34.10			
AV	5.358G	53.64	54.00	-0.36	49.45	3	Horizontal	313	3.00	-	31.42	6.87	34.10			
PK	5.336G	56.71	68.20	-11.49	52.20	3	Horizontal	313	3.00	-	31.80	6.90	34.19			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 56
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5454G	57.97	68.20	-10.23	41.61	3	Vertical	339	2.81	-	39.70	11.13	34.47			
PK	15.846G	60.17	74.00	-13.83	43.47	3	Vertical	20	1.29	-	37.60	13.31	34.21			
AV	15.8676G	49.53	54.00	-4.47	32.77	3	Vertical	20	1.29	-	37.64	13.33	34.21			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 56
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5892G	57.44	68.20	-10.76	40.95	3	Horizontal	78	1.38	-	39.78	11.16	34.45			
PK	15.8296G	60.20	74.00	-13.80	43.50	3	Horizontal	7	2.44	-	37.60	13.30	34.20			
AV	15.8398G	49.19	54.00	-4.81	32.49	3	Horizontal	7	2.44	-	37.60	13.31	34.21			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 52
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	62.48	74.00	-11.52	57.77	3	Vertical	5.9	1.00	-	31.98	6.77	34.04			
AV	5.1412G	52.32	54.00	-1.68	47.64	3	Vertical	5.9	1.00	-	31.96	6.76	34.04			
PK	5.2324G	104.93	Inf	-Inf	100.63	3	Vertical	5.9	1.00	-	31.51	6.85	34.06			
AV	5.2324G	94.41	Inf	-Inf	90.11	3	Vertical	5.9	1.00	-	31.51	6.85	34.06			
PK	5.3524G	63.22	74.00	-10.78	59.05	3	Vertical	5.9	1.00	-	31.40	6.87	34.10			
AV	5.3524G	52.42	54.00	-1.58	48.25	3	Vertical	5.9	1.00	-	31.40	6.87	34.10			
PK	5.5684G	56.92	68.20	-11.28	52.47	3	Vertical	5.9	1.00	-	31.76	6.91	34.22			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 52
06-D-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	64.09	74.00	-9.91	59.39	3	Horizontal	304	2.17	-	31.97	6.77	34.04			
AV	5.1412G	53.56	54.00	-0.44	48.88	3	Horizontal	304	2.17	-	31.96	6.76	34.04			
PK	5.306G	106.12	Inf	-Inf	102.03	3	Horizontal	304	2.17	-	31.31	6.87	34.09			
AV	5.226G	95.90	Inf	-Inf	91.57	3	Horizontal	304	2.17	-	31.54	6.85	34.06			
PK	5.3508G	66.61	74.00	-7.39	62.44	3	Horizontal	304	2.17	-	31.40	6.87	34.10			
AV	5.3556G	53.83	54.00	-0.17	49.65	3	Horizontal	304	2.17	-	31.41	6.87	34.10			
PK	5.5188G	55.84	68.20	-12.36	51.31	3	Horizontal	304	2.17	-	31.80	6.90	34.17			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 52
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5296G	57.29	68.20	-10.91	40.95	3	Vertical	216	1.98	-	39.70	11.12	34.48			
PK	15.761G	60.68	74.00	-13.32	43.85	3	Vertical	315	2.75	-	37.76	13.25	34.18			
AV	15.7666G	49.80	54.00	-4.20	32.99	3	Vertical	315	2.75	-	37.73	13.26	34.18			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX



EUT_Y_4TX
Setting 52
06-D-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5412G	57.61	68.20	-10.59	41.26	3	Horizontal	104	1.05	-	39.70	11.13	34.48			
PK	15.7222G	60.30	74.00	-13.70	43.50	3	Horizontal	234	1.72	-	37.74	13.23	34.17			
AV	15.7706G	49.76	54.00	-4.24	32.97	3	Horizontal	234	1.72	-	37.72	13.26	34.19			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1.(MCS0)_2TX	Pass	PK	5.7254G	68.18	68.20	-0.02	3	Vertical	25	2.12	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 70
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	71.51	74.00	-2.49	61.86	3	Vertical	11	2.18	-	33.60	6.98	30.93			
AV	5.1491G	53.66	54.00	-0.34	44.01	3	Vertical	11	2.18	-	33.60	6.98	30.93			
PK	5.1851G	114.58	Inf	-Inf	104.82	3	Vertical	11	2.18	-	33.67	7.00	30.91			
AV	5.185G	106.19	Inf	-Inf	96.43	3	Vertical	11	2.18	-	33.67	7.00	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 70
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1458G	68.74	74.00	-5.26	59.10	3	Horizontal	186	2.23	-	33.60	6.97	30.93			
AV	5.1496G	52.08	54.00	-1.92	42.43	3	Horizontal	186	2.23	-	33.60	6.98	30.93			
PK	5.1768G	109.92	Inf	-Inf	100.19	3	Horizontal	186	2.23	-	33.65	6.99	30.91			
AV	5.1815G	101.13	Inf	-Inf	91.38	3	Horizontal	186	2.23	-	33.66	7.00	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 70
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35982G	58.15	68.20	-10.05	39.05	3	Vertical	169	1.79	-	38.58	11.04	30.52			
PK	15.54097G	62.14	74.00	-11.86	44.21	3	Vertical	65	1.37	-	38.02	11.85	31.94			
AV	15.53969G	48.37	54.00	-5.63	30.44	3	Vertical	65	1.37	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 70
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36008G	57.97	68.20	-10.23	38.87	3	Horizontal	311	1.55	-	38.58	11.04	30.52			
PK	15.5409G	61.69	74.00	-12.31	43.76	3	Horizontal	300	1.71	-	38.02	11.85	31.94			
AV	15.54005G	48.25	54.00	-5.75	30.32	3	Horizontal	300	1.71	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 81
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	68.41	74.00	-5.59	58.76	3	Vertical	352	2.36	-	33.60	6.98	30.93			
AV	5.147G	53.90	54.00	-0.10	44.25	3	Vertical	352	2.36	-	33.60	6.98	30.93			
PK	5.2074G	117.01	Inf	-Inf	107.18	3	Vertical	352	2.36	-	33.71	7.01	30.89			
AV	5.2074G	108.53	Inf	-Inf	98.70	3	Vertical	352	2.36	-	33.71	7.01	30.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 81
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	62.30	74.00	-11.70	52.65	3	Horizontal	184	2.33	-	33.60	6.98	30.93			
AV	5.1498G	51.63	54.00	-2.37	41.98	3	Horizontal	184	2.33	-	33.60	6.98	30.93			
PK	5.1968G	111.01	Inf	-Inf	101.21	3	Horizontal	184	2.33	-	33.69	7.01	30.90			
AV	5.1966G	102.31	Inf	-Inf	92.51	3	Horizontal	184	2.33	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 81
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39909G	58.40	68.20	-9.80	39.35	3	Vertical	322	2.15	-	38.50	11.06	30.51			
PK	15.60032G	61.82	74.00	-12.18	44.04	3	Vertical	230	1.24	-	37.90	11.85	31.97			
AV	15.60085G	48.10	54.00	-5.90	30.32	3	Vertical	230	1.24	-	37.90	11.85	31.97			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 81
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4007G	57.85	68.20	-10.35	38.80	3	Horizontal	54	2.99	-	38.50	11.06	30.51			
PK	15.5998G	62.22	74.00	-11.78	44.44	3	Horizontal	60	2.08	-	37.90	11.85	31.97			
AV	15.59951G	48.76	54.00	-5.24	30.98	3	Horizontal	60	2.08	-	37.90	11.85	31.97			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 96
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1362G	65.93	74.00	-8.07	56.29	3	Vertical	348	2.26	-	33.60	6.97	30.93			
AV	5.1497G	53.75	54.00	-0.25	44.10	3	Vertical	348	2.26	-	33.60	6.98	30.93			
PK	5.2469G	120.07	Inf	-Inf	110.15	3	Vertical	348	2.26	-	33.79	7.00	30.87			
AV	5.2466G	111.29	Inf	-Inf	101.37	3	Vertical	348	2.26	-	33.79	7.00	30.87			
PK	5.3588G	63.24	74.00	-10.76	53.16	3	Vertical	348	2.26	-	33.92	6.97	30.81			
AV	5.3552G	52.49	54.00	-1.51	42.42	3	Vertical	348	2.26	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 96
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	62.91	74.00	-11.09	53.27	3	Horizontal	187	2.47	-	33.60	6.97	30.93			
AV	5.1494G	51.75	54.00	-2.25	42.10	3	Horizontal	187	2.47	-	33.60	6.98	30.93			
PK	5.2418G	113.28	Inf	-Inf	103.37	3	Horizontal	187	2.47	-	33.78	7.00	30.87			
AV	5.2466G	104.21	Inf	-Inf	94.29	3	Horizontal	187	2.47	-	33.79	7.00	30.87			
PK	5.3774G	61.31	74.00	-12.69	51.19	3	Horizontal	187	2.47	-	33.95	6.97	30.80			
AV	5.3885G	51.54	54.00	-2.46	41.39	3	Horizontal	187	2.47	-	33.98	6.96	30.79			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 96
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48011G	57.86	68.20	-10.34	38.78	3	Vertical	254	2.09	-	38.46	11.11	30.49			
PK	15.71955G	60.08	74.00	-13.92	42.71	3	Vertical	6	2.83	-	37.56	11.86	32.05			
AV	15.72059G	49.73	54.00	-4.27	32.36	3	Vertical	6	2.83	-	37.56	11.86	32.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 96
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47949G	57.73	68.20	-10.47	38.65	3	Horizontal	242	2.73	-	38.46	11.11	30.49			
PK	15.72G	61.37	74.00	-12.63	44.00	3	Horizontal	5	1.29	-	37.56	11.86	32.05			
AV	15.72043G	49.87	54.00	-4.13	32.50	3	Horizontal	5	1.29	-	37.56	11.86	32.05			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 94
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1421G	62.02	74.00	-11.98	52.38	3	Vertical	350	2.39	-	33.60	6.97	30.93			
AV	5.1373G	51.39	54.00	-2.61	41.75	3	Vertical	350	2.39	-	33.60	6.97	30.93			
PK	5.2624G	120.53	Inf	-Inf	110.58	3	Vertical	350	2.39	-	33.82	6.99	30.86			
AV	5.2672G	111.68	Inf	-Inf	101.72	3	Vertical	350	2.39	-	33.83	6.99	30.86			
PK	5.3518G	66.64	74.00	-7.36	56.58	3	Vertical	350	2.39	-	33.90	6.97	30.81			
AV	5.3518G	53.97	54.00	-0.03	43.91	3	Vertical	350	2.39	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 94
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1481G	60.86	74.00	-13.14	51.21	3	Horizontal	187	2.46	-	33.60	6.98	30.93			
AV	5.1223G	50.79	54.00	-3.21	41.17	3	Horizontal	187	2.46	-	33.60	6.96	30.94			
PK	5.2561G	113.39	Inf	-Inf	103.45	3	Horizontal	187	2.46	-	33.81	7.00	30.87			
AV	5.2567G	103.85	Inf	-Inf	93.91	3	Horizontal	187	2.46	-	33.81	7.00	30.87			
PK	5.3983G	62.40	74.00	-11.60	52.23	3	Horizontal	187	2.46	-	34.00	6.96	30.79			
AV	5.3914G	51.30	54.00	-2.70	41.15	3	Horizontal	187	2.46	-	33.98	6.96	30.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 94
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51983G	58.40	68.20	-9.80	39.21	3	Vertical	103	1.30	-	38.54	11.14	30.49			
PK	15.78081G	60.27	74.00	-13.73	43.06	3	Vertical	241	1.15	-	37.44	11.86	32.09			
AV	15.78022G	49.16	54.00	-4.84	31.95	3	Vertical	241	1.15	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 94
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51938G	58.22	68.20	-9.98	39.03	3	Horizontal	264	1.80	-	38.54	11.14	30.49			
PK	15.77932G	60.29	74.00	-13.71	43.08	3	Horizontal	70	2.82	-	37.44	11.86	32.09			
AV	15.77976G	49.19	54.00	-4.81	31.98	3	Horizontal	70	2.82	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 81
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3076G	118.50	Inf	-Inf	108.46	3	Vertical	350	2.54	-	33.90	6.98	30.84			
AV	5.3028G	109.19	Inf	-Inf	99.15	3	Vertical	350	2.54	-	33.90	6.98	30.84			
PK	5.353G	70.32	74.00	-3.68	60.25	3	Vertical	350	2.54	-	33.91	6.97	30.81			
AV	5.3522G	53.81	54.00	-0.19	43.75	3	Vertical	350	2.54	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT_Z_2TX
Setting 81
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.306G	109.48	Inf	-Inf	99.44	3	Horizontal	4	2.69	-	33.90	6.98	30.84			
AV	5.306G	101.24	Inf	-Inf	91.20	3	Horizontal	4	2.69	-	33.90	6.98	30.84			
PK	5.3504G	63.03	74.00	-10.97	52.97	3	Horizontal	4	2.69	-	33.90	6.97	30.81			
AV	5.3544G	51.43	54.00	-2.57	41.36	3	Horizontal	4	2.69	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 81
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60089G	58.97	74.00	-15.03	39.67	3	Vertical	216	2.05	-	38.60	11.19	30.49			
AV	10.60005G	48.27	54.00	-5.73	28.97	3	Vertical	216	2.05	-	38.60	11.19	30.49			
PK	15.89992G	60.91	74.00	-13.09	43.51	3	Vertical	251	1.17	-	37.70	11.87	32.17			
AV	15.90039G	49.94	54.00	-4.06	32.54	3	Vertical	251	1.17	-	37.70	11.87	32.17			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 81
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.600059G	59.29	74.00	-14.71	39.99	3	Horizontal	18	1.06	-	38.60	11.19	30.49			
AV	10.60063G	48.13	54.00	-5.87	28.83	3	Horizontal	18	1.06	-	38.60	11.19	30.49			
PK	15.90057G	60.53	74.00	-13.47	43.13	3	Horizontal	108	1.69	-	37.70	11.87	32.17			
AV	15.90066G	50.16	54.00	-3.84	32.76	3	Horizontal	108	1.69	-	37.70	11.87	32.17			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 72
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3274G	115.63	Inf	-Inf	105.58	3	Vertical	349	2.87	-	33.90	6.98	30.83			
AV	5.3128G	106.67	Inf	-Inf	96.62	3	Vertical	349	2.87	-	33.90	6.98	30.83			
PK	5.3532G	71.91	74.00	-2.09	61.84	3	Vertical	349	2.87	-	33.91	6.97	30.81			
AV	5.3533G	53.90	54.00	-0.10	43.83	3	Vertical	349	2.87	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 72
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3258G	106.60	Inf	-Inf	96.55	3	Horizontal	7	2.38	-	33.90	6.98	30.83			
AV	5.3212G	98.41	Inf	-Inf	88.36	3	Horizontal	7	2.38	-	33.90	6.98	30.83			
PK	5.3557G	64.46	74.00	-9.54	54.39	3	Horizontal	7	2.38	-	33.91	6.97	30.81			
AV	5.3524G	51.42	54.00	-2.58	41.36	3	Horizontal	7	2.38	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 72
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64068G	58.80	74.00	-15.20	39.55	3	Vertical	158	2.36	-	38.52	11.22	30.49			
AV	10.64046G	48.38	54.00	-5.62	29.13	3	Vertical	158	2.36	-	38.52	11.22	30.49			
PK	15.95914G	61.01	74.00	-12.99	43.84	3	Vertical	323	1.29	-	37.50	11.87	32.20			
AV	15.95989G	48.53	54.00	-5.47	31.36	3	Vertical	323	1.29	-	37.50	11.87	32.20			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 72
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63987G	59.63	74.00	-14.37	40.38	3	Horizontal	347	1.04	-	38.52	11.22	30.49			
AV	10.64058G	48.60	54.00	-5.40	29.35	3	Horizontal	347	1.04	-	38.52	11.22	30.49			
PK	15.96096G	60.80	74.00	-13.20	43.64	3	Horizontal	214	2.94	-	37.50	11.87	32.21			
AV	15.96013G	48.59	54.00	-5.41	31.42	3	Horizontal	214	2.94	-	37.50	11.87	32.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 70
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4574G	64.16	74.00	-9.84	53.75	3	Vertical	26	2.75	-	34.01	7.15	30.75			
AV	5.4592G	51.69	54.00	-2.31	41.26	3	Vertical	26	2.75	-	34.02	7.16	30.75			
PK	5.4631G	67.78	68.20	-0.42	57.33	3	Vertical	26	2.75	-	34.03	7.17	30.75			
PK	5.4987G	113.33	Inf	-Inf	102.67	3	Vertical	26	2.75	-	34.10	7.29	30.73			
AV	5.5037G	105.14	Inf	-Inf	94.48	3	Vertical	26	2.75	-	34.09	7.30	30.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 70
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4573G	62.75	74.00	-11.25	52.34	3	Horizontal	186	2.36	-	34.01	7.15	30.75			
AV	5.4532G	51.28	54.00	-2.72	40.89	3	Horizontal	186	2.36	-	34.01	7.14	30.76			
PK	5.4623G	66.14	68.20	-2.06	55.70	3	Horizontal	186	2.36	-	34.02	7.17	30.75			
PK	5.4973G	108.05	Inf	-Inf	97.41	3	Horizontal	186	2.36	-	34.09	7.28	30.73			
AV	5.4972G	99.15	Inf	-Inf	88.51	3	Horizontal	186	2.36	-	34.09	7.28	30.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 70
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99958G	58.25	74.00	-15.75	38.69	3	Vertical	322	1.38	-	38.60	11.44	30.48			
AV	10.99971G	47.88	54.00	-6.12	28.32	3	Vertical	322	1.38	-	38.60	11.44	30.48			
PK	16.50097G	63.48	68.20	-4.72	44.61	3	Vertical	338	1.51	-	38.81	12.11	32.05			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 70
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99901G	58.33	74.00	-15.67	38.77	3	Horizontal	182	1.93	-	38.60	11.44	30.48			
AV	10.99984G	48.10	54.00	-5.90	28.54	3	Horizontal	182	1.93	-	38.60	11.44	30.48			
PK	16.50055G	63.44	68.20	-4.76	44.58	3	Horizontal	148	2.88	-	38.80	12.11	32.05			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 101
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4236G	63.77	74.00	-10.23	53.50	3	Vertical	21	2.40	-	34.00	7.04	30.77			
AV	5.4184G	53.52	54.00	-0.48	43.28	3	Vertical	21	2.40	-	34.00	7.02	30.78			
PK	5.464G	62.18	68.20	-6.02	51.73	3	Vertical	21	2.40	-	34.03	7.17	30.75			
PK	5.5764G	121.19	Inf	-Inf	110.36	3	Vertical	21	2.40	-	34.00	7.54	30.71			
AV	5.5764G	111.96	Inf	-Inf	101.13	3	Vertical	21	2.40	-	34.00	7.54	30.71			
PK	5.7476G	63.53	68.20	-4.67	52.45	3	Vertical	21	2.40	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 101
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3812G	61.69	74.00	-12.31	51.57	3	Horizontal	13	2.48	-	33.96	6.96	30.80			
PK	5.4648G	61.05	68.20	-7.15	50.60	3	Horizontal	13	2.48	-	34.03	7.17	30.75			
AV	5.4584G	52.05	54.00	-1.95	41.63	3	Horizontal	13	2.48	-	34.02	7.15	30.75			
PK	5.576G	113.89	Inf	-Inf	103.06	3	Horizontal	13	2.48	-	34.00	7.54	30.71			
AV	5.5816G	105.39	Inf	-Inf	94.54	3	Horizontal	13	2.48	-	34.00	7.56	30.71			
PK	5.7604G	62.04	68.20	-6.16	50.93	3	Horizontal	13	2.48	-	34.02	7.76	30.67			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 101
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15944G	58.46	74.00	-15.54	38.86	3	Vertical	263	1.00	-	38.60	11.55	30.55			
AV	11.15928G	48.77	54.00	-5.23	29.17	3	Vertical	263	1.00	-	38.60	11.55	30.55			
PK	16.73983G	64.02	68.20	-4.18	43.90	3	Vertical	17	2.27	-	39.98	12.22	32.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 101
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16033G	58.70	74.00	-15.30	39.10	3	Horizontal	328	2.98	-	38.60	11.55	30.55			
AV	11.16077G	48.14	54.00	-5.86	28.54	3	Horizontal	328	2.98	-	38.60	11.55	30.55			
PK	16.73981G	63.58	68.20	-4.62	43.46	3	Horizontal	359	1.47	-	39.98	12.22	32.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 64
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6961G	112.36	Inf	-Inf	101.33	3	Vertical	22	2.40	-	34.00	7.71	30.68			
AV	5.701G	104.13	Inf	-Inf	93.10	3	Vertical	22	2.40	-	34.00	7.71	30.68			
PK	5.7262G	67.97	68.20	-0.23	56.92	3	Vertical	22	2.40	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 64
02-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7031G	105.16	Inf	-Inf	94.13	3	Horizontal	3	2.42	-	34.00	7.71	30.68			
AV	5.7031G	96.44	Inf	-Inf	85.41	3	Horizontal	3	2.42	-	34.00	7.71	30.68			
PK	5.7424G	64.09	68.20	-4.11	53.01	3	Horizontal	3	2.42	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX

EUT_Z_2TX
Setting 64
02-E-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40023G	59.76	74.00	-14.24	39.92	3	Vertical	227	1.94	-	38.80	11.70	30.66			
AV	11.39905G	48.13	54.00	-5.87	28.29	3	Vertical	227	1.94	-	38.80	11.70	30.66			
PK	17.09955G	63.23	68.20	-4.97	41.50	3	Vertical	139	1.06	-	41.50	12.39	32.16			