


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 52
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.387G	60.17	74.00	-13.83	28.74	3	Horizontal	0	1.80	-	27.44	3.99	-			
AV	2.3866G	50.98	54.00	-3.02	19.56	3	Horizontal	0	1.80	-	27.43	3.99	-			
PK	2.4426G	120.43	Inf	-Inf	88.69	3	Horizontal	0	1.80	-	27.70	4.04	-			
AV	2.4382G	109.68	Inf	-Inf	77.95	3	Horizontal	0	1.80	-	27.70	4.03	-			
PK	2.4998G	61.32	74.00	-12.68	29.22	3	Horizontal	0	1.80	-	28.00	4.10	-			
AV	2.4858G	52.67	54.00	-1.33	20.63	3	Horizontal	0	1.80	-	27.96	4.08	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 52
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.86872G	47.27	74.00	-26.73	42.18	3	Vertical	165	2.89	-	32.77	7.91	35.59			
AV	4.87004G	37.78	54.00	-16.22	32.67	3	Vertical	165	2.89	-	32.78	7.92	35.59			
PK	7.30386G	52.22	74.00	-21.78	40.56	3	Vertical	74	2.13	-	37.08	9.37	34.79			
AV	7.30494G	43.06	54.00	-10.94	31.40	3	Vertical	74	2.13	-	37.08	9.37	34.79			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 52
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.88876G	47.21	74.00	-26.79	42.02	3	Horizontal	255	1.08	-	32.86	7.92	35.59			
AV	4.87418G	37.60	54.00	-16.40	32.47	3	Horizontal	255	1.08	-	32.80	7.92	35.59			
PK	7.30032G	53.24	74.00	-20.76	41.56	3	Horizontal	180	1.83	-	37.10	9.37	34.79			
AV	7.29798G	43.11	54.00	-10.89	31.45	3	Horizontal	180	1.83	-	37.10	9.36	34.80			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_Z_4TX
Setting 42
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3882G	59.80	74.00	-14.20	28.35	3	Vertical	357	1.80	-	27.46	3.99	-			
AV	2.375G	49.97	54.00	-4.03	18.68	3	Vertical	357	1.80	-	27.30	3.99	-			
PK	2.4494G	117.89	Inf	-Inf	86.15	3	Vertical	357	1.80	-	27.70	4.04	-			
AV	2.4546G	108.76	Inf	-Inf	77.01	3	Vertical	357	1.80	-	27.70	4.05	-			
PK	2.4846G	68.18	74.00	-5.82	36.15	3	Vertical	357	1.80	-	27.95	4.08	-			
AV	2.4846G	52.81	54.00	-1.19	20.78	3	Vertical	357	1.80	-	27.95	4.08	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_Z_4TX
Setting 42
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.365G	59.02	74.00	-14.98	27.68	3	Horizontal	10	1.80	-	27.35	3.99	-			
AV	2.3886G	49.65	54.00	-4.35	18.19	3	Horizontal	10	1.80	-	27.47	3.99	-			
PK	2.4602G	116.60	Inf	-Inf	84.84	3	Horizontal	10	1.80	-	27.70	4.06	-			
AV	2.465G	107.13	Inf	-Inf	75.32	3	Horizontal	10	1.80	-	27.75	4.06	-			
PK	2.4886G	61.95	74.00	-12.05	29.87	3	Horizontal	10	1.80	-	27.99	4.09	-			
AV	2.489G	52.39	54.00	-1.61	20.31	3	Horizontal	10	1.80	-	27.99	4.09	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3628G	58.91	74.00	-15.09	27.55	3	Vertical	356	1.80	-	27.37	3.99	-			
AV	2.3888G	49.85	54.00	-4.15	18.38	3	Vertical	356	1.80	-	27.48	3.99	-			
PK	2.4592G	117.99	Inf	-Inf	86.23	3	Vertical	356	1.80	-	27.70	4.06	-			
AV	2.4696G	107.74	Inf	-Inf	75.87	3	Vertical	356	1.80	-	27.80	4.07	-			
PK	2.4864G	67.42	74.00	-6.58	35.37	3	Vertical	356	1.80	-	27.96	4.09	-			
AV	2.4856G	53.55	54.00	-0.45	21.51	3	Vertical	356	1.80	-	27.96	4.08	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3784G	58.28	74.00	-15.72	26.99	3	Horizontal	11	1.80	-	27.30	3.99	-			
AV	2.388G	49.63	54.00	-4.37	18.18	3	Horizontal	11	1.80	-	27.46	3.99	-			
PK	2.4692G	116.18	Inf	-Inf	84.32	3	Horizontal	11	1.80	-	27.79	4.07	-			
AV	2.4648G	105.86	Inf	-Inf	74.05	3	Horizontal	11	1.80	-	27.75	4.06	-			
PK	2.484G	61.50	74.00	-12.50	29.48	3	Horizontal	11	1.80	-	27.94	4.08	-			
AV	2.4848G	52.50	54.00	-1.50	20.47	3	Horizontal	11	1.80	-	27.95	4.08	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92034G	47.72	74.00	-26.28	42.34	3	Vertical	237	1.83	-	33.02	7.94	35.58			
AV	4.9387G	37.95	54.00	-16.05	32.45	3	Vertical	237	1.83	-	33.13	7.95	35.58			
PK	7.37568G	52.11	74.00	-21.89	40.61	3	Vertical	10	1.84	-	36.75	9.41	34.66			
AV	7.3776G	43.16	54.00	-10.84	31.66	3	Vertical	10	1.84	-	36.73	9.42	34.65			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.91986G	47.44	74.00	-26.56	42.06	3	Horizontal	185	1.14	-	33.02	7.94	35.58			
AV	4.92712G	38.01	54.00	-15.99	32.59	3	Horizontal	185	1.14	-	33.06	7.94	35.58			
PK	7.3854G	51.98	74.00	-22.02	40.51	3	Horizontal	95	1.58	-	36.69	9.42	34.64			
AV	7.38162G	42.77	54.00	-11.23	31.29	3	Horizontal	95	1.58	-	36.71	9.42	34.65			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2422MHz_TX




EUT_Z_4TX
Setting 34
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3896G	66.18	74.00	-7.82	34.70	3	Vertical	358	1.80	-	27.49	3.99	-			
AV	2.388G	53.99	54.00	-0.01	22.54	3	Vertical	358	1.80	-	27.46	3.99	-			
PK	2.4192G	112.16	Inf	-Inf	80.56	3	Vertical	358	1.80	-	27.59	4.01	-			
AV	2.4344G	102.88	Inf	-Inf	71.15	3	Vertical	358	1.80	-	27.70	4.03	-			
PK	2.4856G	60.77	74.00	-13.23	28.73	3	Vertical	358	1.80	-	27.96	4.08	-			
AV	2.4835G	51.66	54.00	-2.34	19.64	3	Vertical	358	1.80	-	27.94	4.08	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2422MHz_TX




EUT_Z_4TX
Setting 34
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3848G	60.44	74.00	-13.56	29.05	3	Horizontal	0	1.80	-	27.40	3.99	-				
AV	2.384G	50.91	54.00	-3.09	19.54	3	Horizontal	0	1.80	-	27.38	3.99	-				
PK	2.4332G	111.68	Inf	-Inf	79.95	3	Horizontal	0	1.80	-	27.70	4.03	-				
AV	2.4332G	101.23	Inf	-Inf	69.50	3	Horizontal	0	1.80	-	27.70	4.03	-				
PK	2.49G	60.58	74.00	-13.42	28.49	3	Horizontal	0	1.80	-	28.00	4.09	-				
AV	2.4928G	51.56	54.00	-2.44	19.47	3	Horizontal	0	1.80	-	28.00	4.09	-				

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2422MHz_TX




EUT_Z_4TX
Setting 34
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.84092G	47.38	74.00	-26.62	42.40	3	Vertical	322	1.72	-	32.68	7.90	35.60			
AV	4.8494G	37.16	54.00	-16.84	32.16	3	Vertical	322	1.72	-	32.70	7.90	35.60			
PK	7.2716G	52.74	74.00	-21.26	41.14	3	Vertical	244	1.06	-	37.10	9.35	34.85			
AV	7.25776G	43.15	54.00	-10.85	31.58	3	Vertical	244	1.06	-	37.10	9.34	34.87			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2422MHz_TX




EUT_Z_4TX
Setting 34
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.84308G	46.57	74.00	-27.43	41.58	3	Horizontal	300	1.56	-	32.69	7.90	35.60			
AV	4.85268G	37.35	54.00	-16.65	32.33	3	Horizontal	300	1.56	-	32.71	7.91	35.60			
PK	7.2668G	52.72	74.00	-21.28	41.13	3	Horizontal	52	2.85	-	37.10	9.34	34.85			
AV	7.2732G	43.54	54.00	-10.46	31.93	3	Horizontal	52	2.85	-	37.10	9.35	34.84			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	64.18	74.00	-9.82	32.69	3	Vertical	357	1.80	-	27.50	3.99	-			
AV	2.389G	51.82	54.00	-2.18	20.35	3	Vertical	357	1.80	-	27.48	3.99	-			
PK	2.4298G	114.92	Inf	-Inf	83.20	3	Vertical	357	1.80	-	27.70	4.02	-			
AV	2.4442G	105.19	Inf	-Inf	73.45	3	Vertical	357	1.80	-	27.70	4.04	-			
PK	2.4835G	67.49	74.00	-6.51	35.47	3	Vertical	357	1.80	-	27.94	4.08	-			
AV	2.4838G	53.80	54.00	-0.20	21.78	3	Vertical	357	1.80	-	27.94	4.08	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.326G	59.67	74.00	-14.33	28.35	3	Horizontal	0	1.80	-	27.34	3.98	-			
AV	2.389G	50.56	54.00	-3.44	19.09	3	Horizontal	0	1.80	-	27.48	3.99	-			
PK	2.4484G	112.50	Inf	-Inf	80.76	3	Horizontal	0	1.80	-	27.70	4.04	-			
AV	2.4532G	102.86	Inf	-Inf	71.11	3	Horizontal	0	1.80	-	27.70	4.05	-			
PK	2.488G	60.74	74.00	-13.26	28.67	3	Horizontal	0	1.80	-	27.98	4.09	-			
AV	2.4988G	52.26	54.00	-1.74	20.16	3	Horizontal	0	1.80	-	28.00	4.10	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87376G	47.48	74.00	-26.52	42.35	3	Vertical	199	2.46	-	32.80	7.92	35.59			
AV	4.87012G	37.67	54.00	-16.33	32.56	3	Vertical	199	2.46	-	32.78	7.92	35.59			
PK	7.31404G	52.42	74.00	-21.58	40.78	3	Vertical	191	1.06	-	37.04	9.37	34.77			
AV	7.31444G	42.87	54.00	-11.13	31.23	3	Vertical	191	1.06	-	37.04	9.37	34.77			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87888G	47.51	74.00	-26.49	42.36	3	Horizontal	72	1.24	-	32.82	7.92	35.59			
AV	4.8646G	37.39	54.00	-16.61	32.32	3	Horizontal	72	1.24	-	32.76	7.91	35.60			
PK	7.30948G	52.54	74.00	-21.46	40.89	3	Horizontal	30	1.24	-	37.06	9.37	34.78			
AV	7.30944G	42.70	54.00	-11.30	31.05	3	Horizontal	30	1.24	-	37.06	9.37	34.78			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2452MHz_TX




EUT_Z_4TX
Setting 34
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3644G	59.40	74.00	-14.60	28.05	3	Vertical	356	1.80	-	27.36	3.99	-			
AV	2.39G	50.24	54.00	-3.76	18.75	3	Vertical	356	1.80	-	27.50	3.99	-			
PK	2.4592G	114.18	Inf	-Inf	82.42	3	Vertical	356	1.80	-	27.70	4.06	-			
AV	2.4592G	103.84	Inf	-Inf	72.08	3	Vertical	356	1.80	-	27.70	4.06	-			
PK	2.4884G	67.27	74.00	-6.73	35.20	3	Vertical	356	1.80	-	27.98	4.09	-			
AV	2.4852G	53.68	54.00	-0.32	21.65	3	Vertical	356	1.80	-	27.95	4.08	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2452MHz_TX




EUT_Z_4TX
Setting 34
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3888G	58.71	74.00	-15.29	27.24	3	Horizontal	7	1.80	-	27.48	3.99	-			
AV	2.376G	49.61	54.00	-4.39	18.32	3	Horizontal	7	1.80	-	27.30	3.99	-			
PK	2.4588G	112.08	Inf	-Inf	80.33	3	Horizontal	7	1.80	-	27.70	4.05	-			
AV	2.456G	101.58	Inf	-Inf	69.83	3	Horizontal	7	1.80	-	27.70	4.05	-			
PK	2.4872G	62.19	74.00	-11.81	30.13	3	Horizontal	7	1.80	-	27.97	4.09	-			
AV	2.4876G	53.00	54.00	-1.00	20.93	3	Horizontal	7	1.80	-	27.98	4.09	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2452MHz_TX




EUT_Z_4TX
Setting 34
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.90928G	46.83	74.00	-27.17	41.52	3	Vertical	75	1.69	-	32.96	7.93	35.58			
AV	4.89448G	37.41	54.00	-16.59	32.19	3	Vertical	75	1.69	-	32.88	7.93	35.59			
PK	7.35316G	52.43	74.00	-21.57	40.85	3	Vertical	147	1.91	-	36.88	9.40	34.70			
AV	7.35544G	43.10	54.00	-10.90	31.52	3	Vertical	147	1.91	-	36.87	9.40	34.69			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

2452MHz_TX



EUT_Z_4TX
Setting 34
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90648G	47.02	74.00	-26.98	41.73	3	Horizontal	44	2.54	-	32.94	7.93	35.58				
AV	4.90356G	37.37	54.00	-16.63	32.11	3	Horizontal	44	2.54	-	32.92	7.93	35.59				
PK	7.35748G	52.65	74.00	-21.35	41.08	3	Horizontal	356	1.00	-	36.86	9.40	34.69				
AV	7.34884G	42.76	54.00	-11.24	31.17	3	Horizontal	356	1.00	-	36.90	9.40	34.71				




Test Mode: Mode 6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1.(6Mbps)_2TX	Pass	AV	2.4835G	53.97	54.00	-0.03	3	Horizontal	356	1.53	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 79
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3824G	62.98	74.00	-11.02	31.80	3	Vertical	360	1.02	-	27.70	3.48	-			
AV	2.384G	51.92	54.00	-2.08	20.74	3	Vertical	360	1.02	-	27.70	3.48	-			
PK	2.4112G	116.52	Inf	-Inf	85.40	3	Vertical	360	1.02	-	27.61	3.51	-			
AV	2.4112G	114.19	Inf	-Inf	83.07	3	Vertical	360	1.02	-	27.61	3.51	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 79
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3874G	63.72	74.00	-10.28	32.53	3	Horizontal	353	1.69	-	27.70	3.49	-			
AV	2.388G	53.75	54.00	-0.25	22.56	3	Horizontal	353	1.69	-	27.70	3.49	-			
PK	2.4128G	119.31	Inf	-Inf	88.17	3	Horizontal	353	1.69	-	27.63	3.51	-			
AV	2.4128G	116.97	Inf	-Inf	85.83	3	Horizontal	353	1.69	-	27.63	3.51	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 79
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82396G	45.14	74.00	-28.86	52.25	3	Vertical	330	2.93	-	31.30	5.53	43.94			
AV	4.82404G	35.89	54.00	-18.11	43.00	3	Vertical	330	2.93	-	31.30	5.53	43.94			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 79
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82376G	44.59	74.00	-29.41	51.70	3	Horizontal	331	2.31	-	31.30	5.53	43.94			
AV	4.82396G	35.38	54.00	-18.62	42.49	3	Horizontal	331	2.31	-	31.30	5.53	43.94			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX

EUT Y_2TX
Setting 83
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	63.06	74.00	-10.94	31.87	3	Vertical	360	2.22	-	27.70	3.49	-			
AV	2.3876G	52.27	54.00	-1.73	21.08	3	Vertical	360	2.22	-	27.70	3.49	-			
PK	2.4178G	116.95	Inf	-Inf	85.76	3	Vertical	360	2.22	-	27.68	3.51	-			
AV	2.4178G	114.60	Inf	-Inf	83.41	3	Vertical	360	2.22	-	27.68	3.51	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT Y_2TX
Setting 83
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	64.07	74.00	-9.93	32.88	3	Horizontal	354	1.70	-	27.70	3.49	-			
AV	2.3888G	53.78	54.00	-0.22	22.59	3	Horizontal	354	1.70	-	27.70	3.49	-			
PK	2.4162G	119.26	Inf	-Inf	88.09	3	Horizontal	354	1.70	-	27.66	3.51	-			
AV	2.4178G	116.91	Inf	-Inf	85.72	3	Horizontal	354	1.70	-	27.68	3.51	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 89
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3874G	62.94	74.00	-11.06	31.75	3	Vertical	355	1.91	-	27.70	3.49	-			
AV	2.3882G	51.33	54.00	-2.67	20.14	3	Vertical	355	1.91	-	27.70	3.49	-			
PK	2.4378G	119.86	Inf	-Inf	88.82	3	Vertical	355	1.91	-	27.52	3.52	-			
AV	2.4378G	117.51	Inf	-Inf	86.47	3	Vertical	355	1.91	-	27.52	3.52	-			
PK	2.489G	63.27	74.00	-10.73	32.23	3	Vertical	355	1.91	-	27.50	3.54	-			
AV	2.4842G	52.38	54.00	-1.62	21.34	3	Vertical	355	1.91	-	27.50	3.54	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 89
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	63.83	74.00	-10.17	32.64	3	Horizontal	354	1.64	-	27.70	3.49	-			
AV	2.389G	53.02	54.00	-0.98	21.83	3	Horizontal	354	1.64	-	27.70	3.49	-			
PK	2.4362G	121.54	Inf	-Inf	90.48	3	Horizontal	354	1.64	-	27.54	3.52	-			
AV	2.4362G	119.16	Inf	-Inf	88.10	3	Horizontal	354	1.64	-	27.54	3.52	-			
PK	2.4842G	64.09	74.00	-9.91	33.05	3	Horizontal	354	1.64	-	27.50	3.54	-			
AV	2.4835G	53.57	54.00	-0.43	22.53	3	Horizontal	354	1.64	-	27.50	3.54	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 89
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87424G	48.05	74.00	-25.95	55.15	3	Vertical	327	1.80	-	31.30	5.52	43.92			
AV	4.874G	42.21	54.00	-11.79	49.31	3	Vertical	327	1.80	-	31.30	5.52	43.92			
PK	7.30144G	49.52	74.00	-24.48	48.76	3	Vertical	189	1.66	-	36.29	7.22	42.75			
AV	7.30232G	37.39	54.00	-16.61	36.63	3	Vertical	189	1.66	-	36.29	7.22	42.75			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 89
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87388G	47.42	74.00	-26.58	54.52	3	Horizontal	322.5	1.80	-	31.30	5.52	43.92			
AV	4.87396G	41.57	54.00	-12.43	48.67	3	Horizontal	322.5	1.80	-	31.30	5.52	43.92			
PK	7.307G	49.30	74.00	-24.70	48.57	3	Horizontal	55	1.59	-	36.27	7.22	42.76			
AV	7.30296G	37.33	54.00	-16.67	36.57	3	Horizontal	55	1.59	-	36.29	7.22	42.75			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX

EUT Y_2TX
Setting 80
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.456G	118.66	Inf	-Inf	87.69	3	Vertical	356	1.67	-	27.44	3.53	-				
AV	2.4564G	116.32	Inf	-Inf	85.35	3	Vertical	356	1.67	-	27.44	3.53	-				
PK	2.4862G	62.78	74.00	-11.22	31.74	3	Vertical	356	1.67	-	27.50	3.54	-				
AV	2.4835G	51.79	54.00	-2.21	20.75	3	Vertical	356	1.67	-	27.50	3.54	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX

EUT Y_2TX
Setting 80
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4562G	119.12	Inf	-Inf	88.15	3	Horizontal	349	1.52	-	27.44	3.53	-			
AV	2.4562G	116.71	Inf	-Inf	85.74	3	Horizontal	349	1.52	-	27.44	3.53	-			
PK	2.4864G	65.85	74.00	-8.15	34.81	3	Horizontal	349	1.52	-	27.50	3.54	-			
AV	2.4878G	53.58	54.00	-0.42	22.54	3	Horizontal	349	1.52	-	27.50	3.54	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 77
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4628G	117.88	Inf	-Inf	86.95	3	Vertical	354	1.84	-	27.40	3.53	-				
AV	2.4628G	115.52	Inf	-Inf	84.59	3	Vertical	354	1.84	-	27.40	3.53	-				
PK	2.4852G	62.83	74.00	-11.17	31.79	3	Vertical	354	1.84	-	27.50	3.54	-				
AV	2.4902G	51.78	54.00	-2.22	20.73	3	Vertical	354	1.84	-	27.50	3.55	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 77
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4628G	118.39	Inf	-Inf	87.46	3	Horizontal	350	1.80	-	27.40	3.53	-			
AV	2.4628G	116.03	Inf	-Inf	85.10	3	Horizontal	350	1.80	-	27.40	3.53	-			
PK	2.4896G	65.15	74.00	-8.85	34.11	3	Horizontal	350	1.80	-	27.50	3.54	-			
AV	2.4835G	53.82	54.00	-0.18	22.78	3	Horizontal	350	1.80	-	27.50	3.54	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 77
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92396G	45.39	74.00	-28.61	52.39	3	Vertical	342	1.80	-	31.40	5.51	43.91			
AV	4.92404G	36.98	54.00	-17.02	43.98	3	Vertical	342	1.80	-	31.40	5.51	43.91			
PK	7.37676G	49.18	74.00	-24.82	48.71	3	Vertical	189	1.92	-	36.10	7.23	42.86			
AV	7.37616G	37.02	54.00	-16.98	36.55	3	Vertical	189	1.92	-	36.10	7.23	42.86			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 77
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92396G	44.56	74.00	-29.44	51.56	3	Horizontal	335	1.80	-	31.40	5.51	43.91			
AV	4.92398G	35.21	54.00	-18.79	42.21	3	Horizontal	335	1.80	-	31.40	5.51	43.91			
PK	7.39052G	49.11	74.00	-24.89	48.66	3	Horizontal	31	1.22	-	36.10	7.23	42.88			
AV	7.3798G	37.02	54.00	-16.98	36.55	3	Horizontal	31	1.22	-	36.10	7.23	42.86			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX

EUT Y_2TX
Setting 59
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3888G	67.41	74.00	-6.59	36.22	3	Vertical	360	2.14	-	27.70	3.49	-			
AV	2.3872G	53.02	54.00	-0.98	21.83	3	Vertical	360	2.14	-	27.70	3.49	-			
PK	2.4158G	114.49	Inf	-Inf	83.32	3	Vertical	360	2.14	-	27.66	3.51	-			
AV	2.4196G	105.90	Inf	-Inf	74.69	3	Vertical	360	2.14	-	27.70	3.51	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 59
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	67.46	74.00	-6.54	36.27	3	Horizontal	356	2.15	-	27.70	3.49	-			
AV	2.39G	53.62	54.00	-0.38	22.43	3	Horizontal	356	2.15	-	27.70	3.49	-			
PK	2.4106G	116.86	Inf	-Inf	85.74	3	Horizontal	356	2.15	-	27.61	3.51	-			
AV	2.4108G	107.48	Inf	-Inf	76.36	3	Horizontal	356	2.15	-	27.61	3.51	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX

EUT Y_2TX
Setting 59
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82396G	42.72	74.00	-31.28	49.83	3	Vertical	86	2.57	-	31.30	5.53	43.94			
AV	4.8253G	33.30	54.00	-20.70	40.41	3	Vertical	86	2.57	-	31.30	5.53	43.94			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 59
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8215G	42.69	74.00	-31.31	49.80	3	Horizontal	186	2.51	-	31.30	5.53	43.94			
AV	4.82212G	33.34	54.00	-20.66	40.45	3	Horizontal	186	2.51	-	31.30	5.53	43.94			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX

EUT Y_2TX
Setting 63
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	65.28	74.00	-8.72	34.09	3	Vertical	4	1.04	-	27.70	3.49	-			
AV	2.3888G	52.27	54.00	-1.73	21.08	3	Vertical	4	1.04	-	27.70	3.49	-			
PK	2.4208G	114.30	Inf	-Inf	83.10	3	Vertical	4	1.04	-	27.69	3.51	-			
AV	2.414G	105.98	Inf	-Inf	74.83	3	Vertical	4	1.04	-	27.64	3.51	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX

EUT Y_2TX
Setting 63
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	67.18	74.00	-6.82	35.99	3	Horizontal	0	1.53	-	27.70	3.49	-			
AV	2.3898G	53.67	54.00	-0.33	22.48	3	Horizontal	0	1.53	-	27.70	3.49	-			
PK	2.4212G	117.61	Inf	-Inf	86.41	3	Horizontal	0	1.53	-	27.69	3.51	-			
AV	2.4244G	107.72	Inf	-Inf	76.55	3	Horizontal	0	1.53	-	27.66	3.51	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 78
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	62.98	74.00	-11.02	31.79	3	Vertical	-0	1.92	-	27.70	3.49	-			
AV	2.3878G	52.67	54.00	-1.33	21.48	3	Vertical	-0	1.92	-	27.70	3.49	-			
PK	2.4362G	117.37	Inf	-Inf	86.31	3	Vertical	-0	1.92	-	27.54	3.52	-			
AV	2.439G	110.48	Inf	-Inf	79.45	3	Vertical	-0	1.92	-	27.51	3.52	-			
PK	2.4838G	62.61	74.00	-11.39	31.57	3	Vertical	-0	1.92	-	27.50	3.54	-			
AV	2.4835G	53.10	54.00	-0.90	22.06	3	Vertical	-0	1.92	-	27.50	3.54	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 78
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3862G	64.87	74.00	-9.13	33.68	3	Horizontal	356	1.53	-	27.70	3.49	-			
AV	2.3898G	53.79	54.00	-0.21	22.60	3	Horizontal	356	1.53	-	27.70	3.49	-			
PK	2.433G	119.03	Inf	-Inf	87.94	3	Horizontal	356	1.53	-	27.57	3.52	-			
AV	2.4338G	110.64	Inf	-Inf	79.56	3	Horizontal	356	1.53	-	27.56	3.52	-			
PK	2.4846G	64.19	74.00	-9.81	33.15	3	Horizontal	356	1.53	-	27.50	3.54	-			
AV	2.4835G	53.97	54.00	-0.03	22.93	3	Horizontal	356	1.53	-	27.50	3.54	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 78
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.872166G	42.47	74.00	-31.53	49.57	3	Vertical	97	1.01	-	31.30	5.52	43.92			
AV	4.876566G	33.05	54.00	-20.95	40.15	3	Vertical	97	1.01	-	31.30	5.52	43.92			
PK	7.307566G	49.55	74.00	-24.45	48.82	3	Vertical	279	2.23	-	36.27	7.22	42.76			
AV	7.314566G	39.65	54.00	-14.35	38.96	3	Vertical	279	2.23	-	36.24	7.22	42.77			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 78
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87428G	42.58	74.00	-31.42	49.68	3	Horizontal	135	1.21	-	31.30	5.52	43.92			
AV	4.87752G	32.71	54.00	-21.29	39.81	3	Horizontal	135	1.21	-	31.30	5.52	43.92			
PK	7.30952G	49.69	74.00	-24.31	48.97	3	Horizontal	254	2.69	-	36.26	7.22	42.76			
AV	7.31418G	39.55	54.00	-14.45	38.86	3	Horizontal	254	2.69	-	36.24	7.22	42.77			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX

EUT Y_2TX
Setting 61
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4608G	115.42	Inf	-Inf	84.49	3	Vertical	357	1.92	-	27.40	3.53	-			
AV	2.4554G	107.00	Inf	-Inf	76.02	3	Vertical	357	1.92	-	27.45	3.53	-			
PK	2.485G	64.98	74.00	-9.02	33.94	3	Vertical	357	1.92	-	27.50	3.54	-			
AV	2.4842G	52.43	54.00	-1.57	21.39	3	Vertical	357	1.92	-	27.50	3.54	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX

EUT Y_2TX
Setting 61
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4632G	115.64	Inf	-Inf	84.71	3	Horizontal	351	1.47	-	27.40	3.53	-			
AV	2.458G	106.60	Inf	-Inf	75.65	3	Horizontal	351	1.47	-	27.42	3.53	-			
PK	2.4838G	67.33	74.00	-6.67	36.29	3	Horizontal	351	1.47	-	27.50	3.54	-			
AV	2.4844G	53.85	54.00	-0.15	22.81	3	Horizontal	351	1.47	-	27.50	3.54	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX

EUT Y_2TX
Setting 60
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4658G	116.13	Inf	-Inf	85.20	3	Vertical	0	2.08	-	27.40	3.53	-			
AV	2.4648G	106.91	Inf	-Inf	75.98	3	Vertical	0	2.08	-	27.40	3.53	-			
PK	2.4844G	68.82	74.00	-5.18	37.78	3	Vertical	0	2.08	-	27.50	3.54	-			
AV	2.4838G	53.85	54.00	-0.15	22.81	3	Vertical	0	2.08	-	27.50	3.54	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX

EUT Y_2TX
Setting 60
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4662G	115.77	Inf	-Inf	84.84	3	Horizontal	353	1.11	-	27.40	3.53	-			
AV	2.4648G	106.36	Inf	-Inf	75.43	3	Horizontal	353	1.11	-	27.40	3.53	-			
PK	2.4835G	71.52	74.00	-2.48	40.48	3	Horizontal	353	1.11	-	27.50	3.54	-			
AV	2.4836G	53.85	54.00	-0.15	22.81	3	Horizontal	353	1.11	-	27.50	3.54	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 60
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9203G	41.89	74.00	-32.11	48.91	3	Vertical	181	1.23	-	31.38	5.51	43.91			
AV	4.92828G	32.71	54.00	-21.29	39.70	3	Vertical	181	1.23	-	31.41	5.51	43.91			
PK	7.38274G	49.49	74.00	-24.51	49.03	3	Vertical	314	2.03	-	36.10	7.23	42.87			
AV	7.3826G	39.32	54.00	-14.68	38.86	3	Vertical	314	2.03	-	36.10	7.23	42.87			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 60
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92186G	42.63	74.00	-31.37	49.64	3	Horizontal	319	1.92	-	31.39	5.51	43.91			
AV	4.92468G	32.90	54.00	-21.10	39.90	3	Horizontal	319	1.92	-	31.40	5.51	43.91			
PK	7.38692G	48.51	74.00	-25.49	48.05	3	Horizontal	200	1.58	-	36.10	7.23	42.87			
AV	7.38546G	38.99	54.00	-15.01	38.53	3	Horizontal	200	1.58	-	36.10	7.23	42.87			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2412MHz_TX

EUT Y_2TX
Setting 53
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3862G	65.52	74.00	-8.48	34.33	3	Vertical	-0	1.66	-	27.70	3.49	-			
AV	2.3892G	52.27	54.00	-1.73	21.08	3	Vertical	-0	1.66	-	27.70	3.49	-			
PK	2.4186G	113.67	Inf	-Inf	82.47	3	Vertical	-0	1.66	-	27.69	3.51	-			
AV	2.4206G	103.57	Inf	-Inf	72.37	3	Vertical	-0	1.66	-	27.69	3.51	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 53
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	69.43	74.00	-4.57	38.24	3	Horizontal	356	1.55	-	27.70	3.49	-			
AV	2.3878G	53.67	54.00	-0.33	22.48	3	Horizontal	356	1.55	-	27.70	3.49	-			
PK	2.409G	116.36	Inf	-Inf	85.25	3	Horizontal	356	1.55	-	27.61	3.50	-			
AV	2.4096G	105.28	Inf	-Inf	74.18	3	Horizontal	356	1.55	-	27.60	3.50	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2412MHz_TX

EUT Y_2TX
Setting 53
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82438G	42.59	74.00	-31.41	49.70	3	Vertical	265	2.77	-	31.30	5.53	43.94			
AV	4.8245G	33.71	54.00	-20.29	40.82	3	Vertical	265	2.77	-	31.30	5.53	43.94			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2412MHz_TX

EUT_Y_2TX
Setting 53
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82302G	42.74	74.00	-31.26	49.85	3	Horizontal	36	2.00	-	31.30	5.53	43.94			
AV	4.8194G	33.55	54.00	-20.45	40.65	3	Horizontal	36	2.00	-	31.30	5.54	43.94			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2417MHz_TX

EUT Y_2TX
Setting 60
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	67.84	74.00	-6.16	36.65	3	Vertical	-0	2.22	-	27.70	3.49	-			
AV	2.3862G	53.10	54.00	-0.90	21.91	3	Vertical	-0	2.22	-	27.70	3.49	-			
PK	2.422G	115.50	Inf	-Inf	84.31	3	Vertical	-0	2.22	-	27.68	3.51	-			
AV	2.4202G	105.02	Inf	-Inf	73.81	3	Vertical	-0	2.22	-	27.70	3.51	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT Y_2TX
Setting 60
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	70.29	74.00	-3.71	39.10	3	Horizontal	359	1.70	-	27.70	3.49	-			
AV	2.3862G	53.59	54.00	-0.41	22.40	3	Horizontal	359	1.70	-	27.70	3.49	-			
PK	2.4238G	117.62	Inf	-Inf	86.45	3	Horizontal	359	1.70	-	27.66	3.51	-			
AV	2.4208G	107.06	Inf	-Inf	75.86	3	Horizontal	359	1.70	-	27.69	3.51	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 72
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3854G	64.50	74.00	-9.50	33.32	3	Vertical	360	1.92	-	27.70	3.48	-			
AV	2.3866G	52.13	54.00	-1.87	20.94	3	Vertical	360	1.92	-	27.70	3.49	-			
PK	2.4386G	119.83	Inf	-Inf	88.80	3	Vertical	360	1.92	-	27.51	3.52	-			
AV	2.4362G	108.93	Inf	-Inf	77.87	3	Vertical	360	1.92	-	27.54	3.52	-			
PK	2.4838G	70.33	74.00	-3.67	39.29	3	Vertical	360	1.92	-	27.50	3.54	-			
AV	2.4835G	53.23	54.00	-0.77	22.19	3	Vertical	360	1.92	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 72
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3866G	65.25	74.00	-8.75	34.06	3	Horizontal	352	1.26	-	27.70	3.49	-			
AV	2.3898G	52.94	54.00	-1.06	21.75	3	Horizontal	352	1.26	-	27.70	3.49	-			
PK	2.4422G	120.48	Inf	-Inf	89.46	3	Horizontal	352	1.26	-	27.50	3.52	-			
AV	2.445G	109.51	Inf	-Inf	78.49	3	Horizontal	352	1.26	-	27.50	3.52	-			
PK	2.4862G	66.53	74.00	-7.47	35.49	3	Horizontal	352	1.26	-	27.50	3.54	-			
AV	2.4835G	53.73	54.00	-0.27	22.69	3	Horizontal	352	1.26	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 72
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87062G	42.84	74.00	-31.16	49.94	3	Vertical	205	2.26	-	31.30	5.52	43.92			
AV	4.8749G	33.21	54.00	-20.79	40.31	3	Vertical	205	2.26	-	31.30	5.52	43.92			
PK	7.314G	49.56	74.00	-24.44	48.87	3	Vertical	31	1.65	-	36.24	7.22	42.77			
AV	7.31518G	39.83	54.00	-14.17	39.14	3	Vertical	31	1.65	-	36.24	7.22	42.77			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 72
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8711G	42.75	74.00	-31.25	49.85	3	Horizontal	105	1.80	-	31.30	5.52	43.92			
AV	4.87756G	32.76	54.00	-21.24	39.86	3	Horizontal	105	1.80	-	31.30	5.52	43.92			
PK	7.31588G	49.43	74.00	-24.57	48.74	3	Horizontal	120	3.00	-	36.24	7.22	42.77			
AV	7.30632G	39.60	54.00	-14.40	38.87	3	Horizontal	120	3.00	-	36.27	7.22	42.76			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2457MHz_TX

EUT Y_2TX
Setting 54
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4618G	115.92	Inf	-Inf	84.99	3	Vertical	360	2.08	-	27.40	3.53	-				
AV	2.4656G	105.86	Inf	-Inf	74.93	3	Vertical	360	2.08	-	27.40	3.53	-				
PK	2.4835G	67.86	74.00	-6.14	36.82	3	Vertical	360	2.08	-	27.50	3.54	-				
AV	2.4876G	52.33	54.00	-1.67	21.29	3	Vertical	360	2.08	-	27.50	3.54	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2457MHz_TX

EUT Y_2TX
Setting 54
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4528G	116.21	Inf	-Inf	85.21	3	Horizontal	360	2.31	-	27.47	3.53	-			
AV	2.4648G	105.58	Inf	-Inf	74.65	3	Horizontal	360	2.31	-	27.40	3.53	-			
PK	2.4838G	69.73	74.00	-4.27	38.69	3	Horizontal	360	2.31	-	27.50	3.54	-			
AV	2.4835G	53.65	54.00	-0.35	22.61	3	Horizontal	360	2.31	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2462MHz_TX

EUT Y_2TX
Setting 53
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4668G	115.95	Inf	-Inf	85.02	3	Vertical	0	2.08	-	27.40	3.53	-			
AV	2.4642G	104.98	Inf	-Inf	74.05	3	Vertical	0	2.08	-	27.40	3.53	-			
PK	2.4926G	64.96	74.00	-9.04	33.91	3	Vertical	0	2.08	-	27.50	3.55	-			
AV	2.4836G	52.00	54.00	-2.00	20.96	3	Vertical	0	2.08	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2462MHz_TX

EUT Y_2TX
Setting 53
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4672G	115.88	Inf	-Inf	84.95	3	Horizontal	350	1.43	-	27.40	3.53	-			
AV	2.4672G	104.83	Inf	-Inf	73.90	3	Horizontal	350	1.43	-	27.40	3.53	-			
PK	2.4846G	68.28	74.00	-5.72	37.24	3	Horizontal	350	1.43	-	27.50	3.54	-			
AV	2.4844G	53.73	54.00	-0.27	22.69	3	Horizontal	350	1.43	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 53
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92062G	42.07	74.00	-31.93	49.09	3	Vertical	19	1.09	-	31.38	5.51	43.91			
AV	4.92804G	32.84	54.00	-21.16	39.83	3	Vertical	19	1.09	-	31.41	5.51	43.91			
PK	7.38312G	49.05	74.00	-24.95	48.59	3	Vertical	251	1.19	-	36.10	7.23	42.87			
AV	7.38846G	39.25	54.00	-14.75	38.80	3	Vertical	251	1.19	-	36.10	7.23	42.88			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 53
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9222G	42.39	74.00	-31.61	49.40	3	Horizontal	200	2.58	-	31.39	5.51	43.91			
AV	4.9191G	32.71	54.00	-21.29	39.73	3	Horizontal	200	2.58	-	31.38	5.51	43.91			
PK	7.38832G	48.59	74.00	-25.41	48.14	3	Horizontal	69	2.62	-	36.10	7.23	42.88			
AV	7.38398G	39.30	54.00	-14.70	38.84	3	Horizontal	69	2.62	-	36.10	7.23	42.87			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 50
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3872G	63.74	74.00	-10.26	32.55	3	Vertical	357	1.89	-	27.70	3.49	-			
AV	2.3836G	52.92	54.00	-1.08	21.74	3	Vertical	357	1.89	-	27.70	3.48	-			
PK	2.436G	111.47	Inf	-Inf	80.41	3	Vertical	357	1.89	-	27.54	3.52	-			
AV	2.436G	100.81	Inf	-Inf	69.75	3	Vertical	357	1.89	-	27.54	3.52	-			
PK	2.4912G	60.72	74.00	-13.28	29.67	3	Vertical	357	1.89	-	27.50	3.55	-			
AV	2.4864G	51.22	54.00	-2.78	20.18	3	Vertical	357	1.89	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 50
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3872G	65.09	74.00	-8.91	33.90	3	Horizontal	-0	1.72	-	27.70	3.49	-			
AV	2.3868G	53.90	54.00	-0.10	22.71	3	Horizontal	-0	1.72	-	27.70	3.49	-			
PK	2.4284G	113.02	Inf	-Inf	81.89	3	Horizontal	-0	1.72	-	27.62	3.51	-			
AV	2.428G	101.48	Inf	-Inf	70.35	3	Horizontal	-0	1.72	-	27.62	3.51	-			
PK	2.4884G	66.50	74.00	-7.50	35.46	3	Horizontal	-0	1.72	-	27.50	3.54	-			
AV	2.4835G	51.23	54.00	-2.77	20.19	3	Horizontal	-0	1.72	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 50
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.84418G	42.58	74.00	-31.42	49.68	3	Vertical	52	1.32	-	31.30	5.53	43.93			
AV	4.844G	33.03	54.00	-20.97	40.13	3	Vertical	52	1.32	-	31.30	5.53	43.93			
PK	7.27092G	49.08	74.00	-24.92	48.33	3	Vertical	296	1.65	-	36.24	7.22	42.71			
AV	7.26274G	39.56	54.00	-14.44	38.80	3	Vertical	296	1.65	-	36.23	7.22	42.69			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 50
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.845866G	42.49	74.00	-31.51	49.59	3	Horizontal	333	1.97	-	31.30	5.53	43.93			
AV	4.84042G	32.97	54.00	-21.03	40.07	3	Horizontal	333	1.97	-	31.30	5.53	43.93			
PK	7.27048G	50.10	74.00	-23.90	49.34	3	Horizontal	148	1.46	-	36.24	7.22	42.70			
AV	7.26136G	39.92	54.00	-14.08	39.17	3	Horizontal	148	1.46	-	36.22	7.22	42.69			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2427MHz_TX




EUT Y_2TX
Setting 54
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.381G	67.45	74.00	-6.55	36.27	3	Vertical	354	1.90	-	27.70	3.48	-			
AV	2.3882G	53.83	54.00	-0.17	22.64	3	Vertical	354	1.90	-	27.70	3.49	-			
PK	2.4358G	112.75	Inf	-Inf	81.69	3	Vertical	354	1.90	-	27.54	3.52	-			
AV	2.4414G	101.79	Inf	-Inf	70.77	3	Vertical	354	1.90	-	27.50	3.52	-			
PK	2.4835G	61.45	74.00	-12.55	30.41	3	Vertical	354	1.90	-	27.50	3.54	-			
AV	2.4846G	51.60	54.00	-2.40	20.56	3	Vertical	354	1.90	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2427MHz_TX




EUT Y_2TX
Setting 54
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3874G	63.90	74.00	-10.10	32.71	3	Horizontal	347	1.49	-	27.70	3.49	-			
AV	2.3882G	53.95	54.00	-0.05	22.76	3	Horizontal	347	1.49	-	27.70	3.49	-			
PK	2.4394G	113.18	Inf	-Inf	82.15	3	Horizontal	347	1.49	-	27.51	3.52	-			
AV	2.4374G	102.62	Inf	-Inf	71.57	3	Horizontal	347	1.49	-	27.53	3.52	-			
PK	2.4858G	64.79	74.00	-9.21	33.75	3	Horizontal	347	1.49	-	27.50	3.54	-			
AV	2.4835G	52.05	54.00	-1.95	21.01	3	Horizontal	347	1.49	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 54
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.35G	60.01	74.00	-13.99	28.56	3	Vertical	358	1.92	-	28.00	3.45	-			
AV	2.3872G	51.09	54.00	-2.91	19.90	3	Vertical	358	1.92	-	27.70	3.49	-			
PK	2.4532G	112.70	Inf	-Inf	81.70	3	Vertical	358	1.92	-	27.47	3.53	-			
AV	2.4538G	101.82	Inf	-Inf	70.83	3	Vertical	358	1.92	-	27.46	3.53	-			
PK	2.4874G	67.85	74.00	-6.15	36.81	3	Vertical	358	1.92	-	27.50	3.54	-			
AV	2.4838G	52.57	54.00	-1.43	21.53	3	Vertical	358	1.92	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 54
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	63.99	74.00	-10.01	32.80	3	Horizontal	353	1.30	-	27.70	3.49	-			
AV	2.389G	51.25	54.00	-2.75	20.06	3	Horizontal	353	1.30	-	27.70	3.49	-			
PK	2.4316G	113.38	Inf	-Inf	82.28	3	Horizontal	353	1.30	-	27.58	3.52	-			
AV	2.4478G	102.22	Inf	-Inf	71.20	3	Horizontal	353	1.30	-	27.50	3.52	-			
PK	2.4898G	71.14	74.00	-2.86	40.10	3	Horizontal	353	1.30	-	27.50	3.54	-			
AV	2.4835G	53.85	54.00	-0.15	22.81	3	Horizontal	353	1.30	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 54
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.876766G	42.07	74.00	-31.93	49.17	3	Vertical	315	2.08	-	31.30	5.52	43.92			
AV	4.87598G	32.79	54.00	-21.21	39.89	3	Vertical	315	2.08	-	31.30	5.52	43.92			
PK	7.31396G	49.63	74.00	-24.37	48.94	3	Vertical	338	1.24	-	36.24	7.22	42.77			
AV	7.31382G	39.80	54.00	-14.20	39.11	3	Vertical	338	1.24	-	36.24	7.22	42.77			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 54
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87772G	42.93	74.00	-31.07	50.03	3	Horizontal	77	1.03	-	31.30	5.52	43.92			
AV	4.8787G	33.23	54.00	-20.77	40.33	3	Horizontal	77	1.03	-	31.30	5.52	43.92			
PK	7.30618G	49.67	74.00	-24.33	48.93	3	Horizontal	276	1.80	-	36.28	7.22	42.76			
AV	7.30626G	39.62	54.00	-14.38	38.89	3	Horizontal	276	1.80	-	36.27	7.22	42.76			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2447MHz_TX




EUT Y_2TX
Setting 46
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.385G	60.08	74.00	-13.92	28.90	3	Vertical	360	1.91	-	27.70	3.48	-			
AV	2.3894G	50.14	54.00	-3.86	18.95	3	Vertical	360	1.91	-	27.70	3.49	-			
PK	2.4566G	111.21	Inf	-Inf	80.25	3	Vertical	360	1.91	-	27.43	3.53	-			
AV	2.4534G	100.65	Inf	-Inf	69.65	3	Vertical	360	1.91	-	27.47	3.53	-			
PK	2.4835G	62.66	74.00	-11.34	31.62	3	Vertical	360	1.91	-	27.50	3.54	-			
AV	2.4842G	52.19	54.00	-1.81	21.15	3	Vertical	360	1.91	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2447MHz_TX




EUT Y_2TX
Setting 46
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3822G	59.75	74.00	-14.25	28.57	3	Horizontal	360	2.28	-	27.70	3.48	-			
AV	2.3874G	50.31	54.00	-3.69	19.12	3	Horizontal	360	2.28	-	27.70	3.49	-			
PK	2.4594G	110.78	Inf	-Inf	79.84	3	Horizontal	360	2.28	-	27.41	3.53	-			
AV	2.4646G	100.68	Inf	-Inf	69.75	3	Horizontal	360	2.28	-	27.40	3.53	-			
PK	2.4835G	65.81	74.00	-8.19	34.77	3	Horizontal	360	2.28	-	27.50	3.54	-			
AV	2.4858G	53.65	54.00	-0.35	22.61	3	Horizontal	360	2.28	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 47
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3784G	59.92	74.00	-14.08	28.72	3	Vertical	358	2.09	-	27.72	3.48	-			
AV	2.3528G	49.91	54.00	-4.09	18.49	3	Vertical	358	2.09	-	27.97	3.45	-			
PK	2.4612G	111.24	Inf	-Inf	80.31	3	Vertical	358	2.09	-	27.40	3.53	-			
AV	2.4668G	100.34	Inf	-Inf	69.41	3	Vertical	358	2.09	-	27.40	3.53	-			
PK	2.4864G	61.98	74.00	-12.02	30.94	3	Vertical	358	2.09	-	27.50	3.54	-			
AV	2.4848G	52.57	54.00	-1.43	21.53	3	Vertical	358	2.09	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 47
04-H-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3804G	59.94	74.00	-14.06	28.76	3	Horizontal	345	1.49	-	27.70	3.48	-			
AV	2.384G	49.71	54.00	-4.29	18.53	3	Horizontal	345	1.49	-	27.70	3.48	-			
PK	2.4572G	112.49	Inf	-Inf	81.53	3	Horizontal	345	1.49	-	27.43	3.53	-			
AV	2.4572G	100.12	Inf	-Inf	69.16	3	Horizontal	345	1.49	-	27.43	3.53	-			
PK	2.4835G	65.46	74.00	-8.54	34.42	3	Horizontal	345	1.49	-	27.50	3.54	-			
AV	2.4835G	53.61	54.00	-0.39	22.57	3	Horizontal	345	1.49	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 47
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.90392G	42.95	74.00	-31.05	50.03	3	Vertical	252	2.16	-	31.32	5.51	43.91			
AV	4.90688G	32.94	54.00	-21.06	40.01	3	Vertical	252	2.16	-	31.33	5.51	43.91			
PK	7.35842G	48.96	74.00	-25.04	48.46	3	Vertical	39	2.92	-	36.10	7.23	42.83			
AV	7.35546G	39.51	54.00	-14.49	39.01	3	Vertical	39	2.92	-	36.10	7.23	42.83			

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

2452MHz_TX



EUT Y_2TX
Setting 47
04-H-B-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.90824G	43.47	74.00	-30.53	50.54	3	Horizontal	127	1.68	-	31.33	5.51	43.91			
AV	4.90696G	32.92	54.00	-21.08	39.99	3	Horizontal	127	1.68	-	31.33	5.51	43.91			
PK	7.36002G	49.45	74.00	-24.55	48.96	3	Horizontal	240	1.76	-	36.10	7.23	42.84			
AV	7.3529G	39.22	54.00	-14.78	38.72	3	Horizontal	240	1.76	-	36.10	7.23	42.83			



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 4	Pass	AV	1.19998G	34.64	54.00	-19.36	Horizontal

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.1999G	39.16	74.00	-34.84	-6.60	3	Vertical	221.9	1.00	-	45.76	25.80	4.44	36.84		
AV	1.19999G	32.81	54.00	-21.19	-6.60	3	Vertical	221.9	1.00	"Worst"	39.41	25.80	4.44	36.84		

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.20004G	39.75	74.00	-34.25	-6.60	3	Horizontal	14	1.03	-	46.35	25.80	4.44	36.84		
AV	1.19998G	34.64	54.00	-19.36	-6.60	3	Horizontal	14	1.03	"Worst"	41.24	25.80	4.44	36.84		