


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.8755G	-70.28	-21.20	-49.08	2.29	0.00	-72.57	-76.23	-75.02
3G	25G	1M	PK	7.3065G	-46.47	-21.20	-25.27	2.29	0.00	-48.76	-50.49	-53.60

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.87825G	-76.99	-41.20	-35.79	2.29	0.00	-79.28	-81.72	-82.94
3G	25G	1M	AV	7.312G	-54.04	-41.20	-12.84	2.29	0.00	-56.33	-58.79	-59.98

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.9085G	-69.40	-21.20	-48.20	2.29	0.00	-71.69	-73.57	-76.22
3G	25G	1M	PK	7.3945G	-53.16	-21.20	-31.96	2.29	0.00	-55.45	-59.19	-57.84

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.90575G	-77.46	-41.20	-36.26	2.29	0.00	-79.75	-82.92	-82.60
3G	25G	1M	AV	7.389G	-59.00	-41.20	-17.80	2.29	0.00	-61.29	-64.90	-63.77

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

2422MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

2422MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.881G	-69.68	-21.20	-48.48	2.29	0.00	-71.97	-76.67	-73.77
3G	25G	1M	PK	7.30375G	-52.37	-21.20	-31.17	2.29	0.00	-54.66	-60.34	-56.03

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.87825G	-77.32	-41.20	-36.12	2.29	0.00	-79.61	-82.66	-82.59
3G	25G	1M	AV	7.301G	-59.88	-41.20	-18.68	2.29	0.00	-62.17	-65.20	-65.17

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

2452MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.87275G	-70.05	-21.20	-48.85	2.29	0.00	-72.34	-75.75	-74.98
3G	25G	1M	PK	7.345G	-56.90	-21.20	-35.70	2.29	0.00	-59.19	-63.61	-61.13

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

2452MHz

08/11/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.89475G	-77.18	-41.20	-35.98	2.29	0.00	-79.47	-82.89	-82.11
3G	25G	1M	AV	7.35325G	-62.23	-41.20	-21.03	2.29	0.00	-64.52	-67.66	-67.40



Test Mode: Mode 3

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	3G	25G	AV	22.0795G	5.53	-79.52	-79.48	-79.17	-79.21	-73.32	-67.79	-41.20	-26.59
802.11g_Nss1,(6Mbps)_4TX	Pass	3G	25G	AV	22.019G	5.53	-79.76	-79.06	-79.10	-80.21	-73.49	-67.96	-41.20	-26.76
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	3G	25G	AV	22.09325G	5.53	-79.79	-79.51	-79.00	-79.59	-73.44	-67.91	-41.20	-26.71
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	3G	25G	AV	22.09875G	5.53	-79.62	-79.66	-79.62	-79.07	-73.46	-67.93	-41.20	-26.73

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.82325G	5.53	-81.70	-82.12	-80.45	-81.89	-75.47	-69.94	-41.20	-26.74
2412MHz	Pass	3G	25G	AV	22.052G	5.53	-79.59	-79.75	-79.75	-79.20	-73.55	-68.02	-41.20	-26.82
2412MHz	Pass	3G	25G	PK	4.8425G	5.53	-75.73	-74.73	-76.07	-76.52	-69.69	-64.16	-21.20	-42.96
2412MHz	Pass	3G	25G	PK	22.17025G	5.53	-71.82	-72.68	-72.36	-72.93	-66.41	-60.88	-21.20	-39.68
2437MHz	Pass	3G	25G	AV	4.87275G	5.53	-80.94	-82.32	-80.59	-79.49	-74.70	-69.17	-41.20	-27.97
2437MHz	Pass	3G	25G	AV	22.0795G	5.53	-79.52	-79.48	-79.17	-79.21	-73.32	-67.79	-41.20	-26.59
2437MHz	Pass	3G	25G	PK	4.86725G	5.53	-75.99	-75.79	-77.20	-74.63	-69.79	-64.26	-21.20	-43.06
2437MHz	Pass	3G	25G	PK	22.13725G	5.53	-72.63	-71.02	-71.97	-73.98	-66.25	-60.72	-21.20	-39.52
2462MHz	Pass	3G	25G	AV	4.92225G	5.53	-81.66	-81.90	-81.83	-81.90	-75.80	-70.27	-41.20	-29.07
2462MHz	Pass	3G	25G	AV	22.12625G	5.53	-79.94	-79.29	-79.03	-80.19	-73.57	-68.04	-41.20	-26.84
2462MHz	Pass	3G	25G	PK	4.9275G	5.53	-76.12	-75.26	-76.26	-75.63	-69.78	-64.25	-21.20	-43.05
2462MHz	Pass	3G	25G	PK	22.14825G	5.53	-71.82	-73.25	-72.55	-73.02	-66.60	-61.07	-21.20	-39.87
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.82325G	5.53	-82.82	-83.45	-82.32	-82.74	-76.79	-71.26	-41.20	-30.06
2412MHz	Pass	3G	25G	AV	22.019G	5.53	-79.76	-79.06	-79.10	-80.21	-73.49	-67.96	-41.20	-26.76
2412MHz	Pass	3G	25G	PK	4.837G	5.53	-76.00	-76.39	-75.57	-76.46	-70.07	-64.54	-21.20	-43.34
2412MHz	Pass	3G	25G	PK	22.07875G	5.53	-73.00	-72.01	-71.44	-72.11	-66.08	-60.55	-21.20	-39.35
2437MHz	Pass	3G	25G	AV	4.88375G	5.53	-82.35	-82.25	-82.50	-82.28	-76.32	-70.79	-41.20	-29.59
2437MHz	Pass	3G	25G	AV	22.063G	5.53	-80.21	-79.91	-79.46	-79.07	-73.62	-68.09	-41.20	-26.89
2437MHz	Pass	3G	25G	PK	4.8645G	5.53	-75.62	-75.59	-77.10	-75.44	-69.87	-64.34	-21.20	-43.14
2437MHz	Pass	3G	25G	PK	22.03825G	5.53	-69.47	-74.17	-73.24	-73.14	-66.07	-60.54	-21.20	-39.34
2462MHz	Pass	3G	25G	AV	4.92225G	5.53	-82.39	-82.68	-82.35	-82.32	-76.41	-70.88	-41.20	-29.68
2462MHz	Pass	3G	25G	AV	22.10425G	5.53	-79.89	-79.89	-78.83	-79.64	-73.52	-67.99	-41.20	-26.79
2462MHz	Pass	3G	25G	PK	4.925G	5.53	-75.45	-75.22	-76.47	-76.88	-69.93	-64.40	-21.20	-43.20
2462MHz	Pass	3G	25G	PK	22.1345G	5.53	-71.71	-71.96	-73.56	-73.29	-66.54	-61.01	-21.20	-39.81
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.82325G	5.53	-82.71	-82.57	-83.42	-82.15	-76.67	-71.14	-41.20	-29.94
2412MHz	Pass	3G	25G	AV	22.0575G	5.53	-79.47	-80.00	-79.67	-79.43	-73.62	-68.09	-41.20	-26.89
2412MHz	Pass	3G	25G	PK	4.80675G	5.53	-76.64	-77.49	-76.23	-75.15	-70.27	-64.74	-21.20	-43.54
2412MHz	Pass	3G	25G	PK	22.1125G	5.53	-69.69	-73.57	-73.81	-71.82	-65.87	-60.34	-21.20	-39.14
2437MHz	Pass	3G	25G	AV	4.88375G	5.53	-82.46	-82.57	-82.42	-82.04	-76.35	-70.82	-41.20	-29.62
2437MHz	Pass	3G	25G	AV	22.09325G	5.53	-79.79	-79.51	-79.00	-79.59	-73.44	-67.91	-41.20	-26.71
2437MHz	Pass	3G	25G	PK	4.8865G	5.53	-76.09	-76.87	-76.15	-74.85	-69.91	-64.38	-21.20	-43.18
2437MHz	Pass	3G	25G	PK	23.69925G	5.53	-73.22	-74.23	-70.94	-72.20	-66.46	-60.93	-21.20	-39.73
2462MHz	Pass	3G	25G	AV	4.93325G	5.53	-82.78	-82.12	-82.19	-82.66	-76.41	-70.88	-41.20	-29.68
2462MHz	Pass	3G	25G	AV	22.096G	5.53	-79.43	-79.43	-79.71	-79.31	-73.45	-67.92	-41.20	-26.72
2462MHz	Pass	3G	25G	PK	4.93325G	5.53	-75.61	-75.98	-76.89	-74.51	-69.64	-64.11	-21.20	-42.91
2462MHz	Pass	3G	25G	PK	22.1015G	5.53	-73.15	-71.37	-73.15	-72.60	-66.48	-60.95	-21.20	-39.75
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	3G	25G	AV	4.87825G	5.53	-82.77	-82.74	-82.52	-82.45	-76.60	-71.07	-41.20	-29.87
2422MHz	Pass	3G	25G	AV	22.09875G	5.53	-79.62	-79.66	-79.62	-79.07	-73.46	-67.93	-41.20	-26.73
2422MHz	Pass	3G	25G	PK	4.87275G	5.53	-75.48	-76.53	-77.16	-74.21	-69.68	-64.15	-21.20	-42.95
2422MHz	Pass	3G	25G	PK	22.107G	5.53	-73.19	-70.76	-73.69	-72.82	-66.44	-60.91	-21.20	-39.71
2437MHz	Pass	3G	25G	AV	4.88375G	5.53	-82.04	-83.40	-82.32	-82.60	-76.54	-71.01	-41.20	-29.81
2437MHz	Pass	3G	25G	AV	22.11525G	5.53	-79.60	-79.65	-79.56	-79.41	-73.53	-68.00	-41.20	-26.80
2437MHz	Pass	3G	25G	PK	4.903G	5.53	-76.43	-76.08	-73.31	-74.71	-68.93	-63.40	-21.20	-42.20
2437MHz	Pass	3G	25G	PK	22.1015G	5.53	-71.92	-73.10	-71.07	-73.61	-66.29	-60.76	-21.20	-39.56
2452MHz	Pass	3G	25G	AV	4.91675G	5.53	-83.08	-82.59	-81.72	-82.96	-76.53	-71.00	-41.20	-29.80
2452MHz	Pass	3G	25G	AV	22.07675G	5.53	-80.19	-79.33	-79.73	-79.13	-73.56	-68.03	-41.20	-26.83
2452MHz	Pass	3G	25G	PK	4.914G	5.53	-73.17	-75.48	-73.99	-76.56	-68.59	-63.06	-21.20	-41.86
2452MHz	Pass	3G	25G	PK	22.1235G	5.53	-73.59	-74.00	-69.54	-72.56	-66.02	-60.49	-21.20	-39.29


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.8425G	-64.16	-21.20	-42.96	5.53	0.00	-69.69	-75.73	-74.73	-76.07	-76.52
3G	25G	1M	PK	22.17025G	-60.88	-21.20	-39.68	5.53	0.00	-66.41	-71.82	-72.68	-72.36	-72.93

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.82325G	-69.94	-41.20	-28.74	5.53	0.00	-75.47	-81.70	-82.12	-80.45	-81.89
3G	25G	1M	AV	22.052G	-68.02	-41.20	-26.82	5.53	0.00	-73.55	-79.59	-79.75	-79.75	-79.20

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [PK]

2437MHz

08/11/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [AV]

2437MHz

08/11/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.92775G	-64.25	-21.20	-43.05	5.53	0.00	-69.78	-76.12	-75.26	-76.26	-75.63
3G	25G	1M	PK	22.14825G	-61.07	-21.20	-39.87	5.53	0.00	-66.60	-71.82	-73.25	-72.55	-73.02

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.92225G	-70.27	-41.20	-29.07	5.53	0.00	-75.80	-81.66	-81.90	-81.83	-81.90
3G	25G	1M	AV	22.12625G	-68.04	-41.20	-26.84	5.53	0.00	-73.57	-79.94	-79.29	-79.03	-80.19

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.837G	-64.54	-21.20	-43.34	5.53	0.00	-70.07	-76.00	-76.39	-75.57	-76.46
3G	25G	1M	PK	22.07675G	-60.55	-21.20	-39.35	5.53	0.00	-66.08	-73.00	-72.01	-71.44	-72.11

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.83225G	-71.26	-41.20	-30.06	5.53	0.00	-76.79	-82.82	-83.45	-82.32	-82.74
3G	25G	1M	AV	22.019G	-67.96	-41.20	-26.76	5.53	0.00	-73.49	-79.76	-79.06	-79.10	-80.21

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.8645G	-64.34	-21.20	-43.14	5.53	0.00	-69.87	-75.62	-75.59	-77.10	-75.44
3G	25G	1M	PK	22.03825G	-60.54	-21.20	-39.34	5.53	0.00	-66.07	-69.47	-74.17	-73.24	-73.14

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.88375G	-70.79	-41.20	-29.59	5.53	0.00	-76.32	-82.35	-82.25	-82.50	-82.28
3G	25G	1M	AV	22.063G	-68.09	-41.20	-26.89	5.53	0.00	-73.62	-80.21	-79.91	-79.46	-79.07

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.925G	-64.40	-21.20	-43.20	5.53	0.00	-69.93	-75.45	-75.22	-76.47	-76.88
3G	25G	1M	PK	22.1345G	-61.01	-21.20	-39.81	5.53	0.00	-66.54	-71.71	-71.96	-73.56	-73.29

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.92225G	-70.88	-41.20	-29.68	5.53	0.00	-76.41	-82.39	-82.68	-82.35	-82.32
3G	25G	1M	AV	22.10425G	-67.99	-41.20	-26.79	5.53	0.00	-73.52	-79.89	-79.89	-78.83	-79.64

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.80675G	-64.74	-21.20	-43.54	5.53	0.00	-70.27	-76.64	-77.49	-76.23	-75.15
3G	25G	1M	PK	22.1125G	-60.34	-21.20	-39.14	5.53	0.00	-65.87	-69.69	-73.57	-73.81	-71.82

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.82325G	-71.14	-41.20	-29.94	5.53	0.00	-76.67	-82.71	-82.57	-83.42	-82.15
3G	25G	1M	AV	22.0575G	-68.09	-41.20	-26.89	5.53	0.00	-73.62	-79.47	-80.00	-79.67	-79.43

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

2437MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

2437MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [PK]

2462MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE [AV]

2462MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

2422MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.87275G	-64.15	-21.20	-42.95	5.53	0.00	-69.68	-75.48	-76.53	-77.16	-74.21
3G	25G	1M	PK	22.107G	-60.91	-21.20	-39.71	5.53	0.00	-66.44	-73.19	-70.76	-73.69	-72.82

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

2422MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.87825G	-71.07	-41.20	-29.87	5.53	0.00	-76.60	-82.77	-82.74	-82.52	-82.45
3G	25G	1M	AV	22.09875G	-67.93	-41.20	-26.73	5.53	0.00	-73.46	-79.62	-79.66	-79.62	-79.07

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.903G	-63.40	-21.20	-42.20	5.53	0.00	-68.93	-76.43	-76.08	-73.31	-74.71
3G	25G	1M	PK	22.1015G	-60.76	-21.20	-39.56	5.53	0.00	-66.29	-71.92	-73.10	-71.07	-73.61

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.88375G	-71.01	-41.20	-29.81	5.53	0.00	-76.54	-82.04	-83.40	-82.32	-82.60
3G	25G	1M	AV	22.11525G	-68.00	-41.20	-26.80	5.53	0.00	-73.53	-79.60	-79.65	-79.56	-79.41

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [PK]

2452MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE [AV]

2452MHz

08/11/2024





Test Mode: Mode 4

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	3G	25G	AV	7.30925G	4.18	-49.11	-49.71	-46.39	-42.21	-41.20	-1.01
802.11g_Nss1,(6Mbps)_2TX	Pass	3G	25G	AV	7.30925G	4.18	-58.23	-57.78	-54.99	-50.81	-41.20	-9.61
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	3G	25G	AV	7.30375G	4.18	-59.44	-59.46	-56.44	-52.26	-41.20	-11.06
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	3G	25G	AV	7.30925G	4.18	-65.46	-65.54	-62.49	-58.31	-41.20	-17.11

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.82325G	4.18	-71.58	-80.68	-71.08	-66.90	-41.20	-25.70
2412MHz	Pass	3G	25G	AV	12.06125G	4.18	-60.60	-57.07	-55.48	-51.30	-41.20	-10.10
2412MHz	Pass	3G	25G	PK	4.82325G	4.18	-69.49	-76.96	-68.77	-64.59	-21.20	-43.39
2412MHz	Pass	3G	25G	PK	12.06125G	4.18	-58.43	-54.70	-53.17	-48.99	-21.20	-27.79
2437MHz	Pass	3G	25G	AV	4.87275G	4.18	-73.44	-76.86	-71.81	-67.63	-41.20	-26.43
2437MHz	Pass	3G	25G	AV	7.30925G	4.18	-49.11	-49.71	-46.39	-42.21	-41.20	-1.01
2437MHz	Pass	3G	25G	PK	4.87275G	4.18	-70.62	-73.69	-68.88	-64.70	-21.20	-43.50
2437MHz	Pass	3G	25G	PK	7.30925G	4.18	-47.15	-47.88	-44.49	-40.31	-21.20	-19.11
2462MHz	Pass	3G	25G	AV	4.92225G	4.18	-82.70	-81.16	-78.85	-74.67	-41.20	-33.47
2462MHz	Pass	3G	25G	AV	7.38625G	4.18	-56.17	-54.44	-52.21	-48.03	-41.20	-6.83
2462MHz	Pass	3G	25G	PK	4.936G	4.18	-77.28	-75.01	-72.99	-68.81	-21.20	-47.61
2462MHz	Pass	3G	25G	PK	7.38625G	4.18	-54.04	-52.98	-50.47	-46.29	-21.20	-25.09
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.826G	4.18	-83.05	-82.61	-79.81	-75.63	-41.20	-34.43
2412MHz	Pass	3G	25G	AV	7.2515G	4.18	-65.40	-64.65	-62.00	-57.82	-41.20	-16.62
2412MHz	Pass	3G	25G	PK	4.83975G	4.18	-76.13	-75.74	-72.92	-68.74	-21.20	-47.54
2412MHz	Pass	3G	25G	PK	7.25425G	4.18	-55.15	-54.48	-51.79	-47.61	-21.20	-26.41
2437MHz	Pass	3G	25G	AV	4.87275G	4.18	-82.11	-82.96	-79.50	-75.32	-41.20	-34.12
2437MHz	Pass	3G	25G	AV	7.30925G	4.18	-58.23	-57.78	-54.99	-50.81	-41.20	-9.61
2437MHz	Pass	3G	25G	PK	4.881G	4.18	-73.68	-77.33	-72.12	-67.94	-21.20	-46.74
2437MHz	Pass	3G	25G	PK	7.3175G	4.18	-54.10	-56.29	-52.05	-47.87	-21.20	-26.67
2462MHz	Pass	3G	25G	AV	4.936G	4.18	-82.47	-81.64	-79.02	-74.84	-41.20	-33.64
2462MHz	Pass	3G	25G	AV	7.39175G	4.18	-64.25	-64.62	-61.42	-57.24	-41.20	-16.04
2462MHz	Pass	3G	25G	PK	4.92775G	4.18	-75.46	-75.47	-72.45	-68.27	-21.20	-47.07
2462MHz	Pass	3G	25G	PK	7.3945G	4.18	-55.92	-58.46	-54.00	-49.82	-21.20	-28.62
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.81225G	4.18	-83.21	-82.56	-79.86	-75.68	-41.20	-34.48
2412MHz	Pass	3G	25G	AV	7.2515G	4.18	-67.18	-66.68	-63.91	-59.73	-41.20	-18.53
2412MHz	Pass	3G	25G	PK	4.8425G	4.18	-76.60	-75.06	-72.75	-68.57	-21.20	-47.37
2412MHz	Pass	3G	25G	PK	7.2515G	4.18	-62.27	-57.20	-56.02	-51.84	-21.20	-30.64
2437MHz	Pass	3G	25G	AV	4.8755G	4.18	-82.23	-82.60	-79.40	-75.22	-41.20	-34.02
2437MHz	Pass	3G	25G	AV	7.30375G	4.18	-59.44	-59.46	-56.44	-52.26	-41.20	-11.06
2437MHz	Pass	3G	25G	PK	4.892G	4.18	-74.54	-77.19	-72.66	-68.48	-21.20	-47.28
2437MHz	Pass	3G	25G	PK	7.3065G	4.18	-51.09	-53.64	-49.17	-44.99	-21.20	-23.79
2462MHz	Pass	3G	25G	AV	4.90575G	4.18	-82.23	-82.95	-79.56	-75.38	-41.20	-34.18
2462MHz	Pass	3G	25G	AV	7.39175G	4.18	-65.97	-65.71	-62.83	-58.65	-41.20	-17.45
2462MHz	Pass	3G	25G	PK	4.9085G	4.18	-75.15	-77.53	-73.17	-68.99	-21.20	-47.79
2462MHz	Pass	3G	25G	PK	7.3945G	4.18	-60.33	-59.76	-57.03	-52.85	-21.20	-31.65
802.11be EHT40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	3G	25G	AV	4.8755G	4.18	-82.91	-82.64	-79.76	-75.58	-41.20	-34.38
2422MHz	Pass	3G	25G	AV	7.2625G	4.18	-68.11	-68.65	-65.36	-61.18	-41.20	-19.98
2422MHz	Pass	3G	25G	PK	4.81775G	4.18	-74.70	-76.40	-72.46	-68.28	-21.20	-47.08
2422MHz	Pass	3G	25G	PK	7.257G	4.18	-62.69	-61.18	-58.86	-54.68	-21.20	-33.48
2437MHz	Pass	3G	25G	AV	4.88375G	4.18	-82.44	-82.78	-79.60	-75.42	-41.20	-34.22
2437MHz	Pass	3G	25G	AV	7.30925G	4.18	-65.46	-65.54	-62.49	-58.31	-41.20	-17.11
2437MHz	Pass	3G	25G	PK	4.91125G	4.18	-73.61	-76.62	-71.85	-67.67	-21.20	-46.47
2437MHz	Pass	3G	25G	PK	7.30375G	4.18	-60.14	-58.89	-56.46	-52.28	-21.20	-31.08
2452MHz	Pass	3G	25G	AV	4.92775G	4.18	-82.85	-82.36	-79.59	-75.41	-41.20	-34.21
2452MHz	Pass	3G	25G	AV	7.345G	4.18	-69.57	-69.60	-66.57	-62.39	-41.20	-21.19
2452MHz	Pass	3G	25G	PK	4.87G	4.18	-76.46	-74.51	-72.37	-68.19	-21.20	-46.99
2452MHz	Pass	3G	25G	PK	7.3505G	4.18	-62.42	-66.06	-60.86	-56.68	-21.20	-35.48


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.82325G	-64.59	-21.20	-43.39	4.18	0.00	-68.77	-69.49	-76.96
3G	25G	1M	PK	12.06125G	-48.99	-21.20	-27.79	4.18	0.00	-53.17	-58.43	-54.70

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.82325G	-66.90	-41.20	-25.70	4.18	0.00	-71.08	-71.58	-80.68
3G	25G	1M	AV	12.06125G	-51.30	-41.20	-10.10	4.18	0.00	-55.48	-60.60	-57.07

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [PK]

2437MHz

08/11/2024




Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [AV]

2437MHz

08/11/2024




Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.936G	-68.81	-21.20	-47.61	4.18	0.00	-72.99	-77.28	-75.01
3G	25G	1M	PK	7.38625G	-46.29	-21.20	-25.09	4.18	0.00	-50.47	-54.04	-52.98

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.92225G	-74.67	-41.20	-33.47	4.18	0.00	-78.85	-82.70	-81.16
3G	25G	1M	AV	7.38625G	-48.03	-41.20	-6.83	4.18	0.00	-52.21	-56.17	-54.44

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.83975G	-68.74	-21.20	-47.54	4.18	0.00	-72.92	-76.13	-75.74
3G	25G	1M	PK	7.25425G	-47.61	-21.20	-26.41	4.18	0.00	-51.79	-55.15	-54.48

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.826G	-75.63	-41.20	-34.43	4.18	0.00	-79.81	-83.05	-82.61
3G	25G	1M	AV	7.2515G	-57.82	-41.20	-16.62	4.18	0.00	-62.00	-65.40	-64.65

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [PK]

2437MHz

08/11/2024



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.881G	-67.94	-21.20	-46.74	4.18	0.00	-72.12	-73.68	-77.33
3G	25G	1M	PK	7.3175G	-47.87	-21.20	-26.67	4.18	0.00	-52.05	-54.10	-56.29

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [AV]

2437MHz

08/11/2024



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.87275G	-75.32	-41.20	-34.12	4.18	0.00	-79.50	-82.11	-82.96
3G	25G	1M	AV	7.30925G	-50.81	-41.20	-9.61	4.18	0.00	-54.99	-58.23	-57.78

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.92775G	-68.27	-21.20	-47.07	4.18	0.00	-72.45	-75.46	-75.47
3G	25G	1M	PK	7.3945G	-49.82	-21.20	-28.62	4.18	0.00	-54.00	-55.92	-58.46

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.936G	-74.84	-41.20	-33.64	4.18	0.00	-79.02	-82.47	-81.64
3G	25G	1M	AV	7.39175G	-57.24	-41.20	-16.04	4.18	0.00	-61.42	-64.25	-64.62

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.8425G	-68.57	-21.20	-47.37	4.18	0.00	-72.75	-76.60	-75.06
3G	25G	1M	PK	7.2515G	-51.84	-21.20	-30.64	4.18	0.00	-56.02	-62.27	-57.20

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.81225G	-75.68	-41.20	-34.48	4.18	0.00	-79.86	-83.21	-82.56
3G	25G	1M	AV	7.2515G	-59.73	-41.20	-18.53	4.18	0.00	-63.91	-67.18	-66.68

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.892G	-68.48	-21.20	-47.28	4.18	0.00	-72.66	-74.54	-77.19
3G	25G	1M	PK	7.3065G	-44.99	-21.20	-23.79	4.18	0.00	-49.17	-51.09	-53.64

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.8755G	-75.22	-41.20	-34.02	4.18	0.00	-79.40	-82.23	-82.60
3G	25G	1M	AV	7.30375G	-52.26	-41.20	-11.06	4.18	0.00	-56.44	-59.44	-59.46

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.9085G	-68.99	-21.20	-47.79	4.18	0.00	-73.17	-75.15	-77.53
3G	25G	1M	PK	7.3945G	-52.85	-21.20	-31.65	4.18	0.00	-57.03	-60.33	-59.76

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.90575G	-75.38	-41.20	-34.18	4.18	0.00	-79.56	-82.23	-82.95
3G	25G	1M	AV	7.39175G	-58.65	-41.20	-17.45	4.18	0.00	-62.83	-65.97	-65.71

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

2422MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.81775G	-68.28	-21.20	-47.08	4.18	0.00	-72.46	-74.70	-76.40
3G	25G	1M	PK	7.257G	-54.68	-21.20	-33.48	4.18	0.00	-58.86	-62.69	-61.18

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

2422MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.8755G	-75.58	-41.20	-34.38	4.18	0.00	-79.76	-82.91	-82.64
3G	25G	1M	AV	7.2625G	-61.18	-41.20	-19.98	4.18	0.00	-65.36	-68.11	-68.65

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.91125G	-67.67	-21.20	-46.47	4.18	0.00	-71.85	-73.61	-76.62
3G	25G	1M	PK	7.30375G	-52.28	-21.20	-31.08	4.18	0.00	-56.46	-60.14	-58.89

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.88375G	-75.42	-41.20	-34.22	4.18	0.00	-79.60	-82.44	-82.78
3G	25G	1M	AV	7.30925G	-58.31	-41.20	-17.11	4.18	0.00	-62.49	-65.46	-65.54

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

2452MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.87G	-68.19	-21.20	-46.99	4.18	0.00	-72.37	-76.46	-74.51
3G	25G	1M	PK	7.3505G	-56.68	-21.20	-35.48	4.18	0.00	-60.86	-62.42	-66.06

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

2452MHz

08/11/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.92775G	-75.41	-41.20	-34.21	4.18	0.00	-79.59	-82.85	-82.36
3G	25G	1M	AV	7.345G	-62.39	-41.20	-21.19	4.18	0.00	-66.57	-69.57	-69.60



Test Mode: Mode 1
Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.49015G	5.27	-54.48	-53.00	-51.39	-52.31	-46.63	-41.36	-41.20	-0.16
802.11g_Nss1,(6Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.48361G	5.27	-52.81	-53.07	-52.53	-51.75	-46.49	-41.22	-41.20	-0.02
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	2.36G	2.5235G	AV	2.3891G	5.27	-52.83	-52.09	-52.98	-52.34	-46.52	-41.25	-41.20	-0.05
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	2.32G	2.5635G	AV	2.48607G	5.27	-52.42	-52.75	-53.94	-51.47	-46.54	-41.27	-41.20	-0.07

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.386G	5.27	-53.03	-52.86	-51.97	-52.98	-46.67	-41.40	-41.20	-0.20
2412MHz	Pass	2.36G	2.5235G	AV	2.48377G	5.27	-57.47	-57.14	-57.07	-56.40	-50.98	-45.71	-41.20	-4.51
2412MHz	Pass	2.36G	2.5235G	PK	2.38534G	5.27	-43.84	-42.17	-41.33	-43.23	-36.51	-31.24	-21.20	-10.04
2412MHz	Pass	2.36G	2.5235G	PK	2.48966G	5.27	-45.57	-46.26	-46.72	-45.84	-40.06	-34.79	-21.20	-13.59
2437MHz	Pass	2.36G	2.5235G	AV	2.38943G	5.27	-52.97	-52.75	-51.94	-53.17	-46.66	-41.39	-41.20	-0.19
2437MHz	Pass	2.36G	2.5235G	AV	2.48426G	5.27	-53.23	-52.91	-52.70	-53.02	-46.94	-41.67	-41.20	-0.47
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	5.27	-42.97	-41.32	-41.55	-42.87	-36.09	-30.82	-21.20	-9.62
2437MHz	Pass	2.36G	2.5235G	PK	2.48802G	5.27	-43.29	-40.65	-42.46	-42.51	-36.09	-30.82	-21.20	-9.62
2462MHz	Pass	2.36G	2.5235G	AV	2.38976G	5.27	-57.59	-57.71	-56.68	-58.17	-51.48	-46.21	-41.20	-5.01
2462MHz	Pass	2.36G	2.5235G	AV	2.49015G	5.27	-54.48	-53.00	-51.39	-52.31	-46.63	-41.36	-41.20	-0.16
2462MHz	Pass	2.36G	2.5235G	PK	2.38616G	5.27	-44.76	-47.13	-46.99	-48.66	-40.64	-35.37	-21.20	-14.17
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	5.27	-41.97	-43.95	-42.22	-41.43	-36.28	-31.01	-21.20	-9.81
802.11g_Nss1(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38943G	5.27	-51.98	-53.00	-53.42	-52.37	-46.64	-41.37	-41.20	-0.17
2412MHz	Pass	2.36G	2.5235G	AV	2.48982G	5.27	-58.06	-58.22	-58.79	-55.69	-51.49	-46.22	-41.20	-5.02
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	5.27	-44.22	-41.91	-42.09	-40.11	-35.82	-30.55	-21.20	-9.35
2412MHz	Pass	2.36G	2.5235G	PK	2.48639G	5.27	-48.60	-47.19	-49.44	-47.43	-42.05	-36.78	-21.20	-15.58
2417MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.27	-52.34	-52.61	-53.32	-52.57	-46.67	-41.40	-41.20	-0.20
2417MHz	Pass	2.36G	2.5235G	AV	2.4854G	5.27	-56.19	-56.53	-57.11	-55.15	-50.16	-44.89	-41.20	-3.69
2417MHz	Pass	2.36G	2.5235G	PK	2.38943G	5.27	-43.52	-43.28	-44.21	-42.86	-37.42	-32.15	-21.20	-10.95
2417MHz	Pass	2.36G	2.5235G	PK	2.48769G	5.27	-46.33	-46.56	-48.13	-44.31	-40.10	-34.83	-21.20	-13.63
2437MHz	Pass	2.36G	2.5235G	AV	2.38845G	5.27	-52.12	-51.97	-53.40	-53.05	-46.57	-41.30	-41.20	-0.10
2437MHz	Pass	2.36G	2.5235G	AV	2.48426G	5.27	-52.71	-52.64	-53.65	-51.47	-46.53	-41.26	-41.20	-0.06
2437MHz	Pass	2.36G	2.5235G	PK	2.38763G	5.27	-43.84	-42.14	-41.40	-36.95	-34.24	-28.97	-21.20	-7.77
2437MHz	Pass	2.36G	2.5235G	PK	2.48426G	5.27	-40.77	-41.00	-43.56	-38.45	-34.56	-29.29	-21.20	-8.09
2457MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.27	-56.25	-55.89	-57.03	-56.53	-50.38	-45.11	-41.20	-3.91
2457MHz	Pass	2.36G	2.5235G	AV	2.48393G	5.27	-52.06	-52.22	-52.95	-53.07	-46.53	-41.26	-41.20	-0.06
2457MHz	Pass	2.36G	2.5235G	PK	2.38649G	5.27	-46.99	-47.98	-46.27	-46.75	-40.93	-35.66	-21.20	-14.46
2457MHz	Pass	2.36G	2.5235G	PK	2.48393G	5.27	-42.39	-42.95	-44.87	-43.73	-37.37	-32.10	-21.20	-10.90
2462MHz	Pass	2.36G	2.5235G	AV	2.3873G	5.27	-57.24	-58.19	-58.14	-58.04	-51.86	-46.59	-41.20	-5.39
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.27	-52.81	-53.07	-52.53	-51.75	-46.49	-41.22	-41.20	-0.02
2462MHz	Pass	2.36G	2.5235G	PK	2.38845G	5.27	-48.39	-47.14	-47.58	-49.66	-42.07	-36.80	-21.20	-15.60
2462MHz	Pass	2.36G	2.5235G	PK	2.48393G	5.27	-42.76	-43.63	-42.44	-39.89	-35.92	-30.65	-21.20	-9.45
802.11be EHT20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.27	-52.90	-52.91	-52.84	-52.25	-46.70	-41.43	-41.20	-0.23
2412MHz	Pass	2.36G	2.5235G	AV	2.4854G	5.27	-58.77	-58.17	-59.69	-58.23	-52.65	-47.38	-41.20	-6.18
2412MHz	Pass	2.36G	2.5235G	PK	2.38861G	5.27	-41.87	-44.27	-42.38	-40.17	-35.91	-30.64	-21.20	-9.44
2412MHz	Pass	2.36G	2.5235G	PK	2.48753G	5.27	-49.53	-48.41	-50.08	-48.71	-43.11	-37.84	-21.20	-16.64
2417MHz	Pass	2.36G	2.5235G	AV	2.3891G	5.27	-52.83	-52.09	-52.98	-52.34	-46.52	-41.25	-41.20	-0.05
2417MHz	Pass	2.36G	2.5235G	AV	2.48442G	5.27	-55.49	-56.17	-57.00	-54.87	-49.79	-44.52	-41.20	-3.32
2417MHz	Pass	2.36G	2.5235G	PK	2.38992G	5.27	-40.52	-40.45	-42.84	-41.00	-35.08	-29.81	-21.20	-8.61
2417MHz	Pass	2.36G	2.5235G	PK	2.4841G	5.27	-46.03	-46.09	-48.29	-45.33	-40.28	-35.01	-21.20	-13.81
2437MHz	Pass	2.36G	2.5235G	AV	2.38878G	5.27	-52.55	-53.71	-52.45	-52.31	-46.70	-41.43	-41.20	-0.23
2437MHz	Pass	2.36G	2.5235G	AV	2.4854G	5.27	-53.75	-52.34	-53.87	-52.13	-46.93	-41.66	-41.20	-0.46
2437MHz	Pass	2.36G	2.5235G	PK	2.38469G	5.27	-39.79	-36.16	-40.21	-39.06	-32.47	-27.20	-21.20	-6.00
2437MHz	Pass	2.36G	2.5235G	PK	2.48442G	5.27	-39.93	-36.04	-37.13	-34.82	-30.59	-25.32	-21.20	-4.12
2457MHz	Pass	2.36G	2.5235G	AV	2.38959G	5.27	-56.79	-57.35	-56.92	-55.87	-50.68	-45.41	-41.20	-4.21
2457MHz	Pass	2.36G	2.5235G	AV	2.48426G	5.27	-52.89	-52.10	-53.15	-52.39	-46.59	-41.32	-41.20	-0.12
2457MHz	Pass	2.36G	2.5235G	PK	2.38992G	5.27	-46.78	-46.34	-46.78	-48.79	-41.06	-35.79	-21.20	-14.59
2457MHz	Pass	2.36G	2.5235G	PK	2.48361G	5.27	-43.62	-42.53	-43.18	-42.04	-36.78	-31.51	-21.20	-10.31
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.27	-57.76	-58.84	-58.45	-58.73	-52.40	-47.13	-41.20	-5.93
2462MHz	Pass	2.36G	2.5235G	AV	2.48377G	5.27	-52.22	-52.97	-53.22	-52.36	-46.65	-41.38	-41.20	-0.18
2462MHz	Pass	2.36G	2.5235G	PK	2.38976G	5.27	-48.47	-49.11	-48.90	-49.02	-42.85	-37.58	-21.20	-16.38
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	5.27	-40.49	-42.24	-43.49	-42.71	-36.07	-30.80	-21.20	-9.60
802.11be EHT40_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.32G	2.5635G	AV	2.38575G	5.27	-52.26	-53.24	-51.97	-52.95	-46.55	-41.28	-41.20	-0.08
2422MHz	Pass	2.32G	2.5635G	AV	2.48412G	5.27	-57.37	-58.25	-58.55	-57.72	-51.93	-46.66	-41.20	-5.46
2422MHz	Pass	2.32G	2.5635G	PK	2.38355G	5.27	-43.58	-43.32	-43.56	-42.75	-37.27	-32.00	-21.20	-10.80
2422MHz	Pass	2.32G	2.5635G	PK	2.49215G	5.27	-47.60	-48.53	-48.22	-48.23	-42.11	-36.84	-21.20	-15.64
2437MHz	Pass	2.32G	2.5635G	AV	2.38964G	5.27	-54.25	-54.74	-53.99	-53.74	-48.14	-42.87	-41.20	-1.67
2437MHz	Pass	2.32G	2.5635G	AV	2.48582G	5.27	-54.78	-52.76	-53.21	-52.09	-47.08	-41.81	-41.20	-0.61
2437MHz	Pass	2.32G	2.5635G	PK	2.38696G	5.27	-40.18	-41.80	-40.21	-39.92	-34.45	-29.18	-21.20	-7.98
2437MHz	Pass	2.32G	2.5635G	PK	2.48363G	5.27	-39.05	-33.58	-38.62	-36.20	-30.27	-25.00	-21.20	-3.80
2452MHz	Pass	2.32G	2.5635G	AV	2.38964G	5.27	-57.57	-57.38	-57.69	-58.14	-51.67	-46.40	-41.20	-5.20
2452MHz	Pass	2.32G	2.5635G	AV	2.48607G	5.27	-52.42	-52.75	-53.94	-51.47	-46.54	-41.27	-41.20	-0.07
2452MHz	Pass	2.32G	2.5635G	PK	2.38769G	5.27	-48.89	-48.55	-47.50	-47.96	-42.17	-36.90	-21.20	-15.70
2452MHz	Pass	2.32G	2.5635G	PK	2.48388G	5.27	-43.08	-43.13	-44.17	-41.41	-36.81	-31.54	-21.20	-10.34

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]


2412MHz



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2412MHz




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2437MHz

07/11/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2437MHz

07/11/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2462MHz

07/11/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2462MHz

07/11/2024




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2412MHz

07/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-30.55	-21.20	-9.35	5.27	0.00	-35.82	-44.22	-41.91	-42.09	-40.11
2.36G	2.5235G	1M	PK	2.48639G	-36.78	-21.20	-15.58	5.27	0.00	-42.05	-48.60	-47.19	-49.44	-47.43

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2412MHz

07/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38943G	-41.37	-41.20	-0.17	5.27	0.00	-46.64	-51.98	-53.00	-53.42	-52.37
2.36G	2.5235G	1M	AV	2.48982G	-46.22	-41.20	-5.02	5.27	0.00	-51.49	-58.06	-58.22	-58.79	-55.69

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2417MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38943G	-32.15	-21.20	-10.95	5.27	0.00	-37.42	-43.52	-43.28	-44.21	-42.86
2.36G	2.5235G	1M	PK	2.48769G	-34.83	-21.20	-13.63	5.27	0.00	-40.10	-46.33	-46.56	-48.13	-44.31

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2417MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.40	-41.20	-0.20	5.27	0.00	-46.67	-52.34	-52.61	-53.32	-52.57
2.36G	2.5235G	1M	AV	2.4854G	-44.89	-41.20	-3.69	5.27	0.00	-50.16	-56.19	-56.53	-57.11	-55.15

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [PK]

2437MHz

07/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38763G	-28.97	-21.20	-7.77	5.27	0.00	-34.24	-43.84	-42.14	-41.40	-36.95
2.36G	2.5235G	1M	PK	2.48426G	-29.29	-21.20	-8.09	5.27	0.00	-34.56	-40.77	-41.00	-43.56	-38.45

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [AV]

2437MHz

07/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38845G	-41.30	-41.20	-0.10	5.27	0.00	-46.57	-52.12	-51.97	-53.40	-53.05
2.36G	2.5235G	1M	AV	2.48426G	-41.26	-41.20	-0.06	5.27	0.00	-46.53	-52.71	-52.64	-53.65	-51.47

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [PK]

2457MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38649G	-35.66	-21.20	-14.46	5.27	0.00	-40.93	-46.99	-47.98	-46.27	-46.75
2.36G	2.5235G	1M	PK	2.48393G	-32.10	-21.20	-10.90	5.27	0.00	-37.37	-42.39	-42.95	-44.87	-43.73

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [AV]

2457MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-45.11	-41.20	-3.91	5.27	0.00	-50.38	-56.25	-55.89	-57.03	-56.53
2.36G	2.5235G	1M	AV	2.48393G	-41.26	-41.20	-0.06	5.27	0.00	-46.53	-52.06	-52.22	-52.95	-53.07

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [PK]

2462MHz

07/11/2024




2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [AV]

2462MHz

07/11/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2412MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2412MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2417MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-29.81	-21.20	-8.61	5.27	0.00	-35.08	-40.52	-40.45	-42.84	-41.00
2.36G	2.5235G	1M	PK	2.4841G	-35.01	-21.20	-13.81	5.27	0.00	-40.28	-46.03	-46.09	-48.29	-45.33

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2417MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.3891G	-41.25	-41.20	-0.05	5.27	0.00	-46.52	-52.83	-52.09	-52.98	-52.34
2.36G	2.5235G	1M	AV	2.48442G	-44.52	-41.20	-3.32	5.27	0.00	-49.79	-55.49	-56.17	-57.00	-54.87

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2437MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2437MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2457MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2457MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-37.58	-21.20	-16.38	5.27	0.00	-42.85	-48.47	-49.11	-48.90	-49.02
2.36G	2.5235G	1M	PK	2.48361G	-30.80	-21.20	-9.60	5.27	0.00	-36.07	-40.49	-42.24	-43.49	-42.71

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-47.13	-41.20	-5.93	5.27	0.00	-52.40	-57.76	-58.84	-58.45	-58.73
2.36G	2.5235G	1M	AV	2.48377G	-41.38	-41.20	-0.18	5.27	0.00	-46.65	-52.22	-52.97	-53.22	-52.36

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2422MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2422MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	PK	2.38696G	-29.18	-21.20	-7.98	5.27	0.00	-34.45	-40.18	-41.80	-40.21	-39.92
2.32G	2.5635G	1M	PK	2.48363G	-25.00	-21.20	-3.80	5.27	0.00	-30.27	-39.05	-33.58	-38.62	-36.20

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	AV	2.38696G	-42.87	-41.20	-1.67	5.27	0.00	-48.14	-54.25	-54.74	-53.99	-53.74
2.32G	2.5635G	1M	AV	2.48382G	-41.81	-41.20	-0.61	5.27	0.00	-47.08	-54.78	-52.76	-53.21	-52.09

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2452MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	PK	2.38769G	-36.90	-21.20	-15.70	5.27	0.00	-42.17	-48.89	-48.55	-47.50	-47.96
2.32G	2.5635G	1M	PK	2.48388G	-31.54	-21.20	-10.34	5.27	0.00	-36.81	-43.08	-43.13	-44.17	-41.41

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2452MHz

08/11/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	AV	2.38964G	-46.40	-41.20	-5.20	5.27	0.00	-51.67	-57.57	-57.38	-57.69	-58.14
2.32G	2.5635G	1M	AV	2.48607G	-41.27	-41.20	-0.07	5.27	0.00	-46.54	-52.42	-52.75	-53.94	-51.47



Test Mode: Mode 2

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.48508G	4.59	-51.46	-47.45	-46.00	-41.41	-41.20	-0.21
802.11g_Nss1,(6Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.48459G	4.59	-50.92	-47.40	-45.80	-41.21	-41.20	-0.01
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	2.36G	2.5235G	AV	2.48361G	4.59	-50.58	-47.76	-45.93	-41.34	-41.20	-0.14
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	2.32G	2.5635G	AV	2.48363G	4.59	-49.36	-48.39	-45.84	-41.25	-41.20	-0.05

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	4.59	-51.77	-47.73	-46.29	-41.70	-41.20	-0.50
2412MHz	Pass	2.36G	2.5235G	AV	2.4854G	4.59	-54.88	-54.33	-51.59	-47.00	-41.20	-5.80
2412MHz	Pass	2.36G	2.5235G	PK	2.38796G	4.59	-39.61	-40.65	-37.09	-32.50	-21.20	-11.30
2412MHz	Pass	2.36G	2.5235G	PK	2.48361G	4.59	-43.91	-42.57	-40.18	-35.59	-21.20	-14.39
2437MHz	Pass	2.36G	2.5235G	AV	2.38943G	4.59	-51.09	-49.00	-46.91	-42.32	-41.20	-1.12
2437MHz	Pass	2.36G	2.5235G	AV	2.48508G	4.59	-51.46	-47.45	-46.00	-41.41	-41.20	-0.21
2437MHz	Pass	2.36G	2.5235G	PK	2.38436G	4.59	-41.67	-37.89	-36.37	-31.78	-21.20	-10.58
2437MHz	Pass	2.36G	2.5235G	PK	2.4859G	4.59	-40.47	-37.66	-35.83	-31.24	-21.20	-10.04
2462MHz	Pass	2.36G	2.5235G	AV	2.38992G	4.59	-56.11	-56.09	-53.09	-48.50	-41.20	-7.30
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	4.59	-51.96	-49.11	-47.29	-42.70	-41.20	-1.50
2462MHz	Pass	2.36G	2.5235G	PK	2.38829G	4.59	-44.62	-43.39	-40.95	-36.36	-21.20	-15.16
2462MHz	Pass	2.36G	2.5235G	PK	2.4854G	4.59	-39.35	-39.41	-36.37	-31.78	-21.20	-10.58
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	4.59	-49.81	-49.26	-46.52	-41.93	-41.20	-0.73
2412MHz	Pass	2.36G	2.5235G	AV	2.48393G	4.59	-54.68	-54.56	-51.61	-47.02	-41.20	-5.82
2412MHz	Pass	2.36G	2.5235G	PK	2.38959G	4.59	-36.95	-35.81	-33.33	-28.74	-21.20	-7.54
2412MHz	Pass	2.36G	2.5235G	PK	2.4841G	4.59	-44.31	-43.26	-40.74	-36.15	-21.20	-14.95
2437MHz	Pass	2.36G	2.5235G	AV	2.38829G	4.59	-50.87	-48.39	-46.45	-41.86	-41.20	-0.66
2437MHz	Pass	2.36G	2.5235G	AV	2.48459G	4.59	-50.92	-47.40	-45.80	-41.21	-41.20	-0.01
2437MHz	Pass	2.36G	2.5235G	PK	2.38665G	4.59	-36.35	-34.60	-32.38	-27.79	-21.20	-6.59
2437MHz	Pass	2.36G	2.5235G	PK	2.48622G	4.59	-35.08	-31.45	-29.89	-25.30	-21.20	-4.10
2462MHz	Pass	2.36G	2.5235G	AV	2.38812G	4.59	-56.49	-55.83	-53.14	-48.55	-41.20	-7.35
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	4.59	-50.76	-49.26	-46.94	-42.35	-41.20	-1.15
2462MHz	Pass	2.36G	2.5235G	PK	2.38453G	4.59	-48.03	-45.74	-43.73	-39.14	-21.20	-17.94
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	4.59	-40.72	-36.79	-35.31	-30.72	-21.20	-9.52
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	4.59	-49.20	-49.18	-46.18	-41.59	-41.20	-0.39
2412MHz	Pass	2.36G	2.5235G	AV	2.48933G	4.59	-56.70	-55.33	-52.95	-48.36	-41.20	-7.16
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	4.59	-38.69	-38.78	-35.72	-31.13	-21.20	-9.93
2412MHz	Pass	2.36G	2.5235G	PK	2.48361G	4.59	-46.38	-46.51	-43.43	-38.84	-21.20	-17.64
2437MHz	Pass	2.36G	2.5235G	AV	2.3891G	4.59	-52.41	-49.64	-47.80	-43.21	-41.20	-2.01
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	4.59	-51.14	-48.72	-46.75	-42.16	-41.20	-0.96
2437MHz	Pass	2.36G	2.5235G	PK	2.38992G	4.59	-36.16	-30.40	-29.38	-24.79	-21.20	-3.59
2437MHz	Pass	2.36G	2.5235G	PK	2.48459G	4.59	-36.54	-31.00	-29.93	-25.34	-21.20	-4.14
2462MHz	Pass	2.36G	2.5235G	AV	2.38763G	4.59	-56.45	-56.62	-53.52	-48.93	-41.20	-7.73
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	4.59	-50.58	-47.76	-45.93	-41.34	-41.20	-0.14
2462MHz	Pass	2.36G	2.5235G	PK	2.38927G	4.59	-47.34	-46.88	-44.09	-39.50	-21.20	-18.30
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	4.59	-40.66	-37.15	-35.55	-30.96	-21.20	-9.76
802.11be EHT40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.32G	2.5635G	AV	2.38818G	4.59	-49.40	-49.62	-46.50	-41.91	-41.20	-0.71
2422MHz	Pass	2.32G	2.5635G	AV	2.48363G	4.59	-55.30	-54.41	-51.82	-47.23	-41.20	-6.03
2422MHz	Pass	2.32G	2.5635G	PK	2.38721G	4.59	-40.00	-39.79	-36.88	-32.29	-21.20	-11.09
2422MHz	Pass	2.32G	2.5635G	PK	2.49581G	4.59	-44.22	-45.26	-41.70	-37.11	-21.20	-15.91
2437MHz	Pass	2.32G	2.5635G	AV	2.38599G	4.59	-50.93	-48.92	-46.80	-42.21	-41.20	-1.01
2437MHz	Pass	2.32G	2.5635G	AV	2.48461G	4.59	-50.11	-48.37	-46.14	-41.55	-41.20	-0.35
2437MHz	Pass	2.32G	2.5635G	PK	2.38599G	4.59	-34.42	-32.92	-30.60	-26.01	-21.20	-4.81
2437MHz	Pass	2.32G	2.5635G	PK	2.48412G	4.59	-34.16	-31.02	-29.30	-24.71	-21.20	-3.51
2452MHz	Pass	2.32G	2.5635G	AV	2.38769G	4.59	-56.08	-55.18	-52.60	-48.01	-41.20	-6.81
2452MHz	Pass	2.32G	2.5635G	AV	2.48363G	4.59	-49.36	-48.39	-45.84	-41.25	-41.20	-0.05
2452MHz	Pass	2.32G	2.5635G	PK	2.37406G	4.59	-46.11	-46.02	-43.05	-38.46	-21.20	-17.26
2452MHz	Pass	2.32G	2.5635G	PK	2.48412G	4.59	-39.55	-37.98	-35.68	-31.09	-21.20	-9.89


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38796G	-32.50	-21.20	-11.30	4.59	0.00	-37.09	-39.61	-40.65
2.36G	2.5235G	1M	PK	2.48361G	-35.59	-21.20	-14.39	4.59	0.00	-40.18	-43.91	-42.57

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.70	-41.20	-0.50	4.59	0.00	-46.29	-51.77	-47.73
2.36G	2.5235G	1M	AV	2.4854G	-47.00	-41.20	-5.80	4.59	0.00	-51.59	-54.88	-54.33

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2437MHz

08/11/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2437MHz

08/11/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38829G	-36.36	-21.20	-15.16	4.59	0.00	-40.95	-44.62	-43.39
2.36G	2.5235G	1M	PK	2.4854G	-31.78	-21.20	-10.58	4.59	0.00	-36.37	-39.35	-39.41

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-48.50	-41.20	-7.30	4.59	0.00	-53.09	-56.11	-56.09
2.36G	2.5235G	1M	AV	2.48361G	-42.70	-41.20	-1.50	4.59	0.00	-47.29	-51.96	-49.11

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-28.74	-21.20	-7.54	4.59	0.00	-33.33	-36.95	-35.81
2.36G	2.5235G	1M	PK	2.4841G	-36.15	-21.20	-14.95	4.59	0.00	-40.74	-44.31	-43.26

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.93	-41.20	-0.73	4.59	0.00	-46.52	-49.81	-49.26
2.36G	2.5235G	1M	AV	2.48393G	-47.02	-41.20	-5.82	4.59	0.00	-51.61	-54.68	-54.56

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Bandedge [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38665G	-27.79	-21.20	-6.59	4.59	0.00	-32.38	-36.35	-34.60
2.36G	2.5235G	1M	PK	2.48622G	-25.30	-21.20	-4.10	4.59	0.00	-29.89	-35.08	-31.45

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Bandedge [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38829G	-41.86	-41.20	-0.66	4.59	0.00	-46.45	-50.87	-48.39
2.36G	2.5235G	1M	AV	2.48459G	-41.21	-41.20	-0.01	4.59	0.00	-45.80	-50.92	-47.40

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]


2462MHz



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]


2462MHz



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


2412MHz



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2412MHz




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-24.79	-21.20	-3.59	4.59	0.00	-29.38	-36.16	-30.40
2.36G	2.5235G	1M	PK	2.48459G	-25.34	-21.20	-4.14	4.59	0.00	-29.93	-36.54	-31.00

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.3891G	-43.21	-41.20	-2.01	4.59	0.00	-47.80	-52.41	-49.64
2.36G	2.5235G	1M	AV	2.48361G	-42.16	-41.20	-0.96	4.59	0.00	-46.75	-51.14	-48.72

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-39.50	-21.20	-18.30	4.59	0.00	-44.09	-47.34	-46.88
2.36G	2.5235G	1M	PK	2.48377G	-30.96	-21.20	-9.76	4.59	0.00	-35.55	-40.66	-37.15

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38763G	-48.93	-41.20	-7.73	4.59	0.00	-53.52	-56.45	-56.62
2.36G	2.5235G	1M	AV	2.48361G	-41.34	-41.20	-0.14	4.59	0.00	-45.93	-50.58	-47.76

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2422MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	PK	2.38721G	-32.29	-21.20	-11.09	4.59	0.00	-36.88	-40.00	-39.79
2.32G	2.5635G	1M	PK	2.49581G	-37.11	-21.20	-15.91	4.59	0.00	-41.70	-44.22	-45.26

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2422MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	AV	2.38818G	-41.91	-41.20	-0.71	4.59	0.00	-46.50	-49.40	-49.62
2.32G	2.5635G	1M	AV	2.48363G	-47.23	-41.20	-6.03	4.59	0.00	-51.82	-55.30	-54.41

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


2437MHz



2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2437MHz




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2452MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	PK	2.37406G	-38.46	-21.20	-17.26	4.59	0.00	-43.05	-46.11	-46.02
2.32G	2.5635G	1M	PK	2.48412G	-31.09	-21.20	-9.89	4.59	0.00	-35.68	-39.55	-37.98

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2452MHz

08/11/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	AV	2.38769G	-48.01	-41.20	-6.81	4.59	0.00	-52.60	-56.08	-55.18
2.32G	2.5635G	1M	AV	2.48363G	-41.25	-41.20	-0.05	4.59	0.00	-45.84	-49.36	-48.39



Test Mode: Mode 3
Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.38992G	8.34	-55.54	-55.11	-56.01	-56.03	-49.64	-41.30	-41.20	-0.10
802.11g_Nss1,(6Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.38992G	8.34	-54.97	-55.85	-56.30	-55.41	-49.58	-41.24	-41.20	-0.04
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	2.36G	2.5235G	AV	2.48377G	8.34	-55.86	-55.74	-55.94	-55.19	-49.65	-41.31	-41.20	-0.11
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	2.32G	2.5635G	AV	2.48363G	8.34	-55.84	-54.46	-56.66	-56.09	-49.66	-41.32	-41.20	-0.12

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.34	-55.54	-55.11	-56.01	-56.03	-49.64	-41.30	-41.20	-0.10
2412MHz	Pass	2.36G	2.5235G	AV	2.48442G	8.34	-59.63	-59.88	-59.94	-59.26	-53.65	-45.31	-41.20	-4.11
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	8.34	-44.33	-44.98	-46.01	-46.86	-39.42	-31.08	-21.20	-9.88
2412MHz	Pass	2.36G	2.5235G	PK	2.48426G	8.34	-49.28	-48.57	-48.57	-48.37	-42.66	-34.32	-21.20	-13.12
2437MHz	Pass	2.36G	2.5235G	AV	2.38551G	8.34	-55.67	-56.65	-55.02	-56.23	-49.83	-41.49	-41.20	-0.29
2437MHz	Pass	2.36G	2.5235G	AV	2.48867G	8.34	-55.85	-56.29	-55.77	-55.05	-49.70	-41.36	-41.20	-0.16
2437MHz	Pass	2.36G	2.5235G	PK	2.38583G	8.34	-45.48	-44.29	-44.61	-46.72	-39.16	-30.82	-21.20	-9.62
2437MHz	Pass	2.36G	2.5235G	PK	2.48426G	8.34	-45.47	-45.39	-46.16	-42.80	-38.73	-30.39	-21.20	-9.19
2462MHz	Pass	2.36G	2.5235G	AV	2.38959G	8.34	-59.50	-60.42	-59.29	-60.45	-53.86	-45.52	-41.20	-4.32
2462MHz	Pass	2.36G	2.5235G	AV	2.48475G	8.34	-55.13	-57.42	-55.43	-55.84	-49.85	-41.51	-41.20	-0.31
2462MHz	Pass	2.36G	2.5235G	PK	2.38845G	8.34	-49.87	-48.90	-47.62	-49.10	-42.77	-34.43	-21.20	-13.23
2462MHz	Pass	2.36G	2.5235G	PK	2.48491G	8.34	-45.13	-45.64	-44.97	-45.99	-39.39	-31.05	-21.20	-9.85
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.34	-54.97	-55.85	-56.30	-55.41	-49.58	-41.24	-41.20	-0.04
2412MHz	Pass	2.36G	2.5235G	AV	2.48442G	8.34	-59.12	-59.20	-59.69	-58.91	-53.20	-44.86	-41.20	-3.66
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	8.34	-45.70	-44.97	-46.28	-44.17	-39.19	-30.85	-21.20	-9.65
2412MHz	Pass	2.36G	2.5235G	PK	2.48769G	8.34	-49.93	-50.35	-49.36	-49.56	-43.76	-35.42	-21.20	-14.22
2417MHz	Pass	2.36G	2.5235G	AV	2.3891G	8.34	-55.28	-56.09	-55.46	-56.21	-49.72	-41.38	-41.20	-0.18
2417MHz	Pass	2.36G	2.5235G	AV	2.48459G	8.34	-58.63	-58.47	-58.72	-58.15	-52.47	-44.13	-41.20	-2.93
2417MHz	Pass	2.36G	2.5235G	PK	2.38976G	8.34	-44.99	-46.69	-45.69	-46.88	-39.97	-31.63	-21.20	-10.43
2417MHz	Pass	2.36G	2.5235G	PK	2.48442G	8.34	-48.45	-49.83	-49.36	-48.20	-42.89	-34.55	-21.20	-13.35
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.34	-55.58	-56.32	-55.75	-56.36	-49.97	-41.63	-41.20	-0.43
2437MHz	Pass	2.36G	2.5235G	AV	2.4859G	8.34	-55.13	-55.60	-56.19	-55.56	-49.58	-41.24	-41.20	-0.04
2437MHz	Pass	2.36G	2.5235G	PK	2.3891G	8.34	-47.40	-46.27	-46.60	-46.19	-40.57	-32.23	-21.20	-11.03
2437MHz	Pass	2.36G	2.5235G	PK	2.48786G	8.34	-45.55	-46.16	-46.61	-47.07	-40.29	-31.95	-21.20	-10.75
2452MHz	Pass	2.36G	2.5235G	AV	2.38698G	8.34	-59.53	-58.53	-58.75	-58.24	-52.72	-44.38	-41.20	-3.18
2452MHz	Pass	2.36G	2.5235G	AV	2.48377G	8.34	-55.09	-56.47	-55.19	-56.01	-49.63	-41.29	-41.20	-0.09
2452MHz	Pass	2.36G	2.5235G	PK	2.38878G	8.34	-49.97	-47.59	-49.99	-50.14	-43.26	-34.92	-21.20	-13.72
2452MHz	Pass	2.36G	2.5235G	PK	2.48573G	8.34	-44.13	-45.21	-47.73	-46.89	-39.74	-31.40	-21.20	-10.20
2462MHz	Pass	2.36G	2.5235G	AV	2.38878G	8.34	-59.06	-59.38	-59.62	-59.90	-53.46	-45.12	-41.20	-3.92
2462MHz	Pass	2.36G	2.5235G	AV	2.48393G	8.34	-55.74	-55.76	-55.78	-55.30	-49.62	-41.28	-41.20	-0.08
2462MHz	Pass	2.36G	2.5235G	PK	2.38943G	8.34	-49.86	-49.86	-50.50	-50.17	-44.07	-35.73	-21.20	-14.53
2462MHz	Pass	2.36G	2.5235G	PK	2.48459G	8.34	-45.36	-46.83	-45.20	-47.01	-40.00	-31.66	-21.20	-10.46
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38976G	8.34	-55.69	-56.38	-54.93	-56.05	-49.71	-41.37	-41.20	-0.17
2412MHz	Pass	2.36G	2.5235G	AV	2.48361G	8.34	-60.37	-59.76	-60.86	-60.48	-54.33	-45.99	-41.20	-4.79
2412MHz	Pass	2.36G	2.5235G	PK	2.3891G	8.34	-45.63	-47.56	-44.68	-46.50	-39.94	-31.60	-21.20	-10.40
2412MHz	Pass	2.36G	2.5235G	PK	2.48786G	8.34	-50.73	-51.00	-51.17	-49.50	-44.53	-36.19	-21.20	-14.99
2417MHz	Pass	2.36G	2.5235G	AV	2.38943G	8.34	-55.93	-55.97	-55.20	-55.77	-49.69	-41.35	-41.20	-0.15
2417MHz	Pass	2.36G	2.5235G	AV	2.48393G	8.34	-58.02	-58.94	-59.35	-58.50	-52.65	-44.31	-41.20	-3.11
2417MHz	Pass	2.36G	2.5235G	PK	2.38976G	8.34	-46.48	-46.74	-45.43	-46.72	-40.29	-31.95	-21.20	-10.75
2417MHz	Pass	2.36G	2.5235G	PK	2.49407G	8.34	-49.72	-48.51	-49.20	-49.31	-43.14	-34.80	-21.20	-13.60
2437MHz	Pass	2.36G	2.5235G	AV	2.3891G	8.34	-55.65	-56.19	-55.79	-56.11	-49.91	-41.57	-41.20	-0.37
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	8.34	-55.78	-55.53	-56.28	-55.53	-49.75	-41.41	-41.20	-0.21
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	8.34	-44.32	-45.22	-43.94	-43.22	-38.10	-29.76	-21.20	-8.56
2437MHz	Pass	2.36G	2.5235G	PK	2.4859G	8.34	-47.51	-45.62	-42.46	-44.05	-38.50	-30.16	-21.20	-8.96
2452MHz	Pass	2.36G	2.5235G	AV	2.38845G	8.34	-58.62	-58.75	-59.20	-59.15	-52.90	-44.56	-41.20	-3.36
2452MHz	Pass	2.36G	2.5235G	AV	2.48377G	8.34	-55.86	-55.74	-55.94	-55.19	-49.65	-41.31	-41.20	-0.11
2452MHz	Pass	2.36G	2.5235G	PK	2.38927G	8.34	-49.90	-49.69	-48.32	-50.00	-43.40	-35.06	-21.20	-13.86
2452MHz	Pass	2.36G	2.5235G	PK	2.48442G	8.34	-45.85	-46.60	-45.26	-46.81	-40.07	-31.73	-21.20	-10.53
2462MHz	Pass	2.36G	2.5235G	AV	2.3788G	8.34	-59.23	-59.99	-60.15	-61.18	-54.06	-45.72	-41.20	-4.52
2462MHz	Pass	2.36G	2.5235G	AV	2.4841G	8.34	-55.30	-55.55	-56.66	-55.70	-49.75	-41.41	-41.20	-0.21
2462MHz	Pass	2.36G	2.5235G	PK	2.38959G	8.34	-50.62	-48.54	-48.92	-51.73	-43.75	-35.41	-21.20	-14.21
2462MHz	Pass	2.36G	2.5235G	PK	2.48508G	8.34	-46.40	-45.24	-47.82	-46.10	-40.27	-31.93	-21.20	-10.73
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.32G	2.5635G	AV	2.3855G	8.34	-54.01	-57.54	-56.13	-56.09	-49.73	-41.39	-41.20	-0.19
2422MHz	Pass	2.32G	2.5635G	AV	2.49995G	8.34	-58.45	-59.65	-59.56	-58.99	-53.11	-44.77	-41.20	-3.57
2422MHz	Pass	2.32G	2.5635G	PK	2.3894G	8.34	-44.55	-47.51	-47.85	-46.61	-40.41	-32.07	-21.20	-10.87
2422MHz	Pass	2.32G	2.5635G	PK	2.48363G	8.34	-49.41	-50.58	-49.67	-50.24	-43.93	-35.59	-21.20	-14.39
2427MHz	Pass	2.32G	2.5635G	AV	2.38988G	8.34	-55.34	-54.78	-56.95	-56.59	-49.80	-41.46	-41.20	-0.26
2427MHz	Pass	2.32G	2.5635G	AV	2.48899G	8.34	-58.11	-58.53	-58.66	-56.88	-51.96	-43.62	-41.20	-2.42
2427MHz	Pass	2.32G	2.5635G	PK	2.38842G	8.34	-45.76	-47.13	-46.56	-48.27	-40.82	-32.48	-21.20	-11.28
2427MHz	Pass	2.32G	2.5635G	PK	2.48875G	8.34	-48.25	-48.94	-49.02	-48.03	-42.52	-34.18	-21.20	-12.98
2437MHz	Pass	2.32G	2.5635G	AV	2.38988G	8.34	-55.38	-55.83	-56.03	-55.72	-49.71	-41.37	-41.20	-0.17
2437MHz	Pass	2.32G	2.5635G	AV	2.48509G	8.34	-56.39	-56.58	-56.52	-54.36	-49.84	-41.50	-41.20	-0.30
2437MHz	Pass	2.32G	2.5635G	PK	2.38964G	8.34	-40.30	-45.52	-45.37	-46.12	-37.57	-29.23	-21.20	-8.03
2437MHz	Pass	2.32G	2.5635G	PK	2.48802G	8.34	-46.73	-39.21	-43.16	-44.59	-36.49	-28.15	-21.20	-6.95
2447MHz	Pass	2.32G	2.5635G	AV	2.3855G	8.34	-57.68	-57.42	-57.63	-58.09	-51.68	-43.34	-41.20	-2.14

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2447MHz	Pass	2.32G	2.5635G	AV	2.48485G	8.34	-54.67	-57.28	-57.49	-54.82	-49.85	-41.51	-41.20	-0.31
2447MHz	Pass	2.32G	2.5635G	PK	2.38575G	8.34	-47.94	-48.86	-47.62	-49.50	-42.40	-34.06	-21.20	-12.86
2447MHz	Pass	2.32G	2.5635G	PK	2.48485G	8.34	-44.48	-48.61	-47.94	-45.19	-40.19	-31.85	-21.20	-10.65
2452MHz	Pass	2.32G	2.5635G	AV	2.33583G	8.34	-59.68	-58.75	-58.26	-59.71	-53.03	-44.69	-41.20	-3.49
2452MHz	Pass	2.32G	2.5635G	AV	2.48363G	8.34	-55.84	-54.46	-56.66	-56.09	-49.66	-41.32	-41.20	-0.12
2452MHz	Pass	2.32G	2.5635G	PK	2.38014G	8.34	-49.99	-51.20	-49.02	-51.33	-44.26	-35.92	-21.20	-14.72
2452MHz	Pass	2.32G	2.5635G	PK	2.48996G	8.34	-46.59	-45.62	-46.09	-46.50	-40.16	-31.82	-21.20	-10.62


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-31.08	-21.20	-9.88	8.34	0.00	-39.42	-44.33	-44.98	-46.01	-46.86
2.36G	2.5235G	1M	PK	2.48426G	-34.32	-21.20	-13.12	8.34	0.00	-42.66	-49.28	-48.57	-48.57	-48.37

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.30	-41.20	-0.10	8.34	0.00	-49.64	-55.54	-55.11	-56.01	-56.03
2.36G	2.5235G	1M	AV	2.48442G	-45.31	-41.20	-4.11	8.34	0.00	-53.65	-59.63	-59.88	-59.94	-59.26

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2437MHz

08/11/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2437MHz

08/11/2024




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38845G	-34.43	-21.20	-13.23	8.34	0.00	-42.77	-49.87	-48.90	-47.62	-49.10
2.36G	2.5235G	1M	PK	2.48491G	-31.05	-21.20	-9.85	8.34	0.00	-39.39	-45.13	-45.64	-44.97	-45.99

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSE Bandedge [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-45.52	-41.20	-4.32	8.34	0.00	-53.86	-59.50	-60.42	-59.29	-60.45
2.36G	2.5235G	1M	AV	2.48475G	-41.51	-41.20	-0.31	8.34	0.00	-49.85	-55.13	-57.42	-55.43	-55.84

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-30.85	-21.20	-9.65	8.34	0.00	-39.19	-45.70	-44.97	-46.28	-44.17
2.36G	2.5235G	1M	PK	2.48769G	-35.42	-21.20	-14.22	8.34	0.00	-43.76	-49.93	-50.35	-49.36	-49.56

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.24	-41.20	-0.04	8.34	0.00	-49.58	-54.97	-55.85	-56.30	-55.41
2.36G	2.5235G	1M	AV	2.48442G	-44.86	-41.20	-3.66	8.34	0.00	-53.20	-59.12	-59.20	-59.69	-58.91

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [PK]

2417MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-31.63	-21.20	-10.43	8.34	0.00	-39.97	-44.99	-46.69	-45.69	-46.88
2.36G	2.5235G	1M	PK	2.48442G	-34.55	-21.20	-13.35	8.34	0.00	-42.89	-48.45	-49.83	-49.36	-48.20

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [AV]

2417MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.3891G	-41.38	-41.20	-0.18	8.34	0.00	-49.72	-55.28	-56.09	-55.46	-56.21
2.36G	2.5235G	1M	AV	2.48459G	-44.13	-41.20	-2.93	8.34	0.00	-52.47	-58.63	-58.47	-58.72	-58.15

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-32.23	-21.20	-11.03	8.34	0.00	-40.57	-47.40	-46.27	-46.60	-46.19
2.36G	2.5235G	1M	PK	2.48786G	-31.95	-21.20	-10.75	8.34	0.00	-40.29	-45.55	-46.16	-46.61	-47.07

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.63	-41.20	-0.43	8.34	0.00	-49.97	-55.58	-56.32	-55.75	-56.36
2.36G	2.5235G	1M	AV	2.4859G	-41.24	-41.20	-0.04	8.34	0.00	-49.58	-55.13	-55.60	-56.19	-55.56

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [PK]

2452MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38878G	-34.92	-21.20	-13.72	8.34	0.00	-43.26	-49.97	-47.59	-49.99	-50.14
2.36G	2.5235G	1M	PK	2.48573G	-31.40	-21.20	-10.20	8.34	0.00	-39.74	-44.13	-45.21	-47.73	-46.89

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [AV]

2452MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38698G	-44.38	-41.20	-3.18	8.34	0.00	-52.72	-59.53	-58.53	-58.75	-58.24
2.36G	2.5235G	1M	AV	2.48377G	-41.29	-41.20	-0.09	8.34	0.00	-49.63	-55.09	-56.47	-55.19	-56.01

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38943G	-35.73	-21.20	-14.53	8.34	0.00	-44.07	-49.86	-49.86	-50.50	-50.17
2.36G	2.5235G	1M	PK	2.48459G	-31.66	-21.20	-10.46	8.34	0.00	-40.00	-45.36	-46.83	-45.20	-47.01

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_4TX

CSE Bandedge [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38878G	-45.12	-41.20	-3.92	8.34	0.00	-53.46	-59.06	-59.38	-59.62	-59.90
2.36G	2.5235G	1M	AV	2.48393G	-41.28	-41.20	-0.08	8.34	0.00	-49.62	-55.74	-55.76	-55.78	-55.30

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-31.60	-21.20	-10.40	8.34	0.00	-39.94	-45.63	-47.56	-44.68	-46.50
2.36G	2.5235G	1M	PK	2.48786G	-36.19	-21.20	-14.99	8.34	0.00	-44.53	-50.73	-51.00	-51.17	-49.50

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-41.37	-41.20	-0.17	8.34	0.00	-49.71	-55.69	-56.38	-54.93	-56.05
2.36G	2.5235G	1M	AV	2.48361G	-45.99	-41.20	-4.79	8.34	0.00	-54.33	-60.37	-59.76	-60.86	-60.48

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2417MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-31.95	-21.20	-10.75	8.34	0.00	-40.29	-46.48	-46.74	-45.43	-46.72
2.36G	2.5235G	1M	PK	2.49407G	-34.80	-21.20	-13.60	8.34	0.00	-43.14	-49.72	-48.51	-49.20	-49.31

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2417MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38943G	-41.35	-41.20	-0.15	8.34	0.00	-49.69	-55.93	-55.97	-55.20	-55.77
2.36G	2.5235G	1M	AV	2.48393G	-44.31	-41.20	-3.11	8.34	0.00	-52.65	-58.02	-58.94	-59.35	-58.50

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-29.76	-21.20	-8.56	8.34	0.00	-38.10	-44.32	-45.22	-43.94	-43.22
2.36G	2.5235G	1M	PK	2.4859G	-30.16	-21.20	-8.96	8.34	0.00	-38.50	-47.51	-45.62	-42.46	-44.05

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.3891G	-41.57	-41.20	-0.37	8.34	0.00	-49.91	-55.65	-56.19	-55.79	-56.11
2.36G	2.5235G	1M	AV	2.48361G	-41.41	-41.20	-0.21	8.34	0.00	-49.75	-55.78	-55.53	-56.28	-55.53

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2452MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-35.06	-21.20	-13.86	8.34	0.00	-43.40	-49.90	-49.69	-48.32	-50.00
2.36G	2.5235G	1M	PK	2.48442G	-31.73	-21.20	-10.53	8.34	0.00	-40.07	-45.85	-46.60	-45.26	-46.81

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2452MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38845G	-44.56	-41.20	-3.36	8.34	0.00	-52.90	-58.62	-58.75	-59.20	-59.15
2.36G	2.5235G	1M	AV	2.48377G	-41.31	-41.20	-0.11	8.34	0.00	-49.65	-55.86	-55.74	-55.94	-55.19

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-35.41	-21.20	-14.21	8.34	0.00	-43.75	-50.62	-48.54	-48.92	-51.73
2.36G	2.5235G	1M	PK	2.48508G	-31.93	-21.20	-10.73	8.34	0.00	-40.27	-46.40	-45.24	-47.82	-46.10

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.3788G	-45.72	-41.20	-4.52	8.34	0.00	-54.06	-59.23	-59.99	-60.15	-61.18
2.36G	2.5235G	1M	AV	2.4841G	-41.41	-41.20	-0.21	8.34	0.00	-49.75	-55.30	-55.55	-56.66	-55.70

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2422MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	PK	2.3894G	-32.07	-21.20	-10.87	8.34	0.00	-40.41	-44.55	-47.51	-47.85	-46.61
2.32G	2.5635G	1M	PK	2.48363G	-35.59	-21.20	-14.39	8.34	0.00	-43.93	-49.41	-50.58	-49.67	-50.24

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2422MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	AV	2.3855G	-41.39	-41.20	-0.19	8.34	0.00	-49.73	-54.01	-57.54	-56.13	-56.09
2.32G	2.5635G	1M	AV	2.48995G	-44.77	-41.20	-3.57	8.34	0.00	-53.11	-58.45	-59.65	-59.56	-58.99

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2427MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2427MHz

08/11/2024




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	PK	2.38964G	-29.23	-21.20	-8.03	8.34	0.00	-37.57	-40.30	-45.52	-45.37	-46.12
2.32G	2.5635G	1M	PK	2.48802G	-28.15	-21.20	-6.95	8.34	0.00	-36.49	-46.73	-39.21	-43.16	-44.59

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	AV	2.38988G	-41.37	-41.20	-0.17	8.34	0.00	-49.71	-55.38	-55.83	-56.03	-55.72
2.32G	2.5635G	1M	AV	2.48509G	-41.50	-41.20	-0.30	8.34	0.00	-49.84	-56.39	-56.58	-56.52	-54.36

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2447MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	PK	2.38575G	-34.06	-21.20	-12.86	8.34	0.00	-42.40	-47.94	-48.86	-47.62	-49.50
2.32G	2.5635G	1M	PK	2.48485G	-31.85	-21.20	-10.65	8.34	0.00	-40.19	-44.48	-48.61	-47.94	-45.19

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2447MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	AV	2.3855G	-43.34	-41.20	-2.14	8.34	0.00	-51.68	-57.68	-57.42	-57.63	-58.09
2.32G	2.5635G	1M	AV	2.48485G	-41.51	-41.20	-0.31	8.34	0.00	-49.85	-54.67	-57.28	-57.49	-54.82

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2452MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	PK	2.38014G	-35.92	-21.20	-14.72	8.34	0.00	-44.26	-49.99	-51.20	-49.02	-51.33
2.32G	2.5635G	1M	PK	2.48996G	-31.82	-21.20	-10.62	8.34	0.00	-40.16	-46.59	-45.62	-46.09	-46.50

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2452MHz

08/11/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.32G	2.5635G	1M	AV	2.33583G	-44.69	-41.20	-3.49	8.34	0.00	-53.03	-59.68	-58.75	-58.26	-59.71
2.32G	2.5635G	1M	AV	2.48363G	-41.32	-41.20	-0.12	8.34	0.00	-49.66	-55.84	-54.46	-56.66	-56.09



Test Mode: Mode 4

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1(1Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.38992G	6.71	-52.10	-50.09	-47.97	-41.26	-41.20	-0.06
802.11g_Nss1(6Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.48377G	6.71	-51.00	-51.13	-48.05	-41.34	-41.20	-0.14
802.11be EHT20_Nss1(MCS0)_2TX	Pass	2.36G	2.5235G	AV	2.38959G	6.71	-51.77	-50.30	-47.96	-41.25	-41.20	-0.05
802.11be EHT40_Nss1(MCS0)_2TX	Pass	2.32G	2.5635G	AV	2.4868G	6.71	-51.90	-50.21	-47.96	-41.25	-41.20	-0.05

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	6.71	-52.10	-50.09	-47.97	-41.26	-41.20	-0.06
2412MHz	Pass	2.36G	2.5235G	AV	2.48393G	6.71	-55.35	-54.84	-52.08	-45.37	-41.20	-4.17
2412MHz	Pass	2.36G	2.5235G	PK	2.38812G	6.71	-41.32	-40.17	-37.70	-30.99	-21.20	-9.79
2412MHz	Pass	2.36G	2.5235G	PK	2.48491G	6.71	-43.28	-43.74	-40.49	-33.78	-21.20	-12.58
2437MHz	Pass	2.36G	2.5235G	AV	2.38943G	6.71	-52.36	-51.82	-49.07	-42.36	-41.20	-1.16
2437MHz	Pass	2.36G	2.5235G	AV	2.48508G	6.71	-51.85	-50.89	-48.33	-41.62	-41.20	-0.42
2437MHz	Pass	2.36G	2.5235G	PK	2.38927G	6.71	-41.28	-41.35	-38.30	-31.59	-21.20	-10.39
2437MHz	Pass	2.36G	2.5235G	PK	2.48671G	6.71	-40.99	-39.80	-37.34	-30.63	-21.20	-9.43
2462MHz	Pass	2.36G	2.5235G	AV	2.38976G	6.71	-56.73	-57.08	-53.89	-47.18	-41.20	-5.98
2462MHz	Pass	2.36G	2.5235G	AV	2.49015G	6.71	-51.42	-51.02	-48.21	-41.50	-41.20	-0.30
2462MHz	Pass	2.36G	2.5235G	PK	2.3891G	6.71	-45.25	-45.03	-42.13	-35.42	-21.20	-14.22
2462MHz	Pass	2.36G	2.5235G	PK	2.4872G	6.71	-40.33	-40.60	-37.45	-30.74	-21.20	-9.54
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38959G	6.71	-51.17	-51.17	-48.16	-41.45	-41.20	-0.25
2412MHz	Pass	2.36G	2.5235G	AV	2.48491G	6.71	-55.88	-54.85	-52.32	-45.61	-41.20	-4.41
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	6.71	-39.76	-39.51	-36.62	-29.91	-21.20	-8.71
2412MHz	Pass	2.36G	2.5235G	PK	2.48917G	6.71	-45.66	-46.50	-43.05	-36.34	-21.20	-15.14
2437MHz	Pass	2.36G	2.5235G	AV	2.38959G	6.71	-50.90	-51.28	-48.08	-41.37	-41.20	-0.17
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	6.71	-51.00	-51.13	-48.05	-41.34	-41.20	-0.14
2437MHz	Pass	2.36G	2.5235G	PK	2.38518G	6.71	-39.02	-37.93	-35.43	-28.72	-21.20	-7.52
2437MHz	Pass	2.36G	2.5235G	PK	2.48393G	6.71	-38.48	-37.11	-34.73	-28.02	-21.20	-6.82
2462MHz	Pass	2.36G	2.5235G	AV	2.3878G	6.71	-56.71	-57.06	-53.87	-47.16	-41.20	-5.96
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	6.71	-52.01	-50.88	-48.40	-41.69	-41.20	-0.49
2462MHz	Pass	2.36G	2.5235G	PK	2.38763G	6.71	-47.95	-46.47	-44.14	-37.43	-21.20	-16.23
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	6.71	-42.96	-39.01	-37.54	-30.83	-21.20	-9.63
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38959G	6.71	-51.77	-50.30	-47.96	-41.25	-41.20	-0.05
2412MHz	Pass	2.36G	2.5235G	AV	2.48818G	6.71	-56.53	-56.42	-53.46	-46.75	-41.20	-5.55
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	6.71	-42.45	-38.16	-36.79	-30.08	-21.20	-8.88
2412MHz	Pass	2.36G	2.5235G	PK	2.48475G	6.71	-47.84	-46.85	-44.31	-37.60	-21.20	-16.40
2417MHz	Pass	2.36G	2.5235G	AV	2.38959G	6.71	-51.64	-51.24	-48.43	-41.72	-41.20	-0.52
2417MHz	Pass	2.36G	2.5235G	AV	2.4841G	6.71	-55.36	-53.92	-51.57	-44.86	-41.20	-3.66
2417MHz	Pass	2.36G	2.5235G	PK	2.38976G	6.71	-37.96	-39.43	-35.62	-28.91	-21.20	-7.71
2417MHz	Pass	2.36G	2.5235G	PK	2.48361G	6.71	-44.67	-44.06	-41.34	-34.63	-21.20	-13.43
2437MHz	Pass	2.36G	2.5235G	AV	2.38976G	6.71	-52.98	-51.40	-49.11	-42.40	-41.20	-1.20
2437MHz	Pass	2.36G	2.5235G	AV	2.48704G	6.71	-51.89	-50.28	-48.00	-41.29	-41.20	-0.09
2437MHz	Pass	2.36G	2.5235G	PK	2.38665G	6.71	-35.83	-34.74	-32.24	-25.53	-21.20	-4.33
2437MHz	Pass	2.36G	2.5235G	PK	2.48557G	6.71	-38.03	-30.20	-29.54	-22.83	-21.20	-1.63
2462MHz	Pass	2.36G	2.5235G	AV	2.3891G	6.71	-57.26	-57.63	-54.43	-47.72	-41.20	-6.52
2462MHz	Pass	2.36G	2.5235G	AV	2.48377G	6.71	-52.99	-50.18	-48.35	-41.64	-41.20	-0.44
2462MHz	Pass	2.36G	2.5235G	PK	2.38861G	6.71	-47.50	-48.47	-44.95	-38.24	-21.20	-17.04
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	6.71	-42.70	-38.97	-37.44	-30.73	-21.20	-9.53
802.11be EHT40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.32G	2.5635G	AV	2.38599G	6.71	-50.71	-51.39	-48.03	-41.32	-41.20	-0.12
2422MHz	Pass	2.32G	2.5635G	AV	2.48485G	6.71	-56.69	-54.90	-52.69	-45.98	-41.20	-4.78
2422MHz	Pass	2.32G	2.5635G	PK	2.38988G	6.71	-40.87	-42.34	-38.53	-31.82	-21.20	-10.62
2422MHz	Pass	2.32G	2.5635G	PK	2.49069G	6.71	-46.00	-46.31	-43.14	-36.43	-21.20	-15.23
2437MHz	Pass	2.32G	2.5635G	AV	2.38818G	6.71	-52.23	-52.17	-49.19	-42.48	-41.20	-1.28
2437MHz	Pass	2.32G	2.5635G	AV	2.4868G	6.71	-51.90	-50.21	-47.96	-41.25	-41.20	-0.05
2437MHz	Pass	2.32G	2.5635G	PK	2.3894G	6.71	-35.99	-35.05	-32.48	-25.77	-21.20	-4.57
2437MHz	Pass	2.32G	2.5635G	PK	2.48363G	6.71	-38.21	-31.98	-31.05	-24.34	-21.20	-3.14
2452MHz	Pass	2.32G	2.5635G	AV	2.38964G	6.71	-57.26	-56.75	-53.99	-47.28	-41.20	-6.08
2452MHz	Pass	2.32G	2.5635G	AV	2.48363G	6.71	-51.17	-51.92	-48.52	-41.81	-41.20	-0.61
2452MHz	Pass	2.32G	2.5635G	PK	2.38964G	6.71	-48.02	-47.07	-44.51	-37.80	-21.20	-16.60
2452MHz	Pass	2.32G	2.5635G	PK	2.48436G	6.71	-40.95	-41.35	-38.14	-31.43	-21.20	-10.23


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38812G	-30.99	-21.20	-9.79	6.71	0.00	-37.70	-41.32	-40.17
2.36G	2.5235G	1M	PK	2.48491G	-33.78	-21.20	-12.58	6.71	0.00	-40.49	-43.28	-43.74

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.26	-41.20	-0.06	6.71	0.00	-47.97	-52.10	-50.09
2.36G	2.5235G	1M	AV	2.48393G	-45.37	-41.20	-4.17	6.71	0.00	-52.08	-55.35	-54.84

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38927G	-31.59	-21.20	-10.39	6.71	0.00	-38.30	-41.28	-41.35
2.36G	2.5235G	1M	PK	2.46671G	-30.63	-21.20	-9.43	6.71	0.00	-37.34	-40.99	-39.80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38943G	-42.36	-41.20	-1.16	6.71	0.00	-49.07	-52.36	-51.82
2.36G	2.5235G	1M	AV	2.46508G	-41.62	-41.20	-0.42	6.71	0.00	-48.33	-51.85	-50.89

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [PK]


2462MHz



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSE Bandedge [AV]

2462MHz




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-29.91	-21.20	-8.71	6.71	0.00	-36.62	-39.76	-39.51
2.36G	2.5235G	1M	PK	2.48917G	-36.34	-21.20	-15.14	6.71	0.00	-43.05	-45.66	-46.50

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-41.45	-41.20	-0.25	6.71	0.00	-48.16	-51.17	-51.17
2.36G	2.5235G	1M	AV	2.48491G	-45.61	-41.20	-4.41	6.71	0.00	-52.32	-55.88	-54.85

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38518G	-28.72	-21.20	-7.52	6.71	0.00	-35.43	-39.02	-37.93
2.36G	2.5235G	1M	PK	2.48393G	-28.02	-21.20	-6.82	6.71	0.00	-34.73	-38.48	-37.11

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-41.37	-41.20	-0.17	6.71	0.00	-48.08	-50.90	-51.28
2.36G	2.5235G	1M	AV	2.48377G	-41.34	-41.20	-0.14	6.71	0.00	-48.05	-51.00	-51.13

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Bandedge [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38763G	-37.43	-21.20	-16.23	6.71	0.00	-44.14	-47.95	-46.47
2.36G	2.5235G	1M	PK	2.48377G	-30.83	-21.20	-9.63	6.71	0.00	-37.54	-42.96	-39.01

2.4-2.4835GHz_802.11g_Nss1_(6Mbps)_2TX

CSE Bandedge [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.3878G	-47.16	-41.20	-5.96	6.71	0.00	-53.87	-56.71	-57.06
2.36G	2.5235G	1M	AV	2.48361G	-41.69	-41.20	-0.49	6.71	0.00	-48.40	-52.01	-50.88

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-30.08	-21.20	-8.88	6.71	0.00	-36.79	-42.45	-38.16
2.36G	2.5235G	1M	PK	2.48475G	-37.60	-21.20	-16.40	6.71	0.00	-44.31	-47.84	-46.85

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2412MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-41.25	-41.20	-0.05	6.71	0.00	-47.96	-51.77	-50.30
2.36G	2.5235G	1M	AV	2.48818G	-46.75	-41.20	-5.55	6.71	0.00	-53.46	-56.53	-56.42

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2417MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-28.91	-21.20	-7.71	6.71	0.00	-35.62	-37.96	-39.43
2.36G	2.5235G	1M	PK	2.48361G	-34.63	-21.20	-13.43	6.71	0.00	-41.34	-44.67	-44.06

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2417MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-41.72	-41.20	-0.52	6.71	0.00	-48.43	-51.64	-51.24
2.36G	2.5235G	1M	AV	2.4841G	-44.86	-41.20	-3.66	6.71	0.00	-51.57	-55.36	-53.92

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38665G	-25.53	-21.20	-4.33	6.71	0.00	-32.24	-35.83	-34.74
2.36G	2.5235G	1M	PK	2.48557G	-22.83	-21.20	-1.63	6.71	0.00	-29.54	-38.03	-30.20

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2437MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-42.40	-41.20	-1.20	6.71	0.00	-49.11	-52.98	-51.40
2.36G	2.5235G	1M	AV	2.48704G	-41.29	-41.20	-0.09	6.71	0.00	-48.00	-51.89	-50.28

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38861G	-38.24	-21.20	-17.04	6.71	0.00	-44.95	-47.50	-48.47
2.36G	2.5235G	1M	PK	2.48361G	-30.73	-21.20	-9.53	6.71	0.00	-37.44	-42.70	-38.97

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2462MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.3891G	-47.72	-41.20	-6.52	6.71	0.00	-54.43	-57.26	-57.63
2.36G	2.5235G	1M	AV	2.48377G	-41.64	-41.20	-0.44	6.71	0.00	-48.35	-52.99	-50.18

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2422MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	PK	2.38988G	-31.82	-21.20	-10.62	6.71	0.00	-38.53	-40.87	-42.34
2.32G	2.5635G	1M	PK	2.49069G	-36.43	-21.20	-15.23	6.71	0.00	-43.14	-46.00	-46.31

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2422MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	AV	2.38999G	-41.32	-41.20	-0.12	6.71	0.00	-48.03	-50.71	-51.39
2.32G	2.5635G	1M	AV	2.48485G	-45.98	-41.20	-4.78	6.71	0.00	-52.69	-56.69	-54.90

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


2437MHz



2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2437MHz




2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

2452MHz

08/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	PK	2.38964G	-37.80	-21.20	-16.60	6.71	0.00	-44.51	-48.02	-47.07
2.32G	2.5635G	1M	PK	2.48436G	-31.43	-21.20	-10.23	6.71	0.00	-38.14	-40.95	-41.35

2.4-2.4835GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

2452MHz

08/11/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.32G	2.5635G	1M	AV	2.38964G	-47.28	-41.20	-6.08	6.71	0.00	-53.99	-57.26	-56.75
2.32G	2.5635G	1M	AV	2.48363G	-41.81	-41.20	-0.61	6.71	0.00	-48.52	-51.17	-51.92




Test Mode: Mode 1

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1.(1Mbps)_4TX	Pass	AV	7.31178G	45.00	54.00	-9.00	3	Vertical	21	2.16	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 87
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87406G	44.49	74.00	-29.51	51.59	3	Vertical	354	1.09	-	31.30	5.52	43.92			
AV	4.87394G	36.06	54.00	-17.94	43.16	3	Vertical	354	1.09	-	31.30	5.52	43.92			
PK	7.3119G	56.29	74.00	-17.71	55.64	3	Vertical	21	2.16	-	36.20	7.22	42.77			
AV	7.31178G	45.00	54.00	-9.00	44.35	3	Vertical	21	2.16	-	36.20	7.22	42.77			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX



EUT_Y_4TX
Setting 87
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87376G	44.25	74.00	-29.75	51.35	3	Horizontal	349	1.00	-	31.30	5.52	43.92			
AV	4.87406G	35.45	54.00	-18.55	42.55	3	Horizontal	349	1.00	-	31.30	5.52	43.92			
PK	7.3128G	49.44	74.00	-24.56	48.79	3	Horizontal	281	1.80	-	36.20	7.22	42.77			
AV	7.31148G	36.69	54.00	-17.31	36.03	3	Horizontal	281	1.80	-	36.20	7.22	42.76			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1.(1Mbps)_2TX	Pass	AV	7.31028G	38.69	54.00	-15.31	3	Vertical	117	1.78	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 96
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8845G	43.14	74.00	-30.86	50.24	3	Vertical	334	1.76	-	31.30	5.52	43.92			
AV	4.87394G	31.08	54.00	-22.92	38.18	3	Vertical	334	1.76	-	31.30	5.52	43.92			
PK	7.31082G	49.90	74.00	-24.10	49.24	3	Vertical	117	1.78	-	36.20	7.22	42.76			
AV	7.31028G	38.69	54.00	-15.31	38.03	3	Vertical	117	1.78	-	36.20	7.22	42.76			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX



EUT Y_2TX
Setting 96
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86602G	43.23	74.00	-30.77	50.33	3	Horizontal	318	1.80	-	31.30	5.52	43.92
AV	4.87394G	30.47	54.00	-23.53	37.57	3	Horizontal	318	1.80	-	31.30	5.52	43.92
PK	7.29624G	49.69	74.00	-24.31	49.01	3	Horizontal	51	1.74	-	36.20	7.22	42.74
AV	7.31028G	37.22	54.00	-16.78	36.56	3	Horizontal	51	1.74	-	36.20	7.22	42.76




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1.(1Mbps)_4TX	Pass	AV	7.31022G	39.06	54.00	-14.94	3	Vertical	16	1.80	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 73
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87406G	45.02	74.00	-28.98	52.12	3	Vertical	342	2.03	-	31.30	5.52	43.92			
AV	4.874G	37.48	54.00	-16.52	44.58	3	Vertical	342	2.03	-	31.30	5.52	43.92			
PK	7.3116G	50.51	74.00	-23.49	49.85	3	Vertical	16	1.80	-	36.20	7.22	42.76			
AV	7.31022G	39.06	54.00	-14.94	38.40	3	Vertical	16	1.80	-	36.20	7.22	42.76			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX



EUT_Y_4TX
Setting 73
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.86674G	43.21	74.00	-30.79	50.31	3	Horizontal	332	1.80	-	31.30	5.52	43.92			
AV	4.87406G	30.63	54.00	-23.37	37.73	3	Horizontal	332	1.80	-	31.30	5.52	43.92			
PK	7.29612G	49.54	74.00	-24.46	48.86	3	Horizontal	315	1.61	-	36.20	7.22	42.74			
AV	7.31178G	37.32	54.00	-16.68	36.67	3	Horizontal	315	1.61	-	36.20	7.22	42.77			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	7.3131G	36.41	54.00	-17.59	3	Vertical	168	1.80	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 92
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87796G	42.05	74.00	-31.95	49.15	3	Vertical	290	1.80	-	31.30	5.52	43.92			
AV	4.86692G	30.03	54.00	-23.97	37.13	3	Vertical	290	1.80	-	31.30	5.52	43.92			
PK	7.30962G	49.00	74.00	-25.00	48.34	3	Vertical	168	1.80	-	36.20	7.22	42.76			
AV	7.3131G	36.41	54.00	-17.59	35.76	3	Vertical	168	1.80	-	36.20	7.22	42.77			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX



EUT Y_2TX
Setting 92
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.86488G	43.33	74.00	-30.67	50.44	3	Horizontal	33	2.01	-	31.30	5.52	43.93			
AV	4.874G	30.94	54.00	-23.06	38.04	3	Horizontal	33	2.01	-	31.30	5.52	43.92			
PK	7.29816G	48.77	74.00	-25.23	48.10	3	Horizontal	44	1.31	-	36.20	7.22	42.75			
AV	7.29954G	36.35	54.00	-17.65	35.68	3	Horizontal	44	1.31	-	36.20	7.22	42.75			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	2.388G	53.99	54.00	-0.01	3	Vertical	358	1.80	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 59
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3894G	62.70	74.00	-11.30	31.22	3	Vertical	8	1.80	-	27.49	3.99	-				
AV	2.3896G	52.27	54.00	-1.73	20.79	3	Vertical	8	1.80	-	27.49	3.99	-				
PK	2.4128G	119.14	Inf	-Inf	87.61	3	Vertical	8	1.80	-	27.53	4.00	-				
AV	2.4128G	116.75	Inf	-Inf	85.22	3	Vertical	8	1.80	-	27.53	4.00	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 59
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.378G	61.67	74.00	-12.33	30.38	3	Horizontal	355	1.80	-	27.30	3.99	-			
AV	2.3838G	51.53	54.00	-2.47	20.16	3	Horizontal	355	1.80	-	27.38	3.99	-			
PK	2.411G	117.55	Inf	-Inf	86.04	3	Horizontal	355	1.80	-	27.51	4.00	-			
AV	2.4112G	115.25	Inf	-Inf	83.74	3	Horizontal	355	1.80	-	27.51	4.00	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 59
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81596G	47.51	74.00	-26.49	42.60	3	Vertical	263	1.79	-	32.63	7.89	35.61			
AV	4.81212G	34.81	54.00	-19.19	29.91	3	Vertical	263	1.79	-	32.62	7.89	35.61			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 59
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81728G	46.86	74.00	-27.14	41.95	3	Horizontal	191	1.52	-	32.63	7.89	35.61			
AV	4.81134G	34.88	54.00	-19.12	29.98	3	Horizontal	191	1.52	-	32.62	7.89	35.61			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX




EUT_Z_4TX
Setting 62
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	62.73	74.00	-11.27	31.26	3	Vertical	7	1.80	-	27.48	3.99	-			
AV	2.3898G	51.99	54.00	-2.01	20.50	3	Vertical	7	1.80	-	27.50	3.99	-			
PK	2.4178G	119.95	Inf	-Inf	88.36	3	Vertical	7	1.80	-	27.58	4.01	-			
AV	2.4162G	117.61	Inf	-Inf	86.04	3	Vertical	7	1.80	-	27.56	4.01	-			
PK	2.4862G	62.22	74.00	-11.78	30.18	3	Vertical	7	1.80	-	27.96	4.08	-			
AV	2.4894G	50.41	54.00	-3.59	18.33	3	Vertical	7	1.80	-	27.99	4.09	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX




EUT_Z_4TX
Setting 62
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.387G	61.84	74.00	-12.16	30.41	3	Horizontal	356	1.80	-	27.44	3.99	-			
AV	2.387G	51.34	54.00	-2.66	19.89	3	Horizontal	356	1.80	-	27.46	3.99	-			
PK	2.4178G	118.49	Inf	-Inf	86.90	3	Horizontal	356	1.80	-	27.58	4.01	-			
AV	2.4178G	115.95	Inf	-Inf	84.36	3	Horizontal	356	1.80	-	27.58	4.01	-			
PK	2.4966G	61.37	74.00	-12.63	29.27	3	Horizontal	356	1.80	-	28.00	4.10	-			
AV	2.4862G	49.96	54.00	-4.04	17.92	3	Horizontal	356	1.80	-	27.96	4.08	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 71
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.387G	63.39	74.00	-10.61	31.96	3	Vertical	6	1.61	-	27.44	3.99	-			
AV	2.3898G	52.82	54.00	-1.18	21.33	3	Vertical	6	1.61	-	27.50	3.99	-			
PK	2.4362G	123.40	Inf	-Inf	91.67	3	Vertical	6	1.61	-	27.70	4.03	-			
AV	2.4362G	120.99	Inf	-Inf	89.26	3	Vertical	6	1.61	-	27.70	4.03	-			
PK	2.4882G	64.74	74.00	-9.26	32.67	3	Vertical	6	1.61	-	27.98	4.09	-			
AV	2.4866G	53.98	54.00	-0.02	21.92	3	Vertical	6	1.61	-	27.97	4.09	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 71
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3822G	61.29	74.00	-12.71	29.96	3	Horizontal	356	1.80	-	27.34	3.99	-				
AV	2.3882G	50.53	54.00	-3.47	19.08	3	Horizontal	356	1.80	-	27.46	3.99	-				
PK	2.4378G	121.21	Inf	-Inf	89.48	3	Horizontal	356	1.80	-	27.70	4.03	-				
AV	2.4362G	118.85	Inf	-Inf	87.12	3	Horizontal	356	1.80	-	27.70	4.03	-				
PK	2.4878G	63.23	74.00	-10.77	31.16	3	Horizontal	356	1.80	-	27.98	4.09	-				
AV	2.4846G	52.34	54.00	-1.66	20.31	3	Horizontal	356	1.80	-	27.95	4.08	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 71
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.88618G	47.18	74.00	-26.82	42.01	3	Vertical	205	1.41	-	32.84	7.92	35.59			
AV	4.87352G	34.80	54.00	-19.20	29.68	3	Vertical	205	1.41	-	32.79	7.92	35.59			
PK	7.296G	52.03	74.00	-21.97	40.37	3	Vertical	36	2.28	-	37.10	9.36	34.80			
AV	7.296G	40.47	54.00	-13.53	28.81	3	Vertical	36	2.28	-	37.10	9.36	34.80			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 71
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87784G	47.10	74.00	-26.90	41.96	3	Horizontal	77	2.49	-	32.81	7.92	35.59			
AV	4.86158G	34.83	54.00	-19.17	29.77	3	Horizontal	77	2.49	-	32.75	7.91	35.60			
PK	7.30656G	52.83	74.00	-21.17	41.17	3	Horizontal	54	1.81	-	37.07	9.37	34.78			
AV	7.29882G	40.48	54.00	-13.52	28.82	3	Horizontal	54	1.81	-	37.10	9.36	34.80			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Z_4TX
Setting 63
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3638G	60.31	74.00	-13.69	28.96	3	Vertical	6	1.62	-	27.36	3.99	-			
AV	2.3898G	49.10	54.00	-4.90	17.61	3	Vertical	6	1.62	-	27.50	3.99	-			
PK	2.4578G	121.06	Inf	-Inf	89.31	3	Vertical	6	1.62	-	27.70	4.05	-			
AV	2.4578G	118.67	Inf	-Inf	86.92	3	Vertical	6	1.62	-	27.70	4.05	-			
PK	2.4962G	64.01	74.00	-9.99	31.91	3	Vertical	6	1.62	-	28.00	4.10	-			
AV	2.4835G	53.80	54.00	-0.20	21.78	3	Vertical	6	1.62	-	27.94	4.08	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Z_4TX
Setting 63
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.387G	59.60	74.00	-14.40	28.17	3	Horizontal	353	1.80	-	27.44	3.99	-			
AV	2.3898G	48.25	54.00	-5.75	16.76	3	Horizontal	353	1.80	-	27.50	3.99	-			
PK	2.4562G	119.33	Inf	-Inf	87.58	3	Horizontal	353	1.80	-	27.70	4.05	-			
AV	2.4562G	117.02	Inf	-Inf	85.27	3	Horizontal	353	1.80	-	27.70	4.05	-			
PK	2.4835G	63.26	74.00	-10.74	31.24	3	Horizontal	353	1.80	-	27.94	4.08	-			
AV	2.4835G	52.48	54.00	-1.52	20.46	3	Horizontal	353	1.80	-	27.94	4.08	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 63
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38G	60.28	74.00	-13.72	28.99	3	Vertical	8	1.80	-	27.30	3.99	-			
AV	2.3892G	48.87	54.00	-5.13	17.40	3	Vertical	8	1.80	-	27.48	3.99	-			
PK	2.4612G	120.63	Inf	-Inf	88.86	3	Vertical	8	1.80	-	27.71	4.06	-			
AV	2.4628G	118.26	Inf	-Inf	86.47	3	Vertical	8	1.80	-	27.73	4.06	-			
PK	2.4856G	64.19	74.00	-9.81	32.15	3	Vertical	8	1.80	-	27.96	4.08	-			
AV	2.4852G	53.54	54.00	-0.46	21.51	3	Vertical	8	1.80	-	27.95	4.08	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 63
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3892G	60.29	74.00	-13.71	28.82	3	Horizontal	356	1.80	-	27.48	3.99	-			
AV	2.3892G	48.23	54.00	-5.77	16.76	3	Horizontal	356	1.80	-	27.48	3.99	-			
PK	2.4628G	119.23	Inf	-Inf	87.44	3	Horizontal	356	1.80	-	27.73	4.06	-			
AV	2.4628G	116.87	Inf	-Inf	85.08	3	Horizontal	356	1.80	-	27.73	4.06	-			
PK	2.4884G	63.89	74.00	-10.11	31.82	3	Horizontal	356	1.80	-	27.98	4.09	-			
AV	2.4888G	53.31	54.00	-0.69	21.23	3	Horizontal	356	1.80	-	27.99	4.09	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 63
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.91734G	47.65	74.00	-26.35	42.29	3	Vertical	21	1.23	-	33.00	7.94	35.58			
AV	4.9315G	35.27	54.00	-18.73	29.81	3	Vertical	21	1.23	-	33.09	7.95	35.58			
PK	7.3779G	52.59	74.00	-21.41	41.09	3	Vertical	325	2.19	-	36.73	9.42	34.65			
AV	7.37124G	40.12	54.00	-13.88	28.60	3	Vertical	325	2.19	-	36.77	9.41	34.66			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 63
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91686G	48.24	74.00	-25.76	42.88	3	Horizontal	265	2.60	-	33.00	7.94	35.58				
AV	4.92316G	35.12	54.00	-18.88	29.72	3	Horizontal	265	2.60	-	33.04	7.94	35.58				
PK	7.37898G	52.34	74.00	-21.66	40.84	3	Horizontal	123	2.69	-	36.73	9.42	34.65				
AV	7.37196G	40.05	54.00	-13.95	28.53	3	Horizontal	123	2.69	-	36.77	9.41	34.66				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 42
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3884G	68.28	74.00	-5.72	36.82	3	Vertical	360	1.80	-	27.47	3.99	-			
AV	2.3896G	53.44	54.00	-0.56	21.96	3	Vertical	360	1.80	-	27.49	3.99	-			
PK	2.4092G	115.22	Inf	-Inf	83.72	3	Vertical	360	1.80	-	27.50	4.00	-			
AV	2.408G	107.98	Inf	-Inf	76.48	3	Vertical	360	1.80	-	27.50	4.00	-			
PK	2.4952G	60.14	74.00	-13.86	28.05	3	Vertical	360	1.80	-	28.00	4.09	-			
AV	2.4868G	51.17	54.00	-2.83	19.11	3	Vertical	360	1.80	-	27.97	4.09	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 42
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.374G	60.64	74.00	-13.36	29.35	3	Horizontal	5	1.80	-	27.30	3.99	-				
AV	2.3888G	50.55	54.00	-3.45	19.08	3	Horizontal	5	1.80	-	27.48	3.99	-				
PK	2.4168G	113.53	Inf	-Inf	81.95	3	Horizontal	5	1.80	-	27.57	4.01	-				
AV	2.4156G	106.51	Inf	-Inf	74.94	3	Horizontal	5	1.80	-	27.56	4.01	-				
PK	2.4976G	60.60	74.00	-13.40	28.50	3	Horizontal	5	1.80	-	28.00	4.10	-				
AV	2.4956G	51.03	54.00	-2.97	18.93	3	Horizontal	5	1.80	-	28.00	4.10	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 42
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.80984G	46.69	74.00	-27.31	41.80	3	Vertical	54	1.91	-	32.62	7.88	35.61			
AV	4.81746G	37.62	54.00	-16.38	32.71	3	Vertical	54	1.91	-	32.63	7.89	35.61			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 42
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8093G	46.88	74.00	-27.12	41.99	3	Horizontal	117	2.92	-	32.62	7.88	35.61			
AV	4.8096G	37.36	54.00	-16.64	32.47	3	Horizontal	117	2.92	-	32.62	7.88	35.61			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Z_4TX
Setting 47
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3886G	67.60	74.00	-6.40	36.14	3	Vertical	4	1.80	-	27.47	3.99	-				
AV	2.3846G	53.66	54.00	-0.34	22.28	3	Vertical	4	1.80	-	27.39	3.99	-				
PK	2.4146G	117.04	Inf	-Inf	85.48	3	Vertical	4	1.80	-	27.55	4.01	-				
AV	2.4142G	109.30	Inf	-Inf	77.75	3	Vertical	4	1.80	-	27.54	4.01	-				
PK	2.495G	61.01	74.00	-12.99	28.92	3	Vertical	4	1.80	-	28.00	4.09	-				
AV	2.4906G	51.91	54.00	-2.09	19.82	3	Vertical	4	1.80	-	28.00	4.09	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Z_4TX
Setting 47
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	61.24	74.00	-12.76	29.76	3	Horizontal	3	1.80	-	27.49	3.99	-			
AV	2.3886G	51.20	54.00	-2.80	19.74	3	Horizontal	3	1.80	-	27.47	3.99	-			
PK	2.4194G	115.83	Inf	-Inf	84.23	3	Horizontal	3	1.80	-	27.59	4.01	-			
AV	2.4194G	108.44	Inf	-Inf	76.84	3	Horizontal	3	1.80	-	27.59	4.01	-			
PK	2.4854G	60.64	74.00	-13.36	28.61	3	Horizontal	3	1.80	-	27.95	4.08	-			
AV	2.4966G	51.75	54.00	-2.25	19.65	3	Horizontal	3	1.80	-	28.00	4.10	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 57
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	65.29	74.00	-8.71	33.81	3	Vertical	360	1.70	-	27.49	3.99	-			
AV	2.3894G	52.94	54.00	-1.06	21.46	3	Vertical	360	1.70	-	27.49	3.99	-			
PK	2.4346G	120.92	Inf	-Inf	89.19	3	Vertical	360	1.70	-	27.70	4.03	-			
AV	2.435G	113.25	Inf	-Inf	81.52	3	Vertical	360	1.70	-	27.70	4.03	-			
PK	2.4835G	65.97	74.00	-8.03	33.95	3	Vertical	360	1.70	-	27.94	4.08	-			
AV	2.4835G	53.93	54.00	-0.07	21.91	3	Vertical	360	1.70	-	27.94	4.08	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 57
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.387G	59.60	74.00	-14.40	28.17	3	Horizontal	4	1.52	-	27.44	3.99	-			
AV	2.3898G	50.92	54.00	-3.08	19.43	3	Horizontal	4	1.52	-	27.50	3.99	-			
PK	2.4394G	119.32	Inf	-Inf	87.59	3	Horizontal	4	1.52	-	27.70	4.03	-			
AV	2.4386G	112.28	Inf	-Inf	80.55	3	Horizontal	4	1.52	-	27.70	4.03	-			
PK	2.4838G	63.40	74.00	-10.60	31.38	3	Horizontal	4	1.52	-	27.94	4.08	-			
AV	2.4906G	53.32	54.00	-0.68	21.23	3	Horizontal	4	1.52	-	28.00	4.09	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 57
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87292G	46.80	74.00	-27.20	41.68	3	Vertical	293	2.12	-	32.79	7.92	35.59			
AV	4.87358G	37.43	54.00	-16.57	32.31	3	Vertical	293	2.12	-	32.79	7.92	35.59			
PK	7.29954G	52.55	74.00	-21.45	40.88	3	Vertical	33	2.88	-	37.10	9.36	34.79			
AV	7.30026G	43.30	54.00	-10.70	31.62	3	Vertical	33	2.88	-	37.10	9.37	34.79			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Z_4TX
Setting 57
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.86146G	47.24	74.00	-26.76	42.18	3	Horizontal	145	1.89	-	32.75	7.91	35.60			
AV	4.88672G	37.44	54.00	-16.56	32.26	3	Horizontal	145	1.89	-	32.85	7.92	35.59			
PK	7.3044G	52.13	74.00	-21.87	40.47	3	Horizontal	301	1.82	-	37.08	9.37	34.79			
AV	7.30758G	42.91	54.00	-11.09	31.25	3	Horizontal	301	1.82	-	37.07	9.37	34.78			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Z_4TX
Setting 44
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3582G	60.35	74.00	-13.65	28.96	3	Vertical	360	1.80	-	27.40	3.99	-			
AV	2.3894G	50.22	54.00	-3.78	18.74	3	Vertical	360	1.80	-	27.49	3.99	-			
PK	2.4546G	117.07	Inf	-Inf	85.32	3	Vertical	360	1.80	-	27.70	4.05	-			
AV	2.4538G	109.92	Inf	-Inf	78.17	3	Vertical	360	1.80	-	27.70	4.05	-			
PK	2.4858G	66.82	74.00	-7.18	34.78	3	Vertical	360	1.80	-	27.96	4.08	-			
AV	2.487G	53.71	54.00	-0.29	21.65	3	Vertical	360	1.80	-	27.97	4.09	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Z_4TX
Setting 44
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3858G	59.08	74.00	-14.92	27.67	3	Horizontal	5	1.80	-	27.42	3.99	-			
AV	2.3898G	50.06	54.00	-3.94	18.57	3	Horizontal	5	1.80	-	27.50	3.99	-			
PK	2.4614G	115.95	Inf	-Inf	84.18	3	Horizontal	5	1.80	-	27.71	4.06	-			
AV	2.4606G	108.62	Inf	-Inf	76.85	3	Horizontal	5	1.80	-	27.71	4.06	-			
PK	2.4862G	60.77	74.00	-13.23	28.73	3	Horizontal	5	1.80	-	27.96	4.08	-			
AV	2.4862G	52.51	54.00	-1.49	20.47	3	Horizontal	5	1.80	-	27.96	4.08	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 42
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3696G	60.15	74.00	-13.85	28.86	3	Vertical	360	1.80	-	27.30	3.99	-			
AV	2.3832G	49.87	54.00	-4.13	18.52	3	Vertical	360	1.80	-	27.36	3.99	-			
PK	2.4592G	116.95	Inf	-Inf	85.19	3	Vertical	360	1.80	-	27.70	4.06	-			
AV	2.4584G	109.21	Inf	-Inf	77.46	3	Vertical	360	1.80	-	27.70	4.05	-			
PK	2.4844G	66.89	74.00	-7.11	34.87	3	Vertical	360	1.80	-	27.94	4.08	-			
AV	2.484G	53.10	54.00	-0.90	21.08	3	Vertical	360	1.80	-	27.94	4.08	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 42
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3652G	58.64	74.00	-15.36	27.30	3	Horizontal	6	1.80	-	27.35	3.99	-			
AV	2.3796G	49.80	54.00	-4.20	18.51	3	Horizontal	6	1.80	-	27.30	3.99	-			
PK	2.4668G	115.72	Inf	-Inf	83.89	3	Horizontal	6	1.80	-	27.77	4.06	-			
AV	2.4656G	108.08	Inf	-Inf	76.26	3	Horizontal	6	1.80	-	27.76	4.06	-			
PK	2.492G	61.86	74.00	-12.14	29.77	3	Horizontal	6	1.80	-	28.00	4.09	-			
AV	2.4835G	52.64	54.00	-1.36	20.62	3	Horizontal	6	1.80	-	27.94	4.08	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 42
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92784G	48.29	74.00	-25.71	42.86	3	Vertical	319	2.83	-	33.07	7.94	35.58			
AV	4.9282G	37.69	54.00	-16.31	32.26	3	Vertical	319	2.83	-	33.07	7.94	35.58			
PK	7.3761G	52.22	74.00	-21.78	40.73	3	Vertical	252	2.01	-	36.74	9.41	34.66			
AV	7.37418G	42.81	54.00	-11.19	31.31	3	Vertical	252	2.01	-	36.75	9.41	34.66			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Z_4TX
Setting 42
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.93498G	48.20	74.00	-25.80	42.72	3	Horizontal	85	2.86	-	33.11	7.95	35.58				
AV	4.93876G	37.90	54.00	-16.10	32.40	3	Horizontal	85	2.86	-	33.13	7.95	35.58				
PK	7.37544G	52.49	74.00	-21.51	40.99	3	Horizontal	16	2.32	-	36.75	9.41	34.66				
AV	7.37688G	42.59	54.00	-11.41	31.09	3	Horizontal	16	2.32	-	36.74	9.41	34.65				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3892G	69.53	74.00	-4.47	38.06	3	Vertical	354	1.80	-	27.48	3.99	-			
AV	2.3844G	53.89	54.00	-0.11	22.51	3	Vertical	354	1.80	-	27.39	3.99	-			
PK	2.4184G	116.41	Inf	-Inf	84.82	3	Vertical	354	1.80	-	27.58	4.01	-			
AV	2.404G	106.70	Inf	-Inf	75.21	3	Vertical	354	1.80	-	27.50	3.99	-			
PK	2.494G	60.83	74.00	-13.17	28.74	3	Vertical	354	1.80	-	28.00	4.09	-			
AV	2.4928G	51.20	54.00	-2.80	19.11	3	Vertical	354	1.80	-	28.00	4.09	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3808G	60.19	74.00	-13.81	28.88	3	Horizontal	1	1.01	-	27.32	3.99	-			
AV	2.3896G	51.84	54.00	-2.16	20.36	3	Horizontal	1	1.01	-	27.49	3.99	-			
PK	2.4168G	116.31	Inf	-Inf	84.73	3	Horizontal	1	1.01	-	27.57	4.01	-			
AV	2.4164G	105.63	Inf	-Inf	74.06	3	Horizontal	1	1.01	-	27.56	4.01	-			
PK	2.496G	60.01	74.00	-13.99	27.91	3	Horizontal	1	1.01	-	28.00	4.10	-			
AV	2.5G	51.75	54.00	-2.25	19.65	3	Horizontal	1	1.01	-	28.00	4.10	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81104G	46.72	74.00	-27.28	41.82	3	Vertical	129	2.21	-	32.62	7.89	35.61			
AV	4.82238G	37.55	54.00	-16.45	32.63	3	Vertical	129	2.21	-	32.64	7.89	35.61			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Z_4TX
Setting 39
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81164G	46.95	74.00	-27.05	42.05	3	Horizontal	322	1.75	-	32.62	7.89	35.61			
AV	4.82214G	37.55	54.00	-16.45	32.63	3	Horizontal	322	1.75	-	32.64	7.89	35.61			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_Z_4TX
Setting 43
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	67.16	74.00	-6.84	35.70	3	Vertical	356	1.80	-	27.47	3.99	-			
AV	2.3898G	53.70	54.00	-0.30	22.21	3	Vertical	356	1.80	-	27.50	3.99	-			
PK	2.4146G	117.52	Inf	-Inf	85.96	3	Vertical	356	1.80	-	27.55	4.01	-			
AV	2.4246G	107.71	Inf	-Inf	76.04	3	Vertical	356	1.80	-	27.65	4.02	-			
PK	2.487G	60.42	74.00	-13.58	28.36	3	Vertical	356	1.80	-	27.97	4.09	-			
AV	2.4974G	51.40	54.00	-2.60	19.30	3	Vertical	356	1.80	-	28.00	4.10	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_Z_4TX
Setting 43
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	60.35	74.00	-13.65	28.87	3	Horizontal	0	1.80	-	27.49	3.99	-			
AV	2.3874G	51.01	54.00	-2.99	19.57	3	Horizontal	0	1.80	-	27.45	3.99	-			
PK	2.413G	117.05	Inf	-Inf	85.52	3	Horizontal	0	1.80	-	27.53	4.00	-			
AV	2.4182G	106.36	Inf	-Inf	74.77	3	Horizontal	0	1.80	-	27.58	4.01	-			
PK	2.4998G	60.66	74.00	-13.34	28.56	3	Horizontal	0	1.80	-	28.00	4.10	-			
AV	2.4882G	51.89	54.00	-2.11	19.82	3	Horizontal	0	1.80	-	27.98	4.09	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX



EUT_Z_4TX
Setting 52
05-L-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3882G	66.66	74.00	-7.34	35.21	3	Vertical	356	1.80	-	27.46	3.99	-			
AV	2.3874G	53.26	54.00	-0.74	21.82	3	Vertical	356	1.80	-	27.45	3.99	-			
PK	2.4394G	120.91	Inf	-Inf	89.18	3	Vertical	356	1.80	-	27.70	4.03	-			
AV	2.4446G	111.53	Inf	-Inf	79.79	3	Vertical	356	1.80	-	27.70	4.04	-			
PK	2.4842G	67.10	74.00	-6.90	35.08	3	Vertical	356	1.80	-	27.94	4.08	-			
AV	2.485G	53.82	54.00	-0.18	21.79	3	Vertical	356	1.80	-	27.95	4.08	-			