



Test Mode: Mode 2

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	8G	40G	AV	-70.75	-77.04	-80.20	-79.90	-41.20	-29.55	6.29
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	-70.74	-77.03	-80.19	-79.89	-41.20	-29.54	6.29
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	-70.53	-76.82	-79.05	-80.78	-41.20	-29.33	6.29
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	-70.99	-77.28	-80.37	-80.22	-41.20	-29.79	6.29
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	8G	40G	AV	-70.81	-77.10	-80.40	-79.84	-41.20	-29.61	6.29

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)	P2 (dBm)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	8G	40G	AV	11.692G	6.29	-85.41	-84.92	-82.15	-75.86	-41.20	-34.66	-84.92
5845MHz	Pass	8G	40G	AV	22.085G	6.29	-79.90	-80.20	-77.04	-70.75	-41.20	-29.55	-80.20
5845MHz	Pass	8G	40G	PK	11.679G	6.29	-80.95	-77.08	-75.59	-69.30	-21.20	-48.10	-77.08
5845MHz	Pass	8G	40G	PK	22.202G	6.29	-72.64	-73.82	-70.18	-63.89	-21.20	-42.69	-73.82
5865MHz	Pass	8G	40G	AV	11.728G	6.29	-86.29	-84.61	-82.36	-76.07	-41.20	-34.87	-84.61
5865MHz	Pass	8G	40G	AV	22.036G	6.29	-80.34	-80.38	-77.35	-71.06	-41.20	-29.86	-80.38
5865MHz	Pass	8G	40G	PK	11.732G	6.29	-80.21	-78.34	-76.16	-69.87	-21.20	-48.67	-78.34
5865MHz	Pass	8G	40G	PK	22.132G	6.29	-70.08	-76.56	-69.20	-62.91	-21.20	-41.71	-76.56
5885MHz	Pass	8G	40G	AV	11.771G	6.29	-84.34	-85.95	-82.06	-75.77	-41.20	-34.57	-85.95
5885MHz	Pass	8G	40G	AV	22.062G	6.29	-80.18	-80.37	-77.26	-70.97	-41.20	-29.77	-80.37
5885MHz	Pass	8G	40G	PK	11.767G	6.29	-76.92	-82.10	-75.77	-69.48	-21.20	-48.28	-82.10
5885MHz	Pass	8G	40G	PK	22.254G	6.29	-71.58	-75.31	-70.05	-63.76	-21.20	-42.56	-75.31
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	8G	40G	AV	11.686G	6.29	-85.69	-84.36	-81.96	-75.67	-41.20	-34.47	-84.36
5845MHz	Pass	8G	40G	AV	22.052G	6.29	-80.16	-79.97	-77.05	-70.76	-41.20	-29.56	-79.97
5845MHz	Pass	8G	40G	PK	11.689G	6.29	-82.32	-75.12	-74.36	-68.07	-21.20	-46.87	-75.12
5845MHz	Pass	8G	40G	PK	39.87G	6.29	-72.90	-73.58	-70.22	-63.93	-21.20	-42.73	-73.58
5865MHz	Pass	8G	40G	AV	11.732G	6.29	-85.03	-85.14	-82.07	-75.78	-41.20	-34.58	-85.14
5865MHz	Pass	8G	40G	AV	22.056G	6.29	-79.89	-80.19	-77.03	-70.74	-41.20	-29.54	-80.19
5865MHz	Pass	8G	40G	PK	11.723G	6.29	-77.54	-78.20	-74.85	-68.56	-21.20	-47.36	-78.20
5865MHz	Pass	8G	40G	PK	22.089G	6.29	-71.05	-75.74	-69.78	-63.49	-21.20	-42.29	-75.74
5885MHz	Pass	8G	40G	AV	11.767G	6.29	-85.58	-84.90	-82.22	-75.93	-41.20	-34.73	-84.90
5885MHz	Pass	8G	40G	AV	22.043G	6.29	-79.97	-80.77	-77.34	-71.05	-41.20	-29.85	-80.77
5885MHz	Pass	8G	40G	PK	11.771G	6.29	-76.44	-79.67	-74.75	-68.46	-21.20	-47.26	-79.67
5885MHz	Pass	8G	40G	PK	22.25G	6.29	-76.51	-70.30	-69.37	-63.08	-21.20	-41.88	-70.30
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	8G	40G	AV	11.668G	6.29	-84.73	-84.90	-81.80	-75.51	-41.20	-34.31	-84.90
5835MHz	Pass	8G	40G	AV	22.084G	6.29	-79.90	-80.43	-77.15	-70.86	-41.20	-29.66	-80.43
5835MHz	Pass	8G	40G	PK	11.685G	6.29	-81.88	-76.80	-75.63	-69.34	-21.20	-48.14	-76.80
5835MHz	Pass	8G	40G	PK	22.185G	6.29	-75.51	-70.68	-69.45	-63.16	-21.20	-41.96	-70.68
5875MHz	Pass	8G	40G	AV	11.756G	6.29	-84.62	-85.91	-82.21	-75.92	-41.20	-34.72	-85.91
5875MHz	Pass	8G	40G	AV	22.041G	6.29	-80.78	-79.05	-76.82	-70.53	-41.20	-29.33	-79.05
5875MHz	Pass	8G	40G	PK	11.768G	6.29	-78.11	-77.61	-74.84	-68.55	-21.20	-47.35	-77.61
5875MHz	Pass	8G	40G	PK	22.123G	6.29	-73.72	-72.23	-69.90	-63.61	-21.20	-42.41	-72.23
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	8G	40G	AV	11.758G	6.29	-84.78	-85.94	-82.31	-76.02	-41.20	-34.82	-85.94
5855MHz	Pass	8G	40G	AV	22.037G	6.29	-80.22	-80.37	-77.28	-70.99	-41.20	-29.79	-80.37
5855MHz	Pass	8G	40G	PK	11.749G	6.29	-81.78	-75.79	-74.81	-68.52	-21.20	-47.32	-75.79
5855MHz	Pass	8G	40G	PK	22.204G	6.29	-72.76	-72.29	-69.51	-63.22	-21.20	-42.02	-72.29
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	8G	40G	AV	11.486G	6.29	-85.74	-84.89	-82.28	-75.99	-41.20	-34.79	-84.89
5815MHz	Pass	8G	40G	AV	22.033G	6.29	-79.84	-80.40	-77.10	-70.81	-41.20	-29.61	-80.40
5815MHz	Pass	8G	40G	PK	11.709G	6.29	-78.27	-78.80	-75.52	-69.23	-21.20	-48.03	-78.80
5815MHz	Pass	8G	40G	PK	22.204G	6.29	-71.42	-73.56	-69.35	-63.06	-21.20	-41.86	-73.56


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5845MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.679G	-69.30	-21.20	-48.10	6.29	0.00	-75.59	-80.95	-77.08
8G	40G	1M	PK	22.202G	-63.89	-21.20	-42.69	6.29	0.00	-70.18	-72.64	-73.82

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5845MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.692G	-75.86	-41.20	-34.66	6.29	0.00	-82.15	-85.41	-84.92
8G	40G	1M	AV	22.085G	-70.75	-41.20	-29.55	6.29	0.00	-77.04	-79.90	-80.20

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5865MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.732G	-69.87	-21.20	-48.67	6.29	0.00	-76.16	-80.21	-78.34
8G	40G	1M	PK	22.132G	-62.91	-21.20	-41.71	6.29	0.00	-69.20	-70.08	-76.56

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5865MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.728G	-76.07	-41.20	-34.87	6.29	0.00	-82.36	-86.29	-84.61
8G	40G	1M	AV	22.036G	-71.06	-41.20	-29.86	6.29	0.00	-77.35	-80.34	-80.38

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [PK]

5885MHz

11/11/2024




5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE [AV]

5885MHz

11/11/2024





5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5845MHz

11/11/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.689G	-68.07	-21.20	-46.87	6.29	0.00	-74.36	-82.32	-75.12
8G	40G	1M	PK	39.87G	-63.93	-21.20	-42.73	6.29	0.00	-70.22	-72.90	-73.58

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5845MHz

11/11/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.686G	-75.67	-41.20	-34.47	6.29	0.00	-81.96	-85.69	-84.36
8G	40G	1M	AV	22.052G	-70.76	-41.20	-29.56	6.29	0.00	-77.05	-80.16	-79.97

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5865MHz

11/11/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.723G	-68.56	-21.20	-47.36	6.29	0.00	-74.85	-77.54	-78.20
8G	40G	1M	PK	22.089G	-63.49	-21.20	-42.29	6.29	0.00	-69.78	-71.05	-75.74

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5865MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.732G	-75.78	-41.20	-34.58	6.29	0.00	-82.07	-85.03	-85.14
8G	40G	1M	AV	22.056G	-70.74	-41.20	-29.54	6.29	0.00	-77.03	-79.89	-80.19

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [PK]

5885MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.771G	-68.46	-21.20	-47.26	6.29	0.00	-74.75	-76.44	-79.67
8G	40G	1M	PK	22.25G	-63.08	-21.20	-41.88	6.29	0.00	-69.37	-76.51	-70.30

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE [AV]

5885MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.767G	-75.93	-41.20	-34.73	6.29	0.00	-82.22	-85.58	-84.90
8G	40G	1M	AV	22.043G	-71.05	-41.20	-29.85	6.29	0.00	-77.34	-79.97	-80.77

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

5835MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.685G	-69.34	-21.20	-48.14	6.29	0.00	-75.63	-81.88	-76.80
8G	40G	1M	PK	22.185G	-63.16	-21.20	-41.96	6.29	0.00	-69.45	-75.51	-70.68

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

5835MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.688G	-75.51	-41.20	-34.31	6.29	0.00	-81.80	-84.73	-84.90
8G	40G	1M	AV	22.084G	-70.86	-41.20	-29.66	6.29	0.00	-77.15	-79.90	-80.43

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [PK]

5875MHz




11/11/2024
Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.768G	-68.55	-21.20	-47.35	6.29	0.00	-74.84	-78.11	-77.61
8G	40G	1M	PK	22.123G	-63.61	-21.20	-42.41	6.29	0.00	-69.90	-73.72	-72.23

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE [AV]

5875MHz



11/11/2024
Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.756G	-75.92	-41.20	-34.72	6.29	0.00	-82.21	-84.62	-85.91
8G	40G	1M	AV	22.041G	-70.53	-41.20	-29.33	6.29	0.00	-76.82	-80.78	-79.05

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [PK]

5855MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.749G	-68.52	-21.20	-47.32	6.29	0.00	-74.81	-81.78	-75.79
8G	40G	1M	PK	22.204G	-63.22	-21.20	-42.02	6.29	0.00	-69.51	-72.76	-72.29

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE [AV]

5855MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.758G	-76.02	-41.20	-34.82	6.29	0.00	-82.31	-84.78	-85.94
8G	40G	1M	AV	22.037G	-70.99	-41.20	-29.79	6.29	0.00	-77.28	-80.22	-80.37

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE [PK]

5815MHz

11/11/2024




5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE [AV]

5815MHz

11/11/2024





Test Mode: Mode 1

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.685G	5.935G	AV	5.89525G	6.86	-11.94	-12.98	-9.42	-2.56	14.82	-17.38
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	5.685G	5.935G	AV	5.895G	6.86	0.81	-0.29	3.31	10.17	15.00	-4.83
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	5.645G	5.975G	PK	5.64913G	6.86	-36.31	-39.88	-34.73	-27.87	-27.00	-0.87
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	5.565G	6.055G	PK	5.64953G	6.86	-38.47	-36.49	-34.36	-27.50	-27.00	-0.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	5.405G	6.215G	PK	5.61682G	6.86	-37.36	-39.73	-35.37	-28.51	-27.00	-1.51

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	5.685G	5.935G	AV	5.92463G	6.86	-49.92	-50.93	-47.39	-40.53	-6.73	-33.80
5845MHz	Pass	5.685G	5.935G	PK	5.68513G	6.86	-37.87	-45.12	-37.12	-30.26	-1.01	-29.25
5845MHz	Pass	5.685G	5.935G	PK	5.92863G	6.86	-38.69	-39.62	-36.12	-29.26	13.00	-42.26
5865MHz	Pass	5.685G	5.935G	AV	5.9265G	6.86	-46.66	-49.08	-44.69	-37.83	-7.00	-30.83
5865MHz	Pass	5.685G	5.935G	PK	5.685G	6.86	-43.92	-46.16	-41.89	-35.03	-1.10	-33.93
5865MHz	Pass	5.685G	5.935G	PK	5.92763G	6.86	-34.73	-34.71	-31.71	-24.85	13.00	-37.85
5885MHz	Pass	5.685G	5.935G	AV	5.89525G	6.86	-11.94	-12.98	-9.42	-2.56	14.82	-17.38
5885MHz	Pass	5.685G	5.935G	PK	5.68513G	6.86	-44.15	-46.35	-42.10	-35.24	-1.01	-34.23
5885MHz	Pass	5.685G	5.935G	PK	5.895G	6.86	3.59	3.43	6.52	13.38	35.00	-21.62
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	5.685G	5.935G	AV	5.92588G	6.86	-45.35	-47.60	-43.32	-36.46	-7.00	-29.46
5845MHz	Pass	5.685G	5.935G	PK	5.68588G	6.86	-35.53	-45.63	-35.13	-28.27	-0.45	-27.82
5845MHz	Pass	5.685G	5.935G	PK	5.9225G	6.86	-28.06	-34.51	-27.17	-20.31	14.83	-35.14
5865MHz	Pass	5.685G	5.935G	AV	5.924G	6.86	-40.06	-43.71	-38.50	-31.64	-6.27	-25.37
5865MHz	Pass	5.685G	5.935G	PK	5.686G	6.86	-43.62	-45.69	-41.52	-34.66	-0.36	-34.30
5865MHz	Pass	5.685G	5.935G	PK	5.92575G	6.86	-26.70	-28.36	-24.44	-17.58	13.00	-30.58
5885MHz	Pass	5.685G	5.935G	AV	5.895G	6.86	0.81	-0.29	3.31	10.17	15.00	-4.83
5885MHz	Pass	5.685G	5.935G	PK	5.68513G	6.86	-44.34	-46.45	-42.26	-35.40	-1.01	-34.39
5885MHz	Pass	5.685G	5.935G	PK	5.895G	6.86	10.04	9.32	12.71	19.57	35.00	-15.43
802.11be EHT40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	5.645G	5.975G	AV	5.93012G	6.86	-38.22	-38.12	-35.16	-28.30	-7.00	-21.30
5835MHz	Pass	5.645G	5.975G	PK	5.64913G	6.86	-36.31	-39.88	-34.73	-27.87	-27.00	-0.87
5835MHz	Pass	5.645G	5.975G	PK	5.9359G	6.86	-27.01	-26.60	-23.79	-16.93	13.00	-29.93
5875MHz	Pass	5.645G	5.975G	AV	5.92385G	6.86	-24.88	-25.09	-21.97	-15.11	-6.16	-8.95
5875MHz	Pass	5.645G	5.975G	PK	5.64814G	6.86	-40.20	-40.53	-37.35	-30.49	-27.00	-3.49
5875MHz	Pass	5.645G	5.975G	PK	5.92187G	6.86	-7.05	-8.14	-4.55	2.31	15.30	-12.99
802.11be EHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	5.565G	6.055G	AV	5.92589G	6.86	-38.83	-35.61	-33.92	-27.06	-7.00	-20.06
5855MHz	Pass	5.565G	6.055G	PK	5.64953G	6.86	-38.47	-36.49	-34.36	-27.50	-27.00	-0.50
5855MHz	Pass	5.565G	6.055G	PK	5.92099G	6.86	-23.57	-18.26	-17.14	-10.28	15.94	-26.22
802.11be EHT160_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	5.405G	6.215G	AV	5.44793G	6.86	-56.64	-57.01	-53.81	-46.95	-41.20	-5.75
5815MHz	Pass	5.405G	6.215G	AV	5.89505G	6.86	-28.17	-27.92	-25.03	-18.17	14.96	-33.13
5815MHz	Pass	5.405G	6.215G	PK	5.61682G	6.86	-37.36	-39.73	-35.37	-28.51	-27.00	-1.51
5815MHz	Pass	5.405G	6.215G	PK	5.89505G	6.86	-12.21	-12.58	-9.38	-2.52	34.96	-37.48

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]


5845MHz



5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]


5845MHz



5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]


5865MHz



5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]


5865MHz



5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]


5885MHz



5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5885MHz




5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5845MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.935G	1M	PK	5.68588G	-28.27	-0.45	-27.82	6.86	0.00	-35.13	-35.53	-45.63
5.685G	5.935G	1M	PK	5.925G	-20.31	14.83	-35.14	6.86	0.00	-27.17	-28.06	-34.51

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5845MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.935G	1M	AV	5.92588G	-36.46	-7.00	-29.46	6.86	0.00	-43.32	-45.35	-47.60

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5865MHz

11/11/2024




5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5865MHz


11/11/2024



5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


5885MHz



5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5885MHz




5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5835MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.975G	1M	PK	5.64913G	-27.87	-27.00	-0.87	6.86	0.00	-34.73	-36.31	-39.88
5.645G	5.975G	1M	PK	5.9359G	-16.93	13.00	-29.93	6.86	0.00	-23.79	-27.01	-26.60

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5835MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.975G	1M	AV	5.93012G	-28.30	-7.00	-21.30	6.86	0.00	-35.16	-38.22	-38.12

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5875MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.975G	1M	PK	5.64814G	-30.49	-27.00	-3.49	6.86	0.00	-37.35	-40.20	-40.53
5.645G	5.975G	1M	PK	5.92187G	2.31	15.30	-12.99	6.86	0.00	-4.55	-7.05	-8.14

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5875MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.975G	1M	AV	5.92385G	-15.11	-6.16	-8.95	6.86	0.00	-21.97	-24.88	-25.09

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


5855MHz



5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5855MHz




5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5815MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.405G	6.215G	1M	PK	5.61682G	-28.51	-27.00	-1.51	6.86	0.00	-35.37	-37.36	-39.73
5.405G	6.215G	1M	PK	5.89505G	-2.52	34.96	-37.48	6.86	0.00	-9.38	-12.21	-12.58

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5815MHz

11/11/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.405G	6.215G	1M	AV	5.44793G	-46.95	-41.20	-5.75	6.86	0.00	-53.81	-56.64	-57.01
5.405G	6.215G	1M	AV	5.89505G	-18.17	14.96	-33.13	6.86	0.00	-25.03	-28.17	-27.92



Test Mode: Mode 2

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.685G	5.935G	AV	5.895G	8.35	-15.44	-15.34	-12.38	-4.03	15.00	-19.03
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	5.685G	5.935G	AV	5.895G	8.35	-1.27	-1.55	1.60	9.95	15.00	-5.05
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	5.645G	5.975G	PK	5.64946G	8.35	-39.08	-38.01	-35.50	-27.15	-27.00	-0.15
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	5.565G	6.055G	PK	5.6483G	8.35	-40.56	-39.46	-36.96	-28.61	-27.00	-1.61
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	5.405G	6.215G	PK	5.61641G	8.35	-37.62	-39.79	-35.56	-27.21	-27.00	-0.21

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	5.685G	5.935G	AV	5.92713G	8.35	-51.88	-52.99	-49.39	-41.04	-7.00	-34.04
5845MHz	Pass	5.685G	5.935G	PK	5.68513G	8.35	-38.26	-46.42	-37.64	-29.29	-1.01	-28.28
5845MHz	Pass	5.685G	5.935G	PK	5.92463G	8.35	-39.69	-44.72	-38.50	-30.15	13.27	-43.42
5865MHz	Pass	5.685G	5.935G	AV	5.92638G	8.35	-50.02	-51.67	-47.76	-39.41	-7.00	-32.41
5865MHz	Pass	5.685G	5.935G	PK	5.685G	8.35	-44.86	-47.57	-43.00	-34.65	-1.10	-33.55
5865MHz	Pass	5.685G	5.935G	PK	5.9265G	8.35	-36.50	-40.42	-35.02	-26.67	13.00	-39.67
5885MHz	Pass	5.685G	5.935G	AV	5.895G	8.35	-15.44	-15.34	-12.38	-4.03	15.00	-19.03
5885MHz	Pass	5.685G	5.935G	PK	5.68588G	8.35	-44.49	-47.77	-42.82	-34.47	-0.45	-34.02
5885MHz	Pass	5.685G	5.935G	PK	5.89513G	8.35	2.99	-0.04	4.74	13.09	34.91	-21.82
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	5.685G	5.935G	AV	5.927G	8.35	-49.12	-50.13	-46.59	-38.24	-7.00	-31.24
5845MHz	Pass	5.685G	5.935G	PK	5.68538G	8.35	-37.07	-45.94	-36.54	-28.19	-0.82	-27.37
5845MHz	Pass	5.685G	5.935G	PK	5.92713G	8.35	-34.39	-38.22	-32.89	-24.54	13.00	-37.54
5865MHz	Pass	5.685G	5.935G	AV	5.925G	8.35	-46.17	-48.67	-44.23	-35.88	-7.00	-28.88
5865MHz	Pass	5.685G	5.935G	PK	5.68525G	8.35	-43.58	-47.36	-42.06	-33.71	-0.91	-32.80
5865MHz	Pass	5.685G	5.935G	PK	5.92525G	8.35	-30.81	-31.93	-28.32	-19.97	13.00	-32.97
5885MHz	Pass	5.685G	5.935G	AV	5.895G	8.35	-1.27	-1.55	1.60	9.95	15.00	-5.05
5885MHz	Pass	5.685G	5.935G	PK	5.6855G	8.35	-44.30	-47.79	-42.69	-34.34	-0.73	-33.61
5885MHz	Pass	5.685G	5.935G	PK	5.895G	8.35	9.22	7.98	11.65	20.00	35.00	-15.00
802.11be EHT40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	5.645G	5.975G	AV	5.93012G	8.35	-40.11	-40.08	-37.08	-28.73	-7.00	-21.73
5835MHz	Pass	5.645G	5.975G	PK	5.64946G	8.35	-39.08	-38.01	-35.50	-27.15	-27.00	-0.15
5835MHz	Pass	5.645G	5.975G	PK	5.93326G	8.35	-28.18	-28.34	-25.25	-16.90	13.00	-29.90
5875MHz	Pass	5.645G	5.975G	AV	5.92418G	8.35	-26.37	-24.42	-22.28	-13.93	-6.40	-7.53
5875MHz	Pass	5.645G	5.975G	PK	5.64995G	8.35	-40.51	-41.22	-37.84	-29.49	-27.00	-2.49
5875MHz	Pass	5.645G	5.975G	PK	5.92369G	8.35	-10.30	-9.79	-7.03	1.32	13.96	-12.64
802.11be EHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	5.565G	6.055G	AV	5.92589G	8.35	-41.38	-38.24	-36.52	-28.17	-7.00	-21.17
5855MHz	Pass	5.565G	6.055G	PK	5.6483G	8.35	-40.56	-39.46	-36.96	-28.61	-27.00	-1.61
5855MHz	Pass	5.565G	6.055G	PK	5.92491G	8.35	-25.45	-24.50	-21.94	-13.59	13.07	-26.66
802.11be EHT160_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	5.405G	6.215G	AV	5.44064G	8.35	-56.93	-56.82	-53.86	-45.51	-41.20	-4.31
5815MHz	Pass	5.405G	6.215G	AV	5.89505G	8.35	-27.14	-28.86	-24.91	-16.56	14.96	-31.52
5815MHz	Pass	5.405G	6.215G	PK	5.61641G	8.35	-37.62	-39.79	-35.56	-27.21	-27.00	-0.21
5815MHz	Pass	5.405G	6.215G	PK	5.89505G	8.35	-12.73	-11.72	-9.19	-0.84	34.96	-35.80

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5845MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.935G	1M	PK	5.68513G	-29.29	-1.01	-28.28	8.35	0.00	-37.64	-38.26	-46.42
5.685G	5.935G	1M	PK	5.92463G	-30.15	13.27	-43.42	8.35	0.00	-38.50	-39.69	-44.72

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5845MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.935G	1M	AV	5.92713G	-41.04	-7.00	-34.04	8.35	0.00	-49.39	-51.88	-52.99

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5865MHz

11/11/2024




5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5865MHz

11/11/2024




5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [PK]

5885MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.935G	1M	PK	5.68588G	-34.47	-0.45	-34.02	8.35	0.00	-42.82	-44.49	-47.77
5.685G	5.935G	1M	PK	5.89513G	13.09	34.91	-21.82	8.35	0.00	4.74	2.99	-0.04

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_2TX

CSE Bandedge [AV]

5885MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.935G	1M	AV	5.895G	-4.03	15.00	-19.03	8.35	0.00	-12.38	-15.44	-15.34

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5845MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.935G	1M	PK	5.68538G	-28.19	-0.82	-27.37	8.35	0.00	-36.54	-37.07	-45.94
5.685G	5.935G	1M	PK	5.92713G	-24.54	13.00	-37.54	8.35	0.00	-32.89	-34.39	-38.22

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5845MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.935G	1M	AV	5.927G	-38.24	-7.00	-31.24	8.35	0.00	-46.59	-49.12	-50.13

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]


5865MHz



5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5865MHz




5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5885MHz

11/11/2024




5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5885MHz

11/11/2024




5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5835MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.975G	1M	PK	5.64946G	-27.15	-27.00	-0.15	8.35	0.00	-35.50	-39.08	-38.01
5.645G	5.975G	1M	PK	5.93326G	-16.90	13.00	-29.90	8.35	0.00	-25.25	-28.18	-28.34

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5835MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.975G	1M	AV	5.93012G	-28.73	-7.00	-21.73	8.35	0.00	-37.08	-40.11	-40.08

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5875MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.975G	1M	PK	5.64995G	-29.49	-27.00	-2.49	8.35	0.00	-37.84	-40.51	-41.22
5.645G	5.975G	1M	PK	5.92369G	1.32	13.96	-12.64	8.35	0.00	-7.03	-10.30	-9.79

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5875MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.975G	1M	AV	5.92418G	-13.93	-6.40	-7.53	8.35	0.00	-22.28	-26.37	-24.42

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5855MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.565G	6.055G	1M	PK	5.6483G	-28.61	-27.00	-1.61	8.35	0.00	-36.96	-40.56	-39.46
5.565G	6.055G	1M	PK	5.92491G	-13.59	13.07	-26.66	8.35	0.00	-21.94	-25.45	-24.50

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5855MHz

11/11/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.565G	6.055G	1M	AV	5.92589G	-28.17	-7.00	-21.17	8.35	0.00	-36.52	-41.38	-38.24

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5815MHz

11/11/2024




5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5815MHz

11/11/2024






Test Mode: Mode 1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	11.69888G	44.02	54.00	-9.98	3	Vertical	233	1.80	-

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5845MHz_TX




EUT_Z_2TX
Setting 90
04-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.6912G	54.63	74.00	-19.37	47.68	3	Vertical	233	1.80	-	39.42	10.61	43.08			
AV	11.69888G	44.02	54.00	-9.98	37.08	3	Vertical	233	1.80	-	39.40	10.62	43.08			
PK	17.53332G	63.10	108.20	-45.10	46.06	3	Vertical	228	1.80	-	42.73	16.50	42.19			
RMS	17.54793G	52.80	88.20	-35.40	35.59	3	Vertical	228	1.80	-	42.88	16.50	42.17			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5845MHz_TX

EUT_Z_2TX
Setting 90
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6975G	54.56	74.00	-19.44	47.61	3	Horizontal	360	1.80	-	39.41	10.62	43.08			
AV	11.70494G	43.90	54.00	-10.10	36.97	3	Horizontal	360	1.80	-	39.38	10.62	43.07			
PK	17.54691G	63.09	108.20	-45.11	45.89	3	Horizontal	3	2.92	-	42.87	16.50	42.17			
RMS	17.54934G	52.80	88.20	-35.40	35.58	3	Horizontal	3	2.92	-	42.89	16.50	42.17			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.74499G	43.86	54.00	-10.14	3	Horizontal	276	1.34	-

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5875MHz_TX




EUT_V_2TX
Setting 92
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.73551G	54.12	74.00	-19.88	47.26	3	Vertical	340	1.80	-	39.26	10.65	43.05			
AV	11.74097G	43.80	54.00	-10.20	36.96	3	Vertical	340	1.80	-	39.24	10.65	43.05			
PK	17.63364G	63.94	108.20	-44.26	46.10	3	Vertical	162	1.78	-	43.33	16.54	42.03			
RMS	17.63694G	53.28	88.20	-34.92	35.41	3	Vertical	162	1.78	-	43.35	16.54	42.02			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5875MHz_TX

EUT_Y_2TX
Setting 92
04-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.75519G	54.10	74.00	-19.90	47.31	3	Horizontal	276	1.34	-	39.17	10.66	43.04			
AV	11.74499G	43.86	54.00	-10.14	37.04	3	Horizontal	276	1.34	-	39.22	10.65	43.05			
PK	17.61831G	63.74	108.20	-44.46	45.99	3	Horizontal	148	2.67	-	43.27	16.53	42.05			
RMS	17.62818G	53.38	88.20	-34.82	35.57	3	Horizontal	148	2.67	-	43.31	16.53	42.03			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	11.6717G	53.82	54.00	-0.18	3	Vertical	136	1.83	-

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5845MHz_TX




EUT_Z_4TX
Setting 108
03-V-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.625G	59.73	68.20	-8.47	53.06	3	Vertical	88	3.00	-	34.25	7.65	35.23			
PK	5.8515G	111.31	Inf	-Inf	104.19	3	Vertical	88	3.00	-	34.31	8.01	35.20			
AV	5.8525G	103.61	Inf	-Inf	96.48	3	Vertical	88	3.00	-	34.31	8.02	35.20			
PK	5.9735G	61.44	108.20	-46.76	53.89	3	Vertical	88	3.00	-	34.60	8.14	35.19			
AV	6.084G	49.63	88.20	-38.57	41.73	3	Vertical	88	3.00	-	34.80	8.30	35.20			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5845MHz_TX




EUT_Z_4TX
Setting 108
03-V-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6465G	60.68	68.20	-7.52	54.01	3	Horizontal	227	2.40	-	34.21	7.69	35.23			
PK	5.8435G	124.46	Inf	-Inf	117.37	3	Horizontal	227	2.40	-	34.29	8.01	35.21			
AV	5.843G	116.12	Inf	-Inf	109.03	3	Horizontal	227	2.40	-	34.29	8.01	35.21			
RMS	5.977G	61.20	108.20	-47.00	53.64	3	Horizontal	227	2.40	-	34.60	8.15	35.19			
AV	6.092G	49.83	88.20	-38.37	41.87	3	Horizontal	227	2.40	-	34.85	8.31	35.20			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5845MHz_TX




EUT_Y_4TX
Setting 72
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.68514G	66.70	74.00	-7.30	50.18	3	Vertical	314	1.80	-	39.34	11.70	34.52			
AV	11.68469G	53.76	54.00	-0.24	37.24	3	Vertical	314	1.80	-	39.34	11.70	34.52			
PK	17.54937G	66.53	108.20	-41.67	43.28	3	Vertical	311	1.65	-	42.99	14.03	33.77			
AV	17.54007G	54.73	88.20	-33.47	31.59	3	Vertical	311	1.65	-	42.90	14.02	33.78			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5845MHz_TX




EUT_Y_4TX
Setting 72
03-V-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.68622G	62.99	74.00	-11.01	46.47	3	Horizontal	13	3.00	-	39.34	11.70	34.52			
AV	11.68784G	50.65	54.00	-3.35	34.12	3	Horizontal	13	3.00	-	39.35	11.70	34.52			
PK	17.54508G	66.43	108.20	-41.77	43.23	3	Horizontal	118	1.79	-	42.95	14.03	33.78			
AV	17.54868G	54.82	88.20	-33.38	31.57	3	Horizontal	118	1.79	-	42.99	14.03	33.77			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5865MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.636G	53.85	68.20	-14.35	59.76	3	Vertical	7	2.82	-	31.77	5.55	43.23			
PK	5.8605G	109.19	Inf	-Inf	114.46	3	Vertical	7	2.82	-	32.24	5.60	43.11			
RMS	5.8605G	101.47	Inf	-Inf	106.74	3	Vertical	7	2.82	-	32.24	5.60	43.11			
PK	6.086G	54.62	108.20	-53.58	59.31	3	Vertical	7	2.82	-	32.53	5.78	43.00			
RMS	6.062G	42.35	88.20	-45.85	47.03	3	Vertical	7	2.82	-	32.58	5.75	43.01			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5865MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6405G	58.15	68.20	-10.05	64.05	3	Horizontal	229	2.31	-	31.78	5.55	43.23			
PK	5.8625G	121.51	Inf	-Inf	126.77	3	Horizontal	229	2.31	-	32.25	5.60	43.11			
RMS	5.8635G	113.59	Inf	-Inf	118.85	3	Horizontal	229	2.31	-	32.25	5.60	43.11			
PK	5.9025G	79.29	124.70	-45.41	84.34	3	Horizontal	229	2.31	-	32.40	5.63	43.08			
RMS	5.9025G	63.86	104.70	-40.84	68.91	3	Horizontal	229	2.31	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5865MHz_TX




EUT_Y_4TX
Setting 69
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.73128G	66.32	74.00	-7.68	59.39	3	Vertical	215	1.79	-	39.35	10.64	43.06			
AV	11.73104G	53.66	54.00	-0.34	46.73	3	Vertical	215	1.79	-	39.35	10.64	43.06			
PK	17.59463G	55.82	108.20	-52.38	38.21	3	Vertical	181	1.32	-	43.18	16.52	42.09			
RMS	17.59459G	43.55	88.20	-44.65	25.94	3	Vertical	181	1.32	-	43.18	16.52	42.09			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5865MHz_TX




EUT_Y_4TX
Setting 69
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.73412G	63.88	74.00	-10.12	56.95	3	Horizontal	202	2.08	-	39.33	10.65	43.05			
AV	11.73344G	49.88	54.00	-4.12	42.96	3	Horizontal	202	2.08	-	39.33	10.65	43.06			
PK	17.59516G	55.51	108.20	-52.69	37.90	3	Horizontal	23	1.67	-	43.18	16.52	42.09			
RMS	17.59467G	42.96	88.20	-45.24	25.35	3	Horizontal	23	1.67	-	43.18	16.52	42.09			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5885MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.638G	52.41	68.20	-15.79	58.31	3	Vertical	9	2.84	-	31.78	5.55	43.23			
PK	5.8815G	109.31	Inf	-Inf	114.47	3	Vertical	9	2.84	-	32.33	5.61	43.10			
RMS	5.8815G	101.18	Inf	-Inf	106.34	3	Vertical	9	2.84	-	32.33	5.61	43.10			
PK	5.902G	85.98	125.07	-39.09	91.03	3	Vertical	9	2.84	-	32.40	5.63	43.08			
RMS	5.9G	74.17	106.53	-32.36	79.24	3	Vertical	9	2.84	-	32.40	5.62	43.09			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5885MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	57.05	68.20	-11.15	62.94	3	Horizontal	234	2.33	-	31.79	5.55	43.23			
PK	5.8815G	120.74	Inf	-Inf	125.90	3	Horizontal	234	2.33	-	32.33	5.61	43.10			
RMS	5.881G	112.74	Inf	-Inf	117.91	3	Horizontal	234	2.33	-	32.32	5.61	43.10			
PK	5.9015G	100.00	125.43	-25.43	105.06	3	Horizontal	234	2.33	-	32.40	5.63	43.09			
RMS	5.9005G	87.00	106.17	-19.17	92.06	3	Horizontal	234	2.33	-	32.40	5.63	43.09			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5885MHz_TX




EUT_Y_4TX
Setting 66
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.77156G	66.85	74.00	-7.15	60.09	3	Vertical	216	1.72	-	39.11	10.68	43.03			
AV	11.7706G	53.76	54.00	-0.24	47.00	3	Vertical	216	1.72	-	39.12	10.67	43.03			
PK	17.65529G	55.39	108.20	-52.81	37.38	3	Vertical	158	2.57	-	43.46	16.54	41.99			
RMS	17.65533G	43.47	88.20	-44.73	25.46	3	Vertical	158	2.57	-	43.46	16.54	41.99			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5885MHz_TX




EUT_Y_4TX
Setting 66
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.77184G	64.33	74.00	-9.67	57.57	3	Horizontal	214	1.79	-	39.11	10.68	43.03			
AV	11.77048G	51.93	54.00	-2.07	45.17	3	Horizontal	214	1.79	-	39.12	10.67	43.03			
PK	17.65508G	54.62	108.20	-53.58	36.61	3	Horizontal	239	2.79	-	43.46	16.54	41.99			
RMS	17.65469G	42.84	88.20	-45.36	24.83	3	Horizontal	239	2.79	-	43.46	16.54	41.99			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5845MHz_TX

EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.635G	56.80	68.20	-11.40	62.71	3	Vertical	8	2.71	-	31.77	5.55	43.23			
PK	5.8425G	112.55	Inf	-Inf	117.88	3	Vertical	8	2.71	-	32.20	5.59	43.12			
RMS	5.8525G	102.44	Inf	-Inf	107.75	3	Vertical	8	2.71	-	32.21	5.59	43.11			
PK	6.0605G	54.43	108.20	-53.77	59.11	3	Vertical	8	2.71	-	32.58	5.75	43.01			
RMS	6.0585G	42.33	88.20	-45.87	47.01	3	Vertical	8	2.71	-	32.58	5.75	43.01			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5845MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	67.44	68.20	-0.76	73.32	3	Horizontal	140	1.80	-	31.80	5.55	43.23			
PK	5.841G	122.35	Inf	-Inf	127.68	3	Horizontal	140	1.80	-	32.20	5.59	43.12			
RMS	5.841G	111.92	Inf	-Inf	117.25	3	Horizontal	140	1.80	-	32.20	5.59	43.12			
PK	5.91G	71.40	119.20	-47.80	76.45	3	Horizontal	140	1.80	-	32.40	5.63	43.08			
RMS	6.0505G	42.40	88.20	-45.80	47.07	3	Horizontal	140	1.80	-	32.60	5.74	43.01			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5845MHz_TX

EUT_Y_4TX
Setting 76
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.69064G	65.93	74.00	-8.07	58.78	3	Vertical	222	2.18	-	39.62	10.61	43.08			
AV	11.6904G	53.67	54.00	-0.33	46.52	3	Vertical	222	2.18	-	39.62	10.61	43.08			
PK	17.53492G	54.96	108.20	-53.24	37.80	3	Vertical	155	2.08	-	42.85	16.50	42.19			
RMS	17.53512G	43.14	88.20	-45.06	25.98	3	Vertical	155	2.08	-	42.85	16.50	42.19			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5845MHz_TX

EUT_Y_4TX
Setting 76
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.68688G	66.03	74.00	-7.97	58.87	3	Horizontal	143	2.72	-	39.63	10.61	43.08			
AV	11.69204G	53.42	54.00	-0.58	46.27	3	Horizontal	143	2.72	-	39.62	10.61	43.08			
PK	17.53451G	54.57	108.20	-53.63	37.41	3	Horizontal	208	2.95	-	42.85	16.50	42.19			
RMS	17.53513G	42.80	88.20	-45.40	25.64	3	Horizontal	208	2.95	-	42.85	16.50	42.19			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5865MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6475G	54.85	68.20	-13.35	60.74	3	Vertical	9	2.70	-	31.79	5.55	43.23			
PK	5.8625G	112.82	Inf	-Inf	118.08	3	Vertical	9	2.70	-	32.25	5.60	43.11			
RMS	5.8575G	101.97	Inf	-Inf	107.25	3	Vertical	9	2.70	-	32.23	5.60	43.11			
PK	5.926G	54.17	108.20	-54.03	59.20	3	Vertical	9	2.70	-	32.40	5.64	43.07			
RMS	6.047G	42.41	88.20	-45.79	47.09	3	Vertical	9	2.70	-	32.59	5.74	43.01			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5865MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	67.59	68.20	-0.61	73.47	3	Horizontal	221	2.53	-	31.80	5.55	43.23			
PK	5.871G	124.16	Inf	-Inf	129.37	3	Horizontal	221	2.53	-	32.28	5.61	43.10			
RMS	5.8605G	113.98	Inf	-Inf	119.25	3	Horizontal	221	2.53	-	32.24	5.60	43.11			
PK	5.9105G	80.62	118.83	-38.21	85.67	3	Horizontal	221	2.53	-	32.40	5.63	43.08			
RMS	5.8955G	73.90	109.83	-35.93	78.99	3	Horizontal	221	2.53	-	32.38	5.62	43.09			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5865MHz_TX

EUT_Y_4TX
Setting 69
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.72884G	66.09	74.00	-7.91	59.14	3	Vertical	221	1.83	-	39.37	10.64	43.06			
AV	11.72912G	53.73	54.00	-0.27	46.78	3	Vertical	221	1.83	-	39.37	10.64	43.06			
PK	17.59454G	54.97	108.20	-53.23	37.36	3	Vertical	318	1.22	-	43.18	16.52	42.09			
RMS	17.59504G	43.32	88.20	-44.88	25.71	3	Vertical	318	1.22	-	43.18	16.52	42.09			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5865MHz_TX

EUT_Y_4TX
Setting 69
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.72796G	63.40	74.00	-10.60	56.44	3	Horizontal	156	2.87	-	39.38	10.64	43.06			
AV	11.72828G	50.64	54.00	-3.36	43.69	3	Horizontal	156	2.87	-	39.37	10.64	43.06			
PK	17.59538G	55.13	108.20	-53.07	37.52	3	Horizontal	307	1.05	-	43.18	16.52	42.09			
RMS	17.59486G	43.55	88.20	-44.65	25.94	3	Horizontal	307	1.05	-	43.18	16.52	42.09			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5885MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.643G	55.06	68.20	-13.14	60.95	3	Vertical	128	2.52	-	31.79	5.55	43.23			
PK	5.88G	108.70	Inf	-Inf	113.87	3	Vertical	128	2.52	-	32.32	5.61	43.10			
RMS	5.88G	98.01	Inf	-Inf	103.18	3	Vertical	128	2.52	-	32.32	5.61	43.10			
PK	5.895G	96.20	130.20	-34.00	101.29	3	Vertical	128	2.52	-	32.38	5.62	43.09			
RMS	5.895G	84.22	110.20	-25.98	89.31	3	Vertical	128	2.52	-	32.38	5.62	43.09			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5885MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.639G	66.31	68.20	-1.89	72.21	3	Horizontal	217	2.87	-	31.78	5.55	43.23			
PK	5.886G	122.14	Inf	-Inf	127.27	3	Horizontal	217	2.87	-	32.34	5.62	43.09			
RMS	5.881G	112.45	Inf	-Inf	117.62	3	Horizontal	217	2.87	-	32.32	5.61	43.10			
PK	5.896G	105.11	129.47	-24.36	110.20	3	Horizontal	217	2.87	-	32.38	5.62	43.09			
RMS	5.896G	92.82	109.47	-16.65	97.91	3	Horizontal	217	2.87	-	32.38	5.62	43.09			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5885MHz_TX

EUT_Y_4TX
Setting 68
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.77416G	65.79	74.00	-8.21	59.04	3	Vertical	220	1.82	-	39.10	10.68	43.03			
AV	11.76908G	53.66	54.00	-0.34	46.90	3	Vertical	220	1.82	-	39.12	10.67	43.03			
PK	17.65499G	55.17	108.20	-53.03	37.16	3	Vertical	308	1.95	-	43.46	16.54	41.99			
RMS	17.65481G	43.35	88.20	-44.85	25.34	3	Vertical	308	1.95	-	43.46	16.54	41.99			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5885MHz_TX

EUT_Y_4TX
Setting 68
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.77148G	63.04	74.00	-10.96	56.28	3	Horizontal	215	1.89	-	39.11	10.68	43.03			
AV	11.77152G	49.97	54.00	-4.03	43.21	3	Horizontal	215	1.89	-	39.11	10.68	43.03			
PK	17.65456G	55.35	108.20	-52.85	37.35	3	Horizontal	222	2.89	-	43.45	16.54	41.99			
RMS	17.6547G	42.84	88.20	-45.36	24.83	3	Horizontal	222	2.89	-	43.46	16.54	41.99			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5835MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6215G	52.89	68.20	-15.31	58.84	3	Vertical	10	2.70	-	31.74	5.55	43.24			
PK	5.8375G	110.55	Inf	-Inf	115.89	3	Vertical	10	2.70	-	32.20	5.58	43.12			
RMS	5.8375G	99.31	Inf	-Inf	104.65	3	Vertical	10	2.70	-	32.20	5.58	43.12			
PK	5.9615G	54.13	108.20	-54.07	59.10	3	Vertical	10	2.70	-	32.42	5.66	43.05			
RMS	6.0455G	42.38	88.20	-45.82	47.06	3	Vertical	10	2.70	-	32.59	5.74	43.01			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5835MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.623G	65.41	68.20	-2.79	71.35	3	Horizontal	139	1.80	-	31.75	5.55	43.24			
PK	5.8405G	121.17	Inf	-Inf	126.50	3	Horizontal	139	1.80	-	32.20	5.59	43.12			
RMS	5.841G	109.69	Inf	-Inf	115.02	3	Horizontal	139	1.80	-	32.20	5.59	43.12			
PK	5.9105G	76.60	118.83	-42.23	81.65	3	Horizontal	139	1.80	-	32.40	5.63	43.08			
RMS	5.911G	61.62	98.47	-36.85	66.67	3	Horizontal	139	1.80	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5835MHz_TX

EUT_Y_4TX
Setting 86
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6767G	64.44	74.00	-9.56	57.28	3	Vertical	136	1.83	-	39.65	10.60	43.09			
AV	11.6717G	53.82	54.00	-0.18	46.65	3	Vertical	136	1.83	-	39.66	10.60	43.09			
PK	17.50505G	54.76	108.20	-53.44	37.97	3	Vertical	67	1.76	-	42.55	16.48	42.24			
RMS	17.50453G	42.52	88.20	-45.68	25.73	3	Vertical	67	1.76	-	42.55	16.48	42.24			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5835MHz_TX

EUT_Y_4TX
Setting 86
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6638G	61.85	74.00	-12.15	54.69	3	Horizontal	134	1.96	-	39.67	10.59	43.10			
AV	11.6738G	51.25	54.00	-2.75	44.09	3	Horizontal	134	1.96	-	39.65	10.60	43.09			
PK	17.50483G	54.85	108.20	-53.35	38.06	3	Horizontal	67	1.88	-	42.55	16.48	42.24			
RMS	17.50456G	42.86	88.20	-45.34	26.07	3	Horizontal	67	1.88	-	42.55	16.48	42.24			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5875MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6415G	52.38	68.20	-15.82	58.28	3	Vertical	11	2.55	-	31.78	5.55	43.23			
PK	5.8625G	108.44	Inf	-Inf	113.70	3	Vertical	11	2.55	-	32.25	5.60	43.11			
RMS	5.8625G	97.53	Inf	-Inf	102.79	3	Vertical	11	2.55	-	32.25	5.60	43.11			
PK	5.9025G	84.15	124.70	-40.55	89.20	3	Vertical	11	2.55	-	32.40	5.63	43.08			
RMS	5.9075G	68.61	101.03	-32.42	73.66	3	Vertical	11	2.55	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5875MHz_TX




EUT_Z_4TX
Setting 108
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	64.01	68.20	-4.19	69.89	3	Horizontal	219	1.80	-	31.80	5.55	43.23			
PK	5.861G	119.51	Inf	-Inf	124.78	3	Horizontal	219	1.80	-	32.24	5.60	43.11			
RMS	5.861G	109.09	Inf	-Inf	114.36	3	Horizontal	219	1.80	-	32.24	5.60	43.11			
PK	5.911G	91.07	118.47	-27.40	96.12	3	Horizontal	219	1.80	-	32.40	5.63	43.08			
RMS	5.911G	79.12	98.47	-19.35	84.17	3	Horizontal	219	1.80	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5875MHz_TX




EUT_Y_4TX
Setting 77
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.7442G	65.39	74.00	-8.61	58.54	3	Vertical	220.5	1.80	-	39.25	10.65	43.05			
AV	11.7493G	53.66	54.00	-0.34	46.84	3	Vertical	220.5	1.80	-	39.21	10.66	43.05			
PK	17.62487G	55.91	108.20	-52.29	38.12	3	Vertical	251	1.99	-	43.30	16.53	42.04			
RMS	17.62451G	43.90	88.20	-44.30	26.11	3	Vertical	251	1.99	-	43.30	16.53	42.04			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5875MHz_TX

EUT_Y_4TX
Setting 77
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.7537G	61.37	74.00	-12.63	54.56	3	Horizontal	224	1.90	-	39.19	10.66	43.04			
AV	11.7536G	50.17	54.00	-3.83	43.36	3	Horizontal	224	1.90	-	39.19	10.66	43.04			
PK	17.6242G	56.14	108.20	-52.06	38.35	3	Horizontal	80	2.46	-	43.30	16.53	42.04			
RMS	17.6248G	44.34	88.20	-43.86	26.55	3	Horizontal	80	2.46	-	43.30	16.53	42.04			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5855MHz_TX




EUT_Z_4TX
Setting 96
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.639G	58.64	68.20	-9.56	64.54	3	Vertical	10	2.69	-	31.78	5.55	43.23			
PK	5.8425G	107.19	Inf	-Inf	112.52	3	Vertical	10	2.69	-	32.20	5.59	43.12			
RMS	5.8425G	96.57	Inf	-Inf	101.90	3	Vertical	10	2.69	-	32.20	5.59	43.12			
PK	5.9125G	78.12	117.37	-39.25	83.17	3	Vertical	10	2.69	-	32.40	5.63	43.08			
RMS	5.9125G	66.51	97.37	-30.86	71.56	3	Vertical	10	2.69	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5855MHz_TX




EUT_Z_4TX
Setting 96
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6475G	67.48	68.20	-0.72	73.37	3	Horizontal	323	1.80	-	31.79	5.55	43.23			
PK	5.8375G	117.68	Inf	-Inf	123.02	3	Horizontal	323	1.80	-	32.20	5.58	43.12			
RMS	5.842G	106.23	Inf	-Inf	111.56	3	Horizontal	323	1.80	-	32.20	5.59	43.12			
PK	5.912G	90.02	117.73	-27.71	95.07	3	Horizontal	323	1.80	-	32.40	5.63	43.08			
RMS	5.912G	78.55	97.73	-19.18	83.60	3	Horizontal	323	1.80	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5855MHz_TX




EUT_Y_4TX
Setting 89
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.7297G	66.25	74.00	-7.75	59.31	3	Vertical	218	1.80	-	39.36	10.64	43.06			
AV	11.7147G	53.67	54.00	-0.33	46.63	3	Vertical	218	1.80	-	39.48	10.63	43.07			
PK	17.5989G	56.05	108.20	-52.15	38.41	3	Vertical	52	2.88	-	43.20	16.52	42.08			
RMS	17.5989G	44.64	88.20	-43.56	27.00	3	Vertical	52	2.88	-	43.20	16.52	42.08			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5855MHz_TX




EUT_Y_4TX
Setting 89
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.7198G	62.94	74.00	-11.06	55.92	3	Horizontal	151	2.90	-	39.44	10.64	43.06			
AV	11.6987G	51.14	54.00	-2.86	44.00	3	Horizontal	151	2.90	-	39.60	10.62	43.08			
PK	17.5931G	56.15	108.20	-52.05	38.55	3	Horizontal	253	1.00	-	43.17	16.52	42.09			
RMS	17.5994G	44.83	88.20	-43.37	27.19	3	Horizontal	253	1.00	-	43.20	16.52	42.08			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5815MHz_TX

EUT_Z_4TX
Setting 71
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.633G	56.21	68.20	-11.99	62.13	3	Vertical	11	2.39	-	31.77	5.55	43.24			
AV	5.458G	41.00	54.00	-13.00	47.07	3	Vertical	11	2.39	-	31.73	5.56	43.36			
PK	5.738G	98.01	Inf	-Inf	103.55	3	Vertical	11	2.39	-	32.08	5.56	43.18			
RMS	5.758G	86.55	Inf	-Inf	92.04	3	Vertical	11	2.39	-	32.12	5.56	43.17			
PK	6.239G	54.37	108.20	-53.83	58.36	3	Vertical	11	2.39	-	32.96	6.00	42.95			
RMS	6.278G	43.05	88.20	-45.15	46.88	3	Vertical	11	2.39	-	33.00	6.11	42.94			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5815MHz_TX

EUT_Z_4TX
Setting 71
04-H-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	68.31	68.94	-0.63	74.19	3	Horizontal	221	2.18	-	31.80	5.55	43.23			
AV	5.456G	41.87	54.00	-12.13	47.95	3	Horizontal	221	2.18	-	31.72	5.56	43.36			
PK	5.796G	110.83	Inf	-Inf	116.22	3	Horizontal	221	2.18	-	32.19	5.56	43.14			
RMS	5.756G	99.66	Inf	-Inf	105.16	3	Horizontal	221	2.18	-	32.11	5.56	43.17			
PK	5.895G	87.45	130.20	-42.75	92.54	3	Horizontal	221	2.18	-	32.38	5.62	43.09			
RMS	5.895G	71.73	110.20	-38.47	76.82	3	Horizontal	221	2.18	-	32.38	5.62	43.09			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5815MHz_TX




EUT_Y_4TX
Setting 71
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.637G	53.09	74.00	-20.91	45.89	3	Vertical	224	1.80	-	39.75	10.57	43.12			
AV	11.6741G	41.43	54.00	-12.57	34.27	3	Vertical	224	1.80	-	39.65	10.60	43.09			
PK	17.44466G	54.87	108.20	-53.33	38.60	3	Vertical	117	2.25	-	42.06	16.46	42.25			
RMS	17.44485G	42.71	88.20	-45.49	26.44	3	Vertical	117	2.25	-	42.06	16.46	42.25			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5815MHz_TX

EUT_Y_4TX
Setting 71
04-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6077G	48.82	74.00	-25.18	41.53	3	Horizontal	145	2.26	-	39.87	10.55	43.13			
AV	11.6767G	37.30	54.00	-16.70	30.14	3	Horizontal	145	2.26	-	39.65	10.60	43.09			
PK	17.44539G	54.38	108.20	-53.82	38.11	3	Horizontal	31	1.45	-	42.06	16.46	42.25			
RMS	17.44515G	42.60	88.20	-45.60	26.33	3	Horizontal	31	1.45	-	42.06	16.46	42.25			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1.(MCS0)_4TX	Pass	AV	11.66901G	53.99	54.00	-0.01	3	Horizontal	309	2.49	-

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX


5845MHz_TX

EUT Y_4TX
Setting 95
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6425G	67.94	68.20	-0.26	73.83	3	Vertical	356	2.46	-	31.79	5.55	43.23			
PK	5.838G	118.28	Inf	-Inf	123.62	3	Vertical	356	2.46	-	32.20	5.58	43.12			
RMS	5.838G	114.09	Inf	-Inf	119.43	3	Vertical	356	2.46	-	32.20	5.58	43.12			
PK	5.9065G	74.90	121.77	-46.87	79.95	3	Vertical	356	2.46	-	32.40	5.63	43.08			
RMS	6.062G	43.12	88.20	-45.08	47.80	3	Vertical	356	2.46	-	32.58	5.75	43.01			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5845MHz_TX




EUT_Y_4TX
Setting 95
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6205G	57.58	68.20	-10.62	63.53	3	Horizontal	355	1.33	-	31.74	5.55	43.24			
PK	5.839G	118.24	Inf	-Inf	123.57	3	Horizontal	355	1.33	-	32.20	5.59	43.12			
RMS	5.8395G	113.67	Inf	-Inf	119.00	3	Horizontal	355	1.33	-	32.20	5.59	43.12			
PK	5.9G	75.31	126.53	-51.22	80.38	3	Horizontal	355	1.33	-	32.40	5.62	43.09			
RMS	6.0835G	42.82	88.20	-45.38	47.52	3	Horizontal	355	1.33	-	32.53	5.77	43.00			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5845MHz_TX




EUT_V_4TX
Setting 80
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.69846G	63.34	74.00	-10.66	56.20	3	Vertical	3	1.80	-	39.60	10.62	43.08			
AV	11.69768G	46.55	54.00	-7.45	39.41	3	Vertical	3	1.80	-	39.60	10.62	43.08			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5845MHz_TX




EUT_V_4TX
Setting 80
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.68919G	68.68	74.00	-5.32	61.53	3	Horizontal	312	2.73	-	39.62	10.61	43.08			
AV	11.68925G	53.83	54.00	-0.17	46.68	3	Horizontal	312	2.73	-	39.62	10.61	43.08			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5865MHz_TX




EUT_Y_4TX
Setting 94
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6225G	67.83	68.20	-0.37	73.78	3	Vertical	353	2.34	-	31.74	5.55	43.24			
PK	5.8585G	118.27	Inf	-Inf	123.55	3	Vertical	353	2.34	-	32.23	5.60	43.11			
RMS	5.8585G	113.46	Inf	-Inf	118.74	3	Vertical	353	2.34	-	32.23	5.60	43.11			
PK	5.8975G	85.72	128.37	-42.65	90.80	3	Vertical	353	2.34	-	32.39	5.62	43.09			
RMS	5.8985G	68.35	107.63	-39.28	73.43	3	Vertical	353	2.34	-	32.39	5.62	43.09			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5865MHz_TX




EUT_Y_4TX
Setting 94
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.636G	61.33	68.20	-6.87	67.24	3	Horizontal	356	1.08	-	31.77	5.55	43.23			
PK	5.858G	118.27	Inf	-Inf	123.55	3	Horizontal	356	1.08	-	32.23	5.60	43.11			
RMS	5.8575G	113.90	Inf	-Inf	119.18	3	Horizontal	356	1.08	-	32.23	5.60	43.11			
PK	5.9145G	73.33	115.90	-42.57	78.38	3	Horizontal	356	1.08	-	32.40	5.63	43.08			
RMS	5.897G	70.46	108.73	-38.27	75.54	3	Horizontal	356	1.08	-	32.39	5.62	43.09			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5865MHz_TX




EUT_V_4TX
Setting 74
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.73303G	68.45	74.00	-5.55	61.52	3	Vertical	342	1.02	-	39.34	10.65	43.06			
AV	11.73252G	53.82	54.00	-0.18	46.89	3	Vertical	342	1.02	-	39.34	10.65	43.06			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5865MHz_TX




EUT_Y_4TX
Setting 74
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.73483G	69.80	74.00	-4.20	62.88	3	Horizontal	319	2.79	-	39.32	10.65	43.05			
AV	11.73357G	53.89	54.00	-0.11	46.97	3	Horizontal	319	2.79	-	39.33	10.65	43.06			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX


5885MHz_TX

EUT_Y_4TX
Setting 104
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6432G	68.12	68.20	-0.08	74.01	3	Vertical	353	2.34	-	31.79	5.55	43.23			
PK	5.8784G	118.30	Inf	-Inf	123.48	3	Vertical	353	2.34	-	32.31	5.61	43.10			
RMS	5.8784G	113.43	Inf	-Inf	118.61	3	Vertical	353	2.34	-	32.31	5.61	43.10			
PK	5.8982G	103.37	127.85	-24.48	108.45	3	Vertical	353	2.34	-	32.39	5.62	43.09			
RMS	5.8988G	91.37	107.41	-16.04	96.44	3	Vertical	353	2.34	-	32.40	5.62	43.09			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5885MHz_TX




EUT_Y_4TX
Setting 104
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6378G	64.30	68.20	-3.90	70.20	3	Horizontal	358	1.11	-	31.78	5.55	43.23			
PK	5.8874G	118.26	Inf	-Inf	123.38	3	Horizontal	358	1.11	-	32.35	5.62	43.09			
RMS	5.8778G	113.21	Inf	-Inf	118.39	3	Horizontal	358	1.11	-	32.31	5.61	43.10			
PK	5.8982G	104.46	127.85	-23.39	109.54	3	Horizontal	358	1.11	-	32.39	5.62	43.09			
RMS	5.897G	94.12	108.73	-14.61	99.20	3	Horizontal	358	1.11	-	32.39	5.62	43.09			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5885MHz_TX




EUT_V_4TX
Setting 68
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.77165G	66.22	74.00	-7.78	59.46	3	Vertical	352	1.80	-	39.11	10.68	43.03			
AV	11.77189G	50.43	54.00	-3.57	43.67	3	Vertical	352	1.80	-	39.11	10.68	43.03			

5.725-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5885MHz_TX




EUT_V_4TX
Setting 68
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.76991G	70.19	74.00	-3.81	63.43	3	Horizontal	309	2.32	-	39.12	10.67	43.03			
AV	11.76976G	53.83	54.00	-0.17	47.07	3	Horizontal	309	2.32	-	39.12	10.67	43.03			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5845MHz_TX




EUT Y_4TX
Setting 91
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.629G	65.28	68.20	-2.92	71.21	3	Vertical	347	2.15	-	31.76	5.55	43.24			
PK	5.8366G	118.10	Inf	-Inf	123.44	3	Vertical	347	2.15	-	32.20	5.58	43.12			
RMS	5.8366G	112.53	Inf	-Inf	117.87	3	Vertical	347	2.15	-	32.20	5.58	43.12			
PK	5.9068G	69.92	121.55	-51.63	74.97	3	Vertical	347	2.15	-	32.40	5.63	43.08			
RMS	6.0676G	42.74	88.20	-45.46	47.43	3	Vertical	347	2.15	-	32.56	5.76	43.01			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5845MHz_TX




EUT_Y_4TX
Setting 91
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.92	68.20	-0.28	73.81	3	Horizontal	356	1.14	-	31.79	5.55	43.23
PK	5.8456G	118.15	Inf	-Inf	123.48	3	Horizontal	356	1.14	-	32.20	5.59	43.12
RMS	5.8414G	113.06	Inf	-Inf	118.39	3	Horizontal	356	1.14	-	32.20	5.59	43.12
PK	5.9044G	77.23	123.31	-46.08	82.28	3	Horizontal	356	1.14	-	32.40	5.63	43.08
RMS	6.0736G	42.73	88.20	-45.47	47.42	3	Horizontal	356	1.14	-	32.55	5.76	43.00

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5845MHz_TX

EUT_V_4TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.68817G	64.56	74.00	-9.44	57.41	3	Vertical	342	1.26	-	39.62	10.61	43.08			
AV	11.69309G	49.33	54.00	-4.67	42.18	3	Vertical	342	1.26	-	39.61	10.62	43.08			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5845MHz_TX

EUT_Y_4TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.69006G	68.87	74.00	-5.13	61.72	3	Horizontal	311	2.75	-	39.62	10.61	43.08			
AV	11.68991G	53.80	54.00	-0.20	46.65	3	Horizontal	311	2.75	-	39.62	10.61	43.08			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5865MHz_TX




EUT Y_4TX
Setting 91
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6245G	68.01	68.20	-0.19	73.95	3	Vertical	352	2.36	-	31.75	5.55	43.24			
PK	5.867G	118.17	Inf	-Inf	123.40	3	Vertical	352	2.36	-	32.27	5.60	43.10			
RMS	5.857G	112.68	Inf	-Inf	117.96	3	Vertical	352	2.36	-	32.23	5.60	43.11			
PK	5.897G	89.97	128.73	-38.76	95.05	3	Vertical	352	2.36	-	32.39	5.62	43.09			
RMS	5.907G	64.17	101.40	-37.23	69.22	3	Vertical	352	2.36	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5865MHz_TX




EUT_Y_4TX
Setting 91
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6265G	63.88	68.20	-4.32	69.82	3	Horizontal	356	1.18	-	31.75	5.55	43.24			
PK	5.862G	118.24	Inf	-Inf	123.50	3	Horizontal	356	1.18	-	32.25	5.60	43.11			
RMS	5.8565G	112.87	Inf	-Inf	118.15	3	Horizontal	356	1.18	-	32.23	5.60	43.11			
PK	5.9135G	73.87	116.63	-42.76	78.92	3	Horizontal	356	1.18	-	32.40	5.63	43.08			
RMS	5.8965G	71.41	109.10	-37.69	76.49	3	Horizontal	356	1.18	-	32.39	5.62	43.09			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5865MHz_TX




EUT_V_4TX
Setting 79
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.73027G	66.51	74.00	-7.49	59.57	3	Vertical	347	1.50	-	39.36	10.64	43.06			
AV	11.73024G	52.13	54.00	-1.87	45.19	3	Vertical	347	1.50	-	39.36	10.64	43.06			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5865MHz_TX

EUT_Y_4TX
Setting 79
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.73603G	67.99	74.00	-6.01	61.08	3	Horizontal	23	1.80	-	39.31	10.65	43.05			
AV	11.73117G	53.94	54.00	-0.06	47.01	3	Horizontal	23	1.80	-	39.35	10.64	43.06			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5885MHz_TX




EUT Y_4TX
Setting 92
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.649G	65.13	68.20	-3.07	71.01	3	Vertical	351	2.33	-	31.80	5.55	43.23			
PK	5.879G	118.50	Inf	-Inf	123.67	3	Vertical	351	2.33	-	32.32	5.61	43.10			
RMS	5.877G	112.80	Inf	-Inf	117.98	3	Vertical	351	2.33	-	32.31	5.61	43.10			
PK	5.898G	103.51	128.00	-24.49	108.59	3	Vertical	351	2.33	-	32.39	5.62	43.09			
RMS	5.895G	93.49	110.20	-16.71	98.58	3	Vertical	351	2.33	-	32.38	5.62	43.09			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5885MHz_TX




EUT_Y_4TX
Setting 92
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6505G	68.46	68.57	-0.11	74.34	3	Horizontal	360	1.23	-	31.80	5.55	43.23			
PK	5.8865G	118.38	Inf	-Inf	123.50	3	Horizontal	360	1.23	-	32.35	5.62	43.09			
RMS	5.8765G	112.50	Inf	-Inf	117.68	3	Horizontal	360	1.23	-	32.31	5.61	43.10			
PK	5.895G	108.05	130.20	-22.15	113.14	3	Horizontal	360	1.23	-	32.38	5.62	43.09			
RMS	5.895G	94.70	130.20	-35.50	99.79	3	Horizontal	360	1.23	-	32.38	5.62	43.09			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5885MHz_TX

EUT_Y_4TX
Setting 71
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.77084G	68.05	74.00	-5.95	61.29	3	Vertical	343	1.44	-	39.12	10.67	43.03			
AV	11.77045G	53.12	54.00	-0.88	46.36	3	Vertical	343	1.44	-	39.12	10.67	43.03			

5.725-5.895GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5885MHz_TX

EUT_Y_4TX
Setting 71
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.77594G	68.81	74.00	-5.19	62.06	3	Horizontal	19	2.10	-	39.10	10.68	43.03			
AV	11.77138G	53.91	54.00	-0.09	47.15	3	Horizontal	19	2.10	-	39.11	10.68	43.03			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5835MHz_TX




EUT_Y_4TX
Setting 94
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	66.73	68.20	-1.47	72.61	3	Vertical	350	2.25	-	31.80	5.55	43.23			
PK	5.832G	118.25	Inf	-Inf	123.59	3	Vertical	350	2.25	-	32.20	5.58	43.12			
RMS	5.8315G	111.32	Inf	-Inf	116.66	3	Vertical	350	2.25	-	32.20	5.58	43.12			
PK	5.916G	70.77	114.80	-44.03	75.81	3	Vertical	350	2.25	-	32.40	5.64	43.08			
RMS	5.912G	62.11	97.73	-35.62	67.16	3	Vertical	350	2.25	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5835MHz_TX




EUT Y_4TX
Setting 94
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.652G	69.48	69.68	-0.20	75.34	3	Horizontal	356	1.19	-	31.81	5.55	43.22			
PK	5.8265G	118.32	Inf	-Inf	123.67	3	Horizontal	356	1.19	-	32.20	5.58	43.13			
RMS	5.8315G	112.10	Inf	-Inf	117.44	3	Horizontal	356	1.19	-	32.20	5.58	43.12			
PK	5.9065G	82.17	121.77	-39.60	87.22	3	Horizontal	356	1.19	-	32.40	5.63	43.08			
RMS	5.9165G	61.99	114.43	-52.44	67.03	3	Horizontal	356	1.19	-	32.40	5.64	43.08			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5835MHz_TX

EUT_Y_4TX
Setting 88
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66742G	62.67	74.00	-11.33	55.50	3	Vertical	304	1.80	-	39.67	10.60	43.10			
AV	11.67243G	48.14	54.00	-5.86	40.97	3	Vertical	304	1.80	-	39.66	10.60	43.09			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5835MHz_TX

EUT_Y_4TX
Setting 88
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.67438G	67.79	74.00	-6.21	60.63	3	Horizontal	309	2.49	-	39.65	10.60	43.09			
AV	11.66901G	53.99	54.00	-0.01	46.83	3	Horizontal	309	2.49	-	39.66	10.60	43.10			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5875MHz_TX




EUT_Y_4TX
Setting 96
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6356G	65.55	68.20	-2.65	71.46	3	Vertical	354	2.33	-	31.77	5.55	43.23			
PK	5.872G	118.20	Inf	-Inf	123.40	3	Vertical	354	2.33	-	32.29	5.61	43.10			
RMS	5.8666G	110.65	Inf	-Inf	115.88	3	Vertical	354	2.33	-	32.27	5.60	43.10			
PK	5.9116G	92.23	118.03	-25.80	97.28	3	Vertical	354	2.33	-	32.40	5.63	43.08			
RMS	5.9068G	84.67	101.55	-16.88	89.72	3	Vertical	354	2.33	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5875MHz_TX




EUT_Y_4TX
Setting 96
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.629G	68.18	68.20	-0.02	74.11	3	Horizontal	357	1.19	-	31.76	5.55	43.24			
PK	5.8816G	118.25	Inf	-Inf	123.41	3	Horizontal	357	1.19	-	32.33	5.61	43.10			
RMS	5.8666G	111.11	Inf	-Inf	116.34	3	Horizontal	357	1.19	-	32.27	5.60	43.10			
PK	5.9122G	93.44	117.59	-24.15	98.49	3	Horizontal	357	1.19	-	32.40	5.63	43.08			
RMS	5.9116G	82.54	98.03	-15.49	87.59	3	Horizontal	357	1.19	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5875MHz_TX




EUT_V_4TX
Setting 80
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.75042G	66.35	74.00	-7.65	59.53	3	Vertical	320	3.00	-	39.20	10.66	43.04			
AV	11.75081G	52.68	54.00	-1.32	45.86	3	Vertical	320	3.00	-	39.20	10.66	43.04			

5.725-5.895GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5875MHz_TX

EUT_Y_4TX
Setting 80
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.74649G	68.31	74.00	-5.69	61.47	3	Horizontal	15	2.13	-	39.23	10.66	43.05			
AV	11.75177G	53.70	54.00	-0.30	46.89	3	Horizontal	15	2.13	-	39.19	10.66	43.04			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5855MHz_TX




EUT_Y_4TX
Setting 90
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.651G	67.00	68.94	-1.94	72.88	3	Vertical	352	2.36	-	31.80	5.55	43.23			
PK	5.8514G	117.60	Inf	-Inf	122.91	3	Vertical	352	2.36	-	32.21	5.59	43.11			
RMS	5.8418G	107.25	Inf	-Inf	112.58	3	Vertical	352	2.36	-	32.20	5.59	43.12			
PK	5.9174G	84.74	113.77	-29.03	89.78	3	Vertical	352	2.36	-	32.40	5.64	43.08			
RMS	5.912G	77.37	97.73	-20.36	82.42	3	Vertical	352	2.36	-	32.40	5.63	43.08			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5855MHz_TX




EUT_Y_4TX
Setting 90
04-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6474G	67.99	68.20	-0.21	73.88	3	Horizontal	357	1.26	-	31.79	5.55	43.23			
PK	5.8514G	117.83	Inf	-Inf	123.14	3	Horizontal	357	1.26	-	32.21	5.59	43.11			
RMS	5.8418G	107.90	Inf	-Inf	113.23	3	Horizontal	357	1.26	-	32.20	5.59	43.12			
PK	5.9174G	85.94	113.77	-27.83	90.98	3	Horizontal	357	1.26	-	32.40	5.64	43.08			
RMS	5.9168G	75.23	114.21	-38.98	80.27	3	Horizontal	357	1.26	-	32.40	5.64	43.08			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5855MHz_TX




EUT_Y_4TX
Setting 90
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.7241G	62.02	74.00	-11.98	55.03	3	Vertical	31	1.99	-	39.41	10.64	43.06			
AV	11.72353G	48.85	54.00	-5.15	41.86	3	Vertical	31	1.99	-	39.41	10.64	43.06			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5855MHz_TX




EUT_V_4TX
Setting 90
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.72389G	67.93	74.00	-6.07	60.94	3	Horizontal	15	2.14	-	39.41	10.64	43.06			
AV	11.71669G	53.09	54.00	-0.91	46.06	3	Horizontal	15	2.14	-	39.47	10.63	43.07			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5815MHz_TX




EUT_Y_4TX
Setting 66
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	52.47	74.00	-21.53	58.54	3	Vertical	353	2.32	-	31.73	5.56	43.36
AV	5.4598G	42.06	54.00	-11.94	48.12	3	Vertical	353	2.32	-	31.74	5.56	43.36
PK	5.6454G	64.20	68.20	-4.00	70.09	3	Vertical	353	2.32	-	31.79	5.55	43.23
PK	5.7718G	108.79	Inf	-Inf	114.25	3	Vertical	353	2.32	-	32.14	5.56	43.16
RMS	5.7566G	98.85	Inf	-Inf	104.35	3	Vertical	353	2.32	-	32.11	5.56	43.17
PK	5.895G	83.42	130.20	-46.78	88.51	3	Vertical	353	2.32	-	32.38	5.62	43.09
RMS	5.9222G	50.04	90.25	-40.21	55.07	3	Vertical	353	2.32	-	32.40	5.64	43.07

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5815MHz_TX

EUT_Y_4TX
Setting 66
04-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4534G	53.13	74.00	-20.87	59.22	3	Horizontal	357	1.16	-	31.71	5.56	43.36			
AV	5.455G	42.21	54.00	-11.79	48.29	3	Horizontal	357	1.16	-	31.72	5.56	43.36			
PK	5.6302G	66.56	68.20	-1.64	72.49	3	Horizontal	357	1.16	-	31.76	5.55	43.24			
PK	5.7558G	109.93	Inf	-Inf	115.43	3	Horizontal	357	1.16	-	32.11	5.56	43.17			
RMS	5.7558G	99.73	Inf	-Inf	105.23	3	Horizontal	357	1.16	-	32.11	5.56	43.17			
PK	5.895G	85.14	130.20	-45.06	90.23	3	Horizontal	357	1.16	-	32.38	5.62	43.09			
RMS	5.9214G	52.18	90.84	-38.66	57.21	3	Horizontal	357	1.16	-	32.40	5.64	43.07			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5815MHz_TX

EUT_V_4TX
Setting 66
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.64071G	50.22	74.00	-23.78	43.01	3	Vertical	340	1.11	-	39.74	10.58	43.11			
AV	11.64104G	36.80	54.00	-17.20	29.59	3	Vertical	340	1.11	-	39.74	10.58	43.11			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5815MHz_TX

EUT_Y_4TX
Setting 66
04-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.6417G	50.45	74.00	-23.55	43.25	3	Horizontal	306	2.18	-	39.73	10.58	43.11			
AV	11.64158G	37.73	54.00	-16.27	30.53	3	Horizontal	306	2.18	-	39.73	10.58	43.11			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	PK	5.6068G	67.88	68.20	-0.32	3	Horizontal	214	2.87	-

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5855MHz_TX

EUT_Z_4TX
Setting 83
04-V-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.645G	54.36	68.20	-13.84	59.06	3	Vertical	139	2.73	-	32.98	5.55	43.23			
PK	5.8406G	103.26	Inf	-Inf	106.91	3	Vertical	139	2.73	-	33.88	5.59	43.12			
AV	5.8406G	94.06	Inf	-Inf	97.71	3	Vertical	139	2.73	-	33.88	5.59	43.12			
PK	5.8982G	80.07	127.85	-47.78	83.45	3	Vertical	139	2.73	-	34.09	5.62	43.09			
RMS	5.9162G	53.68	94.65	-40.97	57.02	3	Vertical	139	2.73	-	34.10	5.64	43.08			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5855MHz_TX

EUT_Z_4TX
Setting 83
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.642G	66.82	68.20	-1.38	71.53	3	Horizontal	222	2.23	-	32.97	5.55	43.23			
PK	5.843G	116.70	Inf	-Inf	120.34	3	Horizontal	222	2.23	-	33.89	5.59	43.12			
AV	5.843G	106.94	Inf	-Inf	110.58	3	Horizontal	222	2.23	-	33.89	5.59	43.12			
PK	5.9012G	93.55	125.65	-32.10	96.91	3	Horizontal	222	2.23	-	34.10	5.63	43.09			
RMS	5.9132G	70.85	96.85	-26.00	74.20	3	Horizontal	222	2.23	-	34.10	5.63	43.08			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5855MHz_TX

EUT_Y_4TX
Setting 83
04-V-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.72424G	63.28	74.00	-10.72	57.00	3	Vertical	43	2.35	-	38.70	10.64	43.06			
AV	11.72904G	52.28	54.00	-1.72	46.00	3	Vertical	43	2.35	-	38.70	10.64	43.06			
PK	17.60076G	47.73	108.20	-60.47	33.19	3	Vertical	240	1.02	-	40.10	16.52	42.08			
RMS	17.60148G	36.12	88.20	-52.08	21.57	3	Vertical	240	1.02	-	40.11	16.52	42.08			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5855MHz_TX

EUT_Y_4TX
Setting 83
04-V-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.70992G	62.99	74.00	-11.01	56.73	3	Horizontal	3	2.92	-	38.70	10.63	43.07			
AV	11.71936G	51.08	54.00	-2.92	44.80	3	Horizontal	3	2.92	-	38.70	10.64	43.06			
PK	17.53156G	47.43	108.20	-60.77	33.32	3	Horizontal	236	2.61	-	39.82	16.49	42.20			
RMS	17.60252G	36.49	88.20	-51.71	21.93	3	Horizontal	236	2.61	-	40.12	16.52	42.08			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

5815MHz_TX




EUT_Z_4TX
Setting 65
04-V-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.65G	56.25	68.20	-11.95	60.93	3	Vertical	101	3.00	-	33.00	5.55	43.23			
PK	5.8324G	97.70	Inf	-Inf	101.38	3	Vertical	101	3.00	-	33.86	5.58	43.12			
AV	5.7976G	88.46	Inf	-Inf	92.25	3	Vertical	101	3.00	-	33.79	5.56	43.14			
PK	6.097G	55.52	108.20	-52.68	58.62	3	Vertical	101	3.00	-	34.11	5.79	43.00			
RMS	6.1138G	44.40	88.20	-43.80	47.46	3	Vertical	101	3.00	-	34.13	5.80	42.99			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


5815MHz_TX

EUT_Z_4TX
Setting 65
04-V-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6464G	66.77	68.20	-1.43	71.46	3	Horizontal	211	2.92	-	32.99	5.55	43.23			
PK	5.7964G	109.00	Inf	-Inf	112.80	3	Horizontal	211	2.92	-	33.78	5.56	43.14			
AV	5.7514G	99.55	Inf	-Inf	103.65	3	Horizontal	211	2.92	-	33.51	5.56	43.17			
PK	5.8954G	80.61	129.91	-49.30	84.00	3	Horizontal	211	2.92	-	34.08	5.62	43.09			
RMS	5.926G	45.62	88.20	-42.58	48.95	3	Horizontal	211	2.92	-	34.10	5.64	43.07			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


5815MHz_TX

EUT_Y_4TX
Setting 65
04-V-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65664G	47.11	74.00	-26.89	41.09	3	Vertical	314	1.95	-	38.53	10.59	43.10			
AV	11.64616G	37.10	54.00	-16.90	31.12	3	Vertical	314	1.95	-	38.51	10.58	43.11			
PK	17.46236G	45.74	108.20	-62.46	32.10	3	Vertical	107	2.51	-	39.42	16.47	42.25			
RMS	17.41356G	35.05	88.20	-53.15	21.46	3	Vertical	107	2.51	-	39.40	16.45	42.26			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


5815MHz_TX

EUT_Y_4TX
Setting 65
04-V-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64285G	45.94	74.00	-28.06	39.96	3	Horizontal	46	2.94	-	38.51	10.58	43.11			
AV	11.6479G	34.52	54.00	-19.48	28.55	3	Horizontal	46	2.94	-	38.50	10.58	43.11			
PK	17.43025G	47.62	108.20	-60.58	34.03	3	Horizontal	45	1.05	-	39.40	16.45	42.26			
RMS	17.4225G	35.93	88.20	-52.27	22.34	3	Horizontal	45	1.05	-	39.40	16.45	42.26			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5815MHz_TX




EUT_Z_4TX
Setting 66
04-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6428G	57.56	68.20	-10.64	62.27	3	Vertical	102	3.00	-	32.97	5.55	43.23			
PK	5.7922G	98.68	Inf	-Inf	102.52	3	Vertical	102	3.00	-	33.75	5.56	43.15			
AV	5.7976G	89.11	Inf	-Inf	92.90	3	Vertical	102	3.00	-	33.79	5.56	43.14			
PK	6.022G	55.48	108.20	-52.72	58.65	3	Vertical	102	3.00	-	34.14	5.71	43.02			
RMS	6.0484G	44.32	88.20	-43.88	47.39	3	Vertical	102	3.00	-	34.20	5.74	43.01			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5815MHz_TX




EUT_Z_4TX
Setting 66
04-V-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6068G	67.88	68.20	-0.32	72.75	3	Horizontal	214	2.87	-	32.83	5.55	43.25			
PK	5.761G	110.16	Inf	-Inf	114.19	3	Horizontal	214	2.87	-	33.57	5.56	43.16			
AV	5.7562G	100.38	Inf	-Inf	104.45	3	Horizontal	214	2.87	-	33.54	5.56	43.17			
PK	5.8954G	85.84	129.91	-44.07	89.23	3	Horizontal	214	2.87	-	34.08	5.62	43.09			
RMS	5.926G	45.74	88.20	-42.46	49.07	3	Horizontal	214	2.87	-	34.10	5.64	43.07			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5815MHz_TX

EUT_Y_4TX
Setting 66
04-V-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.62985G	55.47	74.00	-18.53	49.48	3	Vertical	41	2.34	-	38.54	10.57	43.12			
AV	11.62985G	41.24	54.00	-12.76	35.25	3	Vertical	41	2.34	-	38.54	10.57	43.12			
PK	17.4432G	46.95	108.20	-61.25	33.34	3	Vertical	-0	2.97	-	39.40	16.46	42.25			
RMS	17.42395G	35.25	88.20	-52.95	21.66	3	Vertical	-0	2.97	-	39.40	16.45	42.26			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5815MHz_TX

EUT_Y_4TX
Setting 66
04-V-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6464G	47.39	74.00	-26.61	41.41	3	Horizontal	44	1.84	-	38.51	10.58	43.11			
AV	11.64635G	35.91	54.00	-18.09	29.93	3	Horizontal	44	1.84	-	38.51	10.58	43.11			
PK	17.4513G	45.87	108.20	-62.33	32.26	3	Horizontal	2	1.11	-	39.40	16.46	42.25			
RMS	17.42465G	35.74	88.20	-52.46	22.15	3	Horizontal	2	1.11	-	39.40	16.45	42.26			



Test Mode: Mode 6

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.6385G	67.97	68.20	-0.23	3	Vertical	13	2.19	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	PK	5.6446G	68.19	68.20	-0.01	3	Horizontal	5	2.21	-

Result

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5855MHz											
802.11be EHT80_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	PK	5.6385G	67.97	68.20	-0.23	3	Vertical	13	2.19	-
5855MHz	Pass	PK	5.8475G	118.85	Inf	-Inf	3	Vertical	13	2.19	-
5855MHz	Pass	AV	5.8275G	109.35	Inf	-Inf	3	Vertical	13	2.19	-
5855MHz	Pass	PK	5.91G	88.12	119.20	-31.08	3	Vertical	13	2.19	-
5855MHz	Pass	AV	5.895G	82.84	110.20	-27.36	3	Vertical	13	2.19	-
5855MHz	Pass	PK	5.6415G	67.34	68.20	-0.86	3	Horizontal	354	1.34	-
5855MHz	Pass	PK	5.839G	119.59	Inf	-Inf	3	Horizontal	354	1.34	-
5855MHz	Pass	AV	5.8435G	109.09	Inf	-Inf	3	Horizontal	354	1.34	-
5855MHz	Pass	PK	5.895G	99.75	130.20	-30.45	3	Horizontal	354	1.34	-
5855MHz	Pass	AV	5.895G	86.62	110.20	-23.58	3	Horizontal	354	1.34	-
5855MHz	Pass	PK	11.7082G	59.59	74.00	-14.41	3	Vertical	192	2.08	-
5855MHz	Pass	AV	11.68785G	47.16	54.00	-6.84	3	Vertical	192	2.08	-
5855MHz	Pass	PK	17.5863G	67.34	108.20	-40.86	3	Vertical	288	1.06	-
5855MHz	Pass	RMS	17.584G	54.73	88.20	-33.47	3	Vertical	288	1.06	-
5855MHz	Pass	PK	11.7061G	59.81	74.00	-14.19	3	Horizontal	306	2.94	-
5855MHz	Pass	AV	11.71625G	47.16	54.00	-6.84	3	Horizontal	306	2.94	-
5855MHz	Pass	PK	17.56555G	67.32	108.20	-40.88	3	Horizontal	297	2.32	-
5855MHz	Pass	RMS	17.5865G	54.51	88.20	-33.69	3	Horizontal	297	2.32	-
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5855MHz											
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5815MHz											
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	PK	5.6524G	69.53	69.98	-0.45	3	Vertical	360	1.89	-
5815MHz	Pass	PK	5.7832G	111.82	Inf	-Inf	3	Vertical	360	1.89	-
5815MHz	Pass	AV	5.7886G	102.45	Inf	-Inf	3	Vertical	360	1.89	-
5815MHz	Pass	PK	5.8954G	88.83	129.91	-41.08	3	Vertical	360	1.89	-
5815MHz	Pass	AV	6.1048G	51.98	88.20	-36.22	3	Vertical	360	1.89	-
5815MHz	Pass	PK	5.6446G	68.19	68.20	-0.01	3	Horizontal	5	2.21	-
5815MHz	Pass	PK	5.7904G	113.96	Inf	-Inf	3	Horizontal	5	2.21	-
5815MHz	Pass	AV	5.791G	102.90	Inf	-Inf	3	Horizontal	5	2.21	-
5815MHz	Pass	PK	6.0412G	62.81	108.20	-45.39	3	Horizontal	5	2.21	-
5815MHz	Pass	AV	6.1078G	52.01	88.20	-36.19	3	Horizontal	5	2.21	-
5815MHz	Pass	PK	11.6465G	60.66	74.00	-13.34	3	Vertical	214	1.80	-
5815MHz	Pass	AV	11.6211G	46.97	54.00	-7.03	3	Vertical	214	1.80	-
5815MHz	Pass	PK	17.4271G	67.33	108.20	-40.87	3	Vertical	302	1.82	-
5815MHz	Pass	RMS	17.4338G	54.16	88.20	-34.04	3	Vertical	302	1.82	-
5815MHz	Pass	PK	11.62415G	59.96	74.00	-14.04	3	Horizontal	225	2.16	-
5815MHz	Pass	AV	11.62345G	47.05	54.00	-6.95	3	Horizontal	225	2.16	-
5815MHz	Pass	PK	17.4306G	67.20	108.20	-41.00	3	Horizontal	236	1.18	-
5815MHz	Pass	RMS	17.4239G	54.20	88.20	-34.00	3	Horizontal	236	1.18	-
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5815MHz											
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	PK	5.6368G	67.90	68.20	-0.30	3	Vertical	354	2.27	-
5815MHz	Pass	PK	5.7976G	111.15	Inf	-Inf	3	Vertical	354	2.27	-
5815MHz	Pass	AV	5.797G	102.29	Inf	-Inf	3	Vertical	354	2.27	-
5815MHz	Pass	PK	5.8954G	86.44	129.91	-43.47	3	Vertical	354	2.27	-
5815MHz	Pass	AV	6.1114G	52.01	88.20	-36.19	3	Vertical	354	2.27	-
5815MHz	Pass	PK	5.6404G	67.16	68.20	-1.04	3	Horizontal	0	2.05	-
5815MHz	Pass	PK	5.7412G	111.53	Inf	-Inf	3	Horizontal	0	2.05	-
5815MHz	Pass	AV	5.7958G	101.20	Inf	-Inf	3	Horizontal	0	2.05	-
5815MHz	Pass	PK	6.0868G	63.10	108.20	-45.10	3	Horizontal	0	2.05	-
5815MHz	Pass	AV	6.1132G	52.08	88.20	-36.12	3	Horizontal	0	2.05	-
5815MHz	Pass	PK	11.631G	60.14	74.00	-13.86	3	Vertical	163	1.04	-
5815MHz	Pass	AV	11.6103G	47.02	54.00	-6.98	3	Vertical	163	1.04	-
5815MHz	Pass	PK	17.43075G	67.32	108.20	-40.88	3	Vertical	175	1.94	-
5815MHz	Pass	RMS	17.43395G	54.26	88.20	-33.94	3	Vertical	175	1.94	-




RSE TX above 1GHz

Appendix E.13

5815MHz	Pass	PK	11.61085G	59.58	74.00	-14.42	3	Horizontal	54	1.24	-
5815MHz	Pass	AV	11.61075G	47.06	54.00	-6.94	3	Horizontal	54	1.24	-
5815MHz	Pass	PK	17.4434G	66.57	108.20	-41.63	3	Horizontal	68	1.90	-
5815MHz	Pass	RMS	17.45055G	54.22	88.20	-33.98	3	Horizontal	68	1.90	-
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5815MHz											

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5855MHz_TX




EUT_Y_4TX
Setting 79
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.6385G	67.97	68.20	-0.23	57.02	3	Vertical	13	2.19	-	34.00	7.65	30.70
PK	5.8475G	118.85	Inf	-Inf	107.66	3	Vertical	13	2.19	-	34.01	7.83	30.65
AV	5.8275G	109.35	Inf	-Inf	98.13	3	Vertical	13	2.19	-	34.05	7.82	30.65
PK	5.91G	88.12	119.20	-31.08	76.68	3	Vertical	13	2.19	-	34.20	7.87	30.63
AV	5.895G	82.84	110.20	-27.36	71.44	3	Vertical	13	2.19	-	34.18	7.86	30.64

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5855MHz_TX

EUT Y_4TX
Setting 79
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6415G	67.34	68.20	-0.86	56.38	3	Horizontal	354	1.34	-	34.00	7.66	30.70			
PK	5.839G	119.59	Inf	-Inf	108.39	3	Horizontal	354	1.34	-	34.02	7.83	30.65			
AV	5.8435G	109.09	Inf	-Inf	97.90	3	Horizontal	354	1.34	-	34.01	7.83	30.65			
PK	5.895G	99.75	130.20	-30.45	88.35	3	Horizontal	354	1.34	-	34.18	7.86	30.64			
AV	5.895G	86.62	110.20	-23.58	75.22	3	Horizontal	354	1.34	-	34.18	7.86	30.64			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5855MHz_TX

EUT_Y_4TX
Setting 79
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.7082G	59.59	74.00	-14.41	39.06	3	Vertical	192	2.08	-	39.52	11.89	30.88			
AV	11.68785G	47.16	54.00	-6.84	26.70	3	Vertical	192	2.08	-	39.45	11.88	30.87			
PK	17.5863G	67.34	108.20	-40.86	42.05	3	Vertical	288	1.06	-	44.96	12.62	32.29			
RMS	17.584G	54.73	88.20	-33.47	29.46	3	Vertical	288	1.06	-	44.94	12.62	32.29			

5.725-5.895GHz_802.11be EHT80_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5855MHz_TX

EUT_Y_4TX
Setting 79
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.7061G	59.81	74.00	-14.19	39.29	3	Horizontal	306	2.94	-	39.51	11.89	30.88			
AV	11.71625G	47.16	54.00	-6.84	26.62	3	Horizontal	306	2.94	-	39.53	11.90	30.89			
PK	17.56555G	67.32	108.20	-40.88	42.24	3	Horizontal	297	2.32	-	44.76	12.61	32.29			
RMS	17.5865G	54.51	88.20	-33.69	29.21	3	Horizontal	297	2.32	-	44.97	12.62	32.29			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5815MHz_TX

EUT_Y_4TX
Setting 61
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6524G	69.53	69.98	-0.45	58.55	3	Vertical	360	1.89	-	34.00	7.67	30.69			
PK	5.7832G	111.82	Inf	-Inf	100.63	3	Vertical	360	1.89	-	34.07	7.78	30.66			
AV	5.7886G	102.45	Inf	-Inf	91.24	3	Vertical	360	1.89	-	34.08	7.79	30.66			
PK	5.8954G	88.83	129.91	-41.08	77.43	3	Vertical	360	1.89	-	34.18	7.86	30.64			
AV	6.1048G	51.98	88.20	-36.22	40.10	3	Vertical	360	1.89	-	34.51	8.09	30.72			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5815MHz_TX




EUT_Y_4TX
Setting 61
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6446G	68.19	68.20	-0.01	57.23	3	Horizontal	5	2.21	-	34.00	7.66	30.70			
PK	5.7904G	113.96	Inf	-Inf	102.75	3	Horizontal	5	2.21	-	34.08	7.79	30.66			
AV	5.791G	102.90	Inf	-Inf	91.69	3	Horizontal	5	2.21	-	34.08	7.79	30.66			
PK	6.0412G	62.81	108.20	-45.39	51.17	3	Horizontal	5	2.21	-	34.30	7.99	30.65			
AV	6.1078G	52.01	88.20	-36.19	40.11	3	Horizontal	5	2.21	-	34.52	8.10	30.72			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5815MHz_TX

EUT_Y_4TX
Setting 61
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6465G	60.66	74.00	-13.34	40.33	3	Vertical	214	1.80	-	39.30	11.86	30.83			
AV	11.6211G	46.97	54.00	-7.03	26.64	3	Vertical	214	1.80	-	39.30	11.84	30.81			
PK	17.4271G	67.33	108.20	-40.87	43.53	3	Vertical	302	1.82	-	43.52	12.55	32.27			
RMS	17.4338G	54.16	88.20	-34.04	30.32	3	Vertical	302	1.82	-	43.57	12.55	32.28			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5815MHz_TX

EUT_Y_4TX
Setting 61
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.62415G	59.96	74.00	-14.04	39.63	3	Horizontal	225	2.16	-	39.30	11.84	30.81			
AV	11.62345G	47.05	54.00	-6.95	26.72	3	Horizontal	225	2.16	-	39.30	11.84	30.81			
PK	17.4306G	67.20	108.20	-41.00	43.39	3	Horizontal	236	1.18	-	43.54	12.55	32.28			
RMS	17.4239G	54.20	88.20	-34.00	30.43	3	Horizontal	236	1.18	-	43.49	12.55	32.27			

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5815MHz_TX




EUT_Y_4TX
Setting 61
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6368G	67.90	68.20	-0.30	56.95	3	Vertical	354	2.27	-	34.00	7.65	30.70				
PK	5.7976G	111.15	Inf	-Inf	99.91	3	Vertical	354	2.27	-	34.10	7.80	30.66				
AV	5.797G	102.29	Inf	-Inf	91.06	3	Vertical	354	2.27	-	34.09	7.80	30.66				
PK	5.8954G	86.44	129.91	-43.47	75.04	3	Vertical	354	2.27	-	34.18	7.86	30.64				
AV	6.1114G	52.01	88.20	-36.19	40.12	3	Vertical	354	2.27	-	34.52	8.10	30.73				

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX


5815MHz_TX

EUT_Y_4TX
Setting 61
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6404G	67.16	68.20	-1.04	56.20	3	Horizontal	0	2.05	-	34.00	7.66	30.70
PK	5.7412G	111.53	Inf	-Inf	100.45	3	Horizontal	0	2.05	-	34.00	7.75	30.67
AV	5.7958G	101.20	Inf	-Inf	89.97	3	Horizontal	0	2.05	-	34.09	7.80	30.66
PK	6.0868G	63.10	108.20	-45.10	51.29	3	Horizontal	0	2.05	-	34.45	8.06	30.70
AV	6.1132G	52.08	88.20	-36.12	40.17	3	Horizontal	0	2.05	-	34.53	8.11	30.73

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5815MHz_TX




EUT_Y_4TX
Setting 61
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.631G	60.14	74.00	-13.86	39.81	3	Vertical	163	1.04	-	39.30	11.85	30.82				
AV	11.6103G	47.02	54.00	-6.98	26.69	3	Vertical	163	1.04	-	39.30	11.83	30.80				
PK	17.43075G	67.32	108.20	-40.88	43.50	3	Vertical	175	1.94	-	43.55	12.55	32.28				
RMS	17.43395G	54.26	88.20	-33.94	30.42	3	Vertical	175	1.94	-	43.57	12.55	32.28				

5.725-5.895GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5815MHz_TX

EUT_Y_4TX
Setting 61
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.61085G	59.58	74.00	-14.42	39.25	3	Horizontal	54	1.24	-	39.30	11.83	30.80			
AV	11.61075G	47.06	54.00	-6.94	26.73	3	Horizontal	54	1.24	-	39.30	11.83	30.80			
PK	17.4434G	66.57	108.20	-41.63	42.64	3	Horizontal	68	1.90	-	43.65	12.56	32.28			
RMS	17.45055G	54.22	88.20	-33.98	30.23	3	Horizontal	68	1.90	-	43.71	12.56	32.28			