


For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5230MHz_TX



EUT_Y_4TX
Setting 70
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.58	74.00	-13.42	55.42	3	Vertical	36	2.90	-	33.90	6.03	34.77
AV	5.15G	48.62	54.00	-5.38	43.46	3	Vertical	36	2.90	-	33.90	6.03	34.77
PK	5.2354G	110.40	Inf	-Inf	105.14	3	Vertical	36	2.90	-	34.01	6.08	34.83
AV	5.2354G	99.20	Inf	-Inf	93.94	3	Vertical	36	2.90	-	34.01	6.08	34.83
PK	5.3788G	58.73	74.00	-15.27	53.38	3	Vertical	36	2.90	-	34.28	6.01	34.94
AV	5.3674G	47.27	54.00	-6.73	41.91	3	Vertical	36	2.90	-	34.27	6.02	34.93

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5230MHz_TX



EUT Y_4TX
Setting 70
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.149G	68.53	74.00	-5.47	63.37	3	Horizontal	50	1.87	-	33.90	6.03	34.77	
AV	5.149G	53.71	54.00	-0.29	48.55	3	Horizontal	50	1.87	-	33.90	6.03	34.77	
PK	5.2192G	117.87	Inf	-Inf	112.64	3	Horizontal	50	1.87	-	33.96	6.09	34.82	
AV	5.2246G	106.91	Inf	-Inf	101.68	3	Horizontal	50	1.87	-	33.97	6.09	34.83	
PK	5.3506G	61.18	74.00	-12.82	55.83	3	Horizontal	50	1.87	-	34.25	6.02	34.92	
AV	5.3524G	48.43	54.00	-5.57	43.08	3	Horizontal	50	1.87	-	34.25	6.02	34.92	

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5230MHz_TX



EUT Y_4TX
Setting 70
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.6911G	59.52	74.00	-14.48	44.43	3	Vertical	215	1.45	-	38.43	11.62	34.96	
AV	15.69422G	46.75	54.00	-7.25	31.68	3	Vertical	215	1.45	-	38.42	11.62	34.97	

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5230MHz_TX



EUT Y_4TX
Setting 70
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68648G	59.04	74.00	-14.96	43.94	3	Horizontal	339	1.29	-	38.44	11.62	34.96
AV	15.69352G	46.84	54.00	-7.16	31.77	3	Horizontal	339	1.29	-	38.42	11.62	34.97

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5755MHz_TX



EUT_Y_4TX
Setting 87
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	59.61	68.20	-8.59	54.01	3	Vertical	337	1.87	-	34.27	6.30	34.97
PK	5.769G	108.48	Inf	-Inf	102.92	3	Vertical	337	1.87	-	34.20	6.30	34.94
AV	5.769G	97.84	Inf	-Inf	92.28	3	Vertical	337	1.87	-	34.20	6.30	34.94
PK	5.927G	58.84	68.20	-9.36	52.89	3	Vertical	337	1.87	-	34.48	6.36	34.89

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5755MHz_TX



EUT Y_4TX
Setting 87
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	68.10	68.20	-0.10	62.51	3	Horizontal	305	2.12	-	34.26	6.30	34.97
PK	5.753G	118.46	Inf	-Inf	112.90	3	Horizontal	305	2.12	-	34.20	6.30	34.94
AV	5.758G	108.42	Inf	-Inf	102.86	3	Horizontal	305	2.12	-	34.20	6.30	34.94
PK	5.924G	63.96	68.94	-4.98	58.02	3	Horizontal	305	2.12	-	34.47	6.36	34.89

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5755MHz_TX



EUT_Y_4TX
Setting 87
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50352G	57.43	74.00	-16.57	41.53	3	Vertical	191	2.35	-	38.75	11.83	34.68
AV	11.4984G	45.50	54.00	-8.50	29.60	3	Vertical	191	2.35	-	38.75	11.83	34.68
PK	17.258G	64.90	68.20	-3.30	46.38	3	Vertical	0	3.00	-	41.24	11.85	34.57

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5755MHz_TX



EUT Y_4TX
Setting 87
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50456G	58.50	74.00	-15.50	42.59	3	Horizontal	157	2.18	-	38.75	11.84	34.68
AV	11.4992G	45.56	54.00	-8.44	29.66	3	Horizontal	157	2.18	-	38.75	11.83	34.68
PK	17.2473G	63.36	68.20	-4.84	44.90	3	Horizontal	289	1.80	-	41.19	11.85	34.58

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5795MHz_TX



EUT_V_4TX
Setting 89
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	58.83	68.20	-9.37	53.23	3	Vertical	357	2.35	-	34.27	6.30	34.97
PK	5.784G	110.21	Inf	-Inf	104.64	3	Vertical	357	2.35	-	34.20	6.30	34.93
AV	5.799G	99.91	Inf	-Inf	94.34	3	Vertical	357	2.35	-	34.20	6.30	34.93
PK	5.925G	64.14	68.20	-4.06	58.19	3	Vertical	357	2.35	-	34.48	6.36	34.89

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5795MHz_TX



EUT Y_4TX
Setting 89
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	63.44	68.20	-4.76	57.85	3	Horizontal	304	2.18	-	34.26	6.30	34.97
PK	5.783G	119.07	Inf	-Inf	113.50	3	Horizontal	304	2.18	-	34.20	6.30	34.93
AV	5.797G	108.51	Inf	-Inf	102.94	3	Horizontal	304	2.18	-	34.20	6.30	34.93
PK	5.923G	69.25	69.68	-0.43	63.31	3	Horizontal	304	2.18	-	34.47	6.36	34.89

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5795MHz_TX



EUT Y_4TX
Setting 89
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59218G	65.08	74.00	-8.92	49.03	3	Vertical	22	1.10	-	38.81	11.94	34.70	
AV	11.59228G	52.33	54.00	-1.67	36.28	3	Vertical	22	1.10	-	38.81	11.94	34.70	
PK	17.3874G	65.27	68.20	-2.93	46.05	3	Vertical	360	1.98	-	41.91	11.88	34.57	

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5795MHz_TX



EUT_Y_4TX
Setting 89
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5889G	62.14	74.00	-11.86	46.10	3	Horizontal	349	1.80	-	38.81	11.93	34.70
AV	11.58886G	51.11	54.00	-2.89	35.07	3	Horizontal	349	1.80	-	38.81	11.93	34.70
PK	17.3698G	65.18	68.20	-3.02	46.06	3	Horizontal	288	2.27	-	41.82	11.87	34.57

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5210MHz_TX



EUT_Y_4TX
Setting 54
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	61.44	74.00	-12.56	56.29	3	Vertical	38	2.56	-	33.90	6.01	34.76
AV	5.1468G	48.91	54.00	-5.09	43.75	3	Vertical	38	2.56	-	33.90	6.03	34.77
PK	5.2212G	103.06	Inf	-Inf	97.83	3	Vertical	38	2.56	-	33.96	6.09	34.82
AV	5.2012G	91.76	Inf	-Inf	86.57	3	Vertical	38	2.56	-	33.90	6.10	34.81
PK	5.3964G	58.64	74.00	-15.36	53.29	3	Vertical	38	2.56	-	34.30	6.00	34.95
AV	5.3876G	46.74	54.00	-7.26	41.38	3	Vertical	38	2.56	-	34.29	6.01	34.94

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5210MHz_TX



EUT_Y_4TX
Setting 54
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	68.56	74.00	-5.44	63.40	3	Horizontal	52	1.96	-	33.90	6.03	34.77
AV	5.1444G	53.77	54.00	-0.23	48.62	3	Horizontal	52	1.96	-	33.90	6.02	34.77
PK	5.2092G	110.16	Inf	-Inf	104.95	3	Horizontal	52	1.96	-	33.93	6.10	34.82
AV	5.1996G	99.42	Inf	-Inf	94.23	3	Horizontal	52	1.96	-	33.90	6.10	34.81
PK	5.354G	59.70	74.00	-14.30	54.35	3	Horizontal	52	1.96	-	34.25	6.02	34.92
AV	5.3596G	47.14	54.00	-6.86	41.78	3	Horizontal	52	1.96	-	34.26	6.02	34.92

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5210MHz_TX



EUT Y_4TX
Setting 54
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.6068G	59.54	74.00	-14.46	44.11	3	Vertical	167	2.25	-	38.68	11.62	34.87	
AV	15.6057G	47.58	54.00	-6.42	32.15	3	Vertical	167	2.25	-	38.68	11.62	34.87	

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5210MHz_TX



EUT Y_4TX
Setting 54
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.6123G	60.04	74.00	-13.96	44.64	3	Horizontal	215	2.70	-	38.66	11.62	34.88	
AV	15.6066G	47.67	54.00	-6.33	32.24	3	Horizontal	215	2.70	-	38.68	11.62	34.87	

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5775MHz_TX



EUT V_4TX
Setting 74
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	59.84	68.20	-8.36	54.22	3	Vertical	301	1.63	-	34.30	6.30	34.98
PK	5.798G	104.55	Inf	-Inf	98.98	3	Vertical	301	1.63	-	34.20	6.30	34.93
AV	5.788G	92.88	Inf	-Inf	87.31	3	Vertical	301	1.63	-	34.20	6.30	34.93
PK	5.944G	61.31	68.20	-6.89	55.30	3	Vertical	301	1.63	-	34.53	6.37	34.89

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5775MHz_TX



EUT_V_4TX
Setting 74
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	67.52	68.20	-0.68	61.93	3	Horizontal	307	1.80	-	34.26	6.30	34.97
PK	5.778G	114.77	Inf	-Inf	109.20	3	Horizontal	307	1.80	-	34.20	6.30	34.93
AV	5.783G	102.86	Inf	-Inf	97.29	3	Horizontal	307	1.80	-	34.20	6.30	34.93
PK	5.928G	68.11	68.20	-0.09	62.16	3	Horizontal	307	1.80	-	34.48	6.36	34.89

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5775MHz_TX



EUT_Y_4TX
Setting 74
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55792G	58.10	74.00	-15.90	42.10	3	Vertical	108	1.53	-	38.79	11.90	34.69
AV	11.55152G	45.88	54.00	-8.12	29.89	3	Vertical	108	1.53	-	38.79	11.89	34.69
PK	17.307G	63.13	68.20	-5.07	44.34	3	Vertical	209	2.54	-	41.50	11.86	34.57

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5775MHz_TX



EUT_Y_4TX
Setting 74
03-A-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55056G	57.76	74.00	-16.24	41.77	3	Horizontal	61	1.58	-	38.79	11.89	34.69
AV	11.54656G	45.59	54.00	-8.41	29.62	3	Horizontal	61	1.58	-	38.78	11.88	34.69
PK	17.3287G	62.27	68.20	-5.93	43.36	3	Horizontal	305	2.27	-	41.61	11.87	34.57



**For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode
Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.925G	68.18	68.20	-0.02	3	Horizontal	40	1.79	-

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5745MHz_TX



EUT Y_4TX
Setting 104
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	59.22	68.20	-8.98	53.56	3	Vertical	317	2.74	-	34.30	6.30	34.94
PK	5.747G	116.65	Inf	-Inf	111.09	3	Vertical	317	2.74	-	34.20	6.30	34.94
AV	5.747G	107.31	Inf	-Inf	101.75	3	Vertical	317	2.74	-	34.20	6.30	34.94
PK	5.972G	60.26	68.20	-7.94	54.17	3	Vertical	317	2.74	-	34.62	6.39	34.92

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5745MHz_TX



EUT Y_4TX
Setting 104
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	64.31	68.20	-3.89	58.69	3	Horizontal	50	1.91	-	34.26	6.30	34.94
PK	5.742G	123.83	Inf	-Inf	118.27	3	Horizontal	50	1.91	-	34.20	6.30	34.94
AV	5.743G	114.07	Inf	-Inf	108.51	3	Horizontal	50	1.91	-	34.20	6.30	34.94
PK	5.977G	60.53	68.20	-7.67	54.43	3	Horizontal	50	1.91	-	34.63	6.39	34.92

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5745MHz_TX



EUT Y_4TX
Setting 104
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.496G	60.49	74.00	-13.51	45.45	3	Vertical	14	1.74	-	38.75	10.91	34.62	
AV	11.49642G	47.26	54.00	-6.74	32.22	3	Vertical	14	1.74	-	38.75	10.91	34.62	
PK	17.23788G	66.27	68.20	-1.93	47.46	3	Vertical	352	1.79	-	41.14	12.26	34.59	

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5745MHz_TX



EUT Y_4TX
Setting 104
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48982G	61.24	74.00	-12.76	46.21	3	Horizontal	358	1.74	-	38.74	10.91	34.62
AV	11.48904G	47.45	54.00	-6.55	32.42	3	Horizontal	358	1.74	-	38.74	10.91	34.62
PK	17.22906G	67.87	68.20	-0.33	49.11	3	Horizontal	331	1.00	-	41.09	12.26	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5785MHz_TX



EUT Y_4TX
Setting 96
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.551G	59.98	68.20	-8.22	54.34	3	Vertical	8	2.85	-	34.35	6.23	34.94
PK	5.777G	113.72	Inf	-Inf	108.15	3	Vertical	8	2.85	-	34.20	6.30	34.93
AV	5.777G	104.47	Inf	-Inf	98.90	3	Vertical	8	2.85	-	34.20	6.30	34.93
PK	5.935G	59.26	68.20	-8.94	53.31	3	Vertical	8	2.85	-	34.51	6.37	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5785MHz_TX



EUT_V_4TX
Setting 96
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	60.38	68.20	-7.82	54.73	3	Horizontal	49	1.76	-	34.32	6.27	34.94
PK	5.782G	123.24	Inf	-Inf	117.67	3	Horizontal	49	1.76	-	34.20	6.30	34.93
AV	5.781G	113.24	Inf	-Inf	107.67	3	Horizontal	49	1.76	-	34.20	6.30	34.93
PK	5.944G	60.28	68.20	-7.92	54.31	3	Horizontal	49	1.76	-	34.53	6.37	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5785MHz_TX



EUT Y_4TX
Setting 96
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57078G	57.60	74.00	-16.40	42.49	3	Vertical	4	1.78	-	38.80	10.96	34.65
AV	11.57276G	44.57	54.00	-9.43	29.46	3	Vertical	4	1.78	-	38.80	10.96	34.65
PK	17.3628G	64.48	68.20	-3.72	45.01	3	Vertical	348	1.76	-	41.79	12.27	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5785MHz_TX



EUT Y_4TX
Setting 96
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57126G	57.48	74.00	-16.52	42.37	3	Horizontal	9	1.80	-	38.80	10.96	34.65
AV	11.57234G	44.69	54.00	-9.31	29.58	3	Horizontal	9	1.80	-	38.80	10.96	34.65
PK	17.3544G	68.03	68.20	-0.17	48.61	3	Horizontal	305	1.76	-	41.74	12.27	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5825MHz_TX



EUT Y_4TX
Setting 91
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	58.85	68.20	-9.35	53.20	3	Vertical	27	2.05	-	34.32	6.27	34.94
PK	5.82G	114.09	Inf	-Inf	108.47	3	Vertical	27	2.05	-	34.24	6.31	34.93
AV	5.82G	104.78	Inf	-Inf	99.16	3	Vertical	27	2.05	-	34.24	6.31	34.93
PK	5.936G	58.99	68.20	-9.21	53.04	3	Vertical	27	2.05	-	34.51	6.37	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5825MHz_TX



EUT Y_4TX
Setting 91
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	60.05	68.20	-8.15	54.40	3	Horizontal	48	1.79	-	34.31	6.28	34.94
PK	5.822G	122.00	Inf	-Inf	116.38	3	Horizontal	48	1.79	-	34.24	6.31	34.93
AV	5.822G	112.56	Inf	-Inf	106.94	3	Horizontal	48	1.79	-	34.24	6.31	34.93
PK	5.943G	60.48	68.20	-7.72	54.51	3	Horizontal	48	1.79	-	34.53	6.37	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5825MHz_TX



EUT Y_4TX
Setting 91
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6497G	57.81	74.00	-16.19	42.63	3	Vertical	5	1.79	-	38.85	11.00	34.67
AV	11.6455G	44.37	54.00	-9.63	29.19	3	Vertical	5	1.79	-	38.85	11.00	34.67
PK	17.4804G	65.64	68.20	-2.56	45.56	3	Vertical	352	1.80	-	42.40	12.27	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5825MHz_TX



EUT Y_4TX
Setting 91
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65384G	58.08	74.00	-15.92	42.89	3	Horizontal	326	1.75	-	38.86	11.00	34.67	
AV	11.6542G	44.93	54.00	-9.07	29.74	3	Horizontal	326	1.75	-	38.86	11.00	34.67	
PK	17.47464G	67.86	68.20	-0.34	47.81	3	Horizontal	307	1.89	-	42.37	12.27	34.59	

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5745MHz_TX



EUT_Y_4TX
Setting 99
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	59.40	68.20	-8.80	53.79	3	Vertical	301	1.25	-	34.25	6.30	34.94
PK	5.751G	116.63	Inf	-Inf	111.06	3	Vertical	301	1.25	-	34.20	6.30	34.93
AV	5.746G	105.74	Inf	-Inf	100.18	3	Vertical	301	1.25	-	34.20	6.30	34.94
PK	5.98G	58.39	68.20	-9.81	52.28	3	Vertical	301	1.25	-	34.64	6.39	34.92

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5745MHz_TX



EUT_V_4TX
Setting 99
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	60.73	68.20	-7.47	55.09	3	Horizontal	39	1.73	-	34.28	6.30	34.94
PK	5.749G	123.49	Inf	-Inf	117.93	3	Horizontal	39	1.73	-	34.20	6.30	34.94
AV	5.749G	112.67	Inf	-Inf	107.11	3	Horizontal	39	1.73	-	34.20	6.30	34.94
PK	5.965G	60.37	68.20	-7.83	54.32	3	Horizontal	39	1.73	-	34.59	6.38	34.92

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5745MHz_TX



EUT_Y_4TX
Setting 99
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48394G	57.00	74.00	-17.00	41.97	3	Vertical	105	2.05	-	38.74	10.91	34.62
AV	11.48868G	44.34	54.00	-9.66	29.31	3	Vertical	105	2.05	-	38.74	10.91	34.62
PK	17.23584G	65.07	68.20	-3.13	46.27	3	Vertical	321	1.83	-	41.13	12.26	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5745MHz_TX



EUT Y_4TX
Setting 99
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.484G	59.42	74.00	-14.58	44.39	3	Horizontal	32	1.78	-	38.74	10.91	34.62
AV	11.48916G	46.47	54.00	-7.53	31.44	3	Horizontal	32	1.78	-	38.74	10.91	34.62
PK	17.23572G	67.87	68.20	-0.33	49.07	3	Horizontal	284	1.80	-	41.13	12.26	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5785MHz_TX



EUT Y_4TX
Setting 96
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.536G	59.08	68.20	-9.12	53.46	3	Vertical	353	2.94	-	34.36	6.21	34.95
PK	5.777G	118.37	Inf	-Inf	112.80	3	Vertical	353	2.94	-	34.20	6.30	34.93
AV	5.778G	106.27	Inf	-Inf	100.70	3	Vertical	353	2.94	-	34.20	6.30	34.93
PK	5.956G	59.59	68.20	-8.61	53.56	3	Vertical	353	2.94	-	34.57	6.38	34.92

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5785MHz_TX



EUT_V_4TX
Setting 96
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.564G	60.95	68.20	-7.25	55.30	3	Horizontal	37	1.80	-	34.34	6.25	34.94
PK	5.789G	123.07	Inf	-Inf	117.50	3	Horizontal	37	1.80	-	34.20	6.30	34.93
AV	5.789G	112.01	Inf	-Inf	106.44	3	Horizontal	37	1.80	-	34.20	6.30	34.93
PK	5.939G	61.13	68.20	-7.07	55.17	3	Horizontal	37	1.80	-	34.52	6.37	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5785MHz_TX



EUT Y_4TX
Setting 96
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56622G	56.72	74.00	-17.28	41.61	3	Vertical	163	2.14	-	38.80	10.95	34.64
AV	11.5823G	43.88	54.00	-10.12	28.76	3	Vertical	163	2.14	-	38.81	10.96	34.65
PK	17.35212G	65.10	68.20	-3.10	45.69	3	Vertical	328	1.80	-	41.73	12.27	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5785MHz_TX



EUT_Y_4TX
Setting 96
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56814G	56.97	74.00	-17.03	41.86	3	Horizontal	251	2.60	-	38.80	10.95	34.64
AV	11.57G	43.73	54.00	-10.27	28.63	3	Horizontal	251	2.60	-	38.80	10.95	34.65
PK	17.35458G	67.94	68.20	-0.26	48.52	3	Horizontal	299	1.80	-	41.74	12.27	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5825MHz_TX



EUT Y_4TX
Setting 90
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	59.93	68.20	-8.27	54.28	3	Vertical	347	3.00	-	34.32	6.27	34.94
PK	5.83G	117.21	Inf	-Inf	111.57	3	Vertical	347	3.00	-	34.26	6.31	34.93
AV	5.83G	106.55	Inf	-Inf	100.91	3	Vertical	347	3.00	-	34.26	6.31	34.93
PK	5.952G	59.09	68.20	-9.11	53.07	3	Vertical	347	3.00	-	34.56	6.38	34.92

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5825MHz_TX



EUT_V_4TX
Setting 90
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	60.18	68.20	-8.02	54.52	3	Horizontal	41	1.87	-	34.31	6.29	34.94
PK	5.829G	123.94	Inf	-Inf	118.30	3	Horizontal	41	1.87	-	34.26	6.31	34.93
AV	5.82G	111.63	Inf	-Inf	106.01	3	Horizontal	41	1.87	-	34.24	6.31	34.93
PK	5.929G	60.77	68.20	-7.43	54.85	3	Horizontal	41	1.87	-	34.49	6.36	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5825MHz_TX



EUT_Y_4TX
Setting 90
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65048G	57.19	74.00	-16.81	42.00	3	Vertical	349	2.87	-	38.86	11.00	34.67	
AV	11.647G	43.94	54.00	-10.06	28.76	3	Vertical	349	2.87	-	38.85	11.00	34.67	
PK	17.47224G	66.01	68.20	-2.19	45.97	3	Vertical	342	2.18	-	42.36	12.27	34.59	

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5825MHz_TX



EUT_Y_4TX
Setting 90
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.66356G	56.87	74.00	-17.13	41.67	3	Horizontal	50	1.87	-	38.86	11.01	34.67	
AV	11.65024G	43.94	54.00	-10.06	28.75	3	Horizontal	50	1.87	-	38.86	11.00	34.67	
PK	17.4738G	68.11	68.20	-0.09	48.07	3	Horizontal	305	1.88	-	42.36	12.27	34.59	

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5755MHz_TX



EUT_V_4TX
Setting 93
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	62.39	68.20	-5.81	56.76	3	Vertical	3	3.00	-	34.27	6.30	34.94
PK	5.76G	113.70	Inf	-Inf	108.13	3	Vertical	3	3.00	-	34.20	6.30	34.93
AV	5.756G	102.63	Inf	-Inf	97.06	3	Vertical	3	3.00	-	34.20	6.30	34.93
PK	5.959G	60.15	68.20	-8.05	54.11	3	Vertical	3	3.00	-	34.58	6.38	34.92

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5755MHz_TX



EUT_V_4TX
Setting 93
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.91	68.20	-0.29	62.30	3	Horizontal	52	1.79	-	34.25	6.30	34.94
PK	5.757G	119.50	Inf	-Inf	113.93	3	Horizontal	52	1.79	-	34.20	6.30	34.93
AV	5.747G	109.25	Inf	-Inf	103.69	3	Horizontal	52	1.79	-	34.20	6.30	34.94
PK	5.944G	61.76	68.20	-6.44	55.79	3	Horizontal	52	1.79	-	34.53	6.37	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5755MHz_TX



EUT_Y_4TX
Setting 93
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51924G	57.07	74.00	-16.93	42.01	3	Vertical	262	1.83	-	38.76	10.93	34.63
AV	11.49812G	44.89	54.00	-9.11	29.85	3	Vertical	262	1.83	-	38.75	10.91	34.62
PK	17.26074G	63.70	68.20	-4.50	44.77	3	Vertical	164	1.35	-	41.26	12.26	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5755MHz_TX



EUT_Y_4TX
Setting 93
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50268G	57.10	74.00	-16.90	42.06	3	Horizontal	240	2.15	-	38.75	10.92	34.63
AV	11.50976G	44.92	54.00	-9.08	29.87	3	Horizontal	240	2.15	-	38.76	10.92	34.63
PK	17.25162G	66.60	68.20	-1.60	47.72	3	Horizontal	282	1.80	-	41.21	12.26	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5795MHz_TX



EUT_V_4TX
Setting 92
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	59.24	68.20	-8.96	53.59	3	Vertical	301	1.20	-	34.29	6.30	34.94
PK	5.79G	112.10	Inf	-Inf	106.53	3	Vertical	301	1.20	-	34.20	6.30	34.93
AV	5.801G	102.44	Inf	-Inf	96.87	3	Vertical	301	1.20	-	34.20	6.30	34.93
PK	5.928G	60.39	68.20	-7.81	54.48	3	Vertical	301	1.20	-	34.48	6.36	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5795MHz_TX



EUT Y_4TX
Setting 92
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.64	68.20	-7.56	55.02	3	Horizontal	40	1.79	-	34.26	6.30	34.94
PK	5.799G	120.24	Inf	-Inf	114.67	3	Horizontal	40	1.79	-	34.20	6.30	34.93
AV	5.79G	109.82	Inf	-Inf	104.25	3	Horizontal	40	1.79	-	34.20	6.30	34.93
PK	5.925G	68.18	68.20	-0.02	62.27	3	Horizontal	40	1.79	-	34.48	6.36	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5795MHz_TX



EUT Y_4TX
Setting 92
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59186G	57.39	74.00	-16.61	42.26	3	Vertical	298	2.45	-	38.81	10.97	34.65
AV	11.59606G	44.60	54.00	-9.40	29.46	3	Vertical	298	2.45	-	38.82	10.97	34.65
PK	17.38002G	63.54	68.20	-4.66	43.98	3	Vertical	163	1.48	-	41.88	12.27	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5795MHz_TX



EUT Y_4TX
Setting 92
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59G	56.73	74.00	-17.27	41.60	3	Horizontal	133	1.92	-	38.81	10.97	34.65
AV	11.596G	44.47	54.00	-9.53	29.33	3	Horizontal	133	1.92	-	38.82	10.97	34.65
PK	17.37294G	63.58	68.20	-4.62	44.06	3	Horizontal	136	1.80	-	41.84	12.27	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5775MHz_TX



EUT_V_4TX
Setting 81
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	64.20	68.20	-4.00	58.59	3	Vertical	335	2.94	-	34.25	6.30	34.94
PK	5.757G	108.90	Inf	-Inf	103.33	3	Vertical	335	2.94	-	34.20	6.30	34.93
AV	5.767G	97.78	Inf	-Inf	92.21	3	Vertical	335	2.94	-	34.20	6.30	34.93
PK	5.927G	60.91	68.20	-7.29	55.00	3	Vertical	335	2.94	-	34.48	6.36	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5775MHz_TX



EUT_V_4TX
Setting 81
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	65.47	68.20	-2.73	59.86	3	Horizontal	40	1.81	-	34.25	6.30	34.94
PK	5.774G	114.39	Inf	-Inf	108.82	3	Horizontal	40	1.81	-	34.20	6.30	34.93
AV	5.765G	103.84	Inf	-Inf	98.27	3	Horizontal	40	1.81	-	34.20	6.30	34.93
PK	5.939G	67.99	68.20	-0.21	62.03	3	Horizontal	40	1.81	-	34.52	6.37	34.93

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5775MHz_TX



EUT_V_4TX
Setting 81
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5404G	57.10	74.00	-16.90	42.02	3	Vertical	217	2.58	-	38.78	10.94	34.64
AV	11.55132G	44.35	54.00	-9.65	29.26	3	Vertical	217	2.58	-	38.79	10.94	34.64
PK	17.31996G	64.02	68.20	-4.18	44.78	3	Vertical	3	1.80	-	41.56	12.27	34.59

For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5775MHz_TX



EUT_Y_4TX
Setting 81
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54472G	56.85	74.00	-17.15	41.77	3	Horizontal	68	1.66	-	38.78	10.94	34.64
AV	11.54076G	44.55	54.00	-9.45	29.47	3	Horizontal	68	1.66	-	38.78	10.94	34.64
PK	17.32932G	64.33	68.20	-3.87	45.04	3	Horizontal	284	1.80	-	41.61	12.27	34.59



**For EUT 1 / Radio 3_Non-Beamforming Mode
Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.926G	68.19	68.20	-0.01	3	Horizontal	53	1.24	-

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5180MHz_TX



EUT X_2TX
Setting 75
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	65.28	74.00	-8.72	60.68	3	Vertical	310	2.34	-	33.90	6.03	35.33
AV	5.15G	48.11	54.00	-5.89	43.51	3	Vertical	310	2.34	-	33.90	6.03	35.33
PK	5.185G	107.73	Inf	-Inf	103.04	3	Vertical	310	2.34	-	33.90	6.08	35.29
AV	5.1752G	98.51	Inf	-Inf	93.84	3	Vertical	310	2.34	-	33.90	6.07	35.30

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5180MHz_TX



EUT X_2TX
Setting 75
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.71	74.00	-2.29	67.11	3	Horizontal	43	1.97	-	33.90	6.03	35.33
AV	5.1496G	53.52	54.00	-0.48	48.92	3	Horizontal	43	1.97	-	33.90	6.03	35.33
PK	5.1838G	115.46	Inf	-Inf	110.77	3	Horizontal	43	1.97	-	33.90	6.08	35.29
AV	5.184G	105.88	Inf	-Inf	101.19	3	Horizontal	43	1.97	-	33.90	6.08	35.29

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5180MHz_TX



EUT X_2TX
Setting 75
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.5444G	60.95	74.00	-13.05	45.25	3	Vertical	179	1.81	-	38.87	11.62	34.79	
AV	15.5192G	48.27	54.00	-5.73	32.47	3	Vertical	179	1.81	-	38.94	11.62	34.76	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5180MHz_TX



EUT X_2TX
Setting 75
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.5413G	60.38	74.00	-13.62	44.66	3	Horizontal	70	1.15	-	38.88	11.62	34.78	
AV	15.5208G	48.20	54.00	-5.80	32.40	3	Horizontal	70	1.15	-	38.94	11.62	34.76	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5200MHz_TX



EUT X_2TX
Setting 91
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	62.60	74.00	-11.40	58.01	3	Vertical	313	2.33	-	33.90	6.02	35.33
AV	5.15G	48.13	54.00	-5.87	43.53	3	Vertical	313	2.33	-	33.90	6.03	35.33
PK	5.204G	111.13	Inf	-Inf	106.39	3	Vertical	313	2.33	-	33.91	6.10	35.27
AV	5.2044G	101.48	Inf	-Inf	96.73	3	Vertical	313	2.33	-	33.91	6.10	35.26

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5200MHz_TX



EUT X_2TX
Setting 91
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.49	74.00	-2.51	66.89	3	Horizontal	44	2.13	-	33.90	6.03	35.33
AV	5.1492G	53.77	54.00	-0.23	49.17	3	Horizontal	44	2.13	-	33.90	6.03	35.33
PK	5.1976G	119.78	Inf	-Inf	115.05	3	Horizontal	44	2.13	-	33.90	6.10	35.27
AV	5.198G	110.14	Inf	-Inf	105.41	3	Horizontal	44	2.13	-	33.90	6.10	35.27

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5200MHz_TX



EUT X_2TX
Setting 91
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5768G	59.90	74.00	-14.10	44.33	3	Vertical	286	2.91	-	38.77	11.62	34.82
AV	15.5915G	47.69	54.00	-6.31	32.18	3	Vertical	286	2.91	-	38.73	11.62	34.84

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5200MHz_TX



EUT X_2TX
Setting 91
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5774G	60.62	74.00	-13.38	45.06	3	Horizontal	118	1.90	-	38.77	11.62	34.83
AV	15.5864G	47.72	54.00	-6.28	32.20	3	Horizontal	118	1.90	-	38.74	11.62	34.84

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.93	74.00	-10.07	59.33	3	Vertical	13	2.95	-	33.90	6.03	35.33
AV	5.1488G	47.77	54.00	-6.23	43.17	3	Vertical	13	2.95	-	33.90	6.03	35.33
PK	5.237G	119.04	Inf	-Inf	114.18	3	Vertical	13	2.95	-	34.01	6.08	35.23
AV	5.237G	108.51	Inf	-Inf	103.65	3	Vertical	13	2.95	-	34.01	6.08	35.23
PK	5.3582G	60.52	74.00	-13.48	55.33	3	Vertical	13	2.95	-	34.26	6.02	35.09
AV	5.3534G	47.61	54.00	-6.39	42.43	3	Vertical	13	2.95	-	34.25	6.02	35.09

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.89	74.00	-6.11	63.29	3	Horizontal	44	2.20	-	33.90	6.03	35.33
AV	5.1464G	50.03	54.00	-3.97	45.44	3	Horizontal	44	2.20	-	33.90	6.02	35.33
PK	5.2376G	123.11	Inf	-Inf	118.24	3	Horizontal	44	2.20	-	34.01	6.08	35.22
AV	5.2424G	112.85	Inf	-Inf	107.96	3	Horizontal	44	2.20	-	34.03	6.08	35.22
PK	5.3582G	62.11	74.00	-11.89	56.92	3	Horizontal	44	2.20	-	34.26	6.02	35.09
AV	5.354G	48.96	54.00	-5.04	43.78	3	Horizontal	44	2.20	-	34.25	6.02	35.09

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.48074G	55.64	68.20	-12.56	41.54	3	Vertical	334	2.36	-	38.35	10.61	34.86	
PK	15.71712G	59.81	74.00	-14.19	44.84	3	Vertical	262	2.96	-	38.35	11.61	34.99	
AV	15.72178G	46.82	54.00	-7.18	31.87	3	Vertical	262	2.96	-	38.33	11.61	34.99	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.48085G	54.88	68.20	-13.32	40.78	3	Horizontal	41	2.77	-	38.35	10.61	34.86	
PK	15.7229G	60.80	74.00	-13.20	45.86	3	Horizontal	330	1.70	-	38.33	11.61	35.00	
AV	15.7182G	46.99	54.00	-7.01	32.02	3	Horizontal	330	1.70	-	38.35	11.61	34.99	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.569G	59.77	68.20	-8.43	54.17	3	Vertical	305	2.90	-	34.33	6.26	34.99
PK	5.748G	113.41	Inf	-Inf	107.85	3	Vertical	305	2.90	-	34.20	6.30	34.94
AV	5.747G	103.70	Inf	-Inf	98.14	3	Vertical	305	2.90	-	34.20	6.30	34.94
PK	5.956G	59.40	68.20	-8.80	53.33	3	Vertical	305	2.90	-	34.57	6.38	34.88

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.77	68.20	-4.43	58.19	3	Horizontal	304	1.85	-	34.25	6.30	34.97
PK	5.752G	120.58	Inf	-Inf	115.02	3	Horizontal	304	1.85	-	34.20	6.30	34.94
AV	5.747G	110.59	Inf	-Inf	105.03	3	Horizontal	304	1.85	-	34.20	6.30	34.94
PK	5.969G	60.94	68.20	-7.26	54.83	3	Horizontal	304	1.85	-	34.61	6.38	34.88

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48522G	56.96	74.00	-17.04	41.09	3	Vertical	152	1.80	-	38.74	11.81	34.68	
AV	11.48626G	43.83	54.00	-10.17	27.96	3	Vertical	152	1.80	-	38.74	11.81	34.68	
PK	17.2418G	64.97	68.20	-3.23	46.54	3	Vertical	308	1.82	-	41.16	11.85	34.58	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4997G	57.22	74.00	-16.78	41.32	3	Horizontal	142	1.10	-	38.75	11.83	34.68	
AV	11.5036G	44.42	54.00	-9.58	28.52	3	Horizontal	142	1.10	-	38.75	11.83	34.68	
PK	17.2333G	64.82	68.20	-3.38	46.44	3	Horizontal	306	2.44	-	41.11	11.85	34.58	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	60.13	68.20	-8.07	54.53	3	Vertical	0	2.96	-	34.27	6.30	34.97
PK	5.788G	116.23	Inf	-Inf	110.66	3	Vertical	0	2.96	-	34.20	6.30	34.93
AV	5.788G	106.66	Inf	-Inf	101.09	3	Vertical	0	2.96	-	34.20	6.30	34.93
PK	5.955G	60.41	68.20	-7.79	54.35	3	Vertical	0	2.96	-	34.56	6.38	34.88

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	60.78	68.20	-7.42	55.18	3	Horizontal	53	2.10	-	34.27	6.30	34.97
PK	5.788G	121.46	Inf	-Inf	115.89	3	Horizontal	53	2.10	-	34.20	6.30	34.93
AV	5.788G	111.32	Inf	-Inf	105.75	3	Horizontal	53	2.10	-	34.20	6.30	34.93
PK	5.928G	61.14	68.20	-7.06	55.19	3	Horizontal	53	2.10	-	34.48	6.36	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57076G	57.43	74.00	-16.57	41.41	3	Vertical	322	1.26	-	38.80	11.91	34.69	
AV	11.56992G	44.11	54.00	-9.89	28.09	3	Vertical	322	1.26	-	38.80	11.91	34.69	
PK	17.3385G	64.26	68.20	-3.94	45.30	3	Vertical	360	2.47	-	41.66	11.87	34.57	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56524G	57.52	74.00	-16.48	41.51	3	Horizontal	78	1.80	-	38.80	11.90	34.69	
AV	11.57968G	44.05	54.00	-9.95	28.01	3	Horizontal	78	1.80	-	38.81	11.92	34.69	
PK	17.3624G	65.72	68.20	-2.48	46.64	3	Horizontal	287	1.80	-	41.78	11.87	34.57	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.583G	58.83	68.20	-9.37	53.22	3	Vertical	355	2.92	-	34.32	6.28	34.99
PK	5.83G	116.33	Inf	-Inf	110.68	3	Vertical	355	2.92	-	34.26	6.31	34.92
AV	5.829G	106.11	Inf	-Inf	100.46	3	Vertical	355	2.92	-	34.26	6.31	34.92
PK	5.932G	60.64	68.20	-7.56	54.66	3	Vertical	355	2.92	-	34.50	6.37	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	60.90	68.20	-7.30	55.28	3	Horizontal	51	2.19	-	34.32	6.28	34.98
PK	5.827G	120.30	Inf	-Inf	114.66	3	Horizontal	51	2.19	-	34.25	6.31	34.92
AV	5.827G	110.88	Inf	-Inf	105.24	3	Horizontal	51	2.19	-	34.25	6.31	34.92
PK	5.933G	65.33	68.20	-2.87	59.35	3	Horizontal	51	2.19	-	34.50	6.37	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65G	57.80	74.00	-16.20	41.65	3	Vertical	43	1.34	-	38.86	12.00	34.71	
AV	11.64964G	44.60	54.00	-9.40	28.46	3	Vertical	43	1.34	-	38.85	12.00	34.71	
PK	17.4835G	64.67	68.20	-3.53	44.92	3	Vertical	107	1.80	-	42.41	11.90	34.56	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64955G	57.74	74.00	-16.26	41.60	3	Horizontal	239	2.34	-	38.85	12.00	34.71
AV	11.64979G	44.52	54.00	-9.48	28.38	3	Horizontal	239	2.34	-	38.85	12.00	34.71
PK	17.4783G	66.57	68.20	-1.63	46.84	3	Horizontal	291	1.79	-	42.39	11.90	34.56

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5180MHz_TX



EUT X_2TX
Setting 72
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1482G	63.87	74.00	-10.13	58.71	3	Vertical	299	2.34	-	33.90	6.03	34.77	
AV	5.15G	47.93	54.00	-6.07	42.77	3	Vertical	299	2.34	-	33.90	6.03	34.77	
PK	5.1732G	108.35	Inf	-Inf	103.18	3	Vertical	299	2.34	-	33.90	6.06	34.79	
AV	5.1832G	96.19	Inf	-Inf	91.01	3	Vertical	299	2.34	-	33.90	6.08	34.80	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5180MHz_TX



EUT X_2TX
Setting 72
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	71.29	74.00	-2.71	66.13	3	Horizontal	44	2.02	-	33.90	6.03	34.77
AV	5.1494G	53.79	54.00	-0.21	48.63	3	Horizontal	44	2.02	-	33.90	6.03	34.77
PK	5.1842G	117.38	Inf	-Inf	112.20	3	Horizontal	44	2.02	-	33.90	6.08	34.80
AV	5.1868G	104.51	Inf	-Inf	99.33	3	Horizontal	44	2.02	-	33.90	6.08	34.80

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5180MHz_TX



EUT X_2TX
Setting 72
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5439G	61.17	74.00	-12.83	45.48	3	Vertical	35	1.80	-	38.87	11.62	34.80
AV	15.5426G	48.01	54.00	-5.99	32.32	3	Vertical	35	1.80	-	38.87	11.62	34.80

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5180MHz_TX



EUT X_2TX
Setting 72
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53786G	61.57	74.00	-12.43	45.86	3	Horizontal	21	1.13	-	38.89	11.62	34.80
AV	15.53564G	48.14	54.00	-5.86	32.42	3	Horizontal	21	1.13	-	38.89	11.62	34.79

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5200MHz_TX



EUT X_2TX
Setting 88
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	64.22	74.00	-9.78	59.07	3	Vertical	316	2.35	-	33.90	6.02	34.77
AV	5.1488G	49.01	54.00	-4.99	43.85	3	Vertical	316	2.35	-	33.90	6.03	34.77
PK	5.1968G	113.01	Inf	-Inf	107.82	3	Vertical	316	2.35	-	33.90	6.10	34.81
AV	5.2016G	100.28	Inf	-Inf	95.09	3	Vertical	316	2.35	-	33.90	6.10	34.81

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5200MHz_TX



EUT X_2TX
Setting 88
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	71.49	74.00	-2.51	66.34	3	Horizontal	45	2.23	-	33.90	6.02	34.77
AV	5.1484G	53.95	54.00	-0.05	48.79	3	Horizontal	45	2.23	-	33.90	6.03	34.77
PK	5.1984G	119.71	Inf	-Inf	114.52	3	Horizontal	45	2.23	-	33.90	6.10	34.81
AV	5.2012G	108.66	Inf	-Inf	103.47	3	Horizontal	45	2.23	-	33.90	6.10	34.81

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5200MHz_TX



EUT X_2TX
Setting 88
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59998G	60.61	74.00	-13.39	45.15	3	Vertical	84	2.11	-	38.70	11.62	34.86
AV	15.60354G	47.72	54.00	-6.28	32.28	3	Vertical	84	2.11	-	38.69	11.62	34.87

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5200MHz_TX



EUT X_2TX
Setting 88
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.5977G	60.35	74.00	-13.65	44.88	3	Horizontal	281	2.76	-	38.71	11.62	34.86	
AV	15.5962G	47.56	54.00	-6.44	32.09	3	Horizontal	281	2.76	-	38.71	11.62	34.86	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.05	74.00	-9.95	58.89	3	Vertical	13	2.93	-	33.90	6.03	34.77
AV	5.15G	49.59	54.00	-4.41	44.43	3	Vertical	13	2.93	-	33.90	6.03	34.77
PK	5.2412G	120.01	Inf	-Inf	114.75	3	Vertical	13	2.93	-	34.02	6.08	34.84
AV	5.2412G	107.84	Inf	-Inf	102.58	3	Vertical	13	2.93	-	34.02	6.08	34.84
PK	5.35G	61.97	74.00	-12.03	56.62	3	Vertical	13	2.93	-	34.25	6.02	34.92
AV	5.3516G	48.27	54.00	-5.73	42.92	3	Vertical	13	2.93	-	34.25	6.02	34.92

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	69.00	74.00	-5.00	63.85	3	Horizontal	49	2.25	-	33.90	6.02	34.77
AV	5.1494G	53.35	54.00	-0.65	48.19	3	Horizontal	49	2.25	-	33.90	6.03	34.77
PK	5.2412G	123.07	Inf	-Inf	117.81	3	Horizontal	49	2.25	-	34.02	6.08	34.84
AV	5.2382G	111.75	Inf	-Inf	106.50	3	Horizontal	49	2.25	-	34.01	6.08	34.84
PK	5.3546G	63.07	74.00	-10.93	57.72	3	Horizontal	49	2.25	-	34.25	6.02	34.92
AV	5.3528G	49.61	54.00	-4.39	44.26	3	Horizontal	49	2.25	-	34.25	6.02	34.92

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7093G	61.02	74.00	-12.98	46.02	3	Vertical	325	3.00	-	38.37	11.61	34.98
AV	15.7117G	46.81	54.00	-7.19	31.83	3	Vertical	325	3.00	-	38.36	11.61	34.99

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.722G	60.11	74.00	-13.89	45.17	3	Horizontal	336	1.78	-	38.33	11.61	35.00	
AV	15.7212G	46.68	54.00	-7.32	31.73	3	Horizontal	336	1.78	-	38.34	11.61	35.00	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	60.30	68.20	-7.90	54.71	3	Vertical	302	2.89	-	34.26	6.30	34.97
PK	5.747G	113.44	Inf	-Inf	107.88	3	Vertical	302	2.89	-	34.20	6.30	34.94
AV	5.746G	102.10	Inf	-Inf	96.54	3	Vertical	302	2.89	-	34.20	6.30	34.94
PK	5.98G	59.82	68.20	-8.38	53.67	3	Vertical	302	2.89	-	34.64	6.39	34.88

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.747G	122.90	Inf	-Inf	117.34	3	Horizontal	53	2.04	-	34.20	6.30	34.94
AV	5.747G	110.53	Inf	-Inf	104.97	3	Horizontal	53	2.04	-	34.20	6.30	34.94
PK	5.926G	62.02	68.20	-6.18	56.07	3	Horizontal	53	2.04	-	34.48	6.36	34.89
PK	5.649G	66.73	68.20	-1.47	61.15	3	Horizontal	53	2.04	-	34.25	6.30	34.97

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48916G	57.41	74.00	-16.59	41.53	3	Vertical	192	1.39	-	38.74	11.82	34.68
AV	11.48912G	44.60	54.00	-9.40	28.72	3	Vertical	192	1.39	-	38.74	11.82	34.68
PK	17.2377G	64.16	68.20	-4.04	45.75	3	Vertical	127	1.68	-	41.14	11.85	34.58

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48924G	57.65	74.00	-16.35	41.77	3	Horizontal	334	2.47	-	38.74	11.82	34.68
AV	11.4903G	44.66	54.00	-9.34	28.78	3	Horizontal	334	2.47	-	38.74	11.82	34.68
PK	17.2436G	65.11	68.20	-3.09	46.67	3	Horizontal	317	1.80	-	41.17	11.85	34.58

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	59.43	68.20	-8.77	53.84	3	Vertical	0	2.95	-	34.26	6.30	34.97
PK	5.782G	117.24	Inf	-Inf	111.67	3	Vertical	0	2.95	-	34.20	6.30	34.93
AV	5.787G	105.46	Inf	-Inf	99.89	3	Vertical	0	2.95	-	34.20	6.30	34.93
PK	5.968G	59.88	68.20	-8.32	53.78	3	Vertical	0	2.95	-	34.60	6.38	34.88

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.548G	60.93	68.20	-7.27	55.35	3	Horizontal	52	2.03	-	34.35	6.23	35.00	
PK	5.787G	121.36	Inf	-Inf	115.79	3	Horizontal	52	2.03	-	34.20	6.30	34.93	
AV	5.789G	109.70	Inf	-Inf	104.13	3	Horizontal	52	2.03	-	34.20	6.30	34.93	
PK	5.975G	62.48	68.20	-5.72	56.35	3	Horizontal	52	2.03	-	34.62	6.39	34.88	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56913G	57.43	74.00	-16.57	41.41	3	Vertical	187	1.55	-	38.80	11.91	34.69
AV	11.57009G	44.46	54.00	-9.54	28.44	3	Vertical	187	1.55	-	38.80	11.91	34.69
PK	17.3495G	63.59	68.20	-4.61	44.57	3	Vertical	171	2.52	-	41.72	11.87	34.57

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57039G	57.39	74.00	-16.61	41.37	3	Horizontal	310	1.42	-	38.80	11.91	34.69
AV	11.57047G	44.47	54.00	-9.53	28.45	3	Horizontal	310	1.42	-	38.80	11.91	34.69
PK	17.3552G	65.59	68.20	-2.61	46.54	3	Horizontal	286	1.80	-	41.75	11.87	34.57

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.592G	60.04	68.20	-8.16	54.42	3	Vertical	355	2.91	-	34.31	6.29	34.98
PK	5.829G	117.05	Inf	-Inf	111.40	3	Vertical	355	2.91	-	34.26	6.31	34.92
AV	5.83G	104.93	Inf	-Inf	99.28	3	Vertical	355	2.91	-	34.26	6.31	34.92
PK	5.925G	62.87	68.20	-5.33	56.92	3	Vertical	355	2.91	-	34.48	6.36	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	61.40	68.20	-6.80	55.79	3	Horizontal	53	2.20	-	34.29	6.30	34.98
PK	5.826G	121.61	Inf	-Inf	115.97	3	Horizontal	53	2.20	-	34.25	6.31	34.92
AV	5.826G	109.47	Inf	-Inf	103.83	3	Horizontal	53	2.20	-	34.25	6.31	34.92
PK	5.929G	66.99	68.20	-1.21	61.03	3	Horizontal	53	2.20	-	34.49	6.36	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64908G	57.53	74.00	-16.47	41.39	3	Vertical	181	2.62	-	38.85	12.00	34.71
AV	11.64951G	44.09	54.00	-9.91	27.95	3	Vertical	181	2.62	-	38.85	12.00	34.71
PK	17.4629G	64.70	68.20	-3.50	45.06	3	Vertical	166	1.15	-	42.31	11.89	34.56

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
03-A-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64956G	57.92	74.00	-16.08	41.78	3	Horizontal	73	1.59	-	38.85	12.00	34.71
AV	11.64992G	44.40	54.00	-9.60	28.26	3	Horizontal	73	1.59	-	38.85	12.00	34.71
PK	17.4967G	65.91	68.20	-2.29	46.09	3	Horizontal	286	1.70	-	42.48	11.90	34.56

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5190MHz_TX



EUT X_2TX
Setting 63
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.91	74.00	-10.09	58.75	3	Vertical	304	2.35	-	33.90	6.03	34.77
AV	5.1472G	49.15	54.00	-4.85	43.99	3	Vertical	304	2.35	-	33.90	6.03	34.77
PK	5.1956G	104.82	Inf	-Inf	99.64	3	Vertical	304	2.35	-	33.90	6.09	34.81
AV	5.1952G	92.31	Inf	-Inf	87.13	3	Vertical	304	2.35	-	33.90	6.09	34.81

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5190MHz_TX



EUT X_2TX
Setting 63
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	69.77	74.00	-4.23	64.62	3	Horizontal	45	2.11	-	33.90	6.02	34.77
AV	5.1484G	53.79	54.00	-0.21	48.63	3	Horizontal	45	2.11	-	33.90	6.03	34.77
PK	5.1868G	112.30	Inf	-Inf	107.12	3	Horizontal	45	2.11	-	33.90	6.08	34.80
AV	5.1968G	100.57	Inf	-Inf	95.38	3	Horizontal	45	2.11	-	33.90	6.10	34.81

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5190MHz_TX



EUT X_2TX
Setting 63
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56886G	61.14	74.00	-12.86	45.56	3	Vertical	41	1.80	-	38.79	11.62	34.83
AV	15.56828G	48.66	54.00	-5.34	33.07	3	Vertical	41	1.80	-	38.80	11.62	34.83

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5190MHz_TX



EUT X_2TX
Setting 63
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.56954G	60.53	74.00	-13.47	44.95	3	Horizontal	156	2.86	-	38.79	11.62	34.83	
AV	15.57452G	48.38	54.00	-5.62	32.82	3	Horizontal	156	2.86	-	38.78	11.62	34.84	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5230MHz_TX



EUT X_2TX
Setting 82
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.67	74.00	-10.33	58.51	3	Vertical	15	2.95	-	33.90	6.03	34.77
AV	5.1484G	50.39	54.00	-3.61	45.23	3	Vertical	15	2.95	-	33.90	6.03	34.77
PK	5.2354G	113.80	Inf	-Inf	108.54	3	Vertical	15	2.95	-	34.01	6.08	34.83
AV	5.236G	102.14	Inf	-Inf	96.89	3	Vertical	15	2.95	-	34.01	6.08	34.84
PK	5.3698G	59.30	74.00	-14.70	53.94	3	Vertical	15	2.95	-	34.27	6.02	34.93
AV	5.3782G	47.77	54.00	-6.23	42.41	3	Vertical	15	2.95	-	34.28	6.01	34.93

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5230MHz_TX



EUT X_2TX
Setting 82
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	67.39	74.00	-6.61	62.23	3	Horizontal	45	2.19	-	33.90	6.03	34.77
AV	5.149G	53.82	54.00	-0.18	48.66	3	Horizontal	45	2.19	-	33.90	6.03	34.77
PK	5.227G	116.80	Inf	-Inf	111.56	3	Horizontal	45	2.19	-	33.98	6.09	34.83
AV	5.2366G	105.53	Inf	-Inf	100.28	3	Horizontal	45	2.19	-	34.01	6.08	34.84
PK	5.3776G	61.33	74.00	-12.67	55.97	3	Horizontal	45	2.19	-	34.28	6.01	34.93
AV	5.3752G	48.93	54.00	-5.07	43.57	3	Horizontal	45	2.19	-	34.28	6.01	34.93

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5230MHz_TX



EUT X_2TX
Setting 82
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.69436G	59.28	74.00	-14.72	44.21	3	Vertical	303	2.73	-	38.42	11.62	34.97	
AV	15.68748G	46.88	54.00	-7.12	31.78	3	Vertical	303	2.73	-	38.44	11.62	34.96	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5230MHz_TX



EUT X_2TX
Setting 82
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.6882G	59.43	74.00	-14.57	44.33	3	Horizontal	243	2.94	-	38.44	11.62	34.96	
AV	15.68934G	47.28	54.00	-6.72	32.19	3	Horizontal	243	2.94	-	38.43	11.62	34.96	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5755MHz_TX



EUT X_2TX
Setting 100
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	66.00	68.20	-2.20	60.41	3	Vertical	0	2.96	-	34.26	6.30	34.97
PK	5.752G	113.01	Inf	-Inf	107.45	3	Vertical	0	2.96	-	34.20	6.30	34.94
AV	5.767G	101.52	Inf	-Inf	95.96	3	Vertical	0	2.96	-	34.20	6.30	34.94
PK	5.932G	59.71	68.20	-8.49	53.73	3	Vertical	0	2.96	-	34.50	6.37	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5755MHz_TX



EUT X_2TX
Setting 100
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.99	68.20	-0.21	62.41	3	Horizontal	56	2.35	-	34.25	6.30	34.97
PK	5.751G	117.59	Inf	-Inf	112.03	3	Horizontal	56	2.35	-	34.20	6.30	34.94
AV	5.761G	106.52	Inf	-Inf	100.96	3	Horizontal	56	2.35	-	34.20	6.30	34.94
PK	5.929G	61.95	68.20	-6.25	55.99	3	Horizontal	56	2.35	-	34.49	6.36	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5755MHz_TX



EUT X_2TX
Setting 100
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50792G	56.73	74.00	-17.27	40.81	3	Vertical	245	2.19	-	38.76	11.84	34.68
AV	11.505G	45.15	54.00	-8.85	29.24	3	Vertical	245	2.19	-	38.75	11.84	34.68

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5755MHz_TX



EUT X_2TX
Setting 100
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5052G	57.51	74.00	-16.49	41.60	3	Horizontal	227	2.55	-	38.75	11.84	34.68
AV	11.50544G	44.90	54.00	-9.10	28.99	3	Horizontal	227	2.55	-	38.75	11.84	34.68

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5795MHz_TX



EUT X_2TX
Setting 100
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	61.16	68.20	-7.04	55.57	3	Vertical	0	2.95	-	34.26	6.30	34.97
PK	5.792G	114.37	Inf	-Inf	108.80	3	Vertical	0	2.95	-	34.20	6.30	34.93
AV	5.789G	101.74	Inf	-Inf	96.17	3	Vertical	0	2.95	-	34.20	6.30	34.93
PK	5.926G	63.40	68.20	-4.80	57.45	3	Vertical	0	2.95	-	34.48	6.36	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5795MHz_TX



EUT X_2TX
Setting 100
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	65.22	68.94	-3.72	59.63	3	Horizontal	57	2.31	-	34.25	6.30	34.96
PK	5.791G	117.40	Inf	-Inf	111.83	3	Horizontal	57	2.31	-	34.20	6.30	34.93
AV	5.801G	106.48	Inf	-Inf	100.91	3	Horizontal	57	2.31	-	34.20	6.30	34.93
PK	5.925G	68.03	68.20	-0.17	62.08	3	Horizontal	57	2.31	-	34.48	6.36	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5795MHz_TX



EUT X_2TX
Setting 100
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59364G	57.29	74.00	-16.71	41.23	3	Vertical	5	1.89	-	38.82	11.94	34.70
AV	11.59362G	44.97	54.00	-9.03	28.91	3	Vertical	5	1.89	-	38.82	11.94	34.70

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5795MHz_TX



EUT X_2TX
Setting 100
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58566G	57.10	74.00	-16.90	41.06	3	Horizontal	49	2.21	-	38.81	11.93	34.70	
AV	11.58832G	44.91	54.00	-9.09	28.87	3	Horizontal	49	2.21	-	38.81	11.93	34.70	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2020

5210MHz_TX



EUT X_2TX
Setting 59
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	62.08	74.00	-11.92	56.92	3	Vertical	313	2.47	-	33.90	6.03	34.77
AV	5.148G	48.40	54.00	-5.60	43.24	3	Vertical	313	2.47	-	33.90	6.03	34.77
PK	5.197G	99.48	Inf	-Inf	94.29	3	Vertical	313	2.47	-	33.90	6.10	34.81
AV	5.199G	88.72	Inf	-Inf	83.53	3	Vertical	313	2.47	-	33.90	6.10	34.81
PK	5.394G	59.30	74.00	-14.70	53.96	3	Vertical	313	2.47	-	34.29	6.00	34.95
AV	5.382G	47.22	54.00	-6.78	41.87	3	Vertical	313	2.47	-	34.28	6.01	34.94

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2020

5210MHz_TX



EUT X_2TX
Setting 59
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	67.91	74.00	-6.09	62.75	3	Horizontal	46	2.24	-	33.90	6.03	34.77
AV	5.148G	53.76	54.00	-0.24	48.60	3	Horizontal	46	2.24	-	33.90	6.03	34.77
PK	5.221G	109.64	Inf	-Inf	104.41	3	Horizontal	46	2.24	-	33.96	6.09	34.82
AV	5.221G	97.79	Inf	-Inf	92.56	3	Horizontal	46	2.24	-	33.96	6.09	34.82
PK	5.393G	59.52	74.00	-14.48	54.18	3	Horizontal	46	2.24	-	34.29	6.00	34.95
AV	5.354G	47.84	54.00	-6.16	42.49	3	Horizontal	46	2.24	-	34.25	6.02	34.92

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2020

5210MHz_TX



EUT X_2TX
Setting 59
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62986G	60.47	74.00	-13.53	45.14	3	Vertical	200	1.70	-	38.61	11.62	34.90
AV	15.62846G	47.78	54.00	-6.22	32.45	3	Vertical	200	1.70	-	38.61	11.62	34.90

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2020

5210MHz_TX



EUT X_2TX
Setting 59
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.63404G	60.29	74.00	-13.71	44.97	3	Horizontal	100	2.08	-	38.60	11.62	34.90	
AV	15.63382G	48.14	54.00	-5.86	32.82	3	Horizontal	100	2.08	-	38.60	11.62	34.90	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2020

5775MHz_TX



EUT X_2TX
Setting 86
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	62.04	68.20	-6.16	56.45	3	Vertical	306	2.88	-	34.26	6.30	34.97
PK	5.778G	104.62	Inf	-Inf	99.05	3	Vertical	306	2.88	-	34.20	6.30	34.93
AV	5.768G	93.10	Inf	-Inf	87.54	3	Vertical	306	2.88	-	34.20	6.30	34.94
PK	5.926G	62.78	68.20	-5.42	56.83	3	Vertical	306	2.88	-	34.48	6.36	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2020

5775MHz_TX



EUT X_2TX
Setting 86
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	66.89	68.20	-1.31	61.29	3	Horizontal	53	1.24	-	34.27	6.30	34.97
PK	5.778G	112.36	Inf	-Inf	106.79	3	Horizontal	53	1.24	-	34.20	6.30	34.93
AV	5.766G	100.79	Inf	-Inf	95.23	3	Horizontal	53	1.24	-	34.20	6.30	34.94
PK	5.926G	68.19	68.20	-0.01	62.24	3	Horizontal	53	1.24	-	34.48	6.36	34.89

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2020

5775MHz_TX



EUT X_2TX
Setting 86
03-A-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.54824G	57.16	74.00	-16.84	41.19	3	Vertical	144	1.84	-	38.78	11.88	34.69	
AV	11.54582G	45.06	54.00	-8.94	29.09	3	Vertical	144	1.84	-	38.78	11.88	34.69	

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2020

5775MHz_TX



EUT X_2TX
Setting 86
03-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55112G	57.85	74.00	-16.15	41.86	3	Horizontal	360	1.79	-	38.79	11.89	34.69
AV	11.54778G	44.77	54.00	-9.23	28.80	3	Horizontal	360	1.79	-	38.78	11.88	34.69



**For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode
Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.649G	68.16	68.20	-0.04	3	Vertical	91	3.00	-

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX



EUT X_4TX
Setting 67
01-D-L-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.76	74.00	-2.24	67.72	3	Vertical	356	2.78	-	32.80	5.87	34.63
AV	5.15G	53.79	54.00	-0.21	49.75	3	Vertical	356	2.78	-	32.80	5.87	34.63
PK	5.1838G	117.91	Inf	-Inf	113.87	3	Vertical	356	2.78	-	32.80	5.89	34.65
AV	5.184G	108.62	Inf	-Inf	104.58	3	Vertical	356	2.78	-	32.80	5.89	34.65




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX



EUT X_4TX
Setting 67
01-D-L-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.77	74.00	-12.23	57.73	3	Horizontal	232	2.25	-	32.80	5.87	34.63
AV	5.15G	46.39	54.00	-7.61	42.35	3	Horizontal	232	2.25	-	32.80	5.87	34.63
PK	5.1724G	103.60	Inf	-Inf	99.55	3	Horizontal	232	2.25	-	32.80	5.89	34.64
AV	5.1724G	94.53	Inf	-Inf	90.48	3	Horizontal	232	2.25	-	32.80	5.89	34.64




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5200MHz_TX



EUT X_4TX
Setting 84
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	70.96	74.00	-3.04	66.92	3	Vertical	359	2.83	-	32.80	5.87	34.63
AV	5.1484G	53.61	54.00	-0.39	49.57	3	Vertical	359	2.83	-	32.80	5.87	34.63
PK	5.2048G	121.09	Inf	-Inf	117.02	3	Vertical	359	2.83	-	32.81	5.91	34.65
AV	5.204G	111.41	Inf	-Inf	107.34	3	Vertical	359	2.83	-	32.81	5.91	34.65




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5200MHz_TX



EUT X_4TX
Setting 84
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	60.38	74.00	-13.62	56.34	3	Horizontal	12	2.31	-	32.80	5.87	34.63
AV	5.1496G	46.37	54.00	-7.63	42.33	3	Horizontal	12	2.31	-	32.80	5.87	34.63
PK	5.1924G	106.37	Inf	-Inf	102.32	3	Horizontal	12	2.31	-	32.80	5.90	34.65
AV	5.1924G	97.39	Inf	-Inf	93.34	3	Horizontal	12	2.31	-	32.80	5.90	34.65

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5240MHz_TX



EUT X_4TX
Setting 97
01-D-L-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	71.10	74.00	-2.90	67.06	3	Vertical	4	2.80	-	32.80	5.87	34.63
AV	5.15G	53.81	54.00	-0.19	49.77	3	Vertical	4	2.80	-	32.80	5.87	34.63
PK	5.243G	124.12	Inf	-Inf	119.84	3	Vertical	4	2.80	-	32.93	6.02	34.67
AV	5.2424G	114.23	Inf	-Inf	109.96	3	Vertical	4	2.80	-	32.93	6.01	34.67
PK	5.3558G	60.60	74.00	-13.40	55.85	3	Vertical	4	2.80	-	33.16	6.30	34.71
AV	5.3504G	47.60	54.00	-6.40	42.87	3	Vertical	4	2.80	-	33.15	6.29	34.71

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5240MHz_TX



EUT X_4TX
Setting 97
01-D-L-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	57.44	74.00	-16.56	53.40	3	Horizontal	103	2.13	-	32.80	5.87	34.63
AV	5.15G	45.22	54.00	-8.78	41.18	3	Horizontal	103	2.13	-	32.80	5.87	34.63
PK	5.234G	110.00	Inf	-Inf	105.77	3	Horizontal	103	2.13	-	32.90	5.99	34.66
AV	5.234G	99.69	Inf	-Inf	95.46	3	Horizontal	103	2.13	-	32.90	5.99	34.66
PK	5.351G	58.11	74.00	-15.89	53.38	3	Horizontal	103	2.13	-	33.15	6.29	34.71
AV	5.35G	45.74	54.00	-8.26	41.01	3	Horizontal	103	2.13	-	33.15	6.29	34.71

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5745MHz_TX



EUT X_4TX
Setting 96
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.16	68.20	-0.04	62.54	3	Vertical	91	3.00	-	34.00	6.32	34.70
PK	5.75G	120.69	Inf	-Inf	114.83	3	Vertical	91	3.00	-	34.15	6.37	34.66
AV	5.751G	109.89	Inf	-Inf	104.02	3	Vertical	91	3.00	-	34.15	6.38	34.66
PK	5.971G	60.46	68.20	-7.74	53.39	3	Vertical	91	3.00	-	35.16	6.49	34.58

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5745MHz_TX



EUT X_4TX
Setting 96
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	59.14	68.20	-9.06	53.56	3	Horizontal	337	1.80	-	34.00	6.30	34.72
PK	5.752G	107.61	Inf	-Inf	101.73	3	Horizontal	337	1.80	-	34.16	6.38	34.66
AV	5.752G	96.78	Inf	-Inf	90.90	3	Horizontal	337	1.80	-	34.16	6.38	34.66
PK	5.966G	59.64	68.20	-8.56	52.61	3	Horizontal	337	1.80	-	35.13	6.48	34.58

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5785MHz_TX



EUT X_4TX
Setting 108
01-D-L-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.44	68.20	-3.76	58.82	3	Vertical	337	2.20	-	34.00	6.32	34.70
PK	5.792G	122.08	Inf	-Inf	116.05	3	Vertical	337	2.20	-	34.28	6.40	34.65
AV	5.793G	111.34	Inf	-Inf	105.31	3	Vertical	337	2.20	-	34.28	6.40	34.65
PK	5.937G	62.07	68.20	-6.13	55.22	3	Vertical	337	2.20	-	34.98	6.47	34.60

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5785MHz_TX



EUT X_4TX
Setting 108
01-D-L-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	58.43	68.20	-9.77	52.88	3	Horizontal	337	1.80	-	33.97	6.31	34.73
PK	5.791G	110.78	Inf	-Inf	104.76	3	Horizontal	337	1.80	-	34.27	6.40	34.65
AV	5.791G	100.08	Inf	-Inf	94.06	3	Horizontal	337	1.80	-	34.27	6.40	34.65
PK	5.939G	59.63	68.20	-8.57	52.76	3	Horizontal	337	1.80	-	34.99	6.47	34.59

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5825MHz_TX



EUT X_4TX
Setting 91
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	58.49	68.20	-9.71	52.91	3	Vertical	341	3.00	-	34.00	6.30	34.72
PK	5.82G	119.95	Inf	-Inf	113.78	3	Vertical	341	3.00	-	34.40	6.41	34.64
AV	5.82G	109.78	Inf	-Inf	103.61	3	Vertical	341	3.00	-	34.40	6.41	34.64
PK	5.933G	67.99	68.20	-0.21	61.16	3	Vertical	341	3.00	-	34.96	6.47	34.60

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5825MHz_TX



EUT X_4TX
Setting 91
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.592G	58.74	68.20	-9.46	53.18	3	Horizontal	223	2.00	-	33.98	6.30	34.72
PK	5.826G	107.35	Inf	-Inf	101.15	3	Horizontal	223	2.00	-	34.43	6.41	34.64
AV	5.827G	97.13	Inf	-Inf	90.92	3	Horizontal	223	2.00	-	34.44	6.41	34.64
PK	5.929G	61.28	68.20	-6.92	54.48	3	Horizontal	223	2.00	-	34.94	6.46	34.60

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5180MHz_TX



EUT X_4TX
Setting 62
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	73.78	74.00	-0.22	69.74	3	Vertical	7	2.76	-	32.80	5.87	34.63
AV	5.1478G	53.30	54.00	-0.70	49.26	3	Vertical	7	2.76	-	32.80	5.87	34.63
PK	5.1732G	118.30	Inf	-Inf	114.25	3	Vertical	7	2.76	-	32.80	5.89	34.64
AV	5.178G	104.63	Inf	-Inf	100.58	3	Vertical	7	2.76	-	32.80	5.89	34.64




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5180MHz_TX



EUT X_4TX
Setting 62
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	60.57	74.00	-13.43	56.53	3	Horizontal	100	1.58	-	32.80	5.87	34.63
AV	5.1478G	45.21	54.00	-8.79	41.17	3	Horizontal	100	1.58	-	32.80	5.87	34.63
PK	5.1826G	104.87	Inf	-Inf	100.82	3	Horizontal	100	1.58	-	32.80	5.89	34.64
AV	5.1828G	91.75	Inf	-Inf	87.70	3	Horizontal	100	1.58	-	32.80	5.89	34.64




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5200MHz_TX



EUT X_4TX
Setting 83
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.148G	70.72	74.00	-3.28	66.68	3	Vertical	221	2.19	-	32.80	5.87	34.63	
AV	5.1476G	53.81	54.00	-0.19	49.77	3	Vertical	221	2.19	-	32.80	5.87	34.63	
PK	5.1972G	120.45	Inf	-Inf	116.40	3	Vertical	221	2.19	-	32.80	5.90	34.65	
AV	5.1976G	107.05	Inf	-Inf	103.00	3	Vertical	221	2.19	-	32.80	5.90	34.65	




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5200MHz_TX



EUT X_4TX
Setting 83
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1488G	59.95	74.00	-14.05	55.91	3	Horizontal	100	1.60	-	32.80	5.87	34.63	
AV	5.1484G	46.28	54.00	-7.72	42.24	3	Horizontal	100	1.60	-	32.80	5.87	34.63	
PK	5.1932G	109.21	Inf	-Inf	105.16	3	Horizontal	100	1.60	-	32.80	5.90	34.65	
AV	5.198G	96.24	Inf	-Inf	92.19	3	Horizontal	100	1.60	-	32.80	5.90	34.65	

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5240MHz_TX



EUT X_4TX
Setting 97
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	69.24	74.00	-4.76	65.20	3	Vertical	3	2.94	-	32.80	5.87	34.63
AV	5.1488G	53.75	54.00	-0.25	49.71	3	Vertical	3	2.94	-	32.80	5.87	34.63
PK	5.2328G	124.69	Inf	-Inf	120.46	3	Vertical	3	2.94	-	32.90	5.99	34.66
AV	5.2376G	111.39	Inf	-Inf	107.15	3	Vertical	3	2.94	-	32.91	6.00	34.67
PK	5.351G	67.84	74.00	-6.16	63.11	3	Vertical	3	2.94	-	33.15	6.29	34.71
AV	5.3504G	50.88	54.00	-3.12	46.15	3	Vertical	3	2.94	-	33.15	6.29	34.71

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5240MHz_TX



EUT X_4TX
Setting 97
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.97	74.00	-13.03	56.93	3	Horizontal	98	1.65	-	32.80	5.87	34.63
AV	5.15G	45.90	54.00	-8.10	41.86	3	Horizontal	98	1.65	-	32.80	5.87	34.63
PK	5.2424G	109.92	Inf	-Inf	105.65	3	Horizontal	98	1.65	-	32.93	6.01	34.67
AV	5.243G	97.34	Inf	-Inf	93.06	3	Horizontal	98	1.65	-	32.93	6.02	34.67
PK	5.3504G	57.88	74.00	-16.12	53.15	3	Horizontal	98	1.65	-	33.15	6.29	34.71
AV	5.3504G	45.28	54.00	-8.72	40.55	3	Horizontal	98	1.65	-	33.15	6.29	34.71

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5745MHz_TX



EUT X_4TX
Setting 94
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.94	68.20	-0.26	62.32	3	Vertical	332	2.09	-	34.00	6.32	34.70
PK	5.752G	119.67	Inf	-Inf	113.79	3	Vertical	332	2.09	-	34.16	6.38	34.66
AV	5.746G	107.17	Inf	-Inf	101.33	3	Vertical	332	2.09	-	34.14	6.37	34.67
PK	5.936G	60.30	68.20	-7.90	53.45	3	Vertical	332	2.09	-	34.98	6.47	34.60




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5745MHz_TX



EUT X_4TX
Setting 94
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	58.89	68.20	-9.31	53.31	3	Horizontal	341	1.94	-	34.00	6.30	34.72
PK	5.743G	107.64	Inf	-Inf	101.81	3	Horizontal	341	1.94	-	34.13	6.37	34.67
AV	5.743G	95.70	Inf	-Inf	89.87	3	Horizontal	341	1.94	-	34.13	6.37	34.67
PK	5.933G	59.80	68.20	-8.40	52.97	3	Horizontal	341	1.94	-	34.96	6.47	34.60

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5785MHz_TX



EUT X_4TX
Setting 108
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	64.43	68.94	-4.51	58.80	3	Vertical	271	2.28	-	34.00	6.33	34.70
PK	5.781G	120.91	Inf	-Inf	114.94	3	Vertical	271	2.28	-	34.24	6.39	34.66
AV	5.786G	107.09	Inf	-Inf	101.09	3	Vertical	271	2.28	-	34.26	6.39	34.65
PK	5.927G	65.48	68.20	-2.72	58.68	3	Vertical	271	2.28	-	34.94	6.46	34.60

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5785MHz_TX



EUT X_4TX
Setting 108
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	59.42	68.20	-8.78	53.83	3	Horizontal	340	2.11	-	34.00	6.31	34.72
PK	5.783G	109.91	Inf	-Inf	103.93	3	Horizontal	340	2.11	-	34.25	6.39	34.66
AV	5.788G	97.74	Inf	-Inf	91.74	3	Horizontal	340	2.11	-	34.26	6.39	34.65
PK	5.95G	59.58	68.20	-8.62	52.65	3	Horizontal	340	2.11	-	35.05	6.47	34.59




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5825MHz_TX



EUT X_4TX
Setting 91
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	59.90	68.20	-8.30	54.35	3	Vertical	273	2.04	-	33.97	6.31	34.73
PK	5.831G	118.63	Inf	-Inf	112.40	3	Vertical	273	2.04	-	34.45	6.42	34.64
AV	5.826G	105.41	Inf	-Inf	99.21	3	Vertical	273	2.04	-	34.43	6.41	34.64
PK	5.933G	67.98	68.20	-0.22	61.15	3	Vertical	273	2.04	-	34.96	6.47	34.60




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5825MHz_TX



EUT X_4TX
Setting 91
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	58.55	68.20	-9.65	52.99	3	Horizontal	344	1.74	-	33.98	6.30	34.72
PK	5.819G	105.64	Inf	-Inf	99.48	3	Horizontal	344	1.74	-	34.39	6.41	34.64
AV	5.823G	93.67	Inf	-Inf	87.49	3	Horizontal	344	1.74	-	34.41	6.41	34.64
PK	5.947G	59.69	68.20	-8.51	52.78	3	Horizontal	344	1.74	-	35.03	6.47	34.59

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5190MHz_TX



EUT X_4TX
Setting 58
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	69.84	74.00	-4.16	65.80	3	Vertical	221	2.19	-	32.80	5.87	34.63
AV	5.1472G	53.83	54.00	-0.17	49.79	3	Vertical	221	2.19	-	32.80	5.87	34.63
PK	5.1776G	112.26	Inf	-Inf	108.21	3	Vertical	221	2.19	-	32.80	5.89	34.64
AV	5.1872G	100.59	Inf	-Inf	96.55	3	Vertical	221	2.19	-	32.80	5.89	34.65

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5190MHz_TX



EUT X_4TX
Setting 58
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.03	74.00	-13.97	55.99	3	Horizontal	102	2.37	-	32.80	5.87	34.63
AV	5.148G	46.89	54.00	-7.11	42.85	3	Horizontal	102	2.37	-	32.80	5.87	34.63
PK	5.1884G	101.75	Inf	-Inf	97.71	3	Horizontal	102	2.37	-	32.80	5.89	34.65
AV	5.198G	90.18	Inf	-Inf	86.13	3	Horizontal	102	2.37	-	32.80	5.90	34.65

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5230MHz_TX



EUT X_4TX
Setting 74
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	69.87	74.00	-4.13	65.83	3	Vertical	220	2.14	-	32.80	5.87	34.63
AV	5.1478G	53.69	54.00	-0.31	49.65	3	Vertical	220	2.14	-	32.80	5.87	34.63
PK	5.2174G	115.90	Inf	-Inf	111.76	3	Vertical	220	2.14	-	32.85	5.95	34.66
AV	5.2324G	104.10	Inf	-Inf	99.87	3	Vertical	220	2.14	-	32.90	5.99	34.66
PK	5.3524G	58.94	74.00	-15.06	54.21	3	Vertical	220	2.14	-	33.15	6.29	34.71
AV	5.3524G	47.51	54.00	-6.49	42.78	3	Vertical	220	2.14	-	33.15	6.29	34.71

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5230MHz_TX



EUT X_4TX
Setting 74
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	57.98	74.00	-16.02	53.94	3	Horizontal	100	1.57	-	32.80	5.87	34.63
AV	5.143G	46.22	54.00	-7.78	42.18	3	Horizontal	100	1.57	-	32.80	5.87	34.63
PK	5.2234G	103.47	Inf	-Inf	99.30	3	Horizontal	100	1.57	-	32.87	5.96	34.66
AV	5.2228G	92.75	Inf	-Inf	88.58	3	Horizontal	100	1.57	-	32.87	5.96	34.66
PK	5.3764G	57.41	74.00	-16.59	52.59	3	Horizontal	100	1.57	-	33.18	6.35	34.71
AV	5.35G	46.38	54.00	-7.62	41.64	3	Horizontal	100	1.57	-	33.15	6.29	34.70




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5755MHz_TX



EUT X_4TX
Setting 88
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.55	68.94	-0.39	62.92	3	Vertical	333	2.17	-	34.00	6.33	34.70
PK	5.766G	116.61	Inf	-Inf	110.69	3	Vertical	333	2.17	-	34.20	6.38	34.66
AV	5.762G	105.72	Inf	-Inf	99.81	3	Vertical	333	2.17	-	34.19	6.38	34.66
PK	5.937G	62.76	68.20	-5.44	55.91	3	Vertical	333	2.17	-	34.98	6.47	34.60




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5755MHz_TX



EUT X_4TX
Setting 88
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	58.53	68.20	-9.67	52.92	3	Horizontal	341	2.10	-	34.00	6.32	34.71
PK	5.768G	105.17	Inf	-Inf	99.25	3	Horizontal	341	2.10	-	34.20	6.38	34.66
AV	5.768G	94.54	Inf	-Inf	88.62	3	Horizontal	341	2.10	-	34.20	6.38	34.66
PK	5.931G	59.90	68.20	-8.30	53.08	3	Horizontal	341	2.10	-	34.95	6.47	34.60

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5795MHz_TX



EUT X_4TX
Setting 89
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	61.12	68.20	-7.08	55.52	3	Vertical	271	1.98	-	34.00	6.31	34.71
PK	5.792G	115.23	Inf	-Inf	109.20	3	Vertical	271	1.98	-	34.28	6.40	34.65
AV	5.787G	104.50	Inf	-Inf	98.50	3	Vertical	271	1.98	-	34.26	6.39	34.65
PK	5.926G	67.82	68.20	-0.38	61.03	3	Vertical	271	1.98	-	34.93	6.46	34.60

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5795MHz_TX



EUT X_4TX
Setting 89
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	59.47	68.20	-8.73	53.90	3	Horizontal	343	1.88	-	33.98	6.31	34.72
PK	5.784G	104.35	Inf	-Inf	98.36	3	Horizontal	343	1.88	-	34.25	6.39	34.65
AV	5.788G	94.75	Inf	-Inf	88.75	3	Horizontal	343	1.88	-	34.26	6.39	34.65
PK	5.93G	60.25	68.20	-7.95	53.44	3	Horizontal	343	1.88	-	34.95	6.46	34.60

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5210MHz_TX



EUT X_4TX
Setting 58
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	69.38	74.00	-4.62	65.34	3	Vertical	250	2.35	-	32.80	5.87	34.63
AV	5.149G	53.85	54.00	-0.15	49.81	3	Vertical	250	2.35	-	32.80	5.87	34.63
PK	5.209G	108.35	Inf	-Inf	104.25	3	Vertical	250	2.35	-	32.83	5.92	34.65
AV	5.199G	97.94	Inf	-Inf	93.89	3	Vertical	250	2.35	-	32.80	5.90	34.65
PK	5.42G	58.94	74.00	-15.06	53.96	3	Vertical	250	2.35	-	33.32	6.39	34.73
AV	5.351G	47.04	54.00	-6.96	42.31	3	Vertical	250	2.35	-	33.15	6.29	34.71

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5210MHz_TX



EUT X_4TX
Setting 58
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	58.83	74.00	-15.17	54.79	3	Horizontal	104	2.26	-	32.80	5.87	34.63
AV	5.148G	46.37	54.00	-7.63	42.33	3	Horizontal	104	2.26	-	32.80	5.87	34.63
PK	5.213G	97.19	Inf	-Inf	93.07	3	Horizontal	104	2.26	-	32.84	5.94	34.66
AV	5.203G	85.20	Inf	-Inf	81.13	3	Horizontal	104	2.26	-	32.81	5.91	34.65
PK	5.457G	58.51	74.00	-15.49	53.34	3	Horizontal	104	2.26	-	33.54	6.37	34.74
AV	5.43G	46.67	54.00	-7.33	41.63	3	Horizontal	104	2.26	-	33.38	6.39	34.73

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5775MHz_TX



EUT X_4TX
Setting 79
01-D-G-2-10
ANT Z


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.87	68.94	-0.07	63.24	3	Vertical	336	2.11	-	34.00	6.33	34.70
PK	5.786G	113.46	Inf	-Inf	107.46	3	Vertical	336	2.11	-	34.26	6.39	34.65
AV	5.766G	101.67	Inf	-Inf	95.75	3	Vertical	336	2.11	-	34.20	6.38	34.66
PK	5.932G	67.96	68.20	-0.24	61.13	3	Vertical	336	2.11	-	34.96	6.47	34.60

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5775MHz_TX



EUT X_4TX
Setting 79
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	60.27	68.20	-7.93	54.65	3	Horizontal	343	1.87	-	34.00	6.32	34.70
PK	5.788G	100.95	Inf	-Inf	94.95	3	Horizontal	343	1.87	-	34.26	6.39	34.65
AV	5.788G	89.73	Inf	-Inf	83.73	3	Horizontal	343	1.87	-	34.26	6.39	34.65
PK	5.927G	60.69	68.20	-7.51	53.89	3	Horizontal	343	1.87	-	34.94	6.46	34.60



**For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.922G	70.37	70.42	-0.05	3	Vertical	335	2.77	-




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 77
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.68	74.00	-2.32	67.64	3	Vertical	335	1.98	-	32.80	5.87	34.63
AV	5.15G	53.89	54.00	-0.11	49.85	3	Vertical	335	1.98	-	32.80	5.87	34.63
PK	5.1866G	113.04	Inf	-Inf	109.00	3	Vertical	335	1.98	-	32.80	5.89	34.65
AV	5.1866G	103.82	Inf	-Inf	99.78	3	Vertical	335	1.98	-	32.80	5.89	34.65




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 77
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	60.81	74.00	-13.19	56.77	3	Horizontal	298	2.88	-	32.80	5.87	34.63
AV	5.1468G	45.54	54.00	-8.46	41.50	3	Horizontal	298	2.88	-	32.80	5.87	34.63
PK	5.1868G	100.55	Inf	-Inf	96.51	3	Horizontal	298	2.88	-	32.80	5.89	34.65
AV	5.1816G	91.47	Inf	-Inf	87.42	3	Horizontal	298	2.88	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 97
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	69.28	74.00	-4.72	65.24	3	Vertical	334	2.00	-	32.80	5.87	34.63
AV	5.15G	53.28	54.00	-0.72	49.24	3	Vertical	334	2.00	-	32.80	5.87	34.63
PK	5.206G	118.76	Inf	-Inf	114.67	3	Vertical	334	2.00	-	32.82	5.92	34.65
AV	5.2012G	109.03	Inf	-Inf	104.98	3	Vertical	334	2.00	-	32.80	5.90	34.65

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 97
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	60.49	74.00	-13.51	56.45	3	Horizontal	298	3.00	-	32.80	5.87	34.63
AV	5.15G	45.89	54.00	-8.11	41.85	3	Horizontal	298	3.00	-	32.80	5.87	34.63
PK	5.2064G	107.33	Inf	-Inf	103.24	3	Horizontal	298	3.00	-	32.82	5.92	34.65
AV	5.2068G	97.44	Inf	-Inf	93.35	3	Horizontal	298	3.00	-	32.82	5.92	34.65

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	64.16	74.00	-9.84	60.12	3	Vertical	6	2.42	-	32.80	5.87	34.63
AV	5.1476G	48.59	54.00	-5.41	44.55	3	Vertical	6	2.42	-	32.80	5.87	34.63
PK	5.2388G	120.39	Inf	-Inf	116.14	3	Vertical	6	2.42	-	32.92	6.00	34.67
AV	5.234G	109.70	Inf	-Inf	105.47	3	Vertical	6	2.42	-	32.90	5.99	34.66
PK	5.357G	60.28	74.00	-13.72	55.53	3	Vertical	6	2.42	-	33.16	6.30	34.71
AV	5.351G	47.50	54.00	-6.50	42.77	3	Vertical	6	2.42	-	33.15	6.29	34.71

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	58.95	74.00	-15.05	54.91	3	Horizontal	298	2.84	-	32.80	5.87	34.63
AV	5.1488G	45.12	54.00	-8.88	41.08	3	Horizontal	298	2.84	-	32.80	5.87	34.63
PK	5.2364G	108.21	Inf	-Inf	103.96	3	Horizontal	298	2.84	-	32.91	6.00	34.66
AV	5.2412G	98.08	Inf	-Inf	93.82	3	Horizontal	298	2.84	-	32.92	6.01	34.67
PK	5.3672G	58.26	74.00	-15.74	53.48	3	Horizontal	298	2.84	-	33.17	6.32	34.71
AV	5.369G	45.79	54.00	-8.21	41.00	3	Horizontal	298	2.84	-	33.17	6.33	34.71




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	60.83	68.20	-7.37	55.21	3	Vertical	356	2.78	-	34.00	6.32	34.70
PK	5.744G	118.71	Inf	-Inf	112.88	3	Vertical	356	2.78	-	34.13	6.37	34.67
AV	5.749G	108.36	Inf	-Inf	102.51	3	Vertical	356	2.78	-	34.15	6.37	34.67
PK	5.934G	59.74	68.20	-8.46	52.90	3	Vertical	356	2.78	-	34.97	6.47	34.60

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	58.96	68.20	-9.24	53.35	3	Horizontal	235	1.98	-	34.00	6.32	34.71
PK	5.751G	104.80	Inf	-Inf	98.93	3	Horizontal	235	1.98	-	34.15	6.38	34.66
AV	5.746G	94.32	Inf	-Inf	88.48	3	Horizontal	235	1.98	-	34.14	6.37	34.67
PK	5.977G	59.78	68.20	-8.42	52.68	3	Horizontal	235	1.98	-	35.19	6.49	34.58

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	59.42	68.20	-8.78	53.82	3	Vertical	4	2.87	-	34.00	6.31	34.71
PK	5.788G	119.57	Inf	-Inf	113.57	3	Vertical	4	2.87	-	34.26	6.39	34.65
AV	5.788G	109.33	Inf	-Inf	103.33	3	Vertical	4	2.87	-	34.26	6.39	34.65
PK	5.989G	59.93	68.20	-8.27	52.77	3	Vertical	4	2.87	-	35.24	6.49	34.57




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.604G	58.47	68.20	-9.73	52.89	3	Horizontal	231	2.14	-	34.00	6.30	34.72	
PK	5.79G	105.67	Inf	-Inf	99.65	3	Horizontal	231	2.14	-	34.27	6.40	34.65	
AV	5.791G	95.36	Inf	-Inf	89.34	3	Horizontal	231	2.14	-	34.27	6.40	34.65	
PK	5.968G	60.32	68.20	-7.88	53.28	3	Horizontal	231	2.14	-	35.14	6.48	34.58	




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.584G	59.21	68.20	-8.99	53.66	3	Vertical	25	2.96	-	33.97	6.31	34.73	
PK	5.827G	118.48	Inf	-Inf	112.27	3	Vertical	25	2.96	-	34.44	6.41	34.64	
AV	5.827G	108.70	Inf	-Inf	102.49	3	Vertical	25	2.96	-	34.44	6.41	34.64	
PK	5.936G	61.91	68.20	-6.29	55.06	3	Vertical	25	2.96	-	34.98	6.47	34.60	




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	58.63	68.20	-9.57	53.03	3	Horizontal	232	2.10	-	34.00	6.31	34.71
PK	5.831G	106.61	Inf	-Inf	100.38	3	Horizontal	232	2.10	-	34.45	6.42	34.64
AV	5.831G	95.99	Inf	-Inf	89.76	3	Horizontal	232	2.10	-	34.45	6.42	34.64
PK	5.99G	59.91	68.20	-8.29	52.73	3	Horizontal	232	2.10	-	35.25	6.50	34.57




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 73
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	69.48	74.00	-4.52	65.44	3	Vertical	335	1.99	-	32.80	5.87	34.63
AV	5.15G	53.13	54.00	-0.87	49.09	3	Vertical	335	1.99	-	32.80	5.87	34.63
PK	5.173G	113.93	Inf	-Inf	109.88	3	Vertical	335	1.99	-	32.80	5.89	34.64
AV	5.1754G	101.62	Inf	-Inf	97.57	3	Vertical	335	1.99	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 73
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	59.61	74.00	-14.39	55.57	3	Horizontal	285	2.88	-	32.80	5.87	34.63
AV	5.15G	45.49	54.00	-8.51	41.45	3	Horizontal	285	2.88	-	32.80	5.87	34.63
PK	5.1732G	101.59	Inf	-Inf	97.54	3	Horizontal	285	2.88	-	32.80	5.89	34.64
AV	5.1784G	89.39	Inf	-Inf	85.34	3	Horizontal	285	2.88	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 90
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.71	74.00	-4.29	65.67	3	Vertical	338	2.35	-	32.80	5.87	34.63
AV	5.15G	53.91	54.00	-0.09	49.87	3	Vertical	338	2.35	-	32.80	5.87	34.63
PK	5.2056G	117.79	Inf	-Inf	113.70	3	Vertical	338	2.35	-	32.82	5.92	34.65
AV	5.2028G	106.88	Inf	-Inf	102.81	3	Vertical	338	2.35	-	32.81	5.91	34.65




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 90
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	59.41	74.00	-14.59	55.37	3	Horizontal	299	3.00	-	32.80	5.87	34.63
AV	5.1484G	46.26	54.00	-7.74	42.22	3	Horizontal	299	3.00	-	32.80	5.87	34.63
PK	5.206G	107.00	Inf	-Inf	102.91	3	Horizontal	299	3.00	-	32.82	5.92	34.65
AV	5.2032G	95.71	Inf	-Inf	91.64	3	Horizontal	299	3.00	-	32.81	5.91	34.65

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.99	74.00	-10.01	59.95	3	Vertical	357	2.46	-	32.80	5.87	34.63
AV	5.1488G	50.37	54.00	-3.63	46.33	3	Vertical	357	2.46	-	32.80	5.87	34.63
PK	5.2328G	120.13	Inf	-Inf	115.90	3	Vertical	357	2.46	-	32.90	5.99	34.66
AV	5.2454G	108.89	Inf	-Inf	104.60	3	Vertical	357	2.46	-	32.94	6.02	34.67
PK	5.351G	61.56	74.00	-12.44	56.83	3	Vertical	357	2.46	-	33.15	6.29	34.71
AV	5.3516G	48.53	54.00	-5.47	43.80	3	Vertical	357	2.46	-	33.15	6.29	34.71

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	58.59	74.00	-15.41	54.55	3	Horizontal	297	2.89	-	32.80	5.87	34.63
AV	5.15G	45.63	54.00	-8.37	41.59	3	Horizontal	297	2.89	-	32.80	5.87	34.63
PK	5.2412G	110.08	Inf	-Inf	105.82	3	Horizontal	297	2.89	-	32.92	6.01	34.67
AV	5.243G	98.88	Inf	-Inf	94.60	3	Horizontal	297	2.89	-	32.93	6.02	34.67
PK	5.35G	57.75	74.00	-16.25	53.02	3	Horizontal	297	2.89	-	33.15	6.29	34.71
AV	5.35G	45.78	54.00	-8.22	41.05	3	Horizontal	297	2.89	-	33.15	6.29	34.71

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.31	68.20	-6.89	55.69	3	Vertical	0	2.78	-	34.00	6.32	34.70
PK	5.742G	119.89	Inf	-Inf	114.06	3	Vertical	0	2.78	-	34.13	6.37	34.67
AV	5.747G	107.67	Inf	-Inf	101.83	3	Vertical	0	2.78	-	34.14	6.37	34.67
PK	5.959G	60.23	68.20	-7.97	53.25	3	Vertical	0	2.78	-	35.09	6.48	34.59




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.21	68.20	-8.99	53.59	3	Horizontal	237	2.09	-	34.00	6.32	34.70
PK	5.745G	104.73	Inf	-Inf	98.90	3	Horizontal	237	2.09	-	34.13	6.37	34.67
AV	5.748G	94.21	Inf	-Inf	88.37	3	Horizontal	237	2.09	-	34.14	6.37	34.67
PK	5.962G	59.72	68.20	-8.48	52.72	3	Horizontal	237	2.09	-	35.11	6.48	34.59

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	58.94	68.20	-9.26	53.36	3	Vertical	27	2.88	-	34.00	6.30	34.72
PK	5.786G	119.91	Inf	-Inf	113.91	3	Vertical	27	2.88	-	34.26	6.39	34.65
AV	5.786G	108.47	Inf	-Inf	102.47	3	Vertical	27	2.88	-	34.26	6.39	34.65
PK	5.927G	60.35	68.20	-7.85	53.55	3	Vertical	27	2.88	-	34.94	6.46	34.60

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	58.73	68.20	-9.47	53.16	3	Horizontal	233	1.91	-	33.99	6.30	34.72
PK	5.788G	105.70	Inf	-Inf	99.70	3	Horizontal	233	1.91	-	34.26	6.39	34.65
AV	5.788G	94.85	Inf	-Inf	88.85	3	Horizontal	233	1.91	-	34.26	6.39	34.65
PK	5.944G	59.76	68.20	-8.44	52.86	3	Horizontal	233	1.91	-	35.02	6.47	34.59




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	59.45	68.20	-8.75	53.87	3	Vertical	335	2.74	-	34.00	6.30	34.72
PK	5.822G	119.23	Inf	-Inf	113.05	3	Vertical	335	2.74	-	34.41	6.41	34.64
AV	5.828G	107.84	Inf	-Inf	101.63	3	Vertical	335	2.74	-	34.44	6.41	34.64
PK	5.925G	66.01	68.20	-2.19	59.22	3	Vertical	335	2.74	-	34.93	6.46	34.60




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	58.53	68.20	-9.67	52.93	3	Horizontal	230	2.56	-	34.00	6.31	34.71
PK	5.827G	105.94	Inf	-Inf	99.73	3	Horizontal	230	2.56	-	34.44	6.41	34.64
AV	5.83G	94.98	Inf	-Inf	88.75	3	Horizontal	230	2.56	-	34.45	6.42	34.64
PK	5.983G	59.79	68.20	-8.41	52.67	3	Horizontal	230	2.56	-	35.21	6.49	34.58




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5190MHz_TX



EUT X_2TX
Setting 67
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.14	74.00	-5.86	64.10	3	Vertical	337	2.34	-	32.80	5.87	34.63
AV	5.1488G	53.77	54.00	-0.23	49.73	3	Vertical	337	2.34	-	32.80	5.87	34.63
PK	5.1956G	110.20	Inf	-Inf	106.15	3	Vertical	337	2.34	-	32.80	5.90	34.65
AV	5.1956G	97.57	Inf	-Inf	93.52	3	Vertical	337	2.34	-	32.80	5.90	34.65

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5190MHz_TX



EUT X_2TX
Setting 67
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	59.11	74.00	-14.89	55.07	3	Horizontal	297	2.87	-	32.80	5.87	34.63
AV	5.15G	45.93	54.00	-8.07	41.89	3	Horizontal	297	2.87	-	32.80	5.87	34.63
PK	5.1956G	97.65	Inf	-Inf	93.60	3	Horizontal	297	2.87	-	32.80	5.90	34.65
AV	5.1956G	85.80	Inf	-Inf	81.75	3	Horizontal	297	2.87	-	32.80	5.90	34.65

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5230MHz_TX



EUT X_2TX
Setting 87
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.96	74.00	-7.04	62.92	3	Vertical	357	2.40	-	32.80	5.87	34.63
AV	5.15G	53.89	54.00	-0.11	49.85	3	Vertical	357	2.40	-	32.80	5.87	34.63
PK	5.2174G	115.65	Inf	-Inf	111.51	3	Vertical	357	2.40	-	32.85	5.95	34.66
AV	5.2222G	103.79	Inf	-Inf	99.62	3	Vertical	357	2.40	-	32.87	5.96	34.66
PK	5.3596G	58.66	74.00	-15.34	53.90	3	Vertical	357	2.40	-	33.16	6.31	34.71
AV	5.3506G	47.52	54.00	-6.48	42.79	3	Vertical	357	2.40	-	33.15	6.29	34.71

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5230MHz_TX



EUT X_2TX
Setting 87
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	58.16	74.00	-15.84	54.12	3	Horizontal	297	2.96	-	32.80	5.87	34.63
AV	5.1496G	47.15	54.00	-6.85	43.11	3	Horizontal	297	2.96	-	32.80	5.87	34.63
PK	5.2258G	104.39	Inf	-Inf	100.20	3	Horizontal	297	2.96	-	32.88	5.97	34.66
AV	5.2228G	93.16	Inf	-Inf	88.99	3	Horizontal	297	2.96	-	32.87	5.96	34.66
PK	5.3638G	58.00	74.00	-16.00	53.23	3	Horizontal	297	2.96	-	33.16	6.32	34.71
AV	5.3566G	46.56	54.00	-7.44	41.81	3	Horizontal	297	2.96	-	33.16	6.30	34.71

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX



EUT X_2TX
Setting 103
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.78	68.94	-0.16	63.15	3	Vertical	337	2.82	-	34.00	6.33	34.70
PK	5.76G	116.79	Inf	-Inf	110.89	3	Vertical	337	2.82	-	34.18	6.38	34.66
AV	5.76G	105.93	Inf	-Inf	100.03	3	Vertical	337	2.82	-	34.18	6.38	34.66
PK	5.927G	62.41	68.20	-5.79	55.61	3	Vertical	337	2.82	-	34.94	6.46	34.60




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX



EUT X_2TX
Setting 103
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	59.10	68.20	-9.10	53.50	3	Horizontal	232	1.88	-	34.00	6.31	34.71
PK	5.761G	102.41	Inf	-Inf	96.51	3	Horizontal	232	1.88	-	34.18	6.38	34.66
AV	5.763G	91.28	Inf	-Inf	85.37	3	Horizontal	232	1.88	-	34.19	6.38	34.66
PK	5.933G	59.92	68.20	-8.28	53.09	3	Horizontal	232	1.88	-	34.96	6.47	34.60

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5795MHz_TX



EUT X_2TX
Setting 104
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	63.12	68.20	-5.08	57.50	3	Vertical	35	3.00	-	34.00	6.32	34.70
PK	5.791G	116.67	Inf	-Inf	110.65	3	Vertical	35	3.00	-	34.27	6.40	34.65
AV	5.791G	104.97	Inf	-Inf	98.95	3	Vertical	35	3.00	-	34.27	6.40	34.65
PK	5.925G	67.98	68.20	-0.22	61.20	3	Vertical	35	3.00	-	34.92	6.46	34.60

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5795MHz_TX



EUT X_2TX
Setting 104
01-D-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	58.61	68.20	-9.59	53.01	3	Horizontal	231	1.93	-	34.00	6.31	34.71
PK	5.8G	102.94	Inf	-Inf	96.89	3	Horizontal	231	1.93	-	34.30	6.40	34.65
AV	5.801G	91.65	Inf	-Inf	85.60	3	Horizontal	231	1.93	-	34.30	6.40	34.65
PK	5.985G	60.16	68.20	-8.04	53.03	3	Horizontal	231	1.93	-	35.22	6.49	34.58

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5210MHz_TX



EUT X_2TX
Setting 65
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	68.86	74.00	-5.14	64.82	3	Vertical	334	1.97	-	32.80	5.87	34.63
AV	5.149G	53.81	54.00	-0.19	49.77	3	Vertical	334	1.97	-	32.80	5.87	34.63
PK	5.213G	107.72	Inf	-Inf	103.60	3	Vertical	334	1.97	-	32.84	5.94	34.66
AV	5.195G	96.09	Inf	-Inf	92.04	3	Vertical	334	1.97	-	32.80	5.90	34.65
PK	5.398G	58.32	74.00	-15.68	53.44	3	Vertical	334	1.97	-	33.20	6.40	34.72
AV	5.435G	47.02	54.00	-6.98	41.96	3	Vertical	334	1.97	-	33.41	6.38	34.73

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5210MHz_TX



EUT X_2TX
Setting 65
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	61.53	74.00	-12.47	57.49	3	Horizontal	299	3.00	-	32.80	5.87	34.63
AV	5.144G	46.86	54.00	-7.14	42.82	3	Horizontal	299	3.00	-	32.80	5.87	34.63
PK	5.223G	95.60	Inf	-Inf	91.43	3	Horizontal	299	3.00	-	32.87	5.96	34.66
AV	5.198G	84.65	Inf	-Inf	80.60	3	Horizontal	299	3.00	-	32.80	5.90	34.65
PK	5.381G	58.78	74.00	-15.22	53.95	3	Horizontal	299	3.00	-	33.18	6.36	34.71
AV	5.398G	46.60	54.00	-7.40	41.72	3	Horizontal	299	3.00	-	33.20	6.40	34.72




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5775MHz_TX



EUT X_2TX
Setting 86
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	65.96	68.20	-2.24	60.35	3	Vertical	335	2.77	-	34.00	6.32	34.71
PK	5.785G	112.49	Inf	-Inf	106.50	3	Vertical	335	2.77	-	34.25	6.39	34.65
AV	5.765G	100.64	Inf	-Inf	94.72	3	Vertical	335	2.77	-	34.20	6.38	34.66
PK	5.922G	70.37	70.42	-0.05	63.60	3	Vertical	335	2.77	-	34.91	6.46	34.60

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5775MHz_TX



EUT X_2TX
Setting 86
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.53G	59.87	68.20	-8.33	54.43	3	Horizontal	214	2.64	-	33.86	6.33	34.75
PK	5.781G	96.17	Inf	-Inf	90.20	3	Horizontal	214	2.64	-	34.24	6.39	34.66
AV	5.767G	85.71	Inf	-Inf	79.79	3	Horizontal	214	2.64	-	34.20	6.38	34.66
PK	5.97G	60.01	68.20	-8.19	52.95	3	Horizontal	214	2.64	-	35.15	6.49	34.58



**For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	17.2578G	68.11	68.20	-0.09	3	Vertical	172	2.48	-




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.35792G	60.04	68.20	-8.16	48.29	3	Vertical	134	1.82	-	38.21	8.91	35.37	
PK	15.53408G	64.76	74.00	-9.24	50.97	3	Vertical	159	2.94	-	38.77	9.79	34.77	
AV	15.53488G	52.19	54.00	-1.81	38.40	3	Vertical	159	2.94	-	38.77	9.79	34.77	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.36664G	57.16	68.20	-11.04	45.40	3	Horizontal	146	1.80	-	38.21	8.91	35.36	
PK	15.54384G	61.43	74.00	-12.57	47.66	3	Horizontal	164	1.83	-	38.76	9.79	34.78	
AV	15.5428G	48.71	54.00	-5.29	34.93	3	Horizontal	164	1.83	-	38.77	9.79	34.78	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5200MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.39728G	57.34	68.20	-10.86	45.54	3	Vertical	79	2.61	-	38.22	8.92	35.34	
PK	15.6008G	64.73	74.00	-9.27	51.08	3	Vertical	184	2.69	-	38.72	9.78	34.85	
AV	15.60176G	52.63	54.00	-1.37	38.98	3	Vertical	184	2.69	-	38.72	9.78	34.85	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5200MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.38848G	55.28	68.20	-12.92	43.49	3	Horizontal	145	2.92	-	38.22	8.92	35.35	
PK	15.60248G	60.64	74.00	-13.36	46.99	3	Horizontal	163	1.74	-	38.72	9.78	34.85	
AV	15.60216G	47.73	54.00	-6.27	34.08	3	Horizontal	163	1.74	-	38.72	9.78	34.85	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.48138G	58.38	68.20	-9.82	46.46	3	Vertical	196	1.85	-	38.24	8.95	35.27	
PK	15.71568G	66.12	74.00	-7.88	52.71	3	Vertical	176	2.72	-	38.63	9.75	34.97	
AV	15.71514G	52.73	54.00	-1.27	39.32	3	Vertical	176	2.72	-	38.63	9.75	34.97	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.48984G	57.13	68.20	-11.07	45.19	3	Horizontal	167	2.17	-	38.25	8.95	35.26	
PK	15.72636G	61.64	74.00	-12.36	48.26	3	Horizontal	176	1.33	-	38.62	9.75	34.99	
AV	15.72138G	47.99	54.00	-6.01	34.60	3	Horizontal	176	1.33	-	38.62	9.75	34.98	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5745MHz_TX



EUT_Z_4TX
Setting 87
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48766G	59.11	74.00	-14.89	46.34	3	Vertical	307	1.42	-	38.45	9.25	34.93	
AV	11.49156G	46.92	54.00	-7.08	34.15	3	Vertical	307	1.42	-	38.45	9.25	34.93	
PK	17.23452G	68.09	68.20	-0.11	50.01	3	Vertical	197	2.05	-	41.55	10.26	33.73	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5745MHz_TX



EUT_Z_4TX
Setting 87
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4855G	59.63	74.00	-14.37	46.86	3	Horizontal	214	1.80	-	38.45	9.25	34.93
AV	11.48592G	46.68	54.00	-7.32	33.91	3	Horizontal	214	1.80	-	38.45	9.25	34.93
PK	17.23902G	66.95	68.20	-1.25	48.85	3	Horizontal	181	1.11	-	41.56	10.27	33.73




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5785MHz_TX



EUT_Z_4TX
Setting 77
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5655G	63.33	74.00	-10.67	50.54	3	Vertical	144	1.80	-	38.46	9.27	34.94
AV	11.56586G	49.20	54.00	-4.80	36.41	3	Vertical	144	1.80	-	38.46	9.27	34.94
PK	17.35848G	68.05	68.20	-0.15	49.74	3	Vertical	190	2.72	-	41.74	10.32	33.75




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5785MHz_TX



EUT_Z_4TX
Setting 77
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56424G	58.22	74.00	-15.78	45.43	3	Horizontal	140	2.30	-	38.46	9.27	34.94	
AV	11.5658G	45.60	54.00	-8.40	32.81	3	Horizontal	140	2.30	-	38.46	9.27	34.94	
PK	17.35638G	64.10	68.20	-4.10	45.80	3	Horizontal	189	3.00	-	41.73	10.32	33.75	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5825MHz_TX



EUT_Z_4TX
Setting 78
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.64358G	58.05	74.00	-15.95	45.24	3	Vertical	345	2.98	-	38.46	9.30	34.95	
AV	11.64304G	45.70	54.00	-8.30	32.89	3	Vertical	345	2.98	-	38.46	9.30	34.95	
PK	17.47914G	67.96	68.20	-0.24	49.44	3	Vertical	186	2.23	-	41.92	10.37	33.77	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5825MHz_TX



EUT_Z_4TX
Setting 78
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65486G	58.18	74.00	-15.82	45.36	3	Horizontal	237	2.24	-	38.47	9.30	34.95	
AV	11.6431G	45.72	54.00	-8.28	32.91	3	Horizontal	237	2.24	-	38.46	9.30	34.95	
PK	17.47548G	65.27	68.20	-2.93	46.76	3	Horizontal	193	1.80	-	41.91	10.37	33.77	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5180MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.35874G	58.10	68.20	-10.10	46.35	3	Vertical	133	1.80	-	38.21	8.91	35.37	
PK	15.54402G	64.87	74.00	-9.13	51.10	3	Vertical	203	2.63	-	38.76	9.79	34.78	
AV	15.53904G	50.98	54.00	-3.02	37.20	3	Vertical	203	2.63	-	38.77	9.79	34.78	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5180MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.3564G	57.52	68.20	-10.68	45.77	3	Horizontal	344	1.34	-	38.21	8.91	35.37	
PK	15.54996G	61.04	74.00	-12.96	47.28	3	Horizontal	162	1.80	-	38.76	9.79	34.79	
AV	15.53526G	46.76	54.00	-7.24	32.97	3	Horizontal	162	1.80	-	38.77	9.79	34.77	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5200MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.39868G	57.44	68.20	-10.76	45.64	3	Vertical	214	1.35	-	38.22	8.92	35.34	
PK	15.60414G	64.69	74.00	-9.31	51.04	3	Vertical	198	2.30	-	38.72	9.78	34.85	
AV	15.59898G	51.09	54.00	-2.91	37.43	3	Vertical	198	2.30	-	38.72	9.78	34.84	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5200MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.40114G	56.97	68.20	-11.23	45.17	3	Horizontal	339	2.62	-	38.22	8.92	35.34	
PK	15.60354G	58.61	74.00	-15.39	44.96	3	Horizontal	360	2.89	-	38.72	9.78	34.85	
AV	15.59802G	45.26	54.00	-8.74	31.60	3	Horizontal	360	2.89	-	38.72	9.78	34.84	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.47238G	58.60	68.20	-9.60	46.69	3	Vertical	146	2.34	-	38.24	8.95	35.28	
PK	15.7176G	66.80	74.00	-7.20	53.40	3	Vertical	177	2.53	-	38.63	9.75	34.98	
AV	15.71742G	53.06	54.00	-0.94	39.66	3	Vertical	177	2.53	-	38.63	9.75	34.98	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.48192G	58.36	68.20	-9.84	46.44	3	Horizontal	127	2.88	-	38.24	8.95	35.27	
PK	15.72402G	61.08	74.00	-12.92	47.69	3	Horizontal	180	1.07	-	38.62	9.75	34.98	
AV	15.72366G	47.60	54.00	-6.40	34.21	3	Horizontal	180	1.07	-	38.62	9.75	34.98	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5745MHz_TX



EUT_Z_4TX
Setting 88
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48656G	62.10	74.00	-11.90	49.33	3	Vertical	132	1.80	-	38.45	9.25	34.93	
AV	11.48896G	47.76	54.00	-6.24	34.99	3	Vertical	132	1.80	-	38.45	9.25	34.93	
PK	17.23254G	67.97	68.20	-0.23	49.89	3	Vertical	197	2.04	-	41.55	10.26	33.73	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5745MHz_TX



EUT_Z_4TX
Setting 88
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4872G	58.99	74.00	-15.01	46.22	3	Horizontal	214	1.80	-	38.45	9.25	34.93	
AV	11.48712G	45.31	54.00	-8.69	32.54	3	Horizontal	214	1.80	-	38.45	9.25	34.93	
PK	17.23436G	65.18	68.20	-3.02	47.10	3	Horizontal	182	1.00	-	41.55	10.26	33.73	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5785MHz_TX



EUT_Z_4TX
Setting 90
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57448G	60.63	74.00	-13.37	47.83	3	Vertical	143	1.80	-	38.46	9.28	34.94	
AV	11.56912G	46.94	54.00	-7.06	34.14	3	Vertical	143	1.80	-	38.46	9.28	34.94	
PK	17.35652G	67.99	68.20	-0.21	49.69	3	Vertical	194	2.44	-	41.73	10.32	33.75	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5785MHz_TX



EUT_Z_4TX
Setting 90
01-D-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57448G	59.93	74.00	-14.07	47.13	3	Horizontal	151	1.62	-	38.46	9.28	34.94	
AV	11.56904G	46.57	54.00	-7.43	33.77	3	Horizontal	151	1.62	-	38.46	9.28	34.94	
PK	17.35332G	65.86	68.20	-2.34	47.56	3	Horizontal	180	1.23	-	41.73	10.32	33.75	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5825MHz_TX



EUT_Z_4TX
Setting 81
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.64632G	62.91	74.00	-11.09	50.10	3	Vertical	142	2.91	-	38.46	9.30	34.95	
AV	11.65144G	49.34	54.00	-4.66	36.52	3	Vertical	142	2.91	-	38.47	9.30	34.95	
PK	17.47316G	67.97	68.20	-0.23	49.46	3	Vertical	186	2.25	-	41.91	10.37	33.77	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5825MHz_TX



EUT_Z_4TX
Setting 81
01-D-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.64624G	60.08	74.00	-13.92	47.27	3	Horizontal	211	1.76	-	38.46	9.30	34.95	
AV	11.64672G	46.26	54.00	-7.74	33.45	3	Horizontal	211	1.76	-	38.46	9.30	34.95	
PK	17.48124G	65.48	68.20	-2.72	46.96	3	Horizontal	193	1.80	-	41.92	10.37	33.77	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5190MHz_TX



EUT_Z_4TX
Setting 108
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37864G	57.84	68.20	-10.36	46.06	3	Vertical	127	1.78	-	38.21	8.92	35.35
PK	15.56568G	61.87	74.00	-12.13	48.15	3	Vertical	183	2.69	-	38.75	9.78	34.81
AV	15.56032G	50.25	54.00	-3.75	36.52	3	Vertical	183	2.69	-	38.75	9.78	34.80




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5190MHz_TX



EUT_Z_4TX
Setting 108
01-D-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.37872G	55.35	68.20	-12.85	43.57	3	Horizontal	173	1.17	-	38.21	8.92	35.35	
PK	15.56024G	59.74	74.00	-14.26	46.01	3	Horizontal	165	1.80	-	38.75	9.78	34.80	
AV	15.56084G	47.16	54.00	-6.84	33.43	3	Horizontal	165	1.80	-	38.75	9.78	34.80	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5230MHz_TX



EUT_Z_4TX
Setting 108
01-D-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.46696G	57.83	68.20	-10.37	45.93	3	Vertical	134	1.78	-	38.24	8.94	35.28	
PK	15.68408G	61.24	74.00	-12.76	47.77	3	Vertical	201	2.70	-	38.65	9.76	34.94	
AV	15.68424G	50.18	54.00	-3.82	36.71	3	Vertical	201	2.70	-	38.65	9.76	34.94	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5230MHz_TX



EUT_Z_4TX
Setting 108
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.46384G	55.34	68.20	-12.86	43.44	3	Horizontal	345	1.52	-	38.24	8.94	35.28	
PK	15.69234G	59.60	74.00	-14.40	46.14	3	Horizontal	179	1.74	-	38.65	9.76	34.95	
AV	15.68898G	47.20	54.00	-6.80	33.73	3	Horizontal	179	1.74	-	38.65	9.76	34.94	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5755MHz_TX



EUT_Z_4TX
Setting 97
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.51232G	60.90	74.00	-13.10	48.12	3	Vertical	155	1.79	-	38.45	9.26	34.93	
AV	11.50712G	48.69	54.00	-5.31	35.91	3	Vertical	155	1.79	-	38.45	9.26	34.93	
PK	17.2578G	68.11	68.20	-0.09	49.98	3	Vertical	172	2.48	-	41.59	10.27	33.73	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5755MHz_TX



EUT_Z_4TX
Setting 97
01-D-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.52216G	57.55	74.00	-16.45	44.77	3	Horizontal	220	1.72	-	38.45	9.26	34.93	
AV	11.51216G	45.77	54.00	-8.23	32.99	3	Horizontal	220	1.72	-	38.45	9.26	34.93	
PK	17.2482G	65.86	68.20	-2.34	47.75	3	Horizontal	180	1.00	-	41.57	10.27	33.73	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5795MHz_TX



EUT_Z_4TX
Setting 108
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59608G	61.26	74.00	-12.74	48.47	3	Vertical	119	1.79	-	38.46	9.28	34.95
AV	11.59584G	49.77	54.00	-4.23	36.98	3	Vertical	119	1.79	-	38.46	9.28	34.95
PK	17.39972G	66.13	68.20	-2.07	47.74	3	Vertical	155	1.85	-	41.80	10.34	33.75




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5795MHz_TX



EUT_Z_4TX
Setting 108
01-D-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.584G	58.75	74.00	-15.25	45.95	3	Horizontal	166	1.62	-	38.46	9.28	34.94	
AV	11.58928G	46.74	54.00	-7.26	33.94	3	Horizontal	166	1.62	-	38.46	9.28	34.94	
PK	17.38988G	64.91	68.20	-3.29	46.55	3	Horizontal	193	2.64	-	41.78	10.33	33.75	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5210MHz_TX



EUT_Z_4TX
Setting 108
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40736G	56.03	68.20	-12.17	44.21	3	Vertical	327	1.01	-	38.22	8.93	35.33
PK	15.64264G	60.64	74.00	-13.36	47.07	3	Vertical	203	2.60	-	38.69	9.77	34.89
AV	15.64232G	48.02	54.00	-5.98	34.45	3	Vertical	203	2.60	-	38.69	9.77	34.89




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5210MHz_TX



EUT_Z_4TX
Setting 108
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.4048G	55.40	68.20	-12.80	43.58	3	Horizontal	275	1.48	-	38.22	8.93	35.33	
PK	15.63728G	58.29	74.00	-15.71	44.72	3	Horizontal	153	1.43	-	38.69	9.77	34.89	
AV	15.64896G	46.09	54.00	-7.91	32.54	3	Horizontal	153	1.43	-	38.68	9.77	34.90	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5775MHz_TX



EUT_Z_4TX
Setting 108
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.53696G	59.02	74.00	-14.98	46.24	3	Vertical	155	1.77	-	38.45	9.27	34.94	
AV	11.54696G	47.09	54.00	-6.91	34.31	3	Vertical	155	1.77	-	38.45	9.27	34.94	
PK	17.30684G	65.95	68.20	-2.25	47.73	3	Vertical	191	2.91	-	41.66	10.30	33.74	




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5775MHz_TX



EUT_Z_4TX
Setting 108
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56736G	57.27	74.00	-16.73	44.48	3	Horizontal	280	1.78	-	38.46	9.27	34.94	
AV	11.55448G	44.72	54.00	-9.28	31.93	3	Horizontal	280	1.78	-	38.46	9.27	34.94	
PK	17.31324G	63.45	68.20	-4.75	45.22	3	Horizontal	197	2.99	-	41.67	10.30	33.74	



**For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.651G	68.91	68.94	-0.03	3	Vertical	336	1.45	-




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX



EUT_Z_4TX
Setting 66
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1408G	68.71	74.00	-5.29	64.67	3	Vertical	35	1.53	-	32.80	5.87	34.63
AV	5.1498G	50.38	54.00	-3.62	46.34	3	Vertical	35	1.53	-	32.80	5.87	34.63
PK	5.1818G	114.04	Inf	-Inf	109.99	3	Vertical	35	1.53	-	32.80	5.89	34.64
AV	5.1816G	104.61	Inf	-Inf	100.56	3	Vertical	35	1.53	-	32.80	5.89	34.64




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX



EUT_Z_4TX
Setting 66
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	71.67	74.00	-2.33	67.63	3	Horizontal	355	2.79	-	32.80	5.87	34.63
AV	5.15G	53.88	54.00	-0.12	49.84	3	Horizontal	355	2.79	-	32.80	5.87	34.63
PK	5.1724G	116.11	Inf	-Inf	112.06	3	Horizontal	355	2.79	-	32.80	5.89	34.64
AV	5.1724G	107.22	Inf	-Inf	103.17	3	Horizontal	355	2.79	-	32.80	5.89	34.64




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5200MHz_TX



EUT_Z_4TX
Setting 84
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1436G	70.17	74.00	-3.83	66.13	3	Vertical	38	1.41	-	32.80	5.87	34.63	
AV	5.1432G	50.67	54.00	-3.33	46.63	3	Vertical	38	1.41	-	32.80	5.87	34.63	
PK	5.202G	118.27	Inf	-Inf	114.20	3	Vertical	38	1.41	-	32.81	5.91	34.65	
AV	5.2024G	108.77	Inf	-Inf	104.70	3	Vertical	38	1.41	-	32.81	5.91	34.65	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5200MHz_TX



EUT_Z_4TX
Setting 84
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.26	74.00	-5.74	64.22	3	Horizontal	354	2.76	-	32.80	5.87	34.63
AV	5.15G	53.61	54.00	-0.39	49.57	3	Horizontal	354	2.76	-	32.80	5.87	34.63
PK	5.1924G	120.17	Inf	-Inf	116.12	3	Horizontal	354	2.76	-	32.80	5.90	34.65
AV	5.1924G	110.80	Inf	-Inf	106.75	3	Horizontal	354	2.76	-	32.80	5.90	34.65

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 97
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	67.70	74.00	-6.30	63.66	3	Vertical	37	1.40	-	32.80	5.87	34.63
AV	5.1464G	50.77	54.00	-3.23	46.73	3	Vertical	37	1.40	-	32.80	5.87	34.63
PK	5.2418G	120.49	Inf	-Inf	116.22	3	Vertical	37	1.40	-	32.93	6.01	34.67
AV	5.2418G	110.43	Inf	-Inf	106.16	3	Vertical	37	1.40	-	32.93	6.01	34.67
PK	5.3504G	63.96	74.00	-10.04	59.23	3	Vertical	37	1.40	-	33.15	6.29	34.71
AV	5.3504G	49.42	54.00	-4.58	44.69	3	Vertical	37	1.40	-	33.15	6.29	34.71

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 97
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	70.07	74.00	-3.93	66.03	3	Horizontal	346	2.74	-	32.80	5.87	34.63
AV	5.15G	53.62	54.00	-0.38	49.58	3	Horizontal	346	2.74	-	32.80	5.87	34.63
PK	5.2412G	122.76	Inf	-Inf	118.50	3	Horizontal	346	2.74	-	32.92	6.01	34.67
AV	5.2418G	112.75	Inf	-Inf	108.48	3	Horizontal	346	2.74	-	32.93	6.01	34.67
PK	5.3594G	65.37	74.00	-8.63	60.61	3	Horizontal	346	2.74	-	33.16	6.31	34.71
AV	5.35G	49.35	54.00	-4.65	44.61	3	Horizontal	346	2.74	-	33.15	6.29	34.70

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5745MHz_TX



EUT_Z_4TX
Setting 89
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.88	68.20	-0.32	62.26	3	Vertical	339	1.22	-	34.00	6.32	34.70
PK	5.737G	122.40	Inf	-Inf	116.59	3	Vertical	339	1.22	-	34.11	6.37	34.67
AV	5.738G	112.06	Inf	-Inf	106.25	3	Vertical	339	1.22	-	34.11	6.37	34.67
PK	5.928G	59.78	68.20	-8.42	52.98	3	Vertical	339	1.22	-	34.94	6.46	34.60

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5745MHz_TX



EUT_Z_4TX
Setting 89
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	65.77	68.20	-2.43	60.15	3	Horizontal	12	3.00	-	34.00	6.32	34.70
PK	5.746G	119.02	Inf	-Inf	113.18	3	Horizontal	12	3.00	-	34.14	6.37	34.67
AV	5.746G	109.49	Inf	-Inf	103.65	3	Horizontal	12	3.00	-	34.14	6.37	34.67
PK	5.939G	59.82	68.20	-8.38	52.95	3	Horizontal	12	3.00	-	34.99	6.47	34.59

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5785MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.77	68.20	-0.43	62.15	3	Vertical	342	2.13	-	34.00	6.32	34.70
PK	5.793G	122.23	Inf	-Inf	116.20	3	Vertical	342	2.13	-	34.28	6.40	34.65
AV	5.793G	111.56	Inf	-Inf	105.53	3	Vertical	342	2.13	-	34.28	6.40	34.65
PK	5.934G	64.74	68.20	-3.46	57.90	3	Vertical	342	2.13	-	34.97	6.47	34.60

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5785MHz_TX



EUT_Z_4TX
Setting 108
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	65.80	68.20	-2.40	60.18	3	Horizontal	12	2.99	-	34.00	6.32	34.70
PK	5.787G	119.68	Inf	-Inf	113.68	3	Horizontal	12	2.99	-	34.26	6.39	34.65
AV	5.787G	109.44	Inf	-Inf	103.44	3	Horizontal	12	2.99	-	34.26	6.39	34.65
PK	5.928G	65.04	68.20	-3.16	58.24	3	Horizontal	12	2.99	-	34.94	6.46	34.60

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5825MHz_TX



EUT_Z_4TX
Setting 90
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	59.51	68.20	-8.69	53.98	3	Vertical	336	1.43	-	33.95	6.31	34.73
PK	5.818G	122.29	Inf	-Inf	116.13	3	Vertical	336	1.43	-	34.39	6.41	34.64
AV	5.817G	112.05	Inf	-Inf	105.90	3	Vertical	336	1.43	-	34.38	6.41	34.64
PK	5.932G	67.95	68.20	-0.25	61.12	3	Vertical	336	1.43	-	34.96	6.47	34.60

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5825MHz_TX



EUT_Z_4TX
Setting 90
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	58.67	68.20	-9.53	53.11	3	Horizontal	17	3.00	-	33.98	6.30	34.72
PK	5.824G	118.78	Inf	-Inf	112.59	3	Horizontal	17	3.00	-	34.42	6.41	34.64
AV	5.825G	108.08	Inf	-Inf	101.89	3	Horizontal	17	3.00	-	34.42	6.41	34.64
PK	5.922G	66.53	70.42	-3.89	59.76	3	Horizontal	17	3.00	-	34.91	6.46	34.60




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5180MHz_TX



EUT_Z_4TX
Setting 61
01-D-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	68.97	74.00	-5.03	64.93	3	Vertical	35	1.51	-	32.80	5.87	34.63
AV	5.15G	50.35	54.00	-3.65	46.31	3	Vertical	35	1.51	-	32.80	5.87	34.63
PK	5.1856G	115.45	Inf	-Inf	111.41	3	Vertical	35	1.51	-	32.80	5.89	34.65
AV	5.1808G	102.27	Inf	-Inf	98.22	3	Vertical	35	1.51	-	32.80	5.89	34.64

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5180MHz_TX



EUT_Z_4TX
Setting 61
01-D-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	71.46	74.00	-2.54	67.42	3	Horizontal	356	2.95	-	32.80	5.87	34.63
AV	5.1492G	53.77	54.00	-0.23	49.73	3	Horizontal	356	2.95	-	32.80	5.87	34.63
PK	5.1792G	115.96	Inf	-Inf	111.91	3	Horizontal	356	2.95	-	32.80	5.89	34.64
AV	5.1744G	104.88	Inf	-Inf	100.83	3	Horizontal	356	2.95	-	32.80	5.89	34.64

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5200MHz_TX



EUT_Z_4TX
Setting 76
01-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	67.76	74.00	-6.24	63.72	3	Vertical	33	1.45	-	32.80	5.87	34.63
AV	5.15G	49.82	54.00	-4.18	45.78	3	Vertical	33	1.45	-	32.80	5.87	34.63
PK	5.2012G	118.71	Inf	-Inf	114.66	3	Vertical	33	1.45	-	32.80	5.90	34.65
AV	5.1956G	107.19	Inf	-Inf	103.14	3	Vertical	33	1.45	-	32.80	5.90	34.65




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5200MHz_TX



EUT_Z_4TX
Setting 76
01-D-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	71.84	74.00	-2.16	67.80	3	Horizontal	354	2.96	-	32.80	5.87	34.63
AV	5.15G	53.70	54.00	-0.30	49.66	3	Horizontal	354	2.96	-	32.80	5.87	34.63
PK	5.2044G	119.88	Inf	-Inf	115.81	3	Horizontal	354	2.96	-	32.81	5.91	34.65
AV	5.1948G	108.13	Inf	-Inf	104.08	3	Horizontal	354	2.96	-	32.80	5.90	34.65

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 96
01-D-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.27	74.00	-9.73	60.23	3	Vertical	33	1.40	-	32.80	5.87	34.63
AV	5.1482G	50.69	54.00	-3.31	46.65	3	Vertical	33	1.40	-	32.80	5.87	34.63
PK	5.2412G	122.56	Inf	-Inf	118.30	3	Vertical	33	1.40	-	32.92	6.01	34.67
AV	5.2412G	111.08	Inf	-Inf	106.82	3	Vertical	33	1.40	-	32.92	6.01	34.67
PK	5.3654G	63.68	74.00	-10.32	58.90	3	Vertical	33	1.40	-	33.17	6.32	34.71
AV	5.354G	49.01	54.00	-4.99	44.28	3	Vertical	33	1.40	-	33.15	6.29	34.71

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 96
01-D-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	67.44	74.00	-6.56	63.40	3	Horizontal	356	2.90	-	32.80	5.87	34.63
AV	5.1476G	53.69	54.00	-0.31	49.65	3	Horizontal	356	2.90	-	32.80	5.87	34.63
PK	5.234G	123.37	Inf	-Inf	119.14	3	Horizontal	356	2.90	-	32.90	5.99	34.66
AV	5.2448G	111.13	Inf	-Inf	106.85	3	Horizontal	356	2.90	-	32.93	6.02	34.67
PK	5.3648G	63.90	74.00	-10.10	59.13	3	Horizontal	356	2.90	-	33.16	6.32	34.71
AV	5.354G	48.78	54.00	-5.22	44.05	3	Horizontal	356	2.90	-	33.15	6.29	34.71

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5745MHz_TX



EUT_Z_4TX
Setting 87
01-D-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.74	68.20	-0.46	62.12	3	Vertical	339	1.40	-	34.00	6.32	34.70
PK	5.746G	123.79	Inf	-Inf	117.95	3	Vertical	339	1.40	-	34.14	6.37	34.67
AV	5.746G	111.45	Inf	-Inf	105.61	3	Vertical	339	1.40	-	34.14	6.37	34.67
PK	5.947G	61.12	68.20	-7.08	54.21	3	Vertical	339	1.40	-	35.03	6.47	34.59

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5745MHz_TX



EUT_Z_4TX
Setting 87
01-D-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.655G	68.67	71.90	-3.23	63.04	3	Horizontal	13	3.00	-	34.00	6.33	34.70
PK	5.75G	119.13	Inf	-Inf	113.27	3	Horizontal	13	3.00	-	34.15	6.37	34.66
AV	5.74G	108.17	Inf	-Inf	102.35	3	Horizontal	13	3.00	-	34.12	6.37	34.67
PK	5.99G	60.44	68.20	-7.76	53.26	3	Horizontal	13	3.00	-	35.25	6.50	34.57

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5785MHz_TX



EUT Z_4TX
Setting 98
01-D-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.39	68.20	-0.81	61.77	3	Vertical	336	1.40	-	34.00	6.32	34.70
PK	5.786G	124.10	Inf	-Inf	118.10	3	Vertical	336	1.40	-	34.26	6.39	34.65
AV	5.786G	113.09	Inf	-Inf	107.09	3	Vertical	336	1.40	-	34.26	6.39	34.65
PK	5.928G	66.20	68.20	-2.00	59.40	3	Vertical	336	1.40	-	34.94	6.46	34.60

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5785MHz_TX



EUT_Z_4TX
Setting 98
01-D-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.09	68.20	-5.11	57.47	3	Horizontal	10	2.97	-	34.00	6.32	34.70
PK	5.79G	120.16	Inf	-Inf	114.14	3	Horizontal	10	2.97	-	34.27	6.40	34.65
AV	5.79G	108.94	Inf	-Inf	102.92	3	Horizontal	10	2.97	-	34.27	6.40	34.65
PK	5.925G	63.52	68.20	-4.68	56.73	3	Horizontal	10	2.97	-	34.93	6.46	34.60

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5825MHz_TX



EUT_Z_4TX
Setting 86
01-D-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	60.09	68.20	-8.11	54.52	3	Vertical	335	1.48	-	33.98	6.31	34.72
PK	5.827G	122.43	Inf	-Inf	116.22	3	Vertical	335	1.48	-	34.44	6.41	34.64
AV	5.826G	110.95	Inf	-Inf	104.75	3	Vertical	335	1.48	-	34.43	6.41	34.64
PK	5.923G	69.45	69.68	-0.23	62.68	3	Vertical	335	1.48	-	34.91	6.46	34.60

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5825MHz_TX



EUT_Z_4TX
Setting 86
01-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	59.41	68.20	-8.79	53.80	3	Horizontal	14	3.00	-	34.00	6.32	34.71
PK	5.83G	117.42	Inf	-Inf	111.19	3	Horizontal	14	3.00	-	34.45	6.42	34.64
AV	5.83G	107.18	Inf	-Inf	100.95	3	Horizontal	14	3.00	-	34.45	6.42	34.64
PK	5.925G	64.70	68.20	-3.50	57.91	3	Horizontal	14	3.00	-	34.93	6.46	34.60




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5190MHz_TX



EUT_Z_4TX
Setting 54
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.146G	67.77	74.00	-6.23	63.73	3	Vertical	33	1.37	-	32.80	5.87	34.63	
AV	5.146G	50.59	54.00	-3.41	46.55	3	Vertical	33	1.37	-	32.80	5.87	34.63	
PK	5.1856G	111.26	Inf	-Inf	107.22	3	Vertical	33	1.37	-	32.80	5.89	34.65	
AV	5.1956G	99.91	Inf	-Inf	95.86	3	Vertical	33	1.37	-	32.80	5.90	34.65	

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5190MHz_TX



EUT_Z_4TX
Setting 54
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.26	74.00	-3.74	66.22	3	Horizontal	355	2.95	-	32.80	5.87	34.63
AV	5.1496G	53.83	54.00	-0.17	49.79	3	Horizontal	355	2.95	-	32.80	5.87	34.63
PK	5.1748G	111.66	Inf	-Inf	107.61	3	Horizontal	355	2.95	-	32.80	5.89	34.64
AV	5.1744G	100.43	Inf	-Inf	96.38	3	Horizontal	355	2.95	-	32.80	5.89	34.64

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5230MHz_TX



EUT_Z_4TX
Setting 69
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	65.37	74.00	-8.63	61.33	3	Vertical	35	1.47	-	32.80	5.87	34.63
AV	5.15G	51.00	54.00	-3.00	46.96	3	Vertical	35	1.47	-	32.80	5.87	34.63
PK	5.2354G	115.59	Inf	-Inf	111.34	3	Vertical	35	1.47	-	32.91	6.00	34.66
AV	5.2354G	104.49	Inf	-Inf	100.24	3	Vertical	35	1.47	-	32.91	6.00	34.66
PK	5.3614G	58.66	74.00	-15.34	53.90	3	Vertical	35	1.47	-	33.16	6.31	34.71
AV	5.3626G	47.33	54.00	-6.67	42.57	3	Vertical	35	1.47	-	33.16	6.31	34.71

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5230MHz_TX



EUT_Z_4TX
Setting 69
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.96	74.00	-6.04	63.92	3	Horizontal	359	2.90	-	32.80	5.87	34.63
AV	5.149G	53.57	54.00	-0.43	49.53	3	Horizontal	359	2.90	-	32.80	5.87	34.63
PK	5.2342G	114.97	Inf	-Inf	110.74	3	Horizontal	359	2.90	-	32.90	5.99	34.66
AV	5.2342G	103.88	Inf	-Inf	99.65	3	Horizontal	359	2.90	-	32.90	5.99	34.66
PK	5.3542G	58.68	74.00	-15.32	53.95	3	Horizontal	359	2.90	-	33.15	6.29	34.71
AV	5.3704G	47.70	54.00	-6.30	42.91	3	Horizontal	359	2.90	-	33.17	6.33	34.71

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5755MHz_TX



EUT_Z_4TX
Setting 81
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	68.13	68.20	-0.07	62.51	3	Vertical	338	1.45	-	34.00	6.32	34.70
PK	5.766G	119.49	Inf	-Inf	113.57	3	Vertical	338	1.45	-	34.20	6.38	34.66
AV	5.766G	108.62	Inf	-Inf	102.70	3	Vertical	338	1.45	-	34.20	6.38	34.66
PK	5.947G	61.21	68.20	-6.99	54.30	3	Vertical	338	1.45	-	35.03	6.47	34.59




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5755MHz_TX



EUT_Z_4TX
Setting 81
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.72	68.20	-3.48	59.10	3	Horizontal	15	2.99	-	34.00	6.32	34.70
PK	5.76G	115.15	Inf	-Inf	109.25	3	Horizontal	15	2.99	-	34.18	6.38	34.66
AV	5.76G	104.50	Inf	-Inf	98.60	3	Horizontal	15	2.99	-	34.18	6.38	34.66
PK	5.925G	60.53	68.20	-7.67	53.74	3	Horizontal	15	2.99	-	34.93	6.46	34.60

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5795MHz_TX



EUT_Z_4TX
Setting 83
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	63.70	68.20	-4.50	58.08	3	Vertical	336	1.51	-	34.00	6.32	34.70
PK	5.792G	120.82	Inf	-Inf	114.79	3	Vertical	336	1.51	-	34.28	6.40	34.65
AV	5.802G	108.79	Inf	-Inf	102.73	3	Vertical	336	1.51	-	34.31	6.40	34.65
PK	5.934G	68.16	68.20	-0.04	61.32	3	Vertical	336	1.51	-	34.97	6.47	34.60

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5795MHz_TX



EUT_Z_4TX
Setting 83
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	60.33	68.20	-7.87	54.71	3	Horizontal	17	3.00	-	34.00	6.32	34.70
PK	5.79G	115.30	Inf	-Inf	109.28	3	Horizontal	17	3.00	-	34.27	6.40	34.65
AV	5.8G	104.72	Inf	-Inf	98.67	3	Horizontal	17	3.00	-	34.30	6.40	34.65
PK	5.925G	65.06	68.20	-3.14	58.27	3	Horizontal	17	3.00	-	34.93	6.46	34.60

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5210MHz_TX



EUT_Z_4TX
Setting 54
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.81	74.00	-7.19	62.77	3	Vertical	33	1.50	-	32.80	5.87	34.63
AV	5.146G	51.66	54.00	-2.34	47.62	3	Vertical	33	1.50	-	32.80	5.87	34.63
PK	5.221G	108.43	Inf	-Inf	104.27	3	Vertical	33	1.50	-	32.86	5.96	34.66
AV	5.196G	97.46	Inf	-Inf	93.41	3	Vertical	33	1.50	-	32.80	5.90	34.65
PK	5.351G	58.89	74.00	-15.11	54.16	3	Vertical	33	1.50	-	33.15	6.29	34.71
AV	5.455G	47.20	54.00	-6.80	42.04	3	Vertical	33	1.50	-	33.53	6.37	34.74

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5210MHz_TX



EUT_Z_4TX
Setting 54
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.99	74.00	-5.01	64.95	3	Horizontal	355	2.93	-	32.80	5.87	34.63
AV	5.147G	53.71	54.00	-0.29	49.67	3	Horizontal	355	2.93	-	32.80	5.87	34.63
PK	5.24G	109.29	Inf	-Inf	105.03	3	Horizontal	355	2.93	-	32.92	6.01	34.67
AV	5.2G	97.05	Inf	-Inf	93.00	3	Horizontal	355	2.93	-	32.80	5.90	34.65
PK	5.37G	58.92	74.00	-15.08	54.13	3	Horizontal	355	2.93	-	33.17	6.33	34.71
AV	5.445G	47.59	54.00	-6.41	42.48	3	Horizontal	355	2.93	-	33.47	6.38	34.74

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5775MHz_TX



EUT_Z_4TX
Setting 70
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.91	68.94	-0.03	63.28	3	Vertical	336	1.45	-	34.00	6.33	34.70
PK	5.786G	115.51	Inf	-Inf	109.51	3	Vertical	336	1.45	-	34.26	6.39	34.65
AV	5.766G	103.79	Inf	-Inf	97.87	3	Vertical	336	1.45	-	34.20	6.38	34.66
PK	5.927G	67.43	68.20	-0.77	60.63	3	Vertical	336	1.45	-	34.94	6.46	34.60




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5775MHz_TX



EUT_Z_4TX
Setting 70
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.88	68.20	-3.32	59.26	3	Horizontal	18	3.00	-	34.00	6.32	34.70
PK	5.785G	109.60	Inf	-Inf	103.61	3	Horizontal	18	3.00	-	34.25	6.39	34.65
AV	5.765G	99.27	Inf	-Inf	93.35	3	Horizontal	18	3.00	-	34.20	6.38	34.66
PK	5.94G	64.92	68.20	-3.28	58.04	3	Horizontal	18	3.00	-	35.00	6.47	34.59



**For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode
Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	15.722G	50.34	54.00	-3.66	3	Horizontal	307	1.85	-

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35196G	55.72	68.20	-12.48	43.97	3	Vertical	334	1.99	-	38.21	8.91	35.37
PK	15.53454G	60.12	74.00	-13.88	46.33	3	Vertical	308	1.77	-	38.77	9.79	34.77
AV	15.53478G	47.34	54.00	-6.66	33.55	3	Vertical	308	1.77	-	38.77	9.79	34.77




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.3534G	55.09	68.20	-13.11	43.34	3	Horizontal	261	1.33	-	38.21	8.91	35.37	
PK	15.53022G	61.85	74.00	-12.15	48.05	3	Horizontal	298	1.80	-	38.78	9.79	34.77	
AV	15.53478G	49.54	54.00	-4.46	35.75	3	Horizontal	298	1.80	-	38.77	9.79	34.77	




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.60204G	59.54	74.00	-14.46	45.89	3	Vertical	307	2.96	-	38.72	9.78	34.85	
AV	15.60108G	46.96	54.00	-7.04	33.31	3	Vertical	307	2.96	-	38.72	9.78	34.85	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.59232G	61.05	74.00	-12.95	47.38	3	Horizontal	291	1.77	-	38.73	9.78	34.84	
AV	15.59682G	47.89	54.00	-6.11	34.23	3	Horizontal	291	1.77	-	38.72	9.78	34.84	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.47504G	55.13	68.20	-13.07	43.22	3	Vertical	16	2.52	-	38.24	8.95	35.28	
PK	15.71784G	58.22	74.00	-15.78	44.82	3	Vertical	26	1.77	-	38.63	9.75	34.98	
AV	15.72316G	46.32	54.00	-7.68	32.93	3	Vertical	26	1.77	-	38.62	9.75	34.98	




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.4706G	54.73	68.20	-13.47	42.82	3	Horizontal	186	2.04	-	38.24	8.95	35.28	
PK	15.7172G	62.81	74.00	-11.19	49.41	3	Horizontal	307	1.85	-	38.63	9.75	34.98	
AV	15.722G	50.34	54.00	-3.66	36.95	3	Horizontal	307	1.85	-	38.62	9.75	34.98	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48526G	55.03	74.00	-18.97	42.26	3	Vertical	186	1.57	-	38.45	9.25	34.93
AV	11.4918G	42.37	54.00	-11.63	29.60	3	Vertical	186	1.57	-	38.45	9.25	34.93

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47686G	55.15	74.00	-18.85	42.38	3	Horizontal	308	1.31	-	38.45	9.25	34.93
AV	11.50458G	42.46	54.00	-11.54	29.68	3	Horizontal	308	1.31	-	38.45	9.26	34.93

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57378G	55.73	74.00	-18.27	42.93	3	Vertical	162	1.90	-	38.46	9.28	34.94
AV	11.56136G	42.67	54.00	-11.33	29.88	3	Vertical	162	1.90	-	38.46	9.27	34.94

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5619G	55.71	74.00	-18.29	42.92	3	Horizontal	314	1.39	-	38.46	9.27	34.94	
AV	11.56916G	42.59	54.00	-11.41	29.79	3	Horizontal	314	1.39	-	38.46	9.28	34.94	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64544G	55.87	74.00	-18.13	43.06	3	Vertical	152	2.73	-	38.46	9.30	34.95
AV	11.64604G	42.58	54.00	-11.42	29.77	3	Vertical	152	2.73	-	38.46	9.30	34.95

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64808G	55.87	74.00	-18.13	43.06	3	Horizontal	336	2.35	-	38.46	9.30	34.95
AV	11.66086G	42.61	54.00	-11.39	29.80	3	Horizontal	336	2.35	-	38.47	9.30	34.96

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.53526G	60.62	74.00	-13.38	46.83	3	Vertical	311	2.42	-	38.77	9.79	34.77	
AV	15.53502G	47.83	54.00	-6.17	34.04	3	Vertical	311	2.42	-	38.77	9.79	34.77	




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.53208G	61.27	74.00	-12.73	47.48	3	Horizontal	296	1.78	-	38.77	9.79	34.77	
AV	15.5397G	49.27	54.00	-4.73	35.49	3	Horizontal	296	1.78	-	38.77	9.79	34.78	




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.60078G	58.70	74.00	-15.30	45.05	3	Vertical	26	1.60	-	38.72	9.78	34.85	
AV	15.60084G	46.29	54.00	-7.71	32.64	3	Vertical	26	1.60	-	38.72	9.78	34.85	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.59526G	60.25	74.00	-13.75	46.59	3	Horizontal	294	2.33	-	38.72	9.78	34.84	
AV	15.59772G	47.77	54.00	-6.23	34.11	3	Horizontal	294	2.33	-	38.72	9.78	34.84	




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7056G	58.64	74.00	-15.36	45.20	3	Vertical	335	1.78	-	38.64	9.76	34.96	
AV	15.71856G	45.56	54.00	-8.44	32.16	3	Vertical	335	1.78	-	38.63	9.75	34.98	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71664G	58.42	74.00	-15.58	45.02	3	Horizontal	291	2.72	-	38.63	9.75	34.98
AV	15.7224G	45.45	54.00	-8.55	32.06	3	Horizontal	291	2.72	-	38.62	9.75	34.98

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49756G	55.04	74.00	-18.96	42.27	3	Vertical	278	1.67	-	38.45	9.25	34.93
AV	11.49144G	42.26	54.00	-11.74	29.49	3	Vertical	278	1.67	-	38.45	9.25	34.93

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49066G	55.79	74.00	-18.21	43.02	3	Horizontal	286	3.00	-	38.45	9.25	34.93
AV	11.49918G	42.28	54.00	-11.72	29.51	3	Horizontal	286	3.00	-	38.45	9.25	34.93

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.55812G	56.18	74.00	-17.82	43.39	3	Vertical	265	2.71	-	38.46	9.27	34.94	
AV	11.5625G	42.47	54.00	-11.53	29.68	3	Vertical	265	2.71	-	38.46	9.27	34.94	




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56172G	55.34	74.00	-18.66	42.55	3	Horizontal	99	1.56	-	38.46	9.27	34.94	
AV	11.5823G	42.67	54.00	-11.33	29.87	3	Horizontal	99	1.56	-	38.46	9.28	34.94	




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.64052G	55.92	74.00	-18.08	43.11	3	Vertical	46	1.02	-	38.46	9.30	34.95	
AV	11.64034G	42.50	54.00	-11.50	29.69	3	Vertical	46	1.02	-	38.46	9.30	34.95	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.64754G	54.95	74.00	-19.05	42.14	3	Horizontal	328	2.26	-	38.46	9.30	34.95	
AV	11.65042G	42.51	54.00	-11.49	29.69	3	Horizontal	328	2.26	-	38.47	9.30	34.95	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5190MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.55806G	58.12	74.00	-15.88	44.39	3	Vertical	331	2.16	-	38.75	9.78	34.80	
AV	15.57936G	46.00	54.00	-8.00	32.30	3	Vertical	331	2.16	-	38.74	9.78	34.82	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5190MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.56784G	58.57	74.00	-15.43	44.85	3	Horizontal	208	2.53	-	38.75	9.78	34.81	
AV	15.57762G	46.80	54.00	-7.20	33.10	3	Horizontal	208	2.53	-	38.74	9.78	34.82	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5230MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7029G	58.64	74.00	-15.36	45.20	3	Vertical	280	1.02	-	38.64	9.76	34.96
AV	15.7044G	46.10	54.00	-7.90	32.66	3	Vertical	280	1.02	-	38.64	9.76	34.96

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5230MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.68946G	58.23	74.00	-15.77	44.77	3	Horizontal	293	1.74	-	38.65	9.76	34.95	
AV	15.68964G	45.90	54.00	-8.10	32.44	3	Horizontal	293	1.74	-	38.65	9.76	34.95	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51504G	55.54	74.00	-18.46	42.76	3	Vertical	254	2.38	-	38.45	9.26	34.93
AV	11.50838G	43.01	54.00	-10.99	30.23	3	Vertical	254	2.38	-	38.45	9.26	34.93

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52068G	55.15	74.00	-18.85	42.37	3	Horizontal	353	1.19	-	38.45	9.26	34.93
AV	11.49734G	43.01	54.00	-10.99	30.24	3	Horizontal	353	1.19	-	38.45	9.25	34.93

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5795MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59738G	55.07	74.00	-18.93	42.28	3	Vertical	261	2.26	-	38.46	9.28	34.95	
AV	11.58736G	43.30	54.00	-10.70	30.50	3	Vertical	261	2.26	-	38.46	9.28	34.94	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5795MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59096G	55.52	74.00	-18.48	42.72	3	Horizontal	71	1.67	-	38.46	9.28	34.94
AV	11.58514G	43.17	54.00	-10.83	30.37	3	Horizontal	71	1.67	-	38.46	9.28	34.94

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5210MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.62118G	58.98	74.00	-15.02	45.38	3	Vertical	20	1.71	-	38.70	9.77	34.87	
AV	15.6276G	46.03	54.00	-7.97	32.44	3	Vertical	20	1.71	-	38.70	9.77	34.88	




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5210MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.61788G	57.96	74.00	-16.04	44.35	3	Horizontal	331	2.42	-	38.71	9.77	34.87	
AV	15.63834G	45.84	54.00	-8.16	32.27	3	Horizontal	331	2.42	-	38.69	9.77	34.89	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5775MHz_TX



EUT X_2TX
Setting 108
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56464G	54.81	74.00	-19.19	42.02	3	Vertical	45	2.58	-	38.46	9.27	34.94	
AV	11.5434G	42.84	54.00	-11.16	30.06	3	Vertical	45	2.58	-	38.45	9.27	34.94	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5775MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56278G	55.54	74.00	-18.46	42.75	3	Horizontal	233	2.49	-	38.46	9.27	34.94
AV	11.55684G	43.16	54.00	-10.84	30.37	3	Horizontal	233	2.49	-	38.46	9.27	34.94



**For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.925G	68.18	68.20	-0.02	3	Vertical	17	1.80	-




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT Y_2TX
Setting 77
01-D-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	72.14	74.00	-1.86	68.10	3	Vertical	315	1.86	-	32.80	5.87	34.63
AV	5.1492G	53.91	54.00	-0.09	49.87	3	Vertical	315	1.86	-	32.80	5.87	34.63
PK	5.1774G	113.90	Inf	-Inf	109.85	3	Vertical	315	1.86	-	32.80	5.89	34.64
AV	5.1776G	104.61	Inf	-Inf	100.56	3	Vertical	315	1.86	-	32.80	5.89	34.64

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT_Y_2TX
Setting 77
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	68.64	74.00	-5.36	64.60	3	Horizontal	316	2.42	-	32.80	5.87	34.63
AV	5.1486G	50.66	54.00	-3.34	46.62	3	Horizontal	316	2.42	-	32.80	5.87	34.63
PK	5.178G	111.05	Inf	-Inf	107.00	3	Horizontal	316	2.42	-	32.80	5.89	34.64
AV	5.1784G	101.54	Inf	-Inf	97.49	3	Horizontal	316	2.42	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5200MHz_TX



EUT_Y_2TX
Setting 96
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	69.49	74.00	-4.51	65.45	3	Vertical	324	1.65	-	32.80	5.87	34.63
AV	5.1496G	53.84	54.00	-0.16	49.80	3	Vertical	324	1.65	-	32.80	5.87	34.63
PK	5.2068G	118.67	Inf	-Inf	114.58	3	Vertical	324	1.65	-	32.82	5.92	34.65
AV	5.202G	108.75	Inf	-Inf	104.68	3	Vertical	324	1.65	-	32.81	5.91	34.65




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5200MHz_TX



EUT_Y_2TX
Setting 96
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	66.70	74.00	-7.30	62.66	3	Horizontal	320	2.12	-	32.80	5.87	34.63
AV	5.15G	51.46	54.00	-2.54	47.42	3	Horizontal	320	2.12	-	32.80	5.87	34.63
PK	5.2076G	114.34	Inf	-Inf	110.25	3	Horizontal	320	2.12	-	32.82	5.92	34.65
AV	5.2024G	105.14	Inf	-Inf	101.07	3	Horizontal	320	2.12	-	32.81	5.91	34.65

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	65.00	74.00	-9.00	60.96	3	Vertical	322	1.72	-	32.80	5.87	34.63
AV	5.1464G	49.50	54.00	-4.50	45.46	3	Vertical	322	1.72	-	32.80	5.87	34.63
PK	5.2472G	120.99	Inf	-Inf	116.69	3	Vertical	322	1.72	-	32.94	6.03	34.67
AV	5.2424G	111.04	Inf	-Inf	106.77	3	Vertical	322	1.72	-	32.93	6.01	34.67
PK	5.3594G	62.89	74.00	-11.11	58.13	3	Vertical	322	1.72	-	33.16	6.31	34.71
AV	5.35G	48.77	54.00	-5.23	44.04	3	Vertical	322	1.72	-	33.15	6.29	34.71

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	63.10	74.00	-10.90	59.06	3	Horizontal	320	2.06	-	32.80	5.87	34.63
AV	5.1464G	47.39	54.00	-6.61	43.35	3	Horizontal	320	2.06	-	32.80	5.87	34.63
PK	5.2472G	116.09	Inf	-Inf	111.79	3	Horizontal	320	2.06	-	32.94	6.03	34.67
AV	5.2424G	106.60	Inf	-Inf	102.33	3	Horizontal	320	2.06	-	32.93	6.01	34.67
PK	5.3576G	59.22	74.00	-14.78	54.47	3	Horizontal	320	2.06	-	33.16	6.30	34.71
AV	5.35G	46.78	54.00	-7.22	42.05	3	Horizontal	320	2.06	-	33.15	6.29	34.71

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5745MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	65.14	68.20	-3.06	59.52	3	Vertical	18	1.80	-	34.00	6.32	34.70
PK	5.741G	121.56	Inf	-Inf	115.74	3	Vertical	18	1.80	-	34.12	6.37	34.67
AV	5.74G	111.67	Inf	-Inf	105.85	3	Vertical	18	1.80	-	34.12	6.37	34.67
PK	5.965G	62.20	68.20	-6.00	55.18	3	Vertical	18	1.80	-	35.12	6.48	34.58

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5745MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	63.65	68.94	-5.29	58.02	3	Horizontal	17	1.00	-	34.00	6.33	34.70
PK	5.739G	117.84	Inf	-Inf	112.02	3	Horizontal	17	1.00	-	34.12	6.37	34.67
AV	5.739G	107.40	Inf	-Inf	101.58	3	Horizontal	17	1.00	-	34.12	6.37	34.67
PK	5.949G	60.07	68.20	-8.13	53.14	3	Horizontal	17	1.00	-	35.05	6.47	34.59

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5785MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	60.26	68.20	-7.94	54.72	3	Vertical	20	1.62	-	33.96	6.31	34.73
PK	5.784G	121.39	Inf	-Inf	115.40	3	Vertical	20	1.62	-	34.25	6.39	34.65
AV	5.79G	111.48	Inf	-Inf	105.46	3	Vertical	20	1.62	-	34.27	6.40	34.65
PK	5.926G	61.50	68.20	-6.70	54.71	3	Vertical	20	1.62	-	34.93	6.46	34.60

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5785MHz_TX



EUT Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.569G	59.07	68.20	-9.13	53.54	3	Horizontal	13	1.00	-	33.94	6.32	34.73
PK	5.784G	117.85	Inf	-Inf	111.86	3	Horizontal	13	1.00	-	34.25	6.39	34.65
AV	5.789G	107.10	Inf	-Inf	101.09	3	Horizontal	13	1.00	-	34.27	6.39	34.65
PK	5.962G	60.35	68.20	-7.85	53.35	3	Horizontal	13	1.00	-	35.11	6.48	34.59




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5825MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.61G	60.11	68.20	-8.09	54.53	3	Vertical	18	1.76	-	34.00	6.30	34.72	
PK	5.82G	122.40	Inf	-Inf	116.23	3	Vertical	18	1.76	-	34.40	6.41	34.64	
AV	5.82G	111.96	Inf	-Inf	105.79	3	Vertical	18	1.76	-	34.40	6.41	34.64	
PK	5.924G	65.84	68.94	-3.10	59.06	3	Vertical	18	1.76	-	34.92	6.46	34.60	

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5825MHz_TX



EUT Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.582G	59.39	68.20	-8.81	53.85	3	Horizontal	11	1.02	-	33.96	6.31	34.73
PK	5.824G	118.24	Inf	-Inf	112.05	3	Horizontal	11	1.02	-	34.42	6.41	34.64
AV	5.829G	107.97	Inf	-Inf	101.76	3	Horizontal	11	1.02	-	34.44	6.41	34.64
PK	5.93G	63.07	68.20	-5.13	56.26	3	Horizontal	11	1.02	-	34.95	6.46	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5180MHz_TX



EUT_Y_2TX
Setting 73
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.40	74.00	-3.60	66.36	3	Vertical	325	1.86	-	32.80	5.87	34.63
AV	5.1492G	53.82	54.00	-0.18	49.78	3	Vertical	325	1.86	-	32.80	5.87	34.63
PK	5.181G	114.60	Inf	-Inf	110.55	3	Vertical	325	1.86	-	32.80	5.89	34.64
AV	5.1814G	102.56	Inf	-Inf	98.51	3	Vertical	325	1.86	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5180MHz_TX



EUT_Y_2TX
Setting 73
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	68.52	74.00	-5.48	64.48	3	Horizontal	322	2.14	-	32.80	5.87	34.63
AV	5.1488G	50.96	54.00	-3.04	46.92	3	Horizontal	322	2.14	-	32.80	5.87	34.63
PK	5.1814G	110.63	Inf	-Inf	106.58	3	Horizontal	322	2.14	-	32.80	5.89	34.64
AV	5.1788G	98.76	Inf	-Inf	94.71	3	Horizontal	322	2.14	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5200MHz_TX



EUT Y_2TX
Setting 90
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.00	74.00	-4.00	65.96	3	Vertical	325	1.79	-	32.80	5.87	34.63
AV	5.15G	53.86	54.00	-0.14	49.82	3	Vertical	325	1.79	-	32.80	5.87	34.63
PK	5.1964G	117.94	Inf	-Inf	113.89	3	Vertical	325	1.79	-	32.80	5.90	34.65
AV	5.2012G	106.59	Inf	-Inf	102.54	3	Vertical	325	1.79	-	32.80	5.90	34.65




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5200MHz_TX



EUT_Y_2TX
Setting 90
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	65.61	74.00	-8.39	61.57	3	Horizontal	323	2.17	-	32.80	5.87	34.63
AV	5.1492G	51.27	54.00	-2.73	47.23	3	Horizontal	323	2.17	-	32.80	5.87	34.63
PK	5.2012G	114.90	Inf	-Inf	110.85	3	Horizontal	323	2.17	-	32.80	5.90	34.65
AV	5.1988G	102.98	Inf	-Inf	98.93	3	Horizontal	323	2.17	-	32.80	5.90	34.65

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5240MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	66.63	74.00	-7.37	62.59	3	Vertical	323	1.80	-	32.80	5.87	34.63
AV	5.1482G	52.24	54.00	-1.76	48.20	3	Vertical	323	1.80	-	32.80	5.87	34.63
PK	5.2412G	120.17	Inf	-Inf	115.91	3	Vertical	323	1.80	-	32.92	6.01	34.67
AV	5.2412G	109.90	Inf	-Inf	105.64	3	Vertical	323	1.80	-	32.92	6.01	34.67
PK	5.3516G	65.19	74.00	-8.81	60.46	3	Vertical	323	1.80	-	33.15	6.29	34.71
AV	5.35G	50.39	54.00	-3.61	45.66	3	Vertical	323	1.80	-	33.15	6.29	34.71

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5240MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	63.35	74.00	-10.65	59.31	3	Horizontal	321	1.98	-	32.80	5.87	34.63
AV	5.1482G	49.35	54.00	-4.65	45.31	3	Horizontal	321	1.98	-	32.80	5.87	34.63
PK	5.2412G	117.83	Inf	-Inf	113.57	3	Horizontal	321	1.98	-	32.92	6.01	34.67
AV	5.2412G	105.48	Inf	-Inf	101.22	3	Horizontal	321	1.98	-	32.92	6.01	34.67
PK	5.35G	60.20	74.00	-13.80	55.47	3	Horizontal	321	1.98	-	33.15	6.29	34.71
AV	5.354G	47.00	54.00	-7.00	42.27	3	Horizontal	321	1.98	-	33.15	6.29	34.71

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5745MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	65.94	68.20	-2.26	60.32	3	Vertical	15	1.79	-	34.00	6.32	34.70
PK	5.745G	121.04	Inf	-Inf	115.21	3	Vertical	15	1.79	-	34.13	6.37	34.67
AV	5.743G	110.36	Inf	-Inf	104.53	3	Vertical	15	1.79	-	34.13	6.37	34.67
PK	5.983G	61.36	68.20	-6.84	54.24	3	Vertical	15	1.79	-	35.21	6.49	34.58

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5745MHz_TX



EUT Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	62.16	68.20	-6.04	56.54	3	Horizontal	18	1.00	-	34.00	6.32	34.70
PK	5.752G	117.68	Inf	-Inf	111.80	3	Horizontal	18	1.00	-	34.16	6.38	34.66
AV	5.742G	106.37	Inf	-Inf	100.54	3	Horizontal	18	1.00	-	34.13	6.37	34.67
PK	5.93G	60.12	68.20	-8.08	53.31	3	Horizontal	18	1.00	-	34.95	6.46	34.60

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5785MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	61.64	68.20	-6.56	56.02	3	Vertical	19	1.67	-	34.00	6.32	34.70
PK	5.782G	121.57	Inf	-Inf	115.59	3	Vertical	19	1.67	-	34.25	6.39	34.66
AV	5.787G	110.74	Inf	-Inf	104.74	3	Vertical	19	1.67	-	34.26	6.39	34.65
PK	5.946G	60.76	68.20	-7.44	53.85	3	Vertical	19	1.67	-	35.03	6.47	34.59

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5785MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	58.92	68.20	-9.28	53.30	3	Horizontal	12	1.00	-	34.00	6.32	34.70
PK	5.782G	117.03	Inf	-Inf	111.05	3	Horizontal	12	1.00	-	34.25	6.39	34.66
AV	5.79G	106.36	Inf	-Inf	100.34	3	Horizontal	12	1.00	-	34.27	6.40	34.65
PK	5.965G	60.09	68.20	-8.11	53.07	3	Horizontal	12	1.00	-	35.12	6.48	34.58




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5825MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	59.70	68.20	-8.50	54.10	3	Vertical	18	1.56	-	34.00	6.31	34.71
PK	5.822G	122.61	Inf	-Inf	116.43	3	Vertical	18	1.56	-	34.41	6.41	34.64
AV	5.827G	110.64	Inf	-Inf	104.43	3	Vertical	18	1.56	-	34.44	6.41	34.64
PK	5.926G	67.75	68.20	-0.45	60.96	3	Vertical	18	1.56	-	34.93	6.46	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5825MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	58.40	68.20	-9.80	52.80	3	Horizontal	10	1.00	-	34.00	6.31	34.71
PK	5.822G	119.20	Inf	-Inf	113.02	3	Horizontal	10	1.00	-	34.41	6.41	34.64
AV	5.83G	106.64	Inf	-Inf	100.41	3	Horizontal	10	1.00	-	34.45	6.42	34.64
PK	5.935G	64.10	68.20	-4.10	57.26	3	Horizontal	10	1.00	-	34.97	6.47	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5190MHz_TX



EUT_Y_2TX
Setting 67
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	70.53	74.00	-3.47	66.49	3	Vertical	324	1.58	-	32.80	5.87	34.63
AV	5.15G	53.89	54.00	-0.11	49.85	3	Vertical	324	1.58	-	32.80	5.87	34.63
PK	5.194G	110.02	Inf	-Inf	105.97	3	Vertical	324	1.58	-	32.80	5.90	34.65
AV	5.196G	98.39	Inf	-Inf	94.34	3	Vertical	324	1.58	-	32.80	5.90	34.65




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5190MHz_TX



EUT_Y_2TX
Setting 67
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.44	74.00	-5.56	64.40	3	Horizontal	321	2.11	-	32.80	5.87	34.63
AV	5.1468G	51.64	54.00	-2.36	47.60	3	Horizontal	321	2.11	-	32.80	5.87	34.63
PK	5.1868G	106.49	Inf	-Inf	102.45	3	Horizontal	321	2.11	-	32.80	5.89	34.65
AV	5.1964G	94.85	Inf	-Inf	90.80	3	Horizontal	321	2.11	-	32.80	5.90	34.65

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5230MHz_TX



EUT_Y_2TX
Setting 85
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.83	74.00	-7.17	62.79	3	Vertical	322	1.67	-	32.80	5.87	34.63
AV	5.1484G	53.77	54.00	-0.23	49.73	3	Vertical	322	1.67	-	32.80	5.87	34.63
PK	5.2258G	114.36	Inf	-Inf	110.17	3	Vertical	322	1.67	-	32.88	5.97	34.66
AV	5.236G	103.62	Inf	-Inf	99.37	3	Vertical	322	1.67	-	32.91	6.00	34.66
PK	5.3626G	59.69	74.00	-14.31	54.93	3	Vertical	322	1.67	-	33.16	6.31	34.71
AV	5.35G	48.70	54.00	-5.30	43.96	3	Vertical	322	1.67	-	33.15	6.29	34.70

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5230MHz_TX



EUT_Y_2TX
Setting 85
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.48	74.00	-10.52	59.44	3	Horizontal	320	2.07	-	32.80	5.87	34.63
AV	5.1484G	51.44	54.00	-2.56	47.40	3	Horizontal	320	2.07	-	32.80	5.87	34.63
PK	5.2186G	110.33	Inf	-Inf	106.18	3	Horizontal	320	2.07	-	32.86	5.95	34.66
AV	5.2234G	99.74	Inf	-Inf	95.57	3	Horizontal	320	2.07	-	32.87	5.96	34.66
PK	5.3506G	59.52	74.00	-14.48	54.79	3	Horizontal	320	2.07	-	33.15	6.29	34.71
AV	5.3518G	47.05	54.00	-6.95	42.32	3	Horizontal	320	2.07	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX



EUT_Y_2TX
Setting 94
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.13	68.20	-0.07	62.51	3	Vertical	17	1.67	-	34.00	6.32	34.70
PK	5.76G	118.74	Inf	-Inf	112.84	3	Vertical	17	1.67	-	34.18	6.38	34.66
AV	5.76G	107.23	Inf	-Inf	101.33	3	Vertical	17	1.67	-	34.18	6.38	34.66
PK	5.932G	62.33	68.20	-5.87	55.50	3	Vertical	17	1.67	-	34.96	6.47	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX



EUT_Y_2TX
Setting 94
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	66.11	70.42	-4.31	60.48	3	Horizontal	14	1.04	-	34.00	6.33	34.70
PK	5.752G	113.17	Inf	-Inf	107.29	3	Horizontal	14	1.04	-	34.16	6.38	34.66
AV	5.76G	102.23	Inf	-Inf	96.33	3	Horizontal	14	1.04	-	34.18	6.38	34.66
PK	5.987G	60.88	68.20	-7.32	53.74	3	Horizontal	14	1.04	-	35.23	6.49	34.58

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5795MHz_TX



EUT Y_2TX
Setting 95
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	61.83	68.20	-6.37	56.21	3	Vertical	20	1.79	-	34.00	6.32	34.70
PK	5.8G	118.54	Inf	-Inf	112.49	3	Vertical	20	1.79	-	34.30	6.40	34.65
AV	5.8G	106.77	Inf	-Inf	100.72	3	Vertical	20	1.79	-	34.30	6.40	34.65
PK	5.925G	67.98	68.20	-0.22	61.19	3	Vertical	20	1.79	-	34.93	6.46	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5795MHz_TX



EUT_Y_2TX
Setting 95
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	59.83	68.20	-8.37	54.21	3	Horizontal	9	1.00	-	34.00	6.32	34.70
PK	5.792G	114.39	Inf	-Inf	108.36	3	Horizontal	9	1.00	-	34.28	6.40	34.65
AV	5.79G	102.53	Inf	-Inf	96.51	3	Horizontal	9	1.00	-	34.27	6.40	34.65
PK	5.947G	62.94	68.20	-5.26	56.03	3	Horizontal	9	1.00	-	35.03	6.47	34.59

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5210MHz_TX



EUT_Y_2TX
Setting 65
01-D-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	65.43	74.00	-8.57	61.39	3	Vertical	323	1.61	-	32.80	5.87	34.63
AV	5.148G	53.95	54.00	-0.05	49.91	3	Vertical	323	1.61	-	32.80	5.87	34.63
PK	5.223G	107.03	Inf	-Inf	102.86	3	Vertical	323	1.61	-	32.87	5.96	34.66
AV	5.221G	96.17	Inf	-Inf	92.01	3	Vertical	323	1.61	-	32.86	5.96	34.66
PK	5.379G	57.91	74.00	-16.09	53.09	3	Vertical	323	1.61	-	33.18	6.35	34.71
AV	5.354G	46.98	54.00	-7.02	42.25	3	Vertical	323	1.61	-	33.15	6.29	34.71

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5210MHz_TX



EUT_Y_2TX
Setting 65
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	65.64	74.00	-8.36	61.60	3	Horizontal	321	2.11	-	32.80	5.87	34.63
AV	5.148G	52.44	54.00	-1.56	48.40	3	Horizontal	321	2.11	-	32.80	5.87	34.63
PK	5.221G	104.37	Inf	-Inf	100.21	3	Horizontal	321	2.11	-	32.86	5.96	34.66
AV	5.201G	92.12	Inf	-Inf	88.07	3	Horizontal	321	2.11	-	32.80	5.90	34.65
PK	5.423G	58.03	74.00	-15.97	53.03	3	Horizontal	321	2.11	-	33.34	6.39	34.73
AV	5.428G	46.51	54.00	-7.49	41.48	3	Horizontal	321	2.11	-	33.37	6.39	34.73




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5775MHz_TX



EUT_Y_2TX
Setting 81
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.63	68.20	-1.57	61.01	3	Vertical	17	1.80	-	34.00	6.32	34.70
PK	5.792G	112.68	Inf	-Inf	106.65	3	Vertical	17	1.80	-	34.28	6.40	34.65
AV	5.765G	101.47	Inf	-Inf	95.55	3	Vertical	17	1.80	-	34.20	6.38	34.66
PK	5.925G	68.18	68.20	-0.02	61.39	3	Vertical	17	1.80	-	34.93	6.46	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5775MHz_TX



EUT_Y_2TX
Setting 81
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	63.65	68.20	-4.55	58.03	3	Horizontal	13	1.00	-	34.00	6.32	34.70
PK	5.757G	109.28	Inf	-Inf	103.39	3	Horizontal	13	1.00	-	34.17	6.38	34.66
AV	5.765G	97.75	Inf	-Inf	91.83	3	Horizontal	13	1.00	-	34.20	6.38	34.66
PK	5.933G	63.38	68.20	-4.82	56.55	3	Horizontal	13	1.00	-	34.96	6.47	34.60




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.26923G	34.98	54.00	-19.02	Horizontal
Mode 2	Pass	AV	2.27193G	34.48	54.00	-19.52	Horizontal

Radiated Emissions above 1GHz_Mode 1


03/08/2020



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	2.27237G	47.86	74.00	-26.14	-0.19	3	Vertical	35	1.11	-	48.05	29.41	3.94	33.54
AV	2.26861G	34.88	54.00	-19.12	-0.18	3	Vertical	35	1.11	"Worst"	35.06	29.43	3.93	33.54

Radiated Emissions above 1GHz_Mode 1


03/08/2020



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	2.26818G	49.01	74.00	-24.99	-0.18	3	Horizontal	352	1.44	-	49.19	29.43	3.93	33.54
AV	2.26923G	34.98	54.00	-19.02	-0.19	3	Horizontal	352	1.44	"Worst"	35.17	29.42	3.93	33.54

Radiated Emissions above 1GHz_Mode 2


03/08/2020



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	2.26935G	48.02	74.00	-25.98	-0.19	3	Vertical	111	1.03	-	48.21	29.42	3.93	33.54
AV	2.26777G	34.30	54.00	-19.70	-0.18	3	Vertical	111	1.03	"Worst"	34.48	29.43	3.93	33.54

Radiated Emissions above 1GHz_Mode 2

03/08/2020



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	2.26789G	47.73	74.00	-26.27	-0.18	3	Horizontal	58	1.23	-	47.91	29.43	3.93	33.54
AV	2.27193G	34.48	54.00	-19.52	-0.19	3	Horizontal	58	1.23	"Worst"	34.67	29.41	3.94	33.54