

INTERTEK TESTING SERVICES

Equipment Photographs


(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs


(External)



INTERTEK TESTING SERVICES

Equipment Photographs


(External)



INTERTEK TESTING SERVICES

Equipment Photographs


(External)




















INTERTEK TESTING SERVICES

Equipment Photographs

(External)




	PMN: 0804-0404-TW / HVIN: 0804-0404-TW(S)	PMN: 0804-0404-TB / HVIN: 0804-0404-TB(S)	PMN: 6iE-04-CW-LC / HVIN: 6iE-04-CW-LC(S)
Difference			
Reference			
Difference			
Reference			
Difference			
Reference			
Difference			
Reference			




Label Location

HVIN Location




SCALE 1:1



OBJECT OUTLINE
DIMENSION
BLACK


LABEL MATERIAL: JP #60 YUBO+GLOSS PP (UL)(80Y)



DIMENSIONS IN MM. GENERAL TOLERANCE: LINEAR: +/- 0.2


 EME Limited	MODEL: 6IENA	DRAW BY: Edmond Leung / 9 JAN 2024	APPROVED	
TITLE: RATING&COO LABEL	P/N: LAB0104IES01B	APPROVED BY: <i>Willy Wong</i>	PAGE: 1 / 1	COPYRIGHT © EME ALL RIGHTS RESERVED

SCALE 1:1




OBJECT OUTLINE
DIMENSION
BLACK

LABEL MATERIAL: JP #60 YUBO+GLOSS PP (UL)(80Y)



DIMENSIONS IN MM. GENERAL TOLERANCE: LINEAR: +/- 0.2

	MODEL: 6IENA	DRAW BY: Edmond Leung / 9 JAN 2024	APPROVED	
TITLE: RATING&COO LABEL	P/N: LAB0104IES08B	APPROVED BY: <i>Willy Wong</i>	PAGE: 1 / 1	COPYRIGHT © EME ALL RIGHTS RESERVED



2D QR-CODE format rules:

1. 12-digit QR code format: YYMMDDUXXXXX. The example shown in the above label is 220124000001.
2. 1st to 6th digits are the date code, where YY is year, MM is month and DD is day.
e.g. 24th Jan, 2022, YY=22(year), MM=01(month), DD=24(day)
3. 7th digits U are the manufacturer identifier code. e.g. WND=0
4. 8th to 12th digits are the serial number in numeric characters.
The serial number should be reset to 00001 for every different date code, e.g. XXXXX=00001
However in case the serial number run over 99999 in the same date.
the date code is advanced to next day with serial number reset.
5. DATECODE should be put underneath the 2D QR-code.
DATECODE format which can be referred to ID CODE in SAP BOM.
Font and font size is Arial Bold 4.5 pt. the font size can be reduce when date code have more then seven digital.
6. The size of label is 20.0mm x 15.0mm. And the size of QR-code is 7.0mm x 7.0mm.

OBJECT OUTLINE
DIMENSION




REQUIREMENT:
PARTS MUST BE CONFORMED TO **ROHS,REACH**

EME

EME Limited

COPYRIGHT © EME
ALL RIGHTS RESERVED**APPROVED**MODEL:
6IE (NA)TITLE:
QR CODE LABELP/N:
---SCALE:
1 : 1DWN. BY / DATE:
Edmond L / 7 MAR 2024

APPROVED BY:


DIMENSIONS IN MM.
GENERAL TOLERANCE:
(UNLESS STATED)
LINEAR: +/-0.2
ANGULAR: +/-0.5°

PAGE 1 of 1

SCALE 1:1

REV.

DESCRIPTION




OBJECT OUTLINE
DIMENSION
BLACK

LABEL MATERIAL: JP #60 YUBO+GLOSS PP (UL)(80Y)

100.0 mm

DIMENSIONS IN MM. GENERAL TOLERANCE: LINEAR: +/- 0.2

EME Edwin McAuley Electronics Ltd.	MODEL: 6IENA	DRAW BY: SY Ng / 10JUN2021	APPROVED	
TITLE: RATING&COO LABEL	P/N: LAB0104IES05A	APPROVED BY: <i>Willy Wong</i>	PAGE: 1 / 1	COPYRIGHT © EME ALL RIGHTS RESERVED



2D QR-CODE format rules:

1. 12-digit QR code format: YYMMDDUXXXXX. The example shown in the above label is 220124000001.
2. 1st to 6th digits are the date code, where YY is year, MM is month and DD is day.
e.g. 24th Jan, 2022, YY=22(year), MM=01(month), DD=24(day)
3. 7th digits U are the manufacturer identifier code. e.g. WND=0
4. 8th to 12th digits are the serial number in numeric characters.
The serial number should be reset to 00001 for every different date code, e.g. XXXXX=00001
However in case the serial number run over 99999 in the same date.
the date code is advanced to next day with serial number reset.
5. DATECODE should be put underneath the 2D QR-code.
DATECODE format which can be referred to ID CODE in SAP BOM.
Font and font size is Arial Bold 4.5 pt. the font size can be reduce when date code have more then seven digital.
6. The size of label is 20.0mm x 15.0mm. And the size of QR-code is 7.0mm x 7.0mm.

OBJECT OUTLINE
DIMENSION




REQUIREMENT:
PARTS MUST BE CONFORMED TO **ROHS,REACH**

EME

EME Limited


COPYRIGHT © EME
ALL RIGHTS RESERVED**APPROVED**MODEL:
6IE (NA)TITLE:
QR CODE LABELP/N:
---SCALE:
1 : 1DWN. BY / DATE:
Edmond L / 7 MAR 2024

APPROVED BY:

DIMENSIONS IN MM.
GENERAL TOLERANCE:
(UNLESS STATED)
LINEAR: +/-0.2
ANGULAR: +/-0.5°


PAGE 1 of 1

SCALE 1:1



OBJECT OUTLINE
DIMENSION
BLACK


LABEL MATERIAL: JP #60 YUBO+GLOSS PP (UL)(80Y)



DIMENSIONS IN MM. GENERAL TOLERANCE: LINEAR: +/- 0.2


	MODEL: 6IENA	DRAW BY: Edmond Leung / 9 JAN 2024	APPROVED	
TITLE: RATING&COO LABEL	P/N: LAB0104IES02B	APPROVED BY: <i>Willy Wong</i>	PAGE: 1 / 1	COPYRIGHT © EME ALL RIGHTS RESERVED

SCALE 1:1




OBJECT OUTLINE
DIMENSION
BLACK

LABEL MATERIAL: JP #60 YUBO+GLOSS PP (UL)(80Y)



DIMENSIONS IN MM. GENERAL TOLERANCE: LINEAR: +/- 0.2

	MODEL: 6IENA	DRAW BY: Edmond Leung / 9 JAN 2024	APPROVED	
TITLE: RATING&COO LABEL	P/N: LAB0104IES10B	APPROVED BY: <i>Willy Wong</i>	PAGE: 1 / 1	COPYRIGHT © EME ALL RIGHTS RESERVED



2D QR-CODE format rules:

1. 12-digit QR code format: YYMMDDUXXXXX. The example shown in the above label is 220124000001.
2. 1st to 6th digits are the date code, where YY is year, MM is month and DD is day.
e.g. 24th Jan, 2022, YY=22(year), MM=01(month), DD=24(day)
3. 7th digits U are the manufacturer identifier code. e.g. WND=0
4. 8th to 12th digits are the serial number in numeric characters.
The serial number should be reset to 00001 for every different date code, e.g. XXXXX=00001
However in case the serial number run over 99999 in the same date.
the date code is advanced to next day with serial number reset.
5. DATECODE should be put underneath the 2D QR-code.
DATECODE format which can be referred to ID CODE in SAP BOM.
Font and font size is Arial Bold 4.5 pt. the font size can be reduce when date code have more then seven digital.
6. The size of label is 20.0mm x 15.0mm. And the size of QR-code is 7.0mm x 7.0mm.

OBJECT OUTLINE
DIMENSION




REQUIREMENT:
PARTS MUST BE CONFORMED TO **ROHS,REACH**

EME

EME Limited

COPYRIGHT © EME
ALL RIGHTS RESERVED**APPROVED**MODEL:
6IE (NA)TITLE:
QR CODE LABELP/N:
---SCALE:
1 : 1DWN. BY / DATE:
Edmond L / 27 FEB 2024

APPROVED BY:

DIMENSIONS IN MM.
GENERAL TOLERANCE:
(UNLESS STATED)
LINEAR: +/-0.2
ANGULAR: +/-0.5°

PAGE 1 of 1