



## U-NII-1 11ac40 CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 58.65            | 39.71       | 74.0           | -15.35          | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.98            | 39.71       | 54.0           | -8.02           | AV       | 11.00          | 150         | Horizontal | Pass    |
| 2   | 4605.625        | 59.78            | 38.27       | 74.0           | -14.22          | Peak     | 8.00           | 150         | Horizontal | Pass    |
| 2** | 4605.625        | 44.34            | 38.27       | 54.0           | -9.66           | AV       | 8.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ac40 CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 54.17            | 39.62       | 74.0           | -19.83          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.79            | 39.62       | 54.0           | -12.21          | AV       | 1.00           | 150         | Horizontal | Pass    |
| 2   | 5425.533        | 58.71            | 39.78       | 74.0           | -15.29          | Peak     | 13.00          | 150         | Horizontal | Pass    |
| 2** | 5425.533        | 41.74            | 39.78       | 54.0           | -12.26          | AV       | 13.00          | 150         | Horizontal | Pass    |

## U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 56.91            | 39.71       | 74.0           | -17.09          | Peak     | 3.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.12            | 39.71       | 54.0           | -7.88           | AV       | 3.00           | 150         | Horizontal | Pass    |
| 2   | 4671.275        | 59.18            | 38.65       | 74.0           | -14.82          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2** | 4671.275        | 44.26            | 38.65       | 54.0           | -9.74           | AV       | 6.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 54.49            | 39.62       | 74.0           | -19.51          | Peak     | 10.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.66            | 39.62       | 54.0           | -12.34          | AV       | 10.00          | 150         | Horizontal | Pass    |
| 2   | 5355.867        | 59.90            | 39.63       | 74.0           | -14.10          | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 2** | 5355.867        | 41.80            | 39.63       | 54.0           | -12.20          | AV       | 11.00          | 150         | Horizontal | Pass    |

## U-NII-1 11ax20(SU) CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 56.50            | 39.71       | 74.0           | -17.50          | Peak     | 8.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.87            | 39.71       | 54.0           | -8.13           | AV       | 8.00           | 150         | Horizontal | Pass    |
| 2   | 4831.825        | 58.92            | 39.41       | 74.0           | -15.08          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 2** | 4831.825        | 44.43            | 39.41       | 54.0           | -9.57           | AV       | 1.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ax20(SU) CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 53.56            | 39.62       | 74.0           | -20.44          | Peak     | 14.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.48            | 39.62       | 54.0           | -12.52          | AV       | 14.00          | 150         | Horizontal | Pass    |
| 2   | 5361.734        | 59.21            | 39.61       | 74.0           | -14.79          | Peak     | 5.00           | 150         | Horizontal | Pass    |
| 2** | 5361.734        | 41.61            | 39.61       | 54.0           | -12.39          | AV       | 5.00           | 150         | Horizontal | Pass    |

## U-NII-111ax40(SU) CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 57.09            | 39.71       | 74.0           | -16.91          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.77            | 39.71       | 54.0           | -8.23           | AV       | 1.00           | 150         | Horizontal | Pass    |
| 2   | 5142.525        | 60.53            | 39.72       | 74.0           | -13.47          | Peak     | 9.00           | 150         | Horizontal | Pass    |
| 2** | 5142.525        | 46.04            | 39.72       | 54.0           | -7.96           | AV       | 9.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ax40(SU) CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 54.40            | 39.62       | 74.0           | -19.60          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.54            | 39.62       | 54.0           | -12.46          | AV       | 6.00           | 150         | Horizontal | Pass    |
| 2   | 5444.233        | 60.00            | 39.79       | 74.0           | -14.00          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2** | 5444.233        | 41.74            | 39.79       | 54.0           | -12.26          | AV       | 6.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ax80(SU) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 57.38            | 39.71       | 74.0           | -16.62          | Peak     | 3.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.70            | 39.71       | 54.0           | -8.30           | AV       | 3.00           | 150         | Horizontal | Pass    |
| 2   | 5028.775        | 59.54            | 39.83       | 74.0           | -14.46          | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 2** | 5028.775        | 45.74            | 39.83       | 54.0           | -8.26           | AV       | 7.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ax80(SU) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 53.60            | 39.62       | 74.0           | -20.40          | Peak     | 14.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.42            | 39.62       | 54.0           | -12.58          | AV       | 14.00          | 150         | Horizontal | Pass    |
| 2   | 5442.217        | 59.73            | 39.84       | 74.0           | -14.27          | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 2** | 5442.217        | 41.84            | 39.84       | 54.0           | -12.16          | AV       | 4.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11a CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 59.09            | 39.71       | 74.0           | -14.91          | Peak     | 10.00          | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.31            | 39.71       | 54.0           | -7.69           | AV       | 10.00          | 150         | Horizontal | Pass    |
| 2   | 5031.050        | 61.81            | 39.84       | 74.0           | -12.19          | Peak     | 343.00         | 150         | Horizontal | Pass    |
| 2** | 5031.050        | 46.20            | 39.84       | 54.0           | -7.80           | AV       | 343.00         | 150         | Horizontal | Pass    |

## U-NII-2A 11a CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 55.78            | 39.62       | 74.0           | -18.22          | Peak     | 78.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.80            | 39.62       | 54.0           | -12.20          | AV       | 78.00          | 150         | Horizontal | Pass    |
| 2   | 5387.583        | 59.92            | 39.75       | 74.0           | -14.08          | Peak     | 318.00         | 150         | Horizontal | Pass    |
| 2** | 5387.583        | 41.81            | 39.75       | 54.0           | -12.19          | AV       | 318.00         | 150         | Horizontal | Pass    |

## U-NII-2A 11n20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 58.49            | 39.71       | 74.0           | -15.51          | Peak     | 302.00         | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.06            | 39.71       | 54.0           | -7.94           | AV       | 302.00         | 150         | Horizontal | Pass    |
| 2   | 5037.550        | 61.66            | 39.84       | 74.0           | -12.34          | Peak     | 129.00         | 150         | Horizontal | Pass    |
| 2** | 5037.550        | 46.21            | 39.84       | 54.0           | -7.79           | AV       | 129.00         | 150         | Horizontal | Pass    |

## U-NII-2A 11n20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 54.76            | 39.62       | 74.0           | -19.24          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.72            | 39.62       | 54.0           | -12.28          | AV       | 6.00           | 150         | Horizontal | Pass    |
| 2   | 5372.183        | 59.45            | 39.55       | 74.0           | -14.55          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2** | 5372.183        | 41.65            | 39.55       | 54.0           | -12.35          | AV       | 6.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11n40 CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 57.56            | 39.71       | 74.0           | -16.44          | Peak     | 9.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.88            | 39.71       | 54.0           | -8.12           | AV       | 9.00           | 150         | Horizontal | Pass    |
| 2   | 5076.875        | 59.86            | 39.94       | 74.0           | -14.14          | Peak     | 2.00           | 150         | Horizontal | Pass    |
| 2** | 5076.875        | 46.12            | 39.94       | 54.0           | -7.88           | AV       | 2.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11n40 CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 55.34            | 39.62       | 74.0           | -18.66          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.60            | 39.62       | 54.0           | -12.40          | AV       | 6.00           | 150         | Horizontal | Pass    |
| 2   | 5435.250        | 58.01            | 39.82       | 74.0           | -15.99          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 5435.250        | 41.75            | 39.82       | 54.0           | -12.25          | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ac20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 58.65            | 39.71       | 74.0           | -15.35          | Peak     | 10.00          | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.35            | 39.71       | 54.0           | -7.65           | AV       | 10.00          | 150         | Horizontal | Pass    |
| 2   | 4760.650        | 62.69            | 39.11       | 74.0           | -11.31          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2** | 4760.650        | 44.36            | 39.11       | 54.0           | -9.64           | AV       | 6.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11ac20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 61.03            | 39.62       | 74.0           | -12.97          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.93            | 39.62       | 54.0           | -12.07          | AV       | 6.00           | 150         | Horizontal | Pass    |
| 2   | 5428.467        | 62.50            | 39.80       | 74.0           | -11.50          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 2** | 5428.467        | 41.95            | 39.80       | 54.0           | -12.05          | AV       | 12.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ac40 CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 59.92            | 39.71       | 74.0           | -14.08          | Peak     | 8.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.09            | 39.71       | 54.0           | -7.91           | AV       | 8.00           | 150         | Horizontal | Pass    |
| 2   | 5038.525        | 64.74            | 39.84       | 74.0           | -9.26           | Peak     | 10.00          | 150         | Horizontal | Pass    |
| 2** | 5038.525        | 46.01            | 39.84       | 54.0           | -7.99           | AV       | 10.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ac40 CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 57.24            | 39.62       | 74.0           | -16.76          | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.97            | 39.62       | 54.0           | -12.03          | AV       | 11.00          | 150         | Horizontal | Pass    |
| 2   | 5390.700        | 62.71            | 39.76       | 74.0           | -11.29          | Peak     | 13.00          | 150         | Horizontal | Pass    |
| 2** | 5390.700        | 41.88            | 39.76       | 54.0           | -12.12          | AV       | 13.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 60.83            | 39.71       | 74.0           | -13.17          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.09            | 39.71       | 54.0           | -7.91           | AV       | 6.00           | 150         | Horizontal | Pass    |
| 2   | 4942.650        | 63.02            | 39.75       | 74.0           | -10.98          | Peak     | 10.00          | 150         | Horizontal | Pass    |
| 2** | 4942.650        | 45.15            | 39.75       | 54.0           | -8.85           | AV       | 10.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 57.99            | 39.62       | 74.0           | -16.01          | Peak     | 14.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 42.00            | 39.62       | 54.0           | -12.00          | AV       | 14.00          | 150         | Horizontal | Pass    |
| 2   | 5373.283        | 63.62            | 39.56       | 74.0           | -10.38          | Peak     | 3.00           | 150         | Horizontal | Pass    |
| 2** | 5373.283        | 41.85            | 39.56       | 54.0           | -12.15          | AV       | 3.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11ax20(SU) CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 59.13            | 39.71       | 74.0           | -14.87          | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.26            | 39.71       | 54.0           | -7.74           | AV       | 11.00          | 150         | Horizontal | Pass    |
| 2   | 4870.825        | 63.19            | 39.50       | 74.0           | -10.81          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 4870.825        | 44.61            | 39.50       | 54.0           | -9.39           | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ax20(SU) CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 59.23            | 39.62       | 74.0           | -14.77          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.90            | 39.62       | 54.0           | -12.10          | AV       | 1.00           | 150         | Horizontal | Pass    |
| 2   | 5448.450        | 64.18            | 39.75       | 74.0           | -9.82           | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 2** | 5448.450        | 42.06            | 39.75       | 54.0           | -11.94          | AV       | 11.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ax40(SU) CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5148.375        | 60.71            | 39.70       | 74.0           | -13.29          | Peak     | 5.00           | 150         | Horizontal | Pass    |
| 1** | 5148.375        | 46.14            | 39.70       | 54.0           | -7.86           | AV       | 5.00           | 150         | Horizontal | Pass    |
| 2   | 4972.875        | 63.26            | 39.66       | 74.0           | -10.74          | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 2** | 4972.875        | 45.36            | 39.66       | 54.0           | -8.64           | AV       | 11.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ax40(SU) CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 59.43            | 39.62       | 74.0           | -14.57          | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.68            | 39.62       | 54.0           | -12.32          | AV       | 4.00           | 150         | Horizontal | Pass    |
| 2   | 5415.817        | 63.30            | 39.64       | 74.0           | -10.70          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 2** | 5415.817        | 41.55            | 39.64       | 54.0           | -12.45          | AV       | 12.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ax80(SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 58.92            | 39.71       | 74.0           | -15.08          | Peak     | 5.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.20            | 39.71       | 54.0           | -7.80           | AV       | 5.00           | 150         | Horizontal | Pass    |
| 2   | 4791.200        | 63.54            | 39.27       | 74.0           | -10.46          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 4791.200        | 44.17            | 39.27       | 54.0           | -9.83           | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ax80(SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 58.15            | 39.62       | 74.0           | -15.85          | Peak     | 3.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.83            | 39.62       | 54.0           | -12.17          | AV       | 3.00           | 150         | Horizontal | Pass    |
| 2   | 5389.416        | 62.37            | 39.75       | 74.0           | -11.63          | Peak     | 10.00          | 150         | Horizontal | Pass    |
| 2** | 5389.416        | 41.77            | 39.75       | 54.0           | -12.23          | AV       | 10.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11a CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 58.25            | 39.83       | 68.2           | -9.95           | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.03            | 39.83       | --             | 42.03           | AV       | 15.00          | 150         | Horizontal | N/A     |
| 2   | 5468.000        | 63.52            | 39.82       | 68.2           | -4.68           | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 5468.000        | 41.96            | 39.82       | --             | 41.96           | AV       | 15.00          | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 61.19            | 39.74       | 74.0           | -12.81          | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 41.83            | 39.74       | 54.0           | -12.17          | AV       | 7.00           | 150         | Horizontal | Pass    |
| 4   | 5417.400        | 62.82            | 39.65       | 74.0           | -11.18          | Peak     | 3.00           | 150         | Horizontal | Pass    |
| 4** | 5417.400        | 41.48            | 39.65       | 54.0           | -12.52          | AV       | 3.00           | 150         | Horizontal | Pass    |

## U-NII-2C 11a CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 55.69            | 40.01       | 68.2           | -12.51          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5775.416        | 58.15            | 40.08       | 68.2           | -10.05          | Peak     | 9.00           | 150         | Vertical | Pass    |

## U-NII-2C 11n20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5470.000        | 56.05            | 39.83       | 68.2           | -12.15          | Peak     | 11.00          | 150         | Vertical | Pass    |
| 1** | 5470.000        | 42.01            | 39.83       | --             | 42.01           | AV       | 11.00          | 150         | Vertical | N/A     |
| 2   | 5465.600        | 62.14            | 39.80       | 68.2           | -6.06           | Peak     | 8.00           | 150         | Vertical | Pass    |
| 2** | 5465.600        | 41.86            | 39.80       | --             | 41.86           | AV       | 8.00           | 150         | Vertical | N/A     |
| 3   | 5460.000        | 56.48            | 39.74       | 74.0           | -17.52          | Peak     | 8.00           | 150         | Vertical | Pass    |
| 3** | 5460.000        | 41.94            | 39.74       | 54.0           | -12.06          | AV       | 8.00           | 150         | Vertical | Pass    |
| 4   | 5441.000        | 63.07            | 39.84       | 74.0           | -10.93          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 4** | 5441.000        | 41.76            | 39.84       | 54.0           | -12.24          | AV       | 15.00          | 150         | Vertical | Pass    |

## U-NII-2C 11n20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 54.98            | 40.01       | 68.2           | -13.22          | Peak     | 9.00           | 150         | Horizontal | Pass    |
| 2   | 5784.584        | 58.26            | 40.16       | 68.2           | -9.94           | Peak     | 10.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11n40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 59.70            | 39.83       | 68.2           | -8.50           | Peak     | 5.00           | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.12            | 39.83       | --             | 42.12           | AV       | 5.00           | 150         | Horizontal | N/A     |
| 2   | 5462.800        | 62.10            | 39.78       | 68.2           | -6.10           | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 2** | 5462.800        | 42.00            | 39.78       | --             | 42.00           | AV       | 4.00           | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 57.24            | 39.74       | 74.0           | -16.76          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 41.66            | 39.74       | 54.0           | -12.34          | AV       | 15.00          | 150         | Horizontal | Pass    |
| 4   | 5393.800        | 61.89            | 39.76       | 74.0           | -12.11          | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 4** | 5393.800        | 41.47            | 39.76       | 54.0           | -12.53          | AV       | 4.00           | 150         | Horizontal | Pass    |

## U-NII-2C 11n40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 55.29            | 40.01       | 68.2           | -12.91          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2   | 5731.875        | 58.26            | 40.02       | 68.2           | -9.94           | Peak     | 9.00           | 150         | Horizontal | Pass    |

## U-NII-2C 11ac20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 57.30            | 39.83       | 68.2           | -10.90          | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 41.91            | 39.83       | --             | 41.91           | AV       | 11.00          | 150         | Horizontal | N/A     |
| 2   | 5464.400        | 60.77            | 39.79       | 68.2           | -7.43           | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 5464.400        | 41.89            | 39.79       | --             | 41.89           | AV       | 15.00          | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 58.23            | 39.74       | 74.0           | -15.77          | Peak     | 8.00           | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 41.96            | 39.74       | 54.0           | -12.04          | AV       | 8.00           | 150         | Horizontal | Pass    |
| 4   | 5361.800        | 63.57            | 39.61       | 74.0           | -10.43          | Peak     | 14.00          | 150         | Horizontal | Pass    |
| 4** | 5361.800        | 41.62            | 39.61       | 54.0           | -12.38          | AV       | 14.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ac20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 55.29            | 40.01       | 68.2           | -12.91          | Peak     | 9.00           | 150         | Vertical | Pass    |
| 2   | 5747.500        | 58.05            | 40.29       | 68.2           | -10.15          | Peak     | 1.00           | 150         | Vertical | Pass    |

## U-NII-2C 11ac40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 57.52            | 39.83       | 68.2           | -10.68          | Peak     | 9.00           | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.12            | 39.83       | --             | 42.12           | AV       | 9.00           | 150         | Horizontal | N/A     |
| 2   | 5466.600        | 61.52            | 39.81       | 68.2           | -6.68           | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 2** | 5466.600        | 42.12            | 39.81       | --             | 42.12           | AV       | 12.00          | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 59.61            | 39.74       | 74.0           | -14.39          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 41.92            | 39.74       | 54.0           | -12.08          | AV       | 12.00          | 150         | Horizontal | Pass    |
| 4   | 5403.000        | 63.33            | 39.72       | 74.0           | -10.67          | Peak     | 2.00           | 150         | Horizontal | Pass    |
| 4** | 5403.000        | 41.73            | 39.72       | 54.0           | -12.27          | AV       | 2.00           | 150         | Horizontal | Pass    |

## U-NII-2C 11ac40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 55.14            | 40.01       | 68.2           | -13.06          | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 2   | 5737.916        | 58.10            | 40.12       | 68.2           | -10.10          | Peak     | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ac80 CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 57.17            | 39.83       | 68.2           | -11.03          | Peak     | 3.00           | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.19            | 39.83       | --             | 42.19           | AV       | 3.00           | 150         | Horizontal | N/A     |
| 2   | 5461.400        | 62.23            | 39.76       | 68.2           | -5.97           | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 2** | 5461.400        | 41.88            | 39.76       | --             | 41.88           | AV       | 7.00           | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 59.69            | 39.74       | 74.0           | -14.31          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 41.97            | 39.74       | 54.0           | -12.03          | AV       | 12.00          | 150         | Horizontal | Pass    |
| 4   | 5396.800        | 62.96            | 39.75       | 74.0           | -11.04          | Peak     | 9.00           | 150         | Horizontal | Pass    |
| 4** | 5396.800        | 41.63            | 39.75       | 54.0           | -12.37          | AV       | 9.00           | 150         | Horizontal | Pass    |

## U-NII-2C 11ac80 CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 55.62            | 37.43       | 68.2           | -12.58          | Peak     | 255.00         | 150         | Horizontal | Pass    |
| 2   | 5777.709        | 61.84            | 37.64       | 68.2           | -6.36           | Peak     | 131.00         | 150         | Horizontal | Pass    |

## U-NII-2C 11ax20(SU) CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 58.99            | 39.83       | 68.2           | -9.21           | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.04            | 39.83       | --             | 42.04           | AV       | 15.00          | 150         | Horizontal | N/A     |
| 2   | 5469.200        | 63.72            | 39.83       | 68.2           | -4.48           | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 2** | 5469.200        | 41.96            | 39.83       | --             | 41.96           | AV       | 7.00           | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 62.43            | 39.74       | 74.0           | -11.57          | Peak     | 5.00           | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 41.83            | 39.74       | 54.0           | -12.17          | AV       | 5.00           | 150         | Horizontal | Pass    |
| 4   | 5388.200        | 62.59            | 39.75       | 74.0           | -11.41          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 4** | 5388.200        | 41.67            | 39.75       | 54.0           | -12.33          | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ax20(SU) CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 55.93            | 40.01       | 68.2           | -12.27          | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 2   | 5726.042        | 58.40            | 40.00       | 68.2           | -9.80           | Peak     | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ax40(SU) CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 60.18            | 39.83       | 68.2           | -8.02           | Peak     | 2.00           | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.20            | 39.83       | --             | 42.20           | AV       | 2.00           | 150         | Horizontal | N/A     |
| 2   | 5462.400        | 62.71            | 39.77       | 68.2           | -5.49           | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 2** | 5462.400        | 42.03            | 39.77       | --             | 42.03           | AV       | 11.00          | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 57.95            | 39.74       | 74.0           | -16.05          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 42.06            | 39.74       | 54.0           | -11.94          | AV       | 12.00          | 150         | Horizontal | Pass    |
| 4   | 5389.800        | 61.83            | 39.75       | 74.0           | -12.17          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 4** | 5389.800        | 41.68            | 39.75       | 54.0           | -12.32          | AV       | 12.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ax40(SU) CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 54.94            | 40.01       | 68.2           | -13.26          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2   | 5750.625        | 58.55            | 40.28       | 68.2           | -9.65           | Peak     | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ax80(SU) CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 59.02            | 39.83       | 68.2           | -9.18           | Peak     | 8.00           | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.25            | 39.83       | --             | 42.25           | AV       | 8.00           | 150         | Horizontal | N/A     |
| 2   | 5464.600        | 62.60            | 39.79       | 68.2           | -5.60           | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2** | 5464.600        | 42.22            | 39.79       | --             | 42.22           | AV       | 6.00           | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 57.13            | 39.74       | 74.0           | -16.87          | Peak     | 3.00           | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 42.07            | 39.74       | 54.0           | -11.93          | AV       | 3.00           | 150         | Horizontal | Pass    |
| 4   | 5361.600        | 62.68            | 39.61       | 74.0           | -11.32          | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 4** | 5361.600        | 41.63            | 39.61       | 54.0           | -12.37          | AV       | 4.00           | 150         | Horizontal | Pass    |

## U-NII-2C 11ax80(SU) CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 56.62            | 37.43       | 68.2           | -11.58          | Peak     | 223.00         | 150         | Horizontal | Pass    |
| 2   | 5734.375        | 61.12            | 37.35       | 68.2           | -7.08           | Peak     | 169.00         | 150         | Horizontal | Pass    |

## U-NII-3 11a CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 54.28            | 39.96       | 68.2           | -13.92          | Peak     | 14.00          | 150         | Vertical | Pass    |
| 2   | 5635.209        | 59.68            | 39.92       | 68.2           | -8.52           | Peak     | 15.00          | 150         | Vertical | Pass    |

## U-NII-3 11a CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 55.06            | 40.28       | 68.2           | -13.14          | Peak     | 11.00          | 150         | Vertical | Pass    |
| 2   | 5949.500        | 60.31            | 40.13       | 68.2           | -7.89           | Peak     | 15.00          | 150         | Vertical | Pass    |

## U-NII-3 11n20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 55.05            | 39.96       | 68.2           | -13.15          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5638.333        | 58.23            | 39.91       | 68.2           | -9.97           | Peak     | 12.00          | 150         | Vertical | Pass    |

## U-NII-3 11n20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 55.80            | 40.28       | 68.2           | -12.40          | Peak     | 12.00          | 150         | Vertical | Pass    |
| 2   | 5926.500        | 59.12            | 40.28       | 68.2           | -9.08           | Peak     | 14.00          | 150         | Vertical | Pass    |

## U-NII-3 11n40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 57.24            | 39.96       | 68.2           | -10.96          | Peak     | 5.00           | 150         | Vertical | Pass    |
| 2   | 5637.917        | 59.13            | 39.91       | 68.2           | -9.07           | Peak     | 1.00           | 150         | Vertical | Pass    |

## U-NII-3 11n40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 55.69            | 40.28       | 68.2           | -12.51          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5955.250        | 59.69            | 40.17       | 68.2           | -8.51           | Peak     | 10.00          | 150         | Vertical | Pass    |

## U-NII-3 11ac20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 54.92            | 39.96       | 68.2           | -13.28          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5603.334        | 58.57            | 40.04       | 68.2           | -9.63           | Peak     | 15.00          | 150         | Vertical | Pass    |

## U-NII-3 11ac20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 55.63            | 40.28       | 68.2           | -12.57          | Peak     | 10.00          | 150         | Vertical | Pass    |
| 2   | 5956.750        | 58.90            | 40.19       | 68.2           | -9.30           | Peak     | 12.00          | 150         | Vertical | Pass    |

## U-NII-3 11ac40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 55.93            | 39.96       | 68.2           | -12.27          | Peak     | 3.00           | 150         | Vertical | Pass    |
| 2   | 5613.334        | 58.42            | 40.09       | 68.2           | -9.78           | Peak     | 15.00          | 150         | Vertical | Pass    |

## U-NII-3 11ac40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 55.98            | 40.28       | 68.2           | -12.22          | Peak     | 5.00           | 150         | Vertical | Pass    |
| 2   | 5949.250        | 58.87            | 40.13       | 68.2           | -9.33           | Peak     | 14.00          | 150         | Vertical | Pass    |

## U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 58.43            | 39.96       | 68.2           | -9.77           | Peak     | 3.00           | 150         | Vertical | Pass    |
| 2   | 5618.542        | 55.48            | 40.02       | 68.2           | -12.72          | Peak     | 9.00           | 150         | Vertical | Pass    |

## U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 56.68            | 40.28       | 68.2           | -11.52          | Peak     | 13.00          | 150         | Vertical | Pass    |
| 2   | 5945.750        | 59.96            | 40.12       | 68.2           | -8.24           | Peak     | 15.00          | 150         | Vertical | Pass    |

## U-NII-3 11ax20(SU) CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 54.73            | 39.96       | 68.2           | -13.47          | Peak     | 10.00          | 150         | Vertical | Pass    |
| 2   | 5613.334        | 59.47            | 40.09       | 68.2           | -8.73           | Peak     | 0.00           | 150         | Vertical | Pass    |

## U-NII-3 11ax20(SU) CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 56.12            | 40.28       | 68.2           | -12.08          | Peak     | 6.00           | 150         | Vertical | Pass    |
| 2   | 5964.250        | 60.57            | 40.25       | 68.2           | -7.63           | Peak     | 15.00          | 150         | Vertical | Pass    |

## U-NII-3 11ax40(SU) CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 54.99            | 39.96       | 68.2           | -13.21          | Peak     | 13.00          | 150         | Vertical | Pass    |
| 2   | 5631.458        | 59.04            | 39.94       | 68.2           | -9.16           | Peak     | 2.00           | 150         | Vertical | Pass    |

## U-NII-3 11ax40(SU) CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 55.99            | 40.28       | 68.2           | -12.21          | Peak     | 6.00           | 150         | Vertical | Pass    |
| 2   | 5970.500        | 61.03            | 40.20       | 68.2           | -7.17           | Peak     | 7.00           | 150         | Vertical | Pass    |

## U-NII-3 11ax80(SU) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 55.34            | 39.96       | 68.2           | -12.86          | Peak     | 4.00           | 150         | Vertical | Pass    |
| 2   | 5611.875        | 58.91            | 40.10       | 68.2           | -9.29           | Peak     | 14.00          | 150         | Vertical | Pass    |


## U-NII-3 11ax80(SU) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 55.68            | 40.28       | 68.2           | -12.52          | Peak     | 12.00          | 150         | Vertical | Pass    |
| 2   | 5958.250        | 59.67            | 40.21       | 68.2           | -8.53           | Peak     | 7.00           | 150         | Vertical | Pass    |


# MIMO

## U-NII-1 11a CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 58.97            | 39.71       | 74.0           | -15.03          | Peak     | 5.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.93            | 39.71       | 54.0           | -8.07           | AV       | 5.00           | 150         | Horizontal | Pass    |
| 2   | 5055.425        | 59.85            | 39.74       | 74.0           | -14.15          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2** | 5055.425        | 45.89            | 39.74       | 54.0           | -8.11           | AV       | 6.00           | 150         | Horizontal | Pass    |

## U-NII-1 11a CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 54.18            | 39.62       | 74.0           | -19.82          | Peak     | 14.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.69            | 39.62       | 54.0           | -12.31          | AV       | 14.00          | 150         | Horizontal | Pass    |
| 2   | 5370.533        | 59.04            | 39.54       | 74.0           | -14.96          | Peak     | 5.00           | 150         | Horizontal | Pass    |
| 2** | 5370.533        | 41.47            | 39.54       | 54.0           | -12.53          | AV       | 5.00           | 150         | Horizontal | Pass    |

## U-NII-1 11n20 CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 57.23            | 39.71       | 74.0           | -16.77          | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.88            | 39.71       | 54.0           | -8.12           | AV       | 7.00           | 150         | Horizontal | Pass    |
| 2   | 5110.350        | 61.35            | 39.83       | 74.0           | -12.65          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 5110.350        | 46.13            | 39.83       | 54.0           | -7.87           | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-1 11n20 CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 54.46            | 39.62       | 74.0           | -19.54          | Peak     | 2.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.59            | 39.62       | 54.0           | -12.41          | AV       | 2.00           | 150         | Horizontal | Pass    |
| 2   | 5358.983        | 58.73            | 39.63       | 74.0           | -15.27          | Peak     | 3.00           | 150         | Horizontal | Pass    |
| 2** | 5358.983        | 41.67            | 39.63       | 54.0           | -12.33          | AV       | 3.00           | 150         | Horizontal | Pass    |

## U-NII-1 11n40 CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 57.35            | 39.71       | 74.0           | -16.65          | Peak     | 8.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.08            | 39.71       | 54.0           | -7.92           | AV       | 8.00           | 150         | Horizontal | Pass    |
| 2   | 4769.750        | 60.98            | 39.21       | 74.0           | -13.02          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 4769.750        | 44.01            | 39.21       | 54.0           | -9.99           | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-1 11n40 CH46



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 54.12            | 39.62       | 74.0           | -19.88          | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.66            | 39.62       | 54.0           | -12.34          | AV       | 4.00           | 150         | Horizontal | Pass    |
| 2   | 5357.334        | 57.34            | 39.64       | 74.0           | -16.66          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 5357.334        | 41.58            | 39.64       | 54.0           | -12.42          | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-1 11ac20 CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 57.60            | 39.71       | 74.0           | -16.40          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.78            | 39.71       | 54.0           | -8.22           | AV       | 15.00          | 150         | Horizontal | Pass    |
| 2   | 5105.150        | 61.94            | 39.83       | 74.0           | -12.06          | Peak     | 8.00           | 150         | Horizontal | Pass    |
| 2** | 5105.150        | 45.71            | 39.83       | 54.0           | -8.29           | AV       | 8.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ac20 CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 53.57            | 39.62       | 74.0           | -20.43          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.55            | 39.62       | 54.0           | -12.45          | AV       | 1.00           | 150         | Horizontal | Pass    |
| 2   | 5372.000        | 57.76            | 39.55       | 74.0           | -16.24          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 2** | 5372.000        | 41.41            | 39.55       | 54.0           | -12.59          | AV       | 1.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ac40 CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 56.20            | 39.71       | 74.0           | -17.80          | Peak     | 5.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.03            | 39.71       | 54.0           | -7.97           | AV       | 5.00           | 150         | Horizontal | Pass    |
| 2   | 5053.150        | 59.68            | 39.72       | 74.0           | -14.32          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2** | 5053.150        | 45.83            | 39.72       | 54.0           | -8.17           | AV       | 6.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ac40 CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 53.56            | 39.62       | 74.0           | -20.44          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.62            | 39.62       | 54.0           | -12.38          | AV       | 1.00           | 150         | Horizontal | Pass    |
| 2   | 5437.634        | 57.80            | 39.84       | 74.0           | -16.20          | Peak     | 2.00           | 150         | Horizontal | Pass    |
| 2** | 5437.634        | 41.69            | 39.84       | 54.0           | -12.31          | AV       | 2.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 57.54            | 39.71       | 74.0           | -16.46          | Peak     | 9.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.07            | 39.71       | 54.0           | -7.93           | AV       | 9.00           | 150         | Horizontal | Pass    |
| 2   | 5086.625        | 60.29            | 39.87       | 74.0           | -13.71          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 5086.625        | 46.21            | 39.87       | 54.0           | -7.79           | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-1 11ac80 CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 54.68            | 39.62       | 74.0           | -19.32          | Peak     | 2.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.57            | 39.62       | 54.0           | -12.43          | AV       | 2.00           | 150         | Horizontal | Pass    |
| 2   | 5350.000        | 54.68            | 39.62       | 74.0           | -19.32          | Peak     | 2.00           | 150         | Horizontal | Pass    |
| 2** | 5350.000        | 41.57            | 39.62       | 54.0           | -12.43          | AV       | 2.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ax20(SU) CH36




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 57.23            | 39.71       | 74.0           | -16.77          | Peak     | 4.00           | 150         | Vertical | Pass    |
| 1** | 5150.000        | 46.01            | 39.71       | 54.0           | -7.99           | AV       | 4.00           | 150         | Vertical | Pass    |
| 2   | 5063.550        | 59.60            | 39.80       | 74.0           | -14.40          | Peak     | 0.00           | 150         | Vertical | Pass    |
| 2** | 5063.550        | 45.99            | 39.80       | 54.0           | -8.01           | AV       | 0.00           | 150         | Vertical | Pass    |

## U-NII-1 11ax20(SU) CH48




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 54.98            | 39.62       | 74.0           | -19.02          | Peak     | 14.00          | 150         | Vertical | Pass    |
| 1** | 5350.000        | 41.52            | 39.62       | 54.0           | -12.48          | AV       | 14.00          | 150         | Vertical | Pass    |
| 2   | 5433.417        | 59.02            | 39.80       | 74.0           | -14.98          | Peak     | 13.00          | 150         | Vertical | Pass    |
| 2** | 5433.417        | 41.84            | 39.80       | 54.0           | -12.16          | AV       | 13.00          | 150         | Vertical | Pass    |

## U-NII-111ax40(SU) CH38




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 57.37            | 39.71       | 74.0           | -16.63          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.07            | 39.71       | 54.0           | -7.93           | AV       | 12.00          | 150         | Horizontal | Pass    |
| 2   | 5068.750        | 60.99            | 39.84       | 74.0           | -13.01          | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 2** | 5068.750        | 45.94            | 39.84       | 54.0           | -8.06           | AV       | 4.00           | 150         | Horizontal | Pass    |

## U-NII-1 11ax40(SU) CH46




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 53.99            | 39.62       | 74.0           | -20.01          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.64            | 39.62       | 54.0           | -12.36          | AV       | 15.00          | 150         | Horizontal | Pass    |
| 2   | 5360.267        | 57.02            | 39.62       | 74.0           | -16.98          | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 2** | 5360.267        | 41.53            | 39.62       | 54.0           | -12.47          | AV       | 11.00          | 150         | Horizontal | Pass    |

## U-NII-1 11ax80(SU) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 58.04            | 39.71       | 74.0           | -15.96          | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.97            | 39.71       | 54.0           | -8.03           | AV       | 7.00           | 150         | Horizontal | Pass    |
| 2   | 5122.050        | 60.79            | 39.87       | 74.0           | -13.21          | Peak     | 14.00          | 150         | Horizontal | Pass    |
| 2** | 5122.050        | 45.77            | 39.87       | 54.0           | -8.23           | AV       | 14.00          | 150         | Horizontal | Pass    |

## U-NII-1 11ax80(SU) CH42




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 55.16            | 39.62       | 74.0           | -18.84          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.80            | 39.62       | 54.0           | -12.20          | AV       | 15.00          | 150         | Horizontal | Pass    |
| 2   | 5397.117        | 57.98            | 39.75       | 74.0           | -16.02          | Peak     | 13.00          | 150         | Horizontal | Pass    |
| 2** | 5397.117        | 41.67            | 39.75       | 54.0           | -12.33          | AV       | 13.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11a CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 59.50            | 39.71       | 74.0           | -14.50          | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.08            | 39.71       | 54.0           | -7.92           | AV       | 4.00           | 150         | Horizontal | Pass    |
| 2   | 4680.375        | 62.01            | 38.71       | 74.0           | -11.99          | Peak     | 9.00           | 150         | Horizontal | Pass    |
| 2** | 4680.375        | 44.19            | 38.71       | 54.0           | -9.81           | AV       | 9.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11a CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 58.20            | 39.62       | 74.0           | -15.80          | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.72            | 39.62       | 54.0           | -12.28          | AV       | 7.00           | 150         | Horizontal | Pass    |
| 2   | 5350.000        | 58.20            | 39.62       | 74.0           | -15.80          | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 2** | 5350.000        | 41.72            | 39.62       | 54.0           | -12.28          | AV       | 7.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11n20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree ) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|-----------------|-------------|----------|---------|
| 1   | 5150.000        | 59.11            | 39.71       | 74.0           | -14.89          | Peak     | 10.00           | 150         | Vertical | Pass    |
| 1** | 5150.000        | 45.87            | 39.71       | 54.0           | -8.13           | AV       | 10.00           | 150         | Vertical | Pass    |
| 2   | 5026.500        | 63.91            | 39.82       | 74.0           | -10.09          | Peak     | 6.00            | 150         | Vertical | Pass    |
| 2** | 5026.500        | 46.14            | 39.82       | 54.0           | -7.86           | AV       | 6.00            | 150         | Vertical | Pass    |

## U-NII-2A 11n20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 56.40            | 39.62       | 74.0           | -17.60          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.64            | 39.62       | 54.0           | -12.36          | AV       | 6.00           | 150         | Horizontal | Pass    |
| 2   | 5373.650        | 62.52            | 39.56       | 74.0           | -11.48          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 5373.650        | 41.61            | 39.56       | 54.0           | -12.39          | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11n40 CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 60.89            | 39.71       | 74.0           | -13.11          | Peak     | 10.00          | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.96            | 39.71       | 54.0           | -8.04           | AV       | 10.00          | 150         | Horizontal | Pass    |
| 2   | 4948.175        | 63.29            | 39.75       | 74.0           | -10.71          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 2** | 4948.175        | 44.94            | 39.75       | 54.0           | -9.06           | AV       | 1.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11n40 CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 55.16            | 39.62       | 74.0           | -18.84          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.61            | 39.62       | 54.0           | -12.39          | AV       | 12.00          | 150         | Horizontal | Pass    |
| 2   | 5420.033        | 62.98            | 39.69       | 74.0           | -11.02          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 2** | 5420.033        | 41.65            | 39.69       | 54.0           | -12.35          | AV       | 12.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ac20 CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 59.23            | 39.71       | 74.0           | -14.77          | Peak     | 8.00           | 150         | Vertical | Pass    |
| 1** | 5150.000        | 46.03            | 39.71       | 54.0           | -7.97           | AV       | 8.00           | 150         | Vertical | Pass    |
| 2   | 4677.125        | 63.75            | 38.71       | 74.0           | -10.25          | Peak     | 10.00          | 150         | Vertical | Pass    |
| 2** | 4677.125        | 44.72            | 38.71       | 54.0           | -9.28           | AV       | 10.00          | 150         | Vertical | Pass    |

## U-NII-2A 11ac20 CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 56.93            | 39.62       | 74.0           | -17.07          | Peak     | 7.00           | 150         | Vertical | Pass    |
| 1** | 5350.000        | 41.70            | 39.62       | 54.0           | -12.30          | AV       | 7.00           | 150         | Vertical | Pass    |
| 2   | 5388.317        | 62.43            | 39.75       | 74.0           | -11.57          | Peak     | 11.00          | 150         | Vertical | Pass    |
| 2** | 5388.317        | 41.64            | 39.75       | 54.0           | -12.36          | AV       | 11.00          | 150         | Vertical | Pass    |

## U-NII-2A 11ac40 CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 58.91            | 39.71       | 74.0           | -15.09          | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.33            | 39.71       | 54.0           | -7.67           | AV       | 7.00           | 150         | Horizontal | Pass    |
| 2   | 5020.325        | 64.77            | 39.74       | 74.0           | -9.23           | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 5020.325        | 45.64            | 39.74       | 54.0           | -8.36           | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ac40 CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 57.70            | 39.62       | 74.0           | -16.30          | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.53            | 39.62       | 54.0           | -12.47          | AV       | 4.00           | 150         | Horizontal | Pass    |
| 2   | 5454.133        | 63.35            | 39.72       | 74.0           | -10.65          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 2** | 5454.133        | 41.87            | 39.72       | 54.0           | -12.13          | AV       | 1.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 61.10            | 39.71       | 74.0           | -12.90          | Peak     | 9.00           | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.88            | 39.71       | 54.0           | -8.12           | AV       | 9.00           | 150         | Horizontal | Pass    |
| 2   | 4715.800        | 62.31            | 38.91       | 74.0           | -11.69          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 4715.800        | 44.15            | 38.91       | 54.0           | -9.85           | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ac80 CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 57.56            | 39.62       | 74.0           | -16.44          | Peak     | 8.00           | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.60            | 39.62       | 54.0           | -12.40          | AV       | 8.00           | 150         | Horizontal | Pass    |
| 2   | 5419.300        | 63.09            | 39.68       | 74.0           | -10.91          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2** | 5419.300        | 41.76            | 39.68       | 54.0           | -12.24          | AV       | 15.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ax20(SU) CH52




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 58.98            | 39.71       | 74.0           | -15.02          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 46.46            | 39.71       | 54.0           | -7.54           | AV       | 15.00          | 150         | Horizontal | Pass    |
| 2   | 4623.500        | 62.73            | 38.39       | 74.0           | -11.27          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 2** | 4623.500        | 44.30            | 38.39       | 54.0           | -9.70           | AV       | 1.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11ax20(SU) CH64




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 61.35            | 39.62       | 74.0           | -12.65          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.68            | 39.62       | 54.0           | -12.32          | AV       | 12.00          | 150         | Horizontal | Pass    |
| 2   | 5435.250        | 63.87            | 39.82       | 74.0           | -10.13          | Peak     | 14.00          | 150         | Horizontal | Pass    |
| 2** | 5435.250        | 41.79            | 39.82       | 54.0           | -12.21          | AV       | 14.00          | 150         | Horizontal | Pass    |

## U-NII-2A 11ax40(SU) CH54




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5150.000        | 59.70            | 39.71       | 74.0           | -14.30          | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 1** | 5150.000        | 45.84            | 39.71       | 54.0           | -8.16           | AV       | 11.00          | 150         | Horizontal | Pass    |
| 2   | 4993.675        | 63.22            | 39.77       | 74.0           | -10.78          | Peak     | 3.00           | 150         | Horizontal | Pass    |
| 2** | 4993.675        | 45.58            | 39.77       | 54.0           | -8.42           | AV       | 3.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11ax40(SU) CH62




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 58.80            | 39.62       | 74.0           | -15.20          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 1** | 5350.000        | 41.65            | 39.62       | 54.0           | -12.35          | AV       | 15.00          | 150         | Horizontal | Pass    |
| 2   | 5388.133        | 62.87            | 39.75       | 74.0           | -11.13          | Peak     | 9.00           | 150         | Horizontal | Pass    |
| 2** | 5388.133        | 41.79            | 39.75       | 54.0           | -12.21          | AV       | 9.00           | 150         | Horizontal | Pass    |

## U-NII-2A 11ax80(SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5150.000        | 59.30            | 39.71       | 74.0           | -14.70          | Peak     | 14.00          | 150         | Vertical | Pass    |
| 1** | 5150.000        | 45.80            | 39.71       | 54.0           | -8.20           | AV       | 14.00          | 150         | Vertical | Pass    |
| 2   | 4943.300        | 63.07            | 39.75       | 74.0           | -10.93          | Peak     | 2.00           | 150         | Vertical | Pass    |
| 2** | 4943.300        | 44.85            | 39.75       | 54.0           | -9.15           | AV       | 2.00           | 150         | Vertical | Pass    |

## U-NII-2A 11ax80(SU) CH58




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5350.000        | 57.05            | 39.62       | 74.0           | -16.95          | Peak     | 6.00           | 150         | Vertical | Pass    |
| 1** | 5350.000        | 41.70            | 39.62       | 54.0           | -12.30          | AV       | 6.00           | 150         | Vertical | Pass    |
| 2   | 5393.450        | 62.09            | 39.76       | 74.0           | -11.91          | Peak     | 14.00          | 150         | Vertical | Pass    |
| 2** | 5393.450        | 41.72            | 39.76       | 54.0           | -12.28          | AV       | 14.00          | 150         | Vertical | Pass    |

## U-NII-2C 11a CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 60.48            | 39.83       | 68.2           | -7.72           | Peak     | 13.00          | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.09            | 39.83       | --             | 42.09           | AV       | 13.00          | 150         | Horizontal | N/A     |
| 2   | 5465.800        | 62.33            | 39.80       | 68.2           | -5.87           | Peak     | 14.00          | 150         | Horizontal | Pass    |
| 2** | 5465.800        | 41.98            | 39.80       | --             | 41.98           | AV       | 14.00          | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 58.55            | 39.74       | 74.0           | -15.45          | Peak     | 5.00           | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 41.81            | 39.74       | 54.0           | -12.19          | AV       | 5.00           | 150         | Horizontal | Pass    |
| 4   | 5359.000        | 64.48            | 39.63       | 74.0           | -9.52           | Peak     | 2.00           | 150         | Horizontal | Pass    |
| 4** | 5359.000        | 41.69            | 39.63       | 54.0           | -12.31          | AV       | 2.00           | 150         | Horizontal | Pass    |

## U-NII-2C 11a CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 55.22            | 40.01       | 68.2           | -12.98          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5768.333        | 57.94            | 39.99       | 68.2           | -10.26          | Peak     | 13.00          | 150         | Vertical | Pass    |

## U-NII-2C 11n20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5470.000        | 60.91            | 39.83       | 68.2           | -7.29           | Peak     | 2.00           | 150         | Vertical | Pass    |
| 1** | 5470.000        | 42.21            | 39.83       | --             | 42.21           | AV       | 2.00           | 150         | Vertical | N/A     |
| 2   | 5468.000        | 61.92            | 39.82       | 68.2           | -6.28           | Peak     | 6.00           | 150         | Vertical | Pass    |
| 2** | 5468.000        | 42.07            | 39.82       | --             | 42.07           | AV       | 6.00           | 150         | Vertical | N/A     |
| 3   | 5460.000        | 58.63            | 39.74       | 74.0           | -15.37          | Peak     | 9.00           | 150         | Vertical | Pass    |
| 3** | 5460.000        | 41.94            | 39.74       | 54.0           | -12.06          | AV       | 9.00           | 150         | Vertical | Pass    |
| 4   | 5444.000        | 62.48            | 39.80       | 74.0           | -11.52          | Peak     | 11.00          | 150         | Vertical | Pass    |
| 4** | 5444.000        | 42.06            | 39.80       | 54.0           | -11.94          | AV       | 11.00          | 150         | Vertical | Pass    |

## U-NII-2C 11n20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 55.01            | 40.01       | 68.2           | -13.19          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5805.625        | 57.19            | 40.01       | 68.2           | -11.01          | Peak     | 6.00           | 150         | Vertical | Pass    |

## U-NII-2C 11n40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5470.000        | 60.74            | 39.83       | 68.2           | -7.46           | Peak     | 12.00          | 150         | Vertical | Pass    |
| 1** | 5470.000        | 42.08            | 39.83       | --             | 42.08           | AV       | 12.00          | 150         | Vertical | N/A     |
| 2   | 5466.600        | 61.35            | 39.81       | 68.2           | -6.85           | Peak     | 2.00           | 150         | Vertical | Pass    |
| 2** | 5466.600        | 42.24            | 39.81       | --             | 42.24           | AV       | 2.00           | 150         | Vertical | N/A     |
| 3   | 5460.000        | 56.72            | 39.74       | 74.0           | -17.28          | Peak     | 7.00           | 150         | Vertical | Pass    |
| 3** | 5460.000        | 41.78            | 39.74       | 54.0           | -12.22          | AV       | 7.00           | 150         | Vertical | Pass    |
| 4   | 5395.200        | 62.34            | 39.75       | 74.0           | -11.66          | Peak     | 9.00           | 150         | Vertical | Pass    |
| 4** | 5395.200        | 41.72            | 39.75       | 54.0           | -12.28          | AV       | 9.00           | 150         | Vertical | Pass    |

## U-NII-2C 11n40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 55.42            | 40.01       | 68.2           | -12.78          | Peak     | 14.00          | 150         | Vertical | Pass    |
| 2   | 5751.667        | 58.40            | 40.27       | 68.2           | -9.80           | Peak     | 8.00           | 150         | Vertical | Pass    |

## U-NII-2C 11ac20 CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 60.19            | 39.83       | 68.2           | -8.01           | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.11            | 39.83       | --             | 42.11           | AV       | 15.00          | 150         | Horizontal | N/A     |
| 2   | 5463.200        | 61.98            | 39.78       | 68.2           | -6.22           | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 2** | 5463.200        | 41.96            | 39.78       | --             | 41.96           | AV       | 1.00           | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 58.60            | 39.74       | 74.0           | -15.40          | Peak     | 2.00           | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 41.96            | 39.74       | 54.0           | -12.04          | AV       | 2.00           | 150         | Horizontal | Pass    |
| 4   | 5435.400        | 62.98            | 39.82       | 74.0           | -11.02          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 4** | 5435.400        | 41.94            | 39.82       | 54.0           | -12.06          | AV       | 1.00           | 150         | Horizontal | Pass    |

## U-NII-2C 11ac20 CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 55.48            | 40.01       | 68.2           | -12.72          | Peak     | 7.00           | 150         | Vertical | Pass    |
| 2   | 5773.750        | 58.21            | 40.05       | 68.2           | -9.99           | Peak     | 12.00          | 150         | Vertical | Pass    |

## U-NII-2C 11ac40 CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5470.000        | 58.73            | 39.83       | 68.2           | -9.47           | Peak     | 1.00           | 150         | Vertical | Pass    |
| 1** | 5470.000        | 42.08            | 39.83       | --             | 42.08           | AV       | 1.00           | 150         | Vertical | N/A     |
| 2   | 5464.600        | 63.69            | 39.79       | 68.2           | -4.51           | Peak     | 14.00          | 150         | Vertical | Pass    |
| 2** | 5464.600        | 42.05            | 39.79       | --             | 42.05           | AV       | 14.00          | 150         | Vertical | N/A     |
| 3   | 5460.000        | 57.52            | 39.74       | 74.0           | -16.48          | Peak     | 12.00          | 150         | Vertical | Pass    |
| 3** | 5460.000        | 42.02            | 39.74       | 54.0           | -11.98          | AV       | 12.00          | 150         | Vertical | Pass    |
| 4   | 5428.000        | 62.59            | 39.80       | 74.0           | -11.41          | Peak     | 2.00           | 150         | Vertical | Pass    |
| 4** | 5428.000        | 41.80            | 39.80       | 54.0           | -12.20          | AV       | 2.00           | 150         | Vertical | Pass    |

## U-NII-2C 11ac40 CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 54.50            | 40.01       | 68.2           | -13.70          | Peak     | 14.00          | 150         | Vertical | Pass    |
| 2   | 5763.958        | 58.32            | 40.02       | 68.2           | -9.88           | Peak     | 13.00          | 150         | Vertical | Pass    |

## U-NII-2C 11ac80 CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5470.000        | 60.07            | 39.83       | 68.2           | -8.13           | Peak     | 14.00          | 150         | Vertical | Pass    |
| 1** | 5470.000        | 42.11            | 39.83       | --             | 42.11           | AV       | 14.00          | 150         | Vertical | N/A     |
| 2   | 5465.800        | 63.43            | 39.80       | 68.2           | -4.77           | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2** | 5465.800        | 41.96            | 39.80       | --             | 41.96           | AV       | 15.00          | 150         | Vertical | N/A     |
| 3   | 5460.000        | 56.84            | 39.74       | 74.0           | -17.16          | Peak     | 5.00           | 150         | Vertical | Pass    |
| 3** | 5460.000        | 41.95            | 39.74       | 54.0           | -12.05          | AV       | 5.00           | 150         | Vertical | Pass    |
| 4   | 5434.600        | 64.59            | 39.81       | 74.0           | -9.41           | Peak     | 4.00           | 150         | Vertical | Pass    |
| 4** | 5434.600        | 41.89            | 39.81       | 54.0           | -12.11          | AV       | 4.00           | 150         | Vertical | Pass    |

## U-NII-2C 11ac80 CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 59.21            | 37.43       | 68.2           | -8.99           | Peak     | 322.00         | 150         | Horizontal | Pass    |
| 2   | 5762.083        | 61.74            | 37.46       | 68.2           | -6.46           | Peak     | 35.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ax20(SU) CH100




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5470.000        | 60.53            | 39.83       | 68.2           | -7.67           | Peak     | 3.00           | 150         | Vertical | Pass    |
| 1** | 5470.000        | 42.15            | 39.83       | --             | 42.15           | AV       | 3.00           | 150         | Vertical | N/A     |
| 2   | 5462.800        | 62.67            | 39.78       | 68.2           | -5.53           | Peak     | 2.00           | 150         | Vertical | Pass    |
| 2** | 5462.800        | 42.02            | 39.78       | --             | 42.02           | AV       | 2.00           | 150         | Vertical | N/A     |
| 3   | 5460.000        | 58.86            | 39.74       | 74.0           | -15.14          | Peak     | 13.00          | 150         | Vertical | Pass    |
| 3** | 5460.000        | 42.02            | 39.74       | 54.0           | -11.98          | AV       | 13.00          | 150         | Vertical | Pass    |
| 4   | 5435.600        | 62.98            | 39.82       | 74.0           | -11.02          | Peak     | 6.00           | 150         | Vertical | Pass    |
| 4** | 5435.600        | 41.73            | 39.82       | 54.0           | -12.27          | AV       | 6.00           | 150         | Vertical | Pass    |

## U-NII-2C 11ax20(SU) CH140




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5725.000        | 54.76            | 40.01       | 68.2           | -13.44          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5771.041        | 58.97            | 40.01       | 68.2           | -9.23           | Peak     | 9.00           | 150         | Vertical | Pass    |

## U-NII-2C 11ax40(SU) CH102




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 60.41            | 39.83       | 68.2           | -7.79           | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.07            | 39.83       | --             | 42.07           | AV       | 15.00          | 150         | Horizontal | N/A     |
| 2   | 5468.000        | 62.57            | 39.82       | 68.2           | -5.63           | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2** | 5468.000        | 42.12            | 39.82       | --             | 42.12           | AV       | 6.00           | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 59.69            | 39.74       | 74.0           | -14.31          | Peak     | 7.00           | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 42.00            | 39.74       | 54.0           | -12.00          | AV       | 7.00           | 150         | Horizontal | Pass    |
| 4   | 5411.400        | 63.84            | 39.62       | 74.0           | -10.16          | Peak     | 1.00           | 150         | Horizontal | Pass    |
| 4** | 5411.400        | 41.56            | 39.62       | 54.0           | -12.44          | AV       | 1.00           | 150         | Horizontal | Pass    |

## U-NII-2C 11ax40(SU) CH134




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 55.44            | 40.01       | 68.2           | -12.76          | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 2   | 5797.708        | 57.93            | 40.06       | 68.2           | -10.27          | Peak     | 5.00           | 150         | Horizontal | Pass    |

## U-NII-2C 11ax80(SU) CH106




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5470.000        | 59.15            | 39.83       | 68.2           | -9.05           | Peak     | 4.00           | 150         | Horizontal | Pass    |
| 1** | 5470.000        | 42.25            | 39.83       | --             | 42.25           | AV       | 4.00           | 150         | Horizontal | N/A     |
| 2   | 5464.000        | 60.60            | 39.79       | 68.2           | -7.60           | Peak     | 2.00           | 150         | Horizontal | Pass    |
| 2** | 5464.000        | 42.20            | 39.79       | --             | 42.20           | AV       | 2.00           | 150         | Horizontal | N/A     |
| 3   | 5460.000        | 59.81            | 39.74       | 74.0           | -14.19          | Peak     | 8.00           | 150         | Horizontal | Pass    |
| 3** | 5460.000        | 41.95            | 39.74       | 54.0           | -12.05          | AV       | 8.00           | 150         | Horizontal | Pass    |
| 4   | 5440.800        | 63.17            | 39.84       | 74.0           | -10.83          | Peak     | 12.00          | 150         | Horizontal | Pass    |
| 4** | 5440.800        | 41.91            | 39.84       | 54.0           | -12.09          | AV       | 12.00          | 150         | Horizontal | Pass    |

## U-NII-2C 11ax80(SU) CH122




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 56.70            | 37.43       | 68.2           | -11.50          | Peak     | 180.00         | 150         | Horizontal | Pass    |
| 2   | 5740.625        | 61.34            | 37.55       | 68.2           | -6.86           | Peak     | 327.00         | 150         | Horizontal | Pass    |

## U-NII-3 11a CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 55.76            | 39.96       | 68.2           | -12.44          | Peak     | 1.00           | 150         | Vertical | Pass    |
| 2   | 5601.875        | 58.24            | 40.02       | 68.2           | -9.96           | Peak     | 15.00          | 150         | Vertical | Pass    |

## U-NII-3 11a CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 55.48            | 40.28       | 68.2           | -12.72          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2   | 5956.500        | 59.62            | 40.18       | 68.2           | -8.58           | Peak     | 15.00          | 150         | Horizontal | Pass    |

## U-NII-3 11n20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 56.15            | 39.96       | 68.2           | -12.05          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2   | 5611.459        | 59.40            | 40.09       | 68.2           | -8.80           | Peak     | 1.00           | 150         | Horizontal | Pass    |

## U-NII-3 11n20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 54.52            | 40.28       | 68.2           | -13.68          | Peak     | 11.00          | 150         | Horizontal | Pass    |
| 2   | 5959.250        | 59.64            | 40.23       | 68.2           | -8.56           | Peak     | 11.00          | 150         | Horizontal | Pass    |

## U-NII-3 11n40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 56.09            | 39.96       | 68.2           | -12.11          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2   | 5613.541        | 59.35            | 40.08       | 68.2           | -8.85           | Peak     | 0.00           | 150         | Horizontal | Pass    |

## U-NII-3 11n40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5925.000        | 55.53            | 40.28       | 68.2           | -12.67          | Peak     | 6.00           | 150         | Horizontal | Pass    |
| 2   | 5973.500        | 59.74            | 40.18       | 68.2           | -8.46           | Peak     | 12.00          | 150         | Horizontal | Pass    |

## U-NII-3 11ac20 CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1   | 5650.000        | 55.03            | 39.96       | 68.2           | -13.17          | Peak     | 15.00          | 150         | Horizontal | Pass    |
| 2   | 5635.209        | 58.99            | 39.92       | 68.2           | -9.21           | Peak     | 12.00          | 150         | Horizontal | Pass    |

## U-NII-3 11ac20 CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 55.55            | 40.28       | 68.2           | -12.65          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5996.000        | 59.38            | 40.15       | 68.2           | -8.82           | Peak     | 6.00           | 150         | Vertical | Pass    |

## U-NII-3 11ac40 CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 56.41            | 39.96       | 68.2           | -11.79          | Peak     | 8.00           | 150         | Vertical | Pass    |
| 2   | 5600.000        | 55.98            | 40.01       | 68.2           | -12.22          | Peak     | 3.00           | 150         | Vertical | Pass    |

## U-NII-3 11ac40 CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 55.37            | 40.28       | 68.2           | -12.83          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5987.000        | 59.65            | 40.14       | 68.2           | -8.55           | Peak     | 11.00          | 150         | Vertical | Pass    |

## U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 55.22            | 39.96       | 68.2           | -12.98          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5625.208        | 59.55            | 39.99       | 68.2           | -8.65           | Peak     | 0.00           | 150         | Vertical | Pass    |

## U-NII-3 11ac80 CH155




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 56.33            | 40.28       | 68.2           | -11.87          | Peak     | 14.00          | 150         | Vertical | Pass    |
| 2   | 5963.750        | 59.53            | 40.25       | 68.2           | -8.67           | Peak     | 1.00           | 150         | Vertical | Pass    |

## U-NII-3 11ax20(SU) CH149




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 56.64            | 39.96       | 68.2           | -11.56          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5605.000        | 58.84            | 40.04       | 68.2           | -9.36           | Peak     | 14.00          | 150         | Vertical | Pass    |

## U-NII-3 11ax20(SU) CH165




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 56.07            | 40.28       | 68.2           | -12.13          | Peak     | 6.00           | 150         | Vertical | Pass    |
| 2   | 5967.250        | 58.66            | 40.23       | 68.2           | -9.54           | Peak     | 14.00          | 150         | Vertical | Pass    |

## U-NII-3 11ax40(SU) CH151




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 55.95            | 39.96       | 68.2           | -12.25          | Peak     | 15.00          | 150         | Vertical | Pass    |
| 2   | 5643.334        | 59.06            | 39.92       | 68.2           | -9.14           | Peak     | 9.00           | 150         | Vertical | Pass    |

## U-NII-3 11ax40(SU) CH159




| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 55.60            | 40.28       | 68.2           | -12.60          | Peak     | 9.00           | 150         | Vertical | Pass    |
| 2   | 5969.500        | 60.49            | 40.20       | 68.2           | -7.71           | Peak     | 6.00           | 150         | Vertical | Pass    |

## U-NII-3 11ax80(SU) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5650.000        | 55.29            | 39.96       | 68.2           | -12.91          | Peak     | 8.00           | 150         | Vertical | Pass    |
| 2   | 5607.709        | 58.31            | 40.05       | 68.2           | -9.89           | Peak     | 1.00           | 150         | Vertical | Pass    |

## U-NII-3 11ax80(SU) CH155



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1   | 5925.000        | 56.49            | 40.28       | 68.2           | -11.71          | Peak     | 13.00          | 150         | Vertical | Pass    |
| 2   | 5945.750        | 59.71            | 40.12       | 68.2           | -8.49           | Peak     | 15.00          | 150         | Vertical | Pass    |

## **ANNEX B TEST SETUP PHOTOS**

Please refer the document “BL-SZ2170148-AR.PDF”.

## **ANNEX C EUT EXTERNAL PHOTOS**

Please refer the document “BL-SZ2170148-AW.PDF”.

## **ANNEX D EUT INTERNAL PHOTOS**

Please refer the document “BL-SZ2170148-AI.PDF”.

--END OF REPORT--