



**28.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.8        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.005        | -22.41      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691.02         | -26.88      | -10         | Pass    | 401         |
| 2695                  | 2710                 | 1         | RMS      | 2695            | -48.14      | -13         | Pass    | 401         |
| 2710                  | 2795                 | 1         | RMS      | 2741.238        | -49.02      | -25         | Pass    | 401         |




**28.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2672.5          | 12.07       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.4       | RMS      | 2690            | -30.11      | -10         | Pass    | 4           |
| 2691                  | 2695                 | 1         | RMS      | 2691.05         | -24.67      | -10         | Pass    | 401         |
| 2695                  | 2710                 | 1         | RMS      | 2695.038        | -30.41      | -13         | Pass    | 401         |
| 2710                  | 2715                 | 1         | RMS      | 2710.213        | -41.33      | -25         | Pass    | 401         |
| 2715                  | 2795                 | 1         | RMS      | 2715.2          | -42.62      | -25         | Pass    | 401         |




**28.9. Band Edge for SA(NTNV)(Subtest:9, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -49.91      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -27.27      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2495.998        | -26.14      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 21.98       | 30          | Pass    | 401         |




**28.10. Band Edge for SA(NTNV)(Subtest:10, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -37.3       | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.475        | -31.44      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.6       | RMS      | 2496            | -34.37      | -10         | Pass    | 3           |
| 2496                  | 2596                 | 1         | RMS      | 2542.5          | 6.02        | 30          | Pass    | 401         |




**28.11. Band Edge for SA(NTNV)(Subtest:11, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2489.505        | -49.83      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -27.56      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2495.995        | -26.43      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 22.01       | 30          | Pass    | 401         |




**28.12. Band Edge for SA(NTNV)(Subtest:12, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -33.75      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.588        | -30.4       | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1.2       | RMS      | 2496            | -27.37      | -10         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2546            | 6.09        | 30          | Pass    | 401         |




**28.13. Band Edge for SA(NTNV)(Subtest:13, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.81       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -25.58      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -29.69      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -48.52      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2772.163        | -49.85      | -25         | Pass    | 401         |




**28.14. Band Edge for SA(NTNV)(Subtest:14, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2639.25         | 5.46        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 1.2       | RMS      | 2690            | -26.35      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2691.03         | -35.24      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -38.97      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2752.363        | -49.69      | -25         | Pass    | 401         |




**28.15. Band Edge for SA(NTNV)(Subtest:15, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.87       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.005        | -24.4       | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -29.02      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -48.43      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2771.375        | -49.79      | -25         | Pass    | 401         |




**28.16. Band Edge for SA(NTNV)(Subtest:16, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2680.25         | 5.43        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 1.2       | RMS      | 2690            | -27.32      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2692.21         | -34.77      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695.138        | -36.52      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2750.675        | -49.34      | -25         | Pass    | 401         |




**28.17. Band Edge for SA(NTNV)(Subtest:17, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2489.505        | -49.66      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -28.12      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -26.84      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 21.81       | 30          | Pass    | 401         |




**28.18. Band Edge for SA(NTNV)(Subtest:18, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -36.35      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -34.53      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1         | RMS      | 2496            | -32.73      | -13         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2584.5          | 3.93        | 30          | Pass    | 401         |




**28.19. Band Edge for SA(NTNV)(Subtest:19, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -49.35      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -29.13      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -28.2       | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 21.85       | 30          | Pass    | 401         |




**28.20. Band Edge for SA(NTNV)(Subtest:20, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -35.25      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -33.6       | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1         | RMS      | 2496            | -32.23      | -13         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2591.25         | 3.9         | 30          | Pass    | 401         |




**28.21. Band Edge for SA(NTNV)(Subtest:21, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.77       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -25.68      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -29.77      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695            | -48.21      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2791.263        | -49.92      | -25         | Pass    | 401         |




**28.22. Band Edge for SA(NTNV)(Subtest:22, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2612.75         | 3.18        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 2         | RMS      | 2690            | -33.59      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2694.9          | -35.9       | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695            | -36.07      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2790.925        | -49.83      | -25         | Pass    | 401         |




**28.23. Band Edge for SA(NTNV)(Subtest:23, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.85       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -24.6       | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -29.04      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695            | -47.91      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2793.425        | -49.83      | -25         | Pass    | 401         |



**28.24. Band Edge for SA(NTNV)(Subtest:24, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2610            | 3.17        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 2         | RMS      | 2690            | -32.87      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2694.9          | -35.19      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695            | -35.38      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2791            | -49.85      | -25         | Pass    | 401         |



## 29. DC\_2A\_n41A\_SCS30


29.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2487.773        | -48.73      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -26.54      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -25.6       | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 22.37       | 30          | Pass    | 401         |




**29.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:50@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2488.268        | -31.07      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.913        | -28.58      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.4       | RMS      | 2496            | -30.22      | -10         | Pass    | 4           |
| 2496                  | 2596                 | 1         | RMS      | 2511.5          | 11.38       | 30          | Pass    | 401         |




**29.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2487.773        | -48.09      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -26.62      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2495.995        | -25.15      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 22.68       | 30          | Pass    | 401         |




**29.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -31.06      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.975        | -26.06      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.4       | RMS      | 2496            | -29.93      | -10         | Pass    | 4           |
| 2496                  | 2596                 | 1         | RMS      | 2512.5          | 10.88       | 30          | Pass    | 401         |




**29.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@50, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 22.12       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -23.72      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -27.83      | -10         | Pass    | 401         |
| 2695                  | 2710                 | 1         | RMS      | 2697.813        | -48.28      | -13         | Pass    | 401         |
| 2710                  | 2795                 | 1         | RMS      | 2741.238        | -49.74      | -25         | Pass    | 401         |




**29.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:50@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2685.25         | 10.7        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.4       | RMS      | 2690            | -39.67      | -10         | Pass    | 4           |
| 2691                  | 2695                 | 1         | RMS      | 2691.01         | -35.55      | -10         | Pass    | 401         |
| 2695                  | 2710                 | 1         | RMS      | 2697.288        | -36.56      | -13         | Pass    | 401         |
| 2710                  | 2715                 | 1         | RMS      | 2711.938        | -45.74      | -25         | Pass    | 401         |
| 2715                  | 2795                 | 1         | RMS      | 2715.4          | -47.64      | -25         | Pass    | 401         |




**29.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@50, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 22.18       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.005        | -22.45      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -26.76      | -10         | Pass    | 401         |
| 2695                  | 2710                 | 1         | RMS      | 2698.075        | -47.88      | -13         | Pass    | 401         |
| 2710                  | 2795                 | 1         | RMS      | 2740.813        | -49.69      | -25         | Pass    | 401         |




**29.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2672.75         | 10.75       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.4       | RMS      | 2690            | -32.87      | -10         | Pass    | 4           |
| 2691                  | 2695                 | 1         | RMS      | 2691.04         | -29.02      | -10         | Pass    | 401         |
| 2695                  | 2710                 | 1         | RMS      | 2695.113        | -34.79      | -13         | Pass    | 401         |
| 2710                  | 2715                 | 1         | RMS      | 2710.013        | -43.92      | -25         | Pass    | 401         |
| 2715                  | 2795                 | 1         | RMS      | 2715            | -44.49      | -25         | Pass    | 401         |




**29.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:9, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -49.69      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -27.17      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -26.04      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 22.19       | 30          | Pass    | 401         |




**29.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:10, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:162@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -38         | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.6          | -32.03      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1.2       | RMS      | 2496            | -28.79      | -10         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2542.5          | 6.16        | 30          | Pass    | 401         |




**29.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:11, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -49.62      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -27.22      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2495.988        | -26.22      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 22.33       | 30          | Pass    | 401         |




**29.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:12, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -33.85      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.875        | -30.52      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1.2       | RMS      | 2496            | -27.43      | -10         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2546            | 6.07        | 30          | Pass    | 401         |




**29.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:13, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:1@161, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.72       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -25.67      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -29.85      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -48.39      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2773.963        | -49.8       | -25         | Pass    | 401         |




**29.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:14, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:162@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2676            | 5.61        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 1.2       | RMS      | 2690            | -26.16      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -35.63      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -39.47      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2776.55         | -49.65      | -25         | Pass    | 401         |




**29.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:15, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@161, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.91       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.005        | -24.7       | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -28.85      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -48.41      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2774.525        | -49.79      | -25         | Pass    | 401         |




**29.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:16, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2680            | 5.68        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 1.2       | RMS      | 2690            | -27.21      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2692.66         | -34.56      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695.138        | -36.28      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2769.238        | -49.41      | -25         | Pass    | 401         |




**29.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:17, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2489.753        | -49.71      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -28.01      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -27.08      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 21.97       | 30          | Pass    | 401         |




**29.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:18, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:270@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -35.91      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.863        | -34.23      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1         | RMS      | 2496            | -32.52      | -13         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2584.5          | 4.04        | 30          | Pass    | 401         |



**29.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:19, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2489.753        | -49.44      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -28.83      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -28.12      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 21.89       | 30          | Pass    | 401         |




**29.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:20, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -35.17      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.975        | -34.22      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1         | RMS      | 2496            | -32.65      | -13         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2591.25         | 3.69        | 30          | Pass    | 401         |




**29.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:21, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@272, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.95       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -25.55      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -29.52      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695            | -48.23      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2791.8          | -49.78      | -25         | Pass    | 401         |




**29.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:22, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:270@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2678.5          | 3.33        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 2         | RMS      | 2690            | -33.47      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2694.97         | -35.89      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695            | -36.03      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2794.225        | -49.81      | -25         | Pass    | 401         |




**29.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:23, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@272, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.93       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.005        | -24.39      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -28.96      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695            | -48.26      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2794.9          | -49.82      | -25         | Pass    | 401         |



**29.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:24, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2600            | 3.33        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 2         | RMS      | 2690            | -33.56      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2694.94         | -35.65      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2696.425        | -35.5       | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2791.525        | -49.76      | -25         | Pass    | 401         |



### 30. DC\_66A\_n41A\_SCS30


30.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2487.773        | -49.46      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -26.83      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -25.71      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 22.1        | 30          | Pass    | 401         |




**30.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:50@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2488.268        | -31.58      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.988        | -29.49      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.4       | RMS      | 2496            | -30.89      | -10         | Pass    | 4           |
| 2496                  | 2596                 | 1         | RMS      | 2511.5          | 10.97       | 30          | Pass    | 401         |




**30.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2488.02         | -48.77      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -27.69      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2495.978        | -26.56      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 22          | 30          | Pass    | 401         |




**30.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -30.98      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.975        | -26.06      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.4       | RMS      | 2496            | -29.98      | -10         | Pass    | 4           |
| 2496                  | 2596                 | 1         | RMS      | 2512.5          | 10.85       | 30          | Pass    | 401         |




**30.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@50, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 22.08       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -23.86      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -28.03      | -10         | Pass    | 401         |
| 2695                  | 2710                 | 1         | RMS      | 2698            | -48.3       | -13         | Pass    | 401         |
| 2710                  | 2795                 | 1         | RMS      | 2741.025        | -49.97      | -25         | Pass    | 401         |




**30.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:50@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2685.25         | 10.54       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.4       | RMS      | 2690            | -39.2       | -10         | Pass    | 4           |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -35.29      | -10         | Pass    | 401         |
| 2695                  | 2710                 | 1         | RMS      | 2697.888        | -36.11      | -13         | Pass    | 401         |
| 2710                  | 2715                 | 1         | RMS      | 2711.7          | -45.36      | -25         | Pass    | 401         |
| 2715                  | 2795                 | 1         | RMS      | 2715.4          | -47.31      | -25         | Pass    | 401         |




**30.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@50, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 22.07       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.008        | -23.03      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -27.33      | -10         | Pass    | 401         |
| 2695                  | 2710                 | 1         | RMS      | 2698            | -48.09      | -13         | Pass    | 401         |
| 2710                  | 2795                 | 1         | RMS      | 2741.238        | -49.66      | -25         | Pass    | 401         |




**30.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2672.75         | 10.64       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.4       | RMS      | 2690            | -34.43      | -10         | Pass    | 4           |
| 2691                  | 2695                 | 1         | RMS      | 2691.01         | -29.44      | -10         | Pass    | 401         |
| 2695                  | 2710                 | 1         | RMS      | 2695            | -34.97      | -13         | Pass    | 401         |
| 2710                  | 2715                 | 1         | RMS      | 2710.675        | -43.56      | -25         | Pass    | 401         |
| 2715                  | 2795                 | 1         | RMS      | 2715.4          | -43.86      | -25         | Pass    | 401         |




**30.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:9, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -49.97      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -27.36      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -26.22      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 21.99       | 30          | Pass    | 401         |




**30.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:10, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:162@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -38.19      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.563        | -32.17      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1.2       | RMS      | 2496            | -28.9       | -10         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2542.5          | 5.72        | 30          | Pass    | 401         |




**30.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:11, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -49.81      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -27.5       | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2495.988        | -26.61      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 22.03       | 30          | Pass    | 401         |




**30.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:12, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -33.91      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.613        | -30.47      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1.2       | RMS      | 2496            | -27.51      | -10         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2546.25         | 5.75        | 30          | Pass    | 401         |




**30.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:13, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:1@161, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.7        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -25.91      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -30.14      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -48.34      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2781.838        | -49.99      | -25         | Pass    | 401         |




**30.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:14, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:162@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2676            | 5.46        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 1.2       | RMS      | 2690            | -26.29      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2691.84         | -35.74      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -39.39      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2769.013        | -49.93      | -25         | Pass    | 401         |




**30.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:15, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@161, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.8        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -25.05      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691.01         | -29.83      | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695            | -48.3       | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2769.8          | -49.96      | -25         | Pass    | 401         |




**30.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:16, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2680            | 5.46        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 1.2       | RMS      | 2690            | -27.39      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2692.59         | -34.6       | -10         | Pass    | 401         |
| 2695                  | 2750                 | 1         | RMS      | 2695.138        | -36.61      | -13         | Pass    | 401         |
| 2750                  | 2795                 | 1         | RMS      | 2751.35         | -49.63      | -25         | Pass    | 401         |




**30.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:17, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2489.753        | -49.71      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -28.31      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2495.995        | -27.25      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 21.64       | 30          | Pass    | 401         |




**30.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:18, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:270@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2489.753        | -36.56      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -35.75      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1         | RMS      | 2496            | -33.27      | -13         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2592            | 3.7         | 30          | Pass    | 401         |




**30.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:19, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2490            | -49.61      | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2495            | -29.25      | -13         | Pass    | 401         |
| 2495                  | 2496                 | 0.051     | RMS      | 2496            | -28.58      | -10         | Pass    | 401         |
| 2496                  | 2596                 | 1         | RMS      | 2497            | 21.62       | 30          | Pass    | 401         |




**30.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:20, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2391                  | 2490                 | 1         | RMS      | 2489.753        | -34.5       | -25         | Pass    | 401         |
| 2490                  | 2495                 | 1         | RMS      | 2494.45         | -34.4       | -13         | Pass    | 401         |
| 2495                  | 2496                 | 1         | RMS      | 2496            | -32.68      | -13         | Pass    | 2           |
| 2496                  | 2596                 | 1         | RMS      | 2581            | 3.77        | 30          | Pass    | 401         |




**30.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:21, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:1@272, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.66       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690            | -25.95      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -30.05      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695            | -48.51      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2794.3          | -49.93      | -25         | Pass    | 401         |




**30.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:22, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:270@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2612.75         | 3.06        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 2         | RMS      | 2690            | -33.65      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2694.58         | -35.96      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695.475        | -36.08      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2791.15         | -50.06      | -25         | Pass    | 401         |




**30.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:23, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@272, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2689            | 21.63       | 30          | Pass    | 401         |
| 2690                  | 2691                 | 0.1       | RMS      | 2690.005        | -25.04      | -10         | Pass    | 401         |
| 2691                  | 2695                 | 1         | RMS      | 2691            | -29.28      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695            | -48.24      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2792.525        | -50         | -25         | Pass    | 401         |



**30.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:24, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2590                  | 2690                 | 1         | RMS      | 2600            | 3.06        | 30          | Pass    | 401         |
| 2690                  | 2691                 | 2         | RMS      | 2690            | -33.61      | -10         | Pass    | 2           |
| 2691                  | 2695                 | 1         | RMS      | 2694.99         | -35.64      | -10         | Pass    | 401         |
| 2695                  | 2790                 | 1         | RMS      | 2695.95         | -35.43      | -13         | Pass    | 401         |
| 2790                  | 2795                 | 1         | RMS      | 2791.575        | -50         | -25         | Pass    | 401         |



---

END