



RSE-V&H DC_2A_n41A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
802.362	-53.17	40.56	-25.0	-28.17	246.00	Vertical	Horizontal	Pass
1871.200	8.18	45.01	-25.0	33.18	191.00	Vertical	Horizontal	N/A
2591.400	-3.38	46.73	-25.0	21.62	172.00	Vertical	Horizontal	N/A
4282.000	-54.15	6.65	-25.0	-29.15	322.00	Vertical	Horizontal	Pass
6995.000	-47.95	13.49	-25.0	-22.95	166.00	Vertical	Horizontal	Pass
17305.688	-39.59	21.12	-25.0	-14.59	65.00	Vertical	Horizontal	Pass


50.2 DC_2A_n41A BW20MHz(LTE)+BW60MHz(NR), PI/2 BPSK

RSE-H&H DC_2A_n41A BW20(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
859.253	-51.55	40.83	-25.0	-26.55	59.00	Horizontal	Horizontal	Pass
1871.100	15.21	45.00	-25.0	40.21	283.00	Horizontal	Horizontal	N/A
2605.000	5.77	46.84	-25.0	30.77	360.00	Horizontal	Horizontal	N/A
3742.200	-53.27	4.32	-25.0	-28.27	282.00	Horizontal	Horizontal	Pass
6998.800	-47.43	13.53	-25.0	-22.43	26.00	Horizontal	Horizontal	Pass
17145.301	-39.58	21.07	-25.0	-14.58	13.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n41A BW20(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
729.031	-53.47	38.88	-25.0	-28.47	32.00	Horizontal	Vertical	Pass
1871.300	8.90	45.01	-25.0	33.90	224.00	Horizontal	Vertical	N/A
2603.900	-2.16	46.76	-25.0	22.84	99.00	Horizontal	Vertical	N/A
4363.200	-53.94	7.56	-25.0	-28.94	331.00	Horizontal	Vertical	Pass
6993.600	-47.63	13.58	-25.0	-22.63	103.00	Horizontal	Vertical	Pass
17416.462	-39.53	22.66	-25.0	-14.53	190.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n41A BW20(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
915.125	-50.73	41.84	-25.0	-25.73	28.00	Vertical	Vertical	Pass
1871.300	12.04	45.01	-25.0	37.04	171.00	Vertical	Vertical	N/A
2602.600	1.59	46.66	-25.0	26.59	145.00	Vertical	Vertical	N/A
3742.000	-53.54	4.32	-25.0	-28.54	299.00	Vertical	Vertical	Pass
6976.200	-48.01	13.80	-25.0	-23.01	360.00	Vertical	Vertical	Pass
17420.401	-39.64	22.64	-25.0	-14.64	81.00	Vertical	Vertical	Pass


RSE-V&H DC_2A_n41A BW20(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
851.735	-51.56	40.95	-25.0	-26.56	297.00	Vertical	Horizontal	Pass
1871.300	6.07	45.01	-25.0	31.07	219.00	Vertical	Horizontal	N/A
2581.800	-7.01	46.87	-25.0	17.99	174.00	Vertical	Horizontal	N/A
4342.400	-54.21	7.15	-25.0	-29.21	233.00	Vertical	Horizontal	Pass
6992.800	-47.66	13.54	-25.0	-22.66	201.00	Vertical	Horizontal	Pass
17383.911	-39.77	22.32	-25.0	-14.77	304.00	Vertical	Horizontal	Pass


50.3 DC_2A_n41A BW20MHz(LTE)+BW100MHz(NR), PI/2 BPSK

RSE-H&H DC_2A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
787.279	-53.26	40.39	-25.0	-28.26	81.00	Horizontal	Horizontal	Pass
1871.000	12.58	44.99	-25.0	37.58	179.00	Horizontal	Horizontal	N/A
2608.700	1.29	46.84	-25.0	26.29	360.00	Horizontal	Horizontal	N/A
3742.400	-52.28	4.31	-25.0	-27.28	258.00	Horizontal	Horizontal	Pass
6988.200	-47.54	13.52	-25.0	-22.54	307.00	Horizontal	Horizontal	Pass
17138.213	-40.27	21.02	-25.0	-15.27	258.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
776.852	-52.84	40.02	-25.0	-27.84	3.00	Horizontal	Vertical	Pass
1871.100	8.61	45.00	-25.0	33.61	233.00	Horizontal	Vertical	N/A
2585.900	-4.27	46.90	-25.0	20.73	121.00	Horizontal	Vertical	N/A
4340.400	-54.55	7.15	-25.0	-29.55	311.00	Horizontal	Vertical	Pass
6982.800	-47.74	13.93	-25.0	-22.74	41.00	Horizontal	Vertical	Pass
17375.775	-40.02	22.07	-25.0	-15.02	58.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
800.956	-52.66	40.58	-25.0	-27.66	268.00	Vertical	Vertical	Pass
1871.200	12.52	45.01	-25.0	37.52	196.00	Vertical	Vertical	N/A
2606.300	-0.03	46.81	-25.0	24.97	129.00	Vertical	Vertical	N/A
3742.400	-53.30	4.31	-25.0	-28.30	313.00	Vertical	Vertical	Pass
6999.800	-47.42	13.53	-25.0	-22.42	235.00	Vertical	Vertical	Pass
17413.839	-39.38	22.67	-25.0	-14.38	195.00	Vertical	Vertical	Pass

RSE-V&H DC_2A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
813.469	-52.55	40.52	-25.0	-27.55	270.00	Vertical	Horizontal	Pass
1871.000	6.61	44.99	-25.0	31.61	298.00	Vertical	Horizontal	N/A
2616.100	-12.20	46.93	-25.0	12.80	163.00	Vertical	Horizontal	N/A
4365.600	-54.33	7.36	-25.0	-29.33	260.00	Vertical	Horizontal	Pass
6993.800	-47.96	13.57	-25.0	-22.96	287.00	Vertical	Horizontal	Pass
17419.350	-39.51	22.65	-25.0	-14.51	143.00	Vertical	Horizontal	Pass

51 DC_66A_n41A


51.1 DC_66A_n41A BW20MHz(LTE)+BW20MHz(NR), QSPK

RSE-H&H DC_66A_n41A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
810.171	-51.70	40.47	-25.0	-26.70	274.00	Horizontal	Horizontal	Pass
1746.300	16.72	44.28	-25.0	41.72	287.00	Horizontal	Horizontal	N/A
2594.200	9.70	46.95	-25.0	34.70	360.00	Horizontal	Horizontal	N/A
4289.000	-54.06	6.52	-25.0	-29.06	330.00	Horizontal	Horizontal	Pass
6998.200	-48.09	13.53	-25.0	-23.09	262.00	Horizontal	Horizontal	Pass
17386.275	-39.55	22.38	-25.0	-14.55	36.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n41A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
813.372	-52.33	40.53	-25.0	-27.33	301.00	Horizontal	Vertical	Pass
1746.100	7.41	44.28	-25.0	32.41	0.00	Horizontal	Vertical	N/A
2594.000	1.39	46.92	-25.0	26.39	310.00	Horizontal	Vertical	N/A
4344.000	-54.28	7.09	-25.0	-29.28	58.00	Horizontal	Vertical	Pass
6999.200	-47.24	13.53	-25.0	-22.24	360.00	Horizontal	Vertical	Pass
17415.938	-39.80	22.67	-25.0	-14.80	36.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n41A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
883.697	-50.97	41.17	-25.0	-25.97	253.00	Vertical	Vertical	Pass
1746.200	13.76	44.28	-25.0	38.76	198.00	Vertical	Vertical	N/A
2596.100	6.71	46.92	-25.0	31.71	127.00	Vertical	Vertical	N/A
4286.400	-54.06	6.58	-25.0	-29.06	61.00	Vertical	Vertical	Pass
6993.800	-47.97	13.57	-25.0	-22.97	61.00	Vertical	Vertical	Pass
17422.500	-39.95	22.59	-25.0	-14.95	177.00	Vertical	Vertical	Pass


RSE-V&H DC_66A_n41A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
828.601	-52.35	40.61	-25.0	-27.35	332.00	Vertical	Horizontal	Pass
1746.100	12.06	44.28	-25.0	37.06	315.00	Vertical	Horizontal	N/A
2589.000	-3.45	47.03	-25.0	21.55	297.00	Vertical	Horizontal	N/A
4471.600	-53.66	7.82	-25.0	-28.66	190.00	Vertical	Horizontal	Pass
6987.400	-48.00	13.63	-25.0	-23.00	10.00	Vertical	Horizontal	Pass
17666.099	-39.88	21.27	-25.0	-14.88	270.00	Vertical	Horizontal	Pass


51.2 DC_66A_n41A BW20MHz(LTE)+BW60MHz(NR), QSPK

RSE-H&H DC_66A_n41A BW20(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
795.718	-52.62	40.44	-25.0	-27.62	328.00	Horizontal	Horizontal	Pass
1746.300	16.60	44.28	-25.0	41.60	293.00	Horizontal	Horizontal	N/A
2596.700	4.21	46.86	-25.0	29.21	0.00	Horizontal	Horizontal	N/A
4290.200	-54.63	6.54	-25.0	-29.63	12.00	Horizontal	Horizontal	Pass
6991.000	-48.32	13.43	-25.0	-23.32	360.00	Horizontal	Horizontal	Pass
17375.513	-39.76	22.07	-25.0	-14.76	328.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n41A BW20(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
811.917	-51.96	40.64	-25.0	-26.96	311.00	Horizontal	Vertical	Pass
1746.300	10.40	44.28	-25.0	35.40	9.00	Horizontal	Vertical	N/A
2599.300	-5.03	46.81	-25.0	19.97	295.00	Horizontal	Vertical	N/A
4286.000	-54.68	6.59	-25.0	-29.68	321.00	Horizontal	Vertical	Pass
6999.000	-48.09	13.53	-25.0	-23.09	261.00	Horizontal	Vertical	Pass
17372.625	-40.08	21.96	-25.0	-15.08	330.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n41A BW20(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
812.693	-51.85	40.59	-25.0	-26.85	78.00	Vertical	Vertical	Pass
1746.000	13.23	44.28	-25.0	38.23	301.00	Vertical	Vertical	N/A
2606.900	2.16	46.77	-25.0	27.16	56.00	Vertical	Vertical	N/A
4344.200	-54.27	7.10	-25.0	-29.27	40.00	Vertical	Vertical	Pass
6996.800	-48.09	13.50	-25.0	-23.09	40.00	Vertical	Vertical	Pass
17373.411	-40.04	21.99	-25.0	-15.04	63.00	Vertical	Vertical	Pass


RSE-V&H DC_66A_n41A BW20(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
780.537	-52.56	40.12	-25.0	-27.56	274.00	Vertical	Horizontal	Pass
1746.000	10.26	44.28	-25.0	35.26	294.00	Vertical	Horizontal	N/A
2599.200	-8.74	46.82	-25.0	16.26	102.00	Vertical	Horizontal	N/A
3668.200	-55.65	4.44	-25.0	-30.65	338.00	Vertical	Horizontal	Pass
6997.600	-47.59	13.52	-25.0	-22.59	219.00	Vertical	Horizontal	Pass
17369.475	-39.54	21.85	-25.0	-14.54	16.00	Vertical	Horizontal	Pass


51.3 DC_66A_n41A BW20MHz(LTE)+BW100MHz(NR), QSPK

RSE-H&H DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
785.145	-52.96	40.28	-25.0	-27.96	268.00	Horizontal	Horizontal	Pass
1746.300	15.47	44.28	-25.0	40.47	297.00	Horizontal	Horizontal	N/A
2569.600	3.59	46.80	-25.0	28.59	-1.00	Horizontal	Horizontal	N/A
4378.000	-54.41	6.66	-25.0	-29.41	230.00	Horizontal	Horizontal	Pass
6992.000	-47.69	13.49	-25.0	-22.69	230.00	Horizontal	Horizontal	Pass
17668.463	-40.13	21.32	-25.0	-15.13	292.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
822.393	-51.98	40.60	-25.0	-26.98	193.00	Horizontal	Vertical	Pass
1746.000	10.15	44.28	-25.0	35.15	0.00	Horizontal	Vertical	N/A
2616.100	-6.36	46.93	-25.0	18.64	298.00	Horizontal	Vertical	N/A
3492.200	-52.25	3.55	-25.0	-27.25	197.00	Horizontal	Vertical	Pass
6998.600	-47.65	13.53	-25.0	-22.65	265.00	Horizontal	Vertical	Pass
17412.262	-39.88	22.68	-25.0	-14.88	32.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.368	-52.35	40.74	-25.0	-27.35	0.00	Vertical	Vertical	Pass
1746.200	14.10	44.28	-25.0	39.10	195.00	Vertical	Vertical	N/A
2611.800	0.05	47.22	-25.0	25.05	35.00	Vertical	Vertical	N/A
4310.000	-54.95	6.82	-25.0	-29.95	161.00	Vertical	Vertical	Pass
6999.800	-47.76	13.53	-25.0	-22.76	243.00	Vertical	Vertical	Pass
17153.699	-40.11	21.14	-25.0	-15.11	2.00	Vertical	Vertical	Pass

RSE-V&H DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
823.314	-51.60	40.60	-25.0	-26.60	211.00	Vertical	Horizontal	Pass
1746.200	9.08	44.28	-25.0	34.08	15.00	Vertical	Horizontal	N/A
2612.300	-10.71	47.17	-25.0	14.29	158.00	Vertical	Horizontal	N/A
4341.000	-54.21	7.18	-25.0	-29.21	84.00	Vertical	Horizontal	Pass
6997.400	-47.32	13.51	-25.0	-22.32	316.00	Vertical	Horizontal	Pass
17631.713	-39.35	21.55	-25.0	-14.35	224.00	Vertical	Horizontal	Pass

52 DC_66A_n41A


52.1 DC_66A_n41A BW20MHz(LTE)+BW20MHz(NR), PI/2 BPSK

RSE-H&H DC_66A_n41A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
848.049	-51.89	40.80	-25.0	-26.89	193.00	Horizontal	Horizontal	Pass
1746.100	8.84	44.28	-25.0	33.84	147.00	Horizontal	Horizontal	N/A
2594.600	3.32	47.00	-25.0	28.32	132.00	Horizontal	Horizontal	N/A
3613.400	-56.63	3.94	-25.0	-31.63	334.00	Horizontal	Horizontal	Pass
6994.800	-48.05	13.50	-25.0	-23.05	22.00	Horizontal	Horizontal	Pass
17429.588	-39.70	22.41	-25.0	-14.70	123.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n41A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
805.758	-52.44	40.62	-25.0	-27.44	109.00	Horizontal	Vertical	Pass
1745.900	1.65	44.29	-25.0	26.65	352.00	Horizontal	Vertical	N/A
2590.200	-4.46	46.80	-25.0	20.54	308.00	Horizontal	Vertical	N/A
3952.600	-55.98	6.26	-25.0	-30.98	259.00	Horizontal	Vertical	Pass
6997.200	-47.83	13.51	-25.0	-22.83	284.00	Horizontal	Vertical	Pass
17401.500	-39.90	22.71	-25.0	-14.90	224.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n41A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
783.836	-53.00	40.22	-25.0	-28.00	354.00	Vertical	Vertical	Pass
1746.100	2.72	44.28	-25.0	27.72	273.00	Vertical	Vertical	N/A
2595.400	1.21	46.98	-25.0	26.21	38.00	Vertical	Vertical	N/A
3652.200	-56.75	5.18	-25.0	-31.75	210.00	Vertical	Vertical	Pass
6999.600	-47.63	13.53	-25.0	-22.63	193.00	Vertical	Vertical	Pass
17376.563	-39.58	22.10	-25.0	-14.58	196.00	Vertical	Vertical	Pass


RSE-V&H DC_66A_n41A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
795.815	-52.44	40.44	-25.0	-27.44	360.00	Vertical	Horizontal	Pass
1746.100	-9.41	44.28	-25.0	15.59	171.00	Vertical	Horizontal	N/A
2590.700	-8.31	46.72	-25.0	16.69	163.00	Vertical	Horizontal	N/A
3655.000	-56.51	4.98	-25.0	-31.51	273.00	Vertical	Horizontal	Pass
6997.200	-47.90	13.51	-25.0	-22.90	148.00	Vertical	Horizontal	Pass
18798.750	-39.65	24.61	-25.0	-14.65	193.00	Vertical	Horizontal	Pass


52.2 DC_66A_n41A BW20MHz(LTE)+BW60MHz(NR), PI/2 BPSK

RSE-H&H DC_66A_n41A BW20(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.160	-52.34	40.69	-25.0	-27.34	140.00	Horizontal	Horizontal	Pass
1746.000	7.14	44.28	-25.0	32.14	153.00	Horizontal	Horizontal	N/A
2599.600	-2.56	46.76	-25.0	22.44	153.00	Horizontal	Horizontal	N/A
3647.600	-56.31	5.31	-25.0	-31.31	130.00	Horizontal	Horizontal	Pass
6982.400	-48.00	13.91	-25.0	-23.00	294.00	Horizontal	Horizontal	Pass
19379.700	-39.68	26.77	-25.0	-14.68	267.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n41A BW20(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
641.828	-56.62	36.74	-25.0	-31.62	-1.00	Horizontal	Vertical	Pass
1746.300	1.32	44.28	-25.0	26.32	162.00	Horizontal	Vertical	N/A
2580.000	-11.10	46.86	-25.0	13.90	187.00	Horizontal	Vertical	N/A
3650.600	-56.07	5.30	-25.0	-31.07	156.00	Horizontal	Vertical	Pass
6996.600	-48.09	13.49	-25.0	-23.09	360.00	Horizontal	Vertical	Pass
17632.238	-39.79	21.54	-25.0	-14.79	362.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n41A BW20(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
798.580	-52.78	40.61	-25.0	-27.78	207.00	Vertical	Vertical	Pass
1746.100	2.32	44.28	-25.0	27.32	225.00	Vertical	Vertical	N/A
2591.300	-3.52	46.73	-25.0	21.48	50.00	Vertical	Vertical	N/A
3772.400	-55.98	4.75	-25.0	-30.98	244.00	Vertical	Vertical	Pass
6997.400	-47.88	13.51	-25.0	-22.88	29.00	Vertical	Vertical	Pass
17398.874	-39.60	22.69	-25.0	-14.60	58.00	Vertical	Vertical	Pass


RSE-V&H DC_66A_n41A BW20(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
768.170	-53.29	39.59	-25.0	-28.29	165.00	Vertical	Horizontal	Pass
1746.400	-6.99	44.28	-25.0	18.01	207.00	Vertical	Horizontal	N/A
2604.700	-16.87	46.82	-25.0	8.13	143.00	Vertical	Horizontal	N/A
3998.000	-56.16	5.48	-25.0	-31.16	123.00	Vertical	Horizontal	Pass
6680.800	-48.58	12.20	-25.0	-23.58	209.00	Vertical	Horizontal	Pass
17870.850	-40.21	22.38	-25.0	-15.21	47.00	Vertical	Horizontal	Pass


52.3 DC_66A_n41A BW20MHz(LTE)+BW100MHz(NR), PI/2 BPSK

RSE-H&H DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
891.505	-51.02	41.36	-25.0	-26.02	122.00	Horizontal	Horizontal	Pass
1746.100	6.20	44.28	-25.0	31.20	192.00	Horizontal	Horizontal	N/A
2599.200	-3.26	46.82	-25.0	21.74	154.00	Horizontal	Horizontal	N/A
4359.800	-54.33	7.66	-25.0	-29.33	117.00	Horizontal	Horizontal	Pass
6993.600	-47.39	13.58	-25.0	-22.39	335.00	Horizontal	Horizontal	Pass
17416.724	-39.66	22.66	-25.0	-14.66	64.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
906.977	-50.29	41.64	-25.0	-25.29	281.00	Horizontal	Vertical	Pass
1746.000	0.45	44.28	-25.0	25.45	172.00	Horizontal	Vertical	N/A
2574.000	-11.70	46.82	-25.0	13.30	317.00	Horizontal	Vertical	N/A
4323.600	-53.96	7.22	-25.0	-28.96	269.00	Horizontal	Vertical	Pass
6996.600	-48.08	13.49	-25.0	-23.08	29.00	Horizontal	Vertical	Pass
17383.387	-39.78	22.31	-25.0	-14.78	229.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n41A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
809.783	-52.70	40.45	-25.0	-27.70	302.00	Vertical	Vertical	Pass
1746.200	2.22	44.28	-25.0	27.22	239.00	Vertical	Vertical	N/A
2602.600	-4.83	46.66	-25.0	20.17	10.00	Vertical	Vertical	N/A
4321.200	-54.39	7.10	-25.0	-29.39	179.00	Vertical	Vertical	Pass
6993.200	-48.01	13.57	-25.0	-23.01	154.00	Vertical	Vertical	Pass
17418.562	-39.92	22.66	-25.0	-14.92	140.00	Vertical	Vertical	Pass

RSE-V&H DC_66A_n41A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
805.273	-52.04	40.61	-25.0	-27.04	154.00	Vertical	Horizontal	Pass
1746.000	-7.63	44.28	-25.0	17.37	170.00	Vertical	Horizontal	N/A
2609.000	-16.63	46.87	-25.0	8.37	170.00	Vertical	Horizontal	N/A
4363.600	-54.08	7.53	-25.0	-29.08	70.00	Vertical	Horizontal	Pass
6998.200	-48.05	13.53	-25.0	-23.05	37.00	Vertical	Horizontal	Pass
17624.099	-39.78	21.71	-25.0	-14.78	71.00	Vertical	Horizontal	Pass

NR

53 n41


53.1 n41 BW20, QPSK, Middle Channel

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
850.571	-52.11	40.97	-25.0	-27.11	37.00	Horizontal	Horizontal	Pass
1361.300	-44.79	44.41	-25.0	-19.79	46.00	Horizontal	Horizontal	Pass
2584.300	18.75	46.69	-25.0	43.75	360.00	Horizontal	Horizontal	N/A
5184.000	-39.32	10.58	-25.0	-14.32	126.00	Horizontal	Horizontal	Pass
6997.200	-47.67	13.51	-25.0	-22.67	0.00	Horizontal	Horizontal	Pass
17392.312	-39.32	22.53	-25.0	-14.32	0.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
818.998	-52.54	40.52	-25.0	-27.54	3.00	Horizontal	Vertical	Pass
1312.600	-44.24	44.76	-25.0	-19.24	336.00	Horizontal	Vertical	Pass
2592.400	9.99	46.73	-25.0	34.99	181.00	Horizontal	Vertical	N/A
3773.800	-56.82	4.64	-25.0	-31.82	222.00	Horizontal	Vertical	Pass
6994.000	-48.18	13.55	-25.0	-23.18	154.00	Horizontal	Vertical	Pass
17631.713	-39.65	21.55	-25.0	-14.65	290.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
898.102	-51.93	41.51	-25.0	-26.93	39.00	Vertical	Vertical	Pass
1301.700	-44.50	44.88	-25.0	-19.50	52.00	Vertical	Vertical	Pass
2584.100	11.51	46.69	-25.0	36.51	0.00	Vertical	Vertical	N/A
3608.600	-57.10	3.77	-25.0	-32.10	202.00	Vertical	Vertical	Pass
6998.200	-48.04	13.53	-25.0	-23.04	91.00	Vertical	Vertical	Pass
17386.013	-39.59	22.37	-25.0	-14.59	181.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.280	-52.00	40.64	-25.0	-27.00	97.00	Vertical	Horizontal	Pass
1318.300	-44.51	44.75	-25.0	-19.51	360.00	Vertical	Horizontal	Pass
2592.100	1.92	46.73	-25.0	26.92	324.00	Vertical	Horizontal	N/A
5184.200	-41.60	10.57	-25.0	-16.60	158.00	Vertical	Horizontal	Pass
6998.600	-47.99	13.53	-25.0	-22.99	314.00	Vertical	Horizontal	Pass
17407.275	-39.78	22.70	-25.0	-14.78	251.00	Vertical	Horizontal	Pass


53.2 n41 BW60, QPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
909.644	-51.26	41.64	-25.0	-26.26	148.00	Horizontal	Horizontal	Pass
1295.900	-44.30	44.78	-25.0	-19.30	254.00	Horizontal	Horizontal	Pass
2572.800	15.96	46.92	-25.0	40.96	94.00	Horizontal	Horizontal	N/A
3678.200	-56.25	4.83	-25.0	-31.25	289.00	Horizontal	Horizontal	Pass
6999.400	-47.48	13.53	-25.0	-22.48	83.00	Horizontal	Horizontal	Pass
17371.838	-39.69	21.94	-25.0	-14.69	357.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
782.671	-53.13	40.16	-25.0	-28.13	361.00	Horizontal	Vertical	Pass
1413.500	-43.95	44.75	-25.0	-18.95	0.00	Horizontal	Vertical	Pass
2564.200	13.45	46.89	-25.0	38.45	179.00	Horizontal	Vertical	N/A
3656.600	-56.22	4.82	-25.0	-31.22	307.00	Horizontal	Vertical	Pass
6999.800	-47.67	13.53	-25.0	-22.67	307.00	Horizontal	Vertical	Pass
17375.513	-39.98	22.07	-25.0	-14.98	227.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
875.743	-51.95	41.05	-25.0	-26.95	-1.00	Vertical	Vertical	Pass
1365.700	-44.27	44.47	-25.0	-19.27	91.00	Vertical	Vertical	Pass
2564.200	15.15	46.89	-25.0	40.15	158.00	Vertical	Vertical	N/A
3665.400	-56.49	4.43	-25.0	-31.49	357.00	Vertical	Vertical	Pass
6998.400	-47.51	13.53	-25.0	-22.51	0.00	Vertical	Vertical	Pass
17377.876	-39.50	22.15	-25.0	-14.50	125.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
790.238	-52.39	40.43	-25.0	-27.39	-1.00	Vertical	Horizontal	Pass
1390.900	-44.30	44.77	-25.0	-19.30	231.00	Vertical	Horizontal	Pass
2564.000	0.71	46.87	-25.0	25.71	163.00	Vertical	Horizontal	N/A
3672.600	-56.26	4.62	-25.0	-31.26	107.00	Vertical	Horizontal	Pass
6999.800	-46.89	13.53	-25.0	-21.89	334.00	Vertical	Horizontal	Pass
17625.412	-39.72	21.68	-25.0	-14.72	134.00	Vertical	Horizontal	Pass


53.3 n41 BW100, QPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
793.972	-51.40	40.36	-25.0	-26.40	10.00	Horizontal	Horizontal	Pass
1417.000	-44.38	44.82	-25.0	-19.38	232.00	Horizontal	Horizontal	Pass
2552.200	19.85	46.77	-25.0	44.85	26.00	Horizontal	Horizontal	N/A
3680.400	-56.68	4.93	-25.0	-31.68	310.00	Horizontal	Horizontal	Pass
6995.200	-47.61	13.48	-25.0	-22.61	0.00	Horizontal	Horizontal	Pass
17611.237	-39.80	21.87	-25.0	-14.80	266.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
809.929	-51.98	40.45	-25.0	-26.98	353.00	Horizontal	Vertical	Pass
1302.000	-44.49	44.87	-25.0	-19.49	336.00	Horizontal	Vertical	Pass
2551.900	6.77	46.80	-25.0	31.77	240.00	Horizontal	Vertical	N/A
3662.400	-56.40	4.44	-25.0	-31.40	286.00	Horizontal	Vertical	Pass
6999.200	-47.67	13.53	-25.0	-22.67	333.00	Horizontal	Vertical	Pass
17589.187	-39.69	22.09	-25.0	-14.69	169.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
855.810	-51.62	40.88	-25.0	-26.62	0.00	Vertical	Vertical	Pass
1301.100	-44.40	44.90	-25.0	-19.40	192.00	Vertical	Vertical	Pass
2544.300	13.54	46.93	-25.0	38.54	360.00	Vertical	Vertical	N/A
3569.600	-57.02	4.35	-25.0	-32.02	0.00	Vertical	Vertical	Pass
6985.800	-47.79	13.69	-25.0	-22.79	238.00	Vertical	Vertical	Pass
18051.000	-39.12	22.98	-25.0	-14.12	215.00	Vertical	Vertical	Pass

RSE-V&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
809.880	-52.12	40.44	-25.0	-27.12	320.00	Vertical	Horizontal	Pass
1307.600	-44.24	44.87	-25.0	-19.24	328.00	Vertical	Horizontal	Pass
2543.700	7.61	46.91	-25.0	32.61	142.00	Vertical	Horizontal	N/A
3668.200	-55.97	4.44	-25.0	-30.97	0.00	Vertical	Horizontal	Pass
6986.200	-48.00	13.68	-25.0	-23.00	97.00	Vertical	Horizontal	Pass
17622.262	-40.02	21.74	-25.0	-15.02	270.00	Vertical	Horizontal	Pass

54 n41


54.1 n41 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
778.113	-53.05	40.03	-25.0	-28.05	220.00	Horizontal	Horizontal	Pass
1390.600	-44.06	44.77	-25.0	-19.06	238.00	Horizontal	Horizontal	Pass
2592.300	19.51	46.73	-25.0	44.51	341.00	Horizontal	Horizontal	N/A
3737.400	-56.30	4.35	-25.0	-31.30	-1.00	Horizontal	Horizontal	Pass
6997.000	-47.92	13.50	-25.0	-22.92	-1.00	Horizontal	Horizontal	Pass
17416.724	-39.58	22.66	-25.0	-14.58	356.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
778.985	-52.48	40.07	-25.0	-27.48	207.00	Horizontal	Vertical	Pass
1299.300	-44.19	44.83	-25.0	-19.19	361.00	Horizontal	Vertical	Pass
2592.400	3.25	46.73	-25.0	28.25	297.00	Horizontal	Vertical	N/A
3679.800	-56.40	4.90	-25.0	-31.40	193.00	Horizontal	Vertical	Pass
6995.600	-48.23	13.46	-25.0	-23.23	313.00	Horizontal	Vertical	Pass
17420.136	-39.47	22.65	-25.0	-14.47	69.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
800.277	-53.37	40.62	-25.0	-28.37	214.00	Vertical	Vertical	Pass
1292.300	-44.07	44.85	-25.0	-19.07	298.00	Vertical	Vertical	Pass
2583.900	13.58	46.71	-25.0	38.58	325.00	Vertical	Vertical	N/A
3684.200	-55.85	4.94	-25.0	-30.85	112.00	Vertical	Vertical	Pass
6998.800	-48.13	13.53	-25.0	-23.13	360.00	Vertical	Vertical	Pass
17886.075	-39.54	22.72	-25.0	-14.54	362.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
805.127	-52.80	40.61	-25.0	-27.80	106.00	Vertical	Horizontal	Pass
1304.800	-44.35	44.73	-25.0	-19.35	35.00	Vertical	Horizontal	Pass
2584.400	-1.01	46.70	-25.0	23.99	315.00	Vertical	Horizontal	N/A
3956.600	-55.39	6.27	-25.0	-30.39	233.00	Vertical	Horizontal	Pass
6996.600	-47.53	13.49	-25.0	-22.53	192.00	Vertical	Horizontal	Pass
19466.099	-39.88	25.88	-25.0	-14.88	360.00	Vertical	Horizontal	Pass


54.2 n41 BW60, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
801.489	-52.10	40.55	-25.0	-27.10	103.00	Horizontal	Horizontal	Pass
1380.400	-44.17	44.78	-25.0	-19.17	338.00	Horizontal	Horizontal	Pass
2572.400	12.87	46.97	-25.0	37.87	51.00	Horizontal	Horizontal	N/A
3772.400	-56.27	4.75	-25.0	-31.27	360.00	Horizontal	Horizontal	Pass
6996.400	-47.74	13.48	-25.0	-22.74	327.00	Horizontal	Horizontal	Pass
18190.801	-40.09	22.35	-25.0	-15.09	63.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
659.821	-55.49	37.38	-25.0	-30.49	133.00	Horizontal	Vertical	Pass
1320.100	-44.48	44.59	-25.0	-19.48	361.00	Horizontal	Vertical	Pass
2572.600	3.50	46.94	-25.0	28.50	102.00	Horizontal	Vertical	N/A
3967.600	-55.88	6.01	-25.0	-30.88	358.00	Horizontal	Vertical	Pass
6999.400	-47.19	13.53	-25.0	-22.19	138.00	Horizontal	Vertical	Pass
18844.199	-39.86	24.52	-25.0	-14.86	317.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
789.898	-52.81	40.43	-25.0	-27.81	315.00	Vertical	Vertical	Pass
1398.200	-44.31	44.79	-25.0	-19.31	310.00	Vertical	Vertical	Pass
2572.800	13.17	46.92	-25.0	38.17	11.00	Vertical	Vertical	N/A
3942.000	-56.31	5.53	-25.0	-31.31	116.00	Vertical	Vertical	Pass
6995.000	-48.19	13.49	-25.0	-23.19	360.00	Vertical	Vertical	Pass
19327.052	-39.73	27.81	-25.0	-14.73	309.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
816.428	-52.18	40.52	-25.0	-27.18	201.00	Vertical	Horizontal	Pass
1301.700	-44.57	44.88	-25.0	-19.57	24.00	Vertical	Horizontal	Pass
2563.800	1.90	46.86	-25.0	26.90	359.00	Vertical	Horizontal	N/A
3783.800	-56.79	4.58	-25.0	-31.79	253.00	Vertical	Horizontal	Pass
6993.600	-47.75	13.58	-25.0	-22.75	195.00	Vertical	Horizontal	Pass
17416.200	-39.89	22.66	-25.0	-14.89	362.00	Vertical	Horizontal	Pass


54.3 n41 BW100, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
600.845	-56.70	37.22	-25.0	-31.70	0.00	Horizontal	Horizontal	Pass
1380.800	-44.61	44.80	-25.0	-19.61	349.00	Horizontal	Horizontal	Pass
2544.500	17.21	46.94	-25.0	42.21	361.00	Horizontal	Horizontal	N/A
3834.800	-56.55	5.76	-25.0	-31.55	118.00	Horizontal	Horizontal	Pass
6988.800	-47.54	13.45	-25.0	-22.54	288.00	Horizontal	Horizontal	Pass
19379.700	-39.46	26.77	-25.0	-14.46	92.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
805.951	-52.56	40.61	-25.0	-27.56	243.00	Horizontal	Vertical	Pass
1339.800	-44.35	44.45	-25.0	-19.35	212.00	Horizontal	Vertical	Pass
2544.200	10.39	46.93	-25.0	35.39	189.00	Horizontal	Vertical	N/A
3649.000	-56.15	5.33	-25.0	-31.15	4.00	Horizontal	Vertical	Pass
6986.000	-47.75	13.68	-25.0	-22.75	225.00	Horizontal	Vertical	Pass
17369.999	-39.50	21.87	-25.0	-14.50	362.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
802.023	-52.78	40.55	-25.0	-27.78	7.00	Vertical	Vertical	Pass
1404.100	-44.09	44.72	-25.0	-19.09	353.00	Vertical	Vertical	Pass
2552.600	14.70	46.76	-25.0	39.70	69.00	Vertical	Vertical	N/A
3663.800	-56.52	4.46	-25.0	-31.52	177.00	Vertical	Vertical	Pass
6986.200	-47.76	13.68	-25.0	-22.76	18.00	Vertical	Vertical	Pass
17652.713	-40.01	21.24	-25.0	-15.01	341.00	Vertical	Vertical	Pass

RSE-V&H n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
796.737	-52.52	40.48	-25.0	-27.52	332.00	Vertical	Horizontal	Pass
1356.600	-43.62	44.48	-25.0	-18.62	19.00	Vertical	Horizontal	Pass
2552.000	3.17	46.79	-25.0	28.17	268.00	Vertical	Horizontal	N/A
3664.000	-56.13	4.46	-25.0	-31.13	12.00	Vertical	Horizontal	Pass
6988.600	-48.47	13.47	-25.0	-23.47	-1.00	Vertical	Horizontal	Pass
17410.163	-39.71	22.69	-25.0	-14.71	81.00	Vertical	Horizontal	Pass