


6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00655G	59.35	88.20	-28.85	42.19	3	Horizontal	102	1.48	-	39.37	11.27	33.48			
RMS	13.01867G	46.98	68.20	-21.22	29.86	3	Horizontal	102	1.48	-	39.33	11.27	33.48			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51622G	63.97	83.54	-19.57	60.52	1	Vertical	360	1.56	-	37.90	15.22	49.67			
AV	19.51844G	47.32	63.54	-16.22	43.86	1	Vertical	360	1.56	-	37.90	15.22	49.66			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51384G	62.32	83.54	-21.22	58.87	1	Horizontal	336	1.58	-	37.90	15.22	49.67			
AV	19.51997G	46.30	63.54	-17.24	42.84	1	Horizontal	336	1.58	-	37.90	15.22	49.66			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32703G	60.06	74.00	-13.94	42.20	3	Vertical	82	2.67	-	39.86	11.41	33.41			
AV	13.31764G	47.85	54.00	-6.15	30.04	3	Vertical	82	2.67	-	39.81	11.41	33.41			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.31767G	59.49	74.00	-14.51	41.68	3	Horizontal	305	2.44	-	39.81	11.41	33.41			
AV	13.31776G	47.79	54.00	-6.21	29.98	3	Horizontal	305	2.44	-	39.81	11.41	33.41			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99098G	63.52	83.54	-20.02	59.64	1	Vertical	245	1.54	-	37.96	15.20	49.28			
AV	19.99886G	47.89	63.54	-15.65	43.96	1	Vertical	245	1.54	-	38.00	15.20	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99535G	62.22	83.54	-21.32	58.31	1	Horizontal	243	1.56	-	37.98	15.20	49.27			
AV	19.99922G	46.79	63.54	-16.75	42.86	1	Horizontal	243	1.56	-	38.00	15.20	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64385G	60.59	88.20	-27.61	42.08	3	Vertical	65	2.76	-	40.31	11.56	33.36			
RMS	13.64028G	48.47	68.20	-19.73	29.95	3	Vertical	65	2.76	-	40.32	11.56	33.36			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65081G	60.87	88.20	-27.33	42.36	3	Horizontal	338	2.92	-	40.30	11.56	33.35			
RMS	13.64421G	48.51	68.20	-19.69	30.00	3	Horizontal	338	2.92	-	40.31	11.56	33.36			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47183G	64.52	83.54	-19.02	59.79	1	Vertical	276	1.52	-	38.30	15.58	49.15			
AV	20.47976G	48.66	63.54	-14.88	43.93	1	Vertical	276	1.52	-	38.30	15.58	49.15			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47362G	63.16	83.54	-20.38	58.43	1	Horizontal	158	1.50	-	38.30	15.58	49.15			
AV	20.47724G	47.22	63.54	-16.32	42.49	1	Horizontal	158	1.50	-	38.30	15.58	49.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 22
06-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0442G	114.21	Inf	-Inf	104.62	3	Vertical	354	2.04	-	35.58	8.19	34.18			
AV	7.0442G	103.85	Inf	-Inf	94.26	3	Vertical	354	2.04	-	35.58	8.19	34.18			
PK	7.125G	76.24	88.20	-11.96	66.10	3	Vertical	354	2.04	-	36.05	8.27	34.18			
RMS	7.125G	63.89	68.20	-4.31	53.75	3	Vertical	354	2.04	-	36.05	8.27	34.18			
PK	7.277G	63.65	74.00	-10.35	52.99	3	Vertical	354	2.04	-	36.51	8.34	34.19			
AV	7.2642G	53.80	54.00	-0.20	43.19	3	Vertical	354	2.04	-	36.46	8.34	34.19			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 22
06-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9946G	112.18	Inf	-Inf	102.83	3	Horizontal	241	1.80	-	35.38	8.15	34.18			
AV	7.0346G	101.49	Inf	-Inf	91.95	3	Horizontal	241	1.80	-	35.54	8.18	34.18			
PK	7.1346G	75.92	88.20	-12.28	65.75	3	Horizontal	241	1.80	-	36.07	8.28	34.18			
RMS	7.133G	64.04	68.20	-4.16	53.87	3	Horizontal	241	1.80	-	36.07	8.28	34.18			
PK	7.369G	62.92	74.00	-11.08	52.25	3	Horizontal	241	1.80	-	36.52	8.34	34.19			
AV	7.2522G	53.00	54.00	-1.00	42.44	3	Horizontal	241	1.80	-	36.41	8.34	34.19			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 22
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.95743G	48.99	88.20	-39.21	31.42	3	Vertical	261	1.80	-	40.83	11.70	34.96			
RMS	13.96994G	37.91	68.20	-30.29	20.29	3	Vertical	261	1.80	-	40.88	11.71	34.97			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 22
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97543G	50.07	88.20	-38.13	32.43	3	Horizontal	299	1.00	-	40.90	11.71	34.97			
RMS	13.96997G	39.53	68.20	-28.67	21.91	3	Horizontal	299	1.00	-	40.88	11.71	34.97			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX

EUT_Y_4TX
Setting 22
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95929G	64.31	83.54	-19.23	58.86	1	Vertical	62	1.52	-	38.38	15.97	48.90			
AV	20.95338G	48.76	63.54	-14.78	43.31	1	Vertical	62	1.52	-	38.39	15.96	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 22
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9561G	63.34	83.54	-20.20	57.89	1	Horizontal	138	1.50	-	38.39	15.96	48.90			
AV	20.95266G	46.46	63.54	-17.08	41.01	1	Horizontal	138	1.50	-	38.39	15.96	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 23.5
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9138G	79.93	88.20	-8.27	81.93	3	Vertical	244	1.72	-	34.78	6.30	43.08			
RMS	5.9138G	66.26	68.20	-1.94	68.26	3	Vertical	244	1.72	-	34.78	6.30	43.08			
PK	6.0938G	111.63	Inf	-Inf	113.05	3	Vertical	244	1.72	-	35.09	6.49	43.00			
RMS	6.0938G	101.27	Inf	-Inf	102.69	3	Vertical	244	1.72	-	35.09	6.49	43.00			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 23.5
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	76.68	88.20	-11.52	78.65	3	Horizontal	91	2.23	-	34.80	6.31	43.08			
RMS	5.9154G	66.01	68.20	-2.19	68.00	3	Horizontal	91	2.23	-	34.79	6.30	43.08			
PK	6.0546G	111.69	Inf	-Inf	113.25	3	Horizontal	91	2.23	-	35.01	6.44	43.01			
RMS	5.9954G	101.12	Inf	-Inf	102.77	3	Horizontal	91	2.23	-	35.00	6.38	43.03			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 23.5
04-V-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21768G	53.79	74.00	-20.21	48.65	3	Vertical	359	1.80	-	38.30	9.81	42.97			
AV	12.20268G	41.15	54.00	-12.85	36.00	3	Vertical	359	1.80	-	38.30	9.81	42.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 23.5
04-V-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21618G	53.46	74.00	-20.54	48.32	3	Horizontal	9	1.62	-	38.30	9.81	42.97			
AV	12.21G	43.55	54.00	-10.45	38.41	3	Horizontal	9	1.62	-	38.30	9.81	42.97			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 23.5
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31826G	62.44	83.54	-21.10	59.04	1	Vertical	255	1.50	-	37.71	15.28	49.59			
AV	18.31996G	47.00	63.54	-16.54	43.59	1	Vertical	255	1.50	-	37.72	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 23.5
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31869G	63.87	83.54	-19.67	60.47	1	Horizontal	309	1.53	-	37.71	15.28	49.59			
AV	18.31959G	47.67	63.54	-15.87	44.26	1	Horizontal	309	1.53	-	37.72	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22.5
06-W-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5299G	55.87	74.00	-18.13	40.86	3	Vertical	129	1.95	-	38.54	11.05	34.58			
AV	12.52995G	45.44	54.00	-8.56	30.43	3	Vertical	129	1.95	-	38.54	11.05	34.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22.5
06-W-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.533G	55.72	74.00	-18.28	40.72	3	Horizontal	216	1.04	-	38.53	11.05	34.58			
AV	12.5298G	45.41	54.00	-8.59	30.40	3	Horizontal	216	1.04	-	38.54	11.05	34.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 22.5
06-W-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7891G	52.08	83.54	-31.46	48.40	1	Vertical	305	1.90	-	37.92	15.24	49.48			
AV	18.78745G	41.96	63.54	-21.58	38.27	1	Vertical	305	1.90	-	37.93	15.24	49.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 22.5
06-W-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.81875G	51.74	83.54	-31.80	48.02	1	Horizontal	127	2.44	-	37.94	15.24	49.46			
AV	18.78775G	41.63	63.54	-21.91	37.95	1	Horizontal	127	2.44	-	37.92	15.24	49.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_V_4TX
Setting 25
04-V-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85175G	53.63	88.20	-34.57	47.00	3	Vertical	311	1.80	-	39.20	10.06	42.63			
RMS	12.84518G	42.56	68.20	-25.64	35.96	3	Vertical	311	1.80	-	39.18	10.06	42.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 25
04-V-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84984G	54.42	88.20	-33.78	47.79	3	Horizontal	292	1.78	-	39.20	10.06	42.63			
RMS	12.84997G	44.61	68.20	-23.59	37.98	3	Horizontal	292	1.78	-	39.20	10.06	42.63			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 25
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27669G	63.83	83.54	-19.71	60.17	1	Vertical	248	1.58	-	37.95	15.24	49.53			
AV	19.27022G	48.09	63.54	-15.45	44.41	1	Vertical	248	1.58	-	37.96	15.24	49.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 25
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27769G	62.92	83.54	-20.62	59.27	1	Horizontal	57	1.58	-	37.94	15.24	49.53			
AV	19.27052G	46.06	63.54	-17.48	42.38	1	Horizontal	57	1.58	-	37.96	15.24	49.52			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 22
06-W-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16075G	56.28	88.20	-31.92	40.18	3	Vertical	252	2.07	-	39.58	11.34	34.82			
RMS	13.1698G	45.78	68.20	-22.42	29.70	3	Vertical	252	2.07	-	39.56	11.34	34.82			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 22
06-W-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.18175G	55.78	88.20	-32.42	39.70	3	Horizontal	33	2.06	-	39.54	11.35	34.81			
RMS	13.16995G	45.74	68.20	-22.46	29.66	3	Horizontal	33	2.06	-	39.56	11.34	34.82			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 22
06-W-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.7327G	51.19	83.54	-32.35	47.66	1	Vertical	359	2.66	-	37.83	15.19	49.49			
AV	19.77995G	40.88	63.54	-22.66	37.19	1	Vertical	359	2.66	-	37.96	15.18	49.45			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_V_4TX
Setting 22
06-W-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.77595G	52.12	83.54	-31.42	48.44	1	Horizontal	52	1.27	-	37.95	15.18	49.45			
AV	19.7798G	40.87	63.54	-22.67	37.18	1	Horizontal	52	1.27	-	37.96	15.18	49.45			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 25.5
04-V-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49424G	55.56	88.20	-32.64	47.47	3	Vertical	327	2.13	-	40.10	10.31	42.32			
RMS	13.48628G	43.68	68.20	-24.52	35.60	3	Vertical	327	2.13	-	40.10	10.30	42.32			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 25.5
04-V-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49298G	55.53	88.20	-32.67	47.45	3	Horizontal	17	1.20	-	40.10	10.30	42.32			
RMS	13.48991G	43.86	68.20	-24.34	35.78	3	Horizontal	17	1.20	-	40.10	10.30	42.32			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_Y_4TX
Setting 25.5
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23844G	63.75	83.54	-19.79	59.39	1	Vertical	320	1.54	-	38.18	15.39	49.21			
AV	20.23415G	47.06	63.54	-16.48	42.71	1	Vertical	320	1.54	-	38.17	15.39	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_V_4TX
Setting 25.5
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23356G	62.77	83.54	-20.77	58.42	1	Horizontal	277	1.52	-	38.17	15.39	49.21			
AV	20.23149G	46.05	63.54	-17.49	41.71	1	Horizontal	277	1.52	-	38.16	15.39	49.21			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 21
04-V-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0442G	110.49	Inf	-Inf	109.36	3	Vertical	352	1.80	-	36.49	7.01	42.37			
AV	7.0442G	99.07	Inf	-Inf	97.94	3	Vertical	352	1.80	-	36.49	7.01	42.37			
PK	7.2638G	63.96	74.00	-10.04	62.50	3	Vertical	352	1.80	-	37.06	7.10	42.70			
AV	7.2638G	53.72	54.00	-0.28	52.26	3	Vertical	352	1.80	-	37.06	7.10	42.70			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_Y_4TX
Setting 21
04-V-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8594G	107.27	Inf	-Inf	106.63	3	Horizontal	119	1.80	-	36.20	6.90	42.46			
AV	6.9806G	96.39	Inf	-Inf	95.33	3	Horizontal	119	1.80	-	36.40	6.99	42.33			
PK	7.3202G	61.51	74.00	-12.49	59.96	3	Horizontal	119	1.80	-	37.20	7.13	42.78			
AV	7.2614G	50.70	54.00	-3.30	49.25	3	Horizontal	119	1.80	-	37.05	7.09	42.69			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_V_4TX
Setting 21
04-V-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80556G	55.86	88.20	-32.34	47.74	3	Vertical	260	1.80	-	40.41	10.43	42.72			
RMS	13.81044G	43.37	68.20	-24.83	35.24	3	Vertical	260	1.80	-	40.42	10.43	42.72			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_V_4TX
Setting 21
04-V-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81274G	55.32	88.20	-32.88	47.19	3	Horizontal	287	1.80	-	40.43	10.43	42.73			
RMS	13.80984G	43.46	68.20	-24.74	35.33	3	Horizontal	287	1.80	-	40.42	10.43	42.72			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_Y_4TX
Setting 21
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71086G	63.93	83.54	-19.61	59.07	1	Vertical	357	1.52	-	38.12	15.77	49.03			
AV	20.71252G	47.84	63.54	-15.70	42.97	1	Vertical	357	1.52	-	38.13	15.77	49.03			

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_Y_4TX
Setting 21
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71071G	62.56	83.54	-20.98	57.70	1	Horizontal	55	1.57	-	38.12	15.77	49.03			
AV	20.71035G	46.84	63.54	-16.70	41.98	1	Horizontal	55	1.57	-	38.12	15.77	49.03			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9118G	60.19	88.20	-28.01	53.25	3	Vertical	55	2.01	-	34.52	7.62	35.20			
RMS	5.9206G	49.37	68.20	-18.83	42.40	3	Vertical	55	2.01	-	34.54	7.63	35.20			
PK	5.964G	111.36	Inf	-Inf	104.29	3	Vertical	55	2.01	-	34.60	7.66	35.19			
RMS	5.964G	101.39	Inf	-Inf	94.32	3	Vertical	55	2.01	-	34.60	7.66	35.19			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 21
03-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8614G	60.33	88.20	-27.87	53.60	3	Horizontal	55	2.01	-	34.35	7.58	35.20			
RMS	5.9226G	49.60	68.20	-18.60	42.62	3	Horizontal	55	2.01	-	34.55	7.63	35.20			
PK	5.964G	110.89	Inf	-Inf	103.82	3	Horizontal	55	2.01	-	34.60	7.66	35.19			
RMS	5.9638G	102.86	Inf	-Inf	95.79	3	Horizontal	55	2.01	-	34.60	7.66	35.19			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9133G	54.29	74.00	-19.71	69.42	3	Vertical	355	2.28	-	39.20	11.47	65.80			
AV	11.91323G	40.85	54.00	-13.15	55.98	3	Vertical	355	2.28	-	39.20	11.47	65.80			
PK	17.86547G	56.34	74.00	-17.66	60.16	3	Vertical	106	2.38	-	44.87	13.85	62.54			
AV	17.86919G	45.56	54.00	-8.44	49.39	3	Vertical	106	2.38	-	44.86	13.85	62.54			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91286G	54.05	74.00	-19.95	69.18	3	Horizontal	301	1.36	-	39.20	11.47	65.80			
AV	11.91194G	40.94	54.00	-13.06	56.07	3	Horizontal	301	1.36	-	39.20	11.47	65.80			
PK	17.86409G	55.18	74.00	-18.82	59.01	3	Horizontal	130	2.69	-	44.87	13.85	62.55			
AV	17.86636G	46.04	54.00	-7.96	49.86	3	Horizontal	130	2.69	-	44.87	13.85	62.54			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81992G	53.79	83.54	-29.75	45.06	1	Vertical	281.1	1.50	-	38.56	17.35	47.18			
AV	23.81988G	47.77	63.54	-15.77	39.04	1	Vertical	281.1	1.50	-	38.56	17.35	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81992G	53.40	83.54	-30.14	44.67	1	Horizontal	280.1	1.50	-	38.56	17.35	47.18			
AV	23.81986G	47.30	63.54	-16.24	38.57	1	Horizontal	280.1	1.50	-	38.56	17.35	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38857G	54.80	74.00	-19.20	69.92	3	Vertical	58	1.02	-	38.62	11.65	65.39			
AV	12.38746G	41.26	54.00	-12.74	56.37	3	Vertical	58	1.02	-	38.63	11.65	65.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.386G	54.53	74.00	-19.47	69.64	3	Horizontal	188	2.00	-	38.63	11.65	65.39			
AV	12.39114G	41.26	54.00	-12.74	56.38	3	Horizontal	188	2.00	-	38.62	11.65	65.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58832G	47.49	83.54	-36.05	43.76	1	Vertical	4	2.01	-	38.08	15.27	49.62			
AV	18.5809G	34.05	63.54	-29.49	30.34	1	Vertical	4	2.01	-	38.06	15.27	49.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58864G	47.32	83.54	-36.22	43.59	1	Horizontal	117	1.88	-	38.08	15.27	49.62			
AV	18.58348G	33.90	63.54	-29.64	30.18	1	Horizontal	117	1.88	-	38.07	15.27	49.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82573G	55.75	88.20	-32.45	70.10	3	Vertical	270	2.34	-	39.10	11.80	65.25			
RMS	12.83404G	42.44	68.20	-25.76	56.75	3	Vertical	270	2.34	-	39.14	11.80	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83241G	55.92	88.20	-32.28	70.24	3	Horizontal	23	2.04	-	39.13	11.80	65.25			
RMS	12.82516G	42.34	68.20	-25.86	56.69	3	Horizontal	23	2.04	-	39.10	11.80	65.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2457G	46.70	83.54	-36.84	42.99	1	Vertical	359	2.08	-	37.98	15.24	49.51			
AV	19.24166G	33.21	63.54	-30.33	29.50	1	Vertical	359	2.08	-	37.97	15.24	49.50			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24148G	46.18	83.54	-37.36	42.47	1	Horizontal	254	1.27	-	37.97	15.24	49.50			
AV	19.24814G	33.24	63.54	-30.30	29.52	1	Horizontal	254	1.27	-	37.99	15.24	49.51			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86786G	56.13	88.20	-32.07	70.36	3	Vertical	52	1.68	-	39.20	11.82	65.25			
RMS	12.8656G	42.34	68.20	-25.86	56.58	3	Vertical	52	1.68	-	39.20	11.81	65.25			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86615G	56.37	88.20	-31.83	70.61	3	Horizontal	277	1.18	-	39.20	11.81	65.25			
RMS	12.87238G	42.24	68.20	-25.96	56.47	3	Horizontal	277	1.18	-	39.20	11.82	65.25			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30226G	46.11	83.54	-37.43	42.53	1	Vertical	207	2.00	-	37.90	15.23	49.55			
AV	19.30118G	32.93	63.54	-30.61	29.34	1	Vertical	207	2.00	-	37.90	15.23	49.54			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3016G	46.32	83.54	-37.22	42.74	1	Horizontal	24	1.77	-	37.90	15.23	49.55			
AV	19.30912G	32.93	63.54	-30.61	29.35	1	Horizontal	24	1.77	-	37.90	15.23	49.55			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94973G	55.52	88.20	-32.68	69.62	3	Vertical	347	2.59	-	39.30	11.84	65.24			
RMS	12.94649G	42.46	68.20	-25.74	56.57	3	Vertical	347	2.59	-	39.29	11.84	65.24			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95232G	55.46	88.20	-32.74	69.56	3	Horizontal	77	1.73	-	39.30	11.84	65.24			
RMS	12.94799G	42.51	68.20	-25.69	56.61	3	Horizontal	77	1.73	-	39.30	11.84	65.24			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42496G	47.20	83.54	-36.34	43.70	1	Vertical	178	1.97	-	37.90	15.23	49.63			
AV	19.42528G	33.71	63.54	-29.83	30.21	1	Vertical	178	1.97	-	37.90	15.23	49.63			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4206G	47.15	83.54	-36.39	43.63	1	Horizontal	183	1.61	-	37.92	15.23	49.63			
AV	19.42692G	33.87	63.54	-29.67	30.38	1	Horizontal	183	1.61	-	37.89	15.23	49.63			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03435G	56.21	88.20	-31.99	70.13	3	Vertical	276	2.95	-	39.37	11.87	65.16			
RMS	13.03364G	42.74	68.20	-25.46	56.66	3	Vertical	276	2.95	-	39.37	11.87	65.16			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02767G	56.03	88.20	-32.17	69.98	3	Horizontal	110	1.48	-	39.36	11.87	65.18			
RMS	13.03253G	42.77	68.20	-25.43	56.70	3	Horizontal	110	1.48	-	39.37	11.87	65.17			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54326G	47.56	83.54	-35.98	44.08	1	Vertical	203	1.80	-	37.90	15.22	49.64			
AV	19.54304G	33.98	63.54	-29.56	30.50	1	Vertical	203	1.80	-	37.90	15.22	49.64			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5498G	47.71	83.54	-35.83	44.23	1	Horizontal	9	1.82	-	37.90	15.22	49.64			
AV	19.5456G	34.27	63.54	-29.27	30.79	1	Horizontal	9	1.82	-	37.90	15.22	49.64			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0679G	57.07	88.20	-31.13	70.82	3	Vertical	50	2.12	-	39.47	11.88	65.10			
RMS	13.07473G	43.28	68.20	-24.92	56.98	3	Vertical	50	2.12	-	39.50	11.89	65.09			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07309G	56.38	88.20	-31.82	70.10	3	Horizontal	59	2.45	-	39.49	11.88	65.09			
RMS	13.07145G	43.22	68.20	-24.98	56.94	3	Horizontal	59	2.45	-	39.49	11.88	65.09			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60498G	47.23	83.54	-36.31	43.73	1	Vertical	114	2.06	-	37.87	15.22	49.59			
AV	19.60044G	34.18	63.54	-29.36	30.66	1	Vertical	114	2.06	-	37.90	15.22	49.60			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60612G	48.06	83.54	-35.48	44.57	1	Horizontal	119	2.68	-	37.86	15.22	49.59			
AV	19.6027G	34.26	63.54	-29.28	30.76	1	Horizontal	119	2.68	-	37.88	15.22	49.60			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38843G	56.62	74.00	-17.38	69.03	3	Vertical	326	2.82	-	40.08	11.99	64.48			
AV	13.39295G	41.86	54.00	-12.14	54.25	3	Vertical	326	2.82	-	40.09	11.99	64.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38798G	55.91	74.00	-18.09	68.32	3	Horizontal	265	1.17	-	40.08	11.99	64.48			
AV	13.38536G	40.87	54.00	-13.13	53.29	3	Horizontal	265	1.17	-	40.07	11.99	64.48			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08366G	48.27	83.54	-35.27	44.32	1	Vertical	168	1.77	-	37.93	15.27	49.25			
AV	20.0895G	34.75	63.54	-28.79	30.81	1	Vertical	168	1.77	-	37.92	15.27	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08106G	47.58	83.54	-35.96	43.63	1	Horizontal	279	1.57	-	37.94	15.26	49.25			
AV	20.0838G	34.48	63.54	-29.06	30.53	1	Horizontal	279	1.57	-	37.93	15.27	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75217G	63.66	88.20	-24.54	75.30	3	Vertical	30	2.05	-	40.60	12.12	64.36			
RMS	13.75066G	49.71	68.20	-18.49	61.35	3	Vertical	30	2.05	-	40.60	12.12	64.36			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7515G	63.98	88.20	-24.22	75.62	3	Horizontal	275	1.17	-	40.60	12.12	64.36			
RMS	13.75203G	49.70	68.20	-18.50	61.34	3	Horizontal	275	1.17	-	40.60	12.12	64.36			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6253G	51.00	83.54	-32.54	46.17	1	Vertical	277.1	1.51	-	38.20	15.70	49.07			
AV	20.62548G	43.83	63.54	-19.71	39.00	1	Vertical	277.1	1.51	-	38.20	15.70	49.07			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62542G	55.12	83.54	-28.42	50.29	1	Horizontal	206.7	1.50	-	38.20	15.70	49.07			
AV	20.62546G	51.10	63.54	-12.44	46.27	1	Horizontal	206.7	1.50	-	38.20	15.70	49.07			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78889G	63.63	88.20	-24.57	75.20	3	Vertical	241	2.45	-	40.68	12.13	64.38			
RMS	13.78972G	49.89	68.20	-18.31	61.46	3	Vertical	241	2.45	-	40.68	12.13	64.38			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79064G	64.05	88.20	-24.15	75.62	3	Horizontal	148	2.77	-	40.68	12.13	64.38			
RMS	13.7877G	49.82	68.20	-18.38	61.39	3	Horizontal	148	2.77	-	40.68	12.13	64.38			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6803G	53.95	83.54	-29.59	49.12	1	Vertical	241.3	1.75	-	38.14	15.74	49.05			
AV	20.68006G	40.09	63.54	-23.45	35.26	1	Vertical	241.3	1.75	-	38.14	15.74	49.05			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68646G	51.67	83.54	-31.87	46.83	1	Horizontal	263.9	1.50	-	38.13	15.75	49.04			
AV	20.68684G	37.78	63.54	-25.76	32.94	1	Horizontal	263.9	1.50	-	38.13	15.75	49.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98815G	63.29	88.20	-24.91	74.40	3	Vertical	50	2.95	-	41.15	12.20	64.46			
RMS	13.99228G	48.97	68.20	-19.23	60.06	3	Vertical	50	2.95	-	41.17	12.20	64.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99242G	62.46	88.20	-25.74	73.55	3	Horizontal	60	2.18	-	41.17	12.20	64.46			
RMS	13.99243G	48.87	68.20	-19.33	59.96	3	Horizontal	60	2.18	-	41.17	12.20	64.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98036G	54.29	83.54	-29.25	48.86	1	Vertical	259.3	1.99	-	38.34	15.98	48.89			
AV	20.98046G	39.46	63.54	-24.08	34.03	1	Vertical	259.3	1.99	-	38.34	15.98	48.89			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98302G	53.43	83.54	-30.11	48.00	1	Horizontal	240.5	1.58	-	38.33	15.99	48.89			
AV	20.9816G	38.59	63.54	-24.95	33.15	1	Horizontal	240.5	1.58	-	38.34	15.99	48.89			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0902G	114.18	Inf	-Inf	105.22	3	Vertical	350	2.00	-	35.68	8.42	35.14			
RMS	7.0904G	103.38	Inf	-Inf	94.42	3	Vertical	350	2.00	-	35.68	8.42	35.14			
PK	7.125G	64.88	88.20	-23.32	55.79	3	Vertical	350	2.00	-	35.80	8.43	35.14			
RMS	7.1256G	52.18	68.20	-16.02	43.09	3	Vertical	350	2.00	-	35.80	8.43	35.14			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.088G	114.15	Inf	-Inf	105.19	3	Horizontal	250	1.64	-	35.68	8.42	35.14			
RMS	7.0866G	103.48	Inf	-Inf	94.53	3	Horizontal	250	1.64	-	35.67	8.42	35.14			
PK	7.1752G	62.85	88.20	-25.35	53.50	3	Horizontal	250	1.64	-	36.05	8.44	35.14			
RMS	7.1448G	52.16	68.20	-16.04	42.98	3	Horizontal	250	1.64	-	35.88	8.44	35.14			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19144G	63.35	88.20	-24.85	73.46	3	Vertical	335	1.04	-	41.67	12.26	64.04			
RMS	14.19125G	49.20	68.20	-19.00	59.32	3	Vertical	335	1.04	-	41.66	12.26	64.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19183G	62.96	88.20	-25.24	73.07	3	Horizontal	7	1.44	-	41.67	12.26	64.04			
RMS	14.19157G	49.20	68.20	-19.00	59.31	3	Horizontal	7	1.44	-	41.67	12.26	64.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28848G	49.18	83.54	-34.36	43.28	1	Vertical	6	1.11	-	38.52	16.23	48.85			
AV	21.28712G	35.45	63.54	-28.09	29.54	1	Vertical	6	1.11	-	38.53	16.23	48.85			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28222G	48.90	83.54	-34.64	42.98	1	Horizontal	271	2.06	-	38.54	16.23	48.85			
AV	21.29G	35.41	63.54	-28.13	29.51	1	Horizontal	271	2.06	-	38.52	16.23	48.85			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 7
03-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1225G	100.65	Inf	-Inf	91.57	3	Vertical	254	2.35	BP 1MHz	35.79	8.43	35.14			
RMS	7.1225G	94.56	Inf	-Inf	85.48	3	Vertical	254	2.35	BP 1MHz	35.79	8.43	35.14			
PK	7.1255G	79.88	88.20	-8.32	70.79	3	Vertical	254	2.35	BP 1MHz	35.80	8.43	35.14			
RMS	7.1255G	68.06	68.20	-0.14	58.97	3	Vertical	254	2.35	BP 1MHz	35.80	8.43	35.14			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX

EUT_Y_4TX
Setting 7
03-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1075G	96.95	Inf	-Inf	87.93	3	Horizontal	58	1.80	BP 1MHz	35.73	8.43	35.14			
RMS	7.1065G	90.77	Inf	-Inf	81.75	3	Horizontal	58	1.80	BP 1MHz	35.73	8.43	35.14			
PK	7.1255G	74.18	88.20	-14.02	65.09	3	Horizontal	58	1.80	BP 1MHz	35.80	8.43	35.14			
RMS	7.1255G	63.35	68.20	-4.85	54.26	3	Horizontal	58	1.80	BP 1MHz	35.80	8.43	35.14			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX

EUT_Y_4TX
Setting 7
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23243G	63.43	88.20	-24.77	73.35	3	Vertical	271	2.96	-	41.76	12.27	63.95			
RMS	14.22891G	49.38	68.20	-18.82	59.31	3	Vertical	271	2.96	-	41.76	12.27	63.96			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX

EUT_Y_4TX
Setting 7
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.22874G	64.12	88.20	-24.08	73.18	3	Horizontal	141	2.41	-	41.76	12.27	63.09			
RMS	14.22817G	50.27	68.20	-17.93	59.33	3	Horizontal	141	2.41	-	41.76	12.27	63.09			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX

EUT_Y_4TX
Setting 7
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34326G	48.65	83.54	-34.89	42.63	1	Vertical	143	1.09	-	38.59	16.27	48.84			
AV	21.34188G	35.17	63.54	-28.37	29.16	1	Vertical	143	1.09	-	38.58	16.27	48.84			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 7
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34776G	49.01	83.54	-34.53	42.97	1	Horizontal	3	1.50	-	38.60	16.28	48.84			
AV	21.34727G	35.24	63.54	-28.30	29.21	1	Horizontal	3	1.50	-	38.59	16.28	48.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8998G	60.19	88.20	-28.01	53.28	3	Vertical	206	1.62	-	34.50	7.61	35.20			
RMS	5.9238G	49.50	68.20	-18.70	42.52	3	Vertical	206	1.62	-	34.55	7.63	35.20			
PK	5.983G	113.09	Inf	-Inf	106.00	3	Vertical	206	1.62	-	34.60	7.68	35.19			
RMS	5.9824G	101.46	Inf	-Inf	94.37	3	Vertical	206	1.62	-	34.60	7.68	35.19			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9054G	60.26	88.20	-27.94	53.34	3	Horizontal	247	1.80	-	34.51	7.61	35.20			
RMS	5.9246G	50.06	68.20	-18.14	43.08	3	Horizontal	247	1.80	-	34.55	7.63	35.20			
PK	5.9568G	111.78	Inf	-Inf	104.71	3	Horizontal	247	1.80	-	34.60	7.66	35.19			
RMS	5.9588G	100.26	Inf	-Inf	93.19	3	Horizontal	247	1.80	-	34.60	7.66	35.19			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9281G	57.38	74.00	-16.62	72.49	3	Vertical	205	1.37	-	39.20	11.48	65.79			
AV	11.9275G	46.41	54.00	-7.59	61.52	3	Vertical	205	1.37	-	39.20	11.48	65.79			
PK	17.89011G	61.76	74.00	-12.24	65.58	3	Vertical	265	1.58	-	44.82	13.86	62.50			
AV	17.89135G	48.68	54.00	-5.32	52.49	3	Vertical	265	1.58	-	44.82	13.86	62.49			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92792G	57.10	74.00	-16.90	72.21	3	Horizontal	171	2.68	-	39.20	11.48	65.79			
AV	11.93074G	46.32	54.00	-7.68	61.43	3	Horizontal	171	2.68	-	39.20	11.48	65.79			
PK	17.8938G	61.28	74.00	-12.72	65.10	3	Horizontal	346	2.15	-	44.81	13.86	62.49			
AV	17.89164G	48.78	54.00	-5.22	52.59	3	Horizontal	346	2.15	-	44.82	13.86	62.49			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85836G	49.64	83.54	-33.90	40.91	1	Vertical	179	1.06	-	38.53	17.36	47.16			
AV	23.8627G	42.52	63.54	-21.02	33.77	1	Vertical	179	1.06	-	38.55	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85706G	51.96	83.54	-31.58	43.23	1	Horizontal	48	2.09	-	38.53	17.36	47.16			
AV	23.86254G	43.57	63.54	-19.97	34.82	1	Horizontal	48	2.09	-	38.55	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40964G	48.35	74.00	-25.65	63.46	3	Vertical	61	2.85	-	38.60	11.66	65.37			
AV	12.41141G	34.68	54.00	-19.32	49.79	3	Vertical	61	2.85	-	38.60	11.66	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41074G	48.41	74.00	-25.59	63.52	3	Horizontal	45	2.00	-	38.60	11.66	65.37			
AV	12.41176G	34.69	54.00	-19.31	49.80	3	Horizontal	45	2.00	-	38.60	11.66	65.37			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6117G	46.95	83.54	-36.59	43.23	1	Vertical	254	2.20	-	38.05	15.27	49.60			
AV	18.61108G	34.00	63.54	-29.54	30.27	1	Vertical	254	2.20	-	38.06	15.27	49.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61202G	48.14	83.54	-35.40	44.42	1	Horizontal	148	2.13	-	38.05	15.27	49.60			
AV	18.61728G	34.17	63.54	-29.37	30.47	1	Horizontal	148	2.13	-	38.03	15.27	49.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81156G	59.05	88.20	-29.15	73.45	3	Vertical	62	1.82	-	39.05	11.80	65.25			
RMS	12.80993G	47.84	68.20	-20.36	62.25	3	Vertical	62	1.82	-	39.04	11.80	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81048G	59.54	88.20	-28.66	73.95	3	Horizontal	125	2.64	-	39.04	11.80	65.25			
RMS	12.81137G	47.76	68.20	-20.44	62.16	3	Horizontal	125	2.64	-	39.05	11.80	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21508G	45.77	83.54	-37.77	42.16	1	Vertical	200	1.05	-	37.86	15.24	49.49			
AV	19.21493G	32.91	63.54	-30.63	29.30	1	Vertical	200	1.05	-	37.86	15.24	49.49			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21833G	46.01	83.54	-37.53	42.39	1	Horizontal	62	1.69	-	37.87	15.24	49.49			
AV	19.21266G	32.88	63.54	-30.66	29.27	1	Horizontal	62	1.69	-	37.85	15.24	49.48			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88865G	59.27	88.20	-28.93	73.49	3	Vertical	92	1.27	-	39.20	11.82	65.24			
RMS	12.89106G	48.62	68.20	-19.58	62.84	3	Vertical	92	1.27	-	39.20	11.82	65.24			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.89237G	59.59	88.20	-28.61	73.81	3	Horizontal	112	2.63	-	39.20	11.82	65.24			
RMS	12.88753G	48.67	68.20	-19.53	62.89	3	Horizontal	112	2.63	-	39.20	11.82	65.24			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33047G	46.57	83.54	-36.97	43.00	1	Vertical	207	1.83	-	37.90	15.23	49.56			
AV	19.33596G	33.16	63.54	-30.38	29.60	1	Vertical	207	1.83	-	37.90	15.23	49.57			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33314G	46.57	83.54	-36.97	43.01	1	Horizontal	357	1.57	-	37.90	15.23	49.57			
AV	19.33343G	33.10	63.54	-30.44	29.54	1	Horizontal	357	1.57	-	37.90	15.23	49.57			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97215G	59.22	88.20	-28.98	73.30	3	Vertical	336	2.59	-	39.30	11.85	65.23			
RMS	12.96933G	48.75	68.20	-19.45	62.83	3	Vertical	336	2.59	-	39.30	11.85	65.23			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97121G	59.48	88.20	-28.72	73.56	3	Horizontal	302	2.64	-	39.30	11.85	65.23			
RMS	12.96909G	48.79	68.20	-19.41	62.87	3	Horizontal	302	2.64	-	39.30	11.85	65.23			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45602G	48.72	83.54	-34.82	45.24	1	Vertical	155	1.66	-	37.90	15.23	49.65			
AV	19.4538G	34.45	63.54	-29.09	30.97	1	Vertical	155	1.66	-	37.90	15.23	49.65			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45557G	47.28	83.54	-36.26	43.80	1	Horizontal	25	1.57	-	37.90	15.23	49.65			
AV	19.45699G	34.53	63.54	-29.01	31.05	1	Horizontal	25	1.57	-	37.90	15.23	49.65			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05211G	60.92	88.20	-27.28	74.76	3	Vertical	314	1.59	-	39.41	11.88	65.13			
RMS	13.04826G	47.26	68.20	-20.94	61.12	3	Vertical	314	1.59	-	39.40	11.88	65.14			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05102G	60.18	88.20	-28.02	74.03	3	Horizontal	339	1.22	-	39.40	11.88	65.13			
RMS	13.04942G	47.26	68.20	-20.94	61.11	3	Horizontal	339	1.22	-	39.40	11.88	65.13			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57976G	47.27	83.54	-36.27	43.76	1	Vertical	142	1.71	-	37.90	15.22	49.61			
AV	19.57131G	34.30	63.54	-29.24	30.80	1	Vertical	142	1.71	-	37.90	15.22	49.62			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57592G	47.70	83.54	-35.84	44.20	1	Horizontal	153	2.11	-	37.90	15.22	49.62			
AV	19.57608G	34.66	63.54	-28.88	31.16	1	Horizontal	153	2.11	-	37.90	15.22	49.62			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12833G	59.54	88.20	-28.66	73.02	3	Vertical	144	1.04	-	39.60	11.90	64.98			
RMS	13.12802G	48.07	68.20	-20.13	61.55	3	Vertical	144	1.04	-	39.60	11.90	64.98			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13165G	59.38	88.20	-28.82	72.85	3	Horizontal	63	1.90	-	39.60	11.90	64.97			
RMS	13.12946G	48.96	68.20	-19.24	62.44	3	Horizontal	63	1.90	-	39.60	11.90	64.98			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6951G	46.72	83.54	-36.82	43.33	1	Vertical	118	1.64	-	37.69	15.22	49.52			
AV	19.69122G	33.51	63.54	-30.03	30.13	1	Vertical	118	1.64	-	37.68	15.22	49.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69078G	46.88	83.54	-36.66	43.50	1	Horizontal	135	2.00	-	37.68	15.22	49.52			
AV	19.69578G	33.58	63.54	-29.96	30.19	1	Horizontal	135	2.00	-	37.69	15.22	49.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36993G	60.38	74.00	-13.62	72.86	3	Vertical	344	1.93	-	40.04	11.99	64.51			
AV	13.36917G	48.15	54.00	-5.85	60.63	3	Vertical	344	1.93	-	40.04	11.99	64.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37011G	60.38	74.00	-13.62	72.86	3	Horizontal	44	1.32	-	40.04	11.99	64.51			
AV	13.37143G	48.17	54.00	-5.83	60.65	3	Horizontal	44	1.32	-	40.04	11.99	64.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05608G	48.45	83.54	-35.09	44.48	1	Vertical	126	1.30	-	37.99	15.24	49.26			
AV	20.05202G	34.98	63.54	-28.56	31.00	1	Vertical	126	1.30	-	38.00	15.24	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.058G	48.87	83.54	-34.67	44.89	1	Horizontal	303	1.97	-	37.98	15.25	49.25			
AV	20.05325G	35.24	63.54	-28.30	31.27	1	Horizontal	303	1.97	-	37.99	15.24	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.77125G	61.80	88.20	-26.40	73.41	3	Vertical	284	2.74	-	40.64	12.12	64.37			
RMS	13.76928G	49.87	68.20	-18.33	61.48	3	Vertical	284	2.74	-	40.64	12.12	64.37			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76932G	61.96	88.20	-26.24	73.57	3	Horizontal	73	2.27	-	40.64	12.12	64.37			
RMS	13.76781G	49.91	68.20	-18.29	61.52	3	Horizontal	73	2.27	-	40.64	12.12	64.37			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65589G	48.67	83.54	-34.87	43.82	1	Vertical	16	2.01	-	38.19	15.72	49.06			
AV	20.65541G	35.21	63.54	-28.33	30.36	1	Vertical	16	2.01	-	38.19	15.72	49.06			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65859G	48.34	83.54	-35.20	43.49	1	Horizontal	165	1.55	-	38.18	15.73	49.06			
AV	20.65184G	35.09	63.54	-28.45	30.23	1	Horizontal	165	1.55	-	38.20	15.72	49.06			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84752G	63.84	88.20	-24.36	75.29	3	Vertical	98	2.49	-	40.80	12.15	64.40			
RMS	13.84806G	49.71	68.20	-18.49	61.16	3	Vertical	98	2.49	-	40.80	12.15	64.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.84754G	63.26	88.20	-24.94	74.71	3	Horizontal	275	1.36	-	40.80	12.15	64.40			
RMS	13.84824G	49.72	68.20	-18.48	61.17	3	Horizontal	275	1.36	-	40.80	12.15	64.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77028G	47.97	83.54	-35.57	42.91	1	Vertical	243	1.53	-	38.24	15.82	49.00			
AV	20.77113G	34.53	63.54	-29.01	29.47	1	Vertical	243	1.53	-	38.24	15.82	49.00			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77105G	48.16	83.54	-35.38	43.10	1	Horizontal	237	1.50	-	38.24	15.82	49.00			
AV	20.77515G	34.50	63.54	-29.04	29.43	1	Horizontal	237	1.50	-	38.25	15.82	49.00			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01241G	63.00	88.20	-25.20	74.03	3	Vertical	176	1.19	-	41.20	12.20	64.43			
RMS	14.01062G	48.76	68.20	-19.44	59.80	3	Vertical	176	1.19	-	41.20	12.20	64.44			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00823G	61.90	88.20	-26.30	72.94	3	Horizontal	178	2.19	-	41.20	12.20	64.44			
RMS	14.00909G	48.75	68.20	-19.45	59.79	3	Horizontal	178	2.19	-	41.20	12.20	64.44			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01469G	48.07	83.54	-35.47	42.61	1	Vertical	139	1.38	-	38.33	16.01	48.88			
AV	21.01978G	34.68	63.54	-28.86	29.20	1	Vertical	139	1.38	-	38.34	16.02	48.88			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01076G	48.39	83.54	-35.15	42.94	1	Horizontal	226	1.36	-	38.32	16.01	48.88			
AV	21.02G	34.64	63.54	-28.90	29.16	1	Horizontal	226	1.36	-	38.34	16.02	48.88			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 21
03-E-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0664G	112.59	Inf	-Inf	103.68	3	Vertical	85	1.86	-	35.63	8.42	35.14			
RMS	7.0664G	103.09	Inf	-Inf	94.18	3	Vertical	85	1.86	-	35.63	8.42	35.14			
PK	7.1336G	67.68	88.20	-20.52	58.56	3	Vertical	85	1.86	-	35.83	8.43	35.14			
RMS	7.1288G	52.14	68.20	-16.06	43.03	3	Vertical	85	1.86	-	35.82	8.43	35.14			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 21
03-E-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0864G	113.24	Inf	-Inf	104.29	3	Horizontal	230	1.25	-	35.67	8.42	35.14			
RMS	7.0872G	102.45	Inf	-Inf	93.50	3	Horizontal	230	1.25	-	35.67	8.42	35.14			
PK	7.1316G	70.91	88.20	-17.29	61.79	3	Horizontal	230	1.25	-	35.83	8.43	35.14			
RMS	7.1288G	54.01	68.20	-14.19	44.90	3	Horizontal	230	1.25	-	35.82	8.43	35.14			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17213G	62.46	88.20	-25.74	72.70	3	Vertical	353	2.39	-	41.59	12.25	64.08			
RMS	14.16926G	49.03	68.20	-19.17	59.29	3	Vertical	353	2.39	-	41.58	12.25	64.09			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_V_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1714G	63.72	88.20	-24.48	73.97	3	Horizontal	339	1.14	-	41.59	12.25	64.09			
RMS	14.1718G	49.01	68.20	-19.19	59.26	3	Horizontal	339	1.14	-	41.59	12.25	64.09			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25886G	49.02	83.54	-34.52	43.08	1	Vertical	346	2.04	-	38.58	16.21	48.85			
AV	21.25281G	35.29	63.54	-28.25	29.35	1	Vertical	346	2.04	-	38.59	16.20	48.85			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 21
03-E--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25045G	49.00	83.54	-34.54	43.05	1	Horizontal	72	2.01	-	38.60	16.20	48.85			
AV	21.25289G	35.52	63.54	-28.02	29.58	1	Horizontal	72	2.01	-	38.59	16.20	48.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 21
01-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	69.33	88.20	-18.87	59.30	3	Vertical	247	2.11	-	34.83	7.64	32.44			
RMS	5.9246G	54.42	68.20	-13.78	44.37	3	Vertical	247	2.11	-	34.85	7.64	32.44			
PK	6.0078G	110.26	Inf	-Inf	100.02	3	Vertical	247	2.11	-	35.00	7.68	32.44			
RMS	6.007G	99.27	Inf	-Inf	89.03	3	Vertical	247	2.11	-	35.00	7.68	32.44			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 21
01-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	66.74	88.20	-21.46	56.69	3	Horizontal	101	2.28	-	34.85	7.64	32.44			
RMS	5.925G	54.03	68.20	-14.17	43.98	3	Horizontal	101	2.28	-	34.85	7.64	32.44			
PK	5.9714G	109.22	Inf	-Inf	98.99	3	Horizontal	101	2.28	-	35.00	7.67	32.44			
RMS	6.0178G	97.62	Inf	-Inf	87.38	3	Horizontal	101	2.28	-	35.00	7.68	32.44			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 21
04-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96953G	45.47	74.00	-28.53	62.48	3	Vertical	301	1.80	-	39.04	9.71	65.76			
AV	11.96996G	32.99	54.00	-21.01	50.00	3	Vertical	301	1.80	-	39.04	9.71	65.76			
PK	17.95965G	56.22	74.00	-17.78	57.24	3	Vertical	357	1.22	-	48.31	13.03	62.36			
AV	17.95791G	42.18	54.00	-11.82	43.26	3	Vertical	357	1.22	-	48.25	13.03	62.36			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 21
04-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96985G	47.94	74.00	-26.06	64.95	3	Horizontal	39	1.00	-	39.04	9.71	65.76			
AV	11.97G	41.25	54.00	-12.75	58.26	3	Horizontal	39	1.00	-	39.04	9.71	65.76			
PK	17.95017G	53.14	74.00	-20.86	54.49	3	Horizontal	281	2.41	-	48.01	13.02	62.38			
AV	17.95773G	40.15	54.00	-13.85	41.23	3	Horizontal	281	2.41	-	48.25	13.03	62.36			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 21
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93986G	49.85	83.54	-33.69	40.96	1	Vertical	240	1.50	-	38.70	17.31	47.12			
AV	23.93986G	46.62	63.54	-16.92	37.73	1	Vertical	240	1.50	-	38.70	17.31	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 21
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93982G	51.39	83.54	-32.15	42.50	1	Horizontal	312	1.52	-	38.70	17.31	47.12			
AV	23.93985G	49.40	63.54	-14.14	40.51	1	Horizontal	312	1.52	-	38.70	17.31	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 21
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4501G	45.27	74.00	-28.73	62.20	3	Vertical	280	1.79	-	38.50	9.90	65.33			
AV	12.44997G	34.05	54.00	-19.95	50.99	3	Vertical	280	1.79	-	38.50	9.90	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 21
04-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44998G	49.30	74.00	-24.70	66.24	3	Horizontal	306	1.74	-	38.50	9.90	65.34			
AV	12.44997G	43.62	54.00	-10.38	60.56	3	Horizontal	306	1.74	-	38.50	9.90	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 21
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67458G	43.39	83.54	-40.15	39.90	1	Vertical	244	1.82	-	37.80	15.25	49.56			
AV	18.67084G	31.77	63.54	-31.77	28.26	1	Vertical	244	1.82	-	37.82	15.25	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 21
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67931G	42.45	83.54	-41.09	38.98	1	Horizontal	278	1.49	-	37.78	15.25	49.56			
AV	18.67178G	31.75	63.54	-31.79	28.25	1	Horizontal	278	1.49	-	37.81	15.25	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 21
04-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77345G	44.92	88.20	-43.28	61.11	3	Vertical	306	1.78	-	39.04	10.03	65.26			
RMS	12.76986G	33.42	68.20	-34.78	49.63	3	Vertical	306	1.78	-	39.02	10.03	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 21
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77127G	45.06	88.20	-43.14	61.26	3	Horizontal	305	2.35	-	39.03	10.03	65.26			
RMS	12.77G	33.13	68.20	-35.07	49.34	3	Horizontal	305	2.35	-	39.02	10.03	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 21
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15878G	44.58	83.54	-38.96	40.93	1	Vertical	219	1.44	-	37.88	15.22	49.45			
AV	19.15932G	33.99	63.54	-29.55	30.34	1	Vertical	219	1.44	-	37.88	15.22	49.45			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 21
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15058G	44.83	83.54	-38.71	41.15	1	Horizontal	309	1.85	-	37.90	15.22	49.44			
AV	19.15235G	33.06	63.54	-30.48	29.38	1	Horizontal	309	1.85	-	37.90	15.22	49.44			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 22
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9305G	45.43	88.20	-42.77	61.22	3	Vertical	242	2.18	-	39.36	10.09	65.24			
RMS	12.92997G	34.79	68.20	-33.41	50.58	3	Vertical	242	2.18	-	39.36	10.09	65.24			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_Y_4TX
Setting 22
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92993G	49.33	88.20	-38.87	65.12	3	Horizontal	303	2.04	-	39.36	10.09	65.24			
RMS	12.92997G	43.15	68.20	-25.05	58.94	3	Horizontal	303	2.04	-	39.36	10.09	65.24			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 22
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39022G	41.41	83.54	-42.13	37.91	1	Vertical	316	1.94	-	37.90	15.21	49.61			
AV	19.39979G	30.90	63.54	-32.64	27.40	1	Vertical	316	1.94	-	37.90	15.21	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 22
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39859G	42.09	83.54	-41.45	38.59	1	Horizontal	159	1.73	-	37.90	15.21	49.61			
AV	19.3999G	30.94	63.54	-32.60	27.44	1	Horizontal	159	1.73	-	37.90	15.21	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 22
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08505G	46.61	88.20	-41.59	62.39	3	Vertical	239	2.23	-	39.14	10.15	65.07			
RMS	13.08995G	34.04	68.20	-34.16	49.79	3	Vertical	239	2.23	-	39.16	10.15	65.06			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 22
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08986G	49.30	88.20	-38.90	65.05	3	Horizontal	348	1.72	-	39.16	10.15	65.06			
RMS	13.08994G	42.23	68.20	-25.97	57.98	3	Horizontal	348	1.72	-	39.16	10.15	65.06			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63342G	41.40	83.54	-42.14	38.08	1	Vertical	345	1.39	-	37.70	15.19	49.57			
AV	19.63923G	30.67	63.54	-32.87	27.39	1	Vertical	345	1.39	-	37.66	15.19	49.57			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63985G	41.00	83.54	-42.54	37.72	1	Horizontal	328	2.07	-	37.66	15.19	49.57			
AV	19.63893G	30.58	63.54	-32.96	27.29	1	Horizontal	328	2.07	-	37.67	15.19	49.57			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 23
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24977G	45.55	88.20	-42.65	58.80	3	Vertical	284	1.80	-	40.00	11.50	64.75			
RMS	13.24981G	34.71	68.20	-33.49	47.96	3	Vertical	284	1.80	-	40.00	11.50	64.75			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_V_4TX
Setting 23
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24969G	47.96	88.20	-40.24	61.21	3	Horizontal	346	1.80	-	40.00	11.50	64.75			
RMS	13.24999G	40.99	68.20	-27.21	54.24	3	Horizontal	346	1.80	-	40.00	11.50	64.75			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 23
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87577G	42.44	83.54	-41.10	38.83	1	Vertical	250	2.00	-	37.80	15.18	49.37			
AV	19.87034G	31.20	63.54	-32.34	27.58	1	Vertical	250	2.00	-	37.82	15.18	49.38			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 23
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87408G	41.39	83.54	-42.15	37.78	1	Horizontal	18	1.50	-	37.80	15.18	49.37			
AV	19.87992G	30.62	63.54	-32.92	27.03	1	Horizontal	18	1.50	-	37.78	15.18	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 20
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.41142G	48.03	88.20	-40.17	60.53	3	Vertical	281	1.80	-	40.37	11.56	64.43				
RMS	13.40992G	37.42	68.20	-30.78	49.93	3	Vertical	281	1.80	-	40.36	11.56	64.43				

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 20
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.41008G	49.69	88.20	-38.51	62.20	3	Horizontal	348	1.80	-	40.36	11.56	64.43				
RMS	13.40991G	41.72	68.20	-26.48	54.23	3	Horizontal	348	1.80	-	40.36	11.56	64.43				

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 20
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11545G	42.61	83.54	-40.93	38.66	1	Vertical	142	1.19	-	37.93	15.26	49.24			
AV	20.11939G	30.63	63.54	-32.91	26.66	1	Vertical	142	1.19	-	37.94	15.27	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 20
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11114G	42.31	83.54	-41.23	38.37	1	Horizontal	237	1.57	-	37.92	15.26	49.24			
AV	20.11832G	30.64	63.54	-32.90	26.67	1	Horizontal	237	1.57	-	37.94	15.27	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56917G	49.18	88.20	-39.02	61.04	3	Vertical	272	1.80	-	40.82	11.61	64.29			
RMS	13.5699G	38.57	68.20	-29.63	50.43	3	Vertical	272	1.80	-	40.82	11.61	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_V_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57017G	49.14	88.20	-39.06	61.00	3	Horizontal	31	1.80	-	40.82	11.61	64.29			
RMS	13.56987G	40.53	68.20	-27.67	52.39	3	Horizontal	31	1.80	-	40.82	11.61	64.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35693G	43.10	83.54	-40.44	38.52	1	Vertical	319	2.03	-	38.30	15.46	49.18			
AV	20.35636G	31.06	63.54	-32.48	26.48	1	Vertical	319	2.03	-	38.30	15.46	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35055G	42.48	83.54	-41.06	37.90	1	Horizontal	28	1.83	-	38.30	15.46	49.18			
AV	20.35816G	31.16	63.54	-32.38	26.58	1	Horizontal	28	1.83	-	38.30	15.46	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 23
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72985G	48.18	88.20	-40.02	60.36	3	Vertical	286	1.80	-	40.50	11.67	64.35			
RMS	13.72996G	38.42	68.20	-29.78	50.60	3	Vertical	286	1.80	-	40.50	11.67	64.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 23
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72995G	49.65	88.20	-38.55	61.83	3	Horizontal	316	1.80	-	40.50	11.67	64.35			
RMS	13.72993G	40.80	68.20	-27.40	52.98	3	Horizontal	316	1.80	-	40.50	11.67	64.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 23
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59717G	48.80	83.54	-34.74	44.04	1	Vertical	235	1.84	-	38.19	15.66	49.09			
AV	20.59917G	36.44	63.54	-27.10	31.67	1	Vertical	235	1.84	-	38.20	15.66	49.09			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 23
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59231G	46.61	83.54	-36.93	41.87	1	Horizontal	322	1.50	-	38.18	15.65	49.09			
AV	20.59876G	35.14	63.54	-28.40	30.37	1	Horizontal	322	1.50	-	38.20	15.66	49.09			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 22
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89011G	47.46	88.20	-40.74	59.70	3	Vertical	259	1.80	-	40.46	11.72	64.42			
RMS	13.88989G	37.70	68.20	-30.50	49.94	3	Vertical	259	1.80	-	40.46	11.72	64.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88996G	49.23	88.20	-38.97	61.47	3	Horizontal	312	1.80	-	40.46	11.72	64.42			
RMS	13.88994G	39.51	68.20	-28.69	51.75	3	Horizontal	312	1.80	-	40.46	11.72	64.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_V_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.833G	56.92	83.54	-26.62	51.67	1	Vertical	237	1.86	-	38.37	15.85	48.97			
AV	20.83762G	43.10	63.54	-20.44	37.83	1	Vertical	237	1.86	-	38.38	15.85	48.96			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_V_4TX
Setting 22
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82744G	53.88	83.54	-29.66	48.66	1	Horizontal	304	1.50	-	38.35	15.84	48.97			
AV	20.82758G	40.07	63.54	-23.47	34.84	1	Horizontal	304	1.50	-	38.36	15.84	48.97			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 22
04-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0382G	109.26	Inf	-Inf	109.37	3	Vertical	360	1.77	-	35.25	7.01	42.37			
RMS	7.0378G	98.85	Inf	-Inf	98.96	3	Vertical	360	1.77	-	35.25	7.01	42.37			
PK	7.1266G	61.65	88.20	-26.55	61.34	3	Vertical	360	1.77	-	35.76	7.04	42.49			
RMS	7.1262G	48.28	68.20	-19.92	47.97	3	Vertical	360	1.77	-	35.76	7.04	42.49			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 22
04-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0086G	107.07	Inf	-Inf	107.26	3	Horizontal	241	1.85	-	35.13	7.00	42.32			
RMS	7.0062G	97.82	Inf	-Inf	98.02	3	Horizontal	241	1.85	-	35.12	7.00	42.32			
PK	7.1306G	64.28	88.20	-23.92	63.96	3	Horizontal	241	1.85	-	35.78	7.04	42.50			
RMS	7.1314G	47.94	68.20	-20.26	47.61	3	Horizontal	241	1.85	-	35.79	7.04	42.50			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05002G	47.64	88.20	-40.56	59.81	3	Vertical	261	1.80	-	40.40	11.78	64.35			
RMS	14.04993G	37.49	68.20	-30.71	49.66	3	Vertical	261	1.80	-	40.40	11.78	64.35			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04957G	48.87	88.20	-39.33	61.04	3	Horizontal	292	1.80	-	40.40	11.78	64.35			
RMS	14.04986G	39.69	68.20	-28.51	51.86	3	Horizontal	292	1.80	-	40.40	11.78	64.35			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.06718G	50.65	83.54	-32.89	45.05	1	Vertical	236	1.65	-	38.43	16.04	48.87			
AV	21.06858G	37.92	63.54	-25.62	32.31	1	Vertical	236	1.65	-	38.44	16.04	48.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 22
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0747G	48.39	83.54	-35.15	42.76	1	Horizontal	315	1.52	-	38.45	16.05	48.87			
AV	21.0831G	35.57	63.54	-27.97	29.92	1	Horizontal	315	1.52	-	38.47	16.05	48.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 25
01-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9212G	72.03	88.20	-16.17	62.00	3	Vertical	251	1.80	-	34.83	7.64	32.44			
RMS	5.9248G	54.91	68.20	-13.29	44.86	3	Vertical	251	1.80	-	34.85	7.64	32.44			
PK	6.079G	109.74	Inf	-Inf	99.41	3	Vertical	251	1.80	-	35.06	7.70	32.43			
RMS	6.0796G	98.61	Inf	-Inf	88.28	3	Vertical	251	1.80	-	35.06	7.70	32.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 25
01-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.89G	80.53	88.20	-7.67	70.71	3	Horizontal	256	1.50	-	34.64	7.62	32.44			
RMS	5.896G	56.53	68.20	-11.67	46.66	3	Horizontal	256	1.50	-	34.68	7.63	32.44			
PK	5.9476G	111.41	Inf	-Inf	101.21	3	Horizontal	256	1.50	-	34.99	7.65	32.44			
RMS	5.9506G	99.39	Inf	-Inf	89.17	3	Horizontal	256	1.50	-	35.00	7.66	32.44			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 25
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05006G	44.44	74.00	-29.56	60.14	3	Vertical	245	1.80	-	38.90	11.09	65.69			
AV	12.04978G	34.54	54.00	-19.46	50.25	3	Vertical	245	1.80	-	38.90	11.09	65.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 25
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05025G	46.29	74.00	-27.71	61.99	3	Horizontal	-0	1.80	-	38.90	11.09	65.69			
AV	12.04991G	39.66	54.00	-14.34	55.37	3	Horizontal	-0	1.80	-	38.90	11.09	65.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 25
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0698G	43.34	83.54	-40.20	39.88	1	Vertical	256	1.73	-	37.64	15.29	49.47			
AV	18.07704G	31.67	63.54	-31.87	28.21	1	Vertical	256	1.73	-	37.65	15.29	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 25
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07276G	43.78	83.54	-39.76	40.31	1	Horizontal	21	1.50	-	37.65	15.29	49.47			
AV	18.07806G	31.46	63.54	-32.08	27.99	1	Horizontal	21	1.50	-	37.66	15.29	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 25
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3697G	44.50	74.00	-29.50	59.81	3	Vertical	282	1.80	-	38.90	11.20	65.41			
AV	12.36982G	33.96	54.00	-20.04	49.27	3	Vertical	282	1.80	-	38.90	11.20	65.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 25
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36994G	47.72	74.00	-26.28	63.03	3	Horizontal	5	1.80	-	38.90	11.20	65.41			
AV	12.36992G	41.86	54.00	-12.14	57.17	3	Horizontal	5	1.80	-	38.90	11.20	65.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 25
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55602G	43.19	83.54	-40.35	39.56	1	Vertical	94	2.07	-	38.01	15.26	49.64			
AV	18.55852G	31.70	63.54	-31.84	28.06	1	Vertical	94	2.07	-	38.02	15.26	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 25
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55553G	42.83	83.54	-40.71	39.20	1	Horizontal	310	1.85	-	38.01	15.26	49.64			
AV	18.55687G	31.75	63.54	-31.79	28.12	1	Horizontal	310	1.85	-	38.01	15.26	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68888G	58.55	74.00	-15.45	73.19	3	Vertical	315	1.54	-	38.88	11.75	65.27			
AV	12.68851G	46.57	54.00	-7.43	61.21	3	Vertical	315	1.54	-	38.88	11.75	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69122G	58.74	74.00	-15.26	73.37	3	Horizontal	208	1.40	-	38.88	11.76	65.27			
AV	12.6917G	46.58	54.00	-7.42	61.21	3	Horizontal	208	1.40	-	38.88	11.76	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0315G	47.37	83.54	-36.17	43.58	1	Vertical	334	2.35	-	37.90	15.25	49.36			
AV	19.03787G	34.08	63.54	-29.46	30.30	1	Vertical	334	2.35	-	37.90	15.25	49.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 21
03-E-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03159G	47.37	83.54	-36.17	43.58	1	Horizontal	292	1.60	-	37.90	15.25	49.36			
AV	19.03595G	34.07	63.54	-29.47	30.28	1	Horizontal	292	1.60	-	37.90	15.25	49.36			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 26
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0133G	46.21	88.20	-41.99	60.04	3	Vertical	141	1.80	-	39.95	11.42	65.20			
RMS	13.00981G	34.37	68.20	-33.83	48.20	3	Vertical	141	1.80	-	39.96	11.42	65.21			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 26
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00992G	48.16	88.20	-40.04	61.99	3	Horizontal	299	1.80	-	39.96	11.42	65.21			
RMS	13.00993G	41.30	68.20	-26.90	55.13	3	Horizontal	299	1.80	-	39.96	11.42	65.21			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 26
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51418G	44.16	83.54	-39.38	40.73	1	Vertical	257	1.50	-	37.90	15.20	49.67			
AV	19.52358G	31.49	63.54	-32.05	28.05	1	Vertical	257	1.50	-	37.90	15.20	49.66			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 26
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.52088G	44.16	83.54	-39.38	40.72	1	Horizontal	220	1.50	-	37.90	15.20	49.66			
AV	19.51748G	31.67	63.54	-31.87	28.24	1	Horizontal	220	1.50	-	37.90	15.20	49.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 24
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32714G	47.92	74.00	-26.08	60.68	3	Vertical	284	1.80	-	40.31	11.53	64.60			
AV	13.32998G	36.72	54.00	-17.28	49.46	3	Vertical	284	1.80	-	40.32	11.53	64.59			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 24
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32996G	49.45	74.00	-24.55	62.19	3	Horizontal	346	1.80	-	40.32	11.53	64.59			
AV	13.32989G	41.97	54.00	-12.03	54.71	3	Horizontal	346	1.80	-	40.32	11.53	64.59			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 24
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99906G	42.17	83.54	-41.37	38.27	1	Vertical	250	1.86	-	38.00	15.17	49.27			
AV	19.99642G	30.61	63.54	-32.93	26.72	1	Vertical	250	1.86	-	37.99	15.17	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 24
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99258G	41.85	83.54	-41.69	37.99	1	Horizontal	275	1.52	-	37.97	15.17	49.28			
AV	19.99836G	30.68	63.54	-32.86	26.79	1	Horizontal	275	1.52	-	37.99	15.17	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 25
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65023G	47.35	88.20	-40.85	59.53	3	Vertical	267	1.80	-	40.50	11.64	64.32			
RMS	13.64997G	37.82	68.20	-30.38	50.00	3	Vertical	267	1.80	-	40.50	11.64	64.32			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 25
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64941G	48.68	88.20	-39.52	60.86	3	Horizontal	300	1.80	-	40.50	11.64	64.32			
RMS	13.64989G	40.21	68.20	-27.99	52.39	3	Horizontal	300	1.80	-	40.50	11.64	64.32			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 25
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62522G	49.94	83.54	-33.60	45.13	1	Vertical	303	1.54	-	38.20	15.68	49.07			
AV	20.62544G	45.91	63.54	-17.63	41.10	1	Vertical	303	1.54	-	38.20	15.68	49.07			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 25
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62545G	52.14	83.54	-31.40	47.33	1	Horizontal	245	1.68	-	38.20	15.68	49.07			
AV	20.62541G	45.94	63.54	-17.60	41.13	1	Horizontal	245	1.68	-	38.20	15.68	49.07			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 24
04-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9785G	108.99	Inf	-Inf	109.28	3	Vertical	356	1.85	-	35.06	6.98	42.33			
RMS	7.038G	99.34	Inf	-Inf	99.45	3	Vertical	356	1.85	-	35.25	7.01	42.37			
PK	7.215G	64.65	88.20	-23.55	64.07	3	Vertical	356	1.85	-	36.13	7.07	42.62			
RMS	7.1425G	56.83	68.20	-11.37	56.45	3	Vertical	356	1.85	-	35.86	7.04	42.52			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 24
04-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9225G	106.42	Inf	-Inf	107.03	3	Horizontal	227	1.80	-	34.84	6.95	42.40			
RMS	6.921G	96.40	Inf	-Inf	97.03	3	Horizontal	227	1.80	-	34.83	6.94	42.40			
PK	7.155G	70.75	88.20	-17.45	70.32	3	Horizontal	227	1.80	-	35.92	7.05	42.54			
RMS	7.142G	57.65	68.20	-10.55	57.28	3	Horizontal	227	1.80	-	35.85	7.04	42.52			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 24
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96987G	47.34	88.20	-40.86	59.54	3	Vertical	260	1.80	-	40.50	11.75	64.45			
RMS	13.96991G	37.40	68.20	-30.80	49.60	3	Vertical	260	1.80	-	40.50	11.75	64.45			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 24
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96989G	49.22	88.20	-38.98	61.42	3	Horizontal	292	1.80	-	40.50	11.75	64.45			
RMS	13.96993G	39.04	68.20	-29.16	51.24	3	Horizontal	292	1.80	-	40.50	11.75	64.45			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 24
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94558G	60.74	83.54	-22.80	55.32	1	Vertical	235	1.65	-	38.39	15.94	48.91			
AV	20.96571G	44.83	63.54	-18.71	39.40	1	Vertical	235	1.65	-	38.37	15.96	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 24
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94897G	55.72	83.54	-27.82	50.29	1	Horizontal	301	1.50	-	38.40	15.94	48.91			
AV	20.95248G	40.62	63.54	-22.92	35.17	1	Horizontal	301	1.50	-	38.40	15.95	48.90			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 27
01-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	73.41	88.20	-14.79	63.40	3	Vertical	239	1.79	-	34.81	7.64	32.44			
RMS	5.92495G	61.69	68.20	-6.51	51.64	3	Vertical	239	1.79	-	34.85	7.64	32.44			
PK	5.9906G	110.48	Inf	-Inf	100.24	3	Vertical	239	1.79	-	35.00	7.68	32.44			
RMS	5.98865G	99.85	Inf	-Inf	89.62	3	Vertical	239	1.79	-	35.00	7.67	32.44			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 27
01-P-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92235G	79.22	88.20	-8.98	69.19	3	Horizontal	240	1.80	-	34.83	7.64	32.44			
RMS	5.91325G	63.67	68.20	-4.53	53.69	3	Horizontal	240	1.80	-	34.78	7.64	32.44			
PK	6.02895G	110.37	Inf	-Inf	100.12	3	Horizontal	240	1.80	-	35.00	7.69	32.44			
RMS	6.02765G	100.04	Inf	-Inf	89.79	3	Horizontal	240	1.80	-	35.00	7.69	32.44			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 27
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21008G	44.77	74.00	-29.23	61.41	3	Vertical	36	1.90	-	39.10	9.81	65.55			
AV	12.20993G	32.67	54.00	-21.33	49.31	3	Vertical	36	1.90	-	39.10	9.81	65.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 27
04-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20995G	48.17	74.00	-25.83	64.81	3	Horizontal	10	1.74	-	39.10	9.81	65.55			
AV	12.20991G	41.35	54.00	-12.65	57.99	3	Horizontal	10	1.74	-	39.10	9.81	65.55			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_V_4TX
Setting 27
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31745G	43.08	83.54	-40.46	39.70	1	Vertical	294	2.08	-	37.70	15.27	49.59			
AV	18.31382G	30.80	63.54	-32.74	27.44	1	Vertical	294	2.08	-	37.68	15.27	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 27
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31694G	42.45	83.54	-41.09	39.07	1	Horizontal	106	1.66	-	37.70	15.27	49.59			
AV	18.31689G	30.78	63.54	-32.76	27.40	1	Horizontal	106	1.66	-	37.70	15.27	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 27
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52985G	46.33	74.00	-27.67	63.19	3	Vertical	315	1.80	-	38.50	9.93	65.29			
AV	12.52992G	35.31	54.00	-18.69	52.17	3	Vertical	315	1.80	-	38.50	9.93	65.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 27
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52979G	49.18	74.00	-24.82	66.04	3	Horizontal	358	1.61	-	38.50	9.93	65.29			
AV	12.52991G	43.32	54.00	-10.68	60.18	3	Horizontal	358	1.61	-	38.50	9.93	65.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 27
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79244G	42.25	83.54	-41.29	38.57	1	Vertical	148	1.50	-	37.92	15.24	49.48			
AV	18.79517G	30.93	63.54	-32.61	27.26	1	Vertical	148	1.50	-	37.91	15.24	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 27
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79725G	42.75	83.54	-40.79	39.08	1	Horizontal	292	1.76	-	37.91	15.24	49.48			
AV	18.79353G	30.97	63.54	-32.57	27.30	1	Horizontal	292	1.76	-	37.91	15.24	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
Setting 27
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85399G	44.73	88.20	-43.47	60.62	3	Vertical	313	2.58	-	39.30	10.06	65.25			
RMS	12.84999G	32.96	68.20	-35.24	48.85	3	Vertical	313	2.58	-	39.30	10.06	65.25			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
Setting 27
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85G	49.38	88.20	-38.82	65.27	3	Horizontal	307	2.05	-	39.30	10.06	65.25			
RMS	12.84995G	42.53	68.20	-25.67	58.42	3	Horizontal	307	2.05	-	39.30	10.06	65.25			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 27
05-V-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27203G	42.44	83.54	-41.10	38.79	1	Vertical	179	2.06	-	37.96	15.21	49.52			
AV	19.27864G	31.13	63.54	-32.41	27.51	1	Vertical	179	2.06	-	37.94	15.21	49.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 27
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27618G	41.85	83.54	-41.69	38.22	1	Horizontal	348	1.63	-	37.95	15.21	49.53			
AV	19.27957G	31.17	63.54	-32.37	27.55	1	Horizontal	348	1.63	-	37.94	15.21	49.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 26
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17108G	45.39	88.20	-42.81	60.79	3	Vertical	158	1.00	-	39.32	10.18	64.90			
RMS	13.17003G	32.34	68.20	-35.86	47.74	3	Vertical	158	1.00	-	39.32	10.18	64.90			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
Setting 26
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16516G	45.73	88.20	-42.47	61.12	3	Horizontal	129	1.44	-	39.34	10.18	64.91			
RMS	13.1698G	32.32	68.20	-35.88	47.72	3	Horizontal	129	1.44	-	39.32	10.18	64.90			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
Setting 26
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75484G	40.67	83.54	-42.87	37.05	1	Vertical	278	1.64	-	37.91	15.18	49.47			
AV	19.75774G	30.49	63.54	-33.05	26.86	1	Vertical	278	1.64	-	37.92	15.18	49.47			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 26
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75178G	41.01	83.54	-42.53	37.40	1	Horizontal	306	1.73	-	37.90	15.18	49.47			
AV	19.75961G	30.53	63.54	-33.01	26.90	1	Horizontal	306	1.73	-	37.92	15.18	49.47			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT Y_4TX
Setting 27
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.48952G	47.24	88.20	-40.96	61.14	3	Vertical	285	1.61	-	40.08	10.30	64.28				
RMS	13.48994G	36.52	68.20	-31.68	50.42	3	Vertical	285	1.61	-	40.08	10.30	64.28				

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 27
04-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48973G	49.86	88.20	-38.34	63.76	3	Horizontal	343	1.66	-	40.08	10.30	64.28			
RMS	13.48994G	41.25	68.20	-26.95	55.15	3	Horizontal	343	1.66	-	40.08	10.30	64.28			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 27
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23696G	42.70	83.54	-40.84	38.38	1	Vertical	47	1.54	-	38.17	15.36	49.21			
AV	20.23628G	30.55	63.54	-32.99	26.23	1	Vertical	47	1.54	-	38.17	15.36	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 27
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.232G	42.03	83.54	-41.51	37.72	1	Horizontal	194	1.92	-	38.16	15.36	49.21			
AV	20.23879G	30.62	63.54	-32.92	26.29	1	Horizontal	194	1.92	-	38.18	15.36	49.21			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 23
04-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9395G	104.71	Inf	-Inf	105.19	3	Vertical	6	2.02	-	34.94	6.96	42.38			
RMS	6.854G	93.04	Inf	-Inf	94.28	3	Vertical	6	2.02	-	34.33	6.90	42.47			
PK	7.2335G	65.93	88.20	-22.27	65.33	3	Vertical	6	2.02	-	36.17	7.08	42.65			
RMS	7.202G	57.82	68.20	-10.38	57.26	3	Vertical	6	2.02	-	36.10	7.06	42.60			
PK	7.3595G	60.61	74.00	-13.39	60.19	3	Vertical	6	2.02	-	36.10	7.15	42.83			
AV	7.304G	49.41	54.00	-4.59	48.76	3	Vertical	6	2.02	-	36.28	7.12	42.75			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 23
04-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9125G	104.50	Inf	-Inf	105.19	3	Horizontal	232.6	1.41	-	34.78	6.94	42.41			
RMS	6.914G	93.66	Inf	-Inf	94.34	3	Horizontal	232.6	1.41	-	34.78	6.94	42.40			
PK	7.184G	66.89	88.20	-21.31	66.37	3	Horizontal	232.6	1.41	-	36.04	7.06	42.58			
RMS	7.178G	62.75	68.20	-5.45	62.26	3	Horizontal	232.6	1.41	-	36.01	7.05	42.57			
PK	7.307G	57.68	74.00	-16.32	57.05	3	Horizontal	232.6	1.41	-	36.27	7.12	42.76			
AV	7.301G	52.85	54.00	-1.15	52.18	3	Horizontal	232.6	1.41	-	36.30	7.12	42.75			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 23
04-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80545G	46.79	88.20	-41.41	60.53	3	Vertical	292	1.83	-	40.21	10.43	64.38			
RMS	13.80997G	35.67	68.20	-32.53	49.40	3	Vertical	292	1.83	-	40.22	10.43	64.38			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 23
04-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80967G	48.17	88.20	-40.03	61.90	3	Horizontal	322	1.81	-	40.22	10.43	64.38			
RMS	13.80991G	38.26	68.20	-29.94	51.99	3	Horizontal	322	1.81	-	40.22	10.43	64.38			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 23
05-V-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71372G	41.80	83.54	-41.74	36.95	1	Vertical	49	1.95	-	38.13	15.75	49.03			
AV	20.71982G	31.31	63.54	-32.23	26.44	1	Vertical	49	1.95	-	38.14	15.76	49.03			

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_V_4TX
Setting 23
05-V-G-4


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71043G	42.24	83.54	-41.30	37.40	1	Horizontal	319	1.93	-	38.12	15.75	49.03			
AV	20.71833G	31.32	63.54	-32.22	26.45	1	Horizontal	319	1.93	-	38.14	15.76	49.03			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

5955MHz_TX

05/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.952901G	-7.58	5.967G	-38.96	-27.08	-11.88	1
5.948702G	-7.67	5.9667G	-38.92	-26.67	-12.25	2
5.951251G	-7.66	5.9431G	-39.48	-26.76	-12.72	3
5.957674G	-7.69	5.96725G	-42.00	-27.76	-14.24	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6195MHz_TX

05/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190276G	-9.24	6.207125G	-39.81	-29.34	-10.47	1
6.192676G	-8.00	6.206975G	-41.28	-28.04	-13.24	2
6.192501G	-7.84	6.20735G	-41.73	-27.90	-13.83	3
6.191851G	-8.41	6.1829G	-42.04	-28.51	-13.53	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6415MHz_TX

05/11/2024




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6435MHz_TX

05/11/2024




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6475MHz_TX

05/11/2024




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6515MHz_TX

05/11/2024




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6535MHz_TX

05/11/2024

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532926G	-9.15	6.5232G	-39.23	-28.45	-10.78	1
6.539749G	-7.51	6.523025G	-39.62	-27.58	-12.04	2
6.540149G	-7.79	6.522425G	-41.93	-27.89	-14.04	3
6.528502G	-7.60	6.523025G	-40.53	-27.71	-12.82	4

Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6695MHz_TX

05/11/2024

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.701548G	-8.91	6.70725G	-43.55	-29.00	-14.55	1
6.690576G	-6.70	6.6827G	-38.58	-27.17	-11.41	2
6.698124G	-8.03	6.707G	-39.41	-28.09	-11.32	3
6.697699G	-8.74	6.707125G	-42.69	-28.82	-13.87	4


Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6875MHz_TX

05/11/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6895MHz_TX

05/11/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6995MHz_TX

05/11/2024




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

7095MHz_TX

05/11/2024



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

7115MHz_TX

05/11/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.119549G	-12.26	7.127125G	-44.04	-30.36	-13.68	1
7.122698G	-12.74	7.10285G	-45.65	-32.77	-12.88	2
7.117399G	-11.07	7.103175G	-42.64	-29.17	-13.47	3
7.110351G	-12.53	7.127025G	-43.10	-32.53	-10.57	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

13/09/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962623G	-9.05	5.9667G	-39.99	-29.14	-10.85	1
5.946052G	-8.64	5.9667G	-39.52	-28.64	-10.88	2
5.9537G	-8.97	5.9904G	-63.62	-48.97	-14.65	3
5.962148G	-8.72	5.9666G	-39.04	-27.32	-11.72	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

13/09/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

13/09/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

13/09/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

13/09/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

13/09/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

13/09/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

13/09/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

13/09/2024



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

13/09/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.896175G	-9.39	6.8833G	-41.27	-29.44	-11.83	1
6.891601G	-9.26	6.883225G	-40.80	-29.35	-11.45	2
6.900874G	-9.98	6.9393G	-61.87	-49.98	-11.89	3
6.903948G	-9.71	6.93045G	-62.42	-49.71	-12.71	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

13/09/2024

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.992026G	-9.67	6.983425G	-40.03	-29.73	-10.30	1
6.988702G	-9.19	6.947625G	-62.03	-49.19	-12.84	2
6.991651G	-9.44	6.9575G	-62.09	-49.44	-12.65	3
6.987252G	-9.58	6.9553G	-62.17	-49.58	-12.59	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

13/09/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

13/09/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

13/09/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

13/09/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

13/09/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

13/09/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

13/09/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

13/09/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

13/09/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

13/09/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

13/09/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

13/09/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

13/09/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

14/09/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

14/09/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

14/09/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

14/09/2024



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

14/09/2024

