





























































Summary


Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	24.18	0.26182
802.11ax HEW160_Nss4,(MCS0)_4TX	26.54	0.45082
6.425-6.525GHz	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	24.11	0.25763
802.11ax HEW160_Nss4,(MCS0)_4TX	26.91	0.49091
6.525-6.875GHz	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	24.23	0.26485
802.11ax HEW160_Nss4,(MCS0)_4TX	26.99	0.50003
6.875-7.125GHz	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	24.24	0.26546
802.11ax HEW160_Nss4,(MCS0)_4TX	26.51	0.44771


Result


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-
6145MHz	Pass	23.98	30.00
6225MHz	Pass	24.18	30.00
6385MHz	Pass	23.90	30.00
6465MHz	Pass	24.11	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	23.87	30.00
6625MHz	Pass	23.82	30.00
6705MHz	Pass	24.23	30.00
6785MHz	Pass	24.07	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	23.99	30.00
6945MHz	Pass	24.24	30.00
7025MHz	Pass	24.09	30.00
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-
6185MHz	Pass	25.96	30.00
6345MHz	Pass	26.54	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	26.91	30.00
6665MHz	Pass	26.99	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	26.92	30.00
6985MHz	Pass	26.51	30.00


DG = Directional Gain; Port X = Port X output power























Summary


Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.98
802.11ax HEW40_Nss1,(MCS0)_4TX	4.99
802.11ax HEW80_Nss1,(MCS0)_4TX	4.92
802.11ax HEW160_Nss1,(MCS0)_4TX	4.99
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.97
802.11ax HEW40_Nss1,(MCS0)_4TX	4.97
802.11ax HEW80_Nss1,(MCS0)_4TX	4.96
802.11ax HEW160_Nss1,(MCS0)_4TX	4.85
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.87
802.11ax HEW40_Nss1,(MCS0)_4TX	4.98
802.11ax HEW80_Nss1,(MCS0)_4TX	4.98
802.11ax HEW160_Nss1,(MCS0)_4TX	4.87
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.99
802.11ax HEW40_Nss1,(MCS0)_4TX	4.79
802.11ax HEW80_Nss1,(MCS0)_4TX	4.86
802.11ax HEW160_Nss1,(MCS0)_4TX	4.96


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
6115MHz	Pass	4.98	5.00
6255MHz	Pass	4.81	5.00
6415MHz	Pass	4.87	5.00
6435MHz	Pass	4.97	5.00
6475MHz	Pass	4.97	5.00
6515MHz	Pass	4.96	5.00
6535MHz	Pass	4.71	5.00
6695MHz	Pass	4.87	5.00
6855MHz	Pass	4.84	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.82	5.00
6895MHz	Pass	4.99	5.00
6995MHz	Pass	4.99	5.00
7095MHz	Pass	4.87	5.00
7115MHz	Pass	3.19	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
6125MHz	Pass	4.99	5.00
6245MHz	Pass	4.78	5.00
6405MHz	Pass	4.99	5.00
6445MHz	Pass	4.97	5.00
6485MHz	Pass	4.85	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.90	5.00
6565MHz	Pass	4.98	5.00
6725MHz	Pass	4.94	5.00
6845MHz	Pass	4.98	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.81	5.00
6925MHz	Pass	4.79	5.00
7005MHz	Pass	4.76	5.00
7085MHz	Pass	4.77	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
6145MHz	Pass	4.76	5.00
6225MHz	Pass	4.92	5.00
6385MHz	Pass	4.88	5.00
6465MHz	Pass	4.96	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.96	5.00
6625MHz	Pass	4.97	5.00
6705MHz	Pass	4.82	5.00
6785MHz	Pass	4.98	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.57	5.00
6945MHz	Pass	4.81	5.00
7025MHz	Pass	4.86	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6185MHz	Pass	4.94	5.00
6345MHz	Pass	4.99	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.85	5.00
6665MHz	Pass	4.87	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.77	5.00
6985MHz	Pass	4.96	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;






























































Summary


Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.91
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.98
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.95
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.95
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.93
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.86
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.59
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.91
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.99
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.90
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.99
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.98
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.89
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.96
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.93
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.85


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-
6115MHz	Pass	4.75	5.00
6255MHz	Pass	4.90	5.00
6415MHz	Pass	4.91	5.00
6435MHz	Pass	4.72	5.00
6475MHz	Pass	4.85	5.00
6515MHz	Pass	4.93	5.00
6535MHz	Pass	4.93	5.00
6695MHz	Pass	4.99	5.00
6855MHz	Pass	4.92	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.99	5.00
6895MHz	Pass	4.89	5.00
6995MHz	Pass	4.73	5.00
7095MHz	Pass	4.72	5.00
7115MHz	Pass	1.25	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-
6125MHz	Pass	4.91	5.00
6245MHz	Pass	4.95	5.00
6405MHz	Pass	4.98	5.00
6445MHz	Pass	4.73	5.00
6485MHz	Pass	4.78	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.86	5.00
6565MHz	Pass	4.70	5.00
6725MHz	Pass	4.81	5.00
6845MHz	Pass	4.80	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.90	5.00
6925MHz	Pass	4.96	5.00
7005MHz	Pass	4.83	5.00
7085MHz	Pass	4.79	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-
6145MHz	Pass	4.95	5.00
6225MHz	Pass	4.89	5.00
6385MHz	Pass	4.52	5.00
6465MHz	Pass	4.59	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.22	5.00
6625MHz	Pass	4.99	5.00
6705MHz	Pass	4.70	5.00
6785MHz	Pass	4.37	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.85	5.00
6945MHz	Pass	4.93	5.00
7025MHz	Pass	4.61	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-
6185MHz	Pass	4.95	5.00
6345MHz	Pass	4.90	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.91	5.00
6665MHz	Pass	4.86	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.98	5.00
6985MHz	Pass	4.85	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;



























































Summary


Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW80_Nss4,(MCS0)_4TX	4.87
802.11ax HEW160_Nss4,(MCS0)_4TX	4.72
6.425-6.525GHz	-
802.11ax HEW80_Nss4,(MCS0)_4TX	4.84
802.11ax HEW160_Nss4,(MCS0)_4TX	4.95
6.525-6.875GHz	-
802.11ax HEW80_Nss4,(MCS0)_4TX	4.79
802.11ax HEW160_Nss4,(MCS0)_4TX	4.90
6.875-7.125GHz	-
802.11ax HEW80_Nss4,(MCS0)_4TX	4.99
802.11ax HEW160_Nss4,(MCS0)_4TX	4.93


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-
6145MHz	Pass	4.82	5.00
6225MHz	Pass	4.87	5.00
6385MHz	Pass	4.85	5.00
6465MHz	Pass	4.84	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.58	5.00
6625MHz	Pass	4.65	5.00
6705MHz	Pass	4.79	5.00
6785MHz	Pass	4.72	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.62	5.00
6945MHz	Pass	4.99	5.00
7025MHz	Pass	4.95	5.00
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-
6185MHz	Pass	4.72	5.00
6345MHz	Pass	4.70	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.95	5.00
6665MHz	Pass	4.90	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.55	5.00
6985MHz	Pass	4.93	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


























Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	72.68M	36.63	40.00	-3.37	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	30.97M	36.57	40.00	-3.43	-7.59	3	Vertical	135	1.25	-	44.16	23.54	0.45	31.58
QP	52.31M	36.01	40.00	-3.99	-18.02	3	Vertical	325	1.00	-	54.03	13.16	0.69	31.87
PK	72.68M	36.63	40.00	-3.37	-18.92	3	Vertical	135	2.00	"Worst"	55.55	12.17	0.88	31.97
PK	87.23M	29.99	40.00	-10.01	-16.93	3	Vertical	251	1.50	-	46.92	14.02	1.00	31.95
PK	137.67M	33.69	43.50	-9.81	-13.55	3	Vertical	77	1.00	-	47.24	17.10	1.36	32.01
PK	143.49M	32.91	43.50	-10.59	-13.98	3	Vertical	163	1.00	-	46.89	16.63	1.40	32.01

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30.97M	33.49	40.00	-6.51	-7.59	3	Horizontal	74	1.25	"Worst"	41.08	23.54	0.45	31.58
PK	129.91M	30.46	43.50	-13.04	-13.00	3	Horizontal	141	2.00	-	43.46	17.68	1.31	31.99
PK	501.42M	33.58	46.00	-12.42	-6.22	3	Horizontal	164	2.00	-	39.80	23.21	2.97	32.40
PK	504.33M	34.59	46.00	-11.41	-6.20	3	Horizontal	191	1.00	-	40.79	23.22	2.98	32.40
PK	535.37M	32.27	46.00	-13.73	-5.66	3	Horizontal	184	1.25	-	37.93	23.62	3.11	32.39
PK	781.75M	36.01	46.00	-9.99	-3.21	3	Horizontal	217	1.00	-	39.22	25.46	3.88	32.55




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	67.91	68.20	-0.29	3	Vertical	270	1.53	BP 1MHz

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 9
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	61.63	88.20	-26.57	54.79	3	Vertical	249	2.11	-	34.54	7.25	34.95
RMS	5.9074G	50.84	68.20	-17.36	43.91	3	Vertical	249	2.11	-	34.63	7.25	34.95
PK	6.1102G	108.46	Inf	-Inf	100.97	3	Vertical	249	2.11	-	35.00	7.47	34.98
RMS	6.1102G	98.77	Inf	-Inf	91.28	3	Vertical	249	2.11	-	35.00	7.47	34.98

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 9
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8582G	61.04	88.20	-27.16	54.40	3	Horizontal	208	1.80	-	34.35	7.23	34.94
RMS	5.9146G	50.84	68.20	-17.36	43.87	3	Horizontal	208	1.80	-	34.66	7.26	34.95
PK	6.1126G	109.07	Inf	-Inf	101.58	3	Horizontal	208	1.80	-	35.00	7.47	34.98
RMS	6.1126G	98.30	Inf	-Inf	90.81	3	Horizontal	208	1.80	-	35.00	7.47	34.98

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 9
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22508G	59.93	74.00	-14.07	42.74	3	Vertical	175	1.80	-	38.80	13.28	34.89
AV	12.22994G	48.72	54.00	-5.28	31.52	3	Vertical	175	1.80	-	38.80	13.28	34.88

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 9
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22958G	59.40	74.00	-14.60	42.21	3	Horizontal	109	1.90	-	38.80	13.28	34.89
AV	12.22994G	49.64	54.00	-4.36	32.44	3	Horizontal	109	1.90	-	38.80	13.28	34.88

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34232G	57.46	83.54	-26.08	34.81	1	Vertical	61	1.54	-	37.54	14.52	29.41
AV	18.34026G	44.91	63.54	-18.63	22.26	1	Vertical	61	1.54	-	37.54	14.52	29.41

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 9
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34988G	57.33	83.54	-26.21	34.69	1	Horizontal	102	1.52	-	37.54	14.52	29.42
AV	18.34016G	44.91	63.54	-18.63	22.26	1	Horizontal	102	1.52	-	37.54	14.52	29.41

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 8.5
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	61.45	88.20	-26.75	54.54	3	Vertical	249	1.97	-	34.61	7.25	34.95
RMS	5.909G	50.86	68.20	-17.34	43.92	3	Vertical	249	1.97	-	34.64	7.25	34.95
PK	6.251G	109.27	Inf	-Inf	101.67	3	Vertical	249	1.97	-	35.00	7.60	35.00
RMS	6.249G	99.20	Inf	-Inf	91.60	3	Vertical	249	1.97	-	35.00	7.60	35.00

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 8.5
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	60.94	88.20	-27.26	54.05	3	Horizontal	193	1.76	-	34.59	7.25	34.95
RMS	5.899G	50.82	68.20	-17.38	43.93	3	Horizontal	193	1.76	-	34.59	7.25	34.95
PK	6.253G	108.96	Inf	-Inf	101.36	3	Horizontal	193	1.76	-	35.00	7.60	35.00
RMS	6.253G	98.51	Inf	-Inf	90.91	3	Horizontal	193	1.76	-	35.00	7.60	35.00

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 8.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52158G	59.48	74.00	-14.52	41.74	3	Vertical	132	1.80	-	38.80	13.52	34.58
AV	12.50976G	48.63	54.00	-5.37	30.92	3	Vertical	132	1.80	-	38.80	13.51	34.60

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 8.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51006G	59.53	74.00	-14.47	41.82	3	Horizontal	109	1.10	-	38.80	13.51	34.60
AV	12.50976G	49.83	54.00	-4.17	32.12	3	Horizontal	109	1.10	-	38.80	13.51	34.60

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 8.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7633G	57.52	83.54	-26.02	34.86	1	Vertical	178	1.53	-	37.69	14.67	29.70
AV	18.76566G	44.99	63.54	-18.55	22.33	1	Vertical	178	1.53	-	37.69	14.67	29.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TX




EUT Y_4TX
Setting 8.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76872G	57.13	83.54	-26.41	34.47	1	Horizontal	295	1.58	-	37.69	14.67	29.70
AV	18.76994G	44.99	63.54	-18.55	22.34	1	Horizontal	295	1.58	-	37.68	14.67	29.70

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8174G	61.96	88.20	-26.24	55.45	3	Vertical	247	2.03	-	34.23	7.21	34.93
RMS	5.8918G	50.76	68.20	-17.44	43.91	3	Vertical	247	2.03	-	34.55	7.25	34.95
PK	6.4102G	107.52	Inf	-Inf	100.07	3	Vertical	247	2.03	-	34.86	7.61	35.02
RMS	6.4102G	98.48	Inf	-Inf	91.03	3	Vertical	247	2.03	-	34.86	7.61	35.02

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8918G	60.92	88.20	-27.28	54.07	3	Horizontal	190	1.83	-	34.55	7.25	34.95
RMS	5.8966G	50.86	68.20	-17.34	43.98	3	Horizontal	190	1.83	-	34.58	7.25	34.95
PK	6.4198G	107.25	Inf	-Inf	99.84	3	Horizontal	190	1.83	-	34.82	7.61	35.02
RMS	6.4198G	96.82	Inf	-Inf	89.41	3	Horizontal	190	1.83	-	34.82	7.61	35.02

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82814G	60.64	88.20	-27.56	41.63	3	Vertical	132	1.80	-	39.33	13.76	34.08
RMS	12.82988G	50.20	68.20	-18.00	31.18	3	Vertical	132	1.80	-	39.33	13.76	34.07

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82976G	61.29	88.20	-26.91	42.27	3	Horizontal	283	1.62	-	39.33	13.76	34.07
RMS	12.82982G	50.67	68.20	-17.53	31.65	3	Horizontal	283	1.62	-	39.33	13.76	34.07

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24622G	55.56	83.54	-27.98	33.17	1	Vertical	257	1.55	-	37.60	14.84	30.05
AV	19.24076G	43.41	63.54	-20.13	21.02	1	Vertical	257	1.55	-	37.60	14.83	30.04

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24028G	55.71	83.54	-27.83	33.32	1	Horizontal	269	1.57	-	37.60	14.83	30.04
AV	19.2401G	43.42	63.54	-20.12	21.03	1	Horizontal	269	1.57	-	37.60	14.83	30.04

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	60.98	88.20	-27.22	54.21	3	Vertical	246	2.06	-	34.47	7.24	34.94
RMS	5.8942G	50.73	68.20	-17.47	43.86	3	Vertical	246	2.06	-	34.57	7.25	34.95
PK	6.4298G	108.33	Inf	-Inf	100.96	3	Vertical	246	2.06	-	34.78	7.61	35.02
RMS	6.4298G	98.53	Inf	-Inf	91.16	3	Vertical	246	2.06	-	34.78	7.61	35.02

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8448G	61.44	88.20	-26.76	54.87	3	Horizontal	190	1.78	-	34.29	7.22	34.94
RMS	5.8942G	50.71	68.20	-17.49	43.84	3	Horizontal	190	1.78	-	34.57	7.25	34.95
PK	6.4324G	107.62	Inf	-Inf	100.25	3	Horizontal	190	1.78	-	34.77	7.62	35.02
RMS	6.4324G	97.25	Inf	-Inf	89.88	3	Horizontal	190	1.78	-	34.77	7.62	35.02

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86994G	61.31	88.20	-26.89	42.15	3	Vertical	129	1.80	-	39.37	13.80	34.01
RMS	12.86988G	49.99	68.20	-18.21	30.83	3	Vertical	129	1.80	-	39.37	13.80	34.01

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86166G	61.21	88.20	-26.99	42.08	3	Horizontal	130	1.77	-	39.36	13.79	34.02
RMS	12.86982G	49.60	68.20	-18.60	30.44	3	Horizontal	130	1.77	-	39.37	13.80	34.01

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30266G	54.64	83.54	-28.90	32.26	1	Vertical	117	1.51	-	37.62	14.86	30.10
AV	19.3087G	42.31	63.54	-21.23	19.93	1	Vertical	117	1.51	-	37.62	14.86	30.10

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3066G	54.66	83.54	-28.88	32.28	1	Horizontal	134	1.56	-	37.62	14.86	30.10
AV	19.30092G	42.21	63.54	-21.33	19.82	1	Horizontal	134	1.56	-	37.62	14.86	30.09

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 7.5
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	60.71	88.20	-27.49	53.78	3	Vertical	244	1.90	-	34.63	7.25	34.95
RMS	5.901G	50.72	68.20	-17.48	43.82	3	Vertical	244	1.90	-	34.60	7.25	34.95
PK	6.4694G	107.52	Inf	-Inf	100.22	3	Vertical	244	1.90	-	34.70	7.63	35.03
RMS	6.4694G	97.84	Inf	-Inf	90.54	3	Vertical	244	1.90	-	34.70	7.63	35.03
PK	7.161G	61.67	88.20	-26.53	51.95	3	Vertical	244	1.90	-	36.17	8.62	35.07
RMS	7.175G	51.61	68.20	-16.59	41.79	3	Vertical	244	1.90	-	36.25	8.65	35.08

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 7.5
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	61.44	88.20	-26.76	54.58	3	Horizontal	187	1.80	-	34.56	7.25	34.95
RMS	5.8982G	50.69	68.20	-17.51	43.80	3	Horizontal	187	1.80	-	34.59	7.25	34.95
PK	6.4778G	105.20	Inf	-Inf	97.89	3	Horizontal	187	1.80	-	34.70	7.64	35.03
RMS	6.4722G	95.21	Inf	-Inf	87.90	3	Horizontal	187	1.80	-	34.70	7.64	35.03
PK	7.133G	61.96	88.20	-26.24	52.45	3	Horizontal	187	1.80	-	36.00	8.57	35.06
RMS	7.1722G	51.62	68.20	-16.58	41.83	3	Horizontal	187	1.80	-	36.23	8.64	35.08

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 7.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93536G	59.85	88.20	-28.35	40.46	3	Vertical	129	1.80	-	39.44	13.85	33.90
RMS	12.94988G	48.81	68.20	-19.39	29.37	3	Vertical	129	1.80	-	39.45	13.86	33.87

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 7.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93536G	59.71	88.20	-28.49	40.32	3	Horizontal	130	1.80	-	39.44	13.85	33.90
RMS	12.94988G	48.34	68.20	-19.86	28.90	3	Horizontal	130	1.80	-	39.45	13.86	33.87

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 7.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42988G	54.66	83.54	-28.88	32.30	1	Vertical	26	1.51	-	37.67	14.90	30.21
AV	19.42382G	42.19	63.54	-21.35	19.82	1	Vertical	26	1.51	-	37.67	14.90	30.20

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
Setting 7.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42952G	54.88	83.54	-28.66	32.52	1	Horizontal	95	1.54	-	37.67	14.90	30.21
AV	19.4249G	42.19	63.54	-21.35	19.82	1	Horizontal	95	1.54	-	37.67	14.90	30.20

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 7.5
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	61.99	88.20	-26.21	55.10	3	Vertical	253	1.99	-	34.59	7.25	34.95
RMS	5.9018G	50.67	68.20	-17.53	43.76	3	Vertical	253	1.99	-	34.61	7.25	34.95
PK	6.5094G	108.26	Inf	-Inf	100.90	3	Vertical	253	1.99	-	34.74	7.65	35.03
RMS	6.5094G	97.23	Inf	-Inf	89.87	3	Vertical	253	1.99	-	34.74	7.65	35.03
PK	7.1394G	62.06	88.20	-26.14	52.50	3	Vertical	253	1.99	-	36.04	8.58	35.06
RMS	7.2038G	51.97	68.20	-16.23	41.94	3	Vertical	253	1.99	-	36.42	8.70	35.09

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 7.5
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8682G	60.65	88.20	-27.55	53.95	3	Horizontal	189	1.92	-	34.41	7.23	34.94
RMS	5.899G	50.67	88.20	-37.53	43.78	3	Horizontal	189	1.92	-	34.59	7.25	34.95
PK	6.5206G	106.24	Inf	-Inf	98.83	3	Horizontal	189	1.92	-	34.78	7.66	35.03
RMS	6.5206G	95.85	Inf	-Inf	88.44	3	Horizontal	189	1.92	-	34.78	7.66	35.03
PK	7.1702G	61.84	88.20	-26.36	52.06	3	Horizontal	189	1.92	-	36.22	8.64	35.08
RMS	7.215G	52.01	88.20	-36.19	41.92	3	Horizontal	189	1.92	-	36.49	8.70	35.10

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 7.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03006G	60.91	88.20	-27.29	41.16	3	Vertical	130	1.80	-	39.59	13.92	33.76
RMS	13.02982G	49.91	68.20	-18.29	30.16	3	Vertical	130	1.80	-	39.59	13.92	33.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 7.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0441G	61.46	88.20	-26.74	41.63	3	Horizontal	131	1.75	-	39.63	13.94	33.74
RMS	13.02976G	49.46	68.20	-18.74	29.71	3	Horizontal	131	1.75	-	39.59	13.92	33.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 7.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54172G	56.20	83.54	-27.34	33.90	1	Vertical	141	1.57	-	37.68	14.94	30.32
AV	19.54022G	43.85	63.54	-19.69	21.55	1	Vertical	141	1.57	-	37.68	14.94	30.32

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX
Setting 7.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54328G	55.88	83.54	-27.66	33.58	1	Horizontal	343	1.54	-	37.68	14.94	30.32
AV	19.54082G	43.72	63.54	-19.82	21.42	1	Horizontal	343	1.54	-	37.68	14.94	30.32

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	60.73	88.20	-27.47	53.91	3	Vertical	250	1.91	-	34.53	7.24	34.95
RMS	5.9022G	50.68	68.20	-17.52	43.77	3	Vertical	250	1.91	-	34.61	7.25	34.95
PK	6.5294G	106.18	Inf	-Inf	98.73	3	Vertical	250	1.91	-	34.82	7.66	35.03
RMS	6.5294G	97.46	Inf	-Inf	90.01	3	Vertical	250	1.91	-	34.82	7.66	35.03
PK	7.1818G	62.12	88.20	-26.08	52.25	3	Vertical	250	1.91	-	36.29	8.66	35.08
RMS	7.2322G	52.02	68.20	-16.18	41.84	3	Vertical	250	1.91	-	36.59	8.70	35.11

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	61.66	88.20	-26.54	54.85	3	Horizontal	138	1.80	-	34.51	7.24	34.94
RMS	5.9022G	50.66	68.20	-17.54	43.75	3	Horizontal	138	1.80	-	34.61	7.25	34.95
PK	6.5322G	107.09	Inf	-Inf	99.62	3	Horizontal	138	1.80	-	34.83	7.67	35.03
RMS	6.5322G	95.94	Inf	-Inf	88.47	3	Horizontal	138	1.80	-	34.83	7.67	35.03
PK	7.235G	62.22	88.20	-25.98	52.02	3	Horizontal	138	1.80	-	36.61	8.70	35.11
RMS	7.235G	52.07	68.20	-16.13	41.87	3	Horizontal	138	1.80	-	36.61	8.70	35.11

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08452G	61.50	88.20	-26.70	41.48	3	Vertical	129	1.80	-	39.75	13.97	33.70
RMS	13.06988G	50.74	68.20	-17.46	30.79	3	Vertical	129	1.80	-	39.71	13.96	33.72

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06952G	62.34	88.20	-25.86	42.39	3	Horizontal	132	1.80	-	39.71	13.96	33.72
RMS	13.07G	50.30	68.20	-17.90	30.35	3	Horizontal	132	1.80	-	39.71	13.96	33.72

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60044G	54.19	83.54	-29.35	31.97	1	Vertical	190	1.53	-	37.66	14.96	30.40
AV	19.60114G	42.11	63.54	-21.43	19.89	1	Vertical	190	1.53	-	37.66	14.96	30.40

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60678G	53.77	83.54	-29.77	31.55	1	Horizontal	163	1.56	-	37.66	14.96	30.40
AV	19.60052G	42.11	63.54	-21.43	19.89	1	Horizontal	163	1.56	-	37.66	14.96	30.40

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 8
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	109.56	Inf	-Inf	101.40	3	Vertical	255	2.15	-	35.39	7.79	35.02
RMS	6.6928G	99.00	Inf	-Inf	90.84	3	Vertical	255	2.15	-	35.39	7.79	35.02
PK	7.1944G	61.97	88.20	-26.23	52.00	3	Vertical	255	2.15	-	36.37	8.69	35.09
RMS	7.2142G	52.02	68.20	-16.18	41.93	3	Vertical	255	2.15	-	36.49	8.70	35.10

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 8
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	108.08	Inf	-Inf	99.91	3	Horizontal	199	1.80	-	35.39	7.80	35.02
RMS	6.6994G	97.93	Inf	-Inf	89.75	3	Horizontal	199	1.80	-	35.40	7.80	35.02
PK	7.223G	62.70	88.20	-25.50	52.56	3	Horizontal	199	1.80	-	36.54	8.70	35.10
RMS	7.2296G	52.03	68.20	-16.17	41.86	3	Horizontal	199	1.80	-	36.58	8.70	35.11

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38988G	61.13	74.00	-12.87	40.02	3	Vertical	127	1.80	-	40.28	14.21	33.38
AV	13.38976G	50.40	54.00	-3.60	29.29	3	Vertical	127	1.80	-	40.28	14.21	33.38

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3972G	61.09	74.00	-12.91	39.96	3	Horizontal	110	1.72	-	40.29	14.22	33.38
AV	13.38976G	50.51	54.00	-3.49	29.40	3	Horizontal	110	1.72	-	40.28	14.21	33.38

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08346G	57.08	83.54	-26.46	35.52	1	Vertical	353	1.57	-	37.47	15.12	31.03
AV	20.08546G	44.73	63.54	-18.81	23.17	1	Vertical	353	1.57	-	37.47	15.12	31.03

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0863G	57.22	83.54	-26.32	35.66	1	Horizontal	299	1.56	-	37.47	15.12	31.03
AV	20.08396G	44.72	63.54	-18.82	23.16	1	Horizontal	299	1.56	-	37.47	15.12	31.03

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	108.43	Inf	-Inf	99.74	3	Vertical	274	1.71	-	35.68	8.02	35.01
RMS	6.8592G	98.28	Inf	-Inf	89.59	3	Vertical	274	1.71	-	35.68	8.02	35.01
PK	7.1812G	62.12	88.20	-26.08	52.25	3	Vertical	274	1.71	-	36.29	8.66	35.08
RMS	7.2008G	51.92	68.20	-16.28	41.91	3	Vertical	274	1.71	-	36.40	8.70	35.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	106.26	Inf	-Inf	97.57	3	Horizontal	198	1.69	-	35.68	8.02	35.01
RMS	6.8578G	96.32	Inf	-Inf	87.63	3	Horizontal	198	1.69	-	35.68	8.02	35.01
PK	7.1938G	62.20	88.20	-26.00	52.24	3	Horizontal	198	1.69	-	36.36	8.69	35.09
RMS	7.205G	51.95	68.20	-16.25	41.91	3	Horizontal	198	1.69	-	36.43	8.70	35.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72284G	63.49	88.20	-24.71	41.39	3	Vertical	133	1.80	-	40.65	14.48	33.03
RMS	13.70982G	52.25	68.20	-15.95	30.21	3	Vertical	133	1.80	-	40.62	14.47	33.05

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70988G	63.66	88.20	-24.54	41.62	3	Horizontal	110	1.76	-	40.62	14.47	33.05
RMS	13.70988G	54.22	68.20	-13.98	32.18	3	Horizontal	110	1.76	-	40.62	14.47	33.05

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56886G	54.97	83.54	-28.57	33.77	1	Vertical	338	1.53	-	37.73	15.24	31.77
AV	20.56792G	42.77	63.54	-20.77	21.57	1	Vertical	338	1.53	-	37.73	15.24	31.77

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5622G	54.95	83.54	-28.59	33.75	1	Horizontal	156	1.58	-	37.72	15.24	31.76
AV	20.56722G	42.77	63.54	-20.77	21.56	1	Horizontal	156	1.58	-	37.73	15.24	31.76

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8786G	107.47	Inf	-Inf	98.78	3	Vertical	274	1.67	-	35.64	8.06	35.01
RMS	6.8798G	97.41	Inf	-Inf	88.72	3	Vertical	274	1.67	-	35.64	8.06	35.01
PK	7.1294G	61.89	88.20	-26.31	52.41	3	Vertical	274	1.67	-	35.98	8.56	35.06
RMS	7.1702G	51.54	68.20	-16.66	41.76	3	Vertical	274	1.67	-	36.22	8.64	35.08

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8786G	106.61	Inf	-Inf	97.92	3	Horizontal	197	1.76	-	35.64	8.06	35.01
RMS	6.8786G	94.87	Inf	-Inf	86.18	3	Horizontal	197	1.76	-	35.64	8.06	35.01
PK	7.1306G	62.19	88.20	-26.01	52.71	3	Horizontal	197	1.76	-	35.98	8.56	35.06
RMS	7.1726G	50.30	68.20	-17.90	40.49	3	Horizontal	197	1.76	-	36.24	8.65	35.08

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75762G	63.49	88.20	-24.71	41.26	3	Vertical	131	1.80	-	40.72	14.51	33.00
RMS	13.74982G	52.60	68.20	-15.60	30.41	3	Vertical	131	1.80	-	40.70	14.50	33.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74982G	64.04	88.20	-24.16	41.85	3	Horizontal	107	1.80	-	40.70	14.50	33.01
RMS	13.74988G	53.82	68.20	-14.38	31.63	3	Horizontal	107	1.80	-	40.70	14.50	33.01

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62362G	55.41	83.54	-28.13	34.26	1	Vertical	143	1.52	-	37.75	15.26	31.86
AV	20.62624G	43.12	63.54	-20.42	21.97	1	Vertical	143	1.52	-	37.75	15.26	31.86

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62816G	55.11	83.54	-28.43	33.97	1	Horizontal	133	1.54	-	37.75	15.26	31.87
AV	20.62606G	43.12	63.54	-20.42	21.97	1	Horizontal	133	1.54	-	37.75	15.26	31.86

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.901G	105.45	Inf	-Inf	96.76	3	Vertical	276	1.71	-	35.60	8.10	35.01
RMS	6.8998G	96.81	Inf	-Inf	88.12	3	Vertical	276	1.71	-	35.60	8.10	35.01
PK	7.1854G	61.45	88.20	-26.75	51.56	3	Vertical	276	1.71	-	36.31	8.67	35.09
RMS	7.195G	51.81	68.20	-16.39	41.84	3	Vertical	276	1.71	-	36.37	8.69	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 7
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8998G	104.23	Inf	-Inf	95.54	3	Horizontal	196	1.83	-	35.60	8.10	35.01
RMS	6.8986G	93.73	Inf	-Inf	85.04	3	Horizontal	196	1.83	-	35.60	8.10	35.01
PK	7.1302G	61.61	88.20	-26.59	52.13	3	Horizontal	196	1.83	-	35.98	8.56	35.06
RMS	7.1938G	50.87	68.20	-17.33	40.91	3	Horizontal	196	1.83	-	36.36	8.69	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7957G	63.93	88.20	-24.27	41.56	3	Vertical	135	1.80	-	40.79	14.54	32.96
RMS	13.78994G	52.72	68.20	-15.48	30.37	3	Vertical	135	1.80	-	40.78	14.53	32.96

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 7
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8002G	64.89	88.20	-23.31	42.50	3	Horizontal	110	1.80	-	40.80	14.54	32.95
RMS	13.78982G	55.16	68.20	-13.04	32.81	3	Horizontal	110	1.80	-	40.78	14.53	32.96

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68108G	55.29	83.54	-28.25	34.21	1	Vertical	261	1.55	-	37.77	15.27	31.96
AV	20.68354G	43.09	63.54	-20.45	22.01	1	Vertical	261	1.55	-	37.77	15.27	31.96

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 7
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68092G	54.94	83.54	-28.60	33.86	1	Horizontal	224	1.52	-	37.77	15.27	31.96
AV	20.6858G	43.08	63.54	-20.46	22.01	1	Horizontal	224	1.52	-	37.77	15.27	31.97

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 7.5
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0006G	110.04	Inf	-Inf	101.04	3	Vertical	273	1.78	-	35.70	8.30	35.00
RMS	6.999G	98.52	Inf	-Inf	89.52	3	Vertical	273	1.78	-	35.70	8.30	35.00
PK	7.1838G	63.07	88.20	-25.13	53.18	3	Vertical	273	1.78	-	36.30	8.67	35.08
RMS	7.1894G	50.85	88.20	-37.35	40.92	3	Vertical	273	1.78	-	36.34	8.68	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 7.5
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9998G	105.72	Inf	-Inf	96.72	3	Horizontal	195	1.80	-	35.70	8.30	35.00
RMS	6.9982G	95.48	Inf	-Inf	86.48	3	Horizontal	195	1.80	-	35.70	8.30	35.00
PK	7.1286G	62.14	88.20	-26.06	52.67	3	Horizontal	195	1.80	-	35.97	8.56	35.06
RMS	7.195G	51.87	68.20	-16.33	41.90	3	Horizontal	195	1.80	-	36.37	8.69	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 7.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00488G	63.66	88.20	-24.54	40.50	3	Vertical	188	1.77	-	41.21	14.70	32.75
RMS	13.98958G	51.85	68.20	-16.35	28.73	3	Vertical	188	1.77	-	41.18	14.69	32.75

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 7.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99024G	65.09	88.20	-23.11	41.97	3	Horizontal	113	1.79	-	41.18	14.69	32.75
RMS	13.98982G	55.51	68.20	-12.69	32.39	3	Horizontal	113	1.79	-	41.18	14.69	32.75

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 7.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98122G	55.61	83.54	-27.93	34.47	1	Vertical	66	1.53	-	38.26	15.35	32.47
AV	20.98516G	43.16	63.54	-20.38	22.01	1	Vertical	66	1.53	-	38.27	15.35	32.47

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 7.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98932G	55.69	83.54	-27.85	34.54	1	Horizontal	144	1.53	-	38.28	15.35	32.48
AV	20.98768G	43.18	63.54	-20.36	22.03	1	Horizontal	144	1.53	-	38.28	15.35	32.48

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 7.5
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0998G	108.60	Inf	-Inf	99.35	3	Vertical	274	1.69	-	35.80	8.50	35.05
RMS	7.0994G	98.37	Inf	-Inf	89.12	3	Vertical	274	1.69	-	35.80	8.50	35.05
PK	7.1902G	62.44	88.20	-25.76	52.51	3	Vertical	274	1.69	-	36.34	8.68	35.09
RMS	7.1938G	52.06	68.20	-16.14	42.10	3	Vertical	274	1.69	-	36.36	8.69	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 7.5
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1002G	103.69	Inf	-Inf	94.44	3	Horizontal	197	1.97	-	35.80	8.50	35.05
RMS	7.0998G	93.54	Inf	-Inf	84.29	3	Horizontal	197	1.97	-	35.80	8.50	35.05
PK	7.1634G	62.53	88.20	-25.67	52.80	3	Horizontal	197	1.97	-	36.18	8.63	35.08
RMS	7.1946G	52.04	68.20	-16.16	42.07	3	Horizontal	197	1.97	-	36.37	8.69	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 7.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1999G	64.98	88.20	-23.22	41.46	3	Vertical	179	1.80	-	41.60	14.90	32.98
RMS	14.18988G	52.95	68.20	-15.25	29.44	3	Vertical	179	1.80	-	41.59	14.89	32.97

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 7.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18976G	65.05	88.20	-23.15	41.54	3	Horizontal	112	1.80	-	41.59	14.89	32.97
RMS	14.18994G	55.48	68.20	-12.72	31.97	3	Horizontal	112	1.80	-	41.59	14.89	32.97

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 6.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28824G	55.04	83.54	-28.50	34.57	1	Vertical	90	1.50	-	38.07	15.42	33.02
AV	21.283G	42.99	63.54	-20.55	22.52	1	Vertical	90	1.50	-	38.07	15.42	33.02

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 6.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28318G	55.63	83.54	-27.91	35.16	1	Horizontal	5	1.58	-	38.07	15.42	33.02
AV	21.28002G	43.00	63.54	-20.54	22.51	1	Horizontal	5	1.58	-	38.08	15.42	33.01

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 6
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1187G	105.76	Inf	-Inf	96.36	3	Vertical	270	1.53	-	35.91	8.54	35.05
RMS	7.11873G	95.13	Inf	-Inf	85.73	3	Vertical	270	1.53	-	35.91	8.54	35.05
PK	7.1255G	79.51	88.20	-8.69	70.07	3	Vertical	270	1.53	BP 1MHz	35.95	8.55	35.06
RMS	7.1255G	67.91	68.20	-0.29	58.47	3	Vertical	270	1.53	BP 1MHz	35.95	8.55	35.06

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 6
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10868G	102.29	Inf	-Inf	92.97	3	Horizontal	131	1.54	-	35.85	8.52	35.05
RMS	7.10878G	91.18	Inf	-Inf	81.86	3	Horizontal	131	1.54	-	35.85	8.52	35.05
PK	7.1255G	72.69	88.20	-15.51	63.25	3	Horizontal	131	1.54	BP 1MHz	35.95	8.55	35.06
RMS	7.1255G	62.15	68.20	-6.05	52.71	3	Horizontal	131	1.54	BP 1MHz	35.95	8.55	35.06

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 6
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22928G	65.51	88.20	-22.69	42.00	3	Vertical	186	1.80	-	41.60	14.93	33.02
RMS	14.2297G	52.47	68.20	-15.73	28.96	3	Vertical	186	1.80	-	41.60	14.93	33.02

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 6
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22994G	65.00	88.20	-23.20	41.49	3	Horizontal	115	1.80	-	41.60	14.93	33.02
RMS	14.22982G	54.74	68.20	-13.46	31.23	3	Horizontal	115	1.80	-	41.60	14.93	33.02

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 6
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34658G	55.93	83.54	-27.61	35.60	1	Vertical	67	1.53	-	38.02	15.44	33.13
AV	21.34838G	42.74	63.54	-20.80	22.41	1	Vertical	67	1.53	-	38.02	15.44	33.13

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT Y_4TX
Setting 6
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3402G	55.58	83.54	-27.96	35.23	1	Horizontal	49	1.56	-	38.03	15.44	33.12
AV	21.34838G	42.74	63.54	-20.80	22.41	1	Horizontal	49	1.56	-	38.02	15.44	33.13

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TX




EUT Y_4TX
Setting 11.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	61.74	88.20	-26.46	54.75	3	Vertical	247	2.08	-	34.68	7.26	34.95
RMS	5.9126G	50.79	68.20	-17.41	43.83	3	Vertical	247	2.08	-	34.65	7.26	34.95
PK	6.1202G	108.85	Inf	-Inf	101.35	3	Vertical	247	2.08	-	35.00	7.48	34.98
RMS	6.1202G	99.05	Inf	-Inf	91.55	3	Vertical	247	2.08	-	35.00	7.48	34.98

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TX




EUT Y_4TX
Setting 11.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8814G	61.48	88.20	-26.72	54.69	3	Horizontal	209	1.80	-	34.49	7.24	34.94
RMS	5.915G	50.75	68.20	-17.45	43.78	3	Horizontal	209	1.80	-	34.66	7.26	34.95
PK	6.1226G	109.67	Inf	-Inf	102.17	3	Horizontal	209	1.80	-	35.00	7.48	34.98
RMS	6.1226G	99.50	Inf	-Inf	92.00	3	Horizontal	209	1.80	-	35.00	7.48	34.98

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TX




EUT Y_4TX
Setting 11.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2605G	59.27	74.00	-14.73	42.01	3	Vertical	177	1.79	-	38.80	13.31	34.85
AV	12.24988G	47.74	54.00	-6.26	30.51	3	Vertical	177	1.79	-	38.80	13.30	34.87

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TX




EUT Y_4TX
Setting 11.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24292G	58.72	74.00	-15.28	41.50	3	Horizontal	310	1.80	-	38.80	13.29	34.87
AV	12.24988G	46.87	54.00	-7.13	29.64	3	Horizontal	310	1.80	-	38.80	13.30	34.87

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Y_4TX
Setting 11.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37408G	57.24	83.54	-26.30	34.60	1	Vertical	104	1.56	-	37.55	14.53	29.44
AV	18.37908G	45.04	63.54	-18.50	22.40	1	Vertical	104	1.56	-	37.55	14.53	29.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TX




EUT Y_4TX
Setting 11.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37112G	56.70	83.54	-26.84	34.06	1	Horizontal	13	1.53	-	37.55	14.53	29.44
AV	18.37562G	45.02	63.54	-18.52	22.38	1	Horizontal	13	1.53	-	37.55	14.53	29.44

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TX




EUT Y_4TX
Setting 10.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	61.03	88.20	-27.17	54.03	3	Vertical	280	2.13	-	34.69	7.26	34.95
RMS	5.9138G	50.73	68.20	-17.47	43.76	3	Vertical	280	2.13	-	34.66	7.26	34.95
PK	6.2498G	108.22	Inf	-Inf	100.62	3	Vertical	280	2.13	-	35.00	7.60	35.00
RMS	6.2482G	98.85	Inf	-Inf	91.24	3	Vertical	280	2.13	-	35.01	7.60	35.00

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TX




EUT Y_4TX
Setting 10.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	60.62	88.20	-27.58	53.64	3	Horizontal	209	1.76	-	34.67	7.26	34.95
RMS	5.9026G	50.76	68.20	-17.44	43.85	3	Horizontal	209	1.76	-	34.61	7.25	34.95
PK	6.2418G	108.61	Inf	-Inf	100.98	3	Horizontal	209	1.76	-	35.03	7.60	35.00
RMS	6.2418G	98.80	Inf	-Inf	91.17	3	Horizontal	209	1.76	-	35.03	7.60	35.00

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TX




EUT_Y_4TX
Setting 10.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.49066G	59.62	74.00	-14.38	41.95	3	Vertical	131	1.80	-	38.81	13.49	34.63
AV	12.48982G	48.47	54.00	-5.53	30.80	3	Vertical	131	1.80	-	38.81	13.49	34.63

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TX




EUT_Y_4TX
Setting 10.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.49012G	60.41	74.00	-13.59	42.74	3	Horizontal	112	1.36	-	38.81	13.49	34.63
AV	12.48982G	49.95	54.00	-4.05	32.28	3	Horizontal	112	1.36	-	38.81	13.49	34.63

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TX




EUT Y_4TX
Setting 10.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73518G	57.57	83.54	-25.97	34.90	1	Vertical	327	1.58	-	37.69	14.66	29.68
AV	18.73824G	44.87	63.54	-18.67	22.19	1	Vertical	327	1.58	-	37.70	14.66	29.68

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TX




EUT Y_4TX
Setting 10.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73372G	57.22	83.54	-26.32	34.55	1	Horizontal	300	1.55	-	37.69	14.66	29.68
AV	18.738G	44.86	63.54	-18.68	22.18	1	Horizontal	300	1.55	-	37.70	14.66	29.68

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	60.74	88.20	-27.46	53.78	3	Vertical	252	2.12	-	34.65	7.26	34.95
RMS	5.8986G	50.73	68.20	-17.47	43.84	3	Vertical	252	2.12	-	34.59	7.25	34.95
PK	6.4002G	108.09	Inf	-Inf	100.61	3	Vertical	252	2.12	-	34.90	7.60	35.02
RMS	6.4002G	97.52	Inf	-Inf	90.04	3	Vertical	252	2.12	-	34.90	7.60	35.02

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	61.80	88.20	-26.40	55.02	3	Horizontal	192	1.75	-	34.48	7.24	34.94
RMS	5.8938G	50.71	68.20	-17.49	43.85	3	Horizontal	192	1.75	-	34.56	7.25	34.95
PK	6.4098G	106.94	Inf	-Inf	99.50	3	Horizontal	192	1.75	-	34.86	7.60	35.02
RMS	6.4026G	96.82	Inf	-Inf	89.35	3	Horizontal	192	1.75	-	34.89	7.60	35.02

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81618G	60.28	88.20	-27.92	41.31	3	Vertical	133	1.80	-	39.32	13.75	34.10
RMS	12.80994G	49.87	68.20	-18.33	30.92	3	Vertical	133	1.80	-	39.31	13.75	34.11

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81G	61.13	88.20	-27.07	42.18	3	Horizontal	284	1.55	-	39.31	13.75	34.11
RMS	12.80988G	50.46	68.20	-17.74	31.51	3	Horizontal	284	1.55	-	39.31	13.75	34.11

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21778G	56.59	83.54	-26.95	34.19	1	Vertical	308	1.56	-	37.59	14.83	30.02
AV	19.21002G	44.41	63.54	-19.13	22.02	1	Vertical	308	1.56	-	37.58	14.82	30.01

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2103G	57.01	83.54	-26.53	34.63	1	Horizontal	324	1.58	-	37.58	14.82	30.02
AV	19.21182G	44.51	63.54	-19.03	22.13	1	Horizontal	324	1.58	-	37.58	14.82	30.02

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 8.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	60.93	88.20	-27.27	54.04	3	Vertical	245	2.03	-	34.59	7.25	34.95
RMS	5.8912G	50.71	68.20	-17.49	43.86	3	Vertical	245	2.03	-	34.55	7.25	34.95
PK	6.4398G	106.90	Inf	-Inf	99.56	3	Vertical	245	2.03	-	34.74	7.62	35.02
RMS	6.4398G	97.23	Inf	-Inf	89.89	3	Vertical	245	2.03	-	34.74	7.62	35.02

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 8.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	60.81	88.20	-27.39	53.87	3	Horizontal	179	1.85	-	34.64	7.25	34.95
RMS	5.8938G	50.71	68.20	-17.49	43.85	3	Horizontal	179	1.85	-	34.56	7.25	34.95
PK	6.4476G	106.90	Inf	-Inf	99.59	3	Horizontal	179	1.85	-	34.71	7.62	35.02
RMS	6.4476G	95.46	Inf	-Inf	88.15	3	Horizontal	179	1.85	-	34.71	7.62	35.02

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 8.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89588G	60.86	88.20	-27.34	41.60	3	Vertical	132	1.80	-	39.40	13.82	33.96
RMS	12.88982G	49.78	68.20	-18.42	30.55	3	Vertical	132	1.80	-	39.39	13.81	33.97

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 8.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89066G	60.68	88.20	-27.52	41.45	3	Horizontal	130	1.80	-	39.39	13.81	33.97
RMS	12.88976G	49.18	68.20	-19.02	29.95	3	Horizontal	130	1.80	-	39.39	13.81	33.97

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 8.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3374G	54.60	83.54	-28.94	32.23	1	Vertical	88	1.53	-	37.63	14.87	30.13
AV	19.33458G	42.32	63.54	-21.22	19.94	1	Vertical	88	1.53	-	37.63	14.87	30.12

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX
Setting 8.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33684G	54.19	83.54	-29.35	31.82	1	Horizontal	5	1.57	-	37.63	14.87	30.13
AV	19.3318G	42.19	63.54	-21.35	19.81	1	Horizontal	5	1.57	-	37.63	14.87	30.12

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	60.69	88.20	-27.51	53.69	3	Vertical	258	2.16	-	34.69	7.26	34.95
RMS	5.9082G	50.71	68.20	-17.49	43.78	3	Vertical	258	2.16	-	34.63	7.25	34.95
PK	6.4822G	107.33	Inf	-Inf	100.02	3	Vertical	258	2.16	-	34.70	7.64	35.03
RMS	6.4822G	97.39	Inf	-Inf	90.08	3	Vertical	258	2.16	-	34.70	7.64	35.03
PK	7.1738G	61.79	88.20	-26.41	51.98	3	Vertical	258	2.16	-	36.24	8.65	35.08
RMS	7.1794G	51.66	68.20	-16.54	41.80	3	Vertical	258	2.16	-	36.28	8.66	35.08

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	60.79	88.20	-27.41	53.78	3	Horizontal	137	1.79	-	34.70	7.26	34.95
RMS	5.9026G	50.74	68.20	-17.46	43.83	3	Horizontal	137	1.79	-	34.61	7.25	34.95
PK	6.4822G	106.93	Inf	-Inf	99.62	3	Horizontal	137	1.79	-	34.70	7.64	35.03
RMS	6.4822G	95.93	Inf	-Inf	88.62	3	Horizontal	137	1.79	-	34.70	7.64	35.03
PK	7.1542G	62.06	88.20	-26.14	52.39	3	Horizontal	137	1.79	-	36.13	8.61	35.07
RMS	7.185G	51.71	68.20	-16.49	41.82	3	Horizontal	137	1.79	-	36.31	8.67	35.09

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9805G	60.37	88.20	-27.83	40.83	3	Vertical	130	1.80	-	39.48	13.88	33.82
RMS	12.96988G	48.71	68.20	-19.49	29.20	3	Vertical	130	1.80	-	39.47	13.88	33.84

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96766G	58.91	88.20	-29.29	39.41	3	Horizontal	134	1.00	-	39.47	13.87	33.84
RMS	12.96976G	47.72	68.20	-20.48	28.21	3	Horizontal	134	1.00	-	39.47	13.88	33.84

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45564G	55.10	83.54	-28.44	32.74	1	Vertical	131	1.57	-	37.68	14.91	30.23
AV	19.45618G	42.85	63.54	-20.69	20.49	1	Vertical	131	1.57	-	37.68	14.91	30.23

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45638G	54.96	83.54	-28.58	32.60	1	Horizontal	9	1.50	-	37.68	14.91	30.23
AV	19.45568G	42.86	63.54	-20.68	20.50	1	Horizontal	9	1.50	-	37.68	14.91	30.23

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 8
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8726G	61.55	88.20	-26.65	54.81	3	Vertical	250	2.05	-	34.44	7.24	34.94
RMS	5.9118G	50.69	68.20	-17.51	43.73	3	Vertical	250	2.05	-	34.65	7.26	34.95
PK	6.5222G	106.90	Inf	-Inf	99.48	3	Vertical	250	2.05	-	34.79	7.66	35.03
RMS	6.5222G	96.85	Inf	-Inf	89.43	3	Vertical	250	2.05	-	34.79	7.66	35.03
PK	7.1466G	62.07	88.20	-26.13	52.47	3	Vertical	250	2.05	-	36.08	8.59	35.07
RMS	7.225G	52.02	68.20	-16.18	41.87	3	Vertical	250	2.05	-	36.55	8.70	35.10

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 8
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	61.64	88.20	-26.56	54.70	3	Horizontal	137	1.80	-	34.64	7.25	34.95
RMS	5.895G	50.68	68.20	-17.52	43.81	3	Horizontal	137	1.80	-	34.57	7.25	34.95
PK	6.5222G	104.99	Inf	-Inf	97.57	3	Horizontal	137	1.80	-	34.79	7.66	35.03
RMS	6.5222G	95.70	Inf	-Inf	88.28	3	Horizontal	137	1.80	-	34.79	7.66	35.03
PK	7.2138G	61.73	88.20	-26.47	51.65	3	Horizontal	137	1.80	-	36.48	8.70	35.10
RMS	7.2138G	52.00	68.20	-16.20	41.92	3	Horizontal	137	1.80	-	36.48	8.70	35.10

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04982G	62.02	88.20	-26.18	42.17	3	Vertical	130	1.80	-	39.65	13.94	33.74
RMS	13.04982G	50.50	68.20	-17.70	30.65	3	Vertical	130	1.80	-	39.65	13.94	33.74

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05216G	60.91	88.20	-27.29	41.05	3	Horizontal	134	1.80	-	39.66	13.94	33.74
RMS	13.04994G	49.55	68.20	-18.65	29.70	3	Horizontal	134	1.80	-	39.65	13.94	33.74

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5741G	54.86	83.54	-28.68	32.60	1	Vertical	44	1.52	-	37.67	14.95	30.36
AV	19.5735G	42.89	63.54	-20.65	20.63	1	Vertical	44	1.52	-	37.67	14.95	30.36

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57156G	56.10	83.54	-27.44	33.84	1	Horizontal	302	1.55	-	37.67	14.95	30.36
AV	19.5712G	43.02	63.54	-20.52	20.76	1	Horizontal	302	1.55	-	37.67	14.95	30.36

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	107.07	Inf	-Inf	99.48	3	Vertical	252	1.99	-	34.94	7.68	35.03
RMS	6.5602G	97.12	Inf	-Inf	89.53	3	Vertical	252	1.99	-	34.94	7.68	35.03
PK	7.1362G	61.18	88.20	-27.02	51.65	3	Vertical	252	1.99	-	36.02	8.57	35.06
RMS	7.165G	51.61	68.20	-16.59	41.87	3	Vertical	252	1.99	-	36.19	8.63	35.08

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	107.00	Inf	-Inf	99.40	3	Horizontal	136	1.74	-	34.95	7.68	35.03
RMS	6.5626G	95.37	Inf	-Inf	87.77	3	Horizontal	136	1.74	-	34.95	7.68	35.03
PK	7.1434G	61.20	88.20	-27.00	51.62	3	Horizontal	136	1.74	-	36.06	8.59	35.07
RMS	7.1602G	51.51	68.20	-16.69	41.80	3	Horizontal	136	1.74	-	36.16	8.62	35.07

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14446G	62.80	88.20	-25.40	42.58	3	Vertical	128	1.87	-	39.84	14.02	33.64
RMS	13.12988G	51.99	68.20	-16.21	31.81	3	Vertical	128	1.87	-	39.83	14.00	33.65

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12958G	62.57	88.20	-25.63	42.40	3	Horizontal	142	1.80	-	39.83	14.00	33.66
RMS	13.12988G	51.84	68.20	-16.36	31.66	3	Horizontal	142	1.80	-	39.83	14.00	33.65

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6991G	54.02	83.54	-29.52	31.93	1	Vertical	359	1.58	-	37.62	14.99	30.52
AV	19.69918G	41.86	63.54	-21.68	19.77	1	Vertical	359	1.58	-	37.62	14.99	30.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69484G	54.44	83.54	-29.10	32.35	1	Horizontal	262	1.54	-	37.62	14.99	30.52
AV	19.69936G	41.86	63.54	-21.68	19.77	1	Horizontal	262	1.54	-	37.62	14.99	30.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6725MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.725G	105.62	Inf	-Inf	97.31	3	Vertical	274	2.90	-	35.50	7.83	35.02
RMS	6.727G	95.69	Inf	-Inf	87.37	3	Vertical	274	2.90	-	35.51	7.83	35.02
PK	7.125G	62.58	88.20	-25.62	53.14	3	Vertical	274	2.90	-	35.95	8.55	35.06
RMS	7.215G	52.04	68.20	-16.16	41.95	3	Vertical	274	2.90	-	36.49	8.70	35.10

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6725MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.729G	106.39	Inf	-Inf	98.06	3	Horizontal	186	1.69	-	35.52	7.83	35.02
RMS	6.727G	95.11	Inf	-Inf	86.79	3	Horizontal	186	1.69	-	35.51	7.83	35.02
PK	7.205G	62.20	88.20	-26.00	52.16	3	Horizontal	186	1.69	-	36.43	8.70	35.09
RMS	7.211G	51.97	68.20	-16.23	41.90	3	Horizontal	186	1.69	-	36.47	8.70	35.10

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6725MHz_TX




EUT_Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.44976G	62.33	88.20	-25.87	41.04	3	Vertical	129	2.07	-	40.35	14.26	33.32
AV	13.44988G	51.30	68.20	-16.90	30.01	3	Vertical	129	2.07	-	40.35	14.26	33.32

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6725MHz_TX




EUT Y_4TX
Setting 8
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.44982G	63.35	88.20	-24.85	42.06	3	Horizontal	113	2.98	-	40.35	14.26	33.32
RMS	13.44988G	53.53	68.20	-14.67	32.24	3	Horizontal	113	2.98	-	40.35	14.26	33.32

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6725MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.17794G	56.87	83.54	-26.67	35.36	1	Vertical	278	1.54	-	37.54	15.14	31.17
AV	20.1708G	44.93	63.54	-18.61	23.41	1	Vertical	278	1.54	-	37.54	15.14	31.16

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6725MHz_TX




EUT Y_4TX
Setting 8
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1798G	57.34	83.54	-26.20	35.83	1	Horizontal	286	1.57	-	37.54	15.14	31.17
AV	20.17098G	44.93	63.54	-18.61	23.41	1	Horizontal	286	1.57	-	37.54	15.14	31.16

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.681G	110.69	Inf	-Inf	102.57	3	Vertical	258	2.26	-	35.36	7.78	35.02
RMS	6.683G	102.06	Inf	-Inf	93.93	3	Vertical	258	2.26	-	35.37	7.78	35.02
PK	7.179G	62.06	88.20	-26.14	52.21	3	Vertical	258	2.26	-	36.27	8.66	35.08
RMS	7.181G	51.72	68.20	-16.48	41.85	3	Vertical	258	2.26	-	36.29	8.66	35.08

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	109.84	Inf	-Inf	101.69	3	Horizontal	198	1.78	-	35.38	7.79	35.02
RMS	6.689G	99.41	Inf	-Inf	91.26	3	Horizontal	198	1.78	-	35.38	7.79	35.02
PK	7.149G	61.97	88.20	-26.23	52.35	3	Horizontal	198	1.78	-	36.09	8.60	35.07
RMS	7.185G	51.72	68.20	-16.48	41.83	3	Horizontal	198	1.78	-	36.31	8.67	35.09

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36292G	62.27	74.00	-11.73	41.26	3	Vertical	185	1.80	-	40.23	14.19	33.41
AV	13.37G	49.94	54.00	-4.06	28.91	3	Vertical	185	1.80	-	40.24	14.20	33.41

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37006G	62.89	74.00	-11.11	41.86	3	Horizontal	118	2.97	-	40.24	14.20	33.41
AV	13.36988G	53.32	54.00	-0.68	32.29	3	Horizontal	118	2.97	-	40.24	14.20	33.41

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05092G	56.23	83.54	-27.31	34.66	1	Vertical	273	1.51	-	37.44	15.11	30.98
AV	20.06G	44.19	63.54	-19.35	22.61	1	Vertical	273	1.51	-	37.45	15.12	30.99

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 12
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05574G	56.68	83.54	-26.86	35.11	1	Horizontal	66	1.52	-	37.44	15.11	30.98
AV	20.05986G	44.18	63.54	-19.36	22.61	1	Horizontal	66	1.52	-	37.45	15.11	30.99

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8514G	106.64	Inf	-Inf	97.95	3	Vertical	273	1.69	-	35.70	8.00	35.01
RMS	6.8482G	97.60	Inf	-Inf	88.91	3	Vertical	273	1.69	-	35.70	8.00	35.01
PK	7.1906G	62.74	88.20	-25.46	52.81	3	Vertical	273	1.69	-	36.34	8.68	35.09
RMS	7.2242G	51.99	68.20	-16.21	41.84	3	Vertical	273	1.69	-	36.55	8.70	35.10

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8482G	105.70	Inf	-Inf	97.01	3	Horizontal	199	1.68	-	35.70	8.00	35.01
RMS	6.8482G	95.91	Inf	-Inf	87.22	3	Horizontal	199	1.68	-	35.70	8.00	35.01
PK	7.2306G	62.34	88.20	-25.86	52.17	3	Horizontal	199	1.68	-	36.58	8.70	35.11
RMS	7.205G	51.97	68.20	-16.23	41.93	3	Horizontal	199	1.68	-	36.43	8.70	35.09

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 9
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70386G	63.37	88.20	-24.83	41.35	3	Vertical	183	1.80	-	40.61	14.46	33.05
RMS	13.68994G	51.96	68.20	-16.24	29.99	3	Vertical	183	1.80	-	40.59	14.45	33.07

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 9
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68988G	64.14	88.20	-24.06	42.17	3	Horizontal	110	1.80	-	40.59	14.45	33.07
RMS	13.68994G	54.30	68.20	-13.90	32.33	3	Horizontal	110	1.80	-	40.59	14.45	33.07

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53434G	55.00	83.54	-28.54	33.77	1	Vertical	261	1.55	-	37.71	15.23	31.71
AV	20.53006G	42.56	63.54	-20.98	21.32	1	Vertical	261	1.55	-	37.71	15.23	31.70

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53848G	54.84	83.54	-28.70	33.61	1	Horizontal	320	1.58	-	37.72	15.23	31.72
AV	20.53082G	42.76	63.54	-20.78	21.52	1	Horizontal	320	1.58	-	37.71	15.23	31.70

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 9
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8906G	106.21	Inf	-Inf	97.52	3	Vertical	285	2.04	-	35.62	8.08	35.01
RMS	6.8892G	96.95	Inf	-Inf	88.26	3	Vertical	285	2.04	-	35.62	8.08	35.01
PK	7.2056G	62.16	88.20	-26.04	52.12	3	Vertical	285	2.04	-	36.43	8.70	35.09
RMS	7.221G	51.99	68.20	-16.21	41.86	3	Vertical	285	2.04	-	36.53	8.70	35.10

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 9
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	105.45	Inf	-Inf	96.76	3	Horizontal	198	1.72	-	35.62	8.08	35.01
RMS	6.8878G	95.53	Inf	-Inf	86.84	3	Horizontal	198	1.72	-	35.62	8.08	35.01
PK	7.2336G	63.32	88.20	-24.88	53.13	3	Horizontal	198	1.72	-	36.60	8.70	35.11
RMS	7.2014G	52.01	68.20	-16.19	41.99	3	Horizontal	198	1.72	-	36.41	8.70	35.09

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 9
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78206G	63.92	88.20	-24.28	41.60	3	Vertical	182	1.80	-	40.76	14.53	32.97
RMS	13.76976G	52.20	68.20	-16.00	29.92	3	Vertical	182	1.80	-	40.74	14.52	32.98

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 9
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76988G	64.71	88.20	-23.49	42.43	3	Horizontal	112	1.80	-	40.74	14.52	32.98
RMS	13.76988G	55.21	68.20	-12.99	32.93	3	Horizontal	112	1.80	-	40.74	14.52	32.98

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 9
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6541G	56.20	83.54	-27.34	35.09	1	Vertical	283	1.52	-	37.76	15.26	31.91
AV	20.65014G	43.13	63.54	-20.41	22.02	1	Vertical	283	1.52	-	37.76	15.26	31.91

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 9
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65654G	54.97	83.54	-28.57	33.87	1	Horizontal	211	1.57	-	37.76	15.26	31.92
AV	20.65028G	43.13	63.54	-20.41	22.02	1	Horizontal	211	1.57	-	37.76	15.26	31.91

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9298G	108.63	Inf	-Inf	99.81	3	Vertical	277	1.68	-	35.66	8.16	35.00
RMS	6.9286G	97.21	Inf	-Inf	88.39	3	Vertical	277	1.68	-	35.66	8.16	35.00
PK	7.141G	62.59	88.20	-25.61	53.02	3	Vertical	277	1.68	-	36.05	8.58	35.06
RMS	7.2214G	52.05	68.20	-16.15	41.92	3	Vertical	277	1.68	-	36.53	8.70	35.10

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9274G	104.06	Inf	-Inf	95.26	3	Horizontal	196	1.76	-	35.65	8.15	35.00
RMS	6.9286G	95.19	Inf	-Inf	86.37	3	Horizontal	196	1.76	-	35.66	8.16	35.00
PK	7.2214G	62.56	88.20	-25.64	52.43	3	Horizontal	196	1.76	-	36.53	8.70	35.10
RMS	7.207G	52.02	68.20	-16.18	41.98	3	Horizontal	196	1.76	-	36.44	8.70	35.10

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 9
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84982G	63.76	88.20	-24.44	41.18	3	Vertical	205	1.80	-	40.90	14.58	32.90
RMS	13.84988G	52.09	68.20	-16.11	29.51	3	Vertical	205	1.80	-	40.90	14.58	32.90

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 9
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84982G	65.52	88.20	-22.68	42.94	3	Horizontal	109	1.80	-	40.90	14.58	32.90
RMS	13.84994G	54.96	68.20	-13.24	32.38	3	Horizontal	109	1.80	-	40.90	14.58	32.90

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77956G	54.70	83.54	-28.84	33.68	1	Vertical	184	1.57	-	37.86	15.29	32.13
AV	20.7727G	42.76	63.54	-20.78	21.73	1	Vertical	184	1.57	-	37.85	15.29	32.11

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77962G	54.90	83.54	-28.64	33.88	1	Horizontal	132	1.57	-	37.86	15.29	32.13
AV	20.77304G	42.76	63.54	-20.78	21.73	1	Horizontal	132	1.57	-	37.85	15.29	32.11

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 9.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.009G	108.98	Inf	-Inf	99.96	3	Vertical	278	1.80	-	35.70	8.32	35.00
RMS	7.009G	97.81	Inf	-Inf	88.79	3	Vertical	278	1.80	-	35.70	8.32	35.00
PK	7.1986G	62.39	88.20	-25.81	52.39	3	Vertical	278	1.80	-	36.39	8.70	35.09
RMS	7.2042G	51.96	68.20	-16.24	41.92	3	Vertical	278	1.80	-	36.43	8.70	35.09

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 9.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0082G	104.68	Inf	-Inf	95.66	3	Horizontal	197	1.67	-	35.70	8.32	35.00
RMS	7.0074G	94.03	Inf	-Inf	85.02	3	Horizontal	197	1.67	-	35.70	8.31	35.00
PK	7.1978G	62.88	88.20	-25.32	52.88	3	Horizontal	197	1.67	-	36.39	8.70	35.09
RMS	7.2042G	52.02	68.20	-16.18	41.98	3	Horizontal	197	1.67	-	36.43	8.70	35.09

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 9.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00148G	65.05	88.20	-23.15	41.89	3	Vertical	203	1.80	-	41.20	14.70	32.74
RMS	14.0097G	52.20	68.20	-16.00	29.01	3	Vertical	203	1.80	-	41.23	14.71	32.75

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 9.5
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00982G	65.00	88.20	-23.20	41.81	3	Horizontal	112	1.80	-	41.23	14.71	32.75
RMS	14.00988G	55.72	68.20	-12.48	32.53	3	Horizontal	112	1.80	-	41.23	14.71	32.75

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 9.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01546G	55.78	83.54	-27.76	34.67	1	Vertical	52	1.58	-	38.29	15.35	32.53
AV	21.01306G	43.25	63.54	-20.29	22.13	1	Vertical	52	1.58	-	38.29	15.35	32.52

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 9.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01388G	54.99	83.54	-28.55	33.88	1	Horizontal	122	1.53	-	38.29	15.35	32.53
AV	21.01272G	43.25	63.54	-20.29	22.13	1	Horizontal	122	1.53	-	38.29	15.35	32.52

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.091G	108.25	Inf	-Inf	99.03	3	Vertical	274	1.68	-	35.78	8.48	35.04
RMS	7.0894G	97.88	Inf	-Inf	88.66	3	Vertical	274	1.68	-	35.78	8.48	35.04
PK	7.1374G	62.54	88.20	-25.66	53.01	3	Vertical	274	1.68	-	36.02	8.57	35.06
RMS	7.1846G	51.92	68.20	-16.28	42.02	3	Vertical	274	1.68	-	36.31	8.67	35.08

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0814G	103.59	Inf	-Inf	94.41	3	Horizontal	134	1.70	-	35.76	8.46	35.04
RMS	7.081G	93.48	Inf	-Inf	84.30	3	Horizontal	134	1.70	-	35.76	8.46	35.04
PK	7.1466G	62.59	88.20	-25.61	52.99	3	Horizontal	134	1.70	-	36.08	8.59	35.07
RMS	7.1842G	51.85	68.20	-16.35	41.95	3	Horizontal	134	1.70	-	36.31	8.67	35.08

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 9
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18326G	65.53	88.20	-22.67	42.03	3	Vertical	75	1.06	-	41.58	14.88	32.96
RMS	14.16922G	53.10	68.20	-15.10	29.60	3	Vertical	75	1.06	-	41.57	14.87	32.94

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 9
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16988G	66.78	88.20	-21.42	43.28	3	Horizontal	113	1.84	-	41.57	14.87	32.94
RMS	14.16982G	56.64	68.20	-11.56	33.14	3	Horizontal	113	1.84	-	41.57	14.87	32.94

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX
Setting 9
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25718G	55.15	83.54	-28.39	34.62	1	Vertical	91	1.56	-	38.09	15.41	32.97
AV	21.25384G	42.99	63.54	-20.55	22.44	1	Vertical	91	1.56	-	38.10	15.41	32.96

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 9
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25608G	55.05	83.54	-28.49	34.51	1	Horizontal	268	1.58	-	38.10	15.41	32.97
AV	21.25604G	42.80	63.54	-20.74	22.26	1	Horizontal	268	1.58	-	38.10	15.41	32.97

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 14
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	61.30	88.20	-26.90	54.42	3	Vertical	244	2.19	-	34.58	7.25	34.95
RMS	5.9074G	50.74	68.20	-17.46	43.81	3	Vertical	244	2.19	-	34.63	7.25	34.95
PK	6.1618G	108.93	Inf	-Inf	101.33	3	Vertical	244	2.19	-	35.05	7.54	34.99
RMS	6.1402G	98.70	Inf	-Inf	91.18	3	Vertical	244	2.19	-	35.00	7.51	34.99

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 14
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	61.67	88.20	-26.53	54.69	3	Horizontal	208	1.83	-	34.67	7.26	34.95
RMS	5.9122G	50.77	68.20	-17.43	43.81	3	Horizontal	208	1.83	-	34.65	7.26	34.95
PK	6.1426G	109.64	Inf	-Inf	102.12	3	Horizontal	208	1.83	-	35.00	7.51	34.99
RMS	6.1426G	99.25	Inf	-Inf	91.73	3	Horizontal	208	1.83	-	35.00	7.51	34.99

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 14
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.30104G	59.32	74.00	-14.68	41.99	3	Vertical	141	1.74	-	38.80	13.34	34.81
AV	12.28988G	49.48	54.00	-4.52	32.18	3	Vertical	141	1.74	-	38.80	13.33	34.83

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX



EUT_Y_4TX
Setting 14
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29G	60.93	74.00	-13.07	43.63	3	Horizontal	133	2.20	-	38.80	13.33	34.83
AV	12.28988G	52.00	54.00	-2.00	34.70	3	Horizontal	133	2.20	-	38.80	13.33	34.83