


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08994G	61.07	88.20	-27.13	46.60	3	Horizontal	317	1.86	-	39.70	8.78	34.01
RMS	13.0899G	53.61	68.20	-14.59	39.14	3	Horizontal	317	1.86	-	39.70	8.78	34.01

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.17644G	51.09	97.74	-46.65	42.60	1	Vertical	322	1.50	-	39.00	17.08	47.59
RMS	26.18398G	37.29	77.74	-40.45	28.80	1	Vertical	322	1.50	-	39.00	17.08	47.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	26.1825G	50.91	97.74	-46.83	42.42	1	Horizontal	204	1.50	-	39.00	17.08	47.59	
RMS	26.17718G	37.30	77.74	-40.44	28.81	1	Horizontal	204	1.50	-	39.00	17.08	47.59	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.625G	116.11	Inf	-Inf	106.27	3	Vertical	80	2.30	-	34.70	6.51	31.37	
RMS	6.6178G	106.68	Inf	-Inf	96.87	3	Vertical	80	2.30	-	34.67	6.51	31.37	
PK	7.141G	60.97	88.20	-27.23	50.30	3	Vertical	80	2.30	-	35.65	6.84	31.82	
RMS	7.2154G	52.38	68.20	-15.82	41.29	3	Vertical	80	2.30	-	36.06	6.89	31.86	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.661G	114.93	Inf	-Inf	104.97	3	Horizontal	60.7	2.30	-	34.84	6.53	31.41	
RMS	6.649G	104.80	Inf	-Inf	94.88	3	Horizontal	60.7	2.30	-	34.80	6.52	31.40	
PK	7.153G	62.40	88.20	-25.80	51.66	3	Horizontal	60.7	2.30	-	35.72	6.85	31.83	
RMS	7.213G	52.35	68.20	-15.85	41.27	3	Horizontal	60.7	2.30	-	36.05	6.89	31.86	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.24994G	61.88	88.20	-26.32	47.22	3	Vertical	313	1.96	-	39.95	8.75	34.04	
RMS	13.2499G	55.63	68.20	-12.57	40.97	3	Vertical	313	1.96	-	39.95	8.75	34.04	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.24998G	61.38	88.20	-26.82	46.72	3	Horizontal	318	1.89	-	39.95	8.75	34.04	
RMS	13.2499G	54.70	68.20	-13.50	40.04	3	Horizontal	318	1.89	-	39.95	8.75	34.04	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.50168G	52.27	97.74	-45.47	42.84	1	Vertical	5	1.56	-	39.60	17.23	47.40
RMS	26.50178G	38.60	77.74	-39.14	29.17	1	Vertical	5	1.56	-	39.60	17.23	47.40

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.50196G	52.54	97.74	-45.20	43.11	1	Horizontal	22	1.55	-	39.60	17.23	47.40
RMS	26.49616G	38.54	77.74	-39.20	29.13	1	Horizontal	22	1.55	-	39.59	17.22	47.40

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.691G	116.54	Inf	-Inf	106.47	3	Vertical	90	1.65	-	34.96	6.55	31.44	
RMS	6.687G	106.84	Inf	-Inf	96.78	3	Vertical	90	1.65	-	34.95	6.54	31.43	
PK	7.135G	61.33	88.20	-26.87	50.71	3	Vertical	90	1.65	-	35.61	6.83	31.82	
RMS	7.205G	52.32	68.20	-15.88	41.26	3	Vertical	90	1.65	-	36.02	6.90	31.86	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.687G	113.29	Inf	-Inf	103.23	3	Horizontal	59.6	1.43	-	34.95	6.54	31.43	
RMS	6.695G	103.38	Inf	-Inf	93.29	3	Horizontal	59.6	1.43	-	34.98	6.55	31.44	
PK	7.139G	62.00	88.20	-26.20	51.35	3	Horizontal	59.6	1.43	-	35.63	6.84	31.82	
RMS	7.205G	52.24	68.20	-15.96	41.18	3	Horizontal	59.6	1.43	-	36.02	6.90	31.86	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41G	60.80	88.20	-27.40	45.95	3	Vertical	312	1.90	-	40.20	8.72	34.07	
RMS	13.40988G	53.61	68.20	-14.59	38.76	3	Vertical	312	1.90	-	40.20	8.72	34.07	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40996G	61.42	88.20	-26.78	46.57	3	Horizontal	287	1.80	-	40.20	8.72	34.07	
RMS	13.40988G	54.60	68.20	-13.60	39.75	3	Horizontal	287	1.80	-	40.20	8.72	34.07	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	26.81788G	52.55	97.74	-45.19	42.93	1	Vertical	103	1.54	-	39.52	17.37	47.27	
RMS	26.81874G	38.32	77.74	-39.42	28.70	1	Vertical	103	1.54	-	39.52	17.37	47.27	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.82198G	52.45	97.74	-45.29	42.84	1	Horizontal	152	1.51	-	39.51	17.37	47.27
RMS	26.8204G	38.29	77.74	-39.45	28.67	1	Horizontal	152	1.51	-	39.52	17.37	47.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7934G	116.02	Inf	-Inf	105.77	3	Vertical	95	1.73	-	35.19	6.60	31.54	
RMS	6.8032G	105.73	Inf	-Inf	95.48	3	Vertical	95	1.73	-	35.20	6.60	31.55	
PK	7.1266G	62.09	88.20	-26.11	51.51	3	Vertical	95	1.73	-	35.56	6.83	31.81	
RMS	7.135G	51.90	68.20	-16.30	41.28	3	Vertical	95	1.73	-	35.61	6.83	31.82	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7864G	113.48	Inf	-Inf	103.25	3	Horizontal	68	1.52	-	35.17	6.59	31.53	
RMS	6.7864G	103.03	Inf	-Inf	92.80	3	Horizontal	68	1.52	-	35.17	6.59	31.53	
PK	7.1252G	62.15	88.20	-26.05	51.58	3	Horizontal	68	1.52	-	35.55	6.83	31.81	
RMS	7.135G	51.83	68.20	-16.37	41.21	3	Horizontal	68	1.52	-	35.61	6.83	31.82	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.5699G	59.72	88.20	-28.48	44.87	3	Vertical	9	1.80	-	40.20	8.69	34.04	
RMS	13.56992G	50.21	68.20	-17.99	35.36	3	Vertical	9	1.80	-	40.20	8.69	34.04	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.56996G	61.52	88.20	-26.68	46.67	3	Horizontal	292	1.80	-	40.20	8.69	34.04	
RMS	13.56994G	54.46	68.20	-13.74	39.61	3	Horizontal	292	1.80	-	40.20	8.69	34.04	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	27.13568G	51.35	97.74	-46.39	41.52	1	Vertical	246	1.52	-	39.41	17.51	47.09	
RMS	27.14486G	37.35	77.74	-40.39	27.49	1	Vertical	246	1.52	-	39.42	17.52	47.08	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.14378G	50.54	97.74	-47.20	40.69	1	Horizontal	133	1.56	-	39.42	17.51	47.08
RMS	27.14484G	37.40	77.74	-40.34	27.54	1	Horizontal	133	1.56	-	39.42	17.52	47.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	117.10	Inf	-Inf	106.87	3	Vertical	83	1.79	-	35.20	6.63	31.60
RMS	6.8698G	106.54	Inf	-Inf	96.32	3	Vertical	83	1.79	-	35.20	6.63	31.61
PK	7.1362G	61.75	88.20	-26.45	51.11	3	Vertical	83	1.79	-	35.62	6.84	31.82
RMS	7.1614G	51.92	68.20	-16.28	41.12	3	Vertical	83	1.79	-	35.77	6.86	31.83

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8914G	113.39	Inf	-Inf	103.17	3	Horizontal	66.5	1.56	-	35.20	6.65	31.63	
RMS	6.8878G	103.25	Inf	-Inf	93.04	3	Horizontal	66.5	1.56	-	35.20	6.64	31.63	
PK	7.1446G	62.04	88.20	-26.16	51.35	3	Horizontal	66.5	1.56	-	35.67	6.84	31.82	
RMS	7.1506G	51.89	68.20	-16.31	41.17	3	Horizontal	66.5	1.56	-	35.70	6.85	31.83	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73002G	61.31	88.20	-26.89	46.18	3	Vertical	21	1.80	-	40.43	8.65	33.95
RMS	13.72992G	50.97	68.20	-17.23	35.84	3	Vertical	21	1.80	-	40.43	8.65	33.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.72976G	63.55	88.20	-24.65	48.42	3	Horizontal	303	2.31	-	40.43	8.65	33.95	
RMS	13.7299G	57.66	68.20	-10.54	42.53	3	Horizontal	303	2.31	-	40.43	8.65	33.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.46274G	53.15	97.74	-44.59	42.99	1	Vertical	219	1.53	-	39.33	17.66	46.83
RMS	27.46G	38.75	77.74	-38.99	28.59	1	Vertical	219	1.53	-	39.33	17.66	46.83

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.45616G	52.17	97.74	-45.57	42.01	1	Horizontal	347	1.51	-	39.34	17.66	46.84
RMS	27.45996G	38.76	77.74	-38.98	28.60	1	Horizontal	347	1.51	-	39.33	17.66	46.83

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.957G	116.28	Inf	-Inf	106.10	3	Vertical	93	1.62	-	35.20	6.68	31.70
RMS	6.9474G	105.75	Inf	-Inf	95.57	3	Vertical	93	1.62	-	35.20	6.67	31.69
PK	7.2138G	62.55	88.20	-25.65	51.46	3	Vertical	93	1.62	-	36.06	6.89	31.86
RMS	7.2378G	52.87	68.20	-15.33	41.72	3	Vertical	93	1.62	-	36.15	6.88	31.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9498G	112.48	Inf	-Inf	102.30	3	Horizontal	62.3	1.39	-	35.20	6.67	31.69
RMS	6.9486G	102.89	Inf	-Inf	92.71	3	Horizontal	62.3	1.39	-	35.20	6.67	31.69
PK	7.2138G	62.17	88.20	-26.03	51.08	3	Horizontal	62.3	1.39	-	36.06	6.89	31.86
RMS	7.239G	52.51	68.20	-15.69	41.35	3	Horizontal	62.3	1.39	-	36.16	6.88	31.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89008G	61.78	88.20	-26.42	46.42	3	Vertical	26	1.80	-	40.59	8.62	33.85
RMS	13.88994G	50.90	68.20	-17.30	35.54	3	Vertical	26	1.80	-	40.59	8.62	33.85

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88992G	62.91	88.20	-25.29	47.55	3	Horizontal	298	1.80	-	40.59	8.62	33.85	
RMS	13.88986G	55.80	68.20	-12.40	40.44	3	Horizontal	298	1.80	-	40.59	8.62	33.85	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.77842G	53.16	97.74	-44.58	42.65	1	Vertical	189	1.57	-	39.51	17.80	46.80
RMS	27.77834G	38.94	77.74	-38.80	28.43	1	Vertical	189	1.57	-	39.51	17.80	46.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	27.77706G	52.65	97.74	-45.09	42.14	1	Horizontal	44	1.50	-	39.51	17.80	46.80	
RMS	27.77768G	38.94	77.74	-38.80	28.43	1	Horizontal	44	1.50	-	39.51	17.80	46.80	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.029G	117.57	Inf	-Inf	108.04	3	Vertical	6	1.61	-	36.02	6.63	33.12	
RMS	7.029G	106.96	Inf	-Inf	97.43	3	Vertical	6	1.61	-	36.02	6.63	33.12	
PK	7.1314G	71.73	88.20	-16.47	61.46	3	Vertical	6	1.61	-	36.69	6.73	33.15	
RMS	7.1258G	55.69	68.20	-12.51	45.46	3	Vertical	6	1.61	-	36.65	6.73	33.15	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.017G	112.73	Inf	-Inf	103.26	3	Horizontal	69	1.78	-	35.97	6.62	33.12	
RMS	7.0234G	102.92	Inf	-Inf	93.43	3	Horizontal	69	1.78	-	35.99	6.62	33.12	
PK	7.125G	66.11	88.20	-22.09	55.89	3	Horizontal	69	1.78	-	36.65	6.72	33.15	
RMS	7.1258G	53.07	68.20	-15.13	42.84	3	Horizontal	69	1.78	-	36.65	6.73	33.15	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04996G	61.49	88.20	-26.71	45.75	3	Vertical	352	1.83	-	40.90	8.61	33.77	
RMS	14.0499G	50.07	68.20	-18.13	34.33	3	Vertical	352	1.83	-	40.90	8.61	33.77	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04992G	63.17	88.20	-25.03	47.43	3	Horizontal	295	1.89	-	40.90	8.61	33.77
RMS	14.04986G	55.68	68.20	-12.52	39.94	3	Horizontal	295	1.89	-	40.90	8.61	33.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	28.10262G	54.42	97.74	-43.32	43.59	1	Vertical	308	1.50	-	39.64	17.93	46.74	
RMS	28.09832G	41.60	77.74	-36.14	30.77	1	Vertical	308	1.50	-	39.64	17.93	46.74	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	28.10084G	54.80	97.74	-42.94	43.97	1	Horizontal	331	1.52	-	39.64	17.93	46.74	
RMS	28.09638G	41.54	77.74	-36.20	30.71	1	Horizontal	331	1.52	-	39.64	17.93	46.74	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8362G	72.24	88.20	-15.96	65.08	3	Vertical	339	1.80	-	33.97	5.72	32.53	
RMS	5.8954G	47.93	68.20	-20.27	40.55	3	Vertical	339	1.80	-	34.18	5.75	32.55	
PK	6.1658G	111.75	Inf	-Inf	104.22	3	Vertical	339	1.80	-	34.20	5.97	32.64	
RMS	6.1706G	100.71	Inf	-Inf	93.18	3	Vertical	339	1.80	-	34.20	5.97	32.64	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8778G	65.18	88.20	-23.02	57.87	3	Horizontal	283	1.80	-	34.11	5.74	32.54	
RMS	5.8954G	47.99	68.20	-20.21	40.61	3	Horizontal	283	1.80	-	34.18	5.75	32.55	
PK	6.1994G	111.45	Inf	-Inf	103.91	3	Horizontal	283	1.80	-	34.20	6.00	32.66	
RMS	6.2042G	100.01	Inf	-Inf	92.45	3	Horizontal	283	1.80	-	34.22	6.00	32.66	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36989G	59.50	74.00	-14.50	45.87	3	Vertical	232	1.77	-	38.91	8.93	34.21
AV	12.36986G	50.68	54.00	-3.32	37.05	3	Vertical	232	1.77	-	38.91	8.93	34.21

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36988G	60.35	74.00	-13.65	46.72	3	Horizontal	227	2.27	-	38.91	8.93	34.21
AV	12.36991G	53.53	54.00	-0.47	39.90	3	Horizontal	227	2.27	-	38.91	8.93	34.21

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	24.74326G	48.34	97.74	-49.40	41.62	1	Vertical	188	1.54	-	38.90	16.37	48.55	
RMS	24.74402G	34.62	77.74	-43.12	27.90	1	Vertical	188	1.54	-	38.90	16.37	48.55	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.73934G	48.62	97.74	-49.12	41.91	1	Horizontal	94	1.57	-	38.90	16.37	48.56
RMS	24.74396G	34.64	77.74	-43.10	27.92	1	Horizontal	94	1.57	-	38.90	16.37	48.55

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	59.73	88.20	-28.47	50.40	3	Vertical	79	2.29	-	34.15	6.22	31.04	
RMS	5.915G	49.86	68.20	-18.34	40.56	3	Vertical	79	2.29	-	34.13	6.21	31.04	
PK	6.349G	113.80	Inf	-Inf	104.23	3	Vertical	79	2.29	-	34.40	6.37	31.20	
RMS	6.351G	104.14	Inf	-Inf	94.57	3	Vertical	79	2.29	-	34.40	6.38	31.21	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.859G	59.71	88.20	-28.49	50.70	3	Horizontal	44.9	1.77	-	33.85	6.15	30.99	
RMS	5.913G	49.91	68.20	-18.29	40.60	3	Horizontal	44.9	1.77	-	34.13	6.21	31.03	
PK	6.341G	110.22	Inf	-Inf	100.65	3	Horizontal	44.9	1.77	-	34.40	6.37	31.20	
RMS	6.379G	100.43	Inf	-Inf	90.85	3	Horizontal	44.9	1.77	-	34.40	6.39	31.21	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68967G	58.32	74.00	-15.68	44.29	3	Vertical	218	1.49	-	39.26	8.86	34.09
AV	12.68988G	48.46	54.00	-5.54	34.43	3	Vertical	218	1.49	-	39.26	8.86	34.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68986G	59.36	74.00	-14.64	45.33	3	Horizontal	225	1.74	-	39.26	8.86	34.09
AV	12.6899G	51.68	54.00	-2.32	37.65	3	Horizontal	225	1.74	-	39.26	8.86	34.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	25.37606G	48.04	97.74	-49.70	40.52	1	Vertical	301	1.56	-	39.00	16.69	48.17	
RMS	25.37802G	34.99	77.74	-42.75	27.47	1	Vertical	301	1.56	-	39.00	16.69	48.17	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	25.38494G	48.39	97.74	-49.35	40.88	1	Horizontal	156	1.58	-	38.99	16.69	48.17	
RMS	25.3794G	35.05	77.74	-42.69	27.53	1	Horizontal	156	1.58	-	39.00	16.69	48.17	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.875G	59.56	88.20	-28.64	50.45	3	Vertical	77	2.29	-	33.95	6.17	31.01	
RMS	5.9142G	49.87	68.20	-18.33	40.56	3	Vertical	77	2.29	-	34.13	6.21	31.03	
PK	6.449G	112.34	Inf	-Inf	102.85	3	Vertical	77	2.29	-	34.30	6.42	31.23	
RMS	6.4546G	103.38	Inf	-Inf	93.89	3	Vertical	77	2.29	-	34.30	6.43	31.24	
PK	7.1378G	61.90	88.20	-26.30	51.25	3	Vertical	77	2.29	-	35.63	6.84	31.82	
RMS	7.205G	52.47	68.20	-15.73	41.41	3	Vertical	77	2.29	-	36.02	6.90	31.86	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8834G	61.20	88.20	-27.00	52.03	3	Horizontal	48.2	1.80	-	34.00	6.18	31.01
RMS	5.9058G	49.92	68.20	-18.28	40.64	3	Horizontal	48.2	1.80	-	34.11	6.20	31.03
PK	6.5274G	110.62	Inf	-Inf	101.03	3	Horizontal	48.2	1.80	-	34.41	6.46	31.28
RMS	6.4938G	100.36	Inf	-Inf	90.86	3	Horizontal	48.2	1.80	-	34.30	6.45	31.25
PK	7.1938G	62.46	88.20	-25.74	51.46	3	Horizontal	48.2	1.80	-	35.96	6.89	31.85
RMS	7.205G	52.43	68.20	-15.77	41.37	3	Horizontal	48.2	1.80	-	36.02	6.90	31.86

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00982G	60.51	88.20	-27.69	46.01	3	Vertical	221	1.92	-	39.70	8.80	34.00
RMS	13.00989G	52.52	68.20	-15.68	38.02	3	Vertical	221	1.92	-	39.70	8.80	34.00

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.00996G	60.16	88.20	-28.04	45.66	3	Horizontal	224	1.78	-	39.70	8.80	34.00	
RMS	13.00993G	52.72	68.20	-15.48	38.22	3	Horizontal	224	1.78	-	39.70	8.80	34.00	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.02158G	49.85	97.74	-47.89	41.53	1	Vertical	2	1.56	-	39.00	17.01	47.69
RMS	26.02308G	36.26	77.74	-41.48	27.94	1	Vertical	2	1.56	-	39.00	17.01	47.69

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.02304G	50.57	97.74	-47.17	42.25	1	Horizontal	12	1.58	-	39.00	17.01	47.69
RMS	26.02098G	36.22	77.74	-41.52	27.90	1	Horizontal	12	1.58	-	39.00	17.01	47.69

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6804G	113.64	Inf	-Inf	103.61	3	Vertical	91	1.71	-	34.92	6.54	31.43	
RMS	6.6848G	103.77	Inf	-Inf	93.72	3	Vertical	91	1.71	-	34.94	6.54	31.43	
PK	7.1886G	62.02	88.20	-26.18	51.05	3	Vertical	91	1.71	-	35.93	6.89	31.85	
RMS	7.2128G	52.46	68.20	-15.74	41.38	3	Vertical	91	1.71	-	36.05	6.89	31.86	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6364G	110.26	Inf	-Inf	100.37	3	Horizontal	66.7	1.50	-	34.75	6.52	31.38	
RMS	6.6276G	100.93	Inf	-Inf	91.09	3	Horizontal	66.7	1.50	-	34.71	6.51	31.38	
PK	7.215G	62.37	88.20	-25.83	51.28	3	Horizontal	66.7	1.50	-	36.06	6.89	31.86	
RMS	7.2106G	52.55	68.20	-15.65	41.48	3	Horizontal	66.7	1.50	-	36.04	6.89	31.86	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.33033G	58.91	74.00	-15.09	44.17	3	Vertical	274	1.80	-	40.06	8.73	34.05	
AV	13.32997G	48.81	54.00	-5.19	34.07	3	Vertical	274	1.80	-	40.06	8.73	34.05	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32986G	60.69	74.00	-13.31	45.95	3	Horizontal	16	1.80	-	40.06	8.73	34.05
AV	13.33G	52.24	54.00	-1.76	37.50	3	Horizontal	16	1.80	-	40.06	8.73	34.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.6611G	52.04	97.74	-45.70	42.48	1	Vertical	244	1.56	-	39.60	17.30	47.34
RMS	26.6576G	38.89	77.74	-38.85	29.33	1	Vertical	244	1.56	-	39.60	17.30	47.34

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.66098G	51.96	97.74	-45.78	42.40	1	Horizontal	100	1.56	-	39.60	17.30	47.34
RMS	26.65712G	38.69	77.74	-39.05	29.13	1	Horizontal	100	1.56	-	39.60	17.30	47.34

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8762G	114.39	Inf	-Inf	104.17	3	Vertical	84	1.80	-	35.20	6.64	31.62	
RMS	6.8698G	103.85	Inf	-Inf	93.63	3	Vertical	84	1.80	-	35.20	6.63	31.61	
PK	7.129G	64.62	88.20	-23.58	54.03	3	Vertical	84	1.80	-	35.57	6.83	31.81	
RMS	7.225G	52.57	68.20	-15.63	41.45	3	Vertical	84	1.80	-	36.10	6.89	31.87	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8842G	110.93	Inf	-Inf	100.72	3	Horizontal	68.5	1.66	-	35.20	6.64	31.63
RMS	6.8554G	101.18	Inf	-Inf	90.95	3	Horizontal	68.5	1.66	-	35.20	6.63	31.60
PK	7.1898G	63.15	88.20	-25.05	52.17	3	Horizontal	68.5	1.66	-	35.94	6.89	31.85
RMS	7.225G	52.55	68.20	-15.65	41.43	3	Horizontal	68.5	1.66	-	36.10	6.89	31.87

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.65001G	60.76	88.20	-27.44	45.78	3	Vertical	274	1.80	-	40.30	8.67	33.99	
RMS	13.64996G	51.31	68.20	-16.89	36.33	3	Vertical	274	1.80	-	40.30	8.67	33.99	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6499G	63.24	88.20	-24.96	48.26	3	Horizontal	213	2.31	-	40.30	8.67	33.99	
RMS	13.64997G	56.94	68.20	-11.26	41.96	3	Horizontal	213	2.31	-	40.30	8.67	33.99	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.3043G	53.26	97.74	-44.48	43.17	1	Vertical	85	1.53	-	39.46	17.59	46.96
RMS	27.30444G	39.49	77.74	-38.25	29.40	1	Vertical	85	1.53	-	39.46	17.59	46.96

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.30478G	53.62	97.74	-44.12	43.53	1	Horizontal	81	1.57	-	39.46	17.59	46.96
RMS	27.30142G	39.49	77.74	-38.25	29.40	1	Horizontal	81	1.57	-	39.46	17.59	46.96

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.015G	113.64	Inf	-Inf	104.18	3	Vertical	-0	1.59	-	35.96	6.62	33.12	
RMS	7.01G	102.35	Inf	-Inf	92.91	3	Vertical	-0	1.59	-	35.94	6.61	33.11	
PK	7.132G	84.00	88.20	-4.20	73.73	3	Vertical	-0	1.59	-	36.69	6.73	33.15	
RMS	7.128G	60.08	68.20	-8.12	49.83	3	Vertical	-0	1.59	-	36.67	6.73	33.15	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.958G	108.46	Inf	-Inf	99.20	3	Horizontal	62	1.80	-	35.82	6.52	33.08	
RMS	6.957G	97.22	Inf	-Inf	87.98	3	Horizontal	62	1.80	-	35.81	6.51	33.08	
PK	7.137G	76.65	88.20	-11.55	66.35	3	Horizontal	62	1.80	-	36.72	6.74	33.16	
RMS	7.137G	53.91	68.20	-14.29	43.61	3	Horizontal	62	1.80	-	36.72	6.74	33.16	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97001G	60.93	88.20	-27.27	45.32	3	Vertical	258	1.86	-	40.81	8.61	33.81
RMS	13.96996G	49.50	68.20	-18.70	33.89	3	Vertical	258	1.86	-	40.81	8.61	33.81

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9699G	62.26	88.20	-25.94	46.65	3	Horizontal	208	1.95	-	40.81	8.61	33.81
RMS	13.97G	54.05	68.20	-14.15	38.44	3	Horizontal	208	1.95	-	40.81	8.61	33.81

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.9403G	54.74	97.74	-43.00	44.09	1	Vertical	331	1.52	-	39.58	17.87	46.80
RMS	27.94276G	41.32	77.74	-36.42	30.67	1	Vertical	331	1.52	-	39.58	17.87	46.80

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	27.93542G	54.36	97.74	-43.38	43.72	1	Horizontal	42	1.53	-	39.57	17.87	46.80	
RMS	27.94414G	41.11	77.74	-36.63	30.46	1	Horizontal	42	1.53	-	39.58	17.87	46.80	




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	13.3298G	53.51	54.00	-0.49	3	Horizontal	115	1.17	-

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 19
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	61.83	88.20	-26.37	54.87	3	Vertical	278	2.07	-	34.65	7.26	34.95
RMS	5.899G	50.19	68.20	-18.01	43.30	3	Vertical	278	2.07	-	34.59	7.25	34.95
PK	6.145G	110.28	Inf	-Inf	102.75	3	Vertical	278	2.07	-	35.00	7.52	34.99
RMS	6.1534G	99.20	Inf	-Inf	91.65	3	Vertical	278	2.07	-	35.01	7.53	34.99

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 19
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8714G	61.33	88.20	-26.87	54.60	3	Horizontal	186	1.80	-	34.43	7.24	34.94
RMS	5.9122G	50.21	68.20	-17.99	43.25	3	Horizontal	186	1.80	-	34.65	7.26	34.95
PK	6.1414G	111.82	Inf	-Inf	104.30	3	Horizontal	186	1.80	-	35.00	7.51	34.99
RMS	6.1414G	99.63	Inf	-Inf	92.11	3	Horizontal	186	1.80	-	35.00	7.51	34.99

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2797G	59.25	74.00	-14.75	41.97	3	Vertical	99	2.07	-	38.80	13.32	34.84
AV	12.2898G	49.39	54.00	-4.61	32.09	3	Vertical	99	2.07	-	38.80	13.33	34.83

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2902G	59.54	74.00	-14.46	42.24	3	Horizontal	331	1.32	-	38.80	13.33	34.83
AV	12.2899G	49.57	54.00	-4.43	32.27	3	Horizontal	331	1.32	-	38.80	13.33	34.83

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4337G	57.80	83.54	-25.74	35.17	1	Vertical	154	1.53	-	37.57	14.55	29.49
AV	18.43748G	45.13	63.54	-18.41	22.50	1	Vertical	154	1.53	-	37.57	14.55	29.49

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43924G	59.23	83.54	-24.31	36.60	1	Horizontal	5	1.50	-	37.58	14.55	29.50
AV	18.4367G	45.13	63.54	-18.41	22.50	1	Horizontal	5	1.50	-	37.57	14.55	29.49

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 18
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	61.64	88.20	-26.56	54.79	3	Vertical	278	2.30	-	34.55	7.25	34.95
RMS	5.9098G	50.12	68.20	-18.08	43.18	3	Vertical	278	2.30	-	34.64	7.25	34.95
PK	6.2378G	109.77	Inf	-Inf	102.12	3	Vertical	278	2.30	-	35.05	7.60	35.00
RMS	6.233G	99.63	Inf	-Inf	91.96	3	Vertical	278	2.30	-	35.07	7.60	35.00

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 18
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8762G	60.61	88.20	-27.59	53.85	3	Horizontal	210	1.80	-	34.46	7.24	34.94
RMS	5.9018G	50.14	68.20	-18.06	43.23	3	Horizontal	210	1.80	-	34.61	7.25	34.95
PK	6.2378G	109.86	Inf	-Inf	102.21	3	Horizontal	210	1.80	-	35.05	7.60	35.00
RMS	6.2346G	99.24	Inf	-Inf	91.58	3	Horizontal	210	1.80	-	35.06	7.60	35.00

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4495G	59.94	74.00	-14.06	42.30	3	Vertical	323	1.55	-	38.85	13.46	34.67
AV	12.4499G	49.38	54.00	-4.62	31.74	3	Vertical	323	1.55	-	38.85	13.46	34.67

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4311G	60.81	74.00	-13.19	43.19	3	Horizontal	153	2.47	-	38.87	13.44	34.69
AV	12.4498G	50.41	54.00	-3.59	32.77	3	Horizontal	153	2.47	-	38.85	13.46	34.67

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67206G	56.70	83.54	-26.84	34.04	1	Vertical	312	1.56	-	37.67	14.64	29.65
AV	18.67898G	44.50	63.54	-19.04	21.84	1	Vertical	312	1.56	-	37.67	14.64	29.65

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67902G	56.94	83.54	-26.60	34.28	1	Horizontal	136	1.56	-	37.67	14.64	29.65
AV	18.67296G	44.65	63.54	-18.89	21.99	1	Horizontal	136	1.56	-	37.67	14.64	29.65

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 17
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	61.75	88.20	-26.45	55.05	3	Vertical	272	2.19	-	34.41	7.23	34.94
RMS	5.9146G	50.16	68.20	-18.04	43.19	3	Vertical	272	2.19	-	34.66	7.26	34.95
PK	6.3946G	109.73	Inf	-Inf	102.25	3	Vertical	272	2.19	-	34.90	7.60	35.02
RMS	6.3994G	98.74	Inf	-Inf	91.26	3	Vertical	272	2.19	-		7.60	35.02

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 17
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8474G	61.05	88.20	-27.15	54.48	3	Horizontal	192	1.80	-	34.29	7.22	34.94
RMS	5.9194G	50.12	68.20	-18.08	43.13	3	Horizontal	192	1.80	-	34.68	7.26	34.95
PK	6.397G	109.22	Inf	-Inf	101.74	3	Horizontal	192	1.80	-	34.90	7.60	35.02
RMS	6.3946G	98.25	Inf	-Inf	90.77	3	Horizontal	192	1.80	-	34.90	7.60	35.02

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77G	60.62	88.20	-27.58	41.83	3	Vertical	74	2.16	-	39.24	13.72	34.17
RMS	12.7698G	50.55	68.20	-17.65	31.76	3	Vertical	74	2.16	-	39.24	13.72	34.17

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7726G	60.16	88.20	-28.04	41.36	3	Horizontal	336	1.14	-	39.25	13.72	34.17
RMS	12.7698G	50.65	68.20	-17.55	31.86	3	Horizontal	336	1.14	-	39.24	13.72	34.17

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15542G	57.19	83.54	-26.35	26.08	1	Vertical	168	1.52	-	42.49	18.59	29.97
AV	19.1563G	44.95	63.54	-18.59	13.84	1	Vertical	168	1.52	-	42.49	18.59	29.97

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15542G	57.77	83.54	-25.77	26.66	1	Horizontal	117	1.52	-	42.49	18.59	29.97
AV	19.15256G	45.03	63.54	-18.51	13.91	1	Horizontal	117	1.52	-	42.49	18.59	29.96

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 16
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	61.00	88.20	-27.20	54.07	3	Vertical	253	2.28	-	34.63	7.25	34.95
RMS	5.8982G	50.14	68.20	-18.06	43.25	3	Vertical	253	2.28	-	34.59	7.25	34.95
PK	6.4598G	110.14	Inf	-Inf	102.84	3	Vertical	253	2.28	-	34.70	7.63	35.03
RMS	6.4598G	99.36	Inf	-Inf	92.06	3	Vertical	253	2.28	-	34.70	7.63	35.03

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 16
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	60.36	88.20	-27.84	53.35	3	Horizontal	193	1.83	-	34.70	7.26	34.95
RMS	5.9086G	50.13	68.20	-18.07	43.20	3	Horizontal	193	1.83	-	34.63	7.25	34.95
PK	6.4598G	107.83	Inf	-Inf	100.53	3	Horizontal	193	1.83	-	34.70	7.63	35.03
RMS	6.4546G	97.92	Inf	-Inf	90.61	3	Horizontal	193	1.83	-	34.70	7.63	35.02

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 16
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9297G	60.79	88.20	-27.41	41.43	3	Vertical	193	1.24	-	39.43	13.84	33.91
RMS	12.9298G	52.18	68.20	-16.02	32.82	3	Vertical	193	1.24	-	39.43	13.84	33.91

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 16
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9066G	60.47	88.20	-27.73	41.18	3	Horizontal	282	1.06	-	39.41	13.83	33.95
RMS	12.9299G	51.14	68.20	-17.06	31.78	3	Horizontal	282	1.06	-	39.43	13.84	33.91

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
Setting 16
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39558G	54.06	83.54	-29.48	31.69	1	Vertical	79	1.50	-	37.66	14.89	30.18
AV	19.39974G	41.89	63.54	-21.65	19.52	1	Vertical	79	1.50	-	37.66	14.89	30.18

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 16
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39608G	53.80	83.54	-29.74	31.43	1	Horizontal	29	1.53	-	37.66	14.89	30.18
AV	19.39974G	41.89	63.54	-21.65	19.52	1	Horizontal	29	1.53	-	37.66	14.89	30.18

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 15.5
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	61.70	88.20	-26.50	54.80	3	Vertical	253	2.17	-	34.60	7.25	34.95
RMS	5.8926G	50.12	68.20	-18.08	43.26	3	Vertical	253	2.17	-	34.56	7.25	34.95
PK	6.531G	109.10	Inf	-Inf	101.64	3	Vertical	253	2.17	-	34.82	7.67	35.03
RMS	6.5366G	98.64	Inf	-Inf	91.15	3	Vertical	253	2.17	-	34.85	7.67	35.03
PK	7.2198G	62.23	88.20	-25.97	52.11	3	Vertical	253	2.17	-	36.52	8.70	35.10
RMS	7.2338G	51.72	68.20	-16.48	41.53	3	Vertical	253	2.17	-	36.60	8.70	35.11

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 15.5
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	60.76	88.20	-27.44	53.86	3	Horizontal	189	1.80	-	34.60	7.25	34.95
RMS	5.9178G	50.11	68.20	-18.09	43.13	3	Horizontal	189	1.80	-	34.67	7.26	34.95
PK	6.5618G	106.38	Inf	-Inf	98.78	3	Horizontal	189	1.80	-	34.95	7.68	35.03
RMS	6.5394G	96.27	Inf	-Inf	88.77	3	Horizontal	189	1.80	-	34.86	7.67	35.03
PK	7.231G	62.39	88.20	-25.81	52.21	3	Horizontal	189	1.80	-	36.59	8.70	35.11
RMS	7.2422G	51.66	68.20	-16.54	41.42	3	Horizontal	189	1.80	-	36.65	8.70	35.11

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 15.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0898G	62.54	88.20	-25.66	42.50	3	Vertical	259	1.49	-	39.77	13.97	33.70
RMS	13.0899G	52.62	68.20	-15.58	32.58	3	Vertical	259	1.49	-	39.77	13.97	33.70

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 15.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0899G	61.72	88.20	-26.48	41.68	3	Horizontal	288	2.17	-	39.77	13.97	33.70
RMS	13.0899G	52.24	68.20	-15.96	32.20	3	Horizontal	288	2.17	-	39.77	13.97	33.70

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 15.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6333G	53.57	83.54	-29.97	31.39	1	Vertical	146	1.53	-	37.65	14.97	30.44
AV	19.63074G	41.64	63.54	-21.90	19.45	1	Vertical	146	1.53	-	37.65	14.97	30.43

6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 15.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63646G	53.72	83.54	-29.82	31.54	1	Horizontal	167	1.52	-	37.65	14.97	30.44
AV	19.63344G	41.64	63.54	-21.90	19.46	1	Horizontal	167	1.52	-	37.65	14.97	30.44

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 16
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6082G	109.37	Inf	-Inf	101.55	3	Vertical	253	2.26	-	35.13	7.71	35.02
RMS	6.6298G	98.86	Inf	-Inf	90.93	3	Vertical	253	2.26	-	35.22	7.73	35.02
PK	7.2034G	61.91	88.20	-26.29	51.88	3	Vertical	253	2.26	-	36.42	8.70	35.09
RMS	7.225G	51.47	68.20	-16.73	41.32	3	Vertical	253	2.26	-	36.55	8.70	35.10

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 16
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6418G	107.22	Inf	-Inf	99.23	3	Horizontal	151	1.80	-	35.27	7.74	35.02
RMS	6.613G	96.85	Inf	-Inf	89.01	3	Horizontal	151	1.80	-	35.15	7.71	35.02
PK	7.1746G	61.71	88.20	-26.49	51.89	3	Horizontal	151	1.80	-	36.25	8.65	35.08
RMS	7.2178G	51.54	68.20	-16.66	41.43	3	Horizontal	151	1.80	-	36.51	8.70	35.10

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 16
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2372G	61.32	88.20	-26.88	40.80	3	Vertical	48	2.89	-	39.97	14.09	33.54
RMS	13.2499G	51.09	68.20	-17.11	30.52	3	Vertical	48	2.89	-	40.00	14.10	33.53

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 16
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2498G	62.30	88.20	-25.90	41.73	3	Horizontal	255	1.43	-	40.00	14.10	33.53
RMS	13.2499G	52.91	68.20	-15.29	32.34	3	Horizontal	255	1.43	-	40.00	14.10	33.53

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 16
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87842G	57.47	83.54	-26.07	35.66	1	Vertical	6	1.50	-	37.50	15.06	30.75
AV	19.87706G	44.59	63.54	-18.95	22.78	1	Vertical	6	1.50	-	37.50	15.06	30.75

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 16
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87334G	56.94	83.54	-26.60	35.12	1	Horizontal	178	1.53	-	37.50	15.06	30.74
AV	19.87854G	44.60	63.54	-18.94	22.79	1	Horizontal	178	1.53	-	37.50	15.06	30.75

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 16.5
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.701G	109.82	Inf	-Inf	101.64	3	Vertical	260	2.07	-	35.40	7.80	35.02
RMS	6.699G	99.02	Inf	-Inf	90.84	3	Vertical	260	2.07	-	35.40	7.80	35.02
PK	7.169G	62.41	88.20	-25.79	52.64	3	Vertical	260	2.07	-	36.21	8.64	35.08
RMS	7.199G	51.40	68.20	-16.80	41.40	3	Vertical	260	2.07	-	36.39	8.70	35.09

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 16.5
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.707G	107.70	Inf	-Inf	99.48	3	Horizontal	202	1.79	-	35.43	7.81	35.02
RMS	6.699G	96.92	Inf	-Inf	88.74	3	Horizontal	202	1.79	-	35.40	7.80	35.02
PK	7.181G	61.91	88.20	-26.29	52.04	3	Horizontal	202	1.79	-	36.29	8.66	35.08
RMS	7.201G	51.38	68.20	-16.82	41.36	3	Horizontal	202	1.79	-	36.41	8.70	35.09

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41G	61.80	88.20	-26.40	40.62	3	Vertical	293	1.39	-	40.31	14.23	33.36
RMS	13.4098G	51.68	68.20	-16.52	30.50	3	Vertical	293	1.39	-	40.31	14.23	33.36

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41G	62.55	88.20	-25.65	41.37	3	Horizontal	98	1.95	-	40.31	14.23	33.36
RMS	13.4098G	53.57	68.20	-14.63	32.39	3	Horizontal	98	1.95	-	40.31	14.23	33.36

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11466G	57.03	83.54	-26.51	35.48	1	Vertical	234	1.54	-	37.49	15.13	31.07
AV	20.11494G	44.74	63.54	-18.80	23.19	1	Vertical	234	1.54	-	37.49	15.13	31.07

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11956G	56.72	83.54	-26.82	35.17	1	Horizontal	284	1.56	-	37.50	15.13	31.08
AV	20.11876G	44.75	63.54	-18.79	23.20	1	Horizontal	284	1.56	-	37.50	15.13	31.08

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 17
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7946G	110.05	Inf	-Inf	101.39	3	Vertical	260	1.94	-	35.78	7.89	35.01
RMS	6.7882G	99.48	Inf	-Inf	90.85	3	Vertical	260	1.94	-	35.75	7.89	35.01
PK	7.1418G	61.95	88.20	-26.25	52.39	3	Vertical	260	1.94	-	36.05	8.58	35.07
RMS	7.1738G	51.28	68.20	-16.92	41.47	3	Vertical	260	1.94	-	36.24	8.65	35.08

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 17
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7674G	107.31	Inf	-Inf	98.78	3	Horizontal	150	1.80	-	35.67	7.87	35.01
RMS	6.7882G	97.13	Inf	-Inf	88.50	3	Horizontal	150	1.80	-	35.75	7.89	35.01
PK	7.137G	62.06	88.20	-26.14	52.53	3	Horizontal	150	1.80	-	36.02	8.57	35.06
RMS	7.1738G	51.18	68.20	-17.02	41.37	3	Horizontal	150	1.80	-	36.24	8.65	35.08

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5697G	62.26	88.20	-25.94	40.63	3	Vertical	169	2.36	-	40.47	14.36	33.20
RMS	13.5697G	51.83	68.20	-16.37	30.20	3	Vertical	169	2.36	-	40.47	14.36	33.20

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5482G	62.92	88.20	-25.28	41.35	3	Horizontal	171	1.52	-	40.45	14.34	33.22
RMS	13.5698G	54.30	68.20	-13.90	32.67	3	Horizontal	171	1.52	-	40.47	14.36	33.20

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35138G	55.93	83.54	-27.61	34.53	1	Vertical	83	1.55	-	37.64	15.19	31.43
AV	20.35434G	43.63	63.54	-19.91	22.23	1	Vertical	83	1.55	-	37.64	15.19	31.43

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35604G	55.77	83.54	-27.77	34.37	1	Horizontal	32	1.54	-	37.64	15.19	31.43
AV	20.35414G	43.63	63.54	-19.91	22.23	1	Horizontal	32	1.54	-	37.64	15.19	31.43

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 16.5
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	108.98	Inf	-Inf	100.29	3	Vertical	262	1.76	-	35.68	8.02	35.01
RMS	6.8698G	98.28	Inf	-Inf	89.59	3	Vertical	262	1.76	-	35.66	8.04	35.01
PK	7.153G	62.42	88.20	-25.78	52.76	3	Vertical	262	1.76	-	36.12	8.61	35.07
RMS	7.1626G	51.13	68.20	-17.07	41.39	3	Vertical	262	1.76	-	36.18	8.63	35.07

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 16.5
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.877G	105.48	Inf	-Inf	96.79	3	Horizontal	153	1.80	-	35.65	8.05	35.01
RMS	6.8614G	94.86	Inf	-Inf	86.17	3	Horizontal	153	1.80	-	35.68	8.02	35.01
PK	7.1578G	61.87	88.20	-26.33	52.17	3	Horizontal	153	1.80	-	36.15	8.62	35.07
RMS	7.1482G	51.07	68.20	-17.13	41.45	3	Horizontal	153	1.80	-	36.09	8.60	35.07

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7078G	63.34	88.20	-24.86	41.30	3	Vertical	306	2.04	-	40.62	14.47	33.05
RMS	13.7299G	51.79	68.20	-16.41	29.68	3	Vertical	306	2.04	-	40.66	14.48	33.03

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7301G	63.78	88.20	-24.42	41.67	3	Horizontal	272	2.49	-	40.66	14.48	33.03
RMS	13.7298G	55.68	68.20	-12.52	33.57	3	Horizontal	272	2.49	-	40.66	14.48	33.03

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59872G	55.18	83.54	-28.36	34.01	1	Vertical	164	1.50	-	37.74	15.25	31.82
AV	20.59678G	42.88	63.54	-20.66	21.70	1	Vertical	164	1.50	-	37.74	15.25	31.81

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5902G	55.54	83.54	-28.00	34.35	1	Horizontal	340	1.51	-	37.74	15.25	31.80
AV	20.59678G	42.88	63.54	-20.66	21.70	1	Horizontal	340	1.51	-	37.74	15.25	31.81

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 16.5
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9654G	109.13	Inf	-Inf	100.20	3	Vertical	271	1.80	-	35.70	8.23	35.00
RMS	6.9582G	98.52	Inf	-Inf	89.60	3	Vertical	271	1.80	-	35.70	8.22	35.00
PK	7.1994G	62.44	88.20	-25.76	52.43	3	Vertical	271	1.80	-	36.40	8.70	35.09
RMS	7.2198G	51.61	68.20	-16.59	41.49	3	Vertical	271	1.80	-	36.52	8.70	35.10

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 16.5
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9594G	105.90	Inf	-Inf	96.98	3	Horizontal	342	1.79	-	35.70	8.22	35.00
RMS	6.9462G	95.13	Inf	-Inf	86.25	3	Horizontal	342	1.79	-	35.69	8.19	35.00
PK	7.2378G	63.23	88.20	-24.97	53.01	3	Horizontal	342	1.79	-	36.63	8.70	35.11
RMS	7.2366G	51.58	68.20	-16.62	41.37	3	Horizontal	342	1.79	-	36.62	8.70	35.11

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8683G	63.62	88.20	-24.58	40.97	3	Vertical	198	1.42	-	40.94	14.59	32.88
RMS	13.8897G	51.97	68.20	-16.23	29.24	3	Vertical	198	1.42	-	40.98	14.61	32.86

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8898G	65.53	88.20	-22.67	42.80	3	Horizontal	353	1.34	-	40.98	14.61	32.86
RMS	13.8898G	56.30	68.20	-11.90	33.57	3	Horizontal	353	1.34	-	40.98	14.61	32.86

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83828G	54.44	83.54	-29.10	33.38	1	Vertical	301	1.54	-	37.98	15.31	32.23
AV	20.83056G	42.67	63.54	-20.87	21.61	1	Vertical	301	1.54	-	37.96	15.31	32.21

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8372G	54.60	83.54	-28.94	33.54	1	Horizontal	250	1.51	-	37.97	15.31	32.22
AV	20.83102G	42.87	63.54	-20.67	21.81	1	Horizontal	250	1.51	-	37.96	15.31	32.21

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 17
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0082G	109.27	Inf	-Inf	100.25	3	Vertical	271	1.85	-	35.70	8.32	35.00
RMS	7.009G	98.53	Inf	-Inf	89.51	3	Vertical	271	1.85	-	35.70	8.32	35.00
PK	7.1394G	62.52	88.20	-25.68	52.96	3	Vertical	271	1.85	-	36.04	8.58	35.06
RMS	7.2226G	51.68	68.20	-16.52	41.54	3	Vertical	271	1.85	-	36.54	8.70	35.10

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 17
03-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	105.58	Inf	-Inf	96.58	3	Horizontal	339	1.79	-	35.70	8.30	35.00
RMS	6.9986G	94.77	Inf	-Inf	85.77	3	Horizontal	339	1.79	-	35.70	8.30	35.00
PK	7.225G	62.77	88.20	-25.43	52.62	3	Horizontal	339	1.79	-	36.55	8.70	35.10
RMS	7.2202G	51.64	68.20	-16.56	41.52	3	Horizontal	339	1.79	-	36.52	8.70	35.10

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0366G	64.07	88.20	-24.13	40.80	3	Vertical	240	2.79	-	41.31	14.74	32.78
RMS	14.0499G	52.86	68.20	-15.34	29.56	3	Vertical	240	2.79	-	41.35	14.75	32.80

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0498G	65.05	88.20	-23.15	41.75	3	Horizontal	127	2.03	-	41.35	14.75	32.80
RMS	14.0498G	56.07	68.20	-12.13	32.77	3	Horizontal	127	2.03	-	41.35	14.75	32.80

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07136G	55.17	83.54	-28.37	34.19	1	Vertical	69	1.52	-	38.24	15.37	32.63
AV	21.0774G	43.24	63.54	-20.30	22.27	1	Vertical	69	1.52	-	38.24	15.37	32.64

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 17
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07312G	55.81	83.54	-27.73	34.83	1	Horizontal	73	1.55	-	38.24	15.37	32.63
AV	21.07976G	43.25	63.54	-20.29	22.29	1	Horizontal	73	1.55	-	38.24	15.37	32.65

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 19.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	61.42	88.20	-26.78	54.49	3	Vertical	273	2.19	-	34.63	7.25	34.95
RMS	5.9082G	50.72	68.20	-17.48	43.79	3	Vertical	273	2.19	-	34.63	7.25	34.95
PK	6.2074G	109.34	Inf	-Inf	101.56	3	Vertical	273	2.19	-	35.17	7.60	34.99
RMS	6.2106G	98.35	Inf	-Inf	90.59	3	Vertical	273	2.19	-	35.16	7.60	35.00

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 19.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8666G	61.43	88.20	-26.77	54.74	3	Horizontal	197	1.83	-	34.40	7.23	34.94
RMS	5.9178G	50.73	68.20	-17.47	43.75	3	Horizontal	197	1.83	-	34.67	7.26	34.95
PK	6.1818G	108.81	Inf	-Inf	101.10	3	Horizontal	197	1.83	-	35.13	7.57	34.99
RMS	6.2042G	98.16	Inf	-Inf	90.37	3	Horizontal	197	1.83	-	35.18	7.60	34.99

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 19.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3779G	60.10	74.00	-13.90	42.56	3	Vertical	17	1.79	-	38.88	13.40	34.74
AV	12.3699G	49.20	54.00	-4.80	31.68	3	Vertical	17	1.79	-	38.87	13.40	34.75

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 19.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3697G	59.68	74.00	-14.32	42.16	3	Horizontal	63	2.77	-	38.87	13.40	34.75
AV	12.3698G	49.86	54.00	-4.14	32.34	3	Horizontal	63	2.77	-	38.87	13.40	34.75

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 19.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55032G	58.15	83.54	-25.39	35.52	1	Vertical	124	1.52	-	37.62	14.59	29.58
AV	18.55132G	45.48	63.54	-18.06	22.85	1	Vertical	124	1.52	-	37.62	14.59	29.58

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 19.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55772G	58.02	83.54	-25.52	35.38	1	Horizontal	295	1.57	-	37.62	14.60	29.58
AV	18.55336G	45.48	63.54	-18.06	22.85	1	Horizontal	295	1.57	-	37.62	14.59	29.58

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 18
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	60.48	88.20	-27.72	53.49	3	Vertical	263	2.25	-	34.68	7.26	34.95
RMS	5.895G	50.70	68.20	-17.50	43.83	3	Vertical	263	2.25	-	34.57	7.25	34.95
PK	6.361G	109.71	Inf	-Inf	102.22	3	Vertical	263	2.25	-	34.90	7.60	35.01
RMS	6.359G	99.27	Inf	-Inf	91.78	3	Vertical	263	2.25	-	34.90	7.60	35.01

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 18
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	61.11	88.20	-27.09	54.17	3	Horizontal	191	1.79	-	34.64	7.25	34.95
RMS	5.909G	50.65	68.20	-17.55	43.71	3	Horizontal	191	1.79	-	34.64	7.25	34.95
PK	6.377G	109.04	Inf	-Inf	101.56	3	Horizontal	191	1.79	-	34.90	7.60	35.02
RMS	6.365G	98.75	Inf	-Inf	91.26	3	Horizontal	191	1.79	-	34.90	7.60	35.01

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6901G	60.77	74.00	-13.23	42.35	3	Vertical	116	2.25	-	39.07	13.65	34.30
AV	12.6898G	50.10	54.00	-3.90	31.68	3	Vertical	116	2.25	-	39.07	13.65	34.30

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6696G	59.76	74.00	-14.24	41.45	3	Horizontal	0	1.39	-	39.01	13.64	34.34
AV	12.6899G	50.00	54.00	-4.00	31.58	3	Horizontal	0	1.39	-	39.07	13.65	34.30

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03234G	56.29	83.54	-27.25	33.88	1	Vertical	72	1.51	-	37.51	14.76	29.86
AV	19.03562G	44.36	63.54	-19.18	21.95	1	Vertical	72	1.51	-	37.51	14.76	29.86

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 18
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03228G	56.21	83.54	-27.33	33.80	1	Horizontal	27	1.57	-	37.51	14.76	29.86
AV	19.03108G	44.39	63.54	-19.15	21.98	1	Horizontal	27	1.57	-	37.51	14.76	29.86

6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 18.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.847G	61.15	88.20	-27.05	54.58	3	Vertical	253	2.08	-	34.29	7.22	34.94
RMS	5.8974G	50.67	68.20	-17.53	43.79	3	Vertical	253	2.08	-	34.58	7.25	34.95
PK	6.4602G	110.13	Inf	-Inf	102.83	3	Vertical	253	2.08	-	34.70	7.63	35.03
RMS	6.5134G	99.34	Inf	-Inf	91.96	3	Vertical	253	2.08	-	34.75	7.66	35.03
PK	7.1826G	61.96	88.20	-26.24	52.07	3	Vertical	253	2.08	-	36.30	8.67	35.08
RMS	7.205G	52.00	68.20	-16.20	41.96	3	Vertical	253	2.08	-	36.43	8.70	35.09

6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
Setting 18.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	60.70	88.20	-27.50	53.82	3	Horizontal	176	1.80	-	34.58	7.25	34.95
RMS	5.9058G	50.67	68.20	-17.53	43.75	3	Horizontal	176	1.80	-	34.62	7.25	34.95
PK	6.477G	106.94	Inf	-Inf	99.63	3	Horizontal	176	1.80	-	34.70	7.64	35.03
RMS	6.4854G	97.35	Inf	-Inf	90.04	3	Horizontal	176	1.80	-	34.70	7.64	35.03
PK	7.1714G	62.29	88.20	-25.91	52.50	3	Horizontal	176	1.80	-	36.23	8.64	35.08
RMS	7.1994G	51.88	68.20	-16.32	41.87	3	Horizontal	176	1.80	-	36.40	8.70	35.09

6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 18.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0099G	61.19	88.20	-27.01	41.53	3	Vertical	62	2.45	-	39.53	13.91	33.78
RMS	13.0098G	52.92	68.20	-15.28	33.26	3	Vertical	62	2.45	-	39.53	13.91	33.78

6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 18.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0097G	61.14	88.20	-27.06	41.48	3	Horizontal	286	1.04	-	39.53	13.91	33.78
RMS	13.0098G	52.08	68.20	-16.12	32.42	3	Horizontal	286	1.04	-	39.53	13.91	33.78

6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 18.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51744G	55.77	83.54	-27.77	33.44	1	Vertical	49	1.55	-	37.69	14.93	30.29
AV	19.51122G	44.02	63.54	-19.52	21.67	1	Vertical	49	1.55	-	37.70	14.93	30.28

6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 18.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51336G	56.12	83.54	-27.42	33.79	1	Horizontal	50	1.56	-	37.69	14.93	30.29
AV	19.51116G	44.02	63.54	-19.52	21.67	1	Horizontal	50	1.56	-	37.70	14.93	30.28

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 19
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7024G	109.70	Inf	-Inf	101.51	3	Vertical	259	2.29	-	35.41	7.80	35.02
RMS	6.6342G	100.06	Inf	-Inf	92.11	3	Vertical	259	2.29	-	35.24	7.73	35.02
PK	7.1358G	63.24	88.20	-24.96	53.72	3	Vertical	259	2.29	-	36.01	8.57	35.06
RMS	7.215G	51.98	68.20	-16.22	41.89	3	Vertical	259	2.29	-	36.49	8.70	35.10

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 19
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6386G	108.15	Inf	-Inf	100.18	3	Horizontal	152	1.75	-	35.25	7.74	35.02
RMS	6.632G	97.96	Inf	-Inf	90.02	3	Horizontal	152	1.75	-	35.23	7.73	35.02
PK	7.1908G	62.22	88.20	-25.98	52.29	3	Horizontal	152	1.75	-	36.34	8.68	35.09
RMS	7.2084G	51.97	68.20	-16.23	41.92	3	Horizontal	152	1.75	-	36.45	8.70	35.10

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3157G	61.93	74.00	-12.07	41.11	3	Vertical	163	2.97	-	40.13	14.15	33.46
AV	13.3299G	51.06	54.00	-2.94	30.19	3	Vertical	163	2.97	-	40.16	14.16	33.45

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3297G	62.47	74.00	-11.53	41.60	3	Horizontal	115	1.17	-	40.16	14.16	33.45
AV	13.3298G	53.51	54.00	-0.49	32.64	3	Horizontal	115	1.17	-	40.16	14.16	33.45

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9917G	56.68	83.54	-26.86	35.06	1	Vertical	262	1.54	-	37.41	15.10	30.89
AV	19.99834G	44.75	63.54	-18.79	23.15	1	Vertical	262	1.54	-	37.40	15.10	30.90

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99066G	57.15	83.54	-26.39	35.53	1	Horizontal	244	1.50	-	37.41	15.10	30.89
AV	19.99832G	44.75	63.54	-18.79	23.15	1	Horizontal	244	1.50	-	37.40	15.10	30.90

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUT_Y_4TX
Setting 19.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.841G	111.10	Inf	-Inf	102.41	3	Vertical	273	2.20	-	35.72	7.98	35.01
RMS	6.8442G	100.03	Inf	-Inf	91.34	3	Vertical	273	2.20	-	35.71	7.99	35.01
PK	7.2026G	62.26	88.20	-25.94	52.23	3	Vertical	273	2.20	-	36.42	8.70	35.09
RMS	7.2042G	52.02	68.20	-16.18	41.98	3	Vertical	273	2.20	-	36.43	8.70	35.09

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUT Y_4TX
Setting 19.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	107.50	Inf	-Inf	98.81	3	Horizontal	200	1.77	-	35.70	8.00	35.01
RMS	6.849G	97.14	Inf	-Inf	88.45	3	Horizontal	200	1.77	-	35.70	8.00	35.01
PK	7.1338G	62.57	88.20	-25.63	53.06	3	Horizontal	200	1.77	-	36.00	8.57	35.06
RMS	7.217G	51.94	68.20	-16.26	41.84	3	Horizontal	200	1.77	-	36.50	8.70	35.10

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUT Y_4TX
Setting 19.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6528G	62.67	88.20	-25.53	40.81	3	Vertical	87	2.16	-	40.55	14.42	33.11
RMS	13.6499G	53.08	68.20	-15.12	31.22	3	Vertical	87	2.16	-	40.55	14.42	33.11

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUT_Y_4TX
Setting 19.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6499G	63.34	88.20	-24.86	41.48	3	Horizontal	301	1.85	-	40.55	14.42	33.11
RMS	13.6498G	54.80	68.20	-13.40	32.94	3	Horizontal	301	1.85	-	40.55	14.42	33.11

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUT Y_4TX
Setting 19.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47082G	55.10	83.54	-28.44	33.80	1	Vertical	132	1.57	-	37.69	15.22	31.61
AV	20.4706G	42.69	63.54	-20.85	21.39	1	Vertical	132	1.57	-	37.69	15.22	31.61

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUT Y_4TX
Setting 19.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47498G	54.43	83.54	-29.11	33.13	1	Horizontal	316	1.54	-	37.69	15.22	31.61
AV	20.47728G	42.89	63.54	-20.65	21.60	1	Horizontal	316	1.54	-	37.69	15.22	31.62

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 19
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.974G	109.87	Inf	-Inf	100.92	3	Vertical	271	1.80	-	35.70	8.25	35.00
RMS	6.998G	99.30	Inf	-Inf	90.30	3	Vertical	271	1.80	-	35.70	8.30	35.00
PK	7.13G	66.79	88.20	-21.41	57.31	3	Vertical	271	1.80	-	35.98	8.56	35.06
RMS	7.125G	55.59	68.20	-12.61	46.15	3	Vertical	271	1.80	-	35.95	8.55	35.06

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 19
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.998G	106.34	Inf	-Inf	97.34	3	Horizontal	338	1.80	-	35.70	8.30	35.00
RMS	6.993G	96.02	Inf	-Inf	87.03	3	Horizontal	338	1.80	-	35.70	8.29	35.00
PK	7.151G	64.49	88.20	-23.71	54.85	3	Horizontal	338	1.80	-	36.11	8.60	35.07
RMS	7.149G	53.30	68.20	-14.90	43.68	3	Horizontal	338	1.80	-	36.09	8.60	35.07

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9906G	64.20	88.20	-24.00	41.08	3	Vertical	306	2.59	-	41.18	14.69	32.75
RMS	13.9698G	52.08	68.20	-16.12	29.03	3	Vertical	306	2.59	-	41.14	14.68	32.77

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16G	64.09	88.20	-24.11	40.60	3	Horizontal	235	1.89	-	41.56	14.86	32.93
RMS	14.176G	52.80	68.20	-15.40	29.29	3	Horizontal	235	1.89	-	41.58	14.88	32.95

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
Setting 19
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95374G	55.19	83.54	-28.35	34.06	1	Vertical	354	1.53	-	38.21	15.34	32.42
AV	20.95906G	42.73	63.54	-20.81	21.60	1	Vertical	354	1.53	-	38.22	15.34	32.43

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX



EUT Y_4TX
Setting 19
03-H-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9567G	55.40	83.54	-28.14	34.28	1	Horizontal	264	1.51	-	38.21	15.34	32.43
AV	20.95018G	42.85	63.54	-20.69	21.73	1	Horizontal	264	1.51	-	38.20	15.34	32.42

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX 6115MHz_TX

MASK

07/11/2022

CF Freq
6.115GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10771G	-9.71	6.1491G	-61.60	-49.71	-11.89	1
6.10661G	-9.47	6.0814G	-61.78	-49.47	-12.31	2
6.10621G	-9.50	6.0794G	-61.54	-49.50	-12.04	3
6.10601G	-9.35	6.0755G	-61.58	-49.35	-12.23	4

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX 6255MHz_TX

MASK

07/11/2022

CF Freq
6.255GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26219G	-8.47	6.2086G	-61.83	-48.47	-13.36	1
6.26399G	-8.30	6.2116G	-62.21	-48.30	-13.91	2
6.26399G	-8.59	6.2081G	-61.91	-48.59	-13.32	3
6.26399G	-8.19	6.2922G	-61.94	-48.19	-13.75	4

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX 6415MHz_TX

MASK


07/11/2022



6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX 6435MHz_TX

MASK

07/11/2022




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX

MASK

07/11/2022




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX

MASK

07/11/2022




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX

MASK

07/11/2022




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX

MASK

07/11/2022



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX 6855MHz_TX

MASK

07/11/2022

CF Freq
6.855GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86399G	-9.44	6.8159G	-60.20	-49.44	-10.76	1
6.86399G	-9.44	6.8987G	-60.84	-49.44	-11.40	2
6.84591G	-9.75	6.8165G	-60.92	-49.75	-11.17	3
6.86389G	-9.16	6.9028G	-60.85	-49.16	-11.69	4

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX 6875MHz Straddle 6.525-6.875GHz_TX

MASK

07/11/2022

CF Freq
6.875GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88409G	-10.90	6.912G	-60.47	-50.90	-9.57	1
6.86611G	-10.45	6.9241G	-60.96	-50.45	-10.51	2
6.86591G	-11.07	6.9188G	-60.70	-51.07	-9.63	3
6.88369G	-10.18	6.9226G	-60.81	-50.18	-10.63	4

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX

MASK

07/11/2022




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX

MASK

07/11/2022




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX

MASK

07/11/2022




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TX

MASK

07/11/2022




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6125MHz_TX

MASK

07/11/2022

CF Freq
6.125GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1274G	-7.33	6.0408G	-59.32	-47.33	-11.99	1
6.124G	-7.66	6.049G	-59.68	-47.66	-12.02	2
6.1296G	-7.44	6.0556G	-59.20	-47.44	-11.76	3
6.1282G	-7.39	6.0544G	-59.35	-47.39	-11.96	4


Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6245MHz_TX

MASK

07/11/2022

CF Freq
6.245GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2472G	-7.74	6.1452G	-59.50	-47.74	-11.76	1
6.2458G	-7.73	6.16G	-59.80	-47.73	-12.07	2
6.2424G	-7.74	6.1472G	-59.47	-47.74	-11.73	3
6.242G	-7.66	6.345G	-59.61	-47.66	-11.95	4


Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6405MHz_TX

MASK

07/11/2022

CF Freq
6.405GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409G	-9.19	6.4676G	-59.15	-49.19	-9.96	1
6.4072G	-9.52	6.4694G	-59.44	-49.52	-9.92	2
6.401G	-9.27	6.4678G	-59.14	-49.27	-9.87	3
6.4032G	-9.10	6.4696G	-59.24	-49.10	-10.14	4

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6445MHz_TX

MASK

07/11/2022

CF Freq
6.445GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4486G	-9.29	6.528G	-59.16	-49.29	-9.87	1
6.4436G	-8.74	6.3836G	-59.34	-48.74	-10.60	2
6.4434G	-8.99	6.384G	-59.14	-48.99	-10.15	3
6.446G	-9.05	6.5076G	-59.41	-49.05	-10.36	4


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

07/11/2022

CF Freq
6.485GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4812G	-9.73	6.4164G	-59.13	-49.73	-9.40	1
6.47601G	-9.71	6.4202G	-59.14	-49.71	-9.43	2
6.4808G	-9.53	6.4076G	-59.00	-49.53	-9.47	3
6.4838G	-9.39	6.419G	-59.16	-49.39	-9.77	4


6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

07/11/2022

CF Freq
6.525GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5212G	-10.04	6.4318G	-59.05	-50.04	-9.01	1
6.522G	-10.12	6.4514G	-59.18	-50.12	-9.06	2
6.5224G	-9.71	6.455G	-58.87	-49.71	-9.16	3
6.5238G	-9.72	6.4408G	-59.07	-49.72	-9.35	4

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX

MASK

07/11/2022




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6725MHz_TX

MASK

07/11/2022




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6845MHz_TX

MASK

07/11/2022

CF Freq
6.845GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8472G	-8.69	6.9408G	-58.39	-48.69	-9.70	1
6.83761G	-8.87	6.937G	-58.68	-48.87	-9.81	2
6.8462G	-8.51	6.937G	-58.54	-48.51	-10.03	3
6.85239G	-8.30	6.9402G	-58.51	-48.30	-10.21	4

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX

MASK

07/11/2022

CF Freq
6.885GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8874G	-9.59	6.9834G	-58.21	-49.59	-8.62	1
6.8876G	-8.97	6.978G	-58.35	-48.97	-9.38	2
6.8874G	-9.48	6.9724G	-58.27	-49.48	-8.79	3
6.8862G	-8.90	6.9822G	-58.35	-48.90	-9.45	4


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX

MASK

07/11/2022

CF Freq
6.925GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.928G	-9.20	6.9926G	-57.48	-49.20	-8.28	1
6.9282G	-9.45	6.9996G	-57.92	-49.45	-8.47	2
6.9274G	-9.37	6.992G	-57.98	-49.37	-8.61	3
6.9272G	-9.15	6.9964G	-57.99	-49.15	-8.84	4


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX

MASK

07/11/2022

CF Freq
7.005GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.008G	-8.59	6.9442G	-57.82	-48.59	-9.23	1
7.0072G	-9.26	6.943G	-58.40	-49.26	-9.14	2
7.0024G	-8.46	6.9432G	-58.35	-48.46	-9.89	3
7.006G	-8.21	6.9392G	-58.42	-48.21	-10.21	4

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX
7085MHz_TX

MASK

07/11/2022

CF Freq
7.085GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.081G	-8.80	7.1498G	-61.54	-48.80	-12.74	1
7.0864G	-8.95	7.0224G	-62.01	-48.95	-13.06	2
7.089G	-9.02	7.0218G	-61.96	-49.02	-12.94	3
7.083G	-8.80	7.1474G	-62.03	-48.80	-13.23	4

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX
6145MHz_TX

MASK

07/11/2022

CF Freq
6.145GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1494G	-4.71	6.007G	-55.93	-44.71	-11.22	1
6.15379G	-4.87	6.019G	-56.35	-44.87	-11.48	2
6.149G	-4.80	6.0166G	-56.06	-44.80	-11.26	3
6.15259G	-4.59	6.013G	-56.00	-44.59	-11.41	4

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX

MASK

07/11/2022




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX

MASK

07/11/2022




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX

MASK

07/11/2022

CF Freq
6.465GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45421G	-5.58	6.6622G	-55.88	-45.58	-10.30	1
6.45541G	-5.47	6.6618G	-55.99	-45.47	-10.52	2
6.4626G	-5.18	6.6598G	-55.76	-45.18	-10.58	3
6.45341G	-5.59	6.6514G	-56.06	-45.59	-10.47	4

Port 1
Port 2
Port 3
Port 4


6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX

MASK

07/11/2022

CF Freq
6.545GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53861G	-5.73	6.7182G	-55.62	-45.73	-9.89	1
6.53501G	-5.68	6.7402G	-55.74	-45.68	-10.06	2
6.55299G	-5.76	6.7046G	-55.51	-45.76	-9.75	3
6.53661G	-5.86	6.7014G	-55.73	-45.86	-9.87	4


Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX

MASK

07/11/2022




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX

MASK


07/11/2022



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX 6785MHz_TX

MASK


07/11/2022



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX 6865MHz Straddle 6.525-6.875GHz_TX

MASK

07/11/2022



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX

MASK

07/11/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9494G	-6.04	6.8162G	-54.83	-46.04	-8.79	1
6.93461G	-6.56	6.7862G	-55.58	-46.56	-9.02	2
6.9418G	-6.34	6.813G	-55.35	-46.34	-9.01	3
6.95339G	-5.89	6.8178G	-55.38	-45.89	-9.49	4

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX

MASK

07/11/2022

CF Freq
7.025GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0298G	-5.25	6.8994G	-55.10	-45.25	-9.85	1
7.0274G	-5.60	6.8994G	-55.52	-45.60	-9.92	2
7.0222G	-5.36	6.899G	-55.32	-45.36	-9.96	3
7.01381G	-5.38	6.8838G	-55.60	-45.38	-10.22	4

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX

MASK

07/11/2022

CF Freq
6.185GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15943G	0.12	5.805G	-51.49	-39.88	-11.61	1
6.15383G	0.22	6.4458G	-51.83	-39.78	-12.05	2
6.16262G	0.31	6.445G	-51.48	-39.69	-11.79	3
6.15783G	0.13	5.8138G	-51.57	-39.87	-11.70	4

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX

MASK

07/11/2022

CF Freq
6.505GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48022G	0.29	6.7562G	-51.42	-39.71	-11.71	1
6.51379G	0.36	6.7538G	-51.42	-39.64	-11.78	2
6.48182G	0.48	6.7554G	-51.22	-39.52	-11.70	3
6.48262G	0.23	6.773G	-51.44	-39.77	-11.67	4

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

07/11/2022

CF Freq
6.665GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63543G	-0.03	6.993G	-50.58	-40.03	-10.55	1
6.63463G	-0.17	6.9978G	-50.86	-40.17	-10.69	2
6.64342G	0.20	6.997G	-50.60	-39.80	-10.80	3
6.65621G	-0.26	6.9898G	-50.69	-40.26	-10.43	4

Port 1

Port 2

Port 3

Port 4

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TX

07/11/2022

CF Freq
6.825GHz


Span
800MHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83859G	0.38	6.5738G	-50.87	-39.62	-11.25	1
6.79783G	0.51	6.5754G	-51.25	-39.49	-11.76	2
6.84738G	0.91	6.573G	-50.96	-39.09	-11.87	3
6.85297G	0.66	6.577G	-51.20	-39.33	-11.87	4

Port 1

Port 2

Port 3


Port 4

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

07/11/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6115MHz_TnomVnom

06/10/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6255MHz_TnomVnom

06/10/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

06/10/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

06/10/2022



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

06/10/2022

CF Freq
6.475GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48389G	-5.11	6.432G	-59.27	-45.11	-14.16	1
6.48379G	-5.07	6.5093G	-59.66	-45.07	-14.59	2
6.48249G	-4.92	6.5097G	-59.66	-44.92	-14.74	3
6.46611G	-5.39	6.5099G	-59.70	-45.39	-14.31	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

06/10/2022

CF Freq
6.515GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50611G	-4.76	6.4777G	-59.44	-44.76	-14.68	1
6.52359G	-4.70	6.4802G	-59.73	-44.70	-15.03	2
6.52279G	-5.08	6.4769G	-59.65	-45.08	-14.57	3
6.50641G	-5.04	6.4784G	-59.73	-45.04	-14.69	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

06/10/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

06/10/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

06/10/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

06/10/2022



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

06/10/2022

CF Freq
6.895GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88721G	-6.53	6.9372G	-58.72	-46.53	-12.19	1
6.88651G	-5.81	6.929G	-58.84	-45.81	-13.03	2
6.90379G	-6.24	6.937G	-58.73	-46.24	-12.49	3
6.90379G	-5.41	6.9321G	-58.68	-45.41	-13.27	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

06/10/2022

CF Freq
6.995GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00239G	-7.88	6.9618G	-58.64	-47.88	-10.76	1
6.98621G	-7.12	6.9552G	-58.77	-47.12	-11.65	2
6.98901G	-7.45	6.9611G	-58.68	-47.45	-11.23	3
7.00379G	-7.20	6.9615G	-58.58	-47.20	-11.38	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

06/10/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6125MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6245MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6725MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

06/10/2022




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

06/10/2022




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

06/10/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

06/10/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16102G	-6.53	6.4322G	-58.93	-46.41	-12.52	1
6.15303G	-6.10	6.4314G	-59.30	-46.07	-13.23	2
6.16262G	-5.79	6.4346G	-59.23	-45.79	-13.44	3
6.17221G	-6.46	6.5066G	-59.21	-46.46	-12.75	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

06/10/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37137G	-6.35	6.7202G	-59.91	-46.35	-13.56	1
6.37377G	-6.50	6.745G	-60.40	-46.50	-13.90	2
6.38256G	-6.59	6.0962G	-60.30	-46.59	-13.71	3
6.37297G	-6.59	6.097G	-60.50	-46.59	-13.91	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

06/10/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

06/10/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

06/10/2022




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom


06/10/2022



5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6145MHz_TnomVnom

MASK


07/11/2022



5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6225MHz_TnomVnom

MASK


07/11/2022



5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX 6385MHz_TnomVnom

MASK


07/11/2022



6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX 6465MHz_TnomVnom

MASK

07/11/2022




6.425-6.525GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom

MASK

07/11/2022

CF Freq
6.545GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53661G	-0.79	6.4186G	-54.54	-40.79	-13.75	1
6.55379G	-0.48	6.419G	-54.89	-40.48	-14.41	2
6.543G	-0.62	6.423G	-54.27	-40.56	-13.71	3
6.543G	-0.95	6.4214G	-54.81	-40.95	-13.86	4

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6625MHz_TnomVnom

MASK

07/11/2022

CF Freq
6.625GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6218G	-1.21	6.5018G	-54.06	-41.21	-12.85	1
6.61341G	-1.02	6.501G	-54.52	-40.96	-13.56	2
6.6226G	-0.97	6.5018G	-53.81	-40.97	-12.84	3
6.61581G	-1.18	6.501G	-54.43	-41.18	-13.25	4

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6705MHz_TnomVnom

MASK

07/11/2022

CF Freq
6.705GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71779G	-1.04	6.5794G	-53.51	-41.04	-12.47	1
6.69541G	-0.60	6.8294G	-54.17	-40.60	-13.57	2
6.7074G	-0.73	6.5806G	-53.56	-40.73	-12.83	3
6.71499G	-0.89	6.5818G	-53.80	-40.89	-12.91	4

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6785MHz_TnomVnom

MASK

07/11/2022

CF Freq
6.785GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79859G	-0.30	6.6614G	-52.33	-40.28	-12.05	1
6.79739G	-0.03	6.6622G	-52.91	-40.03	-12.88	2
6.7862G	-0.17	6.6606G	-52.54	-40.07	-12.47	3
6.79379G	-0.13	6.6618G	-52.72	-40.13	-12.59	4

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom

MASK

07/11/2022

CF Freq
6.865GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8606G	-1.27	6.9898G	-52.52	-41.27	-11.25	1
6.87619G	-0.94	6.9898G	-53.17	-40.94	-12.23	2
6.8674G	-1.45	6.991G	-53.14	-41.45	-11.69	3
6.8606G	-0.87	6.9938G	-53.01	-40.87	-12.14	4

6.875-7.125GHz_802.11ax HEW80_Nss4,(MCS0)_4TX
6945MHz_TnomVnom

MASK

07/11/2022

CF Freq
6.945GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9482G	-1.80	6.819G	-53.72	-41.80	-11.92	1
6.9498G	-1.99	6.8206G	-54.09	-41.99	-12.10	2
6.947G	-1.62	6.8198G	-53.88	-41.62	-12.26	3
6.9466G	-1.09	6.8202G	-53.67	-41.09	-12.58	4