


802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1436G	58.97	74.00	-15.03	50.87	3	Vertical	210	1.99	-	33.59	5.24	30.73	
AV	5.1432G	47.19	54.00	-6.81	39.09	3	Vertical	210	1.99	-	33.59	5.24	30.73	
PK	5.1912G	119.53	Inf	-Inf	111.29	3	Vertical	210	1.99	-	33.68	5.29	30.73	
AV	5.1916G	107.38	Inf	-Inf	99.14	3	Vertical	210	1.99	-	33.68	5.29	30.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1452G	59.45	74.00	-14.55	51.34	3	Horizontal	85	2.21	-	33.59	5.25	30.73	
AV	5.1488G	46.86	54.00	-7.14	38.74	3	Horizontal	85	2.21	-	33.60	5.25	30.73	
PK	5.1972G	117.59	Inf	-Inf	109.33	3	Horizontal	85	2.21	-	33.69	5.30	30.73	
AV	5.1968G	104.87	Inf	-Inf	96.61	3	Horizontal	85	2.21	-	33.69	5.30	30.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4006G	67.73	68.20	-0.47	53.50	3	Vertical	200	1.86	-	38.60	7.46	31.83
PK	15.58584G	60.50	74.00	-13.50	44.48	3	Vertical	192	1.80	-	37.58	9.81	31.37
AV	15.6042G	45.97	54.00	-8.03	30.03	3	Vertical	192	1.80	-	37.50	9.82	31.38

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39712G	61.18	68.20	-7.02	46.95	3	Horizontal	190	1.80	-	38.60	7.46	31.83
PK	15.60762G	59.25	74.00	-14.75	43.32	3	Horizontal	296	2.42	-	37.50	9.82	31.39
AV	15.5976G	46.09	54.00	-7.91	30.14	3	Horizontal	296	2.42	-	37.51	9.82	31.38

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 18.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1362G	59.90	74.00	-14.10	51.82	3	Vertical	206	1.97	-	33.57	5.24	30.73
AV	5.135G	46.83	54.00	-7.17	38.75	3	Vertical	206	1.97	-	33.57	5.24	30.73
PK	5.2316G	119.38	Inf	-Inf	111.09	3	Vertical	206	1.97	-	33.70	5.32	30.73
AV	5.2316G	106.79	Inf	-Inf	98.50	3	Vertical	206	1.97	-	33.70	5.32	30.73
PK	5.3648G	59.66	74.00	-14.34	51.07	3	Vertical	206	1.97	-	33.93	5.38	30.72
AV	5.39G	46.91	54.00	-7.09	38.25	3	Vertical	206	1.97	-	33.98	5.40	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 18.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	58.83	74.00	-15.17	50.73	3	Horizontal	232	2.06	-	33.59	5.24	30.73
AV	5.1422G	46.28	54.00	-7.72	38.19	3	Horizontal	232	2.06	-	33.58	5.24	30.73
PK	5.249G	117.14	Inf	-Inf	108.85	3	Horizontal	232	2.06	-	33.70	5.32	30.73
AV	5.249G	105.58	Inf	-Inf	97.29	3	Horizontal	232	2.06	-	33.70	5.32	30.73
PK	5.3798G	60.35	74.00	-13.65	51.72	3	Horizontal	232	2.06	-	33.96	5.39	30.72
AV	5.39G	46.73	54.00	-7.27	38.07	3	Horizontal	232	2.06	-	33.98	5.40	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47742G	67.81	68.20	-0.39	53.57	3	Vertical	190	2.99	-	38.60	7.49	31.85
PK	15.72258G	58.13	74.00	-15.87	42.20	3	Vertical	146	1.80	-	37.50	9.88	31.45
AV	15.70794G	44.99	54.00	-9.01	29.06	3	Vertical	146	1.80	-	37.50	9.87	31.44

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48132G	62.87	68.20	-5.33	48.63	3	Horizontal	188	1.72	-	38.60	7.49	31.85
PK	15.7146G	59.90	74.00	-14.10	43.97	3	Horizontal	335	2.21	-	37.50	9.87	31.44
AV	15.71658G	46.00	54.00	-8.00	30.07	3	Horizontal	335	2.21	-	37.50	9.87	31.44

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 18.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	58.59	74.00	-15.41	50.47	3	Vertical	204	1.96	-	33.60	5.25	30.73
AV	5.15G	46.23	54.00	-7.77	38.11	3	Vertical	204	1.96	-	33.60	5.25	30.73
PK	5.2522G	119.79	Inf	-Inf	111.48	3	Vertical	204	1.96	-	33.70	5.33	30.72
AV	5.2516G	106.84	Inf	-Inf	98.53	3	Vertical	204	1.96	-	33.70	5.33	30.72
PK	5.4082G	59.96	74.00	-14.04	51.27	3	Vertical	204	1.96	-	34.00	5.41	30.72
AV	5.35G	47.68	54.00	-6.32	39.12	3	Vertical	204	1.96	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 18.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1226G	58.63	74.00	-15.37	50.59	3	Horizontal	86	2.37	-	33.55	5.22	30.73
AV	5.1454G	46.05	54.00	-7.95	37.94	3	Horizontal	86	2.37	-	33.59	5.25	30.73
PK	5.2582G	117.78	Inf	-Inf	109.45	3	Horizontal	86	2.37	-	33.72	5.33	30.72
AV	5.2582G	105.46	Inf	-Inf	97.13	3	Horizontal	86	2.37	-	33.72	5.33	30.72
PK	5.4064G	59.13	74.00	-14.87	50.44	3	Horizontal	86	2.37	-	34.00	5.41	30.72
AV	5.3542G	47.37	54.00	-6.63	38.80	3	Horizontal	86	2.37	-	33.91	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52072G	67.83	68.20	-0.37	53.59	3	Vertical	199	1.97	-	38.58	7.51	31.85
PK	15.76692G	59.11	74.00	-14.89	43.18	3	Vertical	203	2.32	-	37.50	9.90	31.47
AV	15.7767G	44.93	54.00	-9.07	29.00	3	Vertical	203	2.32	-	37.50	9.90	31.47

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51874G	61.78	68.20	-6.42	47.54	3	Horizontal	189	1.72	-	38.58	7.51	31.85
PK	15.79272G	59.30	74.00	-14.70	43.37	3	Horizontal	343	1.80	-	37.50	9.91	31.48
AV	15.77478G	45.33	54.00	-8.67	29.40	3	Horizontal	343	1.80	-	37.50	9.90	31.47

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3064G	120.60	Inf	-Inf	112.16	3	Vertical	214	2.45	-	33.81	5.35	30.72	
AV	5.3072G	107.77	Inf	-Inf	99.33	3	Vertical	214	2.45	-	33.81	5.35	30.72	
PK	5.3996G	60.13	74.00	-13.87	51.45	3	Vertical	214	2.45	-	34.00	5.40	30.72	
AV	5.4G	47.95	54.00	-6.05	39.27	3	Vertical	214	2.45	-	34.00	5.40	30.72	

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Y_4TX
Setting 20
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	118.93	Inf	-Inf	110.50	3	Horizontal	89	2.33	-	33.80	5.35	30.72
AV	5.2984G	106.19	Inf	-Inf	97.76	3	Horizontal	89	2.33	-	33.80	5.35	30.72
PK	5.394G	60.86	74.00	-13.14	52.19	3	Horizontal	89	2.33	-	33.99	5.40	30.72
AV	5.3948G	47.80	54.00	-6.20	39.13	3	Horizontal	89	2.33	-	33.99	5.40	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.60126G	68.79	74.00	-5.21	54.61	3	Vertical	197	1.76	-	38.50	7.54	31.86	
AV	10.60024G	53.17	54.00	-0.83	38.99	3	Vertical	197	1.76	-	38.50	7.54	31.86	
PK	15.89892G	58.15	74.00	-15.85	42.44	3	Vertical	168	1.80	-	37.30	9.95	31.54	
AV	15.90168G	44.51	54.00	-9.49	28.79	3	Vertical	168	1.80	-	37.30	9.96	31.54	

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60324G	62.59	74.00	-11.41	48.41	3	Horizontal	188	1.80	-	38.50	7.54	31.86
AV	10.60216G	48.19	54.00	-5.81	34.01	3	Horizontal	188	1.80	-	38.50	7.54	31.86
PK	15.90282G	57.44	74.00	-16.56	41.72	3	Horizontal	268	1.69	-	37.30	9.96	31.54
AV	15.8943G	44.02	54.00	-9.98	28.30	3	Horizontal	268	1.69	-	37.31	9.95	31.54

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3256G	121.43	Inf	-Inf	112.94	3	Vertical	209	2.76	-	33.85	5.36	30.72	
AV	5.3274G	109.00	Inf	-Inf	100.51	3	Vertical	209	2.76	-	33.85	5.36	30.72	
PK	5.35G	64.71	74.00	-9.29	56.15	3	Vertical	209	2.76	-	33.90	5.38	30.72	
AV	5.35G	48.90	54.00	-5.10	40.34	3	Vertical	209	2.76	-	33.90	5.38	30.72	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.312G	121.12	Inf	-Inf	112.66	3	Horizontal	231	2.34	-	33.82	5.36	30.72	
AV	5.3118G	107.69	Inf	-Inf	99.23	3	Horizontal	231	2.34	-	33.82	5.36	30.72	
PK	5.3518G	61.46	74.00	-12.54	52.90	3	Horizontal	231	2.34	-	33.90	5.38	30.72	
AV	5.3518G	47.73	54.00	-6.27	39.17	3	Horizontal	231	2.34	-	33.90	5.38	30.72	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.64024G	68.99	74.00	-5.01	54.80	3	Vertical	195	1.66	-	38.50	7.56	31.87	
AV	10.64054G	53.54	54.00	-0.46	39.35	3	Vertical	195	1.66	-	38.50	7.56	31.87	
PK	15.95538G	58.30	74.00	-15.70	42.59	3	Vertical	347	1.80	-	37.30	9.98	31.57	
AV	15.9588G	44.47	54.00	-9.53	28.76	3	Vertical	347	1.80	-	37.30	9.98	31.57	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 20.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6418G	62.77	74.00	-11.23	48.58	3	Horizontal	187	1.78	-	38.50	7.56	31.87	
AV	10.64192G	48.18	54.00	-5.82	33.99	3	Horizontal	187	1.78	-	38.50	7.56	31.87	
PK	15.95472G	57.19	74.00	-16.81	41.48	3	Horizontal	176	1.15	-	37.30	9.98	31.57	
AV	15.95556G	44.06	54.00	-9.94	28.35	3	Horizontal	176	1.15	-	37.30	9.98	31.57	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4506G	60.98	74.00	-13.02	52.25	3	Vertical	303	1.77	-	34.00	5.45	30.72	
AV	5.4594G	47.56	54.00	-6.44	38.82	3	Vertical	303	1.77	-	34.00	5.46	30.72	
PK	5.4694G	65.64	68.20	-2.56	56.89	3	Vertical	303	1.77	-	34.00	5.47	30.72	
PK	5.495G	120.76	Inf	-Inf	111.98	3	Vertical	303	1.77	-	34.00	5.50	30.72	
AV	5.4956G	107.17	Inf	-Inf	98.39	3	Vertical	303	1.77	-	34.00	5.50	30.72	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_V_4TX
Setting 19.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4588G	60.36	74.00	-13.64	51.62	3	Horizontal	91	2.32	-	34.00	5.46	30.72	
AV	5.4598G	47.84	54.00	-6.16	39.10	3	Horizontal	91	2.32	-	34.00	5.46	30.72	
PK	5.4684G	65.74	68.20	-2.46	56.99	3	Horizontal	91	2.32	-	34.00	5.47	30.72	
PK	5.4992G	120.31	Inf	-Inf	111.53	3	Horizontal	91	2.32	-	34.00	5.50	30.72	
AV	5.4986G	107.22	Inf	-Inf	98.44	3	Horizontal	91	2.32	-	34.00	5.50	30.72	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99862G	69.73	74.00	-4.27	55.35	3	Vertical	194	1.63	-	38.60	7.70	31.92
AV	11.00018G	53.94	54.00	-0.06	39.56	3	Vertical	194	1.63	-	38.60	7.70	31.92
PK	16.49724G	60.58	68.20	-7.62	42.23	3	Vertical	49	1.91	-	39.08	10.25	30.98

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99832G	62.18	74.00	-11.82	47.80	3	Horizontal	130	1.91	-	38.60	7.70	31.92
AV	11.0042G	47.09	54.00	-6.91	32.71	3	Horizontal	130	1.91	-	38.60	7.70	31.92
PK	16.4946G	60.90	68.20	-7.30	42.58	3	Horizontal	343	1.40	-	39.06	10.25	30.99

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 18
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3936G	60.06	74.00	-13.94	51.39	3	Vertical	196	2.91	-	33.99	5.40	30.72
AV	5.3952G	47.62	54.00	-6.38	38.95	3	Vertical	196	2.91	-	33.99	5.40	30.72
PK	5.4624G	59.29	68.20	-8.91	50.55	3	Vertical	196	2.91	-	34.00	5.46	30.72
PK	5.5888G	118.42	Inf	-Inf	109.70	3	Vertical	196	2.91	-	33.92	5.59	30.79
AV	5.5888G	105.96	Inf	-Inf	97.24	3	Vertical	196	2.91	-	33.92	5.59	30.79
PK	5.7528G	59.33	68.20	-8.87	50.84	3	Vertical	196	2.91	-	33.80	5.60	30.91

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 18
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4088G	59.81	74.00	-14.19	51.12	3	Horizontal	81	2.02	-	34.00	5.41	30.72
AV	5.3968G	46.93	54.00	-7.07	38.26	3	Horizontal	81	2.02	-	33.99	5.40	30.72
PK	5.4664G	59.14	68.20	-9.06	50.39	3	Horizontal	81	2.02	-	34.00	5.47	30.72
PK	5.572G	117.86	Inf	-Inf	109.10	3	Horizontal	81	2.02	-	33.96	5.57	30.77
AV	5.5712G	105.60	Inf	-Inf	96.84	3	Horizontal	81	2.02	-	33.96	5.57	30.77
PK	5.7608G	59.18	68.20	-9.02	50.70	3	Horizontal	81	2.02	-	33.80	5.60	30.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1594G	67.48	74.00	-6.52	52.94	3	Vertical	202	1.78	-	38.76	7.76	31.98
AV	11.15988G	53.39	54.00	-0.61	38.85	3	Vertical	202	1.78	-	38.76	7.76	31.98
PK	16.7454G	60.99	68.20	-7.21	41.29	3	Vertical	227	1.81	-	39.96	10.37	30.63

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16744G	60.97	74.00	-13.03	46.42	3	Horizontal	203	1.80	-	38.77	7.77	31.99
AV	11.16702G	46.39	54.00	-7.61	31.84	3	Horizontal	203	1.80	-	38.77	7.77	31.99
PK	16.7496G	61.58	68.20	-6.62	41.83	3	Horizontal	137	2.32	-	40.00	10.37	30.62

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	119.36	Inf	-Inf	110.73	3	Vertical	280	1.69	-	33.90	5.60	30.87
AV	5.701G	106.44	Inf	-Inf	97.81	3	Vertical	280	1.69	-	33.90	5.60	30.87
PK	5.725G	67.66	68.20	-0.54	59.10	3	Vertical	280	1.69	-	33.85	5.60	30.89

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6914G	117.63	Inf	-Inf	109.02	3	Horizontal	0	1.97	-	33.88	5.60	30.87
AV	5.691G	105.51	Inf	-Inf	96.90	3	Horizontal	0	1.97	-	33.88	5.60	30.87
PK	5.7254G	67.66	68.20	-0.54	59.10	3	Horizontal	0	1.97	-	33.85	5.60	30.89

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39852G	61.13	74.00	-12.87	46.55	3	Vertical	198	1.78	-	38.80	7.86	32.08
AV	11.40056G	44.59	54.00	-9.41	30.01	3	Vertical	198	1.78	-	38.80	7.86	32.08
PK	17.10402G	63.87	68.20	-4.33	42.15	3	Vertical	245	1.25	-	41.42	10.55	30.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39884G	59.65	74.00	-14.35	45.07	3	Horizontal	130	1.82	-	38.80	7.86	32.08
AV	11.39574G	41.60	54.00	-12.40	27.02	3	Horizontal	130	1.82	-	38.80	7.86	32.08
PK	17.09582G	63.57	68.20	-4.63	41.89	3	Horizontal	298	1.75	-	41.38	10.55	30.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	121.20	Inf	-Inf	112.64	3	Vertical	225	2.55	-	33.85	5.60	30.89
AV	5.7256G	108.95	Inf	-Inf	100.39	3	Vertical	225	2.55	-	33.85	5.60	30.89
PK	5.884G	60.23	68.20	-7.97	51.56	3	Vertical	225	2.55	-	34.00	5.68	31.01

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7112G	120.15	Inf	-Inf	111.55	3	Horizontal	0	1.94	-	33.88	5.60	30.88
AV	5.7112G	107.20	Inf	-Inf	98.60	3	Horizontal	0	1.94	-	33.88	5.60	30.88
PK	5.8736G	59.58	68.20	-8.62	50.97	3	Horizontal	0	1.94	-	33.94	5.67	31.00

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44108G	72.15	74.00	-1.85	57.49	3	Vertical	205	1.80	-	38.88	7.88	32.10
AV	11.44042G	53.96	54.00	-0.04	39.30	3	Vertical	205	1.80	-	38.88	7.88	32.10
PK	17.14974G	65.22	68.20	-2.98	43.20	3	Vertical	249	2.78	-	41.70	10.57	30.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44006G	69.21	74.00	-4.79	54.55	3	Horizontal	131	1.80	-	38.88	7.88	32.10
AV	11.43916G	51.42	54.00	-2.58	36.76	3	Horizontal	131	1.80	-	38.88	7.88	32.10
PK	17.15544G	66.65	68.20	-1.55	44.58	3	Horizontal	262	1.76	-	41.73	10.58	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.555G	60.31	68.20	-7.89	51.53	3	Vertical	222	2.75	-	33.99	5.55	30.76	
PK	5.752G	120.63	Inf	-Inf	112.14	3	Vertical	222	2.75	-	33.80	5.60	30.91	
AV	5.752G	108.25	Inf	-Inf	99.76	3	Vertical	222	2.75	-	33.80	5.60	30.91	
PK	5.949G	59.04	68.20	-9.16	50.15	3	Vertical	222	2.75	-	34.20	5.75	31.06	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.565G	60.00	68.20	-8.20	51.24	3	Horizontal	350	1.78	-	33.97	5.56	30.77	
PK	5.737G	118.57	Inf	-Inf	110.04	3	Horizontal	350	1.78	-	33.83	5.60	30.90	
AV	5.736G	106.94	Inf	-Inf	98.41	3	Horizontal	350	1.78	-	33.83	5.60	30.90	
PK	5.964G	58.93	68.20	-9.27	50.04	3	Horizontal	350	1.78	-	34.20	5.76	31.07	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49126G	71.11	74.00	-2.89	56.35	3	Vertical	202	1.80	-	38.98	7.90	32.12
AV	11.49006G	53.78	54.00	-0.22	39.02	3	Vertical	202	1.80	-	38.98	7.90	32.12
PK	17.23014G	64.48	68.20	-3.72	41.95	3	Vertical	268	1.58	-	42.15	10.62	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49072G	66.92	74.00	-7.08	52.16	3	Horizontal	126	1.80	-	38.98	7.90	32.12	
AV	11.49G	50.22	54.00	-3.78	35.46	3	Horizontal	126	1.80	-	38.98	7.90	32.12	
PK	17.23002G	65.64	68.20	-2.56	43.11	3	Horizontal	253	1.00	-	42.15	10.62	30.24	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	60.81	68.20	-7.39	52.08	3	Vertical	333	1.80	-	33.93	5.58	30.78
PK	5.79G	118.82	Inf	-Inf	110.36	3	Vertical	333	1.80	-	33.80	5.60	30.94
AV	5.792G	106.46	Inf	-Inf	98.00	3	Vertical	333	1.80	-	33.80	5.60	30.94
PK	6.029G	59.71	68.20	-8.49	50.76	3	Vertical	333	1.80	-	34.26	5.80	31.11

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.583G	59.98	68.20	-8.22	51.25	3	Horizontal	360	1.79	-	33.93	5.58	30.78	
PK	5.777G	120.36	Inf	-Inf	111.89	3	Horizontal	360	1.79	-	33.80	5.60	30.93	
AV	5.776G	107.73	Inf	-Inf	99.26	3	Horizontal	360	1.79	-	33.80	5.60	30.93	
PK	6.03G	59.45	68.20	-8.75	50.50	3	Horizontal	360	1.79	-	34.26	5.80	31.11	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57156G	68.84	74.00	-5.16	53.86	3	Vertical	201	2.12	-	39.21	7.93	32.16
AV	11.57036G	53.23	54.00	-0.77	38.25	3	Vertical	201	2.12	-	39.21	7.93	32.16
PK	17.3571G	65.04	68.20	-3.16	41.74	3	Vertical	63	1.78	-	42.84	10.68	30.22

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57126G	66.56	74.00	-7.44	51.58	3	Horizontal	333	1.73	-	39.21	7.93	32.16
AV	11.57174G	50.02	54.00	-3.98	35.03	3	Horizontal	333	1.73	-	39.22	7.93	32.16
PK	17.34588G	64.93	68.20	-3.27	41.71	3	Horizontal	261	1.71	-	42.78	10.67	30.23

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 19
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	60.41	68.20	-7.79	51.80	3	Vertical	227	2.56	-	33.83	5.60	30.82
PK	5.831G	119.81	Inf	-Inf	111.35	3	Vertical	227	2.56	-	33.80	5.63	30.97
AV	5.831G	106.24	Inf	-Inf	97.78	3	Vertical	227	2.56	-	33.80	5.63	30.97
PK	6.068G	59.47	68.20	-8.73	50.45	3	Vertical	227	2.56	-	34.34	5.80	31.12

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 19
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	59.60	68.20	-8.60	50.91	3	Horizontal	351	1.72	-	33.89	5.60	30.80
PK	5.817G	117.20	Inf	-Inf	108.74	3	Horizontal	351	1.72	-	33.80	5.62	30.96
AV	5.816G	105.72	Inf	-Inf	97.26	3	Horizontal	351	1.72	-	33.80	5.62	30.96
PK	6.05G	59.58	68.20	-8.62	50.60	3	Horizontal	351	1.72	-	34.30	5.80	31.12

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 19
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64712G	61.29	74.00	-12.71	46.15	3	Vertical	145	1.71	-	39.39	7.96	32.21
AV	11.64838G	47.50	54.00	-6.50	32.35	3	Vertical	145	1.71	-	39.40	7.96	32.21
PK	17.48448G	66.47	68.20	-1.73	42.16	3	Vertical	318	2.57	-	43.78	10.74	30.21

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 19
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65048G	60.74	74.00	-13.26	45.59	3	Horizontal	122	1.48	-	39.40	7.96	32.21	
AV	11.64712G	46.53	54.00	-7.47	31.39	3	Horizontal	122	1.48	-	39.39	7.96	32.21	
PK	17.48118G	67.90	68.20	-0.30	43.62	3	Horizontal	293	1.05	-	43.75	10.74	30.21	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 19
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	68.19	74.00	-5.81	60.10	3	Vertical	206	1.91	-	33.58	5.24	30.73
AV	5.1428G	53.42	54.00	-0.58	45.32	3	Vertical	206	1.91	-	33.59	5.24	30.73
PK	5.1804G	117.65	Inf	-Inf	109.44	3	Vertical	206	1.91	-	33.66	5.28	30.73
AV	5.1816G	104.85	Inf	-Inf	96.64	3	Vertical	206	1.91	-	33.66	5.28	30.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 19
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	64.08	74.00	-9.92	55.96	3	Horizontal	265	1.99	-	33.60	5.25	30.73	
AV	5.15G	51.57	54.00	-2.43	43.45	3	Horizontal	265	1.99	-	33.60	5.25	30.73	
PK	5.192G	114.59	Inf	-Inf	106.35	3	Horizontal	265	1.99	-	33.68	5.29	30.73	
AV	5.1924G	102.40	Inf	-Inf	94.16	3	Horizontal	265	1.99	-	33.68	5.29	30.73	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 19
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37916G	61.13	68.20	-7.07	46.89	3	Vertical	191	1.79	-	38.62	7.45	31.83
PK	15.56812G	59.55	74.00	-14.45	43.42	3	Vertical	201	2.84	-	37.69	9.81	31.37
AV	15.5778G	45.41	54.00	-8.59	29.34	3	Vertical	201	2.84	-	37.63	9.81	31.37

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 19
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37484G	57.55	68.20	-10.65	43.30	3	Horizontal	188	1.80	-	38.63	7.45	31.83
PK	15.5634G	59.39	74.00	-14.61	43.23	3	Horizontal	306	2.53	-	37.72	9.80	31.36
AV	15.56504G	45.69	54.00	-8.31	29.54	3	Horizontal	306	2.53	-	37.71	9.80	31.36

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 19.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1274G	59.20	74.00	-14.80	51.15	3	Vertical	207	1.98	-	33.55	5.23	30.73
AV	5.1436G	47.16	54.00	-6.84	39.06	3	Vertical	207	1.98	-	33.59	5.24	30.73
PK	5.2228G	117.89	Inf	-Inf	109.61	3	Vertical	207	1.98	-	33.70	5.31	30.73
AV	5.2408G	104.70	Inf	-Inf	96.41	3	Vertical	207	1.98	-	33.70	5.32	30.73
PK	5.3596G	60.10	74.00	-13.90	51.52	3	Vertical	207	1.98	-	33.92	5.38	30.72
AV	5.3704G	47.12	54.00	-6.88	38.51	3	Vertical	207	1.98	-	33.94	5.39	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 19.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	58.52	74.00	-15.48	50.49	3	Horizontal	232	1.39	-	33.54	5.22	30.73
AV	5.1304G	46.54	54.00	-7.46	38.48	3	Horizontal	232	1.39	-	33.56	5.23	30.73
PK	5.2288G	117.38	Inf	-Inf	109.10	3	Horizontal	232	1.39	-	33.70	5.31	30.73
AV	5.2276G	104.33	Inf	-Inf	96.05	3	Horizontal	232	1.39	-	33.70	5.31	30.73
PK	5.3746G	59.75	74.00	-14.25	51.13	3	Horizontal	232	1.39	-	33.95	5.39	30.72
AV	5.371G	46.86	54.00	-7.14	38.25	3	Horizontal	232	1.39	-	33.94	5.39	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46084G	67.89	68.20	-0.31	53.65	3	Vertical	190	1.80	-	38.60	7.48	31.84
PK	15.69186G	58.90	74.00	-15.10	42.97	3	Vertical	105	1.36	-	37.50	9.86	31.43
AV	15.67782G	45.78	54.00	-8.22	29.84	3	Vertical	105	1.36	-	37.50	9.86	31.42

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45628G	63.67	68.20	-4.53	49.43	3	Horizontal	189	1.82	-	38.60	7.48	31.84
PK	15.6849G	60.42	74.00	-13.58	44.49	3	Horizontal	297	2.19	-	37.50	9.86	31.43
AV	15.68598G	46.79	54.00	-7.21	30.86	3	Horizontal	297	2.19	-	37.50	9.86	31.43

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 19.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	59.44	74.00	-14.56	51.35	3	Vertical	298	1.83	-	33.58	5.24	30.73
AV	5.1404G	46.02	54.00	-7.98	37.93	3	Vertical	298	1.83	-	33.58	5.24	30.73
PK	5.2676G	116.92	Inf	-Inf	108.57	3	Vertical	298	1.83	-	33.74	5.33	30.72
AV	5.2688G	103.84	Inf	-Inf	95.49	3	Vertical	298	1.83	-	33.74	5.33	30.72
PK	5.363G	60.95	74.00	-13.05	52.36	3	Vertical	298	1.83	-	33.93	5.38	30.72
AV	5.363G	48.26	54.00	-5.74	39.67	3	Vertical	298	1.83	-	33.93	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 19.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1296G	59.09	74.00	-14.91	51.03	3	Horizontal	88	2.26	-	33.56	5.23	30.73
AV	5.1344G	46.15	54.00	-7.85	38.08	3	Horizontal	88	2.26	-	33.57	5.23	30.73
PK	5.2682G	116.27	Inf	-Inf	107.92	3	Horizontal	88	2.26	-	33.74	5.33	30.72
AV	5.2676G	104.32	Inf	-Inf	95.97	3	Horizontal	88	2.26	-	33.74	5.33	30.72
PK	5.4056G	61.43	74.00	-12.57	52.74	3	Horizontal	88	2.26	-	34.00	5.41	30.72
AV	5.3648G	47.97	54.00	-6.03	39.38	3	Horizontal	88	2.26	-	33.93	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5412G	68.01	68.20	-0.19	53.79	3	Vertical	188	2.91	-	38.56	7.52	31.86
PK	15.79686G	58.05	74.00	-15.95	42.12	3	Vertical	106	2.33	-	37.50	9.91	31.48
AV	15.79686G	44.54	54.00	-9.46	28.61	3	Vertical	106	2.33	-	37.50	9.91	31.48

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.537G	61.76	68.20	-6.44	47.55	3	Horizontal	189	1.77	-	38.56	7.51	31.86
PK	15.82302G	57.88	74.00	-16.12	42.01	3	Horizontal	280	1.71	-	37.45	9.92	31.50
AV	15.8055G	44.73	54.00	-9.27	28.82	3	Horizontal	280	1.71	-	37.49	9.91	31.49

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3072G	116.60	Inf	-Inf	108.16	3	Vertical	294	1.80	-	33.81	5.35	30.72	
AV	5.3076G	103.65	Inf	-Inf	95.20	3	Vertical	294	1.80	-	33.82	5.35	30.72	
PK	5.3504G	64.22	74.00	-9.78	55.66	3	Vertical	294	1.80	-	33.90	5.38	30.72	
AV	5.35G	51.69	54.00	-2.31	43.13	3	Vertical	294	1.80	-	33.90	5.38	30.72	

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3084G	115.62	Inf	-Inf	107.17	3	Horizontal	227	1.53	-	33.82	5.35	30.72	
AV	5.3088G	103.03	Inf	-Inf	94.58	3	Horizontal	227	1.53	-	33.82	5.35	30.72	
PK	5.3508G	66.41	74.00	-7.59	57.85	3	Horizontal	227	1.53	-	33.90	5.38	30.72	
AV	5.35G	52.89	54.00	-1.11	44.33	3	Horizontal	227	1.53	-	33.90	5.38	30.72	

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62124G	62.33	74.00	-11.67	48.15	3	Vertical	198	3.00	-	38.50	7.55	31.87
AV	10.61928G	47.21	54.00	-6.79	33.03	3	Vertical	198	3.00	-	38.50	7.55	31.87
PK	15.93024G	59.91	74.00	-14.09	44.19	3	Vertical	187	2.97	-	37.30	9.97	31.55
AV	15.9294G	46.10	54.00	-7.90	30.38	3	Vertical	187	2.97	-	37.30	9.97	31.55

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.62294G	59.94	74.00	-14.06	45.76	3	Horizontal	189	1.78	-	38.50	7.55	31.87	
AV	10.62258G	45.62	54.00	-8.38	31.44	3	Horizontal	189	1.78	-	38.50	7.55	31.87	
PK	15.91698G	57.78	74.00	-16.22	42.07	3	Horizontal	23	1.43	-	37.30	9.96	31.55	
AV	15.92604G	44.10	54.00	-9.90	28.38	3	Horizontal	23	1.43	-	37.30	9.97	31.55	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 17.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4148G	61.11	74.00	-12.89	52.42	3	Vertical	286	1.82	-	34.00	5.41	30.72	
AV	5.4108G	47.89	54.00	-6.11	39.20	3	Vertical	286	1.82	-	34.00	5.41	30.72	
PK	5.4688G	66.78	68.20	-1.42	58.03	3	Vertical	286	1.82	-	34.00	5.47	30.72	
PK	5.5084G	116.04	Inf	-Inf	107.26	3	Vertical	286	1.82	-	34.00	5.51	30.73	
AV	5.5084G	102.96	Inf	-Inf	94.18	3	Vertical	286	1.82	-	34.00	5.51	30.73	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4192G	59.87	74.00	-14.13	51.17	3	Horizontal	226	2.30	-	34.00	5.42	30.72	
AV	5.4252G	47.38	54.00	-6.62	38.67	3	Horizontal	226	2.30	-	34.00	5.43	30.72	
PK	5.4632G	64.09	68.20	-4.11	55.35	3	Horizontal	226	2.30	-	34.00	5.46	30.72	
PK	5.502G	116.38	Inf	-Inf	107.60	3	Horizontal	226	2.30	-	34.00	5.50	30.72	
AV	5.5024G	104.00	Inf	-Inf	95.22	3	Horizontal	226	2.30	-	34.00	5.50	30.72	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01936G	60.74	74.00	-13.26	46.34	3	Vertical	206	1.86	-	38.62	7.71	31.93
AV	11.01976G	46.62	54.00	-7.38	32.22	3	Vertical	206	1.86	-	38.62	7.71	31.93
PK	16.54434G	60.38	68.20	-7.82	41.80	3	Vertical	46	1.75	-	39.23	10.27	30.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02228G	55.15	74.00	-18.85	40.75	3	Horizontal	130	1.95	-	38.62	7.71	31.93
AV	11.02456G	41.87	54.00	-12.13	27.47	3	Horizontal	130	1.95	-	38.62	7.71	31.93
PK	16.53088G	61.24	68.20	-6.96	42.72	3	Horizontal	302.8	1.91	-	39.19	10.27	30.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 20
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4504G	60.56	74.00	-13.44	51.83	3	Vertical	297	1.80	-	34.00	5.45	30.72	
AV	5.4498G	48.71	54.00	-5.29	39.98	3	Vertical	297	1.80	-	34.00	5.45	30.72	
PK	5.4696G	62.65	68.20	-5.55	53.90	3	Vertical	297	1.80	-	34.00	5.47	30.72	
PK	5.5482G	118.00	Inf	-Inf	109.21	3	Vertical	297	1.80	-	34.00	5.55	30.76	
AV	5.547G	105.52	Inf	-Inf	96.73	3	Vertical	297	1.80	-	34.00	5.55	30.76	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 20
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4036G	60.19	74.00	-13.81	51.51	3	Horizontal	87	2.29	-	34.00	5.40	30.72	
AV	5.4012G	47.56	54.00	-6.44	38.88	3	Horizontal	87	2.29	-	34.00	5.40	30.72	
PK	5.469G	59.45	68.20	-8.75	50.70	3	Horizontal	87	2.29	-	34.00	5.47	30.72	
PK	5.5488G	117.89	Inf	-Inf	109.10	3	Horizontal	87	2.29	-	34.00	5.55	30.76	
AV	5.5488G	106.03	Inf	-Inf	97.24	3	Horizontal	87	2.29	-	34.00	5.55	30.76	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09712G	68.30	74.00	-5.70	53.82	3	Vertical	204	1.80	-	38.70	7.74	31.96
AV	11.09922G	53.83	54.00	-0.17	39.35	3	Vertical	204	1.80	-	38.70	7.74	31.96
PK	16.65972G	61.86	68.20	-6.34	42.76	3	Vertical	340	2.73	-	39.52	10.33	30.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10732G	60.98	74.00	-13.02	46.49	3	Horizontal	203	1.90	-	38.71	7.74	31.96
AV	11.1069G	46.90	54.00	-7.10	32.41	3	Horizontal	203	1.90	-	38.71	7.74	31.96
PK	16.66104G	60.71	68.20	-7.49	41.61	3	Horizontal	260	1.73	-	39.52	10.33	30.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6712G	118.02	Inf	-Inf	109.43	3	Vertical	277	1.78	-	33.84	5.60	30.85
AV	5.6712G	105.99	Inf	-Inf	97.40	3	Vertical	277	1.78	-	33.84	5.60	30.85
PK	5.7288G	65.99	68.20	-2.21	57.44	3	Vertical	277	1.78	-	33.84	5.60	30.89

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	115.84	Inf	-Inf	107.24	3	Horizontal	323	1.80	-	33.85	5.60	30.85
AV	5.6742G	103.44	Inf	-Inf	94.84	3	Horizontal	323	1.80	-	33.85	5.60	30.85
PK	5.7348G	66.96	68.20	-1.24	58.43	3	Horizontal	323	1.80	-	33.83	5.60	30.90

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3415G	60.20	74.00	-13.80	45.62	3	Vertical	201	2.28	-	38.80	7.84	32.06
AV	11.33994G	45.72	54.00	-8.28	31.14	3	Vertical	201	2.28	-	38.80	7.84	32.06
PK	17.01236G	62.92	68.20	-5.28	41.62	3	Vertical	257	2.29	-	41.05	10.51	30.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT V_4TX
Setting 21
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3253G	54.92	74.00	-19.08	40.34	3	Horizontal	203	1.70	-	38.80	7.83	32.05
AV	11.32692G	41.63	54.00	-12.37	27.05	3	Horizontal	203	1.70	-	38.80	7.83	32.05
PK	17.01104G	63.26	68.20	-4.94	41.97	3	Horizontal	124	2.27	-	41.04	10.51	30.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7124G	119.34	Inf	-Inf	110.74	3	Vertical	280	1.54	-	33.88	5.60	30.88	
AV	5.7108G	107.39	Inf	-Inf	98.79	3	Vertical	280	1.54	-	33.88	5.60	30.88	
PK	5.8892G	60.28	68.20	-7.92	51.57	3	Vertical	280	1.54	-	34.04	5.69	31.02	

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	117.36	Inf	-Inf	108.77	3	Horizontal	326	1.80	-	33.87	5.60	30.88
AV	5.7148G	104.78	Inf	-Inf	96.19	3	Horizontal	326	1.80	-	33.87	5.60	30.88
PK	5.8668G	60.90	68.20	-7.30	52.33	3	Horizontal	326	1.80	-	33.90	5.67	31.00

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42276G	69.15	74.00	-4.85	54.52	3	Vertical	202	1.81	-	38.85	7.87	32.09
AV	11.42102G	53.24	54.00	-0.76	38.62	3	Vertical	202	1.81	-	38.84	7.87	32.09
PK	17.1201G	64.55	68.20	-3.65	42.72	3	Vertical	45	2.18	-	41.52	10.56	30.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4212G	66.01	74.00	-7.99	51.39	3	Horizontal	131	1.84	-	38.84	7.87	32.09
AV	11.41868G	50.63	54.00	-3.37	36.01	3	Horizontal	131	1.84	-	38.84	7.87	32.09
PK	17.12388G	66.51	68.20	-1.69	44.66	3	Horizontal	300	1.77	-	41.54	10.56	30.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT V_4TX
Setting 21.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.643G	62.77	68.20	-5.43	54.19	3	Vertical	265	1.93	-	33.81	5.60	30.83	
PK	5.757G	117.80	Inf	-Inf	109.32	3	Vertical	265	1.93	-	33.80	5.60	30.92	
AV	5.757G	105.80	Inf	-Inf	97.32	3	Vertical	265	1.93	-	33.80	5.60	30.92	
PK	5.944G	59.43	68.20	-8.77	50.56	3	Vertical	265	1.93	-	34.19	5.74	31.06	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT V_4TX
Setting 21.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.581G	60.07	68.20	-8.13	51.33	3	Horizontal	326	1.78	-	33.94	5.58	30.78	
PK	5.76G	117.13	Inf	-Inf	108.65	3	Horizontal	326	1.78	-	33.80	5.60	30.92	
AV	5.76G	104.67	Inf	-Inf	96.19	3	Horizontal	326	1.78	-	33.80	5.60	30.92	
PK	5.938G	59.62	68.20	-8.58	50.75	3	Horizontal	326	1.78	-	34.18	5.74	31.05	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.51138G	70.20	74.00	-3.80	55.40	3	Vertical	201	1.74	-	39.03	7.90	32.13	
AV	11.51132G	53.51	54.00	-0.49	38.71	3	Vertical	201	1.74	-	39.03	7.90	32.13	
PK	17.25858G	65.30	68.20	-2.90	42.61	3	Vertical	73	2.63	-	42.29	10.63	30.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50928G	67.45	74.00	-6.55	52.65	3	Horizontal	124	1.65	-	39.03	7.90	32.13	
AV	11.50988G	51.84	54.00	-2.16	37.04	3	Horizontal	124	1.65	-	39.03	7.90	32.13	
PK	17.27172G	65.90	68.20	-2.30	43.13	3	Horizontal	118	1.60	-	42.36	10.64	30.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 22.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.603G	61.82	68.20	-6.38	53.13	3	Vertical	269	1.80	-	33.89	5.60	30.80	
PK	5.797G	118.87	Inf	-Inf	110.42	3	Vertical	269	1.80	-	33.80	5.60	30.95	
AV	5.796G	106.43	Inf	-Inf	97.97	3	Vertical	269	1.80	-	33.80	5.60	30.94	
PK	5.943G	59.70	68.20	-8.50	50.83	3	Vertical	269	1.80	-	34.19	5.74	31.06	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 22.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	60.85	68.20	-7.35	52.27	3	Horizontal	307	1.79	-	33.81	5.60	30.83
PK	5.793G	117.77	Inf	-Inf	109.31	3	Horizontal	307	1.79	-	33.80	5.60	30.94
AV	5.793G	106.04	Inf	-Inf	97.58	3	Horizontal	307	1.79	-	33.80	5.60	30.94
PK	6.042G	60.89	68.20	-7.31	51.92	3	Horizontal	307	1.79	-	34.28	5.80	31.11

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 22.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59114G	69.08	74.00	-4.92	54.04	3	Vertical	199	1.70	-	39.27	7.94	32.17
AV	11.59072G	53.86	54.00	-0.14	38.82	3	Vertical	199	1.70	-	39.27	7.94	32.17
PK	17.37852G	65.30	68.20	-2.90	41.86	3	Vertical	148	1.81	-	42.97	10.69	30.22

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 22.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59174G	67.97	74.00	-6.03	52.92	3	Horizontal	126	1.70	-	39.28	7.94	32.17
AV	11.59162G	52.06	54.00	-1.94	37.02	3	Horizontal	126	1.70	-	39.27	7.94	32.17
PK	17.39052G	67.81	68.20	-0.39	44.29	3	Horizontal	295	1.55	-	43.04	10.70	30.22

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 17
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	65.79	74.00	-8.21	57.70	3	Vertical	207	1.80	-	33.58	5.24	30.73
AV	5.141G	52.58	54.00	-1.42	44.49	3	Vertical	207	1.80	-	33.58	5.24	30.73
PK	5.221G	111.26	Inf	-Inf	102.98	3	Vertical	207	1.80	-	33.70	5.31	30.73
AV	5.221G	99.35	Inf	-Inf	91.07	3	Vertical	207	1.80	-	33.70	5.31	30.73
PK	5.378G	59.98	74.00	-14.02	51.35	3	Vertical	207	1.80	-	33.96	5.39	30.72
AV	5.405G	47.10	54.00	-6.90	38.41	3	Vertical	207	1.80	-	34.00	5.41	30.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 17
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	63.07	74.00	-10.93	54.96	3	Horizontal	230	1.56	-	33.59	5.25	30.73
AV	5.148G	50.97	54.00	-3.03	42.85	3	Horizontal	230	1.56	-	33.60	5.25	30.73
PK	5.23G	110.29	Inf	-Inf	102.01	3	Horizontal	230	1.56	-	33.70	5.31	30.73
AV	5.229G	97.82	Inf	-Inf	89.54	3	Horizontal	230	1.56	-	33.70	5.31	30.73
PK	5.351G	59.61	74.00	-14.39	51.05	3	Horizontal	230	1.56	-	33.90	5.38	30.72
AV	5.404G	47.10	54.00	-6.90	38.42	3	Horizontal	230	1.56	-	34.00	5.40	30.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 17
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4195G	57.08	68.20	-11.12	42.85	3	Vertical	199	1.87	-	38.60	7.47	31.84
PK	15.62698G	59.00	74.00	-15.00	43.07	3	Vertical	204	1.72	-	37.50	9.83	31.40
AV	15.6302G	45.29	54.00	-8.71	29.36	3	Vertical	204	1.72	-	37.50	9.83	31.40

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 17
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4148G	53.99	68.20	-14.21	39.76	3	Horizontal	188	1.80	-	38.60	7.47	31.84
PK	15.63454G	58.69	74.00	-15.31	42.75	3	Horizontal	274	2.04	-	37.50	9.84	31.40
AV	15.6342G	45.35	54.00	-8.65	29.41	3	Horizontal	274	2.04	-	37.50	9.84	31.40

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 18
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	58.78	74.00	-15.22	50.70	3	Vertical	296	1.80	-	33.57	5.24	30.73
AV	5.147G	46.39	54.00	-7.61	38.28	3	Vertical	296	1.80	-	33.59	5.25	30.73
PK	5.288G	111.70	Inf	-Inf	103.30	3	Vertical	296	1.80	-	33.78	5.34	30.72
AV	5.308G	99.46	Inf	-Inf	91.01	3	Vertical	296	1.80	-	33.82	5.35	30.72
PK	5.35G	63.64	74.00	-10.36	55.08	3	Vertical	296	1.80	-	33.90	5.38	30.72
AV	5.35G	51.30	54.00	-2.70	42.74	3	Vertical	296	1.80	-	33.90	5.38	30.72
PK	5.466G	59.68	68.20	-8.52	50.93	3	Vertical	296	1.80	-	34.00	5.47	30.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.074G	59.55	74.00	-14.45	51.61	3	Horizontal	88	2.24	-	33.50	5.17	30.73
AV	5.146G	46.36	54.00	-7.64	38.25	3	Horizontal	88	2.24	-	33.59	5.25	30.73
PK	5.287G	112.14	Inf	-Inf	103.75	3	Horizontal	88	2.24	-	33.77	5.34	30.72
AV	5.287G	99.67	Inf	-Inf	91.28	3	Horizontal	88	2.24	-	33.77	5.34	30.72
PK	5.354G	65.57	74.00	-8.43	57.00	3	Horizontal	88	2.24	-	33.91	5.38	30.72
AV	5.35G	53.68	54.00	-0.32	45.12	3	Horizontal	88	2.24	-	33.90	5.38	30.72
PK	5.525G	60.04	68.20	-8.16	51.25	3	Horizontal	88	2.24	-	34.00	5.53	30.74

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6045G	60.92	74.00	-13.08	46.74	3	Vertical	198	2.54	-	38.50	7.54	31.86
PK	15.8713G	58.03	74.00	-15.97	42.25	3	Vertical	59	2.47	-	37.36	9.94	31.52
AV	15.8519G	44.34	54.00	-9.66	28.52	3	Vertical	59	2.47	-	37.40	9.93	31.51

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 18
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5811G	55.83	68.20	-12.37	41.64	3	Horizontal	188	1.80	-	38.52	7.53	31.86
PK	15.8483G	57.93	74.00	-16.07	42.11	3	Horizontal	272	1.02	-	37.40	9.93	31.51
AV	15.8493G	44.33	54.00	-9.67	28.51	3	Horizontal	272	1.02	-	37.40	9.93	31.51

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 17
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	59.70	68.20	-8.50	51.17	3	Vertical	295	1.82	-	33.88	5.37	30.72
AV	5.35G	46.95	54.00	-7.05	38.40	3	Vertical	295	1.82	-	33.90	5.37	30.72
PK	5.429G	65.82	74.00	-8.18	57.11	3	Vertical	295	1.82	-	34.00	5.43	30.72
AV	5.447G	51.93	54.00	-2.07	43.20	3	Vertical	295	1.82	-	34.00	5.45	30.72
PK	5.468G	67.87	68.20	-0.33	59.12	3	Vertical	295	1.82	-	34.00	5.47	30.72
PK	5.528G	114.06	Inf	-Inf	105.27	3	Vertical	295	1.82	-	34.00	5.53	30.74
AV	5.527G	100.54	Inf	-Inf	91.75	3	Vertical	295	1.82	-	34.00	5.53	30.74
PK	5.734G	60.11	68.20	-8.09	51.58	3	Vertical	295	1.82	-	33.83	5.60	30.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT V_4TX
Setting 17
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.303G	59.42	68.20	-8.78	50.98	3	Horizontal	86	2.20	-	33.81	5.35	30.72
AV	5.35G	46.87	54.00	-7.13	38.32	3	Horizontal	86	2.20	-	33.90	5.37	30.72
PK	5.451G	60.48	74.00	-13.52	51.75	3	Horizontal	86	2.20	-	34.00	5.45	30.72
AV	5.449G	48.37	54.00	-5.63	39.64	3	Horizontal	86	2.20	-	34.00	5.45	30.72
PK	5.469G	66.61	68.20	-1.59	57.86	3	Horizontal	86	2.20	-	34.00	5.47	30.72
PK	5.549G	112.29	Inf	-Inf	103.50	3	Horizontal	86	2.20	-	34.00	5.55	30.76
AV	5.528G	100.05	Inf	-Inf	91.26	3	Horizontal	86	2.20	-	34.00	5.53	30.74
PK	5.746G	59.89	68.20	-8.31	51.39	3	Horizontal	86	2.20	-	33.81	5.60	30.91

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 17
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07936G	60.42	74.00	-13.58	45.96	3	Vertical	204	1.80	-	38.68	7.73	31.95
AV	11.0784G	46.60	54.00	-7.40	32.14	3	Vertical	204	1.80	-	38.68	7.73	31.95
PK	16.59144G	61.15	68.20	-7.05	42.33	3	Vertical	257	2.45	-	39.37	10.30	30.85

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 17
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.078G	55.82	74.00	-18.18	41.36	3	Horizontal	202	1.80	-	38.68	7.73	31.95
AV	11.06808G	41.46	54.00	-12.54	27.01	3	Horizontal	202	1.80	-	38.67	7.73	31.95
PK	16.58874G	61.60	68.20	-6.60	42.79	3	Horizontal	65	1.65	-	39.37	10.29	30.85

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT V_4TX
Setting 21
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	63.90	74.00	-10.10	55.16	3	Vertical	279	1.62	-	34.00	5.46	30.72
AV	5.456G	49.39	54.00	-4.61	40.65	3	Vertical	279	1.62	-	34.00	5.46	30.72
PK	5.47G	64.75	68.20	-3.45	56.00	3	Vertical	279	1.62	-	34.00	5.47	30.72
PK	5.63G	117.19	Inf	-Inf	108.57	3	Vertical	279	1.62	-	33.84	5.60	30.82
AV	5.63G	103.97	Inf	-Inf	95.35	3	Vertical	279	1.62	-	33.84	5.60	30.82
PK	5.729G	67.54	68.20	-0.66	58.99	3	Vertical	279	1.62	-	33.84	5.60	30.89

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 21
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	60.56	74.00	-13.44	51.83	3	Horizontal	84	2.05	-	34.00	5.45	30.72
AV	5.414G	47.96	54.00	-6.04	39.27	3	Horizontal	84	2.05	-	34.00	5.41	30.72
PK	5.47G	61.19	68.20	-7.01	52.44	3	Horizontal	84	2.05	-	34.00	5.47	30.72
PK	5.621G	115.40	Inf	-Inf	106.75	3	Horizontal	84	2.05	-	33.86	5.60	30.81
AV	5.621G	103.15	Inf	-Inf	94.50	3	Horizontal	84	2.05	-	33.86	5.60	30.81
PK	5.727G	67.90	68.20	-0.30	59.34	3	Horizontal	84	2.05	-	33.85	5.60	30.89

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22G	65.07	74.00	-8.93	50.49	3	Vertical	205	1.78	-	38.80	7.79	32.01
AV	11.21832G	51.03	54.00	-2.97	36.45	3	Vertical	205	1.78	-	38.80	7.79	32.01
PK	16.81512G	62.57	68.20	-5.63	42.24	3	Vertical	162	1.05	-	40.45	10.41	30.53

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2272G	59.55	74.00	-14.45	44.97	3	Horizontal	203	1.80	-	38.80	7.79	32.01
AV	11.20616G	44.56	54.00	-9.44	29.98	3	Horizontal	203	1.80	-	38.80	7.78	32.00
PK	16.82616G	62.27	68.20	-5.93	41.89	3	Horizontal	337	2.41	-	40.48	10.41	30.51

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 23
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	64.05	74.00	-9.95	55.31	3	Vertical	272	1.75	-	34.00	5.46	30.72
AV	5.46G	50.66	54.00	-3.34	41.92	3	Vertical	272	1.75	-	34.00	5.46	30.72
PK	5.469G	63.53	68.20	-4.67	54.78	3	Vertical	272	1.75	-	34.00	5.47	30.72
PK	5.712G	117.00	Inf	-Inf	108.40	3	Vertical	272	1.75	-	33.88	5.60	30.88
AV	5.692G	105.12	Inf	-Inf	96.51	3	Vertical	272	1.75	-	33.88	5.60	30.87
PK	5.852G	65.52	68.20	-2.68	57.05	3	Vertical	272	1.75	-	33.81	5.65	30.99

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 23
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	60.56	74.00	-13.44	51.83	3	Horizontal	326	1.87	-	34.00	5.45	30.72
AV	5.447G	47.98	54.00	-6.02	39.25	3	Horizontal	326	1.87	-	34.00	5.45	30.72
PK	5.468G	60.12	68.20	-8.08	51.37	3	Horizontal	326	1.87	-	34.00	5.47	30.72
PK	5.695G	115.11	Inf	-Inf	106.49	3	Horizontal	326	1.87	-	33.89	5.60	30.87
AV	5.695G	102.68	Inf	-Inf	94.06	3	Horizontal	326	1.87	-	33.89	5.60	30.87
PK	5.85G	65.71	68.20	-2.49	57.25	3	Horizontal	326	1.87	-	33.80	5.65	30.99

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 23
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38016G	67.80	74.00	-6.20	53.22	3	Vertical	204	1.73	-	38.80	7.85	32.07
AV	11.37392G	52.46	54.00	-1.54	37.88	3	Vertical	204	1.73	-	38.80	7.85	32.07
PK	17.0576G	63.85	68.20	-4.35	42.34	3	Vertical	234	2.03	-	41.23	10.53	30.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 23
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39912G	63.63	74.00	-10.37	49.05	3	Horizontal	130	1.84	-	38.80	7.86	32.08
AV	11.37872G	48.75	54.00	-5.25	34.17	3	Horizontal	130	1.84	-	38.80	7.85	32.07
PK	17.06496G	65.52	68.20	-2.68	43.98	3	Horizontal	296	1.80	-	41.26	10.53	30.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.652G	68.67	69.68	-1.01	60.11	3	Vertical	268	1.83	-	33.80	5.60	30.84	
PK	5.758G	115.04	Inf	-Inf	106.56	3	Vertical	268	1.83	-	33.80	5.60	30.92	
AV	5.757G	102.13	Inf	-Inf	93.65	3	Vertical	268	1.83	-	33.80	5.60	30.92	
PK	5.929G	60.17	68.20	-8.03	51.33	3	Vertical	268	1.83	-	34.16	5.73	31.05	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.18	68.20	-4.02	55.60	3	Horizontal	360	1.78	-	33.81	5.60	30.83
PK	5.766G	112.68	Inf	-Inf	104.20	3	Horizontal	360	1.78	-	33.80	5.60	30.92
AV	5.766G	100.56	Inf	-Inf	92.08	3	Horizontal	360	1.78	-	33.80	5.60	30.92
PK	5.925G	61.45	68.20	-6.75	52.61	3	Horizontal	360	1.78	-	34.15	5.73	31.04

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54976G	59.10	74.00	-14.90	44.18	3	Vertical	202	1.70	-	39.15	7.92	32.15
AV	11.55016G	44.80	54.00	-9.20	29.88	3	Vertical	202	1.70	-	39.15	7.92	32.15
PK	17.31236G	65.55	68.20	-2.65	42.55	3	Vertical	105	2.89	-	42.57	10.66	30.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.55144G	56.67	74.00	-17.33	41.75	3	Horizontal	126	1.76	-	39.15	7.92	32.15	
AV	11.55G	43.18	54.00	-10.82	28.26	3	Horizontal	126	1.76	-	39.15	7.92	32.15	
PK	17.32148G	65.63	68.20	-2.57	42.57	3	Horizontal	102	1.23	-	42.63	10.66	30.23	

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Y_4TX
Setting 16
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	64.35	74.00	-9.65	56.25	3	Vertical	202	1.98	-	33.59	5.24	30.73
AV	5.1412G	52.19	54.00	-1.81	44.10	3	Vertical	202	1.98	-	33.58	5.24	30.73
PK	5.2212G	108.81	Inf	-Inf	100.53	3	Vertical	202	1.98	-	33.70	5.31	30.73
AV	5.2404G	96.09	Inf	-Inf	87.80	3	Vertical	202	1.98	-	33.70	5.32	30.73
PK	5.3588G	62.83	74.00	-11.17	54.25	3	Vertical	202	1.98	-	33.92	5.38	30.72
AV	5.362G	50.01	54.00	-3.99	41.43	3	Vertical	202	1.98	-	33.92	5.38	30.72
PK	5.5316G	67.92	68.20	-0.28	59.13	3	Vertical	202	1.98	-	34.00	5.53	30.74

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 16
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	63.31	74.00	-10.69	55.19	3	Horizontal	213	1.56	-	33.60	5.25	30.73
AV	5.1476G	50.16	54.00	-3.84	42.04	3	Horizontal	213	1.56	-	33.60	5.25	30.73
PK	5.2676G	106.40	Inf	-Inf	98.05	3	Horizontal	213	1.56	-	33.74	5.33	30.72
AV	5.2692G	94.93	Inf	-Inf	86.58	3	Horizontal	213	1.56	-	33.74	5.33	30.72
PK	5.3524G	63.54	74.00	-10.46	54.98	3	Horizontal	213	1.56	-	33.90	5.38	30.72
AV	5.35G	50.96	54.00	-3.04	42.40	3	Horizontal	213	1.56	-	33.90	5.38	30.72
PK	5.5796G	59.92	68.20	-8.28	51.18	3	Horizontal	213	1.56	-	33.94	5.58	30.78

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 16
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49688G	54.42	68.20	-13.78	40.17	3	Vertical	294	2.54	-	38.60	7.50	31.85
PK	15.5004G	58.72	74.00	-15.28	42.17	3	Vertical	19	3.00	-	38.10	9.78	31.33
AV	15.5196G	45.63	54.00	-8.37	29.21	3	Vertical	19	3.00	-	37.98	9.78	31.34

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 16
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5037G	54.59	68.20	-13.61	40.34	3	Horizontal	335	2.15	-	38.60	7.50	31.85
PK	15.5276G	58.64	74.00	-15.36	42.26	3	Horizontal	164	2.91	-	37.93	9.79	31.34
AV	15.5132G	45.61	54.00	-8.39	29.15	3	Horizontal	164	2.91	-	38.02	9.78	31.34

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 16.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1956G	60.57	68.20	-7.63	52.31	3	Vertical	296	1.79	-	33.69	5.30	30.73
PK	5.4484G	65.08	74.00	-8.92	56.35	3	Vertical	296	1.79	-	34.00	5.45	30.72
AV	5.4484G	53.47	54.00	-0.53	44.74	3	Vertical	296	1.79	-	34.00	5.45	30.72
PK	5.466G	65.60	68.20	-2.60	56.85	3	Vertical	296	1.79	-	34.00	5.47	30.72
PK	5.5444G	108.67	Inf	-Inf	99.88	3	Vertical	296	1.79	-	34.00	5.54	30.75
AV	5.5476G	96.54	Inf	-Inf	87.75	3	Vertical	296	1.79	-	34.00	5.55	30.76
PK	5.7332G	60.16	68.20	-8.04	51.63	3	Vertical	296	1.79	-	33.83	5.60	30.90

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 16.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	59.87	68.20	-8.33	51.33	3	Horizontal	87	2.16	-	33.89	5.37	30.72
PK	5.45G	60.95	74.00	-13.05	52.22	3	Horizontal	87	2.16	-	34.00	5.45	30.72
AV	5.45G	48.81	54.00	-5.19	40.08	3	Horizontal	87	2.16	-	34.00	5.45	30.72
PK	5.4692G	61.24	68.20	-6.96	52.49	3	Horizontal	87	2.16	-	34.00	5.47	30.72
PK	5.5812G	108.69	Inf	-Inf	99.95	3	Horizontal	87	2.16	-	33.94	5.58	30.78
AV	5.5876G	96.85	Inf	-Inf	88.13	3	Horizontal	87	2.16	-	33.92	5.59	30.79
PK	5.7556G	60.35	68.20	-7.85	51.86	3	Horizontal	87	2.16	-	33.80	5.60	30.91

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 16.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.14932G	54.48	74.00	-19.52	39.95	3	Vertical	279	2.30	-	38.75	7.76	31.98	
AV	11.14076G	40.74	54.00	-13.26	26.22	3	Vertical	279	2.30	-	38.74	7.76	31.98	
PK	16.70288G	61.49	68.20	-6.71	42.21	3	Vertical	187	2.09	-	39.62	10.35	30.69	

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 16.5
02-F-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1448G	54.40	74.00	-19.60	39.88	3	Horizontal	188	1.37	-	38.74	7.76	31.98
AV	11.14396G	40.73	54.00	-13.27	26.21	3	Horizontal	188	1.37	-	38.74	7.76	31.98
PK	16.71056G	61.19	68.20	-7.01	41.83	3	Horizontal	227	1.35	-	39.68	10.36	30.68



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.19984G	37.63	54.00	-16.37	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.19846G	48.33	74.00	-25.67	-7.79	3	Vertical	252	1.06	-	56.12	25.52	3.10	36.41
AV	1.19984G	37.63	54.00	-16.37	-7.81	3	Vertical	252	1.06	"Worst"	45.44	25.50	3.10	36.41

Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.2553G	48.39	74.00	-25.61	-7.94	3	Horizontal	16	1.13	-	56.33	25.32	3.16	36.42
AV	1.2481G	36.55	54.00	-17.45	-7.95	3	Horizontal	16	1.13	"Worst"	44.50	25.31	3.15	36.41