


|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2412 |
| Remark: | PK                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 49.56          | 52.06          | 74.00          | 21.94       | Pass   | Vertical |
| 2  | 2410.6070   | 32.27           | 13.35           | -43.11          | 98.00          | 100.51         | 74.00          | -26.51      | Pass   | Vertical |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2412 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.56          | 41.06          | 54.00          | 12.94       | Pass   | Horizontal |
| 2  | 2410.7509   | 32.28           | 13.35           | -43.12          | 93.56          | 96.07          | 54.00          | -42.07      | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2412 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.86          | 41.36          | 54.00          | 12.64       | Pass   | Vertical |
| 2  | 2410.6070   | 32.27           | 13.35           | -43.11          | 95.81          | 98.32          | 54.00          | -44.32      | Pass   | Vertical |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2462 |
| Remark: | PK                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2463.3967   | 32.35           | 13.47           | -43.11          | 98.86          | 101.57         | 74.00          | -27.57      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 49.32          | 51.97          | 74.00          | 22.03       | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2462 |
| Remark: | PK                           |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2463.3242   | 32.35           | 13.47           | -43.11          | 96.61          | 99.32          | 74.00          | -25.32      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 49.40          | 52.05          | 74.00          | 21.95       | Pass   | Vertical |



|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2462 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2461.0013   | 32.35           | 13.48           | -43.11          | 96.86          | 99.58          | 54.00          | -45.58      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 41.06          | 43.71          | 54.00          | 10.29       | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2462 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2461.0013   | 32.35           | 13.48           | -43.11          | 94.13          | 96.85          | 54.00          | -42.85      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 40.80          | 43.45          | 54.00          | 10.55       | Pass   | Vertical |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2412 |
| Remark: | PK                           |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 49.34          | 51.84          | 74.00          | 22.16       | Pass   | Horizontal |
| 2  | 2407.8723   | 32.27           | 13.34           | -43.12          | 94.96          | 97.45          | 74.00          | -23.45      | Pass   | Horizontal |



|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2412 |
| Remark: | PK                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 49.92          | 52.42          | 74.00          | 21.58       | Pass   | Vertical |
| 2  | 2414.9249   | 32.28           | 13.37           | -43.12          | 94.35          | 96.88          | 74.00          | -22.88      | Pass   | Vertical |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2412 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.64          | 41.14          | 54.00          | 12.86       | Pass   | Horizontal |
| 2  | 2409.0238   | 32.27           | 13.34           | -43.11          | 74.71          | 77.21          | 54.00          | -23.21      | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2412 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.91          | 41.41          | 54.00          | 12.59       | Pass   | Vertical |
| 2  | 2409.1677   | 32.27           | 13.34           | -43.11          | 75.54          | 78.04          | 54.00          | -24.04      | Pass   | Vertical |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2462 |
| Remark: | PK                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2458.4606   | 32.34           | 13.49           | -43.11          | 96.59          | 99.31          | 74.00          | -25.31      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 49.87          | 52.52          | 74.00          | 21.48       | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2462 |
| Remark: | PK                           |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2459.9124   | 32.34           | 13.48           | -43.10          | 95.20          | 97.92          | 74.00          | -23.92      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 49.58          | 52.23          | 74.00          | 21.77       | Pass   | Vertical |



|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2462 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2465.7197   | 32.35           | 13.46           | -43.11          | 77.03          | 79.73          | 54.00          | -25.73      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 40.73          | 43.38          | 54.00          | 10.62       | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2462 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2465.3567   | 32.35           | 13.46           | -43.11          | 75.26          | 77.96          | 54.00          | -23.96      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 40.63          | 43.28          | 54.00          | 10.72       | Pass   | Vertical |

|         |                                       |          |      |
|---------|---------------------------------------|----------|------|
| Mode:   | 802.11 n(HT20) (6.5Mbps) Transmitting | Channel: | 2412 |
| Remark: | PK                                    |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 49.26          | 51.76          | 74.00          | 22.24       | Pass   | Horizontal |
| 2  | 2410.1752   | 32.27           | 13.35           | -43.12          | 93.77          | 96.27          | 74.00          | -22.27      | Pass   | Horizontal |

|         |                                       |          |      |
|---------|---------------------------------------|----------|------|
| Mode:   | 802.11 n(HT20) (6.5Mbps) Transmitting | Channel: | 2412 |
| Remark: | PK                                    |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 49.02          | 51.52          | 74.00          | 22.48       | Pass   | Vertical |
| 2  | 2415.0688   | 32.28           | 13.37           | -43.12          | 93.88          | 96.41          | 74.00          | -22.41      | Pass   | Vertical |

|         |                                       |          |      |
|---------|---------------------------------------|----------|------|
| Mode:   | 802.11 n(HT20) (6.5Mbps) Transmitting | Channel: | 2412 |
| Remark: | AV                                    |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.57          | 41.07          | 54.00          | 12.93       | Pass   | Horizontal |
| 2  | 2415.5006   | 32.28           | 13.37           | -43.11          | 75.24          | 77.78          | 54.00          | -23.78      | Pass   | Horizontal |



|         |                                       |          |      |
|---------|---------------------------------------|----------|------|
| Mode:   | 802.11 n(HT20) (6.5Mbps) Transmitting | Channel: | 2412 |
| Remark: | AV                                    |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.84          | 41.34          | 54.00          | 12.66       | Pass   | Vertical |
| 2  | 2409.1677   | 32.27           | 13.34           | -43.11          | 76.25          | 78.75          | 54.00          | -24.75      | Pass   | Vertical |

|         |                                       |          |      |
|---------|---------------------------------------|----------|------|
| Mode:   | 802.11 n(HT20) (6.5Mbps) Transmitting | Channel: | 2462 |
| Remark: | PK                                    |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2459.6220   | 32.34           | 13.49           | -43.11          | 95.44          | 98.16          | 74.00          | -24.16      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 49.50          | 52.15          | 74.00          | 21.85       | Pass   | Horizontal |

|         |                                       |          |      |
|---------|---------------------------------------|----------|------|
| Mode:   | 802.11 n(HT20) (6.5Mbps) Transmitting | Channel: | 2462 |
| Remark: | PK                                    |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2459.4768   | 32.34           | 13.49           | -43.11          | 93.90          | 96.62          | 74.00          | -22.62      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 49.07          | 51.72          | 74.00          | 22.28       | Pass   | Vertical |

|         |                                       |          |      |
|---------|---------------------------------------|----------|------|
| Mode:   | 802.11 n(HT20) (6.5Mbps) Transmitting | Channel: | 2462 |
| Remark: | AV                                    |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2465.4293   | 32.35           | 13.46           | -43.11          | 77.78          | 80.48          | 54.00          | -26.48      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 40.59          | 43.24          | 54.00          | 10.76       | Pass   | Horizontal |

|         |                                       |          |      |
|---------|---------------------------------------|----------|------|
| Mode:   | 802.11 n(HT20) (6.5Mbps) Transmitting | Channel: | 2462 |
| Remark: | AV                                    |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2465.5745   | 32.35           | 13.46           | -43.11          | 76.00          | 78.70          | 54.00          | -24.70      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 40.57          | 43.22          | 54.00          | 10.78       | Pass   | Vertical |



|         |                                        |          |      |
|---------|----------------------------------------|----------|------|
| Mode:   | 802.11 n(HT40) (13.5Mbps) Transmitting | Channel: | 2422 |
| Remark: | PK                                     |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 49.97          | 52.47          | 74.00          | 21.53       | Pass   | Horizontal |
| 2  | 2432.1277   | 32.30           | 13.45           | -43.11          | 91.00          | 93.64          | 74.00          | -19.64      | Pass   | Horizontal |

|         |                                        |          |      |
|---------|----------------------------------------|----------|------|
| Mode:   | 802.11 n(HT40) (13.5Mbps) Transmitting | Channel: | 2422 |
| Remark: | PK                                     |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 50.12          | 52.62          | 74.00          | 21.38       | Pass   | Vertical |
| 2  | 2412.5031   | 32.28           | 13.36           | -43.12          | 90.41          | 92.93          | 74.00          | -18.93      | Pass   | Vertical |

|         |                                        |          |      |
|---------|----------------------------------------|----------|------|
| Mode:   | 802.11 n(HT40) (13.5Mbps) Transmitting | Channel: | 2422 |
| Remark: | AV                                     |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.97          | 41.47          | 54.00          | 12.53       | Pass   | Horizontal |
| 2  | 2430.2003   | 32.30           | 13.44           | -43.11          | 72.78          | 75.41          | 54.00          | -21.41      | Pass   | Horizontal |

|         |                                        |          |      |
|---------|----------------------------------------|----------|------|
| Mode:   | 802.11 n(HT40) (13.5Mbps) Transmitting | Channel: | 2422 |
| Remark: | AV                                     |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 39.24          | 41.74          | 54.00          | 12.26       | Pass   | Vertical |
| 2  | 2416.5332   | 32.28           | 13.38           | -43.12          | 73.08          | 75.62          | 54.00          | -21.62      | Pass   | Vertical |

|         |                                        |          |      |
|---------|----------------------------------------|----------|------|
| Mode:   | 802.11 n(HT40) (13.5Mbps) Transmitting | Channel: | 2452 |
| Remark: | PK                                     |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2442.2340   | 32.32           | 13.49           | -43.11          | 91.75          | 94.45          | 74.00          | -20.45      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 49.39          | 52.04          | 74.00          | 21.96       | Pass   | Horizontal |



|         |                                        |          |      |
|---------|----------------------------------------|----------|------|
| Mode:   | 802.11 n(HT40) (13.5Mbps) Transmitting | Channel: | 2452 |
| Remark: | PK                                     |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2443.1915   | 32.32           | 13.50           | -43.11          | 91.15          | 93.86          | 74.00          | -19.86      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 50.03          | 52.68          | 74.00          | 21.32       | Pass   | Vertical |

|         |                                        |          |      |
|---------|----------------------------------------|----------|------|
| Mode:   | 802.11 n(HT40) (13.5Mbps) Transmitting | Channel: | 2452 |
| Remark: | AV                                     |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2446.9149   | 32.33           | 13.52           | -43.12          | 74.23          | 76.96          | 54.00          | -22.96      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 39.22          | 41.87          | 54.00          | 12.13       | Pass   | Horizontal |

|         |                                        |          |      |
|---------|----------------------------------------|----------|------|
| Mode:   | 802.11 n(HT40) (13.5Mbps) Transmitting | Channel: | 2452 |
| Remark: | AV                                     |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2449.0426   | 32.33           | 13.53           | -43.12          | 72.33          | 75.07          | 54.00          | -21.07      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 39.01          | 41.66          | 54.00          | 12.34       | Pass   | Vertical |

**Ant2:**

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2412 |
| Remark: | PK                           |          |      |


**Test Graph**



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 48.95          | 51.45          | 74.00          | 22.55       | Pass   | Horizontal |
| 2  | 2413.3417   | 32.28           | 13.36           | -43.12          | 91.34          | 93.86          | 74.00          | -19.86      | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2412 |
| Remark: | PK                           |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 49.91          | 52.41          | 74.00          | 21.59       | Pass   | Vertical |
| 2  | 2413.3417   | 32.28           | 13.36           | -43.12          | 98.59          | 101.11         | 74.00          | -27.11      | Pass   | Vertical |



|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2412 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.34          | 40.84          | 54.00          | 13.16       | Pass   | Horizontal |
| 2  | 2414.2053   | 32.28           | 13.37           | -43.12          | 88.32          | 90.85          | 54.00          | -36.85      | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2412 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.87          | 41.37          | 54.00          | 12.63       | Pass   | Vertical |
| 2  | 2414.0613   | 32.28           | 13.36           | -43.11          | 97.28          | 99.81          | 54.00          | -45.81      | Pass   | Vertical |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2462 |
| Remark: | PK                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2463.5419   | 32.35           | 13.47           | -43.11          | 92.52          | 95.23          | 74.00          | -21.23      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 49.09          | 51.74          | 74.00          | 22.26       | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2462 |
| Remark: | PK                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2460.5657   | 32.34           | 13.48           | -43.10          | 96.64          | 99.36          | 74.00          | -25.36      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 49.49          | 52.14          | 74.00          | 21.86       | Pass   | Vertical |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2462 |
| Remark: | AV                           |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2461.0738   | 32.35           | 13.48           | -43.11          | 90.04          | 92.76          | 54.00          | -38.76      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 40.39          | 43.04          | 54.00          | 10.96       | Pass   | Horizontal |



|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 b(1Mbps) Transmitting | Channel: | 2462 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2461.0013   | 32.35           | 13.48           | -43.11          | 94.32          | 97.04          | 54.00          | -43.04      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 40.46          | 43.11          | 54.00          | 10.89       | Pass   | Vertical |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2412 |
| Remark: | PK                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 48.87          | 51.37          | 74.00          | 22.63       | Pass   | Horizontal |
| 2  | 2409.8874   | 32.27           | 13.35           | -43.12          | 89.09          | 91.59          | 74.00          | -17.59      | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2412 |
| Remark: | PK                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 49.50          | 52.00          | 74.00          | 22.00       | Pass   | Vertical |
| 2  | 2407.8723   | 32.27           | 13.34           | -43.12          | 95.84          | 98.33          | 74.00          | -24.33      | Pass   | Vertical |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2412 |
| Remark: | AV                           |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.21          | 40.71          | 54.00          | 13.29       | Pass   | Horizontal |
| 2  | 2415.5006   | 32.28           | 13.37           | -43.11          | 70.17          | 72.71          | 54.00          | -18.71      | Pass   | Horizontal |

|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2412 |
| Remark: | AV                           |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 38.43          | 40.93          | 54.00          | 13.07       | Pass   | Vertical |
| 2  | 2415.5006   | 32.28           | 13.37           | -43.11          | 77.13          | 79.67          | 54.00          | -25.67      | Pass   | Vertical |



|         |                              |          |      |
|---------|------------------------------|----------|------|
| Mode:   | 802.11 g(6Mbps) Transmitting | Channel: | 2462 |
| Remark: | PK                           |          |      |

### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2457.8073   | 32.34           | 13.49           | -43.10          | 90.13          | 92.86          | 74.00          | -18.86      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 48.65          | 51.30          | 74.00          | 22.70       | Pass   | Horizontal |