



Curtis-Straus LLC, a wholly owned subsidiary of BV CPS

Report No	EQ1352-2
Client	BlackBox Biometrics Inc.
Address	125 Tech Park Drive Rochester, NY 14623
Phone	(585)-329-3399
Items tested FCC ID IC	Blast Gauge (Models: Gen 7 0 and Gen 7 1) 2AHN8BG710 21433-BG710
Equipment Type Equipment Code Emission Designator	Digital Transmission System DTS 1M05F1D
FCC/IC Rule Parts	47 CFR 15.247, RSS-247 Issue 1
Test Dates	June 2, June 7, July 6 and July 11, 2016
Results	As detailed within this report
Prepared by	Yunus Fazilogiu – Sr. EMC Engineer
Authorized by	Christopher Reynolds - EMC Supervisor

Issue Date

Conditions of Issue

This Test Report is issued subject to the conditions stated in the 'Conditions of Testing' section on page 31 of this report.





8/31/2016

Contents

Contents	2
Summary	3
Test Methodology	
Product Tested - Configuration Documentation	5
Statement of Conformity	6
Test Results	
DTS Bandwidth	7
Output Power	10
Radiated Spurious Emissions	
Power Spectral Density	23
AC Line Conducted Emissions	26
Occupied Bandwidth	27
Measurement Uncertainty	30
Conditions Of Testing	31

Form Final Report REV 7-20-07 (DW)



Summary

This test report supports an application for certification of a transmitter operating pursuant to 47 CFR 15.247 and RSS-247. The product is the "Blast Gauge" (Models: Gen 7 0 and Gen 7 1). It is a digitally modulated transmitter that operates in the 2402 to 2480 MHz frequency range. It has an internal patch antenna with 2.5dBi peak gain.

We found that the product met the above requirements without modification. The test samples were received in good condition.

The EUT has two models as detailed below:

Gen 7 X, where X will be a numeric value indicating battery size: 0 for 1/6 D-Cell and 1 for 2450-cell

Antenna port conducted measurements were performed on Model Gen 7 0.

Radiated spurious emissions tests were performed on Model Gen 7 1.

Since the only difference between the models is the size of the battery, test results presented in this report represent both models.

Release Control Record Issue No. Reason for change

Original Release

Date Issued August 31, 2016



Test Methodology

All testing was performed according to the following rules/procedures/documents; CFR 47 Part 15.247, RSS-247 Issue 1, RSS-Gen Issue 4, FCC KDB 558074 D01 DTS Measurement Guidance v03r05 and ANSI C63.10-2013.

Radiated emissions were maximized by rotating the device around 3 orthogonal planes (X, Y and Z) as well as varying the test antenna's height and polarity. Only worst case results are listed in this report. EUT has an internal antenna that cannot be maximized separately.

RF measurements, as required by the rule section, were performed at the antenna port. 3 channels were tested as follows:

2402 MHz: Low Channel (#0)2442 MHz: Mid Channel (#20)

2480 MHz: High Channel (#39)

EUT operating voltage is 3.6VDC (battery), therefore AC line conducted emissions testing was not required.

The following bandwidths were used during radiated spurious emissions testing.

Frequency	RBW	VBW
30-1000MHz	120kHz	1MHz
1-25GHz	1MHz	3MHz



Product Tested - Configuration Documentation

					EUT C	onfiguration								
Work C	Order:	Q1352				J								
Com	pany:	BlackB	ox Biometri	es Inc.										
Company Ad		125 Tec	ch Park Driv	e										
		Roches	ter, NY 1462	23										
	-													
Co	ntact:	Mike P	remo											
				MN			PN			SN				
	EUT:		Blast Gauge	System, Gen 7	1				0000N	I (Radiated	d EMI testing)			
			Blast Gauge	System, Gen 7	0			5	Sample 1 (C	onducted A	Antenna Port testing)			
EUT Descri	ption:	Blast G	last Gauge											
EUT Max Frequ	iency:	48 MH	48 MHz (associated circuitry)											
EUT Min Frequ				ociated circuitry)									
EUT TX Frequ	iency:	2402 to	2480 MHz											
Support Equipment				M	•				SN					
Dell Laptop				Latit	ude				7F5L20	Q1				
						_		_	1		1			
Port Label	Port	Type	# ports	# populated	cable type	shielded	ferrites	length (m)	in/out	under test	comment			
USB Power	USB		1	1	USB	Yes	No	0.15	in	yes	USB 3M Ext. used for radiated setup only			
Software Operating MEUT is set to transmit				2442MHz) and l	High (2480MHz)	channels.	•			•				

Statement of Conformity

EUT has shown compliance to the following:

RSS-GEN	RSP-100	RSS 247	Part 15	Comments
6.3			15.15(b)	There are no controls accessible to the user that
				varies the output power to operate in violation of the
				regulatory requirements.
	3.1		15.19	The label is shown in the label exhibit.
	4		15.21	Information to the user is shown in the instruction
				manual exhibit.
			15.27	No special accessories are required for compliance.
3, 6.1			15.31	The EUT was tested in accordance with the
				measurement standards in this section.
6.13			15.33	Frequency range was investigated according to this
				section, unless noted in specific rule section under
				which the equipment operates.
8.1			15.35	The EUT emissions were measured using the
				measurement detector and bandwidth specified in
				this section, unless noted in specific rule section
			4.5.000	under which the equipment operates.
8.3			15.203	EUT has a patch antenna internal to the device
				(Peak gain: 2.5dBi). The antenna is connected to the
				PCB via IPEX MHF1 connector, which is considered
0.40			45.005	unique.
8.10			15.205 15.209	The fundamental is not in a Restricted band and the
			15.209	spurious and harmonic emissions in the Restricted
				bands comply with the general emission limits of
				15.209 or RSS-Gen as applicable
8.8			15.207	Not applicable since EUT is battery powered.
			15.247	The unit complies with the requirements of 15.247
		RSS 247		The unit complies with the requirements of RSS-247
6.6				Occupied Bandwidth measurements were made.

Test Results

DTS Bandwidth

Limit: The minimum 6 dB bandwidth shall be at least 500 kHz. [15.247(a)(2)]

MEASUREMENTS / RESULTS


	6dB Bandw	idth			
Date: Jun-2-2016	Company: BlackBox Biometric	s, Inc.	1	Work Order:	Q1352
Engineer: Yunus Fazilog	lu EUT Desc: BlastGauge	EUT Operat	ing Voltage	/Frequency:	3.6VDC
Temp: 22°C	Humidity: 46%	ressure: 1007 mBar	-		
Freque	ncy Range: 2402-2480 MHz	Measure	ement Type:	Conducted	
Notes: Powered from	support laptop USB port				
				6dB BW	
Frequency	Reading		Limit	Margin	Result
(MHz)	(kHz)		(kHz)	(kHz)	(Pass/Fail)
2402	675.2		≥500	175.2	Pass
2442	680.9		≥500	180.9	Pass
2480	683.9		≥500	183.9	Pass
Test Site: Wireless Test	Room Cable 1: SMA adapter assen	nbly Cable 2: A	sset #1784		
Analyzer: MXE 1168255				Copyright Curti	s-Straus LLC 2000

Rev. 5/18/2016 Spectrum Analyzers / Receivers / Preselectors MXE EMI Receiver	Range 20Hz-8.4GHz	MN N9038A	Mfr Agilent	SN MY53290009	Asset 1168255	Cat I	Calibration Due 6/16/2016	Calibrated on 6/16/2015
Meteorological Meters		MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
TH A#2080		HTC-1	HDE		2080	II	4/5/2017	4/5/2016
Barometric A#2160		5396-0321	Nonarch Instruments	4000060	2160	1	3/7/2017	3/7/2016
Cables	Range		Mfr			Cat	Calibration Due	Calibrated on
Asset #1784	9kHz - 18GHz		Florida RF			II	3/7/2017	3/7/2016


All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



PLOT(s)




2402 MHz - 6dB Bandwidth



2442 MHz - 6dB Bandwidth





2480 MHz - 6dB Bandwidth



Output Power

Limit: 1 Watt Conducted Output Power [15.247(b)(3)]

Per 558074 D01 DTS Measurement Guidance v03r05 Section 9.1.2 (Peak Power Meter Method)

MEASUREMENTS / RESULTS

	•				•	Peak (Output	Power	•		•	•		•
Date:	Jun-7-2016	3	(Company:	BlackBox	Biometrics	, Inc.					W	ork Order:	Q1352
Engineer:	Yunus Faz	iloglu	ı	EUT Desc:	T Desc: BlastGaug					EUT	Operating	Voltage/F	requency:	3.6VDC
Temp:	23.5°C			Humidity:	47%			Pressure:	991mBar					
		measurem									EUT	Max Freg:	2480MHz	
	Packet Ty	pe: Pseudo	random bit	sequence '	15									
	Payload le	ngth: 37 by	tes											
	Different pa	acket types	and payloa	ad lengths o	did not have	any impa	ct on readin	igs						
Frequ	uency	Peak R	eading	Insertic	n Loss	Peak Out	put Power	Lir	mit	Mai	rgin		Result	
(M	Hz)	(dE	Bm)	(d	B)	(d	Bm)	(dl	Bm)	(dE	3m)		(Pass/Fail)	
24	102	1.3	37	0.	50	1	.87	30	0.00	-28	3.13		Pass	
24	142	1.34 0.50		50	1	1.84		0.00	-28.16			Pass		
24	80	1.3	34	0.	50	1	.84	30	0.00	-28	3.16		Pass	
Test Site:	Wireless T	est Room		Cable	SMA adap	oter assemb	oly			Pow	er Sensoi	Boonton A	#2108	
POP(dBm))= Peak Re	ading (dBm) + Insertio	n Loss (dB)									

VBW set to ≥ DTS

Rev. 5/18/2016								
Meteorological Meters	MN	Mfr	SN	Asset	Cat	libration D	alibrated o	on
TH A#2084	HTC-1	HDE		2084	II	4/5/2017	4/5/2016	
Barometric A#2160	5396-0321	arch Instrun	4000060	2160	I	3/7/2017	3/7/2016	
Power/Noise Meters	MN	Mfr	SN	Asset	Cat	libration D	alibrated o	on
2108 Power sensor	55006	Boonton	9529	2108	I	12/8/2016	12/8/2015	
RMS Voltmeters/Current Clam	r MN	Mnfr	SN	Asset	Cat	libration D	alibrated o	on
DMM	114	Fluke	25660084	1866	I	2/2/2017	2/2/2016	
All equipment is calil	orated using	standards 1	traceable to	NIST or ot	her natio	nally recogniz	ed calibrat	ion standar





Radiated Spurious Emissions

LIMITS

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a). [15.247(d)]

Radiated emissions were maximized by rotating the device around 3 orthogonal planes (X, Y and Z) and worst case emissions observed in Z orientation. All the results below are for the worst case orientation only.

MEASUREMENTS / RESULTS

Date:	11-Jul-16		Company:	Blackbox I	Biometrics	s, Inc				١	Nork Order:	Q1352
Engineer:	Tuyen Truong		EUT Desc:	BlastGaug	e System				EUT Operat	ing Voltage/	Frequency:	USB (3.6Vdd
Temp:	20°C		Humidity:	53%		Pressure:	1001 mBar					
Frequency Range: 30 to 1000 MHz Measurement Distance: 3m												
Notes: all 3 channels were investigated; only worst case recorded.												
Antenna												
Antenna Polarization	Frequency	Reading	Factor	Antenna Factor	Factor	Adjusted Reading	Limit	Margin	Result	Limit	Margin	Result
(H/V)	(MHz)	(dBµV)	(dB)	(dB/m)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	(Pass/Fail)	(dBµV/m)	(dB)	(Pass/Fail)
V	71.92	42.5	25.3	8.9	0.6	26.7				40.0	-13.3	Pass
V	47.0	37.5	25.2	9.6	0.4	22.3				40.0	-17.7	Pass
v	84.07	43.7	25.3	7.7	0.6	26.7				40.0	-13.3	Pass
V	151.3	38.3	25.2	12.5	1.0	26.6				43.5	-16.9	Pass
V	163.0	35.3	25.0	12.2	0.9	23.4				43.5	-20.1	Pass
v	228.25	37.3	25.3	11.2	1.0	24.2				46.0	-21.8	Pass
V	325.0	36.9	25.0	14.0	1.2	27.1				46.0	-18.9	Pass
h	466.5	38.0	25.5	17.3	1.7	31.5				46.0	-14.5	Pass
Tabl	e Result:	Pass	by	-13.3	dB				We	orst Freq:	71.92	MHz
Test Site:	EMI Chamber	2	Cable 1:	Asset #20	52			Cable 2:	Asset #1507		Cable 3:	
Analyzer:	Gold		Preamp:	Blue-Blk				Antenna: Red-Black Preselector:				

Rev. 7/4/2016								
Spectrum Analyzers / Receivers / Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Gold	100Hz-26.5 GHz	E4407B	Agilent	MY45113816	1284	- 1	1/13/2017	1/13/2016
Radiated Emissions Sites	FCC Code	IC Code	VCCI Code	Range		Cat	Calibration Due	Calibrated on
EMI Chamber 2	719150	2762A-7	A-0015	30-1000MHz		II	3/22/2017	3/22/2015
Preamps /Couplers Attenuators / Filters	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Blue-Black	0.009-2000MHz	ZFL-1000-LN	CS	N/A	800	II	12/27/2016	12/27/2015
Antennas	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Red-Black Bilog	30-2000MHz	JB1	Sunol	A091604-2	1106	1	2/9/2017	2/9/2015
Meteorological Meters		MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
TH A#2081		HTC-1	HDE		2081	II	4/5/2017	4/5/2016
Barometric A#2160		5396-0321	Monarch Instruments	4000060	2160	- 1	3/7/2017	3/7/2016
Cables	Range		Mfr			Cat	Calibration Due	Calibrated on
Asset #1507	9kHz - 18GHz		Florida RF			II	2/14/2017	2/14/2016
Asset #2052	9kHz - 18GHz		Florida RF			II	3/2/2017	3/2/2016

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.





Preselector: ---

Radiated Emissions Table Date: 11-Jul-16 Company: Blackbox Biometrics, Inc. Work Order: Q1352 EUT Operating Voltage/Frequency: USB (3.6Vdc) Engineer: Tuyen Truong EUT Desc: BlastGauge System Temp: 20°C Pressure: 1001 mBar Humidity: 53%

Frequency Range: 1 to 6 GHz Measurement Distance: 3m EUT Tx Freq: 2402-2480 MHz

Notes: tx on low, mid and high channels

Duty Cycle <1% FCC 15.209 High Frequency CC 15.209 High Frequency - Pea Adjusted Antenna Peak Average Preamo Antenn Cable Adjusted Average Peak Reading Avg Reading Polarization Frequency Reading Reading Factor Factor Factor Limit Margin Result Limit Margin Result (H/V) (MHz) (dBuV) (dBuV (dB) (dB/m) (dB) (dBuV/m) (dBµV/m) (Pass/Fail) 4804 0 39 1 19 1 17.9 32.8 5.4 59 4 39 4 74 0 -14 6 Pass 54.0 -14 6 Pass 74.0 54.0 4804.0 37.4 57.7 17.4 17.9 32.8 5.4 37.7 -16.3 -16.3 Pass Pass h - noise floo 2390.0 47.5 24.9 199 28.0 3.5 59.1 36.5 74.0 -14.9 Pass 54.0 -17.5 Pass v - noise floor 2390.0 48.2 25.1 19.9 28.0 3.5 59.8 36.7 74.0 -14.2 Pass 54.0 -17.3 Pass 4884 0 40.7 20.7 17.9 32.8 5.2 60.8 40.8 74 0 -13 2 Pass 54.0 -13 2 Pass 4884.0 38.1 5.2 74.0 54.0 18.1 17.9 32.8 58.2 38.2 -15.8 Pass -15.8 Pass 4960.0 39.4 19.4 17.9 32.9 5.2 59.6 39.6 74.0 -14.4 Pass 54.0 -14.4 Pass 4960.0 37.9 17.9 32.9 5.2 58.1 74.0 -15.9 54.0 -15.9 Pass 38.1 Pass h - noise floo 2483.5 48.7 25.2 20.2 28.4 3.6 60.5 37.0 74.0 -13.5 Pass 54.0 -17.0 Pass Pass v - noise floor 2483.5 48.4 20.2 28.4 60.2 36.8 74.0 -13.8 Pass 54.0 -17.2

Table Result: Pass 4884 0 MHz by -13.2 dB Worst Freq: Cable 2: Asset #1507 Cable 3: Test Site: FMI Chamber 2 Cable 1: Asset #2052

Antenna: Orange Horn

Analyzer: Gold Preamp
CSsoft Radiated Emissions Calculator v1.017.165
Adjusted Reading = Reading - Preamp Factor + Antenna Factor

Rev. 7/4/2016 Asset Spectrum Analyzers / Receivers / Preselectors Range MN Mfr SN Cat Calibration Due Calibrated on 100Hz-26.5 GHz Gold F4407B Agilent MY45113816 1284 1/13/2017 1/13/2016 **Radiated Emissions Sites** FCC Code IC Code VCCI Code Cat Calibration Due Calibrated on Range EMI Chamber 2 4/29/2015 2762A-7 A-0015 1-18GHz 4/29/2017 Preamps /Couplers Attenuators / Filters Range MN Mfr SN Asset Cat Calibration Due Calibrated on 1517 HF Preamp 1-20GHz CS CS N/A 1517 Ш 8/6/2016 8/6/2015 Antennas Mfr Calibration Due Calibrated on Range SN Cat Asset ЕМСО 10/13/2014 Orange Horn 1-18GHz 3115 0004-6123 390 10/13/2016 **Meteorological Meters** MN Mfr SN Asset Cat Calibration Due Calibrated on Weather Clock (Pressure Only) BA928 Oregon Scientific C3166-1 831 4/28/2018 4/28/2016 TH A#2081 HTC-1 4/5/2017 4/5/2016 HDE 2081 II Calibrated on Cables Range Mfr **Calibration Due** Asset #1507 9kHz - 18GHz Florida RF 2/14/2017 2/14/2016 Asset #2052 9kHz - 18GHz Florida RF П 3/2/2017 3/2/2016

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.

Preamp: Asset #1517

Radiated Emissions Table Company: BlackBox Biometrics, Inc. Work Order: Q1352 Engineer: Tuyen Truong EUT Desc: BlastGauge System EUT Operating Voltage/Frequency: 3.6Vdc (USB power) Temp: 23°C Humidity: 47% Pressure: 1001mBar Frequency Range: 6-18GHz Measurement Distance: 1m Notes: tx on low, mid and high channels EUT Tx Freq: 2402-2480 MHz

	Duty Cycle <	1%												
							FCC 15.209 High Frequency - Peak FCC 15.209 High Frequency - Averag						equency - Average	
Antenna		Peak	Average	Preamp	Antenna	Cable	Adjusted	Adjusted						
Polarization	Frequency	Reading	Reading	Factor	Factor	Factor	Peak Reading	Avg Reading	Limit	Margin	Result	Limit	Margin	Result
(H/V)	(MHz)	(dBµV)	(dBµV)	(dB)	(dB/m)	(dB)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	(Pass/Fail)	(dBµV/m)	(dB)	(Pass/Fail)
h	7206.0	43.1	23.1	16.6	37.1	6.6	70.2	50.2	83.5	-13.3	Pass	63.5	-13.3	Pass
v	7206.0	45.37	25.4	16.6	37.1	6.6	72.5	52.5	83.5	-11.0	Pass	63.5	-11.0	Pass
h	7326.0	44.3	24.3	17.0	37.6	6.7	71.6	51.6	83.5	-11.9	Pass	63.5	-11.9	Pass
v	7326.0	45.9	25.9	17.0	37.6	6.7	73.2	53.2	83.5	-10.3	Pass	63.5	-10.3	Pass
h	7440.0	43.9	23.9	17.2	37.5	6.7	70.9	50.9	83.5	-12.6	Pass	63.5	-12.6	Pass
V	7440.0	45.66	25.7	17.2	37.5	6.7	72.7	52.7	83.5	-10.8	Pass	63.5	-10.8	Pass

Table Result: Pass -10.3 dB Worst Freq: 7326.0 MHz

Cable 2: Asset #150 Preselector: --Analyzer: Gold Preamp: Asset #1517 Antenna: Orange Horn

v 1.017.165 diusted Reading = Reading - Preamp Factor + Ante





Rev. 7/4/2016								
Spectrum Analyzers / Receivers / Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Gold	100Hz-26.5 GHz	E4407B	Agilent	MY45113816	1284	I	1/13/2017	1/13/2016
Radiated Emissions Sites	FCC Code	IC Code	VCCI Code	Range		Cat	Calibration Due	Calibrated on
EMI Chamber 2	719150	2762A-7	A-0015	1-18GHz		I	4/29/2017	4/29/2015
Preamps /Couplers Attenuators / Filters	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
1517 HF Preamp	1-20GHz	CS	CS	N/A	1517	II	8/6/2016	8/6/2015
Antennas	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Orange Horn	1-18GHz	3115	EMCO	0004-6123	390	I	10/13/2016	10/13/2014
Meteorological Meters		MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Weather Clock (Pressure Only)		BA928	Oregon Scientific	C3166-1	831	- 1	4/28/2018	4/28/2016
TH A#2081		HTC-1	HDE		2081	II	4/5/2017	4/5/2016
Cables	Range		Mfr			Cat	Calibration Due	Calibrated on
Asset #1507	9kHz - 18GHz		Florida RF			II	2/14/2017	2/14/2016
Asset #2052	9kHz - 18GHz		Florida RF			II	3/2/2017	3/2/2016

All equipment is	calibrated using	g standards tr	aceable to I	NIST or othe	national	ly recognized calib	oration standard.					
Radiated	d Emissic	ns Tab	le									
Date: 11-Jul-16 Company: Blackbox Biometrics, Inc								Work Order: Q1352				
Engineer:	Tuyen Truong		EUT Desc:	BlastGaug	e Syster	n		EUT O	oeratin	g Volt	age/Frequency:	USB (3.6Vdc)
Temp:	20°C		Humidity:	53%		Pressure:	1001 mBar					
	Freque	ncy Range:	18 to 26 G	Hz				Measur	ement	Dista	nce: 10cm	
Notes:	tx on low, mid	and high cha	annels						EUT I	Max F	req: 2402-2480 M	Hz
Antenna			Preamp	Antenna	Cable	Adjusted			FCC 1	15.209		
Polarization (H/V)	Frequency (MHz)	Reading (dBµV)	Factor (dB)	Factor (dB/m)	Factor (dB)	Reading (dBµV/m)	Limit (dBµV/m)		Resul (Pass/F			lesult ass/Fail)
		1	No Emissio	ns Found ir	This Ra	nge						
Table	e Result:		by		dB				Wor	st Fr	eq:	MHz
Analyzer: CSsoft Radiate Adjusted Read	ed Emissions C	alculator	Preamp: v 1.017.165		GHz	Factor		ole 2 : enna: 18-26.5	GHz Ho	orn	Cable 3: Preselector: Copyright C	
Rev. 7/24/2016 Spectrum	Analyzers / Rece Gold	ivers/Presele		Range 100Hz-26.5 G	Hz	MN E4407B	M fr Agilent	SN MY45113816	Asset 1284	Cat I	Calibration Due 1/13/2017	Calibrated on 1/13/2016
I	Radiated Emission EMI Chambo			FCC Code 719150		IC Code 2762A-7	VCCI Code A-0015	Range 1-18GHz		Cat I	Calibration Due 4/29/2017	Calibrated on 4/29/2015
Preamp	os /Couplers Atte HF (Yellov		rs	Range 18-26.5GHz	AFS4	MN I-18002650-60-8P-4	Mfr CS	SN 467559	Asset 1266	Cat II	Calibration Due 3/8/2017	Calibrated on 3/8/2016
	Antenna: HF (White) H			Range 18-26.5GHz		MN 801-WLM	M fr Waveline	SN 758	Asset 758	Cat III	Calibration Due Verify before Use	Calibrated on date of test
	Meteorological TH A#208 Barometric A#	1				MN HTC-1 5396-0321	Mfr HDE Monarch Instruments	SN 4000060	Asset 2081 2160	Cat II I	Calibration Due 4/5/2017 3/7/2017	Calibrated on 4/5/2016 3/7/2016
	Cables REMI-High-	06		Range 1 - 26.5GHz	TF	RU-21B0707-120	M fr TRU			Cat II	Calibration Due 8/7/2016	Calibrated on 8/7/2015

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.






Conducted Spurious Emissions LIMITS

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100kHz bandwidth that contains the highest level of desired power based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB ... [15.247(d)]

MEASUREMENTS / RESULTS


Conducted Band Edge Plots



Lowest Channel - Band Edge



ACCREDITED
Testing Cert No. 1827-01



Highest Channel - Band Edge




Conducted Spurious Emission

Note: 9 kHz - 25 GHz frequency range was investigated for all 3 channels (low, middle and high) at the EUT antenna port. Worst case insertion losses were entered as reference level offset to the spectrum analyzer. All emissions and instrument noise floor were more than 20dB below the fundamental.

MEASUREMENTS / RESULTS


Conducted Spurious Emissions Plots

2402MHz


















2442MHz






ACCREDITED
Testing Carl No. 1877-01











2480MHz





ACCREDITED
Testing Cert. No. 1627-01







03:28:06 AM Jun 04, 2016 TRACE 1 2 3 4 5 6 TYPE M WWWWWW DET P N N N N N RF PRESEL 50 Ω AUGNAUTO
Avg Type: Log-Pwr
Avg|Hold:>100/100 Stop Freq 25.000000000 GHz Frequency Trig: Free Run #Atten: 20 dB PNO: Fast 😱 IFGain:Low Auto Tune Mkr1 24.983 GHz -48.279 dBm Ref Offset 7.5 dB Ref 10.00 dBm 10 dB/div Log Center Freq 0.00 16.500000000 GHz -10.0 Start Freq 8.000000000 GHz -20.0 -30.0 Stop Freq 25.000000000 GHz -40.0 **CF** Step -50.0 1.700000000 GHz Man -60.0 Freq Offset -70.0 0 Hz -80.0 Start 8.000 GHz Stop 25.000 GHz #Res BW 100 kHz **#VBW** 300 kHz Sweep 1.625 s (1000 pts) STATUS





Power Spectral Density

Limit: Power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission. [15.247(e)]

Per 558074 D01 DTS Measurement Guidance v03r05 Section 10.2 (Peak PSD)

MEASUREMENTS / RESULTS


Peak Power Spec	tral Density								
Date: Jun-2-2016	Compar	Company: BlackBox Biometrics, Inc. Work Order: Q						r: Q1352	
Engineer: Yunus Fazilogli	. EUT Des	EUT Desc: BlastGauge EUT Operating Voltage/Frequency					Frequency	: 3.6VDC	
Temp: 22°C	Humidi	ty: 46%	Pressure: 10	07 mBar					
Frequer	cy Range: 2402-24	80 MHz		Mea	asurem	ent 1	Гуре:	Conducted	
Notes: Powered from s Total cable inse corrected reading	ertion loss factored in		level offset to the	e spectrum	n analyz	zer. C	orresp	onding plot	s show
Frequency		PSD			Limit				
(MHz)		(dBm)			(dBm)			Margin	Result
2402.00		-2.762		8.00				-10.76	Pass
2442.00		-4.952			8.00			-12.95	Pass
2480.00		-5.522		8.00				-13.52	Pass
Table Result:	Table Result:Passby-10.76 dBWorst Freq:2402.0) MHz		
Test Site: Wireless Test F Analyzer: MXE 1168255	Room Cable	1: SMA adapt	er assembly		Cable	2: As			Straus LLC 2000
Rev. 5/18/2016 Spectrum Analyzers / Receivers / MXE EMI Receiver		nge MN 8.4GHz N9038A	Mfr Agilent	SN MY53290009	Asset 1168255	Cat I		ation Due 6/2016	Calibrated on 6/16/2015
Meteorological Meter TH A#2080 Barometric A#2160	s	MN HTC-1 5396-032	Mfr HDE 1 /lonarch Instruments	SN 4000060	Asset 2080 2160	Cat II I	4/	ration Due 5/2017 7/2017	Calibrated on 4/5/2016 3/7/2016
Cables Asset #1784		nge 18GHz	Mfr Florida RF			Cat		ation Due 7/2017	Calibrated on 3/7/2016

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.




ACCREDITED
Testing Cert. No. 1827-01

PLOTS



2402 MHz - PSD



2442 MHz - PSD



03:46:37 PM Jun 02, 2016 TRACE 1 2 3 4 5 6 TYPE M WWWWWW DET P N N N N N Avg Type: Log-Pwr Avg|Hold: 1000/1000 Marker 1 2.480056430000 GHz PNO: Wide Trig: Free Run Atten: 10 dB Mkr1 2.480 056 4 GHz -5.522 dBm Ref Offset 2.86 dB Ref 2.86 dBm 10 dB/div Log -27.1 -37.1 -57. -67.1 -77.1 -87.1 Span 1.026 MHz Sweep 9.867 ms (1001 pts) Center 2.4800000 GHz #Res BW 10 kHz **#VBW** 30 kHz STATUS

2480 MHz - PSD





AC Line Conducted Emissions LIMITS

Frequency of emission (MHz)	Quasi-peak limit (dBµV)	Average limit (dBµV)
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

^{*}Decreases with the logarithm of the frequency.

[47 CFR 15.207(a)]

MEASUREMENTS / RESULTS

Not applicable since the EUT is battery powered.





Occupied Bandwidth

Requirement: When an occupied bandwidth is not specified in the applicable RSS, the transmitted signal bandwidth to be reported is to be its 99% emission bandwidth, as calculated or measured. [RSS-GEN 6.6]

MEASUREMENTS / RESULTS

99% Occupied Bandwidth									
Date: Jun-2-2016	Company: BlackBox Biometrics, Inc. Work Order:								
Engineer: Yunus Faziloglu	EUT Desc: BlastGauge	EUT Desc: BlastGauge EUT Operating Voltage/Fr							
Temp: 22°C	Humidity: 46%	Pressure: 1007 mBar							
Frequen	Frequency Range: 2402-2480 MHz Measurement Type: Conducted								
Notes: Powered from su	Notes: Powered from support laptop USB port								
Frequency	99% OBW								
(MHz)	(kHz)								
2402	1.0384								
2442	1.0166								
2480	1.0458								
Test Site: Wireless Test R	coom Cable 1: SMA adapter	assembly Cable 2: A	sset #1784						
Analyzer: MXE 1168255			Copyright Curtis-Straus LLC 2000						


Rev. 5/18/2016 Spectrum Analyzers / Receivers / Preselectors MXE EMI Receiver	Range 20Hz-8.4GHz	MN N9038A	Mfr Agilent	SN MY53290009	Asset 1168255	Cat I	Calibration Due 6/16/2016	Calibrated on 6/16/2015
Meteorological Meters		MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
TH A#2080		HTC-1	HDE		2080	II	4/5/2017	4/5/2016
Barometric A#2160		5396-0321	Nonarch Instruments	4000060	2160	I	3/7/2017	3/7/2016
Cables	Range		Mfr			Cat	Calibration Due	Calibrated on
Asset #1784	9kHz - 18GHz		Florida RF			II	3/7/2017	3/7/2016

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.






Plot(s)




2402 MHz - Occupied Bandwidth



2442 MHz - Occupied Bandwidth



ACCREDITED
Testing Carl No. 1827-01



2480 MHz - Occupied Bandwidth



Measurement Uncertainty

The listed uncertainties are the worst case uncertainty for the entire range of measurement. Please note that the uncertainty values are provided for informational purposes only and are not used in determining the PASS/FAIL results.

Measurement	Expanded Uncertainty k=2	Maximum allowable uncertainty
Radiated Emissions (30-1000MHz) NIST	5.6dB	N/A
CISPR	4.6dB	5.2dB (Ucispr)
Radiated Emissions (1-26.5GHz)	4.6dB	N/A
Radiated Emissions (above 26.5GHz)	4.9dB	N/A
Magnetic Radiated Emissions	5.6dB	N/A
Conducted Emissions NIST CISPR	3.9dB	N/A 3.6dB (Ucispr)
Telco Conducted Emissions (Current)	3.6dB 2.9dB	N/A
Telco Conducted Emissions (Voltage)	4.4dB	N/A
Electrostatic Discharge	11.5%	N/A
Radiated RF Immunity (Uniform Field)	1.6dB	N/A
Electrical Fast Transients	23.1%	N/A
Surge	23.1%	N/A
Conducted RF Immunity	3dB	N/A
Magnetic Immunity	12.8%	N/A
Dips and Interrupts	2.3V	N/A
Harmonics	3.5%	N/A
Flicker	3.5%	N/A
Radio frequency (@ 2.4GHz)	3.23 x 10 ⁻⁸	1 x 10 ⁻⁷
RF power, conducted	0.40dB	0.75dB
Maximum frequency deviation:	0.400B	0.7300
 Within 300Hz and 6kHz of audio frequency / Within 6kHz and 25kHz of audio frequency 	3.4% 0.3dB	5% 3dB
Adjacent channel power	1.9dB	3dB
Conducted spurious emission of transmitter, valid up to 12.75GHz	2.39dB	3dB
Conducted emission of receivers	1.3dB	3dB
Radiated emission of transmitter, valid up to 26.5GHz	3.9dB	6dB
Radiated emission of transmitter, valid up to 80GHz	3.3dB	6dB
Radiated emission of receiver, valid up to 26.5GHz	3.9dB	6dB
Radiated emission of receiver, valid up to 80GHz	3.3dB	6dB
Humidity	2.37%	5%
Temperature	0.7°C	1.0°C
Time	4.1%	10%
RF Power Density, Conducted	0.4dB	3dB
DC and low frequency voltages	1.3%	3%
Voltage (AC, <10kHz)	1.3%	2%
Voltage (DC)	0.62%	1%
The above reflects a 95% confidence level		



Conditions Of Testing

[Bureau Veritas Consumer Products Services, Inc., a Massachusetts corporation], and/or its affiliates (collectively, the "Company") will conduct, at the request of the Submitter ("Client"), the tests specified on the submitted Test Request Form or equivalent in accordance with, and subject to, the following terms and conditions (collectively, "Conditions"):

1. All orders for tests are subject to acceptance by the Company, and no order will constitute a binding commitment of the Company unless

- 1. All orders for tests are subject to acceptance by the Company, and no order will constitute a binding commitment of the Company unless and until such order is accepted by it, as evidenced by the issuance of a written report ("Test Report") by the Company. The Test Report is issued solely by the Company, is intended for the exclusive use of Client and shall not be published, used for advertising purposes, copied or replicated for distribution to any other person or entity or otherwise publicly disclosed without the prior written consent of the Company. By submitting a request for services to the Company, Client consents to the disclosure to accreditation bodies of those records of Client relevant to the accreditation body's assessment of the Company's competence and compliance with relevant accreditation criteria. The Company shall not be liable for any loss or damage whatsoever resulting from the failure of the Company to provide its services within any time period for completion estimated by the Company. If Client anticipates using the Test Report in any legal proceeding, arbitration, dispute resolution forum or other proceeding, it shall so notify the Company prior to submitting the Test Report in such proceeding. The Company has no obligation to provide a fact or expert witness at such proceeding unless the Company agrees in advance to do so for a separate and additional fee.
- 2. The Test Report will set forth the findings of the Company solely with respect to the test samples identified therein. Unless specifically and expressly indicated in the Test Report, the results set forth in such Test Report are not intended to be indicative or representative of the quality or characteristics of the lot from which a test sample is taken, and Client shall not rely upon the Test Report as being so indicative or representative of the lot or of the tested product in general. The Test Report will reflect the findings of the Company at the time of testing only, and the Company shall have no obligation to update the Test Report after its issuance. The Test Report will set forth the results of the tests performed by the Company based upon the written information provided to the Company. The Test Report will be based solely on the samples and written information submitted to the Company by Client, and the Company shall not be obligated to conduct any independent investigation or inquiry with respect thereto.
- The Company may, in its sole discretion, destroy samples which have been furnished to the Company for testing and which have not been destroyed in the course of testing. The Company may delegate the performance of all or a portion of the services contemplated hereunder to an affiliate, agent or subcontractor of the Company, and Client consents to such delegation.
 These Conditions and the Test Report represent the entire understanding of the parties hereto with respect to the subject matter hereof
- 4. These Conditions and the Test Report represent the entire understanding of the parties hereto with respect to the subject matter hereof and of the Test Report, and no modification, variance or extrapolation with respect thereto shall be permitted without the prior written consent of the Company.
- 5. The names, service marks, trademarks and copyrights of the Company and its affiliates, including the names "BUREAU VERITAS,"
 "BUREAU VERITAS CONSUMER PRODUCTS SERVICES," "BVCPS", "MTL", "ACTS", "MTL-ACTS" and CURTIS-STRAUS
 (collectively, the "Marks") are and shall remain the sole property of the Company or its affiliates and shall not be used by Client except solely to the extent that Client obtains the prior written approval of the Company and then only in the manner prescribed by the Company. Client shall not contest the validity of the Marks or take any action that might impair the value or goodwill associated with the Marks or the image or reputation of the Company or its affiliates.
- 6. Payment in full shall be due 30 days after the date of invoice. Interest shall be due on overdue amounts from the due date until paid at an interest rate of 1.5% per month or, if less, the maximum rate permitted by law. The Company reserves the right, at any time and from time to time, to revoke any credit extended to Client. Client shall reimburse the Company for any costs it incurs in collecting past due amounts, including court costs and fees and expenses of attorneys and collection agencies. The Test Report may not be used or relied upon by Client if and for so long as Client fails to pay when due any invoice issued by the Company or any affiliate of it to Client or any affiliate or subsidiary of Client together with interest and penalties, if any, accrued thereon.
- 7. The Company disclaims any and all responsibility or liability arising out of or in connection with e-mail transmissions of such information.
- 8. Client understands and agrees that the Company is neither an insurer nor a guarantor, that the Company does not take the place of Client or any designer, manufacturer, agent, buyer, distributor or transportation or shipping company, and that the Company disclaims all liability in such capacities. Client further understands that if it seeks assurance against loss or damage, it should obtain appropriate insurance.
- 9. Client agrees that the Company, by providing the services, does not take the place of Client nor any third party, nor does the Company release them from any of their obligations, nor does the Company otherwise assume, abridge, abrogate or undertake to discharge any duty of any third party to Client or any duty of Client or any third party to any other third party, and Client will not release any third party from its obligations and duties with respect to the tested goods.
- 10. Client shall, on a timely basis, (a) provide adequate instructions to the Company in order to enable the Company to perform properly its services, (b) provide, or cause Client's suppliers and contractors to provide, the Company with all documents necessary to enable the Company to perform its services, (c) furnish the Company with all relevant information regarding Client's intended use and purposes of the tested goods, (d) advise the Company of essential dates and deadlines relevant to the tested goods and (e) fully exercise all rights and remedies available to Client against third parties in respect of the tested goods.
- 11. The Company shall undertake due care and ordinary skill in the performance of its services to Client, and the Company shall accept responsibility only were such skill has not been exercised and, even in such event, only to the extent of the limitation of liability set forth herein
- 12. If Client desires to assert a claim arising from or relating to (i) the performance, purported performance or non-performance of any services by the Company or (ii) the sale, resale, manufacture, distribution or use of any tested goods, it must submit that claim to the Company in a writing that sets forth with particularity the basis for such claim within 60 days from discovery of the potential claim and not more than six months after the date of issuance of the Test Report to Client. Client waives any and all such claims including, without limitation, claims that the Test Report is inaccurate, incomplete or misleading or that additional or different testing is required, unless and then only to the extent that Client submits a written claim to the Company within both such time periods.
- 13. CLIÉNT SHALL, EXCEPT TO THE EXTENT OF COMPANY'S LIABILITY TO CLIENT HEREUNDER (WHICH IN NO EVENT SHALL EXCEED THE LIMITATION OF LIABILITY HEREIN), HOLD HARMLESS AND INDEMNIFY THE COMPANY, ITS AFFILIATES AND THEIR RESPECTIVE DIRECTORS, OFFICERS, EMPLOYEES, AGENTS AND SUBCONTRACTORS AGAINST ALL ACTUAL OR ALLEGED THIRD PARTY CLAIMS FOR LOSS, DAMAGE OR EXPENSE OF WHATSOEVER NATURE AND HOWSOEVER ARISING FROM OR RELATING TO (i) THE PERFORMANCE, PURPORTED PERFORMANCE OR NON-PERFORMANCE OF ANY SERVICES BY THE COMPANY OR (ii) THE SALE, RESALE, MANUFACTURE, DISTRIBUTION OR USE OF ANY TESTED GOODS.
- 14. EXCEPT AS MAY OTHERWISE BE EXPRESSLY AGREED TO IN WRITING BY THE COMPANY AND NOTWITHSTANDING ANY PROVISION TO THE CONTRARY CONTAINED HEREIN OR IN ANY TEST REPORT, NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE, IS MADE.



15. (A) IN NO EVENT WHATSOEVER SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, EXEMPLARY OR PUNITIVE DAMAGES IN CONNECTION WITH, RELATING TO OR ARISING OUT OF THE TEST REPORT OR THE SERVICES PROVIDED BY THE COMPANY HEREUNDER, INCLUDING WITHOUT LIMITATION LOSS OF OR DAMAGE TO PROPERTY; LOSS OF INCOME, PROFIT OR USE; OR ANY CLAIMS OR DEMANDS MADE AGAINST CLIENT OR ANY OTHER PERSON BY ANY THIRD PARTY IN CONNECTION WITH, RELATING TO OR ARISING OUT OF THE SERVICES PROVIDED BY THE COMPANY HERE! INDEED

(B)NOTWITHSTANDING ANY PROVISION TO THE CONTRARY CONTAINED HEREIN, AND IN RECOGNITION OF THE RELATIVE RISKS AND BENEFITS TO CLIENT AND THE COMPANY ASSOCIATED WITH THE TESTING SERVICES CONTEMPLATED HEREBY, THE RISKS HAVE BEEN ALLOCATED SUCH THAT UNDER NO CIRCUMSTANCES WHATSOEVER SHALL THE LIABILITY OF THE COMPANY TO CLIENT OR ANY THIRD PARTY IN RESPECT OF ANY CLAIM FOR LOSS, DAMAGE OR EXPENSE, OF WHATSOEVER NATURE OR MAGNITUDE, AND HOWSOEVER ARISING, EXCEED AN AMOUNT EQUAL TO FIVE (5) TIMES THE AMOUNT OF THE FEES PAID TO THE COMPANY FOR THE SPECIFIC SERVICES WHICH GAVE RISE TO SUCH CLAIM OR U.S.\$10,000, WHICHEVER IS THE LESSER AMOUNT.

- 16. The Company shall not be liable for any loss or damage resulting from any delay or failure in performance of its obligations hereunder resulting directly or indirectly from any event of force majeure or any event outside the control of the Company. If any such event occurs, the Company may immediately cancel or suspend its performance hereunder without incurring any liability whatsoever to Client.
- 17. Company's services, including these Conditions, shall be governed by, and construed in accordance with, the local laws of the country where the Company performs the tests or, in the case of tests performed in the United States of America, the laws of Massachusetts without regard to conflicts of laws principles. If any aspect(s) of these Conditions is found to be illegal or unenforceable, the validity, legality and enforceability of all remaining aspects of these Conditions shall not in any way be affected or impaired thereby. Any proceeding related to the subject matter hereof shall be brought, if at all, in the courts of the country where the Company performs the tests or, in the case of tests performed in the United States of America, in the courts of Massachusetts. Client waives the right to interpose any counterclaim or setoffs of any nature in any litigation arising hereunder.

The complete list of the Approved Subcontractors Curtis-Straus may use to delegate the performance of work can be provided upon request. Rev.160009121(2)_#684340 v14CS



