



Model: R1 INT NA 3B HW4

Internal Photos

23 January 2025

Revision 0

Harman International Industries, Inc.

30001 Cabot Drive

Novi, MI 48377

U.S.A.


Table of Contents

Revision History	3
Top Casting – Side 1	4
Top Casting – Side 2	5
Front Plate – Side 1.	6
Front Plate – Side 2	7
Main PCB – Side 1.....	8
Main PCB – Side 2	10
Inner Casting 1 – Side 1	12
Inner Casting 1 – Side 2	13
Inner Casting 2 – Side 1	14
Inner Casting 2 – Side 2	15
Back Board – Side 1	16
Back Board – Side 2	18
Front Board– Side 1	20
Front Board – Side 2	21
Bottom Casting – Side 1	22
Bottom Casting – Side 2	23


Revision History

Revision	Date	Description
0	23 JAN 2025	Initial release.


Top Casting – Side 2



Front Plate – Side 1




Front Plate – Side 2



Main PCB – Side 1 (3B MID)




Main PCB – Side 1 (2B HIGH)




ULF connector:
Is to connect the
GNSS/GPS module
to GPS Ublox IC.
This connexion is
not used for NA
variants. (Please go
to page 16)


Main PCB – Side 2 (3B MID)



Main PCB – Side 2 (2B HIGH)



Inner Casting 1 – Side 1



Inner Casting 1 – Side 2

