








Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-29.39	-27	Pass
NVNT	a	5785	Ant1	-29.18	-27	Pass
NVNT	a	5825	Ant1	-29.59	-27	Pass
NVNT	n20	5745	Ant1	-29.35	-27	Pass
NVNT	n20	5785	Ant1	-29.33	-27	Pass
NVNT	n20	5825	Ant1	-29.07	-27	Pass
NVNT	n40	5755	Ant1	-29.9	-27	Pass
NVNT	n40	5795	Ant1	-30.03	-27	Pass
NVNT	ac20	5745	Ant1	-30.26	-27	Pass
NVNT	ac20	5785	Ant1	-29.89	-27	Pass
NVNT	ac20	5825	Ant1	-28.9	-27	Pass
NVNT	ac40	5755	Ant1	-29.43	-27	Pass
NVNT	ac40	5795	Ant1	-30	-27	Pass
NVNT	ac80	5775	Ant1	-29.1	-27	Pass

Test Graphs

Tx. Spurious NVNT a 5745MHz Ant1 Emission



Tx. Spurious NVNT a 5785MHz Ant1 Emission

