



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4121
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5240MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5240.000	96.43	0.82	97.25	/	/	peak			
2	14575.975	7.75	42.37	50.12	74.00	-23.88	peak			
3	14575.975	0.00	42.37	42.37	54.00	-11.63	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4122
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5240MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5240.000	87.14	0.82	87.96	/	/	peak			
2	14618.166	7.78	42.25	50.03	74.00	-23.97	peak			
3	14618.166	0.54	42.25	42.79	54.00	-11.21	AVG			

U-NII-3




ACCURATE TECHNOLOGY CO., LTD.
F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4123	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 16/11/10/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Media Player	Engineer Signature: LGWADE
Mode: TX 5745MHz	Distance: 3m
Model: P-PLA-103-YIT-02	
Manufacturer: ContextMedia LLC	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5745.000	87.72	1.50	89.22	/	/	peak			
2	15532.938	9.64	40.09	49.73	74.00	-24.27	peak			
3	15532.938	1.47	40.09	41.56	54.00	-12.44	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4124
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5745MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5745.000	92.03	1.50	93.53	/	/	peak			
2	15713.564	9.77	40.06	49.83	74.00	-24.17	peak			
3	15713.564	1.74	40.06	41.80	54.00	-12.20	AVG			




ACCURATE TECHNOLOGY CO., LTD.
F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4125
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5785MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5785.000	92.68	1.86	94.54	/	/	peak			
2	14575.975	8.29	42.37	50.66	74.00	-23.34	peak			
3	14575.975	0.28	42.37	42.65	54.00	-11.35	AVG			




ACCURATE TECHNOLOGY CO., LTD.
F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4126
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5785MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5785.000	82.26	1.86	84.12	/	/	peak			
2	15896.290	9.94	40.02	49.96	74.00	-24.04	peak			
3	15896.290	1.34	40.02	41.36	54.00	-12.64	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4127
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5825MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5825.000	86.44	1.97	88.41	/	/	peak			
2	16034.728	10.18	40.02	50.20	74.00	-23.80	peak			
3	16034.728	2.62	40.02	42.64	54.00	-11.36	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4128
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5825MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5825.000	89.84	1.97	91.81	/	/	peak			
2	15265.885	9.62	40.57	50.19	74.00	-23.81	peak			
3	15265.885	1.74	40.57	42.31	54.00	-11.69	AVG			

**Wi-Fi 802.11 n(HT40) mode, MCS0 Mbps
30MHz - 1GHz
U-NII-1**



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4285
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5190MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	222.9500	37.30	-11.35	25.95	46.00	-20.05	QP			
2	297.2241	35.17	-9.06	26.11	46.00	-19.89	QP			
3	372.0045	33.22	-7.13	26.09	46.00	-19.91	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4286
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5190MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.5172	30.83	-10.28	20.55	40.00	-19.45	QP			
2	139.3611	33.47	-14.97	18.50	43.50	-25.00	QP			
3	455.9057	33.71	-5.25	28.46	46.00	-17.54	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4287
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5230MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.2760	29.93	-10.20	19.73	40.00	-20.27	QP			
2	127.6645	31.88	-13.70	18.18	43.50	-25.32	QP			
3	455.9057	34.32	-5.25	29.07	46.00	-16.93	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4288
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5230MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	137.9028	33.48	-14.64	18.84	43.50	-24.66	QP			
2	222.9500	37.86	-11.35	26.51	46.00	-19.49	QP			
3	455.9057	30.34	-5.25	25.09	46.00	-20.91	QP			

U-NII-3



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4289

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5755MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/11/23/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	141.8262	34.28	-15.11	19.17	43.50	-24.33	QP			
2	222.9500	39.64	-11.35	28.29	46.00	-17.71	QP			
3	372.0045	32.61	-7.13	25.48	46.00	-20.52	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4290
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5755MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.3962	29.92	-10.24	19.68	40.00	-20.32	QP			
2	222.9499	32.98	-11.35	21.63	46.00	-24.37	QP			
3	455.9057	35.31	-5.25	30.06	46.00	-15.94	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4291
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5795MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	35.2511	30.18	-10.47	19.71	40.00	-20.29	QP			
2	137.4200	33.83	-14.53	19.30	43.50	-24.20	QP			
3	455.9057	33.47	-5.25	28.22	46.00	-17.78	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4292
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5795MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	139.8506	34.35	-15.09	19.26	43.50	-24.24	QP			
2	222.9500	35.89	-11.35	24.54	46.00	-21.46	QP			
3	305.6800	29.56	-8.90	20.66	46.00	-25.34	QP			


1GHz - 18GHz
U-NII-1



ACCURATE TECHNOLOGY CO., LTD.
F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4141	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 16/11/10/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Media Player	Engineer Signature: LGWADE
Mode: TX 5190MHz	Distance: 3m
Model: P-PLA-103-YIT-02	
Manufacturer: ContextMedia LLC	
Note: 802.11n HT40	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5190.000	94.07	0.65	94.72	/	/	peak			
2	15443.405	9.74	40.21	49.95	74.00	-24.05	peak			
3	15443.405	1.14	40.21	41.35	54.00	-12.65	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4142
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5190MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5190.000	83.58	0.65	84.23	/	/	peak			
2	16648.693	9.24	40.72	49.96	74.00	-24.04	peak			
3	16648.693	0.63	40.72	41.35	54.00	-12.65	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4143
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5230MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5230.000	85.95	0.78	86.73	/	/	peak			
2	15668.211	9.84	40.07	49.91	74.00	-24.09	peak			
3	15668.211	1.28	40.07	41.35	54.00	-12.65	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4144
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5230MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5230.000	92.24	0.78	93.02	/	/	peak			
2	14618.166	8.13	42.25	50.38	74.00	-23.62	peak			
3	14618.166	0.09	42.25	42.34	54.00	-11.66	AVG			

U-NII-3



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4145

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5755MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/10/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5755.000	89.95	1.60	91.55	/	/	peak			
2	14960.120	8.40	41.22	49.62	74.00	-24.38	peak			
3	14960.120	0.13	41.22	41.35	54.00	-12.65	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4146
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5755MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5755.000	85.13	1.60	86.73	/	/	peak			
2	15713.564	10.09	40.06	50.15	74.00	-23.85	peak			
3	15713.564	2.28	40.06	42.34	54.00	-11.66	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4147
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5795MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5795.000	83.68	1.93	85.61	/	/	peak			
2	15354.388	9.87	40.39	50.26	74.00	-23.74	peak			
3	15354.388	2.30	40.39	42.69	54.00	-11.31	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4148
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5795MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5795.000	87.77	1.93	89.70	/	/	peak			
2	16315.231	10.01	40.19	50.20	74.00	-23.80	peak			
3	16315.231	1.93	40.19	42.12	54.00	-11.88	AVG			


**Wi-Fi 802.11 ac(HT20) mode, MCS0 Mbps
30MHz - 1GHz
U-NII-1**



ACCURATE TECHNOLOGY CO., LTD.
F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4293	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 16/11/23/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Media Player	Engineer Signature: LGWADE
Mode: TX 5180MHz	Distance: 3m
Model: P-PLA-103-YIT-02	
Manufacturer: ContextMedia LLC	
Note: 802.11ac VHT20	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	136.9390	33.73	-14.41	19.32	43.50	-24.18	QP			
2	222.9500	37.49	-11.35	26.14	46.00	-19.86	QP			
3	372.0045	31.84	-7.13	24.71	46.00	-21.29	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4294
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5180MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	35.3750	29.79	-10.49	19.30	40.00	-20.70	QP			
2	139.3611	33.95	-14.97	18.98	43.50	-24.52	QP			
3	455.9057	33.27	-5.25	28.02	46.00	-17.98	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4295

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5220MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/23/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.8823	29.38	-10.37	19.01	40.00	-20.99	QP			
2	141.3298	34.29	-15.13	19.16	43.50	-24.34	QP			
3	455.9057	35.24	-5.25	29.99	46.00	-16.01	QP			




ACCURATE TECHNOLOGY CO., LTD.
F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4296
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5220MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	139.3611	34.60	-14.97	19.63	43.50	-23.87	QP			
2	222.9500	35.67	-11.35	24.32	46.00	-21.68	QP			
3	372.0045	32.98	-7.13	25.85	46.00	-20.15	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4297
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5240MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	222.9500	37.27	-11.35	25.92	46.00	-20.08	QP			
2	297.2241	35.22	-9.06	26.16	46.00	-19.84	QP			
3	372.0045	32.34	-7.13	25.21	46.00	-20.79	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4298
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5240MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.6385	29.82	-10.32	19.50	40.00	-20.50	QP			
2	138.8735	33.88	-14.87	19.01	43.50	-24.49	QP			
3	455.9057	32.84	-5.25	27.59	46.00	-18.41	QP			

U-NII-3



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4299

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5745MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/23/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	35.2511	29.59	-10.47	19.12	40.00	-20.88	QP			
2	176.8875	35.06	-13.42	21.64	43.50	-21.86	QP			
3	455.9057	32.96	-5.25	27.71	46.00	-18.29	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4300
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5745MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	136.9390	33.59	-14.41	19.18	43.50	-24.32	QP			
2	222.9500	37.85	-11.35	26.50	46.00	-19.50	QP			
3	372.0045	32.06	-7.13	24.93	46.00	-21.07	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4301
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5785MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	222.9499	37.47	-11.35	26.12	46.00	-19.88	QP			
2	372.0045	32.86	-7.13	25.73	46.00	-20.27	QP			
3	455.9057	31.54	-5.25	26.29	46.00	-19.71	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4302
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5785MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	35.0048	29.68	-10.41	19.27	40.00	-20.73	QP			
2	50.9420	30.37	-12.65	17.72	40.00	-22.28	QP			
3	138.3873	33.71	-14.76	18.95	43.50	-24.55	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4303
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5825MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.4448	29.38	-9.95	19.43	40.00	-20.57	QP			
2	139.8505	33.70	-15.09	18.61	43.50	-24.89	QP			
3	455.9057	34.83	-5.25	29.58	46.00	-16.42	QP			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4304
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5825MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/23/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	222.9501	36.82	-11.35	25.47	46.00	-20.53	QP			
2	372.0045	32.87	-7.13	25.74	46.00	-20.26	QP			
3	455.9057	31.27	-5.25	26.02	46.00	-19.98	QP			

1GHz - 18GHz
U-NII-1



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4157

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5180MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/10/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5180.000	96.06	0.61	96.67	/	/	peak			
2	16268.142	10.39	40.16	50.55	74.00	-23.45	peak			
3	16268.142	2.45	40.16	42.61	54.00	-11.39	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4158
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5180MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5180.000	84.98	0.61	85.59	/	/	peak			
2	16457.318	9.67	40.27	49.94	74.00	-24.06	peak			
3	16457.318	1.07	40.27	41.34	54.00	-12.66	AVG			



ACCURATE TECHNOLOGY CO., LTD.


F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4159
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: Media Player
Mode: TX 5220MHz
Model: P-PLA-103-YIT-02
Manufacturer: ContextMedia LLC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/11/10/
Time:
Engineer Signature: LGWADE
Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5220.000	86.01	0.75	86.76	/	/	peak			
2	15622.990	9.61	40.08	49.69	74.00	-24.31	peak			
3	15622.990	1.66	40.08	41.74	54.00	-12.26	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4160

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5220MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/10/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5220.000	95.23	0.75	95.98	/	/	peak			
2	15310.072	9.83	40.48	50.31	74.00	-23.69	peak			
3	15310.072	2.18	40.48	42.66	54.00	-11.34	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber
Tel:+86-0755-26503290
Fax:+86-0755-26503396

Job No.: Igwade #4161

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Media Player

Mode: TX 5240MHz

Model: P-PLA-103-YIT-02

Manufacturer: ContextMedia LLC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/11/10/

Time:

Engineer Signature: LGWADE

Distance: 3m

Note: 802.11ac VHT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	5240.000	94.46	0.82	95.28	/	/	peak			
2	15896.290	10.33	40.02	50.35	74.00	-23.65	peak			
3	15896.290	2.30	40.02	42.32	54.00	-11.68	AVG			