

User Instructions for Bluetooth Hygrometer Thermometer


Product Model: SCHT01

Version: V1.0

Important notes

- Please review this manual and keep it for future use.
- Please take out the battery if you don't use the device for an extended period of time.
- Do not disassemble the device aggressively.
- Do not immerse the device in water.

The Bluetooth Thermo-Hygrometer



Specifications

Produce Size	6.32*1.8*1.68cm
Weight	25g
Accuracy	Temperature: $\pm 0.3^{\circ}\text{C}$, Humidity: $\pm 2\%$ RH (25°C , 60% RH) Light Intensity: ± 100 LUX
Battery	1*AAA alkaline 1.5V
Bluetooth-enable Distance	<=30m (open and unobstructed range)
Operating Temperature Range	Thermometer: -20°C ~ 60°C Hygrometer: 0°C ~ 50°C
Storage Temperature Range	-20°C ~ 55°C
Operating Humidity Range	0~95%RH
Storage Humidity Range	30%~90%RH

Installing Your Device

- Pull out the battery insulation sheet from the Bluetooth Thermo-Hygrometer.
- Place the device where you want or hang it with the lanyard.

Instructions for SmartCuckoo App

1. **Installing the SmartCuckoo App**
 - Your Smart phone operating system must meet the following minimum requirements:
iOS: iOS 8.0 or above / Android: Android 6.0 or above.
 - Download and install the SmartCuckoo App from the Apple Store/Google Play Store.
2. **Pairing with the SmartCuckoo App**
 - a. Turn on Bluetooth in your phone and get close to the thermo-hygrometer.
(Location Services/GPS should be turned on for Android users).
 - b. Launch the SmartCuckoo App.
 - c. Click the button “Add Bluetooth Device”, and then follow the instructions on the App pages to complete the steps.
 - d. The device will be shown on the main page after it is paired. (Please check the above steps and try again if pairing fails.)
3. **Using the SmartCuckoo App**

After the Bluetooth Thermo-Hygrometer is paired, the data, which detected by the device, like as thermometer, hygrometer and light intensity will be shown on App page. (For more functions, please see App pages.)

Troubleshooting

- The App cannot pair the Bluetooth Thermo-Hygrometer.

- ✓ Make sure Bluetooth on your phone has been turned on.
- ✓ Make sure the App within the Bluetooth-enable Distance.
- The Bluetooth Thermo-Hygrometer does not work.
 - ✓ Make sure the plastic insulation sheet is pulled out before using.
 - ✓ Check whether the battery goes out and replace the battery in time.

FCC Information

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates,

uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference

to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does

cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is

encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.

15.19 Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the

following two conditions:

(1)This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC RF warning statement: the device has been evaluated to meet general RF exposure requirement , The device can be used in portable exposure condition without restriction