

Quick Guide

Smart Key is an accessory of Bluetooth device, which allows you to unlock your Smart Handle exactly as you open your car doors.


1

Unlock your Smart Handle

1. Press and release the power button of the Smart Key, green LED flashes with a beep, and now you can open the Smart Handle within 60 seconds.

5


2. Replace the battery with a new one (CR2032) and assemble the Smart Key.



9

Learn about Smart Key

1. Strap hole
2. LED Indicator
3. Power button
4. Notch: for replacing battery



Install the Strap


2. When you find the Smart Key can't open the handle in normal position, it means your Smart Key battery is low, please place it closer to the handle and try again or change the battery.

6

Pair your Smart Key

1. Enter into My Keys page in Smart Handle App, edit and create a "Smart Key", then press "send" button.
2. Press and hold the button on the Smart Key till the pairing process completes.

3



7


Red and green LED in Smart Handle will flicker in interval with buzzing during pairing process.

3. If the Smart Handle has been paired to a new administrator, please re-pair your Smart Key to get unlock authorization.

4

Replace the Battery

1. Open the Smart Key from the notch side.
* Recommend to open the Smart Key with a straight screwdriver or plug on your phone charger straightly .



8

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.