

PSA

佳邦科技股份有限公司

INPAQ TECHNOLOGY CO., LTD.

深圳市宝安区西乡街道固兴社区固戍一路一号U+研发中心B栋511


Room 511, Building B, U+ R&D Center, No. 1 Gushu 1st Road, Guxing Community, Xixiang
Sub-district, Bao 'an District, Shenzhen City

Copyright © by Passive System Alliance | All rights reserved.

PASSIVE SYSTEM ALLIANCE

PSA

PASSIVE SYSTEM ALLIANCE
INPAQ TECHNOLOGY CO., LTD.



Antenna Name : PLX110

Presented by

冯立翔

2024/12/17



Version	Date	Description	Author
V01	2024/12/17	New Release	冯立翔

OUTLINE

1. Measurement Information

1.1 Experimental Setup

1.2 Antenna Solution Detail

2. Antenna Characteristics

2.1 S-Parameter


2.2 Antenna Efficiency and Peak Gain

2.3 3 views of antenna & 2D Radiation Patterns

3. Summary


1. Measurement Information

1.1 Experimental Setup



1. Measurement Information

1.2 Antenna Solution Detail




Antenna position: It is located on the side of the machine and pasted along the two yellow lines

Antenna size: 15*30mm FPC
cable length: 80mm, welded 1.13 normal wire, first-generation terminal head
Antenna frequency : 2400-2500MHz


2. Antenna Characteristics

2.1 S-Parameter




2. Antenna Characteristics

2.2 Antenna Efficiency and Peak Gain



Maximum Efficiency at 2440MHz : 22.65%



Maximum Peak Gain at 2440MHz : -1.97dBi


2. Antenna Characteristics

2.2 Antenna Efficiency and Peak Gain


	ANT	
Frequency (MHz)	Efficiency (%)	Peak gain (dBi)
2400	18.24	-2.97
2450	22.34	-2.15
2500	18.84	-3.17

2. Antenna Characteristics


2.3 3 views of antenna



X-Z plane



Y-Z plane





X-Y plane



2. Antenna Characteristics

2.3 2D Radiation Patterns




	ZX plane		ZY plane		XY plane	
Frequency [MHz]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]
2400	-2.97	-5.14	-3.95	-6.57	-2.97	-7.04
2450	-2.15	-3.99	-2.52	-5.52	-2.57	-6.56
2500	-3.17	-5.11	-3.21	-6.58	-3.17	-7.09

3. Summary

- The performance of antennas is shown in table

	ANT
Maximum Efficiency (%)	22.65
Maximum Gain (dBi)	-1.97



Title for Image (above image could be replaced)

Content Details

PASSIVE SYSTEM ALLIANCE
INPAQ TECHNOLOGY CO., LTD.

Thank you

本資料均屬機密，僅供指定之收件人使用，未經寄件人許可不得揭露、複製或散佈本信件。

This message and any attachments are confidential and may be legally privileged. Any unauthorized review, use or distribution by anyone other than the intended recipient is strictly prohibited. If you are not the intended recipient, please immediately notify the sender, completely delete this documents, and destroy all copies. Your cooperation will be highly appreciated.