


|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5200MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 15586.00 | 41.33         | 4.61           | 45.94       | 74.00  | -28.06 | peak           |              |         |
| 2   | *   | 15586.00 | 30.20         | 4.61           | 34.81       | 54.00  | -19.19 | AVG            |              |         |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6 |
| Test Frequency | 5240MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 15722.00 | 41.88         | 4.77           | 46.65       | 74.00  | -27.35 | peak           |              |        |
| 2   | *   | 15722.00 | 29.26         | 4.77           | 34.03       | 54.00  | -19.97 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5240MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 15722.00 | 41.38         | 4.77           | 46.15       | 74.00  | -27.85 | peak           |              |         |
| 2   | *   | 15722.00 | 30.09         | 4.77           | 34.86       | 54.00  | -19.14 | AVG            |              |         |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6 |
| Test Frequency | 5260MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 15790.00 | 34.99         | 4.85           | 39.84       | 74.00  | -34.16 | peak           |              |        |
| 2   | *   | 15790.00 | 23.81         | 4.85           | 28.66       | 54.00  | -25.34 | AVG            |              |        |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5260MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 15773.00 | 38.70         | 4.83           | 43.53       | 74.00  | -30.47 | peak           |              |         |
| 2   | *   | 15773.00 | 26.09         | 4.83           | 30.92       | 54.00  | -23.08 | AVG            |              |         |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6 |
| Test Frequency | 5300MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 15892.00 | 36.01         | 4.97           | 40.98       | 74.00  | -33.02 | peak           |              |        |
| 2   | *   | 15892.00 | 24.96         | 4.97           | 29.93       | 54.00  | -24.07 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5300MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 15909.00 | 37.75         | 4.99           | 42.74       | 74.00  | -31.26 | peak           |              |        |
| 2   | *   | 15909.00 | 25.41         | 4.99           | 30.40       | 54.00  | -23.60 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6 |
| Test Frequency | 5320MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 15960.00 | 36.37         | 5.06           | 41.43       | 74.00  | -32.57 | peak           |              |         |
| 2   | *   | 15960.00 | 24.66         | 5.06           | 29.72       | 54.00  | -24.28 | AVG            |              |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5320MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 15960.00 | 37.60         | 5.06           | 42.66       | 74.00  | -31.34 | peak           |              |         |
| 2   | *   | 15960.00 | 25.88         | 5.06           | 30.94       | 54.00  | -23.06 | AVG            |              |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6 |
| Test Frequency | 5500MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 16504.00 | 38.83         | 1.59           | 40.42       | 68.20  | -27.78 | peak           |              |         |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5500MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 16487.00 | 39.71         | 1.67           | 41.38       | 68.20  | -26.82 | peak           |              |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6 |
| Test Frequency | 5580MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 16740.00 | 35.23         | 2.97           | 38.20       | 68.20  | -30.00 | peak           |              |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5580MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 16740.00 | 35.81         | 2.97           | 38.78       | 68.20  | -29.42 | peak           |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6 |
| Test Frequency | 5700MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       |
| 1   | *   | 17099.00 | 36.21         | 4.62           | 40.83       | 68.20  | -27.37 | peak           |              |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5700MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 17099.00 | 36.65         | 4.62           | 41.27       | 68.20  | -26.93 | peak           |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6 |
| Test Frequency | 5745MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree  |
| 1   | *   | 17235.00 | 45.41         | 4.81           | 50.22       | 68.20  | -17.98 | peak           |              | Comment |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5745MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 17235.00 | 47.34         | 4.81           | 52.15       | 68.20  | -16.05 | peak           |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6 |
| Test Frequency | 5785MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 17354.00 | 46.03         | 4.97           | 51.00       | 68.20  | -17.20 | peak           |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5785MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 17354.00 | 48.34         | 4.97           | 53.31       | 68.20  | -14.89 | peak           |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6 |
| Test Frequency | 5825MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree  |
| 1   | *   | 17473.00 | 46.70         | 5.14           | 51.84       | 68.20  | -16.36 | peak           |              | Comment |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT20) | Test Date    | 2024/11/6  |
| Test Frequency | 5825MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 17473.00 | 48.73         | 5.14           | 53.87       | 68.20  | -14.33 | peak           |              |         |

# REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6 |
| Test Frequency | 5190MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree  |
| 1   | *   | 10380.00 | 32.84         | -0.57          | 32.27       | 68.20  | -35.93 | peak           |              | Comment |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6  |
| Test Frequency | 5190MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree  |
| 1   | *   | 10380.00 | 31.63         | -0.57          | 31.06       | 68.20  | -37.14 | peak           |              | Comment |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6 |
| Test Frequency | 5230MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin | Antenna  | Table  |        |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|--------|--------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Height   | Degree |        |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector | cm     | degree |
| 1   | *   | 10460.00 | 32.23   | -0.49   | 31.74    | 68.20  | -36.46 | peak     |        |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6  |
| Test Frequency | 5230MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 10452.00 | 39.90         | -0.50          | 39.40       | 68.20  | -28.80 | peak           |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6 |
| Test Frequency | 5270MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin | Antenna  | Table  |        |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|--------|--------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Height   | Degree |        |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector | cm     | degree |
| 1   | *   | 10540.00 | 30.90   | -0.44   | 30.46    | 68.20  | -37.74 | peak     |        |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6  |
| Test Frequency | 5270MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 10540.00 | 33.86         | -0.44          | 33.42       | 68.20  | -34.78 | peak           |              |         |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6 |
| Test Frequency | 5310MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 10622.00 | 36.09         | -0.41          | 35.68       | 74.00  | -38.32 | peak           |              |        |
| 2   | *   | 10622.00 | 30.82         | -0.41          | 30.41       | 54.00  | -23.59 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6  |
| Test Frequency | 5310MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 10622.00 | 35.75         | -0.41          | 35.34       | 74.00  | -38.66 | peak           |              |        |
| 2   | *   | 10622.00 | 30.72         | -0.41          | 30.31       | 54.00  | -23.69 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6 |
| Test Frequency | 5510MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 11013.00 | 36.23         | -0.24          | 35.99       | 74.00  | -38.01 | peak           |              |        |
| 2   | *   | 11013.00 | 31.15         | -0.24          | 30.91       | 54.00  | -23.09 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6  |
| Test Frequency | 5510MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 11013.00 | 35.36         | -0.24          | 35.12       | 74.00  | -38.88 |                |              | peak    |
| 2   | *   | 11013.00 | 30.50         | -0.24          | 30.26       | 54.00  | -23.74 |                |              | AVG     |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6 |
| Test Frequency | 5550MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 11098.00 | 36.75         | -0.04          | 36.71       | 74.00  | -37.29 | peak           |              |        |
| 2   | *   | 11098.00 | 32.29         | -0.04          | 32.25       | 54.00  | -21.75 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6  |
| Test Frequency | 5550MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 11098.00 | 35.11         | -0.04          | 35.07       | 74.00  | -38.93 | peak           |              |        |
| 2   | *   | 11098.00 | 30.76         | -0.04          | 30.72       | 54.00  | -23.28 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6 |
| Test Frequency | 5670MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 11336.00 | 35.23         | 0.47           | 35.70       | 74.00  | -38.30 | peak           |              |        |
| 2   | *   | 11336.00 | 29.70         | 0.47           | 30.17       | 54.00  | -23.83 | AVG            |              |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6  |
| Test Frequency | 5670MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 11336.00 | 36.52         | 0.47           | 36.99       | 74.00  | -37.01 | peak           |              |        |
| 2   | *   | 11336.00 | 29.19         | 0.47           | 29.66       | 54.00  | -24.34 | AVG            |              |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6 |
| Test Frequency | 5755MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 17252.00 | 42.95         | 4.84           | 47.79       | 68.20  | -20.41 | peak           |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6  |
| Test Frequency | 5755MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 17286.00 | 44.57         | 4.88           | 49.45       | 68.20  | -18.75 | peak           |              |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6 |
| Test Frequency | 5795MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       |
| 1   | *   | 17388.00 | 45.08         | 5.03           | 50.11       | 68.20  | -18.09 | peak           |              |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT40) | Test Date    | 2024/11/6  |
| Test Frequency | 5795MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 17388.00 | 45.06         | 5.03           | 50.09       | 68.20  | -18.11 | peak           |              |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/6 |
| Test Frequency | 5210MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 10420.00 | 31.36         | -0.54          | 30.82       | 68.20  | -37.38 | peak           |              |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/6  |
| Test Frequency | 5210MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 10420.00 | 31.66         | -0.54          | 31.12       | 68.20  | -37.08 | peak           |              |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/6 |
| Test Frequency | 5290MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 10580.00 | 32.47         | -0.42          | 32.05       | 68.20  | -36.15 | peak           |              |         |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/6  |
| Test Frequency | 5290MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 10580.00 | 33.85         | -0.42          | 33.43       | 68.20  | -34.77 | peak           |              |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/6 |
| Test Frequency | 5530MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 11064.00 | 35.53         | -0.12          | 35.41       | 74.00  | -38.59 | peak           |              |        |
| 2   | *   | 11064.00 | 31.27         | -0.12          | 31.15       | 54.00  | -22.85 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/6  |
| Test Frequency | 5530MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 11064.00 | 36.00         | -0.12          | 35.88       | 74.00  | -38.12 | peak           |              |        |
| 2   | *   | 11064.00 | 30.61         | -0.12          | 30.49       | 54.00  | -23.51 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/6 |
| Test Frequency | 5610MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 11217.00 | 35.58         | 0.21           | 35.79       | 74.00  | -38.21 | peak           |              |        |
| 2   | *   | 11217.00 | 32.06         | 0.21           | 32.27       | 54.00  | -21.73 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/6  |
| Test Frequency | 5610MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 11251.00 | 36.43         | 0.29           | 36.72       | 74.00  | -37.28 |                |              | peak    |
| 2   | *   | 11251.00 | 31.34         | 0.29           | 31.63       | 54.00  | -22.37 |                |              | AVG     |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/6 |
| Test Frequency | 5775MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree  |
| 1   | *   | 17303.00 | 42.12         | 4.90           | 47.02       | 68.20  | -21.18 | peak           |              | Comment |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/6  |
| Test Frequency | 5775MHz               | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 17320.00 | 43.03         | 4.93           | 47.96       | 68.20  | -20.24 | peak           |              |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                        |              |           |
|----------------|------------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT160) | Test Date    | 2024/11/6 |
| Test Frequency | 5250MHz                | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree  |
| 1   | *   | 10500.00 | 32.54         | -0.45          | 32.09       | 68.20  | -36.11 | peak           |              | Comment |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                        |              |            |
|----------------|------------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT160) | Test Date    | 2024/11/6  |
| Test Frequency | 5250MHz                | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 10500.00 | 32.21         | -0.45          | 31.76       | 68.20  | -36.44 | peak           |              |        |

#### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                        |              |           |
|----------------|------------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT160) | Test Date    | 2024/11/6 |
| Test Frequency | 5570MHz                | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   |     | 11132.00 | 34.87         | 0.02           | 34.89       | 74.00  | -39.11 |                |              | peak    |
| 2   | *   | 11132.00 | 30.71         | 0.02           | 30.73       | 54.00  | -23.27 |                |              | AVG     |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                        |              |            |
|----------------|------------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT160) | Test Date    | 2024/11/6  |
| Test Frequency | 5570MHz                | Polarization | Horizontal |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   |     | 11132.00 | 34.31         | 0.02           | 34.33       | 74.00  | -39.67 | peak           |              |        |
| 2   | *   | 11132.00 | 30.39         | 0.02           | 30.41       | 54.00  | -23.59 | AVG            |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |           |
|----------------|-----------------------|--------------|-----------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/7 |
| Test Frequency | 5775MHz               | Polarization | Vertical  |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |        |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|--------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector       | cm           | degree |
| 1   | *   | 22000.00 | 30.54         | -8.74          | 21.80       | 68.20  | -46.40 | peak           |              |        |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|                |                       |              |            |
|----------------|-----------------------|--------------|------------|
| Test Mode      | IEEE 802.11be (EHT80) | Test Date    | 2024/11/7  |
| Test Frequency | 5775MHz               | Polarization | Horizontal |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Antenna Height | Table Degree |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | cm             | degree       | Comment |
| 1   | *   | 22000.00 | 30.94         | -8.74          | 22.20       | 68.20  | -46.00 |                |              | peak    |

## REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

## **APPENDIX D    BANDWIDTH**

|           |                  |
|-----------|------------------|
| Test Mode | UNII-1_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 23.700                | 17.400                        |
| 40      | 5200            | 23.649                | 17.400                        |
| 48      | 5240            | 23.700                | 17.400                        |

CH36




Date: 30.OCT.2024 19:09:54

CH40  
26 dB Bandwidth




Date: 30.OCT.2024 19:07:52

CH48




Date: 30.OCT.2024 19:09:33


99 % Occupied Bandwidth



Date: 30.OCT.2024 19:09:58



Date: 30.OCT.2024 19:07:08




Date: 30.OCT.2024 19:09:10


|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode |
|-----------|------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 24.850                | 18.600                        |
| 40      | 5200            | 24.849                | 18.500                        |
| 48      | 5240            | 24.698                | 18.500                        |


CH36






CH40  
26 dB Bandwidth



CH48




99 % Occupied Bandwidth



|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode |
|-----------|------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38      | 5190            | 44.990                | 38.000                        |
| 46      | 5230            | 44.900                | 37.800                        |

CH38




Date: 30.OCT.2024 20:19:13

CH46  
26 dB Bandwidth




Date: 30.OCT.2024 20:21:45

99 % Occupied Bandwidth



Date: 30.OCT.2024 20:18:37




Date: 30.OCT.2024 20:23:10

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42      | 5210            | 90.806                | 76.400                        |

## CH42 26 dB Bandwidth



Date: 30.OCT.2024 23:36:47

## 99 % Occupied Bandwidth




Date: 30.OCT.2024 23:36:14

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 23.699                | 19.400                        |
| 40      | 5200            | 23.650                | 19.400                        |
| 48      | 5240            | 23.450                | 19.300                        |

CH36




Date: 31.OCT.2024 00:10:48

CH40  
26 dB Bandwidth




Date: 31.OCT.2024 00:12:07

CH48




Date: 31.OCT.2024 00:10:19


99 % Occupied Bandwidth



Date: 31.OCT.2024 00:10:43



Date: 31.OCT.2024 00:11:42




Date: 31.OCT.2024 00:10:16

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38      | 5190            | 43.508                | 38.800                        |
| 46      | 5230            | 43.199                | 38.800                        |

## CH38




Date: 31.OCT.2024 00:56:52

## CH46 26 dB Bandwidth




Date: 31.OCT.2024 00:56:38

## 99 % Occupied Bandwidth



Date: 31.OCT.2024 00:56:16




Date: 31.OCT.2024 00:56:01

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42      | 5210            | 88.400                | 78.000                        |

## CH42 26 dB Bandwidth



Date: 31.OCT.2024 01:40:47

## 99 % Occupied Bandwidth




Date: 31.OCT.2024 01:40:14

Test Mode UNII-1\_TX BE(EHT20) Mode


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 23.949                | 19.400                        |
| 40      | 5200            | 23.690                | 19.400                        |
| 48      | 5240            | 24.050                | 19.400                        |

CH36




Date: 1.NOV.2024 18:42:47

CH40  
26 dB Bandwidth




Date: 1.NOV.2024 18:44:33

CH48




Date: 1.NOV.2024 18:45:50


99 % Occupied Bandwidth



Date: 1.NOV.2024 18:42:22



Date: 1.NOV.2024 18:44:09




Date: 1.NOV.2024 18:45:27

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38      | 5190            | 43.990                | 38.800                        |
| 46      | 5230            | 44.400                | 38.800                        |

CH38




Date: 1.NOV.2024 19:01:23

CH46  
26 dB Bandwidth




Date: 1.NOV.2024 19:03:29

99 % Occupied Bandwidth



Date: 1.NOV.2024 19:00:47




Date: 1.NOV.2024 19:02:54

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42      | 5210            | 88.400                | 78.000                        |

## CH42 26 dB Bandwidth



Date: 1.NOV.2024 19:17:13

## 99 % Occupied Bandwidth




Date: 1.NOV.2024 19:16:37

|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2A_TX A Mode |
|-----------|-------------------|


| Channel | Frequency<br>(MHz) | 26 dB Bandwidth<br>(MHz) | 99 % Occupied Bandwidth<br>(MHz) |
|---------|--------------------|--------------------------|----------------------------------|
| 52      | 5260               | 26.690                   | 18.400                           |
| 60      | 5300               | 24.596                   | 18.300                           |
| 64      | 5320               | 25.800                   | 18.300                           |

## CH52




Date: 30.OCT.2024 19:12:05

**CH60**  
26 dB Bandwidth




Date: 30.OCT.2024 19:13:42

CH64




Date: 30.OCT.2024 19:15:31


99 % Occupied Bandwidth



Date: 30.OCT.2024 19:11:19



Date: 30.OCT.2024 19:13:17




Date: 30.OCT.2024 19:14:39


Test Mode UNII-2A\_TX N(HT20) Mode

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 25.986                | 18.900                        |
| 60      | 5300            | 24.989                | 18.800                        |
| 64      | 5320            | 25.198                | 19.000                        |


CH52






CH60  
26 dB Bandwidth



CH64




99 % Occupied Bandwidth



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 54      | 5270            | 45.700                | 37.800                        |
| 62      | 5310            | 44.598                | 37.800                        |

CH54




Date: 30.OCT.2024 20:30:42

CH62  
26 dB Bandwidth




Date: 30.OCT.2024 20:32:16

99 % Occupied Bandwidth



Date: 30.OCT.2024 20:30:08




Date: 30.OCT.2024 20:33:49

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 92.398                | 76.800                        |

## CH58 26 dB Bandwidth



Date: 30.OCT.2024 23:40:56

## 99 % Occupied Bandwidth




Date: 30.OCT.2024 23:40:22

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode |
|-----------|--------------------------|


| Channel | Frequency<br>(MHz) | 26 dB Bandwidth<br>(MHz) | 99 % Occupied Bandwidth<br>(MHz) |
|---------|--------------------|--------------------------|----------------------------------|
| 52      | 5260               | 23.389                   | 19.300                           |
| 60      | 5300               | 23.250                   | 19.400                           |
| 64      | 5320               | 23.250                   | 19.400                           |

## CH52




Date: 31.OCT.2024 00:25:45

**CH60**  
26 dB Bandwidth




Date: 31.OCT.2024 00:27:09

CH64




Date: 31.OCT.2024 00:31:57


99 % Occupied Bandwidth



Date: 31.OCT.2024 00:23:19



Date: 31.OCT.2024 00:26:43




Date: 31.OCT.2024 00:31:32

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode |
|-----------|--------------------------|


| Channel | Frequency<br>(MHz) | 26 dB Bandwidth<br>(MHz) | 99 % Occupied Bandwidth<br>(MHz) |
|---------|--------------------|--------------------------|----------------------------------|
| 54      | 5270               | 43.500                   | 38.800                           |
| 62      | 5310               | 43.399                   | 38.800                           |

## CH54




Date: 31.OCT.2024 01:02:54

**CH62**  
26 dB Bandwidth




Date: 31.OCT.2024 01:09:01

99 % Occupied Bandwidth



Date: 31.OCT.2024 01:02:20




Date: 31.OCT.2024 01:08:25

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 88.800                | 78.000                        |

## CH58 26 dB Bandwidth



Date: 31.OCT.2024 01:47:13

## 99 % Occupied Bandwidth




Date: 31.OCT.2024 01:46:16

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 22.988                | 19.400                        |
| 60      | 5300            | 23.549                | 19.300                        |
| 64      | 5320            | 23.209                | 19.300                        |

CH52




Date: 1.NOV.2024 18:47:31

CH60  
26 dB Bandwidth




Date: 1.NOV.2024 18:48:45

CH64




Date: 1.NOV.2024 18:49:55


99 % Occupied Bandwidth



Date: 1.NOV.2024 18:47:36



Date: 1.NOV.2024 18:48:20




Date: 1.NOV.2024 18:49:31

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 54      | 5270            | 43.588                | 38.800                        |
| 62      | 5310            | 44.008                | 38.800                        |

CH54




Date: 1.NOV.2024 19:09:10

CH62  
26 dB Bandwidth




Date: 1.NOV.2024 19:06:48

99 % Occupied Bandwidth



Date: 1.NOV.2024 19:04:41




Date: 1.NOV.2024 19:06:14

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 87.596                | 78.400                        |

## CH58 26 dB Bandwidth



Date: 1.NOV.2024 19:10:51

## 99 % Occupied Bandwidth




Date: 1.NOV.2024 19:10:11

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode |
|-----------|-----------------------------------|


| Channel | Frequency<br>(MHz) | 26 dB Bandwidth<br>(MHz) | 99 % Occupied Bandwidth<br>(MHz) |
|---------|--------------------|--------------------------|----------------------------------|
| 50      | 5250               | 176.400                  | 157.600                          |

**CH50**  
26 dB Bandwidth



Date: 30.OCT.2024 23:58:29

99 % Occupied Bandwidth




Date: 30.OCT.2024 23:57:57

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 50      | 5250            | 172.000               | 159.200                       |

## CH50 26 dB Bandwidth



Date: 31.OCT.2024 02:05:06

## 99 % Occupied Bandwidth




Date: 31.OCT.2024 02:04:29

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 50      | 5250            | 171.202               | 160.000                       |

## CH50 26 dB Bandwidth



Date: 1.NOV.2024 19:25:33

## 99 % Occupied Bandwidth




Date: 1.NOV.2024 19:24:56

|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 25.199                | 18.200                        |
| 116     | 5580            | 26.550                | 18.400                        |
| 140     | 5700            | 25.099                | 18.000                        |

CH100




Date: 30.OCT.2024 19:17:09

CH116  
26 dB Bandwidth




Date: 30.OCT.2024 19:23:18

CH140




Date: 30.OCT.2024 19:24:50


99 % Occupied Bandwidth



Date: 30.OCT.2024 19:16:26



Date: 30.OCT.2024 19:22:48




Date: 30.OCT.2024 19:24:26

Test Mode UNII-2C\_TX N(HT20) Mode


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 30.099                | 18.800                        |
| 116     | 5580            | 31.499                | 19.100                        |
| 140     | 5700            | 26.850                | 18.900                        |

CH100




Date: 30.OCT.2024 19:58:17

CH116  
26 dB Bandwidth




Date: 30.OCT.2024 20:00:07

CH140




Date: 30.OCT.2024 20:03:19


99 % Occupied Bandwidth



Date: 30.OCT.2024 19:57:44



Date: 30.OCT.2024 19:59:16




Date: 30.OCT.2024 20:02:56

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 44.790                | 38.000                        |
| 110     | 5550            | 45.100                | 37.800                        |
| 134     | 5670            | 43.990                | 37.800                        |

CH102




Date: 30.OCT.2024 20:37:28

CH110  
26 dB Bandwidth




Date: 30.OCT.2024 20:45:05

CH134




Date: 30.OCT.2024 20:55:24


99 % Occupied Bandwidth



Date: 30.OCT.2024 20:38:49



Date: 30.OCT.2024 20:44:30




Date: 30.OCT.2024 20:54:46


|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 92.400                | 76.800                        |
| 122     | 5610            | 92.390                | 76.800                        |



CH106



CH122  
26 dB Bandwidth




99 % Occupied Bandwidth



|           |                            |
|-----------|----------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode |
|-----------|----------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 114     | 5570            | 175.600               | 157.600                       |

## CH114 26 dB Bandwidth



Date: 31.OCT.2024 00:01:06

## 99 % Occupied Bandwidth




Date: 31.OCT.2024 00:00:55

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode |
|-----------|--------------------------|


| Channel | Frequency<br>(MHz) | 26 dB Bandwidth<br>(MHz) | 99 % Occupied Bandwidth<br>(MHz) |
|---------|--------------------|--------------------------|----------------------------------|
| 100     | 5500               | 23.600                   | 19.200                           |
| 116     | 5580               | 23.190                   | 19.400                           |
| 140     | 5700               | 22.889                   | 19.300                           |

# CH100




Date: 31.OCT.2024 00:35:32

**CH116**  
26 dB Bandwidth




Date: 31.OCT.2024 00:38:20

CH140




Date: 31.OCT.2024 00:44:11


99 % Occupied Bandwidth



Date: 31.OCT.2024 00:35:08



Date: 31.OCT.2024 00:37:55




Date: 31.OCT.2024 00:43:45

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 43.500                | 38.600                        |
| 110     | 5550            | 43.700                | 38.800                        |
| 134     | 5670            | 43.590                | 38.800                        |

CH102




Date: 31.OCT.2024 01:12:30

CH110  
26 dB Bandwidth




Date: 31.OCT.2024 01:18:01

CH134




Date: 31.OCT.2024 01:22:15


99 % Occupied Bandwidth



Date: 31.OCT.2024 01:12:30



Date: 31.OCT.2024 01:17:25




Date: 31.OCT.2024 01:22:14



|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 114     | 5570            | 172.400               | 159.200                       |

## CH114 26 dB Bandwidth



Date: 31.OCT.2024 02:06:37

## 99 % Occupied Bandwidth




Date: 31.OCT.2024 02:09:59

|           |                  |
|-----------|------------------|
| Test Mode | UNII-3_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 15.400               | 17.200                        | 0.5                             | Complies |
| 157     | 5785            | 15.798               | 17.200                        | 0.5                             | Complies |
| 165     | 5825            | 15.698               | 17.200                        | 0.5                             | Complies |

CH149




Date: 30.OCT.2024 19:27:01

**CH157**  
6 dB Bandwidth




Date: 30.OCT.2024 19:28:30

# CH165




Date: 30.OCT.2024 19:30:58


99 % Occupied Bandwidth



Date: 30.OCT.2024 19:26:30



Date: 30.OCT.2024 19:28:01




Date: 30.OCT.2024 19:30:29

Test Mode UNII-3\_TX N(HT20) Mode


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 17.700               | 18.400                        | 0.5                             | Complies |
| 157     | 5785            | 17.700               | 18.400                        | 0.5                             | Complies |
| 165     | 5825            | 17.350               | 18.400                        | 0.5                             | Complies |

CH149




Date: 30.OCT.2024 20:09:27

CH157  
6 dB Bandwidth




Date: 30.OCT.2024 20:07:47

CH165




Date: 30.OCT.2024 20:13:22


99 % Occupied Bandwidth



Date: 30.OCT.2024 20:09:00



Date: 30.OCT.2024 20:07:20




Date: 30.OCT.2024 20:12:54

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode |
|-----------|------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 36.500               | 37.800                        | 0.5                             | Complies |
| 159     | 5795            | 36.100               | 37.600                        | 0.5                             | Complies |

CH151




Date: 30.OCT.2024 20:57:11

CH159  
6 dB Bandwidth




Date: 30.OCT.2024 21:01:47

99 % Occupied Bandwidth



Date: 30.OCT.2024 20:56:35




Date: 30.OCT.2024 21:01:08

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 76.606               | 77.200                        | 0.5                             | Complies |

**CH155**  
6 dB Bandwidth



Date: 30.OCT.2024 23:56:35

99 % Occupied Bandwidth




Date: 30.OCT.2024 23:55:57

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 18.700               | 19.400                        | 0.5                             | Complies |
| 157     | 5785            | 19.090               | 19.400                        | 0.5                             | Complies |
| 165     | 5825            | 18.700               | 19.200                        | 0.5                             | Complies |

CH149




Date: 31.OCT.2024 00:48:07

CH157  
6 dB Bandwidth




Date: 31.OCT.2024 00:48:00

CH165




Date: 31.OCT.2024 00:50:00


99 % Occupied Bandwidth



Date: 31.OCT.2024 00:48:40



Date: 31.OCT.2024 00:47:36




Date: 31.OCT.2024 00:49:36

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 37.900               | 38.600                        | 0.5                             | Complies |
| 159     | 5795            | 37.790               | 38.800                        | 0.5                             | Complies |

## CH151




Date: 31.OCT.2024 01:24:58

## CH159 6 dB Bandwidth




Date: 31.OCT.2024 01:29:23

## 99 % Occupied Bandwidth



Date: 31.OCT.2024 01:24:20




Date: 31.OCT.2024 01:28:42

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 78.000               | 78.400                        | 0.5                             | Complies |

## CH155 6 dB Bandwidth



Date: 31.OCT.2024 02:03:20

## 99 % Occupied Bandwidth




Date: 31.OCT.2024 02:02:43

Test Mode UNII-2C\_TX BE(EHT20) Mode


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 22.890                | 19.200                        |
| 116     | 5580            | 22.799                | 19.300                        |
| 140     | 5700            | 22.990                | 19.400                        |

CH100




Date: 1.NOV.2024 18:51:06

CH116  
26 dB Bandwidth




Date: 1.NOV.2024 18:52:54

CH140




Date: 2.NOV.2024 00:33:04


99 % Occupied Bandwidth



Date: 1.NOV.2024 18:50:41



Date: 1.NOV.2024 18:52:30




Date: 2.NOV.2024 00:32:39

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 44.300                | 38.800                        |
| 110     | 5550            | 43.500                | 38.800                        |
| 134     | 5670            | 43.906                | 39.000                        |

CH102




Date: 1.NOV.2024 19:09:21

CH110  
26 dB Bandwidth




Date: 1.NOV.2024 19:09:45

CH134




Date: 2.NOV.2024 00:34:37


99 % Occupied Bandwidth



Date: 1.NOV.2024 19:07:49



Date: 1.NOV.2024 19:09:10




Date: 2.NOV.2024 00:34:03

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 89.000                | 78.400                        |
| 122     | 5610            | 89.990                | 78.400                        |


**CH106**



Date: 1.NOV.2024 19:20:32


**CH122**

**26 dB Bandwidth**




Date: 2.NOV.2024 00:36:23

**99 % Occupied Bandwidth**



Date: 1.NOV.2024 19:19:56




Date: 2.NOV.2024 00:35:44

|           |                            |
|-----------|----------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode |
|-----------|----------------------------|


| Channel | Frequency<br>(MHz) | 26 dB Bandwidth<br>(MHz) | 99 % Occupied Bandwidth<br>(MHz) |
|---------|--------------------|--------------------------|----------------------------------|
| 114     | 5570               | 174.390                  | 160.000                          |

**CH114**  
26 dB Bandwidth



Date: 1.NOV.2024 19:27:31

99 % Occupied Bandwidth




Date: 1.NOV.2024 19:26:59

Test Mode UNII-3\_TX BE(EHT20) Mode


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 19.050               | 19.300                        | 0.5                             | Complies |
| 157     | 5785            | 18.700               | 19.200                        | 0.5                             | Complies |
| 165     | 5825            | 18.799               | 19.300                        | 0.5                             | Complies |

CH149




Date: 1.NOV.2024 18:56:23

CH157  
6 dB Bandwidth




Date: 1.NOV.2024 18:57:34

CH165




Date: 1.NOV.2024 18:58:45


99 % Occupied Bandwidth



Date: 1.NOV.2024 18:56:56



Date: 1.NOV.2024 18:57:07




Date: 1.NOV.2024 18:58:18

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 38.300               | 39.000                        | 0.5                             | Complies |
| 159     | 5795            | 38.300               | 38.800                        | 0.5                             | Complies |

CH151




Date: 1.NOV.2024 19:13:13

CH159  
6 dB Bandwidth




Date: 1.NOV.2024 19:14:40

99 % Occupied Bandwidth



Date: 1.NOV.2024 19:12:57




Date: 1.NOV.2024 19:14:02

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 73.590               | 78.400                        | 0.5                             | Complies |

## CH155 6 dB Bandwidth



Date: 1.NOV.2024 19:23:38

## 99 % Occupied Bandwidth



Date: 1.NOV.2024 19:22:55

## **APPENDIX E    OUTPUT POWER**

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
| Test Date | 2024/11/13              |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.67              | 0.00        | 21.67                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 20.82              | 0.00        | 20.82                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 20.95              | 0.00        | 20.95                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
| Test Date | 2024/11/13              |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.54              | 0.00        | 21.54                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 20.72              | 0.00        | 20.72                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 20.77              | 0.00        | 20.77                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
| Test Date | 2024/11/13             |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 24.62              | 29.79            | 0.9527         | Complies |
| 40      | 5200            | 23.78              | 29.79            | 0.9527         | Complies |
| 48      | 5240            | 23.87              | 29.79            | 0.9527         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.71              | 0.00        | 21.71                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 21.68              | 0.00        | 21.68                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 21.82              | 0.00        | 21.82                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.57              | 0.00        | 21.57                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 21.59              | 0.00        | 21.59                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 21.67              | 0.00        | 21.67                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Total |
| Test Date | 2024/11/13                   |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 24.65              | 29.79            | 0.9527         | Complies |
| 40      | 5200            | 24.65              | 29.79            | 0.9527         | Complies |
| 48      | 5240            | 24.76              | 29.79            | 0.9527         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 17.74              | 0.00        | 17.74                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.34              | 0.00        | 23.34                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 17.66              | 0.00        | 17.66                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.03              | 0.00        | 23.03                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Total |
| Test Date | 2024/11/13                   |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 20.71              | 29.79            | 0.9527         | Complies |
| 46      | 5230            | 26.20              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.58              | 0.00        | 21.58                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 21.68              | 0.00        | 21.68                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 20.91              | 0.00        | 20.91                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.54              | 0.00        | 21.54                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 21.54              | 0.00        | 21.54                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 20.75              | 0.00        | 20.75                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 24.57              | 29.79            | 0.9527         | Complies |
| 40      | 5200            | 24.62              | 29.79            | 0.9527         | Complies |
| 48      | 5240            | 23.84              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 17.57              | 0.00        | 17.57                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 22.74              | 0.00        | 22.74                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 17.52              | 0.00        | 17.52                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 22.46              | 0.00        | 22.46                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 20.56              | 29.79            | 0.9527         | Complies |
| 46      | 5230            | 25.61              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.82              | 0.00        | 13.82                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.42              | 0.00        | 13.42                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 16.63              | 29.79            | 0.9527         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 1 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.80              | 0.00        | 21.80                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 21.85              | 0.00        | 21.85                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 21.97              | 0.00        | 21.97                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.71              | 0.00        | 21.71                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 21.70              | 0.00        | 21.70                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 21.79              | 0.00        | 21.79                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Total |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 24.77              | 29.79            | 0.9527         | Complies |
| 40      | 5200            | 24.79              | 29.79            | 0.9527         | Complies |
| 48      | 5240            | 24.89              | 29.79            | 0.9527         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 1 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.02              | 0.00        | 15.02                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.36              | 0.00        | 23.36                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 2 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 14.88              | 0.00        | 14.88                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.11              | 0.00        | 23.11                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 17.96              | 29.79            | 0.9527         | Complies |
| 46      | 5230            | 26.25              | 29.79            | 0.9527         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 1 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 12.73              | 0.00        | 12.73                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 2 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 12.46              | 0.00        | 12.46                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Total |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 15.61              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.81              | 0.00        | 21.81                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 21.76              | 0.00        | 21.76                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 21.91              | 0.00        | 21.91                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 21.69              | 0.00        | 21.69                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 21.63              | 0.00        | 21.63                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 21.73              | 0.00        | 21.73                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 24.76              | 29.79            | 0.9527         | Complies |
| 40      | 5200            | 24.71              | 29.79            | 0.9527         | Complies |
| 48      | 5240            | 24.83              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.73              | 0.00        | 15.73                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.21              | 0.00        | 23.21                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.91              | 0.00        | 15.91                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.16              | 0.00        | 23.16                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 18.83              | 29.79            | 0.9527         | Complies |
| 46      | 5230            | 26.20              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.87              | 0.00        | 13.87                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.43              | 0.00        | 13.43                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 16.67              | 29.79            | 0.9527         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
| Test Date | 2024/11/13               |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.66              | 0.00        | 15.66                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.61              | 0.00        | 15.61                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.72              | 0.00        | 15.72                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
| Test Date | 2024/11/13               |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.83              | 0.00        | 15.83                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.78              | 0.00        | 15.78                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.53              | 0.00        | 15.53                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
| Test Date | 2024/11/13              |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.76              | 23.77            | 0.2382         | Complies |
| 60      | 5300            | 18.71              | 23.77            | 0.2382         | Complies |
| 64      | 5320            | 18.64              | 23.77            | 0.2382         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.95              | 0.00        | 16.95                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.69              | 0.00        | 15.69                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.79              | 0.00        | 15.79                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 16.42              | 0.00        | 16.42                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.66              | 0.00        | 15.66                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.42              | 0.00        | 15.42                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Total |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 19.70              | 23.77            | 0.2382         | Complies |
| 60      | 5300            | 18.69              | 23.77            | 0.2382         | Complies |
| 64      | 5320            | 18.62              | 23.77            | 0.2382         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.13              | 0.00        | 17.13                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 15.76              | 0.00        | 15.76                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.04              | 0.00        | 17.04                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 16.24              | 0.00        | 16.24                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Total |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 20.10              | 23.77            | 0.2382         | Complies |
| 62      | 5310            | 19.02              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.64              | 0.00        | 15.64                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.58              | 0.00        | 15.58                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.76              | 0.00        | 15.76                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.74              | 0.00        | 15.74                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.64              | 0.00        | 15.64                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.46              | 0.00        | 15.46                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.70              | 23.77            | 0.2382         | Complies |
| 60      | 5300            | 18.62              | 23.77            | 0.2382         | Complies |
| 64      | 5320            | 18.62              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 16.76              | 0.00        | 16.76                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 15.64              | 0.00        | 15.64                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 16.44              | 0.00        | 16.44                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 16.09              | 0.00        | 16.09                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 19.61              | 23.77            | 0.2382         | Complies |
| 62      | 5310            | 18.88              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 12.65              | 0.00        | 12.65                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 12.67              | 0.00        | 12.67                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 15.67              | 23.77            | 0.2382         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.82              | 0.00        | 15.82                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.78              | 0.00        | 15.78                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.91              | 0.00        | 15.91                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.96              | 0.00        | 15.96                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.74              | 0.00        | 15.74                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.61              | 0.00        | 15.61                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.90              | 23.77            | 0.2382         | Complies |
| 60      | 5300            | 18.77              | 23.77            | 0.2382         | Complies |
| 64      | 5320            | 18.77              | 23.77            | 0.2382         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.26              | 0.00        | 17.26                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 13.94              | 0.00        | 13.94                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.11              | 0.00        | 17.11                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.02              | 0.00        | 14.02                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 20.20              | 23.77            | 0.2382         | Complies |
| 62      | 5310            | 16.99              | 23.77            | 0.2382         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 12.66              | 0.00        | 12.66                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 12.63              | 0.00        | 12.63                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 15.66              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.80              | 0.00        | 15.80                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.74              | 0.00        | 15.74                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.90              | 0.00        | 15.90                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.96              | 0.00        | 15.96                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.82              | 0.00        | 15.82                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.52              | 0.00        | 15.52                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.89              | 23.77            | 0.2382         | Complies |
| 60      | 5300            | 18.79              | 23.77            | 0.2382         | Complies |
| 64      | 5320            | 18.72              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.22              | 0.00        | 17.22                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 15.74              | 0.00        | 15.74                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 17.13              | 0.00        | 17.13                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 16.22              | 0.00        | 16.22                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 20.19              | 23.77            | 0.2382         | Complies |
| 62      | 5310            | 19.00              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 10.64              | 0.00        | 10.64                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 10.39              | 0.00        | 10.39                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 13.53              | 23.77            | 0.2382         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1 |
| Test Date | 2024/11/13                               |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 13.14              | 0.00        | 13.14                            | 23.98            | 0.2500         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2 |
| Test Date | 2024/11/13                               |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 12.96              | 0.00        | 12.96                            | 23.98            | 0.2500         | Complies |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Total |
| Test Date | 2024/11/13                              |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 50      | 5250            | 16.06              | 23.77            | 0.2382         | Complies |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1 |
| Test Date | 2024/11/13                              |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 13.09              | 0.00        | 13.09                            | 23.98            | 0.2500         | Complies |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2 |
| Test Date | 2024/11/13                              |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 12.92              | 0.00        | 12.92                            | 23.98            | 0.2500         | Complies |

|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Total |
| Test Date | 2024/11/13                             |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 50      | 5250            | 16.02              | 23.77            | 0.2382         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1 |
| Test Date | 2024/11/13                               |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 13.13              | 0.00        | 13.13                            | 23.98            | 0.2500         | Complies |

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2 |
| Test Date | 2024/11/13                               |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 50      | 5250            | 13.57              | 0.00        | 13.57                            | 23.98            | 0.2500         | Complies |

|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Total |
| Test Date | 2024/11/13                              |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 50      | 5250            | 16.37              | 23.77            | 0.2382         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
| Test Date | 2024/11/13               |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.75              | 0.00        | 15.75                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.31              | 0.00        | 17.31                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 17.44              | 0.00        | 17.44                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
| Test Date | 2024/11/13               |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.83              | 0.00        | 15.83                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.24              | 0.00        | 17.24                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 17.18              | 0.00        | 17.18                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
| Test Date | 2024/11/13              |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.80              | 23.77            | 0.2382         | Complies |
| 116     | 5580            | 20.29              | 23.77            | 0.2382         | Complies |
| 140     | 5700            | 20.32              | 23.77            | 0.2382         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.86              | 0.00        | 15.86                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.66              | 0.00        | 17.66                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 17.52              | 0.00        | 17.52                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.79              | 0.00        | 15.79                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.33              | 0.00        | 17.33                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 17.13              | 0.00        | 17.13                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Total |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.84              | 23.77            | 0.2382         | Complies |
| 116     | 5580            | 20.51              | 23.77            | 0.2382         | Complies |
| 140     | 5700            | 20.34              | 23.77            | 0.2382         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.01              | 0.00        | 17.01                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.01              | 0.00        | 17.01                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.38              | 0.00        | 17.38                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                     |

| Channel    | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|------------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| <b>102</b> | <b>5510</b>     | <b>17.24</b>       | <b>0.00</b> | <b>17.24</b>                     | <b>23.98</b>     | 0.2500         | Complies |
| <b>110</b> | <b>5550</b>     | <b>17.13</b>       | <b>0.00</b> | <b>17.13</b>                     | <b>23.98</b>     | 0.2500         | Complies |
| <b>134</b> | <b>5670</b>     | <b>17.35</b>       | <b>0.00</b> | <b>17.35</b>                     | <b>23.98</b>     | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Total |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 20.14              | 23.77            | 0.2382         | Complies |
| 110     | 5550            | 20.08              | 23.77            | 0.2382         | Complies |
| 134     | 5670            | 20.38              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.90              | 0.00        | 15.90                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.21              | 0.00        | 17.21                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 17.16              | 0.00        | 17.16                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.74              | 0.00        | 15.74                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.40              | 0.00        | 17.40                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 17.39              | 0.00        | 17.39                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.83              | 23.77            | 0.2382         | Complies |
| 116     | 5580            | 20.32              | 23.77            | 0.2382         | Complies |
| 140     | 5700            | 20.29              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 16.24              | 0.00        | 16.24                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.28              | 0.00        | 16.28                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 16.43              | 0.00        | 16.43                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 16.78              | 0.00        | 16.78                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.75              | 0.00        | 16.75                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 16.64              | 0.00        | 16.64                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 19.53              | 23.77            | 0.2382         | Complies |
| 110     | 5550            | 19.53              | 23.77            | 0.2382         | Complies |
| 134     | 5670            | 19.55              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 14.61              | 0.00        | 14.61                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 17.44              | 0.00        | 17.44                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 14.92              | 0.00        | 14.92                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 17.35              | 0.00        | 17.35                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 17.78              | 23.77            | 0.2382         | Complies |
| 122     | 5610            | 20.41              | 23.77            | 0.2382         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 1 |
| Test Date | 2024/11/13                        |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 14.02              | 0.00        | 14.02                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 2 |
| Test Date | 2024/11/13                        |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 14.24              | 0.00        | 14.24                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Total |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 114     | 5570            | 17.14              | 23.77            | 0.2382         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 17.03              | 0.00        | 17.03                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.81              | 0.00        | 15.81                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.45              | 0.00        | 16.45                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 17.32              | 0.00        | 17.32                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.78              | 0.00        | 15.78                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.23              | 0.00        | 16.23                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 20.19              | 23.77            | 0.2382         | Complies |
| 116     | 5580            | 18.81              | 23.77            | 0.2382         | Complies |
| 140     | 5700            | 19.35              | 23.77            | 0.2382         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.06              | 0.00        | 17.06                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.95              | 0.00        | 16.95                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.38              | 0.00        | 17.38                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 17.29              | 0.00        | 17.29                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.18              | 0.00        | 17.18                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.31              | 0.00        | 17.31                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 20.19              | 23.77            | 0.2382         | Complies |
| 110     | 5550            | 20.08              | 23.77            | 0.2382         | Complies |
| 134     | 5670            | 20.36              | 23.77            | 0.2382         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 14.54              | 0.00        | 14.54                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 17.15              | 0.00        | 17.15                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 14.83              | 0.00        | 14.83                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 17.31              | 0.00        | 17.31                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 17.70              | 23.77            | 0.2382         | Complies |
| 122     | 5610            | 20.24              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 13.17              | 0.00        | 13.17                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 13.03              | 0.00        | 13.03                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 114     | 5570            | 16.11              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 17.01              | 0.00        | 17.01                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.75              | 0.00        | 15.75                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.93              | 0.00        | 15.93                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 17.32              | 0.00        | 17.32                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.79              | 0.00        | 15.79                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.59              | 0.00        | 15.59                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 20.18              | 23.77            | 0.2382         | Complies |
| 116     | 5580            | 18.78              | 23.77            | 0.2382         | Complies |
| 140     | 5700            | 18.77              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 14.89              | 0.00        | 14.89                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.96              | 0.00        | 16.96                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 16.12              | 0.00        | 16.12                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 15.19              | 0.00        | 15.19                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.24              | 0.00        | 17.24                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 16.46              | 0.00        | 16.46                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 18.05              | 23.77            | 0.2382         | Complies |
| 110     | 5550            | 20.11              | 23.77            | 0.2382         | Complies |
| 134     | 5670            | 19.30              | 23.77            | 0.2382         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 1 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 12.79              | 0.00        | 12.79                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 17.12              | 0.00        | 17.12                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 2 |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 12.68              | 0.00        | 12.68                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 17.32              | 0.00        | 17.32                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Total |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 15.75              | 23.77            | 0.2382         | Complies |
| 122     | 5610            | 20.23              | 23.77            | 0.2382         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 1 |
| Test Date | 2024/11/13                        |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 13.32              | 0.00        | 13.32                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 2 |
| Test Date | 2024/11/13                        |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 114     | 5570            | 13.67              | 0.00        | 13.67                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Total |
| Test Date | 2024/11/13                       |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 114     | 5570            | 16.51              | 23.77            | 0.2382         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
| Test Date | 2024/11/13              |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.30              | 0.00        | 23.30                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.24              | 0.00        | 23.24                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.02              | 0.00        | 23.02                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
| Test Date | 2024/11/13              |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 22.80              | 0.00        | 22.80                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.09              | 0.00        | 23.09                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.37              | 0.00        | 23.37                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
| Test Date | 2024/11/13             |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 26.07              | 23.77            | 0.2382         | Complies |
| 157     | 5785            | 26.18              | 23.77            | 0.2382         | Complies |
| 165     | 5825            | 26.21              | 23.77            | 0.2382         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.32              | 0.00        | 23.32                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.48              | 0.00        | 23.48                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.29              | 0.00        | 23.29                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 22.77              | 0.00        | 22.77                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.31              | 0.00        | 23.31                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.56              | 0.00        | 23.56                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Total |
| Test Date | 2024/11/13                   |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 26.06              | 23.77            | 0.2382         | Complies |
| 157     | 5785            | 26.41              | 23.77            | 0.2382         | Complies |
| 165     | 5825            | 26.44              | 23.77            | 0.2382         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.48              | 0.00        | 23.48                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.35              | 0.00        | 23.35                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.05              | 0.00        | 23.05                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.46              | 0.00        | 23.46                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Total |
| Test Date | 2024/11/13                   |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 26.28              | 23.77            | 0.2382         | Complies |
| 159     | 5795            | 26.42              | 23.77            | 0.2382         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 22.82              | 0.00        | 22.82                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.24              | 0.00        | 23.24                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.06              | 0.00        | 23.06                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 22.98              | 0.00        | 22.98                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.05              | 0.00        | 23.05                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.36              | 0.00        | 23.36                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 25.91              | 29.79            | 0.9527         | Complies |
| 157     | 5785            | 26.16              | 29.79            | 0.9527         | Complies |
| 165     | 5825            | 26.22              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.30              | 0.00        | 23.30                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.36              | 0.00        | 23.36                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.03              | 0.00        | 23.03                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.34              | 0.00        | 23.34                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 26.18              | 29.79            | 0.9527         | Complies |
| 159     | 5795            | 26.36              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 23.57              | 0.00        | 23.57                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 23.33              | 0.00        | 23.33                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 26.46              | 29.79            | 0.9527         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 1 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.43              | 0.00        | 23.43                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.32              | 0.00        | 23.32                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.11              | 0.00        | 23.11                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 2 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 22.95              | 0.00        | 22.95                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.12              | 0.00        | 23.12                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.51              | 0.00        | 23.51                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Total |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 26.21              | 29.79            | 0.9527         | Complies |
| 157     | 5785            | 26.23              | 29.79            | 0.9527         | Complies |
| 165     | 5825            | 26.32              | 29.79            | 0.9527         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 1 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.42              | 0.00        | 23.42                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.25              | 0.00        | 23.25                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 2 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 22.98              | 0.00        | 22.98                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.31              | 0.00        | 23.31                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Total |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 26.22              | 29.79            | 0.9527         | Complies |
| 159     | 5795            | 26.29              | 29.79            | 0.9527         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 1 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 23.38              | 0.00        | 23.38                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 2 |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 23.33              | 0.00        | 23.33                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Total |
| Test Date | 2024/11/13                    |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 26.37              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 23.24              | 0.00        | 23.24                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.08              | 0.00        | 23.08                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.09              | 0.00        | 23.09                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 22.95              | 0.00        | 22.95                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.12              | 0.00        | 23.12                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 23.43              | 0.00        | 23.43                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 26.11              | 29.79            | 0.9527         | Complies |
| 157     | 5785            | 26.11              | 29.79            | 0.9527         | Complies |
| 165     | 5825            | 26.27              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.33              | 0.00        | 23.33                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.21              | 0.00        | 23.21                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 23.01              | 0.00        | 23.01                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.35              | 0.00        | 23.35                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Total |
| Test Date | 2024/11/13                     |

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 26.18              | 29.79            | 0.9527         | Complies |
| 159     | 5795            | 26.29              | 29.79            | 0.9527         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 1 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 23.55              | 0.00        | 23.55                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 2 |
| Test Date | 2024/11/13                      |

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 23.36              | 0.00        | 23.36                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Total |
| Test Date | 2024/11/13                     |


| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 26.47              | 29.79            | 0.9527         | Complies |

Note: Output power = Measure result + Cable loss

## **APPENDIX F    POWER SPECTRAL DENSITY**


|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 9.99                             | 0.00        | 9.99                                           | 17.00                | Complies |
| 40      | 5200            | 9.84                             | 0.00        | 9.84                                           | 17.00                | Complies |
| 48      | 5240            | 9.37                             | 0.00        | 9.37                                           | 17.00                | Complies |



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.97                             | 0.00        | 7.97                                           | 17.00                | Complies |
| 40      | 5200            | 8.43                             | 0.00        | 8.43                                           | 17.00                | Complies |
| 48      | 5240            | 8.41                             | 0.00        | 8.41                                           | 17.00                | Complies |




|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 12.11                            | 13.78                | Complies |
| 40      | 5200            | 12.20                            | 13.78                | Complies |
| 48      | 5240            | 11.93                            | 13.78                | Complies |

Test Mode UNII-1\_TX N(HT20) Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 9.95                             | 0.00        | 9.95                                           | 17.00                | Complies |
| 40      | 5200            | 9.93                             | 0.00        | 9.93                                           | 17.00                | Complies |
| 48      | 5240            | 9.65                             | 0.00        | 9.65                                           | 17.00                | Complies |

CH36




Date: 12.NOV.2024 18:39:09

CH40



Date: 12.NOV.2024 18:41:36

CH48




Date: 12.NOV.2024 18:43:47

Test Mode UNII-1\_TX N(HT20) Mode\_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 9.64                             | 0.00        | 9.64                                           | 17.00                | Complies |
| 40      | 5200            | 9.51                             | 0.00        | 9.51                                           | 17.00                | Complies |
| 48      | 5240            | 8.25                             | 0.00        | 8.25                                           | 17.00                | Complies |

CH36




Date: 12.NOV.2024 20:16:56

CH40



Date: 12.NOV.2024 20:17:58

CH48



Date: 12.NOV.2024 20:19:00


Test Mode UNII-1\_TX N(HT20) Mode\_Total

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 12.81                            | 13.78                | Complies |
| 40      | 5200            | 12.74                            | 13.78                | Complies |
| 48      | 5240            | 12.02                            | 13.78                | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 9.82                             | 0.00        | 9.82                                           | 17.00                | Complies |
| 46      | 5230            | 9.27                             | 0.00        | 9.27                                           | 17.00                | Complies |

CH38



Date: 1.NOV.2024 20:45:26

CH46




Date: 1.NOV.2024 20:47:07

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 9.77                             | 0.00        | 9.77                                           | 17.00                | Complies |
| 46      | 5230            | 8.96                             | 0.00        | 8.96                                           | 17.00                | Complies |

CH38



Date: 1.NOV.2024 22:27:32

CH46




Date: 1.NOV.2024 22:30:23

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 12.81                            | 13.78                | Complies |
| 46      | 5230            | 12.13                            | 13.78                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 6.60                             | 0.00        | 6.60                                           | 17.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 6.38                             | 0.00        | 6.38                                           | 17.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 9.50                             | 13.78                | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 9.57                             | 0.00        | 9.57                                           | 17.00                | Complies |
| 40      | 5200            | 9.45                             | 0.00        | 9.45                                           | 17.00                | Complies |
| 48      | 5240            | 9.15                             | 0.00        | 9.15                                           | 17.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 9.68                             | 0.00        | 9.68                                           | 17.00                | Complies |
| 40      | 5200            | 9.52                             | 0.00        | 9.52                                           | 17.00                | Complies |
| 48      | 5240            | 9.11                             | 0.00        | 9.11                                           | 17.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 12.64                            | 13.78                | Complies |
| 40      | 5200            | 12.50                            | 13.78                | Complies |
| 48      | 5240            | 12.14                            | 13.78                | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 9.09                             | 0.00        | 9.09                                           | 17.00                | Complies |
| 46      | 5230            | 8.49                             | 0.00        | 8.49                                           | 17.00                | Complies |

CH38



Date: 1.NOV.2024 21:36:06

CH46




Date: 1.NOV.2024 21:37:00

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 9.22                             | 0.00        | 9.22                                           | 17.00                | Complies |
| 46      | 5230            | 8.51                             | 0.00        | 8.51                                           | 17.00                | Complies |

CH38



Date: 1.NOV.2024 23:14:43

CH46




Date: 1.NOV.2024 23:15:20

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 12.17                            | 13.78                | Complies |
| 46      | 5230            | 11.51                            | 13.78                | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 6.47                             | 0.00        | 6.47                                           | 17.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 6.15                             | 0.00        | 6.15                                           | 17.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 9.32                             | 13.78                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 9.72                             | 0.00        | 9.72                                           | 17.00                | Complies |
| 40      | 5200            | 9.59                             | 0.00        | 9.59                                           | 17.00                | Complies |
| 48      | 5240            | 9.33                             | 0.00        | 9.33                                           | 17.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 9.70                             | 0.00        | 9.70                                           | 17.00                | Complies |
| 40      | 5200            | 9.56                             | 0.00        | 9.56                                           | 17.00                | Complies |
| 48      | 5240            | 9.17                             | 0.00        | 9.17                                           | 17.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX BE(EHT20) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 12.72                            | 13.78                | Complies |
| 40      | 5200            | 12.59                            | 13.78                | Complies |
| 48      | 5240            | 12.26                            | 13.78                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 9.30                             | 0.00        | 9.30                                           | 17.00                | Complies |
| 46      | 5230            | 8.65                             | 0.00        | 8.65                                           | 17.00                | Complies |




Date: 1.NOV.2024 19:01:49




Date: 1.NOV.2024 19:02:51

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 9.20                             | 0.00        | 9.20                                           | 17.00                | Complies |
| 46      | 5230            | 8.70                             | 0.00        | 8.70                                           | 17.00                | Complies |



Date: 1.NOV.2024 23:59:50




Date: 1.NOV.2024 23:59:51

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX BE(EHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 12.26                            | 13.78                | Complies |
| 46      | 5230            | 11.69                            | 13.78                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 5.83                             | 0.00        | 5.83                                           | 17.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 5.88                             | 0.00        | 5.88                                           | 17.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX BE(EHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 8.87                             | 13.78                | Complies |


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 3.83                             | 0.00        | 3.83                                           | 11.00                | Complies |
| 60      | 5300            | 3.98                             | 0.00        | 3.98                                           | 11.00                | Complies |
| 64      | 5320            | 4.02                             | 0.00        | 4.02                                           | 11.00                | Complies |



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 3.63                             | 0.00        | 3.63                                           | 11.00                | Complies |
| 60      | 5300            | 3.83                             | 0.00        | 3.83                                           | 11.00                | Complies |
| 64      | 5320            | 3.44                             | 0.00        | 3.44                                           | 11.00                | Complies |




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 6.74                             | 7.78                 | Complies |
| 60      | 5300            | 6.92                             | 7.78                 | Complies |
| 64      | 5320            | 6.75                             | 7.78                 | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 4.29                             | 0.00        | 4.29                                           | 11.00                | Complies |
| 60      | 5300            | 3.52                             | 0.00        | 3.52                                           | 11.00                | Complies |
| 64      | 5320            | 3.62                             | 0.00        | 3.62                                           | 11.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 3.85                             | 0.00        | 3.85                                           | 11.00                | Complies |
| 60      | 5300            | 3.14                             | 0.00        | 3.14                                           | 11.00                | Complies |
| 64      | 5320            | 2.92                             | 0.00        | 2.92                                           | 11.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 7.09                             | 7.78                 | Complies |
| 60      | 5300            | 6.34                             | 7.78                 | Complies |
| 64      | 5320            | 6.29                             | 7.78                 | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 2.75                             | 0.00        | 2.75                                           | 11.00                | Complies |
| 62      | 5310            | 2.73                             | 0.00        | 2.73                                           | 11.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 2.63                             | 0.00        | 2.63                                           | 11.00                | Complies |
| 62      | 5310            | 2.85                             | 0.00        | 2.85                                           | 11.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 5.70                             | 7.78                 | Complies |
| 62      | 5310            | 5.80                             | 7.78                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -0.38                            | 0.00        | -0.38                                          | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -0.50                            | 0.00        | -0.50                                          | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | 2.57                             | 7.78                 | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 2.89                             | 0.00        | 2.89                                           | 11.00                | Complies |
| 60      | 5300            | 3.30                             | 0.00        | 3.30                                           | 11.00                | Complies |
| 64      | 5320            | 3.45                             | 0.00        | 3.45                                           | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 3.06                             | 0.00        | 3.06                                           | 11.00                | Complies |
| 60      | 5300            | 3.06                             | 0.00        | 3.06                                           | 11.00                | Complies |
| 64      | 5320            | 2.78                             | 0.00        | 2.78                                           | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 5.99                             | 7.78                 | Complies |
| 60      | 5300            | 6.19                             | 7.78                 | Complies |
| 64      | 5320            | 6.14                             | 7.78                 | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 2.04                             | 0.00        | 2.04                                           | 11.00                | Complies |
| 62      | 5310            | 2.20                             | 0.00        | 2.20                                           | 11.00                | Complies |




Date: 1.NOV.2024 21:42:25




Date: 1.NOV.2024 21:43:21

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 2.11                             | 0.00        | 2.11                                           | 11.00                | Complies |
| 62      | 5310            | 2.21                             | 0.00        | 2.21                                           | 11.00                | Complies |



Date: 1.NOV.2024 23:16:01




Date: 1.NOV.2024 23:16:42

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 5.09                             | 7.78                 | Complies |
| 62      | 5310            | 5.22                             | 7.78                 | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 0.08                             | 0.00        | 0.08                                           | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -0.50                            | 0.00        | -0.50                                          | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | 2.81                             | 7.78                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 3.02                             | 0.00        | 3.02                                           | 11.00                | Complies |
| 60      | 5300            | 3.32                             | 0.00        | 3.32                                           | 11.00                | Complies |
| 64      | 5320            | 3.45                             | 0.00        | 3.45                                           | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 3.09                             | 0.00        | 3.09                                           | 11.00                | Complies |
| 60      | 5300            | 3.06                             | 0.00        | 3.06                                           | 11.00                | Complies |
| 64      | 5320            | 2.85                             | 0.00        | 2.85                                           | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX BE(EHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 6.07                             | 7.78                 | Complies |
| 60      | 5300            | 6.20                             | 7.78                 | Complies |
| 64      | 5320            | 6.17                             | 7.78                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 2.39                             | 0.00        | 2.39                                           | 11.00                | Complies |
| 62      | 5310            | 2.29                             | 0.00        | 2.29                                           | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 2.53                             | 0.00        | 2.53                                           | 11.00                | Complies |
| 62      | 5310            | 2.63                             | 0.00        | 2.63                                           | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX BE(EHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 5.47                             | 7.78                 | Complies |
| 62      | 5310            | 5.47                             | 7.78                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -0.70                            | 0.00        | -0.70                                          | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -0.40                            | 0.00        | -0.40                                          | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX BE(EHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | 2.46                             | 7.78                 | Complies |


|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | -2.44                            | 0.00        | -2.44                                          | 11.00                | Complies |



|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | -2.63                            | 0.00        | -2.63                                          | 11.00                | Complies |




|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AC(VHT160) Mode_Total |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 50      | 5250            | 0.48                             | 7.78                 | Complies |


|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | -2.48                            | 0.00        | -2.48                                          | 11.00                | Complies |



|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2 |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | -2.92                            | 0.00        | -2.92                                          | 11.00                | Complies |




|           |                                        |
|-----------|----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX AX(HE160) Mode_Total |
|-----------|----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 50      | 5250            | 0.32                             | 7.78                 | Complies |


|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | -2.41                            | 0.00        | -2.41                                          | 11.00                | Complies |



|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2 |
|-----------|------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 50      | 5250            | -2.49                            | 0.00        | -2.49                                          | 11.00                | Complies |




|           |                                         |
|-----------|-----------------------------------------|
| Test Mode | UNII-1+UNII-2A_TX BE(EHT160) Mode_Total |
|-----------|-----------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 50      | 5250            | 0.56                             | 7.78                 | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 4.10                             | 0.00        | 4.10                                           | 11.00                | Complies |
| 116     | 5580            | 4.19                             | 0.00        | 4.19                                           | 11.00                | Complies |
| 140     | 5700            | 2.00                             | 0.00        | 2.00                                           | 11.00                | Complies |

CH100




Date: 12.NOV.2024 18:32:47

CH116



Date: 12.NOV.2024 18:35:52

CH140




Date: 12.NOV.2024 18:37:46

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 3.93                             | 0.00        | 3.93                                           | 11.00                | Complies |
| 116     | 5580            | 4.51                             | 0.00        | 4.51                                           | 11.00                | Complies |
| 140     | 5700            | 2.78                             | 0.00        | 2.78                                           | 11.00                | Complies |

CH100




Date: 12.NOV.2024 20:10:58

CH116



Date: 12.NOV.2024 20:13:01

CH140




Date: 12.NOV.2024 20:15:48

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 7.03                             | 7.78                 | Complies |
| 116     | 5580            | 7.36                             | 7.78                 | Complies |
| 140     | 5700            | 5.42                             | 7.78                 | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 3.86                             | 0.00        | 3.86                                           | 11.00                | Complies |
| 116     | 5580            | 3.84                             | 0.00        | 3.84                                           | 11.00                | Complies |
| 140     | 5700            | 4.39                             | 0.00        | 4.39                                           | 11.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 3.83                             | 0.00        | 3.83                                           | 11.00                | Complies |
| 116     | 5580            | 4.14                             | 0.00        | 4.14                                           | 11.00                | Complies |
| 140     | 5700            | 4.27                             | 0.00        | 4.27                                           | 11.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 6.86                             | 7.78                 | Complies |
| 116     | 5580            | 7.00                             | 7.78                 | Complies |
| 140     | 5700            | 7.34                             | 7.78                 | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 3.03                             | 0.00        | 3.03                                           | 11.00                | Complies |
| 110     | 5550            | 3.23                             | 0.00        | 3.23                                           | 11.00                | Complies |
| 134     | 5670            | 2.89                             | 0.00        | 2.89                                           | 11.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 3.22                             | 0.00        | 3.22                                           | 11.00                | Complies |
| 110     | 5550            | 3.36                             | 0.00        | 3.36                                           | 11.00                | Complies |
| 134     | 5670            | 3.13                             | 0.00        | 3.13                                           | 11.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 6.14                             | 7.78                 | Complies |
| 110     | 5550            | 6.31                             | 7.78                 | Complies |
| 134     | 5670            | 6.02                             | 7.78                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 0.03                             | 0.00        | 0.03                                           | 11.00                | Complies |
| 122     | 5610            | 0.45                             | 0.00        | 0.45                                           | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 0.60                             | 0.00        | 0.60                                           | 11.00                | Complies |
| 122     | 5610            | 0.42                             | 0.00        | 0.42                                           | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 106     | 5530            | 3.33                             | 7.78                 | Complies |
| 122     | 5610            | 3.45                             | 7.78                 | Complies |


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 114     | 5570            | -2.25                            | 0.00        | -2.25                                          | 11.00                | Complies |



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 114     | 5570            | -2.06                            | 0.00        | -2.06                                          | 11.00                | Complies |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 114     | 5570            | 0.86                             | 7.78                 | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 3.66                             | 0.00        | 3.66                                           | 11.00                | Complies |
| 116     | 5580            | 2.74                             | 0.00        | 2.74                                           | 11.00                | Complies |
| 140     | 5700            | 4.46                             | 0.00        | 4.46                                           | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 3.72                             | 0.00        | 3.72                                           | 11.00                | Complies |
| 116     | 5580            | 3.28                             | 0.00        | 3.28                                           | 11.00                | Complies |
| 140     | 5700            | 4.40                             | 0.00        | 4.40                                           | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 6.70                             | 7.78                 | Complies |
| 116     | 5580            | 6.03                             | 7.78                 | Complies |
| 140     | 5700            | 7.44                             | 7.78                 | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 2.82                             | 0.00        | 2.82                                           | 11.00                | Complies |
| 110     | 5550            | 3.13                             | 0.00        | 3.13                                           | 11.00                | Complies |
| 134     | 5670            | 3.24                             | 0.00        | 3.24                                           | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 2.82                             | 0.00        | 2.82                                           | 11.00                | Complies |
| 110     | 5550            | 2.92                             | 0.00        | 2.92                                           | 11.00                | Complies |
| 134     | 5670            | 3.26                             | 0.00        | 3.26                                           | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 5.83                             | 7.78                 | Complies |
| 110     | 5550            | 6.04                             | 7.78                 | Complies |
| 134     | 5670            | 6.26                             | 7.78                 | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 0.22                             | 0.00        | 0.22                                           | 11.00                | Complies |
| 122     | 5610            | -0.08                            | 0.00        | -0.08                                          | 11.00                | Complies |

CH106



Date: 1.NOV.2024 21:53:36

CH122




Date: 1.NOV.2024 21:54:28

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 0.38                             | 0.00        | 0.38                                           | 11.00                | Complies |
| 122     | 5610            | 0.67                             | 0.00        | 0.67                                           | 11.00                | Complies |

CH106



Date: 1.NOV.2024 23:23:13

CH122




Date: 1.NOV.2024 23:24:08

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 106     | 5530            | 3.31                             | 7.78                 | Complies |
| 122     | 5610            | 3.32                             | 7.78                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 114     | 5570            | -1.75                            | 0.00        | -1.75                                          | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 114     | 5570            | -1.62                            | 0.00        | -1.62                                          | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE160) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 114     | 5570            | 1.33                             | 7.78                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 4.53                             | 0.00        | 4.53                                           | 11.00                | Complies |
| 116     | 5580            | 4.36                             | 0.00        | 4.36                                           | 11.00                | Complies |
| 140     | 5700            | 3.28                             | 0.00        | 3.28                                           | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 3.72                             | 0.00        | 3.72                                           | 11.00                | Complies |
| 116     | 5580            | 3.34                             | 0.00        | 3.34                                           | 11.00                | Complies |
| 140     | 5700            | 1.04                             | 0.00        | 1.04                                           | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 7.15                             | 7.78                 | Complies |
| 116     | 5580            | 6.89                             | 7.78                 | Complies |
| 140     | 5700            | 5.31                             | 7.78                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 2.79                             | 0.00        | 2.79                                           | 11.00                | Complies |
| 110     | 5550            | 3.23                             | 0.00        | 3.23                                           | 11.00                | Complies |
| 134     | 5670            | 3.08                             | 0.00        | 3.08                                           | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 3.12                             | 0.00        | 3.12                                           | 11.00                | Complies |
| 110     | 5550            | 3.17                             | 0.00        | 3.17                                           | 11.00                | Complies |
| 134     | 5670            | 2.83                             | 0.00        | 2.83                                           | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 5.97                             | 7.78                 | Complies |
| 110     | 5550            | 6.21                             | 7.78                 | Complies |
| 134     | 5670            | 5.97                             | 7.78                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 0.15                             | 0.00        | 0.15                                           | 11.00                | Complies |
| 122     | 5610            | 0.46                             | 0.00        | 0.46                                           | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 0.29                             | 0.00        | 0.29                                           | 11.00                | Complies |
| 122     | 5610            | -0.05                            | 0.00        | -0.05                                          | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 106     | 5530            | 3.23                             | 7.78                 | Complies |
| 122     | 5610            | 3.22                             | 7.78                 | Complies |


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 114     | 5570            | -2.68                            | 0.00        | -2.68                                          | 11.00                | Complies |



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 114     | 5570            | -2.91                            | 0.00        | -2.91                                          | 11.00                | Complies |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 114     | 5570            | 0.22                             | 7.78                 | Complies |


|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 10.69                                | 0.00        | 10.69                                              | 30.00                    | Complies |
| 157     | 5785            | 10.77                                | 0.00        | 10.77                                              | 30.00                    | Complies |
| 165     | 5825            | 10.04                                | 0.00        | 10.04                                              | 30.00                    | Complies |



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 10.04                                | 0.00        | 10.04                                              | 30.00                    | Complies |
| 157     | 5785            | 10.76                                | 0.00        | 10.76                                              | 30.00                    | Complies |
| 165     | 5825            | 10.82                                | 0.00        | 10.82                                              | 30.00                    | Complies |




|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 13.39                                | 26.78                    | Complies |
| 157     | 5785            | 13.78                                | 26.78                    | Complies |
| 165     | 5825            | 13.46                                | 26.78                    | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 10.09                                | 0.00        | 10.09                                              | 30.00                    | Complies |
| 157     | 5785            | 10.20                                | 0.00        | 10.20                                              | 30.00                    | Complies |
| 165     | 5825            | 10.01                                | 0.00        | 10.01                                              | 30.00                    | Complies |



Date: 1.NOV.2024 20:23:50




Date: 1.NOV.2024 20:25:05




Date: 1.NOV.2024 20:26:13

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 10.40                                | 0.00        | 10.40                                              | 30.00                    | Complies |
| 157     | 5785            | 10.89                                | 0.00        | 10.89                                              | 30.00                    | Complies |
| 165     | 5825            | 11.17                                | 0.00        | 11.17                                              | 30.00                    | Complies |



Date: 1.NOV.2024 22:25:26



Date: 1.NOV.2024 22:25:57




Date: 1.NOV.2024 22:26:33

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3 TX N(HT20) Mode Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 13.26                                | 26.78                    | Complies |
| 157     | 5785            | 13.57                                | 26.78                    | Complies |
| 165     | 5825            | 13.64                                | 26.78                    | Complies |


|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 7.06                                 | 0.00        | 7.06                                               | 30.00                    | Complies |
| 159     | 5795            | 6.88                                 | 0.00        | 6.88                                               | 30.00                    | Complies |



|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 7.29                                 | 0.00        | 7.29                                               | 30.00                    | Complies |
| 159     | 5795            | 7.55                                 | 0.00        | 7.55                                               | 30.00                    | Complies |




|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 10.19                                | 26.78                    | Complies |
| 159     | 5795            | 10.24                                | 26.78                    | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | 3.19                                 | 0.00        | 3.19                                               | 30.00                    | Complies |



Date: 1.NOV.2024 21:19:29

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | 3.03                                 | 0.00        | 3.03                                               | 30.00                    | Complies |




Date: 1.NOV.2024 23:01:23

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | 6.12                                 | 26.78                    | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 9.24                                 | 0.00        | 9.24                                               | 30.00                    | Complies |
| 157     | 5785            | 8.94                                 | 0.00        | 8.94                                               | 30.00                    | Complies |
| 165     | 5825            | 8.60                                 | 0.00        | 8.60                                               | 30.00                    | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 8.88                                 | 0.00        | 8.88                                               | 30.00                    | Complies |
| 157     | 5785            | 9.11                                 | 0.00        | 9.11                                               | 30.00                    | Complies |
| 165     | 5825            | 9.54                                 | 0.00        | 9.54                                               | 30.00                    | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 12.07                                | 26.78                    | Complies |
| 157     | 5785            | 12.04                                | 26.78                    | Complies |
| 165     | 5825            | 12.11                                | 26.78                    | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 6.22                                 | 0.00        | 6.22                                               | 30.00                    | Complies |
| 159     | 5795            | 5.82                                 | 0.00        | 5.82                                               | 30.00                    | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 6.07                                 | 0.00        | 6.07                                               | 30.00                    | Complies |
| 159     | 5795            | 6.44                                 | 0.00        | 6.44                                               | 30.00                    | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 9.16                                 | 26.78                    | Complies |
| 159     | 5795            | 9.15                                 | 26.78                    | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | 2.78                                 | 0.00        | 2.78                                               | 30.00                    | Complies |



Date: 1.NOV.2024 21:55:38

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | 3.56                                 | 0.00        | 3.56                                               | 30.00                    | Complies |




Date: 1.NOV.2024 23:24:47

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | 6.20                                 | 26.78                    | Complies |

**Test Mode** UNII-3\_TX BE(EHT20) Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 9.06                                 | 0.00        | 9.06                                               | 30.00                    | Complies |
| 157     | 5785            | 8.63                                 | 0.00        | 8.63                                               | 30.00                    | Complies |
| 165     | 5825            | 8.67                                 | 0.00        | 8.67                                               | 30.00                    | Complies |



Date: 1.NOV.2024 10:56:39




Date: 1.NOV.2024 10:57:50




Date: 1.NOV.2024 10:59:01

**Test Mode** UNII-3\_TX BE(EHT20) Mode\_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 8.42                                 | 0.00        | 8.42                                               | 30.00                    | Complies |
| 157     | 5785            | 8.09                                 | 0.00        | 8.09                                               | 30.00                    | Complies |
| 165     | 5825            | 7.91                                 | 0.00        | 7.91                                               | 30.00                    | Complies |



Date: 1.NOV.2024 23:57:08



Date: 1.NOV.2024 23:57:35




Date: 1.NOV.2024 23:57:59

**Test Mode** UNII-3\_TX BE(EHT20) Mode\_Total


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 11.76                                | 26.78                    | Complies |
| 157     | 5785            | 11.38                                | 26.78                    | Complies |
| 165     | 5825            | 11.32                                | 26.78                    | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 6.27                                 | 0.00        | 6.27                                               | 30.00                    | Complies |
| 159     | 5795            | 5.98                                 | 0.00        | 5.98                                               | 30.00                    | Complies |




Date: 1.NOV.2024 19:11:39




Date: 1.NOV.2024 19:15:02

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 5.48                                 | 0.00        | 5.48                                               | 30.00                    | Complies |
| 159     | 5795            | 5.30                                 | 0.00        | 5.30                                               | 30.00                    | Complies |



Date: 2.NOV.2024 00:03:21




Date: 2.NOV.2024 00:04:02

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 8.90                                 | 26.78                    | Complies |
| 159     | 5795            | 8.66                                 | 26.78                    | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | 3.14                                 | 0.00        | 3.14                                               | 30.00                    | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | 2.90                                 | 0.00        | 2.90                                               | 30.00                    | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | 6.03                                 | 26.78                    | Complies |

**End of Test Report**