


- NOTES:
- ASME Y14.5-2009 APPLIES, UNLESS OTHERWISE SPECIFIED. DIMENSIONS APPLY AFTER FINISHING.
  - ARTWORK FILE TO BE PROVIDED SEPARATELY.
  - SERIAL NUMBERS TO BE PROVIDED IN SEPARATE FILE. ONE SERIAL NUMBER PER LABEL.
  - MATERIAL: .002" CLEAR POLYESTER WITH PERMANENT ADHESIVE WITH .001" CLEAR MATTE POLYESTER OVERLAMINATION
  - FINISH: 3" CORE ROLL, 1 LABEL WIDE. MARK CORE WITH PART NUMBER AND REV, USING FORMAT "# # # # # . REV" (EXAMPLE: 100123.B)

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	06/24/2016	RJH
B	REMOVED REFERENCE TO FCC PART 18 AND CANADA. SHRINK HEIGHT BY 10MM	6/29/2016	RJH



RESPONSIBLE ENGINEER(S)  
T.BARRANTI

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE  
PROPERTY OF CARBON3D. ANY REPRODUCTION IN PART OR AS  
A WHOLE WITHOUT THE WRITTEN PERMISSION OF CARBON3D IS  
PROHIBITED.

RELEASED		carbon3D 312 CHESTNUT ST. REDWOOD CITY, CA 94063	
UNLESS SPECIFIED, DIMENSIONS ARE IN MM. DEFAULT TOLERANCING: DECIMALS: X : ±1 .X : ±0.3 .XX : ±0.1 .XXX : ±0.05 ANGLES: ±1°		LABEL, M1, COMPLIANCE & SERIAL	
SIZE B	DWG NO. 102499	REVISION B	
SCALE: 1:2	UNIT W.T 3 grams	SHEET 1 OF 1	