

Front



HYPERNOVA
10,000 mAh Portable Wireless Charger

Battery Meter
Wireless Status
Charge Button
Triple Outputs

Place your Wireless compatible device in this area. Press the Charge button to begin charging.

Wireless Charging Area

Phone/Tablet/Laptop Charging

Plug in your device's charging cable into HYPERNOVA, the other end into your device and press the Charge Button to begin charging. HYPERNOVA has 3 outputs that supports USB type-C and standard USB cables.

Recharging HYPERNOVA

Use the included cable and plug the USB type-C end into HYPERNOVA and the USB end into a USB power source. The time it takes to fully refill will depend on your USB power source.

HYPERNOVA

USB-A Out 5V/3A Wireless Out 5V/1A Batt 10,050mAh
USB-C Out 5V/3A, 9V/2A, 12V/1.5A P/N 805500
In 5V/3A, 9V/2A FCC ID: 2A1TN-HYPERNOVA

Designed by POWERSTICK.COM in Canada Assembled in Canada



Back

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
 - Increase the separation between the equipment and receiver.
 - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - Consult the dealer or an experienced radio/TV technician for help.
- The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.