





FCC ID Label

型号: SPK6.178.296

备注: 按图纸用1.5mm厚的冷板加工



MAX-12MHB/MAX-12MB/MAX-15MHB/MAX-15MB/MAX-12CB/MAX-15CB  
MAX-12RB/MAX-15DB/MAX-12DB通用面板




型号：6.5寸SPK6.178.370  
电池带录音+话筒优先

2015.11.16

BT8.081.370.01

型号: SPK6.178.398 (2017.3.16)


备注: 按图纸用1.5mm厚的冷板加工



型号: SPK6.178.331(2017.3.16)


备注: 按图纸用1.5mm厚的冷板加工


同前



型号: SPK6.178.397(2017.3.16)


备注: 按图纸用1.5mm厚的冷板加工





型号: SPK6.178.388 (2017.3.6)


备注: 按图纸用1.5mm厚的冷板加工



MAX-10-10MB/MAX-10CHB/MAX-10CBMAX-10RB通用面板

型号: SPK6.178.388 (2017.3.6)


备注: 按图纸用1.5mm厚的冷板加工



型号: SPK6.178.355 (2016.12.13)

备注: 按图纸用1.5mm厚的冷板加工

型号: SPK6.178.354 (2016.12.7)  
备注: 按图纸用1.5mm厚的冷板加工





BT8.081.354.01

MAX-12Q/MAX-15Q通用面板



BT8.081.355.01





SPK6. 178. 366

BT8.081.366.01

SPK6. 178. 367

BT8.081.367.02




SPK6. 178. 366

SPK6. 178. 367



型号: SPK6.178.388(2017.3.6)

备注: 按图纸用1.5mm厚的冷板加工




The following pantone colours have to be used:  
Blue dot: Pantone Process Cyan C

Pantone Process Cyan C


BT8.081.388.01

型号: SPK6.178.390(2017.3.6)

备注: 按图纸用1.5mm厚的冷板加工




PA12 PA15通用面板



PSQ-10/PRX-10H/PRX-10PRH-10V通用面板


型号: SPK6.178.398 (2017.3.16)

备注: 按图纸用1.5mm厚的冷板加工




型号: SPK6.178.296

备注: 按图纸用1.5mm厚的冷板加工



PR-12V/PQ-12/RPX-12/PR-15V/PQ-15/PRX-12/PRX-15  
PRH-12/PS-15V/PS-12V/通用面板



型号：6.5寸SPK6.178.370  
电池带录音+话筒优先


2015.11.16

BT8.081.370.01

型号: SPK6.178.331(2017.3.16)


备注: 按图纸用1.5mm厚的冷板加工

同前



型号: SPK6.178.397(2017.3.16)


备注: 按图纸用1.5mm厚的冷板加工



型号: SPK6.178.355 (2016.12.13)

备注: 按图纸用1.5mm厚的冷板加工

型号: SPK6.178.354 (2016.12.7)  
备注: 按图纸用1.5mm厚的冷板加工





BT8.081.354.01

PRQ-12V/PRQ-15V通用面板




BT8.081.355.01





SPK6. 178. 366

BT8.081.366.01



SPK6. 178. 367

BT8.081.367.02