

Appendix B-WCDMA

Test Information:

Sample No.:	315P-1	Test Date:	2025/05/01~2025/07/25
Test Site:	RF	Test Mode:	Transmitting
Tester:	Benny Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.1~26.6	Relative Humidity: (%)	46~64	ATM Pressure: (kPa)	99.7~101.3
----------------------	-----------	------------------------------	-------	------------------------	------------

RF Output Power

FCC Part 22H

WCDMA Band 5, Normal

Mode	Conducted Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
R99_Low	24.02	21.34	38.45	Pass
R99_Middle	23.79	21.11	38.45	Pass
R99_High	23.77	21.09	38.45	Pass
HSDPA_Low_Subtest1	21.52	18.84	38.45	Pass
HSDPA_Low_Subtest2	21.87	19.19	38.45	Pass
HSDPA_Low_Subtest3	21.76	19.08	38.45	Pass
HSDPA_Low_Subtest4	21.76	19.08	38.45	Pass
HSDPA_Middle_Subtest1	21.30	18.62	38.45	Pass
HSDPA_Middle_Subtest2	21.89	19.21	38.45	Pass
HSDPA_Middle_Subtest3	21.85	19.17	38.45	Pass
HSDPA_Middle_Subtest4	21.83	19.15	38.45	Pass
HSDPA_High_Subtest1	21.45	18.77	38.45	Pass
HSDPA_High_Subtest2	21.90	19.22	38.45	Pass
HSDPA_High_Subtest3	21.83	19.15	38.45	Pass
HSDPA_High_Subtest4	21.84	19.16	38.45	Pass
HSUPA_Low_Subtest1	22.23	19.55	38.45	Pass
HSUPA_Low_Subtest2	22.23	19.55	38.45	Pass
HSUPA_Low_Subtest3	22.22	19.54	38.45	Pass
HSUPA_Low_Subtest4	22.23	19.55	38.45	Pass
HSUPA_Low_Subtest5	22.22	19.54	38.45	Pass
HSUPA_Middle_Subtest1	22.28	19.60	38.45	Pass
HSUPA_Middle_Subtest2	22.28	19.60	38.45	Pass
HSUPA_Middle_Subtest3	22.27	19.59	38.45	Pass
HSUPA_Middle_Subtest4	22.28	19.60	38.45	Pass
HSUPA_Middle_Subtest5	22.27	19.59	38.45	Pass
HSUPA_High_Subtest1	22.25	19.57	38.45	Pass
HSUPA_High_Subtest2	22.26	19.58	38.45	Pass
HSUPA_High_Subtest3	22.33	19.65	38.45	Pass
HSUPA_High_Subtest4	22.32	19.64	38.45	Pass
HSUPA_High_Subtest5	22.30	19.62	38.45	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
HSPA+_Low_Subtest1	22.14	19.46	38.45	Pass
HSPA+_Middle_Subtest1	22.27	19.59	38.45	Pass
HSPA+_High_Subtest1	22.19	19.51	38.45	Pass
DC-HSDPA_Low_Subtest1	22.23	19.55	38.45	Pass
DC-HSDPA_Low_Subtest2	22.31	19.63	38.45	Pass
DC-HSDPA_Low_Subtest3	22.36	19.68	38.45	Pass
DC-HSDPA_Low_Subtest4	22.38	19.70	38.45	Pass
DC-HSDPA_Middle_Subtest1	22.27	19.59	38.45	Pass
DC-HSDPA_Middle_Subtest2	22.42	19.74	38.45	Pass
DC-HSDPA_Middle_Subtest3	22.33	19.65	38.45	Pass
DC-HSDPA_Middle_Subtest4	22.39	19.71	38.45	Pass
DC-HSDPA_High_Subtest1	22.04	19.36	38.45	Pass
DC-HSDPA_High_Subtest2	22.01	19.33	38.45	Pass
DC-HSDPA_High_Subtest3	22.47	19.79	38.45	Pass
DC-HSDPA_High_Subtest4	22.34	19.66	38.45	Pass

Note:
ERP = Conducted Power(dBm) + Antenna Gain(dBd) - Cable Loss(dB)
Antenna Gain(dBd) = Antenna Gain(dBi) - 2.15
Band 5:
1.Antenna Gain = -0.53dBi;
2.Cable Loss = 0dB.

FCC Part 24E

WCDMA Band 2, Normal

Mode	Conducted Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
R99_Low	23.96	23.60	33	Pass
R99_Middle	23.89	23.53	33	Pass
R99_High	23.82	23.46	33	Pass
HSDPA_Low_Subtest1	21.59	21.23	33	Pass
HSDPA_Low_Subtest2	22.10	21.74	33	Pass
HSDPA_Low_Subtest3	22.01	21.65	33	Pass
HSDPA_Low_Subtest4	22.01	21.65	33	Pass
HSDPA_Middle_Subtest1	21.49	21.13	33	Pass
HSDPA_Middle_Subtest2	21.97	21.61	33	Pass
HSDPA_Middle_Subtest3	21.91	21.55	33	Pass
HSDPA_Middle_Subtest4	21.93	21.57	33	Pass
HSDPA_High_Subtest1	21.71	21.35	33	Pass
HSDPA_High_Subtest2	21.95	21.59	33	Pass
HSDPA_High_Subtest3	21.84	21.48	33	Pass
HSDPA_High_Subtest4	21.85	21.49	33	Pass
HSUPA_Low_Subtest1	22.46	22.10	33	Pass
HSUPA_Low_Subtest2	22.46	22.10	33	Pass
HSUPA_Low_Subtest3	22.46	22.10	33	Pass
HSUPA_Low_Subtest4	22.47	22.11	33	Pass
HSUPA_Low_Subtest5	22.47	22.11	33	Pass
HSUPA_Middle_Subtest1	22.37	22.01	33	Pass
HSUPA_Middle_Subtest2	22.38	22.02	33	Pass
HSUPA_Middle_Subtest3	22.37	22.01	33	Pass
HSUPA_Middle_Subtest4	22.38	22.02	33	Pass
HSUPA_Middle_Subtest5	22.38	22.02	33	Pass
HSUPA_High_Subtest1	22.29	21.93	33	Pass
HSUPA_High_Subtest2	22.29	21.93	33	Pass
HSUPA_High_Subtest3	22.30	21.94	33	Pass
HSUPA_High_Subtest4	22.32	21.96	33	Pass
HSUPA_High_Subtest5	22.30	21.94	33	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
HSPA+_Low_Subtest1	22.34	21.98	33	Pass
HSPA+_Middle_Subtest1	22.43	22.07	33	Pass
HSPA+_High_Subtest1	22.51	22.15	33	Pass
DC-HSDPA_Low_Subtest1	23.21	22.85	33	Pass
DC-HSDPA_Low_Subtest2	22.31	21.95	33	Pass
DC-HSDPA_Low_Subtest3	22.27	21.91	33	Pass
DC-HSDPA_Low_Subtest4	22.35	21.99	33	Pass
DC-HSDPA_Middle_Subtest1	22.26	21.90	33	Pass
DC-HSDPA_Middle_Subtest2	22.53	22.17	33	Pass
DC-HSDPA_Middle_Subtest3	22.46	22.10	33	Pass
DC-HSDPA_Middle_Subtest4	23.12	22.76	33	Pass
DC-HSDPA_High_Subtest1	22.17	21.81	33	Pass
DC-HSDPA_High_Subtest2	22.09	21.73	33	Pass
DC-HSDPA_High_Subtest3	22.06	21.70	33	Pass
DC-HSDPA_High_Subtest4	22.23	21.87	33	Pass

Note:

EIRP = Conducted Power(dBm) + Antenna Gain(dBi) - Cable Loss(dB)

Band 2:

1.Antenna Gain = -0.36dBi;

2.Cable Loss = 0dB.

FCC Part 27

WCDMA Band 4, Normal

Mode	Conducted Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
R99_Low	22.05	21.67	30	Pass
R99_Middle	22.08	21.70	30	Pass
R99_High	22.20	21.82	30	Pass
HSDPA_Low_Subtest1	21.16	20.78	30	Pass
HSDPA_Low_Subtest2	21.69	21.31	30	Pass
HSDPA_Low_Subtest3	21.61	21.23	30	Pass
HSDPA_Low_Subtest4	21.62	21.24	30	Pass
HSDPA_Middle_Subtest1	21.11	20.73	30	Pass
HSDPA_Middle_Subtest2	21.72	21.34	30	Pass
HSDPA_Middle_Subtest3	21.64	21.26	30	Pass
HSDPA_Middle_Subtest4	21.66	21.28	30	Pass
HSDPA_High_Subtest1	21.50	21.12	30	Pass
HSDPA_High_Subtest2	21.89	21.51	30	Pass
HSDPA_High_Subtest3	21.80	21.42	30	Pass
HSDPA_High_Subtest4	21.79	21.41	30	Pass
HSUPA_Low_Subtest1	22.08	21.70	30	Pass
HSUPA_Low_Subtest2	22.07	21.69	30	Pass
HSUPA_Low_Subtest3	22.09	21.71	30	Pass
HSUPA_Low_Subtest4	22.08	21.70	30	Pass
HSUPA_Low_Subtest5	22.07	21.69	30	Pass
HSUPA_Middle_Subtest1	22.09	21.71	30	Pass
HSUPA_Middle_Subtest2	22.10	21.72	30	Pass
HSUPA_Middle_Subtest3	22.08	21.70	30	Pass
HSUPA_Middle_Subtest4	22.09	21.71	30	Pass
HSUPA_Middle_Subtest5	22.10	21.72	30	Pass
HSUPA_High_Subtest1	22.25	21.87	30	Pass
HSUPA_High_Subtest2	22.25	21.87	30	Pass
HSUPA_High_Subtest3	22.25	21.87	30	Pass
HSUPA_High_Subtest4	22.25	21.87	30	Pass
HSUPA_High_Subtest5	22.25	21.87	30	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
HSPA+_Low_Subtest1	22.01	21.63	30	Pass
HSPA+_Middle_Subtest1	22.12	21.74	30	Pass
HSPA+_High_Subtest1	22.16	21.78	30	Pass
DC-HSDPA_Low_Subtest1	22.18	21.80	30	Pass
DC-HSDPA_Low_Subtest2	22.14	21.76	30	Pass
DC-HSDPA_Low_Subtest3	22.23	21.85	30	Pass
DC-HSDPA_Low_Subtest4	22.27	21.89	30	Pass
DC-HSDPA_Middle_Subtest1	22.21	21.83	30	Pass
DC-HSDPA_Middle_Subtest2	22.34	21.96	30	Pass
DC-HSDPA_Middle_Subtest3	22.16	21.78	30	Pass
DC-HSDPA_Middle_Subtest4	22.25	21.87	30	Pass
DC-HSDPA_High_Subtest1	22.31	21.93	30	Pass
DC-HSDPA_High_Subtest2	22.26	21.88	30	Pass
DC-HSDPA_High_Subtest3	22.06	21.68	30	Pass
DC-HSDPA_High_Subtest4	22.14	21.76	30	Pass

Note:

EIRP = Conducted Power(dBm) + Antenna Gain(dBi) - Cable Loss(dB)

Band 4:

1.Antenna Gain = -0.38dBi;

2.Cable Loss = 0dB.

Peak-to-average Ratio(PAR)

FCC Part 22H

WCDMA Band 5, Normal

Mode	Result (dB)	Limit (dB)
R99_Low	3.33	13
R99_Middle	3.28	13
R99_High	3.36	13
HSDPA_Low_Subtest1	4.14	13
HSDPA_Middle_Subtest2	4.17	13
HSDPA_High_Subtest1	4.26	13
HSUPA_Low_Subtest1	5.01	13
HSUPA_Middle_Subtest1	4.96	13
HSUPA_High_Subtest1	5.07	13

FCC Part 24E

WCDMA Band 2, Normal

Mode	Result (dB)	Limit (dB)
R99_Low	3.19	13
R99_Middle	3.22	13
R99_High	3.36	13
HSDPA_Low_Subtest1	4.06	13
HSDPA_Middle_Subtest1	4.09	13
HSDPA_High_Subtest1	4.09	13
HSUPA_Low_Subtest1	4.84	13
HSUPA_Middle_Subtest1	4.87	13
HSUPA_High_Subtest1	4.84	13

FCC Part 27

WCDMA Band 4, Normal

Mode	Result (dB)	Limit (dB)
R99_Low	3.28	13
R99_Middle	3.25	13
R99_High	3.07	13
HSDPA_Low_Subtest1	4.20	13
HSDPA_Middle_Subtest1	4.12	13
HSDPA_High_Subtest1	4.12	13
HSUPA_Low_Subtest1	5.01	13
HSUPA_Middle_Subtest1	4.96	13
HSUPA_High_Subtest1	4.78	13

Occupied Bandwidth


FCC Part 22H

WCDMA Band 5, Normal

Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.130	4.705
R99_Middle	4.170	4.705
R99_High	4.170	4.715
HSDPA_Low_Subtest1	4.220	4.765
HSDPA_Middle_Subtest1	4.180	4.715
HSDPA_High_Subtest1	4.200	4.735
HSUPA_Low_Subtest1	4.180	4.725
HSUPA_Middle_Subtest1	4.210	4.725
HSUPA_High_Subtest1	4.170	4.725


WCDMA Band 5, Normal

R99_Low




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:54:38

R99_Middle




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:55:02

R99_High




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:55:28

HSDPA_Low_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:55:55

HSDPA_Middle_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:56:23

HSDPA_High_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:56:52

HSUPA_Low_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:57:21

HSUPA_Middle_Subtest1



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:57:49

HSUPA_High_Subtest1



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:58:17


FCC Part 24E

WCDMA Band 2, Normal

Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.160	4.715
R99_Middle	4.190	4.705
R99_High	4.180	4.715
HSDPA_Low_Subtest1	4.190	4.755
HSDPA_Middle_Subtest1	4.180	4.735
HSDPA_High_Subtest1	4.200	4.765
HSUPA_Low_Subtest1	4.180	4.715
HSUPA_Middle_Subtest1	4.190	4.735
HSUPA_High_Subtest1	4.180	4.685


WCDMA Band 2, Normal

R99_Low




ProjectNo.:2504S23848E-RF Tester:Benny LI
Date: 5.MAY.2025 17:57:21

R99_Middle




ProjectNo.:2504S23848E-RF Tester:Benny LI
Date: 5.MAY.2025 17:58:06

R99_High




ProjectNo.:2504S23848E-RF Tester:Benny LI
Date: 5.MAY.2025 17:58:50

HSDPA_Low_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny LI
Date: 5.MAY.2025 17:59:42

HSDPA_Middle_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny LI
Date: 5.MAY.2025 18:00:29

HSDPA_High_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny LI
Date: 5.MAY.2025 18:01:23

HSUPA_Low_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 5.MAY.2025 18:02:22

HSUPA_Middle_Subtest1



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 5.MAY.2025 18:03:13

HSUPA_High_Subtest1



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 5.MAY.2025 18:04:11


FCC Part 27

WCDMA Band 4, Normal

Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.180	4.695
R99_Middle	4.180	4.675
R99_High	4.200	4.735
HSDPA_Low_Subtest1	4.170	4.735
HSDPA_Middle_Subtest1	4.200	4.735
HSDPA_High_Subtest1	4.170	4.725
HSUPA_Low_Subtest1	4.190	4.735
HSUPA_Middle_Subtest1	4.180	4.705
HSUPA_High_Subtest1	4.180	4.715


WCDMA Band 4, Normal

R99_Low




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 16:01:02

R99_Middle




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 16:01:30

R99_High




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 16:01:58

HSDPA_Low_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 16:02:27

HSDPA_Middle_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 16:02:58

HSDPA_High_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 16:03:29

HSUPA_Low_Subtest1




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 16:03:58

HSUPA_Middle_Subtest1



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 16:04:30

HSUPA_High_Subtest1





ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 16:04:59

Spurious Emissions at Antenna Terminal



FCC Part 22H

WCDMA Band 5, Normal Worst case



R99_Low



R99_Middle




R99_High




HSDPA_Low_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:28:46


1GHz~8.264GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:29:10


HSDPA_Middle_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:30:01


1GHz~8.366GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:30:25


HSDPA_High_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:31:18


1GHz~8.466GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:31:42


HSUPA_Low_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:32:34


1GHz~8.264GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:32:58


HSUPA_Middle_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:33:51


1GHz~8.366GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:34:15


HSUPA_High_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:35:08

1GHz~8.466GHz





ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:35:32



FCC Part 24E

WCDMA Band 2, Normal Worst case



R99_Low



R99_Middle




R99_High




HSDPA_Low_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:05:51


1GHz~18.524GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:06:53


HSDPA_Middle_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:08:27


1GHz~18.8GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:09:33


HSDPA_High_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:11:03


1GHz~19.076GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:12:05


HSUPA_Low_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:13:39


1GHz~18.524GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:14:43


HSUPA_Middle_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:16:20


1GHz~18.8GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:17:27


HSUPA_High_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:20:39

1GHz~19.076GHz





ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:21:37



FCC Part 27

WCDMA Band 4, Normal Worst case



R99_Low



R99_Middle




R99_High




HSDPA_Low_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:42:15


1GHz~17.124GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:43:09


HSDPA_Middle_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:44:05


1GHz~17.326GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:44:59


HSDPA_High_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:45:55


1GHz~17.526GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:46:50


HSUPA_Low_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:47:47


1GHz~17.124GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:48:41


HSUPA_Middle_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:49:37


1GHz~17.326GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:50:31


HSUPA_High_Subtest1

30MHz~1GHz



ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:51:27

1GHz~17.526GHz




ProjectNo.:2504S23848E-RF Tester:Benny Li
Date: 6.MAY.2025 15:52:22

Out of band emission,Band Edge

FCC Part 22H


WCDMA Band 5, Normal

R99_Low




ProjectNo.:2504823848E-RF Testet:Benny Li
Date: 6.MAY.2025 16:28:45

R99_High




ProjectNo.:2504823848E-RF Testet:Benny Li
Date: 6.MAY.2025 16:29:28

HSDPA_Low_Subtest1




ProjectNo.:2504823848E-RF Testet:Benny Li
Date: 6.MAY.2025 16:30:11

HSDPA_High_Subtest1




ProjectNo.:2504823848E-RF Testet:Benny Li
Date: 6.MAY.2025 16:30:56

HSUPA_Low_Subtest1



ProjectNo.:2504823848E-RF Testet:Benny Li
Date: 6.MAY.2025 16:31:45

HSUPA_High_Subtest1




ProjectNo.:2504823848E-RF Testet:Benny Li
Date: 6.MAY.2025 16:32:35


FCC Part 24E

WCDMA Band 2, Normal


R99_Low




R99_High




HSDPA_Low_Subtest1




HSDPA_High_Subtest1



HSUPA_Low_Subtest1




HSUPA_High_Subtest1




FCC Part 27

WCDMA Band 4, Normal


R99_Low




R99_High




HSDPA_Low_Subtest1




HSDPA_High_Subtest1



HSUPA_Low_Subtest1



HSUPA_High_Subtest1



Frequency stability vs. temperature & Frequency stability vs. voltage Compliance

FCC Part 22H

WCDMA Band 5

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
R99_Low_TN/VN	826.4	-10.4	-0.0125	±2.5	Pass
R99_Low_T1/VN	826.4	-11.5	-0.0139	±2.5	Pass
R99_Low_T2/VN	826.4	-7.1	-0.0086	±2.5	Pass
R99_Low_T3/VN	826.4	-5.2	-0.0063	±2.5	Pass
R99_Low_T4/VN	826.4	-6.4	-0.0078	±2.5	Pass
R99_Low_T5/VN	826.4	-6.7	-0.0081	±2.5	Pass
R99_Low_T6/VN	826.4	-6.5	-0.0078	±2.5	Pass
R99_Low_T7/VN	826.4	-5.6	-0.0067	±2.5	Pass
R99_Low_T8/VN	826.4	-8.4	-0.0101	±2.5	Pass
R99_Low_TN/VH	826.4	-4.7	-0.0057	±2.5	Pass
R99_Low_TN/VL	826.4	-6.4	-0.0077	±2.5	Pass
R99_Middle_TN/VN	836.6	-9.9	-0.0118	±2.5	Pass
R99_Middle_T1/VN	836.6	-9.6	-0.0115	±2.5	Pass
R99_Middle_T2/VN	836.6	-4.5	-0.0053	±2.5	Pass
R99_Middle_T3/VN	836.6	-6.3	-0.0075	±2.5	Pass
R99_Middle_T4/VN	836.6	-7.6	-0.0091	±2.5	Pass
R99_Middle_T5/VN	836.6	-7.3	-0.0087	±2.5	Pass
R99_Middle_T6/VN	836.6	-3.6	-0.0043	±2.5	Pass
R99_Middle_T7/VN	836.6	-6.6	-0.0079	±2.5	Pass
R99_Middle_T8/VN	836.6	-9.2	-0.0109	±2.5	Pass
R99_Middle_TN/VH	836.6	-3.8	-0.0046	±2.5	Pass
R99_Middle_TN/VL	836.6	-3.4	-0.0041	±2.5	Pass
R99_High_TN/VN	846.6	-10.1	-0.0119	±2.5	Pass
R99_High_T1/VN	846.6	-6.0	-0.0070	±2.5	Pass
R99_High_T2/VN	846.6	-8.2	-0.0097	±2.5	Pass
R99_High_T3/VN	846.6	-5.0	-0.0059	±2.5	Pass
R99_High_T4/VN	846.6	-10.3	-0.0122	±2.5	Pass
R99_High_T5/VN	846.6	-6.6	-0.0078	±2.5	Pass
R99_High_T6/VN	846.6	-7.2	-0.0085	±2.5	Pass
R99_High_T7/VN	846.6	-10.5	-0.0125	±2.5	Pass
R99_High_T8/VN	846.6	-10.3	-0.0122	±2.5	Pass

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
R99_High_TN/VH	846.6	-7.8	-0.0093	±2.5	Pass
R99_High_TN/VL	846.6	-9.2	-0.0109	±2.5	Pass
HSDPA_Low_Subtest1_TN/VN	826.4	-7.5	-0.0090	±2.5	Pass
HSDPA_Low_Subtest1_T1/VN	826.4	-8.0	-0.0096	±2.5	Pass
HSDPA_Low_Subtest1_T2/VN	826.4	-6.3	-0.0076	±2.5	Pass
HSDPA_Low_Subtest1_T3/VN	826.4	-11.2	-0.0136	±2.5	Pass
HSDPA_Low_Subtest1_T4/VN	826.4	-8.9	-0.0107	±2.5	Pass
HSDPA_Low_Subtest1_T5/VN	826.4	-7.6	-0.0092	±2.5	Pass
HSDPA_Low_Subtest1_T6/VN	826.4	-11.0	-0.0134	±2.5	Pass
HSDPA_Low_Subtest1_T7/VN	826.4	-7.9	-0.0095	±2.5	Pass
HSDPA_Low_Subtest1_T8/VN	826.4	-8.3	-0.0100	±2.5	Pass
HSDPA_Low_Subtest1_TN/VH	826.4	-9.8	-0.0119	±2.5	Pass
HSDPA_Low_Subtest1_TN/VL	826.4	-4.9	-0.0059	±2.5	Pass
HSDPA_Middle_Subtest2_TN/VN	836.6	-7.8	-0.0093	±2.5	Pass
HSDPA_Middle_Subtest2_T1/VN	836.6	-3.3	-0.0039	±2.5	Pass
HSDPA_Middle_Subtest2_T2/VN	836.6	-3.2	-0.0038	±2.5	Pass
HSDPA_Middle_Subtest2_T3/VN	836.6	-4.8	-0.0057	±2.5	Pass
HSDPA_Middle_Subtest2_T4/VN	836.6	-5.3	-0.0063	±2.5	Pass
HSDPA_Middle_Subtest2_T5/VN	836.6	-4.8	-0.0058	±2.5	Pass
HSDPA_Middle_Subtest2_T6/VN	836.6	-6.6	-0.0079	±2.5	Pass
HSDPA_Middle_Subtest2_T7/VN	836.6	-8.4	-0.0100	±2.5	Pass
HSDPA_Middle_Subtest2_T8/VN	836.6	-5.1	-0.0061	±2.5	Pass
HSDPA_Middle_Subtest2_TN/VH	836.6	-4.2	-0.0050	±2.5	Pass
HSDPA_Middle_Subtest2_TN/VL	836.6	-5.6	-0.0067	±2.5	Pass
HSDPA_High_Subtest1_TN/VN	846.6	-6.9	-0.0081	±2.5	Pass
HSDPA_High_Subtest1_T1/VN	846.6	-5.3	-0.0063	±2.5	Pass
HSDPA_High_Subtest1_T2/VN	846.6	-6.3	-0.0074	±2.5	Pass
HSDPA_High_Subtest1_T3/VN	846.6	-7.9	-0.0093	±2.5	Pass
HSDPA_High_Subtest1_T4/VN	846.6	-4.0	-0.0048	±2.5	Pass
HSDPA_High_Subtest1_T5/VN	846.6	-3.7	-0.0044	±2.5	Pass
HSDPA_High_Subtest1_T6/VN	846.6	-4.4	-0.0052	±2.5	Pass
HSDPA_High_Subtest1_T7/VN	846.6	-5.2	-0.0061	±2.5	Pass
HSDPA_High_Subtest1_T8/VN	846.6	-5.9	-0.0070	±2.5	Pass
HSDPA_High_Subtest1_TN/VH	846.6	-5.8	-0.0069	±2.5	Pass
HSDPA_High_Subtest1_TN/VL	846.6	-3.3	-0.0039	±2.5	Pass

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
HSUPA_Low_Subtest1_TN/VN	826.4	-4.3	-0.0052	±2.5	Pass
HSUPA_Low_Subtest1_T1/VN	826.4	-6.2	-0.0075	±2.5	Pass
HSUPA_Low_Subtest1_T2/VN	826.4	-6.6	-0.0080	±2.5	Pass
HSUPA_Low_Subtest1_T3/VN	826.4	-7.5	-0.0090	±2.5	Pass
HSUPA_Low_Subtest1_T4/VN	826.4	-8.8	-0.0106	±2.5	Pass
HSUPA_Low_Subtest1_T5/VN	826.4	-9.6	-0.0117	±2.5	Pass
HSUPA_Low_Subtest1_T6/VN	826.4	-9.0	-0.0108	±2.5	Pass
HSUPA_Low_Subtest1_T7/VN	826.4	-6.3	-0.0076	±2.5	Pass
HSUPA_Low_Subtest1_T8/VN	826.4	-4.9	-0.0059	±2.5	Pass
HSUPA_Low_Subtest1_TN/VH	826.4	-7.1	-0.0086	±2.5	Pass
HSUPA_Low_Subtest1_TN/VL	826.4	-4.9	-0.0060	±2.5	Pass
HSUPA_Middle_Subtest1_TN/VN	836.6	-5.9	-0.0070	±2.5	Pass
HSUPA_Middle_Subtest1_T1/VN	836.6	-6.5	-0.0078	±2.5	Pass
HSUPA_Middle_Subtest1_T2/VN	836.6	-7.7	-0.0092	±2.5	Pass
HSUPA_Middle_Subtest1_T3/VN	836.6	-4.9	-0.0059	±2.5	Pass
HSUPA_Middle_Subtest1_T4/VN	836.6	-4.2	-0.0050	±2.5	Pass
HSUPA_Middle_Subtest1_T5/VN	836.6	-5.3	-0.0063	±2.5	Pass
HSUPA_Middle_Subtest1_T6/VN	836.6	-3.8	-0.0045	±2.5	Pass
HSUPA_Middle_Subtest1_T7/VN	836.6	-7.2	-0.0086	±2.5	Pass
HSUPA_Middle_Subtest1_T8/VN	836.6	-6.3	-0.0076	±2.5	Pass
HSUPA_Middle_Subtest1_TN/VH	836.6	-5.2	-0.0063	±2.5	Pass
HSUPA_Middle_Subtest1_TN/VL	836.6	-3.7	-0.0044	±2.5	Pass
HSUPA_High_Subtest1_TN/VN	846.6	-8.4	-0.0100	±2.5	Pass
HSUPA_High_Subtest1_T1/VN	846.6	-7.2	-0.0085	±2.5	Pass
HSUPA_High_Subtest1_T2/VN	846.6	-4.7	-0.0055	±2.5	Pass
HSUPA_High_Subtest1_T3/VN	846.6	-7.1	-0.0084	±2.5	Pass
HSUPA_High_Subtest1_T4/VN	846.6	-5.6	-0.0066	±2.5	Pass
HSUPA_High_Subtest1_T5/VN	846.6	-7.3	-0.0086	±2.5	Pass
HSUPA_High_Subtest1_T6/VN	846.6	-4.8	-0.0057	±2.5	Pass
HSUPA_High_Subtest1_T7/VN	846.6	-8.0	-0.0094	±2.5	Pass
HSUPA_High_Subtest1_T8/VN	846.6	-4.7	-0.0055	±2.5	Pass
HSUPA_High_Subtest1_TN/VH	846.6	-13.0	-0.0154	±2.5	Pass
HSUPA_High_Subtest1_TN/VL	846.6	-3.8	-0.0045	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 24E

WCDMA Band 2

Mode	Result (MHz)	Limit (MHz)	Verdict
R99_Low_TN/VN	1850.305	1850	Pass
R99_Low_T1/VN	1850.315	1850	Pass
R99_Low_T2/VN	1850.315	1850	Pass
R99_Low_T3/VN	1850.335	1850	Pass
R99_Low_T4/VN	1850.335	1850	Pass
R99_Low_T5/VN	1850.315	1850	Pass
R99_Low_T6/VN	1850.315	1850	Pass
R99_Low_T7/VN	1850.325	1850	Pass
R99_Low_T8/VN	1850.315	1850	Pass
R99_Low_TN/VH	1850.325	1850	Pass
R99_Low_TN/VL	1850.315	1850	Pass
R99_High_TN/VN	1909.695	1910	Pass
R99_High_T1/VN	1909.705	1910	Pass
R99_High_T2/VN	1909.685	1910	Pass
R99_High_T3/VN	1909.705	1910	Pass
R99_High_T4/VN	1909.705	1910	Pass
R99_High_T5/VN	1909.685	1910	Pass
R99_High_T6/VN	1909.695	1910	Pass
R99_High_T7/VN	1909.695	1910	Pass
R99_High_T8/VN	1909.685	1910	Pass
R99_High_TN/VH	1909.715	1910	Pass
R99_High_TN/VL	1909.695	1910	Pass
HSDPA_Low_Subtest1_TN/VN	1850.295	1850	Pass
HSDPA_Low_Subtest1_T1/VN	1850.315	1850	Pass
HSDPA_Low_Subtest1_T2/VN	1850.325	1850	Pass
HSDPA_Low_Subtest1_T3/VN	1850.325	1850	Pass
HSDPA_Low_Subtest1_T4/VN	1850.295	1850	Pass
HSDPA_Low_Subtest1_T5/VN	1850.305	1850	Pass
HSDPA_Low_Subtest1_T6/VN	1850.315	1850	Pass
HSDPA_Low_Subtest1_T7/VN	1850.335	1850	Pass

Mode	Result (MHz)	Limit (MHz)	Verdict
HSDPA_Low_Subtest1_T8/VN	1850.305	1850	Pass
HSDPA_Low_Subtest1_TN/VH	1850.305	1850	Pass
HSDPA_Low_Subtest1_TN/VL	1850.305	1850	Pass
HSDPA_High_Subtest1_TN/VN	1909.695	1910	Pass
HSDPA_High_Subtest1_T1/VN	1909.695	1910	Pass
HSDPA_High_Subtest1_T2/VN	1909.685	1910	Pass
HSDPA_High_Subtest1_T3/VN	1909.695	1910	Pass
HSDPA_High_Subtest1_T4/VN	1909.695	1910	Pass
HSDPA_High_Subtest1_T5/VN	1909.675	1910	Pass
HSDPA_High_Subtest1_T6/VN	1909.705	1910	Pass
HSDPA_High_Subtest1_T7/VN	1909.705	1910	Pass
HSDPA_High_Subtest1_T8/VN	1909.685	1910	Pass
HSDPA_High_Subtest1_TN/VH	1909.675	1910	Pass
HSDPA_High_Subtest1_TN/VL	1909.695	1910	Pass
HSUPA_Low_Subtest1_TN/VN	1850.315	1850	Pass
HSUPA_Low_Subtest1_T1/VN	1850.315	1850	Pass
HSUPA_Low_Subtest1_T2/VN	1850.325	1850	Pass
HSUPA_Low_Subtest1_T3/VN	1850.315	1850	Pass
HSUPA_Low_Subtest1_T4/VN	1850.295	1850	Pass
HSUPA_Low_Subtest1_T5/VN	1850.305	1850	Pass
HSUPA_Low_Subtest1_T6/VN	1850.325	1850	Pass
HSUPA_Low_Subtest1_T7/VN	1850.315	1850	Pass
HSUPA_Low_Subtest1_T8/VN	1850.335	1850	Pass
HSUPA_Low_Subtest1_TN/VH	1850.325	1850	Pass
HSUPA_Low_Subtest1_TN/VL	1850.315	1850	Pass
HSUPA_High_Subtest1_TN/VN	1909.695	1910	Pass
HSUPA_High_Subtest1_T1/VN	1909.705	1910	Pass
HSUPA_High_Subtest1_T2/VN	1909.685	1910	Pass
HSUPA_High_Subtest1_T3/VN	1909.695	1910	Pass
HSUPA_High_Subtest1_T4/VN	1909.685	1910	Pass
HSUPA_High_Subtest1_T5/VN	1909.695	1910	Pass
HSUPA_High_Subtest1_T6/VN	1909.695	1910	Pass
HSUPA_High_Subtest1_T7/VN	1909.695	1910	Pass
HSUPA_High_Subtest1_T8/VN	1909.685	1910	Pass

Mode	Result (MHz)	Limit (MHz)	Verdict
HSUPA_High_Subtest1_TN/VH	1909.715	1910	Pass
HSUPA_High_Subtest1_TN/VL	1909.695	1910	Pass

Note:
TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.
VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 27

WCDMA Band 4

Mode	Result (MHz)	Limit (MHz)	Verdict
R99_Low_TN/VN	1710.295	1710	Pass
R99_Low_T1/VN	1710.305	1710	Pass
R99_Low_T2/VN	1710.335	1710	Pass
R99_Low_T3/VN	1710.305	1710	Pass
R99_Low_T4/VN	1710.325	1710	Pass
R99_Low_T5/VN	1710.325	1710	Pass
R99_Low_T6/VN	1710.305	1710	Pass
R99_Low_T7/VN	1710.315	1710	Pass
R99_Low_T8/VN	1710.315	1710	Pass
R99_Low_TN/VH	1710.305	1710	Pass
R99_Low_TN/VL	1710.325	1710	Pass
R99_High_TN/VN	1754.695	1755	Pass
R99_High_T1/VN	1754.675	1755	Pass
R99_High_T2/VN	1754.675	1755	Pass
R99_High_T3/VN	1754.675	1755	Pass
R99_High_T4/VN	1754.685	1755	Pass
R99_High_T5/VN	1754.695	1755	Pass
R99_High_T6/VN	1754.675	1755	Pass
R99_High_T7/VN	1754.695	1755	Pass
R99_High_T8/VN	1754.675	1755	Pass
R99_High_TN/VH	1754.685	1755	Pass
R99_High_TN/VL	1754.675	1755	Pass
HSDPA_Low_Subtest1_TN/VN	1710.305	1710	Pass
HSDPA_Low_Subtest1_T1/VN	1710.295	1710	Pass
HSDPA_Low_Subtest1_T2/VN	1710.295	1710	Pass
HSDPA_Low_Subtest1_T3/VN	1710.315	1710	Pass
HSDPA_Low_Subtest1_T4/VN	1710.275	1710	Pass
HSDPA_Low_Subtest1_T5/VN	1710.295	1710	Pass
HSDPA_Low_Subtest1_T6/VN	1710.305	1710	Pass
HSDPA_Low_Subtest1_T7/VN	1710.275	1710	Pass

Mode	Result (MHz)	Limit (MHz)	Verdict
HSDPA_Low_Subtest1_T8/VN	1710.315	1710	Pass
HSDPA_Low_Subtest1_TN/VH	1710.275	1710	Pass
HSDPA_Low_Subtest1_TN/VL	1710.295	1710	Pass
HSDPA_High_Subtest1_TN/VN	1754.685	1755	Pass
HSDPA_High_Subtest1_T1/VN	1754.695	1755	Pass
HSDPA_High_Subtest1_T2/VN	1754.685	1755	Pass
HSDPA_High_Subtest1_T3/VN	1754.685	1755	Pass
HSDPA_High_Subtest1_T4/VN	1754.665	1755	Pass
HSDPA_High_Subtest1_T5/VN	1754.665	1755	Pass
HSDPA_High_Subtest1_T6/VN	1754.685	1755	Pass
HSDPA_High_Subtest1_T7/VN	1754.695	1755	Pass
HSDPA_High_Subtest1_T8/VN	1754.685	1755	Pass
HSDPA_High_Subtest1_TN/VH	1754.695	1755	Pass
HSDPA_High_Subtest1_TN/VL	1754.685	1755	Pass
HSUPA_Low_Subtest1_TN/VN	1710.295	1710	Pass
HSUPA_Low_Subtest1_T1/VN	1710.295	1710	Pass
HSUPA_Low_Subtest1_T2/VN	1710.305	1710	Pass
HSUPA_Low_Subtest1_T3/VN	1710.315	1710	Pass
HSUPA_Low_Subtest1_T4/VN	1710.315	1710	Pass
HSUPA_Low_Subtest1_T5/VN	1710.295	1710	Pass
HSUPA_Low_Subtest1_T6/VN	1710.285	1710	Pass
HSUPA_Low_Subtest1_T7/VN	1710.305	1710	Pass
HSUPA_Low_Subtest1_T8/VN	1710.325	1710	Pass
HSUPA_Low_Subtest1_TN/VH	1710.315	1710	Pass
HSUPA_Low_Subtest1_TN/VL	1710.305	1710	Pass
HSUPA_High_Subtest1_TN/VN	1754.715	1755	Pass
HSUPA_High_Subtest1_T1/VN	1754.675	1755	Pass
HSUPA_High_Subtest1_T2/VN	1754.685	1755	Pass
HSUPA_High_Subtest1_T3/VN	1754.695	1755	Pass
HSUPA_High_Subtest1_T4/VN	1754.675	1755	Pass
HSUPA_High_Subtest1_T5/VN	1754.665	1755	Pass
HSUPA_High_Subtest1_T6/VN	1754.695	1755	Pass
HSUPA_High_Subtest1_T7/VN	1754.705	1755	Pass
HSUPA_High_Subtest1_T8/VN	1754.695	1755	Pass

Mode	Result (MHz)	Limit (MHz)	Verdict
HSUPA_High_Subtest1_TN/VH	1754.705	1755	Pass
HSUPA_High_Subtest1_TN/VL	1754.695	1755	Pass

Note:
TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.
VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

***** END *****