




5.11 Antenna Port Test Data and Results for LTE Band 41

Serial Number:	2J4T-2	Test Date:	2024/4/9~2024/4/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:					
Temperature: (°C)	25.1~27.2	Relative Humidity: (%)	49~72	ATM Pressure: (kPa)	100.0~101.2

Test Equipment List and Details:					
Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2023/11/27	2024/11/26
Micro-Coax	Coaxial Cable	UFA210A	94089550	2023/9/1	2024/8/31
Minl-Clrucits	Coaxial Power Splitters & Combiner	ZFRSC-183-S+	SF448201614	2024/2/25	2025/2/24
R&S	Wideband Radio Communication Tester	CMW500	144976	2023/10/18	2024/10/17
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30173	2023/10/18	2024/10/17
All-sun	Clamp Meter	EM305A	8348897	2023/8/3	2024/8/2
TDK-Lambda	DC Power Supply	Z+60-14	F-08-EM038-1	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:			
Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
5MHz	2537.5	2595	2652.5
10MHz	2540	2595	2650
15MHz	2542.5	2595	2647.5
20MHz	2545	2595	2645

Test Data:**RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
5MHz QPSK	RB1#0	19.41	19.23	18.75	18.49	33
	RB1#13	19.23	19.08	18.82		
	RB1#24	19.41	19.22	18.94		
	RB15#0	18.34	18.25	17.82		
	RB15#10	18.35	18.19	17.74		
	RB25#0	18.48	18.22	17.75		
5MHz 16QAM	RB1#0	18.79	18.27	18.06	17.88	33
	RB1#13	18.72	17.92	18.1		
	RB1#24	18.8	18.12	17.63		
	RB15#0	17.64	17.49	17		
	RB15#10	17.64	17.52	16.93		
	RB25#0	17.77	17.24	17.01		
10MHz QPSK	RB1#0	19.47	19.3	18.81	18.63	33
	RB1#25	19.55	19.21	18.81		
	RB1#49	19.48	19.28	18.68		
	RB25#0	18.48	18.34	17.79		
	RB25#25	18.49	18.29	17.89		
	RB50#0	18.41	18.31	17.83		
10MHz 16QAM	RB1#0	18.76	19.08	17.69	18.37	33
	RB1#25	18.99	19.29	17.89		
	RB1#49	19.02	18.56	17.86		
	RB25#0	17.58	17.61	17		
	RB25#25	17.57	17.6	16.97		
	RB50#0	17.7	17.47	17.05		
15MHz QPSK	RB1#0	19.59	19.14	18.88	18.67	33
	RB1#38	19.47	19.03	18.94		
	RB1#74	19.51	18.94	18.92		
	RB36#0	18.43	18.36	17.93		
	RB36#39	18.33	18.18	17.75		
	RB75#0	18.35	18.28	17.87		
15MHz 16QAM	RB1#0	18.72	18.64	17.72	17.82	33
	RB1#38	18.74	18.53	17.64		
	RB1#74	18.62	18.43	17.84		
	RB36#0	17.64	17.47	16.94		
	RB36#39	17.59	17.41	16.88		
	RB75#0	17.56	17.45	17.11		
20MHz QPSK	RB1#0	19.39	19.55	18.77	18.63	33
	RB1#50	19.27	19.37	18.8		
	RB1#99	19.35	19.42	18.72		
	RB50#0	18.42	18.31	17.73		

20MHz 16QAM	RB50#50	18.37	18.25	17.77	18.1	33
	RB100#0	18.36	18.33	17.77		
	RB1#0	18.17	19.02	18.49		
	RB1#50	18.08	18.92	18.17		
	RB1#99	18.07	18.84	18.36		
	RB50#0	17.6	17.54	17.07		
	RB50#50	17.55	17.45	17.08		
	RB100#0	17.48	17.48	17.06		
Note: EIRP=Conducted Power(dBm) - Lc(dB) + G _T (dBi)						
					Result:	Pass

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	9.65	9.54	10.17	13
	RB100#0	8.55	8.49	8.61	13
20MHz 16QAM	RB1#0	10.26	10	10.58	13
	RB100#0	9.94	9.94	10.03	13
				Result:	Pass

Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
5MHz QPSK	4.511	4.491	4.511	4.98	4.94	5.06
5MHz 16QAM	4.511	4.511	4.531	5.14	4.96	5.06
10MHz QPSK	8.982	8.942	8.942	9.92	9.92	9.88
10MHz 16QAM	8.942	8.942	8.942	9.76	9.76	9.76
15MHz QPSK	13.473	13.533	13.473	15.3	15.84	15.36
15MHz 16QAM	13.593	13.533	13.533	15.84	15.12	15.06
20MHz QPSK	17.964	17.964	18.044	19.6	19.68	19.68
20MHz 16QAM	17.964	17.964	17.964	20.24	19.68	19.6
Note: The test plots please refer to the Plots of Occupied Bandwidth						

Spurious Emissions at Antenna Terminal

Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.
----------------	--

Out of band emission, Band Edge

Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.
----------------	---

Frequency Stability

Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	2536.016	2535.00	2654.004	2655
	-20	3.7	2536.031	2535.00	2654.007	2655
	-10	3.7	2536.040	2535.00	2654.019	2655
	0	3.7	2536.043	2535.00	2654.010	2655
	10	3.7	2536.040	2535.00	2654.016	2655
	20	3.7	2536.058	2535.00	2654.022	2655
	30	3.7	2536.067	2535.00	2654.028	2655
	40	3.7	2536.061	2535.00	2654.028	2655
	50	3.7	2536.085	2535.00	2654.046	2655
Frequency Stability vs. Voltage	20	3.4	2536.082	2535.00	2654.040	2655
	20	4.35	2536.067	2535.00	2654.037	2655
					Result:	Pass

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	2536.043	2535.00	2654.019	2655
	-20	3.7	2536.055	2535.00	2654.010	2655
	-10	3.7	2536.049	2535.00	2653.995	2655
	0	3.7	2536.037	2535.00	2653.998	2655
	10	3.7	2536.046	2535.00	2654.013	2655
	20	3.7	2536.058	2535.00	2654.022	2655
	30	3.7	2536.064	2535.00	2654.034	2655
	40	3.7	2536.082	2535.00	2654.025	2655
	50	3.7	2536.073	2535.00	2654.028	2655
Frequency Stability vs. Voltage	20	3.4	2536.061	2535.00	2654.040	2655
	20	4.35	2536.082	2535.00	2654.031	2655
					Result:	Pass

Test Plots



Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



Middle



Highest




Occupied Bandwidth

Channel


15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM

Lowest



ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 01:57:01




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 01:57:40

Middle



ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 01:58:13




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 01:58:49

Highest



ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:02:09



ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:02:42


Occupied Bandwidth

Channel

20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM

Lowest




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:03:21




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:03:57

Middle




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:04:27




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:05:12

Highest



ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:05:49



ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:06:24

1RB:

Spurious Emissions at Antenna Terminal




Spurious Emissions at Antenna Terminal


Channel

10MHz Bandwidth QPSK

Lowest




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 11.APR.2024 23:28:31




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 11.APR.2024 23:29:03

Middle




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 11.APR.2024 23:29:33




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 11.APR.2024 23:30:08

Highest




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 11.APR.2024 23:31:43




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 11.APR.2024 23:32:12


Spurious Emissions at Antenna Terminal




Spurious Emissions at Antenna Terminal




Out of band emission, Band Edge




Out of band emission, Band Edge




Out of band emission, Band Edge




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



5.12 Antenna Port Test Data and Results for LTE Band 66

Serial Number:	2J4T-2	Test Date:	2024/4/9~2024/4/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:					
Temperature: (°C)	25.1~27.2	Relative Humidity: (%)	49~72	ATM Pressure: (kPa)	100.0~101.2

Test Equipment List and Details:					
Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2023/11/27	2024/11/26
Micro-Coax	Coaxial Cable	UFA210A	94089550	2023/9/1	2024/8/31
Minl-Clrcuits	Coaxial Power Splitters & Combiner	ZFRSC-183-S+	SF448201614	2024/2/25	2025/2/24
R&S	Wideband Radio Communication Tester	CMW500	144976	2023/10/18	2024/10/17
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30173	2023/10/18	2024/10/17
All-sun	Clamp Meter	EM305A	8348897	2023/8/3	2024/8/2
TDK-Lambda	DC Power Supply	Z+60-14	F-08-EM038-1	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:			
Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1710.7	1745	1779.3
3MHz	1711.5	1745	1778.5
5MHz	1712.5	1745	1777.5
10MHz	1715	1745	1775
15MHz	1717.5	1745	1772.5
20MHz	1720	1745	1770

Test Data:**RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	20.87	20.34	20.59	22.19	30
	RB1#3	20.84	20.24	20.58		
	RB1#5	20.86	20.37	20.6		
	RB3#0	20.93	20.3	20.71		
	RB3#3	21.06	20.15	20.69		
	RB6#0	19.96	18.95	19.63		
1.4MHz 16QAM	RB1#0	19.98	18.9	20.37	21.54	30
	RB1#3	20.26	18.81	20.41		
	RB1#5	20	18.88	20.39		
	RB3#0	20.04	19.04	19.53		
	RB3#3	20.07	18.94	20.09		
	RB6#0	19.18	18.38	19.02		
3MHz QPSK	RB1#0	20.9	20.13	20.42	22.03	30
	RB1#8	20.85	20.23	20.46		
	RB1#14	20.83	20.17	20.5		
	RB6#0	20.02	19.26	19.59		
	RB6#9	19.84	19.27	19.7		
	RB15#0	19.96	19.23	19.52		
3MHz 16QAM	RB1#0	20.34	19.86	19.3	21.47	30
	RB1#8	20.32	19.88	19.28		
	RB1#14	20.31	19.88	19.31		
	RB6#0	18.9	18.18	18.78		
	RB6#9	18.85	18.2	18.85		
	RB15#0	19.09	18.34	18.7		
5MHz QPSK	RB1#0	21.06	20.16	20.55	22.19	30
	RB1#13	21	20.14	20.55		
	RB1#24	20.92	20.13	20.56		
	RB15#0	19.9	19.22	19.54		
	RB15#10	19.92	19.2	19.62		
	RB25#0	19.88	19.22	19.51		
5MHz 16QAM	RB1#0	20.13	18.85	18.58	21.26	30
	RB1#13	20.02	18.84	18.72		
	RB1#24	19.98	18.87	18.76		
	RB15#0	18.87	18.31	18.66		
	RB15#10	18.91	18.26	18.74		
	RB25#0	18.99	18.15	18.69		
10MHz QPSK	RB1#0	21.14	20.4	20.36	22.27	30
	RB1#25	21.02	20.34	20.45		
	RB1#49	20.86	20.35	20.59		
	RB25#0	19.9	19.32	19.5		

	RB25#25	19.79	19.23	19.52		
	RB50#0	19.84	19.24	19.54		
10MHz 16QAM	RB1#0	20.17	18.84	19.66	21.3	30
	RB1#25	20.14	18.8	19.7		
	RB1#49	19.94	18.87	19.84		
	RB25#0	19.06	18.42	18.51		
	RB25#25	19.05	18.36	18.62		
	RB50#0	18.99	18.26	18.57		
15MHz QPSK	RB1#0	21.11	20.39	20.25	22.24	30
	RB1#38	20.88	20.36	20.37		
	RB1#74	20.75	20.3	20.61		
	RB36#0	19.91	19.17	19.47		
	RB36#39	19.78	19.22	19.6		
	RB75#0	19.75	19.21	19.51		
15MHz 16QAM	RB1#0	20.16	19.7	19.59	21.29	30
	RB1#38	20.05	19.62	19.67		
	RB1#74	19.78	19.68	19.85		
	RB36#0	19.02	18.31	18.58		
	RB36#39	18.88	18.27	18.73		
	RB75#0	18.88	18.29	18.54		
20MHz QPSK	RB1#0	21.17	20.47	20.38	22.3	30
	RB1#50	20.81	20.27	20.5		
	RB1#99	20.66	20.34	20.76		
	RB50#0	19.86	19.33	19.3		
	RB50#50	19.55	19.22	19.44		
	RB100#0	19.74	19.31	19.36		
20MHz 16QAM	RB1#0	20.12	20.02	19.24	21.25	30
	RB1#50	19.73	19.84	19.42		
	RB1#99	19.59	19.88	19.72		
	RB50#0	18.93	18.31	18.47		
	RB50#50	18.64	18.27	18.58		
	RB100#0	18.71	18.32	18.52		

Note: EIRP=Conducted Power(dBm) - Lc(dB) + G_T(dBi)**Result:****Pass****Peak-to-average Ratio(PAR)**

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	4.99	5.77	5.62	13
	RB100#0	4.32	4.58	4.43	13
20MHz 16QAM	RB1#0	6.03	6.78	6.2	13
	RB100#0	5.97	6.09	6	13
Result:					Pass

Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.108	1.102	1.254	1.266	1.26
1.4MHz 16QAM	1.108	1.096	1.108	1.26	1.254	1.266
3MHz QPSK	2.695	2.695	2.695	3.012	3.012	3
3MHz 16QAM	2.695	2.695	2.695	3.012	3.024	3.012
5MHz QPSK	4.511	4.511	4.511	5.02	5	5
5MHz 16QAM	4.511	4.551	4.511	5.02	5.02	4.98
10MHz QPSK	8.942	8.981	9.022	9.76	9.8	9.76
10MHz 16QAM	8.981	8.942	8.942	9.8	9.8	9.76
15MHz QPSK	13.473	13.533	13.533	15	15.18	15.06
15MHz 16QAM	13.533	13.533	13.533	15.12	15.12	14.94
20MHz QPSK	17.964	18.044	17.964	19.68	19.76	19.6
20MHz 16QAM	18.044	18.044	17.964	19.84	19.76	19.76
Note: The test plots please refer to the Plots of Occupied Bandwidth						

Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.

Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

Frequency Stability						
Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	1711.025	1710.00	1779.013	1780
	-20	3.7	1711.031	1710.00	1779.016	1780
	-10	3.7	1711.034	1710.00	1779.001	1780
	0	3.7	1711.037	1710.00	1779.004	1780
	10	3.7	1711.031	1710.00	1779.004	1780
	20	3.7	1711.058	1710.00	1779.022	1780
	30	3.7	1711.082	1710.00	1779.034	1780
	40	3.7	1711.061	1710.00	1779.031	1780
	50	3.7	1711.067	1710.00	1779.040	1780
Frequency Stability vs. Voltage	20	3.4	1711.082	1710.00	1779.025	1780
	20	4.35	1711.061	1710.00	1779.049	1780
					Result:	Pass

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	1710.969	1710.00	1779.019	1780
	-20	3.7	1710.951	1710.00	1779.013	1780
	-10	3.7	1710.954	1710.00	1779.010	1780
	0	3.7	1710.957	1710.00	1779.013	1780
	10	3.7	1710.975	1710.00	1779.001	1780
	20	3.7	1710.978	1710.00	1779.022	1780
	30	3.7	1711.002	1710.00	1779.046	1780
	40	3.7	1710.990	1710.00	1779.046	1780
	50	3.7	1710.993	1710.00	1779.031	1780
Frequency Stability vs. Voltage	20	3.4	1710.987	1710.00	1779.028	1780
	20	4.35	1711.005	1710.00	1779.037	1780
					Result:	Pass

Test Plots:


Occupied Bandwidth

Channel


1.4MHz Bandwidth QPSK

1.4MHz Bandwidth 16QAM

Lowest




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:07:19




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:07:38

Middle




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:07:55




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:08:14

Highest



ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:08:41



ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:09:00


Occupied Bandwidth

Channel


3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM

Lowest




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:10:25




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:10:50

Middle




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:10:07




ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:10:29

Highest



ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:10:55



ProjectNo.:SZGMA240326-15607E Testers:Jeff Wei
Date: 12.APR.2024 02:11:14