

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.3	-13	41.3	Pass	401
0.15	30	0.01	Peak	0.2	-53.62	-13	40.62	Pass	2986
30	500	0.1	Peak	492.8	-44.53	-13	31.53	Pass	4701
500	1000	0.1	Peak	824.2	31.79	-13	-44.79	N/A	5001
1000	10000	1	Peak	9225	-23.69	-13	10.69	Pass	9002




1.2 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.53	-13	42.53	Pass	401
0.15	30	0.01	Peak	0.26	-54.3	-13	41.3	Pass	2986
30	500	0.1	Peak	495.9	-45	-13	32	Pass	4701
500	1000	0.1	Peak	836.7	32	-13	-45	N/A	5001
1000	10000	1	Peak	6841	-23.74	-13	10.74	Pass	9002



1.3 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.59	-13	42.59	Pass	401
0.15	30	0.01	Peak	0.2	-52.25	-13	39.25	Pass	2986
30	500	0.1	Peak	412.4	-44.95	-13	31.95	Pass	4701
500	1000	0.1	Peak	848.7	31.9	-13	-44.9	N/A	5001
1000	10000	1	Peak	7059	-23.81	-13	10.81	Pass	9002



2. GSM_PCS


2.1 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-59.95	-13	46.95	Pass	401
0.15	30	0.01	Peak	0.22	-60.17	-13	47.17	Pass	2986
30	1000	0.1	Peak	988.092	-48.93	-13	35.93	Pass	9701
1000	3000	1	Peak	1850	24.55	-13	-37.55	N/A	2001
3000	20000	1	Peak	19308	-42.36	-13	29.36	Pass	17003




2.2 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.48	-13	48.48	Pass	401
0.15	30	0.01	Peak	0.17	-60.54	-13	47.54	Pass	2986
30	1000	0.1	Peak	850.401	-49.33	-13	36.33	Pass	9701
1000	3000	1	Peak	1880	23.59	-13	-36.59	N/A	2001
3000	20000	1	Peak	19863	-42.6	-13	29.6	Pass	17003



2.3 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.48	-13	48.48	Pass	401
0.15	30	0.01	Peak	0.97	-60.06	-13	47.06	Pass	2986
30	1000	0.1	Peak	594.2	-50.14	-13	37.14	Pass	9701
1000	3000	1	Peak	1909	23.66	-13	-36.66	N/A	2001
3000	20000	1	Peak	19459	-42.71	-13	29.71	Pass	17003



3. GPRS_GSM850


3.1 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.46	-13	43.46	Pass	401
0.15	30	0.01	Peak	0.19	-55.14	-13	42.14	Pass	2986
30	500	0.1	Peak	400.7	-45.13	-13	32.13	Pass	4701
500	1000	0.1	Peak	824.1	31.88	-13	-44.88	N/A	5001
1000	10000	1	Peak	6684	-24.05	-13	11.05	Pass	9002




3.2 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.23	-13	43.23	Pass	401
0.15	30	0.01	Peak	0.19	-53.73	-13	40.73	Pass	2986
30	500	0.1	Peak	498.6	-45.29	-13	32.29	Pass	4701
500	1000	0.1	Peak	836.5	31.74	-13	-44.74	N/A	5001
1000	10000	1	Peak	6788	-22.99	-13	9.99	Pass	9002



3.3 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.92	-13	41.92	Pass	401
0.15	30	0.01	Peak	0.24	-54.51	-13	41.51	Pass	2986
30	500	0.1	Peak	376.8	-45.01	-13	32.01	Pass	4701
500	1000	0.1	Peak	848.7	31.3	-13	-44.3	N/A	5001
1000	10000	1	Peak	6790	-23.93	-13	10.93	Pass	9002



4. GPRS_PCS


4.1 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.4	-13	48.4	Pass	401
0.15	30	0.01	Peak	0.38	-60.54	-13	47.54	Pass	2986
30	1000	0.1	Peak	751.5	-50.47	-13	37.47	Pass	9701
1000	3000	1	Peak	1850	24.44	-13	-37.44	N/A	2001
3000	20000	1	Peak	19474	-42.37	-13	29.37	Pass	17003




4.2 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-60.8	-13	47.8	Pass	401
0.15	30	0.01	Peak	0.21	-60.73	-13	47.73	Pass	2986
30	1000	0.1	Peak	452.6	-50.27	-13	37.27	Pass	9701
1000	3000	1	Peak	1880	24.54	-13	-37.54	N/A	2001
3000	20000	1	Peak	19040	-42.55	-13	29.55	Pass	17003



4.3 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.77	-13	48.77	Pass	401
0.15	30	0.01	Peak	0.15	-60.6	-13	47.6	Pass	2986
30	1000	0.1	Peak	943.763	-50.13	-13	37.13	Pass	9701
1000	3000	1	Peak	1910	24.55	-13	-37.55	N/A	2001
3000	20000	1	Peak	19338	-42.7	-13	29.7	Pass	17003



5. EGPRS_GSM850


5.1 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-56.05	-13	43.05	Pass	401
0.15	30	0.01	Peak	0.51	-54.36	-13	41.36	Pass	2986
30	500	0.1	Peak	373.3	-45.19	-13	32.19	Pass	4701
500	1000	0.1	Peak	824.2	28.71	-13	-41.71	N/A	5001
1000	10000	1	Peak	6772	-24.29	-13	11.29	Pass	9002




5.2 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-56.83	-13	43.83	Pass	401
0.15	30	0.01	Peak	0.28	-54.62	-13	41.62	Pass	2986
30	500	0.1	Peak	461.4	-45.29	-13	32.29	Pass	4701
500	1000	0.1	Peak	836.6	28.51	-13	-41.51	N/A	5001
1000	10000	1	Peak	7197	-24.03	-13	11.03	Pass	9002



5.3 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.98	-13	41.98	Pass	401
0.15	30	0.01	Peak	0.16	-55.01	-13	42.01	Pass	2986
30	500	0.1	Peak	484.7	-45.28	-13	32.28	Pass	4701
500	1000	0.1	Peak	848.8	28.6	-13	-41.6	N/A	5001
1000	10000	1	Peak	7510	-23.96	-13	10.96	Pass	9002



6. EGPRS_PCS


6.1 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.02	-13	48.02	Pass	401
0.15	30	0.01	Peak	0.19	-60.32	-13	47.32	Pass	2986
30	1000	0.1	Peak	976.785	-50.27	-13	37.27	Pass	9701
1000	3000	1	Peak	1850	23.93	-13	-36.93	N/A	2001
3000	20000	1	Peak	19171	-42.32	-13	29.32	Pass	17003




6.2 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.62	-13	48.62	Pass	401
0.15	30	0.01	Peak	0.21	-60.61	-13	47.61	Pass	2986
30	1000	0.1	Peak	737.2	-50.22	-13	37.22	Pass	9701
1000	3000	1	Peak	1880	23.48	-13	-36.48	N/A	2001
3000	20000	1	Peak	19010	-42.93	-13	29.93	Pass	17003



6.3 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.7	-13	48.7	Pass	401
0.15	30	0.01	Peak	0.21	-60.08	-13	47.08	Pass	2986
30	1000	0.1	Peak	936.458	-49.93	-13	36.93	Pass	9701
1000	3000	1	Peak	1910	24.29	-13	-37.29	N/A	2001
3000	20000	1	Peak	19822	-42.06	-13	29.06	Pass	17003



7. WCDMA_Band2

7.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.43	-13	53.43	Pass	401
0.15	30	0.01	Peak	0.68	-65.51	-13	52.51	Pass	2986
30	1000	0.1	Peak	604.3	-53.81	-13	40.81	Pass	9701
1000	3000	1	Peak	1851	22.78	-13	-35.78	N/A	2001
3000	20000	1	Peak	16749	-28.13	-13	15.13	Pass	17003



7.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.48	-13	52.48	Pass	401
0.15	30	0.01	Peak	0.59	-65.33	-13	52.33	Pass	2986
30	1000	0.1	Peak	755.4	-54.48	-13	41.48	Pass	9701
1000	3000	1	Peak	1879	22.89	-13	-35.89	N/A	2001
3000	20000	1	Peak	13607	-28.48	-13	15.48	Pass	17003



7.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.16	-13	51.16	Pass	401
0.15	30	0.01	Peak	0.15	-65.41	-13	52.41	Pass	2986
30	1000	0.1	Peak	928.753	-54.36	-13	41.36	Pass	9701
1000	3000	1	Peak	1906	23.13	-13	-36.13	N/A	2001
3000	20000	1	Peak	18941	-28.78	-13	15.78	Pass	17003



8. WCDMA_Band4

8.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.67	-13	52.67	Pass	401
0.15	30	0.01	Peak	0.23	-64.74	-13	51.74	Pass	2986
30	1000	0.1	Peak	786.7	-53.59	-13	40.59	Pass	9701
1000	3000	1	Peak	1711	22.66	-13	-35.66	N/A	2001
3000	20000	1	Peak	16974	-28.45	-13	15.45	Pass	17003



8.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.19	-13	52.19	Pass	401
0.15	30	0.01	Peak	0.17	-63.36	-13	50.36	Pass	2986
30	1000	0.1	Peak	787.5	-53.23	-13	40.23	Pass	9701
1000	3000	1	Peak	1731	22.84	-13	-35.84	N/A	2001
3000	20000	1	Peak	13621	-28.39	-13	15.39	Pass	17003



8.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.73	-13	52.73	Pass	401
0.15	30	0.01	Peak	0.18	-64.39	-13	51.39	Pass	2986
30	1000	0.1	Peak	929.453	-53.83	-13	40.83	Pass	9701
1000	3000	1	Peak	1754	22.73	-13	-35.73	N/A	2001
3000	20000	1	Peak	13610	-28.07	-13	15.07	Pass	17003



9. WCDMA_Band5

9.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.94	-13	52.94	Pass	401
0.15	30	0.01	Peak	0.18	-64.36	-13	51.36	Pass	2986
30	500	0.1	Peak	455.3	-55.31	-13	42.31	Pass	4701
500	1000	0.1	Peak	825.5	19.19	-13	-32.19	N/A	5001
1000	10000	1	Peak	7259	-33.89	-13	20.89	Pass	9002



9.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.7	-13	53.7	Pass	401
0.15	30	0.01	Peak	0.48	-65.58	-13	52.58	Pass	2986
30	500	0.1	Peak	479.8	-55.12	-13	42.12	Pass	4701
500	1000	0.1	Peak	836.6	17.05	-13	-30.05	N/A	5001
1000	10000	1	Peak	9742	-33.87	-13	20.87	Pass	9002



9.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.45	-13	53.45	Pass	401
0.15	30	0.01	Peak	0.29	-63.46	-13	50.46	Pass	2986
30	500	0.1	Peak	482.9	-55.24	-13	42.24	Pass	4701
500	1000	0.1	Peak	847.9	17.34	-13	-30.34	N/A	5001
1000	10000	1	Peak	7371	-34.19	-13	21.19	Pass	9002



10. LTE_Band2


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	875.117	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.62	-13	40.62	Pass	841
1840	1920	1	RMS	1850.2	17.44	60	42.56	Pass	401
1920	3000	1	RMS	2840	-51.33	-13	38.33	Pass	1081
3000	12000	1	RMS	11998	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.2	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	852.402	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1840	-53.66	-13	40.66	Pass	841
1840	1920	1	RMS	1850.2	17.51	60	42.49	Pass	401
1920	3000	1	RMS	2992	-51.3	-13	38.3	Pass	1081
3000	12000	1	RMS	11999	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13599	-39.74	-13	26.74	Pass	8001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.22	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	867.412	-65.13	-13	52.13	Pass	9701
1000	1840	1	RMS	1838	-53.8	-13	40.8	Pass	841
1840	1920	1	RMS	1879.4	17.41	60	42.59	Pass	401
1920	3000	1	RMS	2988	-51.33	-13	38.33	Pass	1081
3000	12000	1	RMS	11856	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13601	-39.62	-13	26.62	Pass	8001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	842.1	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-53.78	-13	40.78	Pass	841
1840	1920	1	RMS	1879.4	17.49	60	42.51	Pass	401
1920	3000	1	RMS	2449	-49.23	-13	36.23	Pass	1081
3000	12000	1	RMS	11993	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	852.102	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1836	-53.85	-13	40.85	Pass	841
1840	1920	1	RMS	1908.8	17.56	60	42.44	Pass	401
1920	3000	1	RMS	2991	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	11997	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	858.906	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1839	-53.93	-13	40.93	Pass	841
1840	1920	1	RMS	1908.8	17.71	60	42.29	Pass	401
1920	3000	1	RMS	2982	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11992	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	987.292	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.62	-13	40.62	Pass	841
1840	1920	1	RMS	1850.2	17.45	60	42.55	Pass	401
1920	3000	1	RMS	2978	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	11994	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13599	-39.84	-13	26.84	Pass	8001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	933.356	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1839	-53.6	-13	40.6	Pass	841
1840	1920	1	RMS	1850.2	17.7	60	42.3	Pass	401
1920	3000	1	RMS	2981	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	11996	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.17	-73.04	-13	60.04	Pass	2986
30	1000	0.1	RMS	837	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1839	-53.9	-13	40.9	Pass	841
1840	1920	1	RMS	1878.6	17.45	60	42.55	Pass	401
1920	3000	1	RMS	2996	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	11993	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13606	-39.82	-13	26.82	Pass	8001



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.18	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	956.871	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1838	-53.91	-13	40.91	Pass	841
1840	1920	1	RMS	1878.6	17.52	60	42.48	Pass	401
1920	3000	1	RMS	2991	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13606	-39.8	-13	26.8	Pass	8001



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.19	-72.6	-13	59.6	Pass	2986
30	1000	0.1	RMS	842.6	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1837	-53.91	-13	40.91	Pass	841
1840	1920	1	RMS	1907.2	17.51	60	42.49	Pass	401
1920	3000	1	RMS	2999	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	11997	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.88	-13	26.88	Pass	8001



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.18	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	845.9	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1836	-53.9	-13	40.9	Pass	841
1840	1920	1	RMS	1907.2	17.64	60	42.36	Pass	401
1920	3000	1	RMS	2990	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	11992	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.31	-72.95	-13	59.95	Pass	2986
30	1000	0.1	RMS	934.657	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.59	-13	40.59	Pass	841
1840	1920	1	RMS	1850.2	17.35	60	42.65	Pass	401
1920	3000	1	RMS	3000	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	11997	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13602	-39.71	-13	26.71	Pass	8001



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	845.9	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-49.23	-13	36.23	Pass	841
1840	1920	1	RMS	1850.2	17.46	60	42.54	Pass	401
1920	3000	1	RMS	2998	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001



10.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.19	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	870.714	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1838	-53.89	-13	40.89	Pass	841
1840	1920	1	RMS	1877.8	17.32	60	42.68	Pass	401
1920	3000	1	RMS	2999	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13602	-39.83	-13	26.83	Pass	8001



10.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.2	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	839	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1815	-53.89	-13	40.89	Pass	841
1840	1920	1	RMS	1877.8	17.5	60	42.5	Pass	401
1920	3000	1	RMS	2988	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001



10.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.22	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	847.1	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.91	-13	40.91	Pass	841
1840	1920	1	RMS	1905.2	17.43	60	42.57	Pass	401
1920	3000	1	RMS	2981	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001



10.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	867.812	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1839	-53.93	-13	40.93	Pass	841
1840	1920	1	RMS	1905.2	17.7	60	42.3	Pass	401
1920	3000	1	RMS	2998	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	12000	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13604	-39.77	-13	26.77	Pass	8001



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.21	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	832.4	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1833	-52.32	-13	39.32	Pass	841
1840	1920	1	RMS	1850.4	17.38	60	42.62	Pass	401
1920	3000	1	RMS	2993	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	11997	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13597	-39.79	-13	26.79	Pass	8001



10.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	999.199	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1840	-48.66	-13	35.66	Pass	841
1840	1920	1	RMS	1850.4	17.6	60	42.4	Pass	401
1920	3000	1	RMS	2993	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	961.775	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1840	-53.83	-13	40.83	Pass	841
1840	1920	1	RMS	1875.4	17.32	60	42.68	Pass	401
1920	3000	1	RMS	2936	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	848.9	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1835	-53.89	-13	40.89	Pass	841
1840	1920	1	RMS	1875.4	17.37	60	42.63	Pass	401
1920	3000	1	RMS	2981	-51.34	-13	38.34	Pass	1081
3000	12000	1	RMS	11996	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001



10.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.19	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	841.9	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-53.57	-13	40.57	Pass	841
1840	1920	1	RMS	1900.4	17.44	60	42.56	Pass	401
1920	3000	1	RMS	2992	-51.35	-13	38.35	Pass	1081
3000	12000	1	RMS	11867	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13597	-39.79	-13	26.79	Pass	8001



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.89	-13	59.89	Pass	2986
30	1000	0.1	RMS	982.889	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1840	-53.84	-13	40.84	Pass	841
1840	1920	1	RMS	1900.4	17.58	60	42.42	Pass	401
1920	3000	1	RMS	2980	-51.31	-13	38.31	Pass	1081
3000	12000	1	RMS	11994	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001



10.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	978.286	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1838	-48.69	-13	35.69	Pass	841
1840	1920	1	RMS	1850.8	17.35	60	42.65	Pass	401
1920	3000	1	RMS	2996	-51.34	-13	38.34	Pass	1081
3000	12000	1	RMS	11996	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001



10.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	870.314	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1839	-46.41	-13	33.41	Pass	841
1840	1920	1	RMS	1850.8	17.56	60	42.44	Pass	401
1920	3000	1	RMS	2983	-51.35	-13	38.35	Pass	1081
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.68	-13	26.68	Pass	8001



10.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.18	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	943.563	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.78	-13	40.78	Pass	841
1840	1920	1	RMS	1873.2	17.32	60	42.68	Pass	401
1920	3000	1	RMS	2994	-51.33	-13	38.33	Pass	1081
3000	12000	1	RMS	11994	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001



10.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	850.001	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1837	-53.49	-13	40.49	Pass	841
1840	1920	1	RMS	1873.2	17.38	60	42.62	Pass	401
1920	3000	1	RMS	2992	-51.33	-13	38.33	Pass	1081
3000	12000	1	RMS	11997	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001



10.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	854.003	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1836	-53.85	-13	40.85	Pass	841
1840	1920	1	RMS	1895.8	17.48	60	42.52	Pass	401
1920	3000	1	RMS	1922	-40.23	-13	27.23	Pass	1081
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13602	-39.84	-13	26.84	Pass	8001



10.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.19	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	982.488	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1839	-53.86	-13	40.86	Pass	841
1840	1920	1	RMS	1895.8	17.7	60	42.3	Pass	401
1920	3000	1	RMS	1922	-42.32	-13	29.32	Pass	1081
3000	12000	1	RMS	11996	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001



10.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.3	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	950.867	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1839	-51.47	-13	38.47	Pass	841
1840	1920	1	RMS	1851	17.24	60	42.76	Pass	401
1920	3000	1	RMS	2975	-51.34	-13	38.34	Pass	1081
3000	12000	1	RMS	11995	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001



10.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.2	-72.99	-13	59.99	Pass	2986
30	1000	0.1	RMS	840.9	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1840	-50.93	-13	37.93	Pass	841
1840	1920	1	RMS	1851	17.49	60	42.51	Pass	401
1920	3000	1	RMS	2937	-51.32	-13	38.32	Pass	1081
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13604	-39.7	-13	26.7	Pass	8001

