


18.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	813.6	-64.64	-13	51.64	Pass	7841
814	860	0.1	RMS	824.3	19.72	60	40.28	Pass	461
860	1000	0.1	RMS	871.9	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001



18.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-73.06	-13	60.06	Pass	2986
30	814	0.1	RMS	813.7	-64.88	-13	51.88	Pass	7841
814	860	0.1	RMS	824.3	18.65	60	41.35	Pass	461
860	1000	0.1	RMS	870.6	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1648	-49.28	-13	36.28	Pass	2001
3000	10000	1	RMS	6798	-45.63	-13	32.63	Pass	7001



18.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.17	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	809.7	-65.68	-13	52.68	Pass	7841
814	860	0.1	RMS	834.3	19.58	60	40.42	Pass	461
860	1000	0.1	RMS	881.3	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1668	-47.6	-13	34.6	Pass	2001
3000	10000	1	RMS	6801	-45.72	-13	32.72	Pass	7001



18.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.21	-72.72	-13	59.72	Pass	2986
30	814	0.1	RMS	811.2	-65.69	-13	52.69	Pass	7841
814	860	0.1	RMS	834.3	18.85	60	41.15	Pass	461
860	1000	0.1	RMS	870	-65.51	-13	52.51	Pass	1401
1000	3000	1	RMS	1668	-48.37	-13	35.37	Pass	2001
3000	10000	1	RMS	6799	-45.68	-13	32.68	Pass	7001



18.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.17	-73.06	-13	60.06	Pass	2986
30	814	0.1	RMS	789.9	-65.72	-13	52.72	Pass	7841
814	860	0.1	RMS	844.3	19.74	60	40.26	Pass	461
860	1000	0.1	RMS	990.9	-65.55	-13	52.55	Pass	1401
1000	3000	1	RMS	1688	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001



18.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	786.4	-65.77	-13	52.77	Pass	7841
814	860	0.1	RMS	844.3	18.85	60	41.15	Pass	461
860	1000	0.1	RMS	985.6	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1688	-49.06	-13	36.06	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001



18.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.24	-72.85	-13	59.85	Pass	2986
30	814	0.1	RMS	811.4	-60.35	-13	47.35	Pass	7841
814	860	0.1	RMS	824.6	20.19	60	39.81	Pass	461
860	1000	0.1	RMS	871.2	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1649	-48.59	-13	35.59	Pass	2001
3000	10000	1	RMS	6798	-45.65	-13	32.65	Pass	7001



18.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	813.9	-62.21	-13	49.21	Pass	7841
814	860	0.1	RMS	824.6	19.48	60	40.52	Pass	461
860	1000	0.1	RMS	870.9	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1649	-49.38	-13	36.38	Pass	2001
3000	10000	1	RMS	6796	-45.69	-13	32.69	Pass	7001



18.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	813.9	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	832.1	20.34	60	39.66	Pass	461
860	1000	0.1	RMS	997.6	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1664	-47.43	-13	34.43	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001



18.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	814	0.1	RMS	813.9	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	832.1	19.25	60	40.75	Pass	461
860	1000	0.1	RMS	931.9	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1664	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001



18.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.16	-73.01	-13	60.01	Pass	2986
30	814	0.1	RMS	811.3	-65.76	-13	52.76	Pass	7841
814	860	0.1	RMS	839.6	20.24	60	39.76	Pass	461
860	1000	0.1	RMS	992.4	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1679	-49.21	-13	36.21	Pass	2001
3000	10000	1	RMS	6798	-45.64	-13	32.64	Pass	7001



18.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	799.4	-65.67	-13	52.67	Pass	7841
814	860	0.1	RMS	839.6	19.44	60	40.56	Pass	461
860	1000	0.1	RMS	952.5	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1679	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001



18.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-13	59.77	Pass	2986
30	814	0.1	RMS	811.5	-57.39	-13	44.39	Pass	7841
814	860	0.1	RMS	824.8	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	871.3	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1649	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001



18.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.18	-71.9	-13	58.9	Pass	2986
30	814	0.1	RMS	814	-58.32	-13	45.32	Pass	7841
814	860	0.1	RMS	824.8	18.84	60	41.16	Pass	461
860	1000	0.1	RMS	869.3	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1649	-49.25	-13	36.25	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001



18.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.19	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	813.1	-54.63	-13	41.63	Pass	7841
814	860	0.1	RMS	829.8	19.71	60	40.29	Pass	461
860	1000	0.1	RMS	1000	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1659	-47.07	-13	34.07	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001



18.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	59.87	Pass	2986
30	814	0.1	RMS	813.6	-63.01	-13	50.01	Pass	7841
814	860	0.1	RMS	829.8	18.68	60	41.32	Pass	461
860	1000	0.1	RMS	864.1	-65.5	-13	52.5	Pass	1401
1000	3000	1	RMS	1659	-48.37	-13	35.37	Pass	2001
3000	10000	1	RMS	6802	-45.73	-13	32.73	Pass	7001



18.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	808.2	-62.69	-13	49.69	Pass	7841
814	860	0.1	RMS	834.8	19.5	60	40.5	Pass	461
860	1000	0.1	RMS	939.2	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1669	-47.96	-13	34.96	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001



18.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.92	-13	59.92	Pass	2986
30	814	0.1	RMS	811.6	-56.58	-13	43.58	Pass	7841
814	860	0.1	RMS	834.8	18.77	60	41.23	Pass	461
860	1000	0.1	RMS	989.2	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1669	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001



19. LTE_Band26(part90)


19.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.58	-13	53.58	Pass	401
0.15	30	0.01	Peak	0.18	-64.39	-13	51.39	Pass	2986
30	809	0.1	Peak	809	-45.85	-13	32.85	Pass	7791
809	829	0.1	Peak	814.25	25.01	60	34.99	Pass	401
829	1000	0.1	Peak	832.7	-50.11	-13	37.11	Pass	1711
1000	3000	1	Peak	1628	-37.81	-13	24.81	Pass	2001
3000	10000	1	Peak	8669	-32.77	-13	19.77	Pass	7001




19.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.84	-13	53.84	Pass	401
0.15	30	0.01	Peak	0.32	-64.74	-13	51.74	Pass	2986
30	809	0.1	Peak	809	-44.94	-13	31.94	Pass	7791
809	829	0.1	Peak	814.2	25.51	60	34.49	Pass	401
829	1000	0.1	Peak	835.2	-50.37	-13	37.37	Pass	1711
1000	3000	1	Peak	1629	-37.47	-13	24.47	Pass	2001
3000	10000	1	Peak	7315	-32.61	-13	19.61	Pass	7001




19.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.55	-13	51.55	Pass	401
0.15	30	0.01	Peak	0.65	-65.25	-13	52.25	Pass	2986
30	809	0.1	Peak	808.2	-49.12	-13	36.12	Pass	7791
809	829	0.1	Peak	818.55	25.48	60	34.52	Pass	401
829	1000	0.1	Peak	829.2	-47.16	-13	34.16	Pass	1711
1000	3000	1	Peak	1637	-37.68	-13	24.68	Pass	2001
3000	10000	1	Peak	7160	-32.16	-13	19.16	Pass	7001




19.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.51	-13	51.51	Pass	401
0.15	30	0.01	Peak	0.41	-65.11	-13	52.11	Pass	2986
30	809	0.1	Peak	702.5	-54.29	-13	41.29	Pass	7791
809	829	0.1	Peak	818.55	25.12	60	34.88	Pass	401
829	1000	0.1	Peak	829.6	-49.23	-13	36.23	Pass	1711
1000	3000	1	Peak	1637	-38.36	-13	25.36	Pass	2001
3000	10000	1	Peak	9039	-32.48	-13	19.48	Pass	7001




19.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.24	-13	53.24	Pass	401
0.15	30	0.01	Peak	0.19	-63.95	-13	50.95	Pass	2986
30	809	0.1	Peak	808.8	-52.47	-13	39.47	Pass	7791
809	829	0.1	Peak	822.9	24.64	60	35.36	Pass	401
829	1000	0.1	Peak	829.1	-42.51	-13	29.51	Pass	1711
1000	3000	1	Peak	1646	-39.04	-13	26.04	Pass	2001
3000	10000	1	Peak	8514	-32.48	-13	19.48	Pass	7001




19.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.75	-13	52.75	Pass	401
0.15	30	0.01	Peak	0.2	-63.1	-13	50.1	Pass	2986
30	809	0.1	Peak	808.2	-53.88	-13	40.88	Pass	7791
809	829	0.1	Peak	822.85	25.16	60	34.84	Pass	401
829	1000	0.1	Peak	831.7	-45.24	-13	32.24	Pass	1711
1000	3000	1	Peak	2795	-39.87	-13	26.87	Pass	2001
3000	10000	1	Peak	8679	-32.38	-13	19.38	Pass	7001




**19.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.83	-13	52.83	Pass	401
0.15	30	0.01	Peak	0.33	-64.44	-13	51.44	Pass	2986
30	809	0.1	Peak	809	-46.9	-13	33.9	Pass	7791
809	829	0.1	Peak	814.3	25.25	60	34.75	Pass	401
829	1000	0.1	Peak	962.5	-54.19	-13	41.19	Pass	1711
1000	3000	1	Peak	1628	-37.22	-13	24.22	Pass	2001
3000	10000	1	Peak	8668	-31.78	-13	18.78	Pass	7001




**19.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.47	-13	51.47	Pass	401
0.15	30	0.01	Peak	0.79	-64.33	-13	51.33	Pass	2986
30	809	0.1	Peak	808.5	-47.54	-13	34.54	Pass	7791
809	829	0.1	Peak	814.2	25.55	60	34.45	Pass	401
829	1000	0.1	Peak	834.2	-50.53	-13	37.53	Pass	1711
1000	3000	1	Peak	1629	-37.58	-13	24.58	Pass	2001
3000	10000	1	Peak	6976	-32.24	-13	19.24	Pass	7001




**19.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.27	-13	53.27	Pass	401
0.15	30	0.01	Peak	0.18	-64.59	-13	51.59	Pass	2986
30	809	0.1	Peak	808.7	-49.57	-13	36.57	Pass	7791
809	829	0.1	Peak	817.75	25.37	60	34.63	Pass	401
829	1000	0.1	Peak	829.4	-47.76	-13	34.76	Pass	1711
1000	3000	1	Peak	1635	-38.08	-13	25.08	Pass	2001
3000	10000	1	Peak	7054	-32.08	-13	19.08	Pass	7001




19.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.87	-13	51.87	Pass	401
0.15	30	0.01	Peak	0.23	-63.68	-13	50.68	Pass	2986
30	809	0.1	Peak	809	-51.12	-13	38.12	Pass	7791
809	829	0.1	Peak	817.75	25.64	60	34.36	Pass	401
829	1000	0.1	Peak	829.4	-48.61	-13	35.61	Pass	1711
1000	3000	1	Peak	1636	-37.63	-13	24.63	Pass	2001
3000	10000	1	Peak	7363	-32.51	-13	19.51	Pass	7001




19.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.8	-13	50.8	Pass	401
0.15	30	0.01	Peak	1.32	-64.63	-13	51.63	Pass	2986
30	809	0.1	Peak	692.1	-54.39	-13	41.39	Pass	7791
809	829	0.1	Peak	821.2	25.38	60	34.62	Pass	401
829	1000	0.1	Peak	829	-44.46	-13	31.46	Pass	1711
1000	3000	1	Peak	1643	-37.87	-13	24.87	Pass	2001
3000	10000	1	Peak	6970	-31.75	-13	18.75	Pass	7001




**19.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.24	-13	52.24	Pass	401
0.15	30	0.01	Peak	0.15	-64.62	-13	51.62	Pass	2986
30	809	0.1	Peak	808	-54.63	-13	41.63	Pass	7791
809	829	0.1	Peak	821.3	25.6	60	34.4	Pass	401
829	1000	0.1	Peak	829.8	-40.93	-13	27.93	Pass	1711
1000	3000	1	Peak	1642	-39.36	-13	26.36	Pass	2001
3000	10000	1	Peak	8695	-32.6	-13	19.6	Pass	7001




19.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.17	-13	52.17	Pass	401
0.15	30	0.01	Peak	0.36	-64.2	-13	51.2	Pass	2986
30	809	0.1	Peak	809	-49.68	-13	36.68	Pass	7791
809	829	0.1	Peak	814.4	25.38	60	34.62	Pass	401
829	1000	0.1	Peak	831.5	-53.04	-13	40.04	Pass	1711
1000	3000	1	Peak	1629	-37.31	-13	24.31	Pass	2001
3000	10000	1	Peak	7892	-32.12	-13	19.12	Pass	7001




19.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.84	-13	53.84	Pass	401
0.15	30	0.01	Peak	0.15	-64.46	-13	51.46	Pass	2986
30	809	0.1	Peak	808.7	-51.26	-13	38.26	Pass	7791
809	829	0.1	Peak	814.3	25.7	60	34.3	Pass	401
829	1000	0.1	Peak	908.5	-54.2	-13	41.2	Pass	1711
1000	3000	1	Peak	1629	-38.11	-13	25.11	Pass	2001
3000	10000	1	Peak	8669	-32.43	-13	19.43	Pass	7001




**19.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.78	-13	52.78	Pass	401
0.15	30	0.01	Peak	0.15	-65.34	-13	52.34	Pass	2986
30	809	0.1	Peak	808.2	-48.33	-13	35.33	Pass	7791
809	829	0.1	Peak	816.85	25.59	60	34.41	Pass	401
829	1000	0.1	Peak	834.4	-53.91	-13	40.91	Pass	1711
1000	3000	1	Peak	1634	-37.52	-13	24.52	Pass	2001
3000	10000	1	Peak	7665	-32.17	-13	19.17	Pass	7001




**19.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.22	-13	53.22	Pass	401
0.15	30	0.01	Peak	0.18	-64.09	-13	51.09	Pass	2986
30	809	0.1	Peak	808.2	-50.5	-13	37.5	Pass	7791
809	829	0.1	Peak	816.8	25.52	60	34.48	Pass	401
829	1000	0.1	Peak	924.6	-54.38	-13	41.38	Pass	1711
1000	3000	1	Peak	1634	-38.13	-13	25.13	Pass	2001
3000	10000	1	Peak	7315	-31.87	-13	18.87	Pass	7001




19.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.8	-13	52.8	Pass	401
0.15	30	0.01	Peak	0.21	-64.54	-13	51.54	Pass	2986
30	809	0.1	Peak	764.8	-53.76	-13	40.76	Pass	7791
809	829	0.1	Peak	819.4	25.35	60	34.65	Pass	401
829	1000	0.1	Peak	829	-48.89	-13	35.89	Pass	1711
1000	3000	1	Peak	1639	-37.54	-13	24.54	Pass	2001
3000	10000	1	Peak	7546	-32.04	-13	19.04	Pass	7001




**19.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.57	-13	51.57	Pass	401
0.15	30	0.01	Peak	1.79	-64.98	-13	51.98	Pass	2986
30	809	0.1	Peak	795.1	-54.86	-13	41.86	Pass	7791
809	829	0.1	Peak	819.3	25.48	60	34.52	Pass	401
829	1000	0.1	Peak	829	-48.73	-13	35.73	Pass	1711
1000	3000	1	Peak	1639	-37.95	-13	24.95	Pass	2001
3000	10000	1	Peak	7281	-31.62	-13	18.62	Pass	7001




19.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.96	-13	51.96	Pass	401
0.15	30	0.01	Peak	0.15	-64.16	-13	51.16	Pass	2986
30	809	0.1	Peak	808.3	-48.34	-13	35.34	Pass	7791
809	829	0.1	Peak	814.55	25.43	60	34.57	Pass	401
829	1000	0.1	Peak	829.9	-39.76	-13	26.76	Pass	1711
1000	3000	1	Peak	1629	-37	-13	24	Pass	2001
3000	10000	1	Peak	7456	-31.98	-13	18.98	Pass	7001



19.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.34	-13	53.34	Pass	401
0.15	30	0.01	Peak	0.15	-65.14	-13	52.14	Pass	2986
30	809	0.1	Peak	808.7	-30.12	-13	17.12	Pass	7791
809	829	0.1	Peak	814.55	25.47	60	34.53	Pass	401
829	1000	0.1	Peak	829.3	-26.9	-13	13.9	Pass	1711
1000	3000	1	Peak	1629	-36.25	-13	23.25	Pass	2001
3000	10000	1	Peak	7343	-31.83	-13	18.83	Pass	7001



20. LTE_Band38


20.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.45	-25	43.45	Pass	401
0.15	30	0.01	RMS	0.18	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	939.16	-61.26	-25	36.26	Pass	9701
1000	2560	1	RMS	2506	-47.74	-25	22.74	Pass	1561
2560	2630	1	RMS	2570.325	20.55	60	39.45	Pass	401
2630	3000	1	RMS	3000	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11995	-47.99	-25	22.99	Pass	9002
12000	26500	1	RMS	25508	-43.15	-25	18.15	Pass	14502




20.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.59	-25	43.59	Pass	401
0.15	30	0.01	RMS	0.18	-68.85	-25	43.85	Pass	2986
30	1000	0.1	RMS	865.711	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2559	-47.62	-25	22.62	Pass	1561
2560	2630	1	RMS	2570.325	20.72	60	39.28	Pass	401
2630	3000	1	RMS	2968.55	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	12000	-47.95	-25	22.95	Pass	9002
12000	26500	1	RMS	25499	-43.09	-25	18.09	Pass	14502




20.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.29	-25	43.29	Pass	401
0.15	30	0.01	RMS	0.17	-69.04	-25	44.04	Pass	2986
30	1000	0.1	RMS	848.4	-61.16	-25	36.16	Pass	9701
1000	2560	1	RMS	2499	-47.77	-25	22.77	Pass	1561
2560	2630	1	RMS	2592.9	20.08	60	39.92	Pass	401
2630	3000	1	RMS	2998.15	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11990	-47.98	-25	22.98	Pass	9002
12000	26500	1	RMS	25494	-43.15	-25	18.15	Pass	14502




20.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.81	-25	42.81	Pass	401
0.15	30	0.01	RMS	0.18	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	961.474	-61.16	-25	36.16	Pass	9701
1000	2560	1	RMS	2553	-47.16	-25	22.16	Pass	1561
2560	2630	1	RMS	2592.725	20.56	60	39.44	Pass	401
2630	3000	1	RMS	2999.075	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	12000	-47.95	-25	22.95	Pass	9002
12000	26500	1	RMS	25506	-43.09	-25	18.09	Pass	14502




20.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.22	-25	44.22	Pass	401
0.15	30	0.01	RMS	0.17	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	975.484	-61.16	-25	36.16	Pass	9701
1000	2560	1	RMS	2498	-47.73	-25	22.73	Pass	1561
2560	2630	1	RMS	2615.3	20.27	60	39.73	Pass	401
2630	3000	1	RMS	2998.15	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11992	-47.98	-25	22.98	Pass	9002
12000	26500	1	RMS	25507	-43.1	-25	18.1	Pass	14502




20.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.34	-25	42.34	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	857.506	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2508	-47.77	-25	22.77	Pass	1561
2560	2630	1	RMS	2615.3	19.92	60	40.08	Pass	401
2630	3000	1	RMS	2997.225	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11998	-48.01	-25	23.01	Pass	9002
12000	26500	1	RMS	25505	-43.16	-25	18.16	Pass	14502




20.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.84	-25	42.84	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	988.092	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2553	-44.89	-25	19.89	Pass	1561
2560	2630	1	RMS	2570.5	19.96	60	40.04	Pass	401
2630	3000	1	RMS	2999.075	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11985	-47.9	-25	22.9	Pass	9002
12000	26500	1	RMS	25496	-43.1	-25	18.1	Pass	14502




20.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.19	-68.95	-25	43.95	Pass	2986
30	1000	0.1	RMS	961.775	-61.27	-25	36.27	Pass	9701
1000	2560	1	RMS	2560	-46.33	-25	21.33	Pass	1561
2560	2630	1	RMS	2570.5	20.77	60	39.23	Pass	401
2630	3000	1	RMS	3000	-46.7	-25	21.7	Pass	401
3000	12000	1	RMS	11999	-47.95	-25	22.95	Pass	9002
12000	26500	1	RMS	25501	-43.1	-25	18.1	Pass	14502



20.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	0.24	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	980.987	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2491	-47.8	-25	22.8	Pass	1561
2560	2630	1	RMS	2590.625	19.78	60	40.22	Pass	401
2630	3000	1	RMS	2968.55	-46.69	-25	21.69	Pass	401
3000	12000	1	RMS	11984	-47.99	-25	22.99	Pass	9002
12000	26500	1	RMS	25500	-43.07	-25	18.07	Pass	14502



20.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.74	-25	43.74	Pass	401
0.15	30	0.01	RMS	0.18	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	928.152	-61.21	-25	36.21	Pass	9701
1000	2560	1	RMS	2484	-47.78	-25	22.78	Pass	1561
2560	2630	1	RMS	2590.625	20.4	60	39.6	Pass	401
2630	3000	1	RMS	2999.075	-46.66	-25	21.66	Pass	401
3000	12000	1	RMS	11986	-47.95	-25	22.95	Pass	9002
12000	26500	1	RMS	25505	-43.14	-25	18.14	Pass	14502



20.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.69	-25	43.69	Pass	401
0.15	30	0.01	RMS	0.15	-67.81	-25	42.81	Pass	2986
30	1000	0.1	RMS	878.419	-61.22	-25	36.22	Pass	9701
1000	2560	1	RMS	2495	-47.69	-25	22.69	Pass	1561
2560	2630	1	RMS	2610.575	20.04	60	39.96	Pass	401
2630	3000	1	RMS	2998.15	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11998	-47.87	-25	22.87	Pass	9002
12000	26500	1	RMS	25505	-43.14	-25	18.14	Pass	14502



20.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.15	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	847.3	-61.19	-25	36.19	Pass	9701
1000	2560	1	RMS	2494	-47.75	-25	22.75	Pass	1561
2560	2630	1	RMS	2610.575	19.9	60	40.1	Pass	401
2630	3000	1	RMS	3000	-46.7	-25	21.7	Pass	401
3000	12000	1	RMS	11996	-47.92	-25	22.92	Pass	9002
12000	26500	1	RMS	25510	-43.09	-25	18.09	Pass	14502



20.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	0.16	-68.57	-25	43.57	Pass	2986
30	1000	0.1	RMS	881.221	-61.25	-25	36.25	Pass	9701
1000	2560	1	RMS	2560	-43.51	-25	18.51	Pass	1561
2560	2630	1	RMS	2570.85	20.52	60	39.48	Pass	401
2630	3000	1	RMS	2999.075	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11994	-48.01	-25	23.01	Pass	9002
12000	26500	1	RMS	25495	-43.12	-25	18.12	Pass	14502



20.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.38	-25	42.38	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	963.976	-61.11	-25	36.11	Pass	9701
1000	2560	1	RMS	2559	-44.23	-25	19.23	Pass	1561
2560	2630	1	RMS	2570.85	20.01	60	39.99	Pass	401
2630	3000	1	RMS	2978.725	-46.73	-25	21.73	Pass	401
3000	12000	1	RMS	11998	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25513	-43.17	-25	18.17	Pass	14502



20.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.42	-25	43.42	Pass	401
0.15	30	0.01	RMS	0.3	-68.86	-25	43.86	Pass	2986
30	1000	0.1	RMS	847.5	-61.05	-25	36.05	Pass	9701
1000	2560	1	RMS	2560	-47.67	-25	22.67	Pass	1561
2560	2630	1	RMS	2588.35	20.46	60	39.54	Pass	401
2630	3000	1	RMS	2998.15	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11999	-47.93	-25	22.93	Pass	9002
12000	26500	1	RMS	25517	-43.11	-25	18.11	Pass	14502



20.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.61	-25	43.61	Pass	401
0.15	30	0.01	RMS	0.33	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	965.577	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2559	-47.68	-25	22.68	Pass	1561
2560	2630	1	RMS	2588.35	19.62	60	40.38	Pass	401
2630	3000	1	RMS	2998.15	-46.7	-25	21.7	Pass	401
3000	12000	1	RMS	11996	-48.02	-25	23.02	Pass	9002
12000	26500	1	RMS	25501	-43.09	-25	18.09	Pass	14502



20.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.66	-25	43.66	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	833.2	-48.48	-25	23.48	Pass	9701
1000	2560	1	RMS	2516	-47.8	-25	22.8	Pass	1561
2560	2630	1	RMS	2605.85	20.29	60	39.71	Pass	401
2630	3000	1	RMS	2631.85	-26.39	-25	1.39	Pass*	401
3000	12000	1	RMS	11995	-47.99	-25	22.99	Pass	9002
12000	26500	1	RMS	25503	-43.03	-25	18.03	Pass	14502



20.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.14	-25	44.14	Pass	401
0.15	30	0.01	RMS	0.15	-69.25	-25	44.25	Pass	2986
30	1000	0.1	RMS	886.725	-61.68	-25	36.68	Pass	9701
1000	2560	1	RMS	2499	-48.26	-25	23.26	Pass	1561
2560	2630	1	RMS	2605.85	19.42	60	40.58	Pass	401
2630	3000	1	RMS	2631.85	-26.04	-25	1.04	Pass*	401
3000	12000	1	RMS	11991	-48.49	-25	23.49	Pass	9002
12000	26500	1	RMS	25495	-43.59	-25	18.59	Pass	14502



20.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.95	-25	43.95	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	874.417	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2560	-42.82	-25	17.82	Pass	1561
2560	2630	1	RMS	2570.85	19.65	60	40.35	Pass	401
2630	3000	1	RMS	3000	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11966	-47.93	-25	22.93	Pass	9002
12000	26500	1	RMS	25505	-43.19	-25	18.19	Pass	14502



20.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.22	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	942.662	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2560	-41.57	-25	16.57	Pass	1561
2560	2630	1	RMS	2571.025	19.86	60	40.14	Pass	401
2630	3000	1	RMS	3000	-46.69	-25	21.69	Pass	401
3000	12000	1	RMS	11997	-47.97	-25	22.97	Pass	9002
12000	26500	1	RMS	25508	-43.11	-25	18.11	Pass	14502



20.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.24	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	989.993	-61.21	-25	36.21	Pass	9701
1000	2560	1	RMS	2551	-46.98	-25	21.98	Pass	1561
2560	2630	1	RMS	2586.075	20.22	60	39.78	Pass	401
2630	3000	1	RMS	2997.225	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11988	-47.92	-25	22.92	Pass	9002
12000	26500	1	RMS	25487	-43.09	-25	18.09	Pass	14502



20.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.27	-25	43.27	Pass	401
0.15	30	0.01	RMS	0.18	-68.74	-25	43.74	Pass	2986
30	1000	0.1	RMS	931.355	-61.21	-25	36.21	Pass	9701
1000	2560	1	RMS	2551	-47.63	-25	22.63	Pass	1561
2560	2630	1	RMS	2586.075	20.27	60	39.73	Pass	401
2630	3000	1	RMS	3000	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11976	-47.96	-25	22.96	Pass	9002
12000	26500	1	RMS	25501	-43.11	-25	18.11	Pass	14502

