


20.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.76	-25	42.76	Pass	401
0.15	30	0.01	RMS	0.15	-67.66	-25	42.66	Pass	2986
30	1000	0.1	RMS	978.986	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2507	-47.78	-25	22.78	Pass	1561
2560	2630	1	RMS	2600.95	20.34	60	39.66	Pass	401
2630	3000	1	RMS	2636.475	-27.92	-25	2.92	Pass*	401
3000	12000	1	RMS	11997	-47.86	-25	22.86	Pass	9002
12000	26500	1	RMS	25502	-43.04	-25	18.04	Pass	14502



20.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.19	-25	43.19	Pass	401
0.15	30	0.01	RMS	0.16	-67.53	-25	42.53	Pass	2986
30	1000	0.1	RMS	973.182	-61.28	-25	36.28	Pass	9701
1000	2560	1	RMS	2499	-47.77	-25	22.77	Pass	1561
2560	2630	1	RMS	2601.125	19.65	60	40.35	Pass	401
2630	3000	1	RMS	2636.475	-27.66	-25	2.66	Pass*	401
3000	12000	1	RMS	11997	-47.99	-25	22.99	Pass	9002
12000	26500	1	RMS	25502	-43.11	-25	18.11	Pass	14502



21. LTE_Band41 full


21.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.66	-25	42.66	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	989.393	-61.28	-25	36.28	Pass	9701
1000	2486	1	RMS	2486	-47.76	-25	22.76	Pass	1487
2486	2700	1	RMS	2496.165	19.26	60	40.74	Pass	401
2700	3000	1	RMS	3000	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	12000	-58.17	-25	33.17	Pass	9002
12000	26500	1	RMS	25500	-48.52	-25	23.52	Pass	14502




21.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.15	-67.85	-25	42.85	Pass	2986
30	1000	0.1	RMS	968.479	-61.21	-25	36.21	Pass	9701
1000	2486	1	RMS	2481	-47.77	-25	22.77	Pass	1487
2486	2700	1	RMS	2496.165	20	60	40	Pass	401
2700	3000	1	RMS	3000	-46.7	-25	21.7	Pass	401
3000	12000	1	RMS	11981	-58.2	-25	33.2	Pass	9002
12000	26500	1	RMS	25506	-48.52	-25	23.52	Pass	14502




21.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.63	-25	43.63	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	935.757	-61.13	-25	36.13	Pass	9701
1000	2486	1	RMS	2485	-47.79	-25	22.79	Pass	1487
2486	2700	1	RMS	2590.325	18.71	60	41.29	Pass	401
2700	3000	1	RMS	2999.25	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11994	-58.18	-25	33.18	Pass	9002
12000	26500	1	RMS	25505	-48.33	-25	23.33	Pass	14502




21.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.45	-25	42.45	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-25	43.62	Pass	2986
30	1000	0.1	RMS	965.477	-61.21	-25	36.21	Pass	9701
1000	2486	1	RMS	2485	-47.84	-25	22.84	Pass	1487
2486	2700	1	RMS	2590.86	19.56	60	40.44	Pass	401
2700	3000	1	RMS	2997.75	-46.69	-25	21.69	Pass	401
3000	12000	1	RMS	11998	-58.17	-25	33.17	Pass	9002
12000	26500	1	RMS	25503	-48.33	-25	23.33	Pass	14502




21.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.17	-68.16	-25	43.16	Pass	2986
30	1000	0.1	RMS	849.7	-61.25	-25	36.25	Pass	9701
1000	2486	1	RMS	2483	-47.9	-25	22.9	Pass	1487
2486	2700	1	RMS	2685.02	19.24	60	40.76	Pass	401
2700	3000	1	RMS	2998.5	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11999	-58.16	-25	33.16	Pass	9002
12000	26500	1	RMS	25502	-48.4	-25	23.4	Pass	14502




21.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.27	-25	43.27	Pass	401
0.15	30	0.01	RMS	0.16	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	724.6	-61.07	-25	36.07	Pass	9701
1000	2486	1	RMS	2484	-47.87	-25	22.87	Pass	1487
2486	2700	1	RMS	2685.02	20.06	60	39.94	Pass	401
2700	3000	1	RMS	2997.75	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11998	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25521	-48.52	-25	23.52	Pass	14502




21.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.15	-68.74	-25	43.74	Pass	2986
30	1000	0.1	RMS	938.359	-61.31	-25	36.31	Pass	9701
1000	2486	1	RMS	2486	-47.29	-25	22.29	Pass	1487
2486	2700	1	RMS	2496.165	20.41	60	39.59	Pass	401
2700	3000	1	RMS	3000	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11984	-58.22	-25	33.22	Pass	9002
12000	26500	1	RMS	25503	-48.45	-25	23.45	Pass	14502




21.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.15	-67.74	-25	42.74	Pass	2986
30	1000	0.1	RMS	942.662	-61.27	-25	36.27	Pass	9701
1000	2486	1	RMS	2479	-46.93	-25	21.93	Pass	1487
2486	2700	1	RMS	2496.7	19.59	60	40.41	Pass	401
2700	3000	1	RMS	2999.25	-46.69	-25	21.69	Pass	401
3000	12000	1	RMS	11968	-58.17	-25	33.17	Pass	9002
12000	26500	1	RMS	25502	-48.48	-25	23.48	Pass	14502



21.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.78	-25	42.78	Pass	401
0.15	30	0.01	RMS	0.16	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	955.971	-61.32	-25	36.32	Pass	9701
1000	2486	1	RMS	2485	-47.83	-25	22.83	Pass	1487
2486	2700	1	RMS	2588.185	20.02	60	39.98	Pass	401
2700	3000	1	RMS	3000	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11983	-58.14	-25	33.14	Pass	9002
12000	26500	1	RMS	25505	-48.42	-25	23.42	Pass	14502



21.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.01	-25	44.01	Pass	401
0.15	30	0.01	RMS	0.15	-67.82	-25	42.82	Pass	2986
30	1000	0.1	RMS	967.779	-61.26	-25	36.26	Pass	9701
1000	2486	1	RMS	2483	-47.88	-25	22.88	Pass	1487
2486	2700	1	RMS	2588.185	18.69	60	41.31	Pass	401
2700	3000	1	RMS	3000	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11997	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25495	-48.5	-25	23.5	Pass	14502



21.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.09	-25	43.09	Pass	401
0.15	30	0.01	RMS	0.16	-68.16	-25	43.16	Pass	2986
30	1000	0.1	RMS	854.704	-61.12	-25	36.12	Pass	9701
1000	2486	1	RMS	2485	-47.9	-25	22.9	Pass	1487
2486	2700	1	RMS	2680.74	19.16	60	40.84	Pass	401
2700	3000	1	RMS	2998.5	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11990	-58.19	-25	33.19	Pass	9002
12000	26500	1	RMS	25514	-48.38	-25	23.38	Pass	14502



21.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.47	-25	42.47	Pass	401
0.15	30	0.01	RMS	0.19	-68.78	-25	43.78	Pass	2986
30	1000	0.1	RMS	981.788	-61.24	-25	36.24	Pass	9701
1000	2486	1	RMS	2484	-47.86	-25	22.86	Pass	1487
2486	2700	1	RMS	2680.205	20.34	60	39.66	Pass	401
2700	3000	1	RMS	2999.25	-46.7	-25	21.7	Pass	401
3000	12000	1	RMS	11996	-58.2	-25	33.2	Pass	9002
12000	26500	1	RMS	25502	-48.51	-25	23.51	Pass	14502



21.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.58	-25	44.58	Pass	401
0.15	30	0.01	RMS	0.28	-68.57	-25	43.57	Pass	2986
30	1000	0.1	RMS	905.137	-61.3	-25	36.3	Pass	9701
1000	2486	1	RMS	2485	-44.23	-25	19.23	Pass	1487
2486	2700	1	RMS	2496.7	19.81	60	40.19	Pass	401
2700	3000	1	RMS	2999.25	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11984	-58.15	-25	33.15	Pass	9002
12000	26500	1	RMS	25499	-48.51	-25	23.51	Pass	14502



21.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.19	-25	43.19	Pass	401
0.15	30	0.01	RMS	0.15	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	991.294	-61.17	-25	36.17	Pass	9701
1000	2486	1	RMS	2484	-44.32	-25	19.32	Pass	1487
2486	2700	1	RMS	2496.7	20.11	60	39.89	Pass	401
2700	3000	1	RMS	3000	-46.7	-25	21.7	Pass	401
3000	12000	1	RMS	12000	-58.15	-25	33.15	Pass	9002
12000	26500	1	RMS	25512	-48.44	-25	23.44	Pass	14502



21.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.74	-25	43.74	Pass	401
0.15	30	0.01	RMS	0.15	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	981.388	-61.17	-25	36.17	Pass	9701
1000	2486	1	RMS	2485	-47.83	-25	22.83	Pass	1487
2486	2700	1	RMS	2586.045	20.14	60	39.86	Pass	401
2700	3000	1	RMS	3000	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11999	-58.2	-25	33.2	Pass	9002
12000	26500	1	RMS	25507	-48.51	-25	23.51	Pass	14502



21.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.14	-25	44.14	Pass	401
0.15	30	0.01	RMS	0.27	-69.09	-25	44.09	Pass	2986
30	1000	0.1	RMS	996.598	-61.17	-25	36.17	Pass	9701
1000	2486	1	RMS	2484	-47.85	-25	22.85	Pass	1487
2486	2700	1	RMS	2586.045	19.07	60	40.93	Pass	401
2700	3000	1	RMS	3000	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11960	-58.14	-25	33.14	Pass	9002
12000	26500	1	RMS	25523	-48.52	-25	23.52	Pass	14502



21.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.55	-25	43.55	Pass	401
0.15	30	0.01	RMS	0.18	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	974.183	-61.24	-25	36.24	Pass	9701
1000	2486	1	RMS	2486	-47.83	-25	22.83	Pass	1487
2486	2700	1	RMS	2675.39	20.47	60	39.53	Pass	401
2700	3000	1	RMS	2702.25	-25.19	-25	0.19	Pass*	401
3000	12000	1	RMS	12000	-58.08	-25	33.08	Pass	9002
12000	26500	1	RMS	25512	-48.46	-25	23.46	Pass	14502



21.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.25	-25	44.25	Pass	401
0.15	30	0.01	RMS	0.22	-68.8	-25	43.8	Pass	2986
30	1000	0.1	RMS	974.183	-61.59	-25	36.59	Pass	9701
1000	2486	1	RMS	2479	-48.28	-25	23.28	Pass	1487
2486	2700	1	RMS	2675.39	19.17	60	40.83	Pass	401
2700	3000	1	RMS	2702.25	-25.55	-25	0.55	Pass*	401
3000	12000	1	RMS	11998	-58.58	-25	33.58	Pass	9002
12000	26500	1	RMS	25513	-48.95	-25	23.95	Pass	14502



21.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.06	-25	43.06	Pass	401
0.15	30	0.01	RMS	0.21	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	974.983	-61.17	-25	36.17	Pass	9701
1000	2486	1	RMS	2486	-42.96	-25	17.96	Pass	1487
2486	2700	1	RMS	2496.7	19.4	60	40.6	Pass	401
2700	3000	1	RMS	2997.75	-46.69	-25	21.69	Pass	401
3000	12000	1	RMS	11990	-58.13	-25	33.13	Pass	9002
12000	26500	1	RMS	25495	-48.44	-25	23.44	Pass	14502



21.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68	-25	43	Pass	401
0.15	30	0.01	RMS	0.32	-68.7	-25	43.7	Pass	2986
30	1000	0.1	RMS	974.783	-61.25	-25	36.25	Pass	9701
1000	2486	1	RMS	2485	-42.46	-25	17.46	Pass	1487
2486	2700	1	RMS	2496.7	19.35	60	40.65	Pass	401
2700	3000	1	RMS	2997	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11993	-58.18	-25	33.18	Pass	9002
12000	26500	1	RMS	25495	-48.41	-25	23.41	Pass	14502



21.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.21	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	998.799	-61.22	-25	36.22	Pass	9701
1000	2486	1	RMS	2481	-47.91	-25	22.91	Pass	1487
2486	2700	1	RMS	2583.905	19.79	60	40.21	Pass	401
2700	3000	1	RMS	2996.25	-46.7	-25	21.7	Pass	401
3000	12000	1	RMS	11995	-58.19	-25	33.19	Pass	9002
12000	26500	1	RMS	25500	-48.46	-25	23.46	Pass	14502



21.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	859.807	-61.15	-25	36.15	Pass	9701
1000	2486	1	RMS	2484	-47.88	-25	22.88	Pass	1487
2486	2700	1	RMS	2583.905	18.86	60	41.14	Pass	401
2700	3000	1	RMS	2997.75	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11981	-58.22	-25	33.22	Pass	9002
12000	26500	1	RMS	25503	-48.39	-25	23.39	Pass	14502



21.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.16	-68.98	-25	43.98	Pass	2986
30	1000	0.1	RMS	959.373	-61.15	-25	36.15	Pass	9701
1000	2486	1	RMS	2486	-47.8	-25	22.8	Pass	1487
2486	2700	1	RMS	2670.575	19.2	60	40.8	Pass	401
2700	3000	1	RMS	2706.75	-26.63	-25	1.63	Pass*	401
3000	12000	1	RMS	11995	-58.15	-25	33.15	Pass	9002
12000	26500	1	RMS	25494	-48.47	-25	23.47	Pass	14502



21.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69	-25	44	Pass	401
0.15	30	0.01	RMS	0.23	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	981.588	-61.19	-25	36.19	Pass	9701
1000	2486	1	RMS	2485	-47.9	-25	22.9	Pass	1487
2486	2700	1	RMS	2670.575	19.89	60	40.11	Pass	401
2700	3000	1	RMS	2706	-25.55	-25	0.55	Pass*	401
3000	12000	1	RMS	11991	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25512	-48.46	-25	23.46	Pass	14502



22. LTE_Band66


22.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	60.44	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-13	59.87	Pass	2986
30	1000	0.1	RMS	865.411	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1710.125	18.47	60	41.53	Pass	401
1790	3000	1	RMS	2981	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	11999	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




22.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.17	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	870.314	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1680	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1710.125	18.54	60	41.46	Pass	401
1790	3000	1	RMS	2844	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11999	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




22.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.2	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	852.502	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1676	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1744.55	18.45	60	41.55	Pass	401
1790	3000	1	RMS	2941	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11991	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001




22.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.18	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	864.11	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1679	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1744.325	18.49	60	41.51	Pass	401
1790	3000	1	RMS	2992	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




22.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	960.274	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1679	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1778.75	18.48	60	41.52	Pass	401
1790	3000	1	RMS	2993	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11999	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




22.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	854.604	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1677	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1778.75	18.6	60	41.4	Pass	401
1790	3000	1	RMS	3000	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




22.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	869.814	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1710.125	18.6	60	41.4	Pass	401
1790	3000	1	RMS	2995	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13602	-39.85	-13	26.85	Pass	8001




22.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	862.409	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1700	-53.89	-13	40.89	Pass	701
1700	1790	1	RMS	1710.125	18.8	60	41.2	Pass	401
1790	3000	1	RMS	2994	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	12000	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13603	-39.85	-13	26.85	Pass	8001



22.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	900.134	-49.03	-13	36.03	Pass	9701
1000	1700	1	RMS	1680	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1743.65	18.71	60	41.29	Pass	401
1790	3000	1	RMS	2997	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11994	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001



22.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	927.852	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1680	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1743.65	18.74	60	41.26	Pass	401
1790	3000	1	RMS	2979	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	12000	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.87	-13	26.87	Pass	8001



22.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	847.3	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1680	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1777.175	18.55	60	41.45	Pass	401
1790	3000	1	RMS	2943	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11997	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001



22.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	993.996	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1679	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1777.175	18.7	60	41.3	Pass	401
1790	3000	1	RMS	2936	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	11996	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13599	-39.78	-13	26.78	Pass	8001



22.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	841.8	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1710.125	18.36	60	41.64	Pass	401
1790	3000	1	RMS	2991	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11997	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001



22.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.21	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	871.915	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1700	-53.98	-13	40.98	Pass	701
1700	1790	1	RMS	1710.125	18.47	60	41.53	Pass	401
1790	3000	1	RMS	3000	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	11991	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13599	-39.85	-13	26.85	Pass	8001



22.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.3	-72.91	-13	59.91	Pass	2986
30	1000	0.1	RMS	828.5	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1681	-54.14	-13	41.14	Pass	701
1700	1790	1	RMS	1742.75	18.59	60	41.41	Pass	401
1790	3000	1	RMS	2984	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11995	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.89	-13	26.89	Pass	8001



22.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	898.233	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1680	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1742.75	18.76	60	41.24	Pass	401
1790	3000	1	RMS	2994	-51.51	-13	38.51	Pass	1211
3000	12000	1	RMS	11999	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13599	-39.84	-13	26.84	Pass	8001



22.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.22	-73.1	-13	60.1	Pass	2986
30	1000	0.1	RMS	845.6	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1675	-54.13	-13	41.13	Pass	701
1700	1790	1	RMS	1775.15	18.42	60	41.58	Pass	401
1790	3000	1	RMS	2986	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	11993	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001



22.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	875.117	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1680	-54.16	-13	41.16	Pass	701
1700	1790	1	RMS	1775.15	18.63	60	41.37	Pass	401
1790	3000	1	RMS	2987	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	11989	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001



22.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	59.81	Pass	2986
30	1000	0.1	RMS	856.305	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1693	-51.57	-13	38.57	Pass	701
1700	1790	1	RMS	1710.575	18.49	60	41.51	Pass	401
1790	3000	1	RMS	2967	-51.52	-13	38.52	Pass	1211
3000	12000	1	RMS	11998	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13599	-39.9	-13	26.9	Pass	8001



22.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.22	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	985.49	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1693	-50.73	-13	37.73	Pass	701
1700	1790	1	RMS	1710.575	18.67	60	41.33	Pass	401
1790	3000	1	RMS	2985	-51.54	-13	38.54	Pass	1211
3000	12000	1	RMS	11998	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13602	-39.91	-13	26.91	Pass	8001



22.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	849.3	-65.49	-13	52.49	Pass	9701
1000	1700	1	RMS	1677	-54.16	-13	41.16	Pass	701
1700	1790	1	RMS	1740.5	18.69	60	41.31	Pass	401
1790	3000	1	RMS	2938	-51.55	-13	38.55	Pass	1211
3000	12000	1	RMS	11990	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13600	-39.89	-13	26.89	Pass	8001



22.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.23	-73.34	-13	60.34	Pass	2986
30	1000	0.1	RMS	853.403	-65.5	-13	52.5	Pass	9701
1000	1700	1	RMS	1684	-54.17	-13	41.17	Pass	701
1700	1790	1	RMS	1740.5	18.77	60	41.23	Pass	401
1790	3000	1	RMS	2924	-51.56	-13	38.56	Pass	1211
3000	12000	1	RMS	12000	-44.43	-13	31.43	Pass	9002
12000	20000	1	RMS	13595	-39.94	-13	26.94	Pass	8001



22.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.2	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	995.497	-65.5	-13	52.5	Pass	9701
1000	1700	1	RMS	1682	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1770.425	18.54	60	41.46	Pass	401
1790	3000	1	RMS	2991	-51.54	-13	38.54	Pass	1211
3000	12000	1	RMS	11996	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13602	-39.86	-13	26.86	Pass	8001



22.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.16	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	857.105	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1680	-54.16	-13	41.16	Pass	701
1700	1790	1	RMS	1770.425	18.65	60	41.35	Pass	401
1790	3000	1	RMS	2992	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11997	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13607	-39.97	-13	26.97	Pass	8001



22.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.28	-73.19	-13	60.19	Pass	2986
30	1000	0.1	RMS	983.889	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1698	-49.63	-13	36.63	Pass	701
1700	1790	1	RMS	1710.8	18.46	60	41.54	Pass	401
1790	3000	1	RMS	2997	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	11999	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13601	-39.87	-13	26.87	Pass	8001



22.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.42	-72.95	-13	59.95	Pass	2986
30	1000	0.1	RMS	840.7	-65.51	-13	52.51	Pass	9701
1000	1700	1	RMS	1698	-49.81	-13	36.81	Pass	701
1700	1790	1	RMS	1710.8	18.65	60	41.35	Pass	401
1790	3000	1	RMS	2989	-51.52	-13	38.52	Pass	1211
3000	12000	1	RMS	11997	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13599	-39.83	-13	26.83	Pass	8001



22.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	958.673	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1672	-54.19	-13	41.19	Pass	701
1700	1790	1	RMS	1738.25	18.61	60	41.39	Pass	401
1790	3000	1	RMS	2982	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	12000	-44.44	-13	31.44	Pass	9002
12000	20000	1	RMS	13601	-39.89	-13	26.89	Pass	8001



22.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	854.504	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1679	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1738.25	18.67	60	41.33	Pass	401
1790	3000	1	RMS	2984	-51.53	-13	38.53	Pass	1211
3000	12000	1	RMS	11992	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13598	-39.91	-13	26.91	Pass	8001



22.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	868.313	-65.51	-13	52.51	Pass	9701
1000	1700	1	RMS	1680	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1765.7	18.48	60	41.52	Pass	401
1790	3000	1	RMS	1792	-33.59	-13	20.59	Pass	1211
3000	12000	1	RMS	11989	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001



22.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.16	-72.72	-13	59.72	Pass	2986
30	1000	0.1	RMS	899.133	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1684	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1765.7	18.65	60	41.35	Pass	401
1790	3000	1	RMS	1792	-32.26	-13	19.26	Pass	1211
3000	12000	1	RMS	11997	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13602	-39.86	-13	26.86	Pass	8001



22.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.17	-72.91	-13	59.91	Pass	2986
30	1000	0.1	RMS	967.979	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-52.31	-13	39.31	Pass	701
1700	1790	1	RMS	1711.025	18.32	60	41.68	Pass	401
1790	3000	1	RMS	2994	-51.53	-13	38.53	Pass	1211
3000	12000	1	RMS	11991	-44.43	-13	31.43	Pass	9002
12000	20000	1	RMS	13602	-39.95	-13	26.95	Pass	8001



22.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.18	-72.72	-13	59.72	Pass	2986
30	1000	0.1	RMS	933.456	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-51.96	-13	38.96	Pass	701
1700	1790	1	RMS	1711.025	18.56	60	41.44	Pass	401
1790	3000	1	RMS	2980	-51.57	-13	38.57	Pass	1211
3000	12000	1	RMS	11997	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13599	-39.91	-13	26.91	Pass	8001



22.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	851.101	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1700	-51.72	-13	38.72	Pass	701
1700	1790	1	RMS	1736	18.44	60	41.56	Pass	401
1790	3000	1	RMS	2934	-51.51	-13	38.51	Pass	1211
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.92	-13	26.92	Pass	8001



22.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.21	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	840.2	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	38.09	Pass	701
1700	1790	1	RMS	1736	18.47	60	41.53	Pass	401
1790	3000	1	RMS	2995	-51.51	-13	38.51	Pass	1211
3000	12000	1	RMS	11997	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13600	-39.93	-13	26.93	Pass	8001



22.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	970.18	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1678	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1760.975	18.39	60	41.61	Pass	401
1790	3000	1	RMS	1797	-33.65	-13	20.65	Pass	1211
3000	12000	1	RMS	11993	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001



22.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	838.4	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1678	-54.16	-13	41.16	Pass	701
1700	1790	1	RMS	1760.975	18.45	60	41.55	Pass	401
1790	3000	1	RMS	1797	-32.5	-13	19.5	Pass	1211
3000	12000	1	RMS	12000	-44.46	-13	31.46	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001



--BLANK BELOW--