

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	22.85	19.64	33.01	PASS
Band2	TestMode	9262	22.92	19.71	33.01	PASS
Band2	TestMode	9400	23.19	19.98	33.01	PASS
Band2	Voice	9400	23.12	19.91	33.01	PASS
Band2	TestMode	9538	23.32	20.11	33.01	PASS
Band2	Voice	9538	23.18	19.97	33.01	PASS
Band4	Voice	1312	23.22	20.4	30.00	PASS
Band4	TestMode	1312	23.25	20.43	30.00	PASS
Band4	Voice	1413	23.17	20.35	30.00	PASS
Band4	TestMode	1413	23.26	20.44	30.00	PASS
Band4	TestMode	1513	23.27	20.45	30.00	PASS
Band4	Voice	1513	23.17	20.35	30.00	PASS
Band5	Voice	4132	23.32	16	38.45	PASS
Band5	TestMode	4132	23.32	16	38.45	PASS
Band5	TestMode	4183	23.36	16.04	38.45	PASS
Band5	Voice	4183	23.35	16.03	38.45	PASS
Band5	Voice	4233	23.32	16	38.45	PASS
Band5	TestMode	4233	23.37	16.05	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	22.94	19.73	33.01	PASS
Band2	9262	2	22.36	19.15	33.01	PASS
Band2	9262	3	22.38	19.17	33.01	PASS
Band2	9262	4	22.40	19.19	33.01	PASS
Band2	9400	1	23.15	19.94	33.01	PASS
Band2	9400	2	22.59	19.38	33.01	PASS
Band2	9400	3	22.64	19.43	33.01	PASS
Band2	9400	4	22.62	19.41	33.01	PASS
Band2	9538	1	23.33	20.12	33.01	PASS
Band2	9538	2	22.69	19.48	33.01	PASS
Band2	9538	3	22.77	19.56	33.01	PASS
Band2	9538	4	22.75	19.54	33.01	PASS

Band4	1312	1	23.30	20.48	30.00	PASS
Band4	1312	2	22.73	19.91	30.00	PASS
Band4	1312	3	22.74	19.92	30.00	PASS
Band4	1312	4	22.68	19.86	30.00	PASS
Band4	1413	1	23.28	20.46	30.00	PASS
Band4	1413	2	22.71	19.89	30.00	PASS
Band4	1413	3	22.74	19.92	30.00	PASS
Band4	1413	4	22.68	19.86	30.00	PASS
Band4	1513	1	23.29	20.47	30.00	PASS
Band4	1513	2	22.73	19.91	30.00	PASS
Band4	1513	3	22.74	19.92	30.00	PASS
Band4	1513	4	22.69	19.87	30.00	PASS
Band5	4132	1	23.40	16.08	38.5	PASS
Band5	4132	2	22.85	15.53	38.5	PASS
Band5	4132	3	22.87	15.55	38.5	PASS
Band5	4132	4	22.84	15.52	38.5	PASS
Band5	4183	1	23.45	16.13	38.5	PASS
Band5	4183	2	22.90	15.58	38.5	PASS
Band5	4183	3	22.94	15.62	38.5	PASS
Band5	4183	4	22.90	15.58	38.5	PASS
Band5	4233	1	23.45	16.13	38.5	PASS
Band5	4233	2	22.93	15.61	38.5	PASS
Band5	4233	3	22.93	15.61	38.5	PASS
Band5	4233	4	22.92	15.6	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	20.92	17.71	33.01	PASS
Band2	9262	2	21.43	18.22	33.01	PASS
Band2	9262	3	21.92	18.71	33.01	PASS
Band2	9262	4	20.95	17.74	33.01	PASS
Band2	9262	5	22.90	19.69	33.01	PASS
Band2	9400	1	21.15	17.94	33.01	PASS
Band2	9400	2	21.61	18.4	33.01	PASS
Band2	9400	3	22.13	18.92	33.01	PASS
Band2	9400	4	21.18	17.97	33.01	PASS
Band2	9400	5	23.13	19.92	33.01	PASS
Band2	9538	1	21.33	18.12	33.01	PASS
Band2	9538	2	21.76	18.55	33.01	PASS
Band2	9538	3	22.26	19.05	33.01	PASS

Band2	9538	4	21.31	18.1	33.01	PASS
Band2	9538	5	23.30	20.09	33.01	PASS
Band4	1312	1	21.29	18.47	30.00	PASS
Band4	1312	2	21.79	18.97	30.00	PASS
Band4	1312	3	22.26	19.44	30.00	PASS
Band4	1312	4	21.30	18.48	30.00	PASS
Band4	1312	5	23.25	20.43	30.00	PASS
Band4	1413	1	21.26	18.44	30.00	PASS
Band4	1413	2	21.76	18.94	30.00	PASS
Band4	1413	3	22.27	19.45	30.00	PASS
Band4	1413	4	21.28	18.46	30.00	PASS
Band4	1413	5	23.27	20.45	30.00	PASS
Band4	1513	1	21.28	18.46	30.00	PASS
Band4	1513	2	21.79	18.97	30.00	PASS
Band4	1513	3	22.27	19.45	30.00	PASS
Band4	1513	4	21.33	18.51	30.00	PASS
Band4	1513	5	23.28	20.46	30.00	PASS
Band5	4132	1	21.43	14.11	38.5	PASS
Band5	4132	2	21.93	14.61	38.5	PASS
Band5	4132	3	22.42	15.1	38.5	PASS
Band5	4132	4	21.46	14.14	38.5	PASS
Band5	4132	5	23.40	16.08	38.5	PASS
Band5	4183	1	21.51	14.19	38.5	PASS
Band5	4183	2	22.01	14.69	38.5	PASS
Band5	4183	3	22.53	15.21	38.5	PASS
Band5	4183	4	21.55	14.23	38.5	PASS
Band5	4183	5	23.47	16.15	38.5	PASS
Band5	4233	1	21.49	14.17	38.5	PASS
Band5	4233	2	22.00	14.68	38.5	PASS
Band5	4233	3	22.47	15.15	38.5	PASS
Band5	4233	4	21.50	14.18	38.5	PASS
Band5	4233	5	23.47	16.15	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	2.77	13	PASS
Band4	1413	3	13	PASS
Band5	4183	2.8	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)





AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1716	4.732	---	PASS
Band2	9400	4.1746	4.728	---	PASS
Band2	9538	4.1816	4.732	---	PASS
Band4	1312	4.1674	4.703	---	PASS
Band4	1413	4.1707	4.717	---	PASS
Band4	1513	4.1722	4.716	---	PASS
Band5	4132	4.1718	4.730	---	PASS
Band5	4183	4.1693	4.721	---	PASS
Band5	4233	4.1774	4.722	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-24.77	-13	PASS
Band2	9538	1910.00	-24.80	-13	PASS
Band4	1312	1710.00	-28.74	-13	PASS
Band4	1513	1755.00	-28.21	-13	PASS
Band5	4132	824.00	-16.64	-13	PASS
Band5	4233	849.00	-17.95	-13	PASS

Test Graphs(WCDMA)



JianYan Testing Group Shenzhen Co., Ltd.

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366


Project No.: JYTSZR2406028


AppendixE:Conducted SpuriousEmission


Test Result(WCDMA)


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.02	-74.41	-43	PASS
Band2	9262	0.15~30MHz	0.15	-57.37	-23	PASS
Band2	9262	30~1000MHz	930.68	-47.99	-13	PASS
Band2	9262	1000~20000MHz	18770.7	-34.18	-13	PASS
Band2	9400	0.009~0.15MHz	0.12	-74.57	-43	PASS
Band2	9400	0.15~30MHz	0.15	-55.64	-23	PASS
Band2	9400	30~1000MHz	907.11	-47.92	-13	PASS
Band2	9400	1000~20000MHz	19228.6	-34.32	-13	PASS
Band2	9538	0.009~0.15MHz	0.09	-75.2	-43	PASS
Band2	9538	0.15~30MHz	0.21	-58.85	-23	PASS
Band2	9538	30~1000MHz	933.98	-47.36	-13	PASS
Band2	9538	1000~20000MHz	19030.37	-33.96	-13	PASS
Band4	1312	0.009~0.15MHz	0.14	-75.71	-43	PASS
Band4	1312	0.15~30MHz	0.16	-56.95	-23	PASS
Band4	1312	30~1000MHz	748.48	-46.53	-13	PASS
Band4	1312	1000~20000MHz	18830.23	-34.22	-13	PASS
Band4	1413	0.009~0.15MHz	0.14	-75.83	-43	PASS
Band4	1413	0.15~30MHz	0.15	-56.41	-23	PASS
Band4	1413	30~1000MHz	804.55	-47.27	-13	PASS
Band4	1413	1000~20000MHz	19045.57	-34.1	-13	PASS
Band4	1513	0.009~0.15MHz	0.08	-74.76	-43	PASS
Band4	1513	0.15~30MHz	0.2	-57.33	-23	PASS
Band4	1513	30~1000MHz	796.56	-47.24	-13	PASS
Band4	1513	1000~20000MHz	19794.17	-34.04	-13	PASS
Band5	4132	0.009~0.15MHz	0.1	-73.71	-33	PASS
Band5	4132	0.15~30MHz	0.15	-58.54	-13	PASS
Band5	4132	30~1000MHz	977.88	-57.48	-13	PASS
Band5	4132	1000~10000MHz	5010.1	-35.9	-13	PASS
Band5	4183	0.009~0.15MHz	0.14	-74.61	-33	PASS
Band5	4183	0.15~30MHz	0.15	-55.51	-13	PASS
Band5	4183	30~1000MHz	987.29	-57.59	-13	PASS
Band5	4183	1000~10000MHz	3994.6	-35.74	-13	PASS
Band5	4233	0.009~0.15MHz	0.06	-75.22	-33	PASS
Band5	4233	0.15~30MHz	0.15	-55.38	-13	PASS
Band5	4233	30~1000MHz	672.14	-57.5	-13	PASS
Band5	4233	1000~10000MHz	5015.5	-35.71	-13	PASS


Test Graphs(WCDMA)

















AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	-12.18	-0.014559	±2.5	Pass
	-20	-12.85	-0.015360		
	-10	-8.40	-0.010041		
	0	-11.76	-0.014057		
	10	-15.18	-0.018145		
	20	-8.40	-0.010041		
	30	-9.56	-0.011427		
	40	-12.68	-0.015157		
	50	-12.32	-0.014726		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-10.96	-0.013101	±2.5	Pass
	3.87	-10.64	-0.012718		
	4.45	-10.84	-0.012957		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	-10.83	-0.006251	Within authorized band for BAND IV	Pass
	-20	-6.56	-0.003786		
	-10	-7.86	-0.004537		
	0	-7.93	-0.004577		
	10	-9.94	-0.005737		
	20	-10.92	-0.006303		
	30	-11.24	-0.006487		
	40	-13.32	-0.007688		
	50	-6.69	-0.003861		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-8.55	-0.004935	Within authorized band for BAND IV	Pass
	3.87	-6.45	-0.003723		
	4.45	-9.83	-0.005674		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	-13.80	-0.007340	Within authorized band for BAND II	Pass
	-20	-13.48	-0.007170		
	-10	-12.62	-0.006713		
	0	-13.81	-0.007346		
	10	-11.70	-0.006223		
	20	-12.29	-0.006537		
	30	-12.82	-0.006819		
	40	-9.21	-0.004899		
	50	-11.97	-0.006367		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.45	-14.56	-0.007745	Within authorized band for BAND II	Pass
	3.87	-15.44	-0.008213		
	4.45	-14.18	-0.007543		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

