

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	4
3 Peak-to-Average Ratio for NR FR1	6
4 Occupied bandwidth for NR FR1	88
5 Band edge for NR FR1	117
6 Out-of-band emissions for NR FR1	125

1 Conducted output power for NR FR1

<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	23.86	-2.92	20.94	30.00	Pass
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	22.85	-2.92	19.93	30.00	Pass
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	23.33	-2.92	20.41	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	24.00	-2.92	21.08	30.00	Pass
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	24.11	-2.92	21.19	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	20.75	-2.92	17.83	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	21.70	-2.92	18.78	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	19.31	-2.92	16.39	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	22.52	-2.92	19.60	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	23.82	-2.92	20.90	30.00	Pass
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	22.81	-2.92	19.89	30.00	Pass
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	23.85	-2.92	20.93	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	23.48	-2.92	20.56	30.00	Pass
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	23.73	-2.92	20.81	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	22.73	-2.92	19.81	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	21.38	-2.92	18.46	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	19.58	-2.92	16.66	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	22.56	-2.92	19.64	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	23.65	-2.92	20.73	30.00	Pass
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	22.63	-2.92	19.71	30.00	Pass
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	21.49	-2.92	18.57	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	23.98	-2.92	21.06	30.00	Pass
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	23.97	-2.92	21.05	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	20.86	-2.92	17.94	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	21.85	-2.92	18.93	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	18.10	-2.92	15.18	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	21.80	-2.92	18.88	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	23.56	-2.92	20.64	30.00	Pass
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	22.82	-2.92	19.90	30.00	Pass
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	23.81	-2.92	20.89	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	21.50	-2.92	18.58	30.00	Pass
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	23.64	-2.92	20.72	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	22.79	-2.92	19.87	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	19.09	-2.92	16.17	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	19.31	-2.92	16.39	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	22.28	-2.92	19.36	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	23.60	-2.92	20.68	30.00	Pass

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	22.74	-2.92	19.82	30.00	Pass
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	21.73	-2.92	18.81	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	23.69	-2.92	20.77	30.00	Pass
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	23.71	-2.92	20.79	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	21.15	-2.92	18.23	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	21.59	-2.92	18.67	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	19.18	-2.92	16.26	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	22.10	-2.92	19.18	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	21.66	-2.92	18.74	30.00	Pass
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	20.68	-2.92	17.76	30.00	Pass
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	23.77	-2.92	20.85	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	24.13	-2.92	21.21	30.00	Pass
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	23.80	-2.92	20.88	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	23.02	-2.92	20.10	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	21.23	-2.92	18.31	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	19.29	-2.92	16.37	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	22.10	-2.92	19.18	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	23.60	-2.92	20.68	30.00	Pass
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	22.71	-2.92	19.79	30.00	Pass
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	23.82	-2.92	20.90	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	23.35	-2.92	20.43	30.00	Pass
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	23.38	-2.92	20.46	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	22.70	-2.92	19.78	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	19.85	-2.92	16.93	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	19.34	-2.92	16.42	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	21.78	-2.92	18.86	30.00	Pass

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	-10.07	-0.00272	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-9.71	-0.00262	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	-10.15	-0.00274	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-11.21	-0.00303	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-11.53	-0.00311	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	-9.98	-0.00269	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	-11.83	-0.00315	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-11.94	-0.00318	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-12.40	-0.00331	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-13.51	-0.00360	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-9.91	-0.00264	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-10.14	-0.00270	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-13.24	-0.00349	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-10.80	-0.00285	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	-10.23	-0.00270	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-13.64	-0.00359	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-11.88	-0.00313	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-10.64	-0.00280	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-12.60	-0.00338	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	-12.20	-0.00328	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	-12.52	-0.00336	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-11.41	-0.00306	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-10.82	-0.00290	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-12.64	-0.00339	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-11.31	-0.00302	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-11.83	-0.00315	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-13.03	-0.00347	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-10.49	-0.00280	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-11.86	-0.00316	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-11.25	-0.00300	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-12.57	-0.00333	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-10.39	-0.00275	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-12.49	-0.00331	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-11.05	-0.00293	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-13.34	-0.00353	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-9.89	-0.00262	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-9.33	-0.00249	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	-9.15	-0.00244	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-11.97	-0.00319	-2.5	2.5	PASS

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	-12.36	-0.00330	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-12.55	-0.00335	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-11.11	-0.00296	-2.5	2.5	PASS

Note: (Voltage: 3.78V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
n78(3700-3800)	30	10	647000	24@0	DFT_BPSK	4.44	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	5.58	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	6.33	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.35	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.97	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	4.22	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.46	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	6.04	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.49	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.74	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	4.11	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	5.28	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	6.37	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.50	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.75	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_BPSK	4.22	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QPSK	5.37	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM16	6.32	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM64	6.41	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM256	6.81	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_BPSK	4.23	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QPSK	5.82	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM16	6.24	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM64	6.70	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM256	6.61	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_BPSK	4.36	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QPSK	5.35	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM16	6.32	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM64	6.40	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM256	6.77	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.82	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.64	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	6.18	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.59	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.89	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	4.62	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.65	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	6.40	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.31	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.83	13	PASS

n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	4.51	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.60	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	6.58	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.42	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	6.75	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.84	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.62	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	6.55	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.65	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.90	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.20	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.85	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	6.41	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.79	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.72	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.21	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	5.65	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	6.48	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.66	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	6.77	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	4.53	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	5.86	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.59	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.97	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.87	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	5.08	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.90	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	6.58	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	7.01	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.88	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	4.60	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	5.75	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	6.91	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	7.04	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	7.17	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	6.24	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	6.43	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	7.02	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	7.42	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	7.32	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	6.21	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	6.52	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	7.40	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	7.33	13	PASS


n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	7.55	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	6.11	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	6.40	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	7.02	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	7.42	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	7.21	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	5.63	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	6.88	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	7.43	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	7.41	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	7.47	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	6.30	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	6.84	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	7.32	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	7.45	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	7.70	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	7.11	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	7.20	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	7.58	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	7.64	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	7.51	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	6.25	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	7.05	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM16	7.72	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM64	7.73	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM256	7.72	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	5.67	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	6.90	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM16	7.75	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM64	7.75	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM256	7.65	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	5.86	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	7.05	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM16	7.39	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM64	7.69	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM256	7.71	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	6.65	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	7.32	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	7.90	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	7.73	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	7.90	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	6.20	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	7.34	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	7.54	13	PASS

n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	7.69	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	8.07	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	6.94	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	7.26	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	7.90	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	7.94	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	7.91	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	6.06	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	7.33	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	7.80	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	7.95	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	7.83	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	6.16	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	7.43	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	7.59	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	7.75	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	7.81	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	6.28	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	7.34	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	8.04	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	7.82	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	7.82	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	6.37	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	7.48	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	8.00	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	8.02	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	8.06	13	PASS


n78(3700-3800) SCS=30kHz DFT_BPSK BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=650000 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=652666 RB=50@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=647668 RB=75@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=650000 RB=75@0