



11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-25	48.11	Pass	401
0.15	30	0.01	RMS	0.44	-72.71	-25	47.71	Pass	2986
30	1000	0.1	RMS	540	-64.65	-25	39.65	Pass	9701
1000	2490	1	RMS	2490	-48.47	-25	23.47	Pass	1491
2490	2580	1	RMS	2500.575	21.04	60	38.96	Pass	401
2580	3000	1	RMS	2624	-51.28	-25	26.28	Pass	421
3000	12000	1	RMS	11983	-61.96	-25	36.96	Pass	9002
12000	26000	1	RMS	17801	-55.98	-25	30.98	Pass	14002




11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-25	47.11	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-25	47.21	Pass	2986
30	1000	0.1	RMS	570	-64.9	-25	39.9	Pass	9701
1000	2490	1	RMS	2488	-52.36	-25	27.36	Pass	1491
2490	2580	1	RMS	2530.5	22.1	60	37.9	Pass	401
2580	3000	1	RMS	2995	-51.32	-25	26.32	Pass	421
3000	12000	1	RMS	11974	-62	-25	37	Pass	9002
12000	26000	1	RMS	17803	-56.07	-25	31.07	Pass	14002




11.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-25	47.52	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-25	47.34	Pass	2986
30	1000	0.1	RMS	869.814	-65.08	-25	40.08	Pass	9701
1000	2490	1	RMS	2482	-52.36	-25	27.36	Pass	1491
2490	2580	1	RMS	2530.5	21.13	60	38.87	Pass	401
2580	3000	1	RMS	2999	-51.28	-25	26.28	Pass	421
3000	12000	1	RMS	11975	-61.93	-25	36.93	Pass	9002
12000	26000	1	RMS	17800	-55.95	-25	30.95	Pass	14002




11.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-25	47.73	Pass	401
0.15	30	0.01	RMS	0.16	-72.65	-25	47.65	Pass	2986
30	1000	0.1	RMS	600	-64.52	-25	39.52	Pass	9701
1000	2490	1	RMS	2489	-52.39	-25	27.39	Pass	1491
2490	2580	1	RMS	2560.65	21.96	60	38.04	Pass	401
2580	3000	1	RMS	2580	-50.38	-25	25.38	Pass	421
3000	12000	1	RMS	11979	-61.95	-25	36.95	Pass	9002
12000	26000	1	RMS	17801	-56.04	-25	31.04	Pass	14002



11.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-25	47.1	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-25	46.95	Pass	2986
30	1000	0.1	RMS	600	-65.15	-25	40.15	Pass	9701
1000	2490	1	RMS	2487	-52.38	-25	27.38	Pass	1491
2490	2580	1	RMS	2560.65	21.02	60	38.98	Pass	401
2580	3000	1	RMS	2580	-50.23	-25	25.23	Pass	421
3000	12000	1	RMS	11982	-61.87	-25	36.87	Pass	9002
12000	26000	1	RMS	17797	-56.11	-25	31.11	Pass	14002



11.13 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.93	-25	46.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-25	46.77	Pass	2986
30	1000	0.1	RMS	540.2	-64.05	-25	39.05	Pass	9701
1000	2490	1	RMS	2490	-44.75	-25	19.75	Pass	1491
2490	2580	1	RMS	2500.8	21.81	60	38.19	Pass	401
2580	3000	1	RMS	2625	-51.26	-25	26.26	Pass	421
3000	12000	1	RMS	11982	-62.01	-25	37.01	Pass	9002
12000	26000	1	RMS	17803	-56.06	-25	31.06	Pass	14002




11.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.79	-25	47.79	Pass	401
0.15	30	0.01	RMS	0.17	-72.3	-25	47.3	Pass	2986
30	1000	0.1	RMS	540.2	-64.85	-25	39.85	Pass	9701
1000	2490	1	RMS	2490	-45.74	-25	20.74	Pass	1491
2490	2580	1	RMS	2500.8	21.02	60	38.98	Pass	401
2580	3000	1	RMS	3000	-51.3	-25	26.3	Pass	421
3000	12000	1	RMS	11979	-62.01	-25	37.01	Pass	9002
12000	26000	1	RMS	17802	-56	-25	31	Pass	14002




11.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72	-25	47	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-25	47.25	Pass	2986
30	1000	0.1	RMS	567.7	-65.1	-25	40.1	Pass	9701
1000	2490	1	RMS	2479	-52.4	-25	27.4	Pass	1491
2490	2580	1	RMS	2528.25	22.05	60	37.95	Pass	401
2580	3000	1	RMS	2980	-51.27	-25	26.27	Pass	421
3000	12000	1	RMS	5057	-61.58	-25	36.58	Pass	9002
12000	26000	1	RMS	17810	-56.09	-25	31.09	Pass	14002



11.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-25	47.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	46.64	Pass	2986
30	1000	0.1	RMS	957.872	-65.16	-25	40.16	Pass	9701
1000	2490	1	RMS	2490	-52.35	-25	27.35	Pass	1491
2490	2580	1	RMS	2528.25	21.08	60	38.92	Pass	401
2580	3000	1	RMS	2981	-51.32	-25	26.32	Pass	421
3000	12000	1	RMS	11979	-61.91	-25	36.91	Pass	9002
12000	26000	1	RMS	17800	-56.03	-25	31.03	Pass	14002



11.17 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-25	47.1	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-25	47.58	Pass	2986
30	1000	0.1	RMS	595.2	-64.67	-25	39.67	Pass	9701
1000	2490	1	RMS	2485	-52.39	-25	27.39	Pass	1491
2490	2580	1	RMS	2555.925	21.86	60	38.14	Pass	401
2580	3000	1	RMS	2582	-36.34	-25	11.34	Pass	421
3000	12000	1	RMS	11977	-61.97	-25	36.97	Pass	9002
12000	26000	1	RMS	17796	-56.02	-25	31.02	Pass	14002




11.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-25	47.61	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-25	47.27	Pass	2986
30	1000	0.1	RMS	595.2	-65.01	-25	40.01	Pass	9701
1000	2490	1	RMS	2488	-52.29	-25	27.29	Pass	1491
2490	2580	1	RMS	2555.92 5	21.02	60	38.98	Pass	401
2580	3000	1	RMS	2582	-37.59	-25	12.59	Pass	421
3000	12000	1	RMS	11977	-62.02	-25	37.02	Pass	9002
12000	26000	1	RMS	17805	-56.11	-25	31.11	Pass	14002




11.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-25	47.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-25	47.33	Pass	2986
30	1000	0.1	RMS	540.5	-64.2	-25	39.2	Pass	9701
1000	2490	1	RMS	2490	-45.52	-25	20.52	Pass	1491
2490	2580	1	RMS	2501.02 5	21.69	60	38.31	Pass	401
2580	3000	1	RMS	3000	-51.29	-25	26.29	Pass	421
3000	12000	1	RMS	11982	-61.93	-25	36.93	Pass	9002
12000	26000	1	RMS	17805	-56.11	-25	31.11	Pass	14002



11.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-25	47.87	Pass	401
0.15	30	0.01	RMS	0.27	-72.7	-25	47.7	Pass	2986
30	1000	0.1	RMS	540.5	-64.64	-25	39.64	Pass	9701
1000	2490	1	RMS	2490	-47.18	-25	22.18	Pass	1491
2490	2580	1	RMS	2501.02 5	20.9	60	39.1	Pass	401
2580	3000	1	RMS	2993	-51.29	-25	26.29	Pass	421
3000	12000	1	RMS	11977	-61.95	-25	36.95	Pass	9002
12000	26000	1	RMS	17800	-56.01	-25	31.01	Pass	14002



11.21 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-25	47.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-25	46.76	Pass	2986
30	1000	0.1	RMS	565.5	-64.88	-25	39.88	Pass	9701
1000	2490	1	RMS	2490	-50.59	-25	25.59	Pass	1491
2490	2580	1	RMS	2526	21.94	60	38.06	Pass	401
2580	3000	1	RMS	2990	-51.29	-25	26.29	Pass	421
3000	12000	1	RMS	5052	-61.77	-25	36.77	Pass	9002
12000	26000	1	RMS	17801	-56.07	-25	31.07	Pass	14002



11.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-25	47.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	829.5	-65.14	-25	40.14	Pass	9701
1000	2490	1	RMS	2490	-51.07	-25	26.07	Pass	1491
2490	2580	1	RMS	2526	20.98	60	39.02	Pass	401
2580	3000	1	RMS	2992	-51.35	-25	26.35	Pass	421
3000	12000	1	RMS	11980	-61.91	-25	36.91	Pass	9002
12000	26000	1	RMS	17803	-56.16	-25	31.16	Pass	14002



11.23 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-25	47.51	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	47.01	Pass	2986
30	1000	0.1	RMS	590.5	-64.9	-25	39.9	Pass	9701
1000	2490	1	RMS	2484	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2550.975	21.78	60	38.22	Pass	401
2580	3000	1	RMS	2586	-40.4	-25	15.4	Pass	421
3000	12000	1	RMS	11985	-61.98	-25	36.98	Pass	9002
12000	26000	1	RMS	17798	-56.02	-25	31.02	Pass	14002



11.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-25	47.34	Pass	401
0.15	30	0.01	RMS	0.22	-72.28	-25	47.28	Pass	2986
30	1000	0.1	RMS	590.5	-65.08	-25	40.08	Pass	9701
1000	2490	1	RMS	2488	-52.35	-25	27.35	Pass	1491
2490	2580	1	RMS	2550.97 5	20.74	60	39.26	Pass	401
2580	3000	1	RMS	2581	-41.37	-25	16.37	Pass	421
3000	12000	1	RMS	11979	-61.99	-25	36.99	Pass	9002
12000	26000	1	RMS	17806	-56.05	-25	31.05	Pass	14002



12. LTE_Band38


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.52	-25	42.52	Pass	401
0.15	30	0.01	RMS	0.19	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	945.864	-61.07	-25	36.07	Pass	9701
1000	2560	1	RMS	2514	-47.76	-25	22.76	Pass	1561
2560	2630	1	RMS	2570.15	-2.97	60	62.97	Pass	401
2630	3000	1	RMS	3000	-46.66	-25	21.66	Pass	401
3000	12000	1	RMS	11999	-47.82	-25	22.82	Pass	9002
12000	26500	1	RMS	25495	-43.16	-25	18.16	Pass	14502




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	0.24	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	868.013	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2496	-47.72	-25	22.72	Pass	1561
2560	2630	1	RMS	2570.325	-4.21	60	64.21	Pass	401
2630	3000	1	RMS	2998.15	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11997	-47.97	-25	22.97	Pass	9002
12000	26500	1	RMS	25506	-43.08	-25	18.08	Pass	14502




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	0.15	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	956.971	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2509	-47.77	-25	22.77	Pass	1561
2560	2630	1	RMS	2592.725	-2.78	60	62.78	Pass	401
2630	3000	1	RMS	3000	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11991	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25500	-43.08	-25	18.08	Pass	14502




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.63	-25	43.63	Pass	401
0.15	30	0.01	RMS	0.41	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	867.612	-61.15	-25	36.15	Pass	9701
1000	2560	1	RMS	2506	-47.71	-25	22.71	Pass	1561
2560	2630	1	RMS	2592.9	-3.48	60	63.48	Pass	401
2630	3000	1	RMS	3000	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11996	-47.86	-25	22.86	Pass	9002
12000	26500	1	RMS	25509	-43.14	-25	18.14	Pass	14502




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.85	-25	42.85	Pass	401
0.15	30	0.01	RMS	0.18	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	857.105	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2493	-47.74	-25	22.74	Pass	1561
2560	2630	1	RMS	2615.125	-1.55	60	61.55	Pass	401
2630	3000	1	RMS	2999.075	-46.66	-25	21.66	Pass	401
3000	12000	1	RMS	11993	-47.94	-25	22.94	Pass	9002
12000	26500	1	RMS	25509	-43.12	-25	18.12	Pass	14502




12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.39	-25	43.39	Pass	401
0.15	30	0.01	RMS	0.16	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	849.2	-61.19	-25	36.19	Pass	9701
1000	2560	1	RMS	2507	-47.69	-25	22.69	Pass	1561
2560	2630	1	RMS	2615.3	-2.31	60	62.31	Pass	401
2630	3000	1	RMS	2996.3	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11999	-47.86	-25	22.86	Pass	9002
12000	26500	1	RMS	25506	-43.03	-25	18.03	Pass	14502




12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.52	-25	42.52	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	991.294	-61.12	-25	36.12	Pass	9701
1000	2560	1	RMS	2520	-47.73	-25	22.73	Pass	1561
2560	2630	1	RMS	2570.675	-3.51	60	63.51	Pass	401
2630	3000	1	RMS	3000	-46.66	-25	21.66	Pass	401
3000	12000	1	RMS	11992	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25502	-43.11	-25	18.11	Pass	14502




12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.16	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	961.174	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2559	-47.7	-25	22.7	Pass	1561
2560	2630	1	RMS	2570.325	-3.85	60	63.85	Pass	401
2630	3000	1	RMS	2999.075	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11999	-47.9	-25	22.9	Pass	9002
12000	26500	1	RMS	25499	-43.12	-25	18.12	Pass	14502




12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.15	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	973.883	-61.19	-25	36.19	Pass	9701
1000	2560	1	RMS	2558	-47.73	-25	22.73	Pass	1561
2560	2630	1	RMS	2590.45	-2.2	60	62.2	Pass	401
2630	3000	1	RMS	2999.075	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11999	-47.86	-25	22.86	Pass	9002
12000	26500	1	RMS	25502	-43.01	-25	18.01	Pass	14502




12.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.14	-25	43.14	Pass	401
0.15	30	0.01	RMS	0.28	-68.74	-25	43.74	Pass	2986
30	1000	0.1	RMS	965.077	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2559	-47.74	-25	22.74	Pass	1561
2560	2630	1	RMS	2590.45	-3.15	60	63.15	Pass	401
2630	3000	1	RMS	3000	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11999	-47.93	-25	22.93	Pass	9002
12000	26500	1	RMS	25501	-43.02	-25	18.02	Pass	14502




12.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.04	-25	43.04	Pass	401
0.15	30	0.01	RMS	0.21	-68.59	-25	43.59	Pass	2986
30	1000	0.1	RMS	870.614	-61.26	-25	36.26	Pass	9701
1000	2560	1	RMS	1762	-40.98	-25	15.98	Pass	1561
2560	2630	1	RMS	2610.4	-1.85	60	61.85	Pass	401
2630	3000	1	RMS	3000	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11986	-47.97	-25	22.97	Pass	9002
12000	26500	1	RMS	25489	-43.04	-25	18.04	Pass	14502




12.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.87	-25	43.87	Pass	401
0.15	30	0.01	RMS	0.15	-68.27	-25	43.27	Pass	2986
30	1000	0.1	RMS	983.589	-61.15	-25	36.15	Pass	9701
1000	2560	1	RMS	2503	-47.75	-25	22.75	Pass	1561
2560	2630	1	RMS	2610.4	-2.39	60	62.39	Pass	401
2630	3000	1	RMS	2998.15	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11997	-47.94	-25	22.94	Pass	9002
12000	26500	1	RMS	25500	-43.13	-25	18.13	Pass	14502




12.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.15	-67.87	-25	42.87	Pass	2986
30	1000	0.1	RMS	959.073	-61.21	-25	36.21	Pass	9701
1000	2560	1	RMS	2487	-47.7	-25	22.7	Pass	1561
2560	2630	1	RMS	2570.675	-3.44	60	63.44	Pass	401
2630	3000	1	RMS	2997.225	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11999	-47.89	-25	22.89	Pass	9002
12000	26500	1	RMS	25510	-43.01	-25	18.01	Pass	14502




12.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.91	-25	42.91	Pass	401
0.15	30	0.01	RMS	0.16	-68.02	-25	43.02	Pass	2986
30	1000	0.1	RMS	880.421	-61.23	-25	36.23	Pass	9701
1000	2560	1	RMS	2553	-47.76	-25	22.76	Pass	1561
2560	2630	1	RMS	2570.85	-4.07	60	64.07	Pass	401
2630	3000	1	RMS	2999.075	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11992	-47.87	-25	22.87	Pass	9002
12000	26500	1	RMS	25487	-43.06	-25	18.06	Pass	14502




12.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.75	-25	43.75	Pass	401
0.15	30	0.01	RMS	0.18	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	837.8	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2487	-47.76	-25	22.76	Pass	1561
2560	2630	1	RMS	2588.35	-2.88	60	62.88	Pass	401
2630	3000	1	RMS	3000	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11988	-47.95	-25	22.95	Pass	9002
12000	26500	1	RMS	25509	-43.03	-25	18.03	Pass	14502




12.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69	-25	44	Pass	401
0.15	30	0.01	RMS	0.18	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	977.385	-61.21	-25	36.21	Pass	9701
1000	2560	1	RMS	2502	-47.71	-25	22.71	Pass	1561
2560	2630	1	RMS	2588.35	-3.36	60	63.36	Pass	401
2630	3000	1	RMS	2996.3	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11996	-47.89	-25	22.89	Pass	9002
12000	26500	1	RMS	25501	-43.03	-25	18.03	Pass	14502




12.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.33	-25	43.33	Pass	401
0.15	30	0.01	RMS	0.16	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	958.072	-61.3	-25	36.3	Pass	9701
1000	2560	1	RMS	2487	-47.75	-25	22.75	Pass	1561
2560	2630	1	RMS	2605.85	-1.67	60	61.67	Pass	401
2630	3000	1	RMS	2631.85	-44.41	-25	19.41	Pass	401
3000	12000	1	RMS	11999	-47.83	-25	22.83	Pass	9002
12000	26500	1	RMS	25507	-43.09	-25	18.09	Pass	14502




12.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.19	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	848.8	-61.17	-25	36.17	Pass	9701
1000	2560	1	RMS	2497	-47.77	-25	22.77	Pass	1561
2560	2630	1	RMS	2605.675	-2.87	60	62.87	Pass	401
2630	3000	1	RMS	2631.85	-44.8	-25	19.8	Pass	401
3000	12000	1	RMS	11999	-47.93	-25	22.93	Pass	9002
12000	26500	1	RMS	25504	-43.13	-25	18.13	Pass	14502




12.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.19	-68.27	-25	43.27	Pass	2986
30	1000	0.1	RMS	963.776	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2517	-47.77	-25	22.77	Pass	1561
2560	2630	1	RMS	2570.85	-3.16	60	63.16	Pass	401
2630	3000	1	RMS	2996.3	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11985	-47.93	-25	22.93	Pass	9002
12000	26500	1	RMS	25500	-43.1	-25	18.1	Pass	14502




12.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.16	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	844.3	-61.22	-25	36.22	Pass	9701
1000	2560	1	RMS	2499	-47.73	-25	22.73	Pass	1561
2560	2630	1	RMS	2571.025	-4.25	60	64.25	Pass	401
2630	3000	1	RMS	3000	-46.66	-25	21.66	Pass	401
3000	12000	1	RMS	11988	-47.92	-25	22.92	Pass	9002
12000	26500	1	RMS	25501	-42.96	-25	17.96	Pass	14502




12.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.16	-68.85	-25	43.85	Pass	2986
30	1000	0.1	RMS	847.2	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2530	-47.72	-25	22.72	Pass	1561
2560	2630	1	RMS	2585.9	-3.16	60	63.16	Pass	401
2630	3000	1	RMS	2999.075	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11987	-47.9	-25	22.9	Pass	9002
12000	26500	1	RMS	25535	-43.11	-25	18.11	Pass	14502




12.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	849.1	-61.19	-25	36.19	Pass	9701
1000	2560	1	RMS	2497	-47.73	-25	22.73	Pass	1561
2560	2630	1	RMS	2586.075	-3.53	60	63.53	Pass	401
2630	3000	1	RMS	2999.075	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11997	-47.94	-25	22.94	Pass	9002
12000	26500	1	RMS	25482	-43.11	-25	18.11	Pass	14502




12.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	970.08	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2502	-47.64	-25	22.64	Pass	1561
2560	2630	1	RMS	2600.95	-1.98	60	61.98	Pass	401
2630	3000	1	RMS	2636.475	-45.42	-25	20.42	Pass	401
3000	12000	1	RMS	11995	-47.95	-25	22.95	Pass	9002
12000	26500	1	RMS	25499	-43.08	-25	18.08	Pass	14502



12.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.15	-67.64	-25	42.64	Pass	2986
30	1000	0.1	RMS	960.474	-61.08	-25	36.08	Pass	9701
1000	2560	1	RMS	2495	-47.77	-25	22.77	Pass	1561
2560	2630	1	RMS	2601.125	-3.26	60	63.26	Pass	401
2630	3000	1	RMS	2636.475	-45.67	-25	20.67	Pass	401
3000	12000	1	RMS	11993	-47.92	-25	22.92	Pass	9002
12000	26500	1	RMS	25498	-43.09	-25	18.09	Pass	14502



13. LTE_Band41 120M


13.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.17	-68.58	-25	43.58	Pass	2986
30	1000	0.1	RMS	989.593	-61.06	-25	36.06	Pass	9701
1000	2525	1	RMS	2525	-47.51	-25	22.51	Pass	1526
2525	2665	1	RMS	2535.15	23.15	60	36.85	Pass	401
2665	3000	1	RMS	2999.163	-46.7	-25	21.7	Pass	401
3000	12000	1	RMS	11999	-58.18	-25	33.18	Pass	9002
12000	26500	1	RMS	25503	-48.49	-25	23.49	Pass	14502




13.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.03	-25	43.03	Pass	401
0.15	30	0.01	RMS	0.16	-67.86	-25	42.86	Pass	2986
30	1000	0.1	RMS	942.562	-61.28	-25	36.28	Pass	9701
1000	2525	1	RMS	2525	-47.67	-25	22.67	Pass	1526
2525	2665	1	RMS	2535.15	22.18	60	37.82	Pass	401
2665	3000	1	RMS	2998.325	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11968	-58.21	-25	33.21	Pass	9002
12000	26500	1	RMS	25499	-48.48	-25	23.48	Pass	14502




13.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.19	-68.78	-25	43.78	Pass	2986
30	1000	0.1	RMS	937.959	-61.23	-25	36.23	Pass	9701
1000	2525	1	RMS	2514	-47.76	-25	22.76	Pass	1526
2525	2665	1	RMS	2592.55	23.02	60	36.98	Pass	401
2665	3000	1	RMS	3000	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11970	-58.19	-25	33.19	Pass	9002
12000	26500	1	RMS	25491	-48.39	-25	23.39	Pass	14502




13.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.59	-25	42.59	Pass	401
0.15	30	0.01	RMS	0.16	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	983.789	-61.21	-25	36.21	Pass	9701
1000	2525	1	RMS	2520	-47.76	-25	22.76	Pass	1526
2525	2665	1	RMS	2592.55	22.03	60	37.97	Pass	401
2665	3000	1	RMS	3000	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11985	-58.14	-25	33.14	Pass	9002
12000	26500	1	RMS	25503	-48.44	-25	23.44	Pass	14502




13.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.86	-25	43.86	Pass	401
0.15	30	0.01	RMS	0.28	-68.8	-25	43.8	Pass	2986
30	1000	0.1	RMS	967.078	-61.1	-25	36.1	Pass	9701
1000	2525	1	RMS	2514	-47.77	-25	22.77	Pass	1526
2525	2665	1	RMS	2649.95	22.78	60	37.22	Pass	401
2665	3000	1	RMS	3000	-46.66	-25	21.66	Pass	401
3000	12000	1	RMS	11981	-58.19	-25	33.19	Pass	9002
12000	26500	1	RMS	25497	-48.47	-25	23.47	Pass	14502




13.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.39	-25	44.39	Pass	401
0.15	30	0.01	RMS	0.15	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	867.312	-61.14	-25	36.14	Pass	9701
1000	2525	1	RMS	2501	-47.72	-25	22.72	Pass	1526
2525	2665	1	RMS	2649.95	22.15	60	37.85	Pass	401
2665	3000	1	RMS	2997.488	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	12000	-58.14	-25	33.14	Pass	9002
12000	26500	1	RMS	25507	-48.38	-25	23.38	Pass	14502




13.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.28	-25	42.28	Pass	401
0.15	30	0.01	RMS	0.15	-67.74	-25	42.74	Pass	2986
30	1000	0.1	RMS	995.897	-61.21	-25	36.21	Pass	9701
1000	2525	1	RMS	2518	-42.12	-25	17.12	Pass	1526
2525	2665	1	RMS	2535.5	23.01	60	36.99	Pass	401
2665	3000	1	RMS	2999.163	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11989	-58.18	-25	33.18	Pass	9002
12000	26500	1	RMS	25496	-48.41	-25	23.41	Pass	14502




13.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.15	-68.11	-25	43.11	Pass	2986
30	1000	0.1	RMS	913.943	-61.08	-25	36.08	Pass	9701
1000	2525	1	RMS	2518	-45	-25	20	Pass	1526
2525	2665	1	RMS	2535.5	22.36	60	37.64	Pass	401
2665	3000	1	RMS	3000	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11996	-58.11	-25	33.11	Pass	9002
12000	26500	1	RMS	25495	-48.4	-25	23.4	Pass	14502



13.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.31	-25	43.31	Pass	401
0.15	30	0.01	RMS	0.38	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	959.573	-61.08	-25	36.08	Pass	9701
1000	2525	1	RMS	2521	-47.71	-25	22.71	Pass	1526
2525	2665	1	RMS	2590.45	22.58	60	37.42	Pass	401
2665	3000	1	RMS	2999.163	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11997	-58.11	-25	33.11	Pass	9002
12000	26500	1	RMS	25497	-48.41	-25	23.41	Pass	14502



13.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.72	-25	42.72	Pass	401
0.15	30	0.01	RMS	0.17	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	989.993	-61.24	-25	36.24	Pass	9701
1000	2525	1	RMS	2511	-47.75	-25	22.75	Pass	1526
2525	2665	1	RMS	2590.1	21.33	60	38.67	Pass	401
2665	3000	1	RMS	2999.163	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	5181	-58.05	-25	33.05	Pass	9002
12000	26500	1	RMS	25498	-48.43	-25	23.43	Pass	14502



13.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.81	-25	42.81	Pass	401
0.15	30	0.01	RMS	0.17	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	684.9	-60.91	-25	35.91	Pass	9701
1000	2525	1	RMS	2502	-47.73	-25	22.73	Pass	1526
2525	2665	1	RMS	2645.4	22.42	60	37.58	Pass	401
2665	3000	1	RMS	2999.163	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	12000	-58.13	-25	33.13	Pass	9002
12000	26500	1	RMS	25501	-48.45	-25	23.45	Pass	14502



13.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.46	-25	43.46	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	970.681	-61.2	-25	36.2	Pass	9701
1000	2525	1	RMS	2521	-47.73	-25	22.73	Pass	1526
2525	2665	1	RMS	2645.75	21.55	60	38.45	Pass	401
2665	3000	1	RMS	2999.163	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	5291	-56.7	-25	31.7	Pass	9002
12000	26500	1	RMS	25494	-48.37	-25	23.37	Pass	14502



13.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.74	-25	43.74	Pass	401
0.15	30	0.01	RMS	0.19	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	854.804	-61.25	-25	36.25	Pass	9701
1000	2525	1	RMS	2525	-41.87	-25	16.87	Pass	1526
2525	2665	1	RMS	2535.85	22.92	60	37.08	Pass	401
2665	3000	1	RMS	3000	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11994	-58.05	-25	33.05	Pass	9002
12000	26500	1	RMS	25499	-48.25	-25	23.25	Pass	14502



13.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.54	-25	42.54	Pass	401
0.15	30	0.01	RMS	0.18	-68.71	-25	43.71	Pass	2986
30	1000	0.1	RMS	992.095	-61.26	-25	36.26	Pass	9701
1000	2525	1	RMS	2525	-44.2	-25	19.2	Pass	1526
2525	2665	1	RMS	2535.85	22.2	60	37.8	Pass	401
2665	3000	1	RMS	3000	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11982	-58.14	-25	33.14	Pass	9002
12000	26500	1	RMS	25521	-48.4	-25	23.4	Pass	14502



13.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.9	-25	43.9	Pass	401
0.15	30	0.01	RMS	0.15	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	923.649	-61.2	-25	36.2	Pass	9701
1000	2525	1	RMS	2513	-47.72	-25	22.72	Pass	1526
2525	2665	1	RMS	2588	22.47	60	37.53	Pass	401
2665	3000	1	RMS	2999.163	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11999	-58.08	-25	33.08	Pass	9002
12000	26500	1	RMS	25501	-48.37	-25	23.37	Pass	14502



13.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.85	-25	42.85	Pass	401
0.15	30	0.01	RMS	0.15	-67.25	-25	42.25	Pass	2986
30	1000	0.1	RMS	914.243	-61.23	-25	36.23	Pass	9701
1000	2525	1	RMS	2516	-47.67	-25	22.67	Pass	1526
2525	2665	1	RMS	2588.35	22.07	60	37.93	Pass	401
2665	3000	1	RMS	2971.525	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11991	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25487	-48.45	-25	23.45	Pass	14502



13.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.07	-25	44.07	Pass	401
0.15	30	0.01	RMS	0.16	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	858.306	-61.09	-25	36.09	Pass	9701
1000	2525	1	RMS	2497	-47.65	-25	22.65	Pass	1526
2525	2665	1	RMS	2640.5	21.65	60	38.35	Pass	401
2665	3000	1	RMS	2666.675	-26.48	-25	1.48	Pass*	401
3000	12000	1	RMS	5281	-57.49	-25	32.49	Pass	9002
12000	26500	1	RMS	25499	-48.42	-25	23.42	Pass	14502



13.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	0.15	-68.27	-25	43.27	Pass	2986
30	1000	0.1	RMS	869.313	-61.08	-25	36.08	Pass	9701
1000	2525	1	RMS	2499	-47.79	-25	22.79	Pass	1526
2525	2665	1	RMS	2640.5	22.15	60	37.85	Pass	401
2665	3000	1	RMS	2667.513	-25.13	-25	0.13	Pass*	401
3000	12000	1	RMS	12000	-58.08	-25	33.08	Pass	9002
12000	26500	1	RMS	25501	-48.34	-25	23.34	Pass	14502



13.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.82	-25	42.82	Pass	401
0.15	30	0.01	RMS	0.15	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	994.296	-61.14	-25	36.14	Pass	9701
1000	2525	1	RMS	2524	-42.59	-25	17.59	Pass	1526
2525	2665	1	RMS	2535.85	23.28	60	36.72	Pass	401
2665	3000	1	RMS	3000	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11987	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25491	-48.36	-25	23.36	Pass	14502



13.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	42.84	Pass	2986
30	1000	0.1	RMS	816.9	-61.24	-25	36.24	Pass	9701
1000	2525	1	RMS	2524	-42.14	-25	17.14	Pass	1526
2525	2665	1	RMS	2535.85	22.09	60	37.91	Pass	401
2665	3000	1	RMS	2994.138	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11988	-58.17	-25	33.17	Pass	9002
12000	26500	1	RMS	25511	-48.46	-25	23.46	Pass	14502



13.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.09	-25	44.09	Pass	401
0.15	30	0.01	RMS	0.15	-67.75	-25	42.75	Pass	2986
30	1000	0.1	RMS	847.5	-61.2	-25	36.2	Pass	9701
1000	2525	1	RMS	2512	-47.8	-25	22.8	Pass	1526
2525	2665	1	RMS	2585.9	23.27	60	36.73	Pass	401
2665	3000	1	RMS	2999.163	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	5172	-56.73	-25	31.73	Pass	9002
12000	26500	1	RMS	25492	-48.47	-25	23.47	Pass	14502



13.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.91	-25	42.91	Pass	401
0.15	30	0.01	RMS	0.38	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	984.39	-61.25	-25	36.25	Pass	9701
1000	2525	1	RMS	2521	-47.79	-25	22.79	Pass	1526
2525	2665	1	RMS	2585.9	21.65	60	38.35	Pass	401
2665	3000	1	RMS	2996.65	-46.69	-25	21.69	Pass	401
3000	12000	1	RMS	11988	-58.14	-25	33.14	Pass	9002
12000	26500	1	RMS	25502	-48.39	-25	23.39	Pass	14502



13.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.68	-25	43.68	Pass	401
0.15	30	0.01	RMS	0.17	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	939.16	-61.27	-25	36.27	Pass	9701
1000	2525	1	RMS	2524	-47.76	-25	22.76	Pass	1526
2525	2665	1	RMS	2635.6	22.26	60	37.74	Pass	401
2665	3000	1	RMS	2671.7	-25.47	-25	0.47	Pass*	401
3000	12000	1	RMS	11990	-58.14	-25	33.14	Pass	9002
12000	26500	1	RMS	25502	-48.4	-25	23.4	Pass	14502



13.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.64	-25	43.64	Pass	401
0.15	30	0.01	RMS	0.17	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	941.661	-61.21	-25	36.21	Pass	9701
1000	2525	1	RMS	2524	-47.77	-25	22.77	Pass	1526
2525	2665	1	RMS	2635.6	21.47	60	38.53	Pass	401
2665	3000	1	RMS	2671.7	-27.41	-25	2.41	Pass*	401
3000	12000	1	RMS	5272	-56.98	-25	31.98	Pass	9002
12000	26500	1	RMS	25501	-48.49	-25	23.49	Pass	14502

