






802.11n-20 MHz LOW CHANNEL CARRIER LEVEL

802.11n-20 MHz LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11n-20 MHz LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11n-20 MHz MIDDLE CHANNEL CARRIER LEVEL




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-20 MHz HIGH CHANNEL CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note 1: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Note 2: All antenna were tested, but only the worst case has been reported in this report.

Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-44.26	6.87	-13.13	Pass
High	-49.85	8.20	-11.80	Pass

802.11g Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-25.91	6.35	-13.65	Pass
High	-40.07	4.38	-15.62	Pass

802.11n-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-26.80	6.72	-13.28	Pass
High	-33.68	4.27	-15.73	Pass

Test Plots


802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL



802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL



802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE



802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE



A.5 Conducted Emission

Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note 3: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.154	43.92	9.83	65.78	21.86	Peak	L	Pass
1**	0.154	24.88	9.83	55.78	30.90	AV	L	Pass
2	0.456	38.26	9.77	56.77	18.51	Peak	L	Pass
2**	0.456	24.78	9.77	46.77	21.99	AV	L	Pass
3	1.458	42.63	9.73	56.00	13.37	Peak	L	Pass
3**	1.458	35.58	9.73	46.00	10.42	AV	L	Pass
4	2.922	37.81	9.63	56.00	18.19	Peak	L	Pass
4**	2.922	28.19	9.63	46.00	17.81	AV	L	Pass
5	9.104	45.12	9.22	60.00	14.88	Peak	L	Pass
5**	9.104	31.10	9.22	50.00	18.90	AV	L	Pass
6	15.640	40.96	8.93	60.00	19.04	Peak	L	Pass
6**	15.640	27.55	8.93	50.00	22.45	AV	L	Pass

PHASE N

CE Test case FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.180	37.31	9.80	64.49	27.18	Peak	N	Pass
1**	0.180	24.08	9.80	54.49	30.41	AV	N	Pass
2	0.408	34.59	9.77	57.69	23.10	Peak	N	Pass
2**	0.408	22.14	9.77	47.69	25.55	AV	N	Pass
3	0.520	39.42	9.76	56.00	16.58	Peak	N	Pass
3**	0.520	26.85	9.76	46.00	19.15	AV	N	Pass
4	1.282	33.56	9.75	56.00	22.44	Peak	N	Pass
4**	1.282	20.63	9.75	46.00	25.37	AV	N	Pass
5	2.134	33.18	9.65	56.00	22.82	Peak	N	Pass
5**	2.134	19.78	9.65	46.00	26.22	AV	N	Pass
6	9.074	41.78	9.22	60.00	18.22	Peak	N	Pass
6**	9.074	32.05	9.22	50.00	17.95	AV	N	Pass

A.6 Radiated Emission

Note 1: The symbol of "--" in the table which means not application.


Note 2: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	46.781	12.91	-25.83	40.0	27.09	Peak	6.00	100	Horizontal	Pass
2	128.891	23.29	-29.78	43.5	20.21	Peak	89.00	200	Horizontal	Pass
3	161.387	25.82	-29.48	43.5	17.68	Peak	124.00	200	Horizontal	Pass
4	264.013	33.31	-24.93	46.0	12.69	Peak	104.00	100	Horizontal	Pass
5	408.009	33.60	-20.73	46.0	12.40	Peak	83.00	200	Horizontal	Pass
6	810.850	34.02	-11.79	46.0	11.98	Peak	101.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	50.079	14.89	-25.70	40.0	25.11	Peak	311.00	100	Vertical	Pass
2	125.254	21.89	-29.50	43.5	21.61	Peak	72.00	100	Vertical	Pass
3	175.258	22.57	-28.99	43.5	20.93	Peak	94.00	100	Vertical	Pass
4	263.964	26.44	-24.93	46.0	19.56	Peak	166.00	200	Vertical	Pass
5	408.009	33.39	-20.73	46.0	12.61	Peak	205.00	100	Vertical	Pass
6	811.093	31.81	-11.79	46.0	14.19	Peak	101.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.


Note 2: The spurious above 18G is noise only, do not show on the report.

Note 3: All antenna were pre tested, but only the worst case has been reported in this report.

Note 4: All the configurations were pre tested, only the worst configuration has been reported in this report.

1 GHz to 18 GHz, ANT H 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.750	39.73	-15.38	74.0	34.27	Peak	352.00	150	Horizontal	Pass
1**	1039.750	28.43	-15.38	54.0	25.57	AV	352.00	150	Horizontal	Pass
2	2130.000	42.87	-13.26	74.0	31.13	Peak	175.00	150	Horizontal	Pass
2**	2130.000	31.36	-13.26	54.0	22.64	AV	175.00	150	Horizontal	Pass
3	2438.250	101.84	-12.38	74.0	-27.84	Peak	20.00	150	Horizontal	N/A
3**	2438.250	99.00	-12.38	54.0	-45.00	AV	20.00	150	Horizontal	N/A
4	4874.000	53.87	-2.23	74.0	20.13	Peak	28.00	150	Horizontal	Pass
4**	4874.000	48.68	-2.23	54.0	5.32	AV	28.00	150	Horizontal	Pass
5	4874.500	53.38	-2.25	74.0	20.62	Peak	28.00	150	Horizontal	Pass
5**	4874.500	50.76	-2.25	54.0	3.24	AV	28.00	150	Horizontal	Pass
6	14268.000	49.67	-2.32	74.0	24.33	Peak	29.00	150	Horizontal	Pass
6**	14268.000	39.11	-2.32	54.0	14.89	AV	29.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1304.500	39.88	-15.59	74.0	34.12	Peak	3.00	150	Vertical	Pass
1**	1304.500	28.87	-15.59	54.0	25.13	AV	3.00	150	Vertical	Pass
2	2042.000	41.98	-13.31	74.0	32.02	Peak	255.00	150	Vertical	Pass
2**	2042.000	31.11	-13.31	54.0	22.89	AV	255.00	150	Vertical	Pass
3	2435.750	90.87	-12.32	74.0	-16.87	Peak	340.00	150	Vertical	N/A
3**	2435.750	87.89	-12.32	54.0	-33.89	AV	340.00	150	Vertical	N/A
4	2999.500	46.83	-8.74	74.0	27.17	Peak	0.00	150	Vertical	Pass
4**	2999.500	35.58	-8.74	54.0	18.42	AV	0.00	150	Vertical	Pass
5	4874.000	50.21	-2.23	74.0	23.79	Peak	121.00	150	Vertical	Pass
5**	4874.000	43.31	-2.23	54.0	10.69	AV	121.00	150	Vertical	Pass
6	12533.000	48.61	-3.11	74.0	25.39	Peak	0.00	150	Vertical	Pass
6**	12533.000	38.27	-3.11	54.0	15.73	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1073.500	40.08	-15.30	74.0	33.92	Peak	218.00	150	Horizontal	Pass
1**	1073.500	28.22	-15.30	54.0	25.78	AV	218.00	150	Horizontal	Pass
2	2074.750	41.69	-13.78	74.0	32.31	Peak	306.00	150	Horizontal	Pass
2**	2074.750	30.97	-13.78	54.0	23.03	AV	306.00	150	Horizontal	Pass
3	2438.000	105.85	-12.38	74.0	-31.85	Peak	27.00	150	Horizontal	N/A
3**	2438.000	98.38	-12.38	54.0	-44.38	AV	27.00	150	Horizontal	N/A
4	2933.000	46.34	-8.01	74.0	27.66	Peak	353.00	150	Horizontal	Pass
4**	2933.000	35.34	-8.01	54.0	18.66	AV	353.00	150	Horizontal	Pass
5	4878.500	51.23	-2.26	74.0	22.77	Peak	35.00	150	Horizontal	Pass
5**	4878.500	41.33	-2.26	54.0	12.67	AV	35.00	150	Horizontal	Pass
6	15270.000	48.96	-1.27	74.0	25.04	Peak	360.00	150	Horizontal	Pass
6**	15270.000	39.01	-1.27	54.0	14.99	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1264.500	39.87	-15.98	74.0	34.13	Peak	304.00	150	Vertical	Pass
1**	1264.500	28.26	-15.98	54.0	25.74	AV	304.00	150	Vertical	Pass
2	2080.500	42.04	-13.81	74.0	31.96	Peak	209.00	150	Vertical	Pass
2**	2080.500	31.14	-13.81	54.0	22.86	AV	209.00	150	Vertical	Pass
3	2430.250	99.06	-12.26	74.0	-25.06	Peak	89.00	150	Vertical	N/A
3**	2430.250	90.79	-12.26	54.0	-36.79	AV	89.00	150	Vertical	N/A
4	2865.750	45.83	-9.68	74.0	28.17	Peak	360.00	150	Vertical	Pass
4**	2865.750	34.11	-9.68	54.0	19.89	AV	360.00	150	Vertical	Pass
5	6422.500	52.80	0.00	74.0	21.20	Peak	166.00	150	Vertical	Pass
5**	6422.500	42.00	0.00	54.0	12.00	AV	166.00	150	Vertical	Pass
6	14591.000	49.25	-2.12	74.0	24.75	Peak	360.00	150	Vertical	Pass
6**	14591.000	39.32	-2.12	54.0	14.68	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.750	39.56	-15.50	74.0	34.44	Peak	280.00	150	Horizontal	Pass
1**	1159.750	28.14	-15.50	54.0	25.86	AV	280.00	150	Horizontal	Pass
2	2072.750	41.94	-13.74	74.0	32.06	Peak	202.00	150	Horizontal	Pass
2**	2072.750	30.97	-13.74	54.0	23.03	AV	202.00	150	Horizontal	Pass
3	2439.000	107.15	-12.37	74.0	-33.15	Peak	360.00	150	Horizontal	N/A
3**	2439.000	98.78	-12.37	54.0	-44.78	AV	360.00	150	Horizontal	N/A
4	2996.250	46.01	-8.82	74.0	27.99	Peak	180.00	150	Horizontal	Pass
4**	2996.250	35.20	-8.82	54.0	18.80	AV	180.00	150	Horizontal	Pass
5	4879.500	51.77	-2.28	74.0	22.23	Peak	38.00	150	Horizontal	Pass
5**	4879.500	41.71	-2.28	54.0	12.29	AV	38.00	150	Horizontal	Pass
6	12931.000	48.71	-2.27	74.0	25.29	Peak	360.00	150	Horizontal	Pass
6**	12931.000	38.59	-2.27	54.0	15.41	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
v	1298.250	39.40	-15.63	74.0	34.60	Peak	154.00	150	Vertical	Pass
1**	1298.250	28.28	-15.63	54.0	25.72	AV	154.00	150	Vertical	Pass
2	2041.500	42.11	-13.31	74.0	31.89	Peak	8.00	150	Vertical	Pass
2**	2041.500	31.14	-13.31	54.0	22.86	AV	8.00	150	Vertical	Pass
3	2435.250	98.73	-12.29	74.0	-24.73	Peak	66.00	150	Vertical	N/A
3**	2435.250	90.90	-12.29	54.0	-36.90	AV	66.00	150	Vertical	N/A
4	2994.750	46.24	-8.91	74.0	27.76	Peak	209.00	150	Vertical	Pass
4**	2994.750	35.62	-8.91	54.0	18.38	AV	209.00	150	Vertical	Pass
5	4874.000	49.85	-2.23	74.0	24.15	Peak	45.00	150	Vertical	Pass
5**	4874.000	39.25	-2.23	54.0	14.75	AV	45.00	150	Vertical	Pass
6	15625.500	50.10	-1.57	74.0	23.90	Peak	359.00	150	Vertical	Pass
6**	15625.500	39.33	-1.57	54.0	14.67	AV	359.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.


Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note 3: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 4: All antenna were pre tested, but only the worst case has been reported in this report.

Test Data and Plots


802.11b LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.90	-4.87	74.0	23.10	Peak	173.24	150	Horizontal	Pass
1**	2390.000	40.34	-4.87	54.0	13.66	AV	173.24	150	Horizontal	Pass
2	2386.000	52.22	-4.64	74.0	21.78	Peak	56.00	150	Horizontal	Pass
2**	2386.000	40.79	-4.64	54.0	13.21	AV	56.00	150	Horizontal	Pass

802.11b HIGH CHANNEL


Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.15	-3.78	74.0	19.85	Peak	39.00	150	Horizontal	Pass
1**	2483.500	46.62	-3.78	54.0	7.38	AV	39.00	150	Horizontal	Pass
2	2483.710	56.12	-3.78	74.0	17.88	Peak	33.00	150	Horizontal	Pass
2**	2483.710	45.53	-3.78	54.0	8.47	AV	33.00	150	Horizontal	Pass


802.11g LOW CHANNEL

Bandedge_FCC-WIFI_2.4G_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.00	-4.87	74.0	15.00	Peak	23.00	150	Horizontal	Pass
1**	2390.000	46.10	-4.87	54.0	7.90	AV	23.00	150	Horizontal	Pass
2	2389.600	61.52	-4.85	74.0	12.48	Peak	23.00	150	Horizontal	Pass
2**	2389.600	45.14	-4.85	54.0	8.86	AV	23.00	150	Horizontal	Pass

802.11g HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.27	-3.78	74.0	6.73	Peak	19.00	150	Horizontal	Pass
1**	2483.500	50.82	-3.78	54.0	3.18	AV	19.00	150	Horizontal	Pass
2	2483.680	67.62	-3.78	74.0	6.38	Peak	26.00	150	Horizontal	Pass
2**	2483.680	50.39	-3.78	54.0	3.61	AV	26.00	150	Horizontal	Pass


802.11n20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.48	-4.87	74.0	13.52	Peak	34.98	150	Horizontal	Pass
1**	2390.000	46.25	-4.87	54.0	7.75	AV	34.98	150	Horizontal	Pass
2	2388.600	60.93	-4.80	74.0	13.07	Peak	28.00	150	Horizontal	Pass
2**	2388.600	44.07	-4.80	54.0	9.93	AV	28.00	150	Horizontal	Pass

802.11n20 HIGH CHANNEL

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.48	-3.78	74.0	8.52	Peak	46.00	150	Horizontal	Pass
1**	2483.500	50.62	-3.78	54.0	3.38	AV	46.00	150	Horizontal	Pass
2	2483.680	67.35	-3.78	74.0	6.65	Peak	52.00	150	Horizontal	Pass
2**	2483.680	50.39	-3.78	54.0	3.61	AV	52.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.82	8
Middle	-9.09	8
High	-7.15	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.94	8
Middle	-8.92	8
High	-8.38	8

802.11n-20 MHz Mode:


Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.17	8
Middle	-11.33	8
High	-11.21	8

Test Plots

802.11b LOW CHANNEL



802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2530336-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2530336-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2530336-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--