







n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=352000 RB=100@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=352000 RB=100@0




n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=352000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=346000 RB=100@0



n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=349000 RB=50@0



n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=354000 RB=50@0



4 Occupied bandwidth for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n66	15	5	349000	25@0	DFT_BPSK	4.470	4.620	PASS
n66	15	5	349000	25@0	DFT_QPSK	4.450	4.700	PASS
n66	15	5	349000	25@0	DFT_QAM16	4.460	4.610	PASS
n66	15	5	349000	25@0	DFT_QAM64	4.470	4.630	PASS
n66	15	5	349000	25@0	DFT_QAM256	4.460	4.630	PASS
n66	15	10	349000	50@0	DFT_BPSK	9.220	9.100	PASS
n66	15	10	349000	50@0	DFT_QPSK	9.190	9.110	PASS
n66	15	10	349000	50@0	DFT_QAM16	9.260	9.120	PASS
n66	15	10	349000	50@0	DFT_QAM64	9.190	9.090	PASS
n66	15	10	349000	50@0	DFT_QAM256	9.150	9.140	PASS
n66	15	15	349000	75@0	DFT_BPSK	13.960	13.650	PASS
n66	15	15	349000	75@0	DFT_QPSK	14.000	13.590	PASS
n66	15	15	349000	75@0	DFT_QAM16	13.920	13.680	PASS
n66	15	15	349000	75@0	DFT_QAM64	13.980	13.600	PASS
n66	15	15	349000	75@0	DFT_QAM256	13.900	13.620	PASS
n66	15	20	349000	100@0	DFT_BPSK	18.760	18.130	PASS
n66	15	20	349000	100@0	DFT_QPSK	18.630	18.160	PASS
n66	15	20	349000	100@0	DFT_QAM16	18.620	18.130	PASS
n66	15	20	349000	100@0	DFT_QAM64	18.700	18.120	PASS
n66	15	20	349000	100@0	DFT_QAM256	18.650	18.100	PASS
n66	15	40	349000	216@0	DFT_BPSK	38.460	39.000	PASS
n66	15	40	349000	216@0	DFT_QPSK	38.430	38.980	PASS
n66	15	40	349000	216@0	DFT_QAM16	38.420	39.000	PASS
n66	15	40	349000	216@0	DFT_QAM64	38.420	39.020	PASS
n66	15	40	349000	216@0	DFT_QAM256	38.460	39.030	PASS

n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QAM64 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QAM256 BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QAM256 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QPSK BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=349000 RB=75@0



Measurement

BLER/Tput

UE Info.

Msg. Summary

NR UE Power: 20 dBm DL BLER: — %

Duplex: FDD Port: RFIO1 Freq: 1745 MHz EIP: 23 dBm Measuring Acquiring Avg: 6/6

Occupied Bandwidth

Pass/Fail	Pass
OBW	14.001 MHz
Tx Freq Err	0.00 Hz
X dB BW	13.59 MHz
Total Power	19.84 dBm

Meas Cell NR1

Meas Mode Basic

Meas Select

Meas Channel PUSCH

Average Count 6

Continuous Off

Restart

LTE1

NR1

Common

Cell Power (EPRE) -72.95 dBm/SCS

Cell

Disconnect

Aggregate

Load Configuration

Save Configuration

Preset

Local

SCS 15 kHz

UL BW 15 MHz

DL Scheduler

DL MIMO 1x1

DL Antenna 1x1

UL Scheduler

UL MIMO 1x1

Tx/Rx Res. DL & UL

Blind Handover

P-Max OFF

p-NR-FR1 20

Channel

EIP Auto

Addl. SEM NS_01

PRACH

Test Case Params


Advanced

Ready BSE:MEASure:CASE:CONFig Copy Current Log 2025-07-29 16:43:07


5 Band edge for EN-DC

<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
n66	15	5	342500	25@0	CP_QPSK	1709.99	-40.65	-13	PASS
n66	15	5	342500	1@0	CP_QPSK	1710.00	-15.73	-13	PASS
n66	15	5	342500	1@24	CP_QPSK	1707.43	-49.31	-13	PASS
n66	15	5	355500	25@0	CP_QPSK	1780.01	-41.84	-13	PASS
n66	15	5	355500	1@0	CP_QPSK	1782.64	-49.41	-13	PASS
n66	15	5	355500	1@24	CP_QPSK	1780.00	-16.82	-13	PASS
n66	15	20	344000	106@0	CP_QPSK	1709.64	-41.12	-13	PASS
n66	15	20	344000	1@0	CP_QPSK	1710.00	-32.53	-13	PASS
n66	15	20	344000	1@105	CP_QPSK	1700.16	-50.05	-13	PASS
n66	15	20	354000	106@0	CP_QPSK	1780.72	-40.70	-13	PASS
n66	15	20	354000	1@0	CP_QPSK	1789.76	-49.33	-13	PASS
n66	15	20	354000	1@105	CP_QPSK	1780.00	-30.53	-13	PASS
n66	15	40	346000	216@0	CP_QPSK	1710.00	-38.13	-13	PASS
n66	15	40	346000	1@0	CP_QPSK	1710.00	-29.57	-13	PASS
n66	15	40	346000	1@215	CP_QPSK	1702.56	-50.21	-13	PASS
n66	15	40	352000	216@0	CP_QPSK	1780.00	-34.25	-13	PASS
n66	15	40	352000	1@0	CP_QPSK	1787.52	-50.58	-13	PASS
n66	15	40	352000	1@215	CP_QPSK	1780.00	-27.35	-13	PASS


n66 SCS=15kHz CP_QPSK BW=20MHz Channel=354000 RB=1@105




n66 SCS=15kHz CP_QPSK BW=20MHz Channel=354000 RB=1@0




n66 SCS=15kHz CP_QPSK BW=40MHz Channel=346000 RB=1@215




n66 SCS=15kHz CP_QPSK BW=40MHz Channel=346000 RB=1@0




n66 SCS=15kHz CP_QPSK BW=20MHz Channel=344000 RB=1@0




n66 SCS=15kHz CP_QPSK BW=20MHz Channel=344000 RB=106@0




n66 SCS=15kHz CP_QPSK BW=20MHz Channel=354000 RB=106@0




n66 SCS=15kHz CP_QPSK BW=20MHz Channel=344000 RB=1@105




n66 SCS=15kHz CP_QPSK BW=40MHz Channel=352000 RB=216@0




n66 SCS=15kHz CP_QPSK BW=5MHz Channel=342500 RB=1@0




n66 SCS=15kHz CP_QPSK BW=40MHz Channel=352000 RB=1@215




n66 SCS=15kHz CP_QPSK BW=40MHz Channel=346000 RB=216@0




n66 SCS=15kHz CP_QPSK BW=40MHz Channel=352000 RB=1@0




n66 SCS=15kHz CP_QPSK BW=5MHz Channel=355500 RB=1@24



n66 SCS=15kHz CP_QPSK BW=5MHz Channel=355500 RB=25@0



n66 SCS=15kHz CP_QPSK BW=5MHz Channel=355500 RB=1@0



n66 SCS=15kHz CP_QPSK BW=5MHz Channel=342500 RB=1@24